

INDEX OF NAVIGATION AIDS			
NO.	DATE	STATE PLANE COORDINATES	GEOGRAPHIC POSITION
FI G-5	6/24/14	N 2689188.20 E 987144.87	41° - 37′ - 14.8″N 70° - 17′ - 22.2″W
FI R-6	6/24/14	N 2688919.13 E 987416.10	41° - 37′ - 12.1″N 70° - 17′ - 18.7″W
GC-7	6/24/14	N 2690708.64 E 989471.97	41° - 37′ - 29.5″N 70° - 16′ - 51.3″W
RN-8	6/24/14	N 2690654.21 E 990009.29	41° - 37′ - 28.9″N 70° - 16′ - 44.2″W
FI G-9	6/19/14	N 2691519.26 E 990925.56	41° - 37′ - 37.3″N 70° - 16′ - 32.0″W
FI R-10	6/19/14	N 2691717.92 E 991528.33	41° - 37′ - 39.2″N 70° - 16′ - 24.0″W
RN-12	6/19/14	N 2692711.07 E 991995.19	41° - 37′ - 48.9″N 70° - 16′ - 17.7″W
GC-13	6/19/14	N 2693950.90 E 992102.47	41° - 38′ - 01.2″N 70° - 16′ - 16.0″W
RN-14	6/26/14	N 2694403.24 E 992453.39	41° - 38′ - 05.6″N 70° - 16′ - 11.3″W
GC-15	6/24/14	N 2695988.48 E 992420.19	41° - 38′ - 21.3″N 70° - 16′ - 11.5″W
FI R-18	6/24/14	N 2697050.28 E 992801.51	41° - 38′ - 31.7″N 70° - 16′ - 06.2″W
GC-19	6/24/14	N 2697054.97 E 992540.34	41° - 38′ - 31.8″N 70° - 16′ - 09.7″W
RN-20	6/20/14	N 2697898.55 E 992141.91	41° - 38′ - 40.2″N 70° - 16′ - 14.8″W
GC-21	6/20/14	N 2698007.52 E 991688.24	41° - 38′ - 41.3″N 70° - 16′ - 20.7″W
RN-22	6/19/14	N 2699045.44 E 990985.48	41° - 38′ - 51.7″N 70° - 16′ - 29.8″W

GENERAL NOTES:

1. Soundings are in feet and tenths and refer to the plane of Mean Lower Low Water (MLLW) 1983-2001 Tidal Epoch. Soundings noted with a (+) are above the reference plane of MLLW. Soundings without a sign are below the reference plane of MLLW, and should be considered negative.
2. Topography shown is from previous surveys and/or NOAA Chart No. 13229. All topography, including shoreline, bridges, piers, etc., is located approximate unless otherwise noted and should be used as a general reference only.
3. Bench Mark Data: Tides were recorded using RTK GPS. The MLLW to NAVD88 correction for this project is 2.25 feet. This correction is referenced from NOAA's V-Datum model in the vicinity of Hyannis Harbor, Massachusetts. NAVD88 is above MLLW; therefore the correction should be added to NAVD88 to convert to MLLW. No tide gauges were used for this project. The average range of tide is 3.1 feet.
4. Coordinates shown are based on the Lambert Grid System for the Commonwealth of Massachusetts (Mainland Zone 2001), NAD 1983 and are based on US Survey Feet.
5. Survey was performed using an R2 Sonic Multibeam Sonar System operating at 300kHz. Horizontal positioning and real-time tides were recorded utilizing a Leica 1200 GPS System. An RTK base station was set up on Station TED (2013).
6. The sounding information shown on these maps represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during June 2014.
7. The sounding information depicted on these maps should NOT be used to determine volumes. Volumes are determined from more sounding information than shown. Additional sounding information is available upon request.
8. The information depicted on these maps represents the results of surveys made on the dates indicated, and can only be considered as indicating the general conditions existing at that time.
9. Field Book: R&H 4975
   - 11-Foot depth contour shown thus: ----------
   - 12-Foot depth contour shown thus: ----------
   - 13-Foot depth contour shown thus: ----------
   - Surveyed by: Robert MacGovern and crew
   - Refer to Survey No. 14-1320

US Army Corps of Engineers®
New England District

MARK	DESCRIPTION	DATE	APPR

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT
CONCORD, MASSACHUSETTS
www.nae.usace.army.mil

REVIEWED BY: Anthony Pratt, Asst. Chief, Survey Section
SUBMITTED BY: Robert MacGovern, Chief, Survey Section
DATE: 7/23/2014
DWN BY: MB
CKD BY: WSHIPP
DESIGN FILE: HYANSHS.DGN
PLOT SCALE: 1:1
PLOT DATE: 7/23/2014
DRAWING CODE: HYA14
FILE NAME: HYA14 V-101.dgn
SIZE: ANSI F

HYANNIS HARBOR
BARNSTABLE (HYANNIS) AND YARMOUTH, MASSACHUSETTS
AFTER DREDGE SURVEY
CHANNELS AND TURNING BASIN
13-FOOT CHANNEL AND TURNING BASIN
12-FOOT ANCHORAGES
NEAR-SHORE PLACEMENT SITE

SHEET IDENTIFICATION
V-101
SHEET 1 OF 7

SAFETY PAYS

1 2 3 4 5 6

E 987000 E 988000 E 989000 E 990000

N 2691000 N 2691000

E D C B A

N

APPROXIMATE LOCATION OF CABLE

HYANNIS HARBOR

SHEET MATCH LINE V-103

GC-7

RN-8

FLOOD

EBB

240'

13-FOOT CHANNEL

FIG-5

FIR-6

N 2690000 N 2690000

N 2689000

PROJECT DREDGED BY GOVERNMENT DREDGE "CURRITUCK" IN JUNE 2014

NOTE:
For General Notes see sheet 1 of 7.

PLAN
SCALE: 1" = 100'

GRAPHIC SCALE:
100 0 100 200
1" = 100'

E 987000 E 988000 E 989000

SAFETY PAYS

US Army Corps of Engineers®
New England District

MARK	DESCRIPTION	DATE	APPR.

DATE:	7/23/2014
DWN BY:	DIG BY:
CHKED BY:	APPROVED BY:
DESIGN FILE:	HYARSDGN
PLOT SCALE:	PLOT DATE:
DRAWING CODE:	HYA1A
SIZE:	FILE NAME:
ANSI F	HYA1TA V-102.dgn

REVIEWED BY: Jeffrey Porter
Mgr, Chief, Survey Section
Cmdr, Survey Section

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT
CONCORD, MASSACHUSETTS
www.nae.usace.army.mil

HYANNIS HARBOR
BARNSTABLE (HYANNIS) AND YARMOUTH, MASSACHUSETTS
AFTER DREDGE SURVEY
CHANNELS AND TURNING BASIN
13-FOOT CHANNEL AND
12-FOOT ANCHORAGES
NEAR-SHORE PLACEMENT SITE

SHEET IDENTIFICATION
V-102
SHEET 2 OF 7



PLAN
SCALE: 1" = 100'

NOTE:
For General Notes see sheet 1 of 7.

GRAPHIC SCALE:
100 0 100 200
1" = 100'

SAFETY PAYS

US Army Corps of Engineers®
New England District

MARK	DESCRIPTION	DATE	APPR.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT
CONCORD, MASSACHUSETTS
www.nae.usace.army.mil

REVIEWED BY: Anthony Pluta
Chief, Survey Section
SUBMITTED BY: Chief, Survey Section
DATE: 7/22/2014
DWN BY: CHD BY: LVD/JWP
DESIGN FILE: HYANSP3.DGN
PLOT SCALE: 1" = 100'
PLOT DATE: 7/22/2014
DRAWING CODE: HYA-104
SIZE: ANSI F
FILE NAME: HYA17A V-103.dgn

HYANNIS HARBOR
BARNSTABLE (HYANNIS) AND YARMOUTH,
MASSACHUSETTS
AFTER DREDGE SURVEY
13-FOOT CHANNELS AND TURNING BASIN,
FISH PIER AND OUTER HARBOR
NEAR-SHORE PLACEMENT SITE

SHEET IDENTIFICATION
V-103
SHEET 3 OF 7

1 2 3 4 5 6

N 2696000 N 2695000 N 2694000

E D C B A

E 993000 E 992000

N

LEWIS BAY

EGG ISLAND

MATCH LINE SHEET V-105

240'

GC-15

FLOOD

EBB

RN-14

13-FOOT CHANNEL

GC-13

240'

MATCH LINE SHEET V-103

PROJECT DREDGED
BY GOVERNMENT DREDGE
"CURRITUCK" IN JUNE 2014

STATE JETTY

DUNBAR POINT

NOTE:
For General Notes see sheet 1 of 7.

SAFETY PAYS

PLAN
SCALE: 1" = 100'

GRAPHIC SCALE:
100 0 100 200
1" = 100'

US Army Corps of Engineers
New England District

MARK	DESCRIPTION	DATE	APPR.

REVIEWED BY: Asst. Chief, Survey Section
RECOMMENDED: Chief, Survey Section
APPROVED: [signature] DATE: 11/21/2014
DWN BY: JSB
CKD BY: TJS/DWP
DESIGN FILE: HYANSPL.DGN
DRAWING CODE: HYA1.F15
PLOT SCALE: 1" = 100'
PLOT DATE: 11/21/2014
SIZE: ANSI F
FILE NAME: I:\HYA\T4_V-104.dgn

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT
CONCORD, MASSACHUSETTS
www.nae.usace.army.mil

HYANNIS HARBOR
BARNSTABLE (HYANNIS) AND YARMOUTH,
MASSACHUSETTS
AFTERBODIES SURVEY
13-FOOT CHANNELS AND TURNING BASIN
12-FOOT ANCHORAGES
NEAR-SHORE PLACEMENT SITE

SHEET IDENTIFICATION
V-104
SHEET 4 OF 7



PLAN
SCALE: 1" = 100'

NOTE:
For General Notes see sheet 1 of 7.

GRAPHIC SCALE:
100 0 100 200
1" = 100'

SAFETY PAYS

US Army Corps of Engineers®
New England District

MARK	DESCRIPTION	DATE	APPR.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT
CONCORD, MASSACHUSETTS
www.nae.usace.army.mil

REVIEWED BY: Chief, Survey Section
SUBMITTED BY: Chief, Survey Section
DATE: 7/22/2014
DWN BY: ABB/JEF
CKD BY: TJG/JWP
DESIGN FILE: HYA18P1.DGN
PLOT SCALE: 1" = 100'
PLOT DATE: 7/22/2014
DRAWING CODE: HYA18
FILE NAME: HYA17& V-105.dgn
SIZE: ANSI F

HYANNIS HARBOR
BARNSTABLE (HYANNIS) AND YARMOUTH,
MASSACHUSETTS
AFTER-DREDGE SURVEY
CHANNEL AND TURNING BASIN
13-FOOT CHANNEL AND TURNING BASIN
12-FOOT ANCHORAGES
NEAR-SHORE PLACEMENT SITE

SHEET IDENTIFICATION
V-105
SHEET 5 OF 7

1 2 3 4 5 6

E 989000 E 990000 E 991000 E 992000

N

HYANNIS

ASELTON PARK

OYSTER HARBOR MARINE

HYANNIS – NANTUCKET FERRY

APPROXIMATE TOWN LINE HYANNIS
APPROXIMATE TOWN LINE YARMOUTH

12-FOOT NORTH ANCHORAGE

13-FOOT TURNING BASIN

HYANNIS MARINA

12-FOOT EAST ANCHORAGE

YARMOUTH

N 2700000

TOWN WHARF

100'

BISMORE MEMORIAL PARK

13-FOOT INNER HARBOR CHANNEL

HYANNIS INNER HARBOR

300'

PROJECT DREDGED BY GOVERNMENT DREDGE "CURRITUCK" IN JUNE 2014

RN-22

150'

13-FOOT CHANNEL

220'

N 2699000

HYANNIS

FLOOD

EBB

MATCH LINE SHEET V-105

PLAN
SCALE: 1" = 100'

NOTE:
For General Notes see sheet 1 of 7.

SAFETY PAYS

GRAPHIC SCALE:
100 0 100 200
1" = 100'

E 989000 E 990000 E 991000

A B C D E

US Army Corps of Engineers®
New England District

MARK	DESCRIPTION	DATE	APPR

MARK	DESCRIPTION	DATE	APPR

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT
CONCORD, MASSACHUSETTS
www.nae.usace.army.mil

DATE:	7/22/2014
DWN BY:	OXD BY:
	CADD/MP
DESIGN FILE:	
HYAMSP3.DGN	
PLOT SCALE:	PLOT DATE:
1" = 100'	7/22/2014
SIZE:	FILE NAME:
ANSI F	HYA114_V-106.dgn

PREPARED BY: Jeffrey Parker, Survey Section
SUBMITTED BY: Chief, Survey Section

HYANNIS HARBOR
BARNSTABLE (HYANNIS) AND YARMOUTH,
MASSACHUSETTS
AFTER DREDGE SURVEY
13-FOOT CHANNELS AND TURNING BASIN
12-FOOT ANCHORAGES
NEAR-SHORE PLACEMENT SITE

SHEET IDENTIFICATION
V-106
SHEET 6 OF 7

1 2 3 4 5 6

E 983000 E 985000 E 987000

HYANNISPORT

HYANNIS HARBOR

SQUAW ISLAND

N

NOTE:
ANCHORAGE NOT INCLUDED IN THIS SURVEY

15.5-FOOT ANCHORAGE

STATE BREAKWATER

FEDERAL BREAKWATER

BREAKWATER LIGHT (FI-H)

APPROXIMATE CABLE LOCATION

13-FOOT CHANNEL

N 2691000

N 2689000

N 2690595.30
E 984571.30

N 2689680.10
E 984974.30

N 2689386.20
E 981825.70

N 2688471.00
E 982228.70

FLOOD
EBB

NEAR-SHORE PLACEMENT SITE

EDDIE WOODS ROCK

NANTUCKET SOUND

PLAN
SCALE: 1"= 200'

NOTE:
For General Notes see sheet 1 of 7.

SAFETY PAYS

GRAPHIC SCALE:
200 0 200 400
1" = 200'

US Army Corps of Engineers®
New England District

MARK	DESCRIPTION	DATE	APPR

MARK	DESCRIPTION	DATE	APPR

REVIEWED BY: Anthony Pasto, Chief, Navigation Section — DATE: 7/22/2014
SUBMITTED BY: Dawn Reed, Chief, Survey Section — DRAWN BY: KEB
CHECKED BY: TVM
DESIGN FILE: HYANSRS.DGN
PROJECT SCALE: 1" = 200'
PROJECT DATE: 7/22/2014
DRAWING CODE: HYA174
SIZE: ANSI F
FILE NAME: HYA174_V107.dgn

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT
CONCORD, MASSACHUSETTS
www.nae.usace.army.mil

HYANNIS HARBOR
BARNSTABLE (HYANNIS) AND YARMOUTH,
MASSACHUSETTS
AFTER DREDGE SURVEY
13-FOOT CHANNELS AND TURNING BASIN
12-FOOT ANCHORAGES
NEAR-SHORE PLACEMENT SITE

SHEET IDENTIFICATION
V-107
SHEET 7 OF 7