INDEX OF NAVIGATION AIDS			
NO.	DATE	STATE PLANE COORDINATES	GEOGRAPHIC POSITION
Fl RN-2	2/03/2005	N 95523.54 E 339584.81	43° - 05′ - 37.9″N 70° - 46′ - 02.0″W
Fl RN-6	2/03/2005	N 99047.61 E 334751.93	43° - 06′ - 12.3″N 70° - 47′ - 07.5″W
Fl GC-7	2/03/2005	N 99905.13 E 332735.66	43° - 06′ - 20.7″N 70° - 47′ - 34.7″W
RN-8	2/03/2005	N 100249.84 E 333031.15	43° - 06′ - 24.1″N 70° - 47′ - 30.8″W
Fl GC-9	2/03/2005	N 87889.34 E 348556.46	43° - 04′ - 23.1″N 70° - 44′ - 00.4″W
GC-9	2/03/2005	N 102491.64 E 329633.56	43° - 06′ - 46.0″N 70° - 48′ - 16.8″W
Fl RN-10	2/03/2005	N 102777.43 E 329936.70	43° - 06′ - 48.8″N 70° - 48′ - 12.7″W
GC-11	2/03/2005	N 103228.87 E 328784.47	43° - 06′ - 53.2″N 70° - 48′ - 28.3″W
Fl GC-11	2/03/2005	N 89333.36 E 346049.64	43° - 04′ - 37.2″N 70° - 44′ - 34.3″W
RN-12	2/03/2005	N 104992.19 E 327929.00	43° - 07′ - 10.5″N 70° - 48′ - 40.0″W
GC-13	2/03/2005	N 104903.72 E 327451.05	43° - 07′ - 09.6″N 70° - 48′ - 46.5″W
GC-13	2/03/2005	N 89806.40 E 344947.17	43° - 04′ - 41.8″N 70° - 44′ - 49.2″W
RN-14	2/03/2005	N 90797.63 E 342453.03	43° - 04′ - 51.4″N 70° - 45′ - 22.9″W
GW-SBS		N 89490.44 E 345224.84	43° - 04′ - 38.7″N 70° - 44′ - 45.4″W
R Bn-2		N 89935.81 E 352264.76	43° - 04′ - 43.5″N 70° - 43′ - 10.6″W
Fl R-4		N 96559.42 E 336429.49	43° - 05′ - 47.9″N 70° - 46′ - 44.6″W
Fl R-8		N 88927.14 E 350929.45	43° - 04′ - 33.5″N 70° - 43′ - 28.5″W
Fl R-10		N 88493.29 E 347697.83	43° - 04′ - 29.0″N 70° - 44′ - 12.0″W



GENERAL NOTES:

1. Soundings are in feet and tenths and refer to the plane of Mean Lower Low Water (MLLW) 1983-2001 Tidal Epoch.
2. Topography shown is from previous surveys and/or NOAA Charts No. 13283 and 13285. All topography, including shoreline, bridges, piers, etc., is located approximate unless otherwise noted and should be used as a general reference only.
3. Bench Mark Data: BM PIER (1997) is a chiseled 13 foot mark, set vertically in concrete wingwall of main pier to Marina at the Portsmouth Navy Base. Elevation is 12.74 feet above MLLW. This benchmark used to survey sheets 2 and 3.
4. Bench Mark Data: BM No. 9 (1975) is a standard NOS Tidal Bench Mark disk set in a concrete pad at the base of a conveyor belt system (which is now gone) located on the property of National Gypsum Company, Portsmouth, New Hampshire. Elevation is 13.08 feet above MLLW. This benchmark used to survey sheets 3 and 4.
5. Bench Mark Data: BM PLEX is a standard USACE disk, set in vertical concrete face, west side of Tyco Dock, about 5 feet below surface of dock. Elevation is 9.89 feet above MLLW. This benchmark used to survey sheets 4, 5 and 6.
6. Coordinates shown are based on the Transverse Mercator Grid System for the State of Maine (West Zone 1802) & NAD 1927.
7. Survey was performed using an Odom MK3 echotrac echosounder system. Vessel positioning was obtained utilizing a Trimble 4000 SSE GPS Receiver with the U.S. Coast Guard Beacon System.
8. The sounding information shown on these maps represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during February 2005.
9. The sounding information depicted on these maps should NOT be used to determine volumes. Volumes are determined from more sounding information than shown. Additional sounding information is available upon request.
10. The information depicted on these maps represents the results of surveys made on the dates indicated, and can only be considered as indicating the general conditions existing at that time.
11. Field Book: R&H 4418
    Depthsounder Rolls: 05-763/01-05

US Army Corps of Engineers
New England District

No.	Description	Date	Appr.	Symbol	Description	Date	Appr.

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

Surveyed By: Robert MacGovern, Peter Lamprey, Crew
Plotted By: V.A. Jacobson
Drawn By: V.A. Jacobson / S.W. Kelley
Date: 4/9/2007
Design files:
Drawing code: 2610
File name: PSV01501
Plot date: 04/9/07
Plot scale: 1"=1000'
Rev.
Asst. Chief, Survey Section
Chief, Survey Section

PORTSMOUTH HARBOR AND PISCATAQUA RIVER
MAINE AND NEW HAMPSHIRE
CONDITION SURVEY

35-FOOT CHANNEL AND TURNING BASINS

SAFETY PAYS

Reference number:
V-1
Sheet 1 of 6

Scanned Recorded Apr. 2007

8 7 6 5 4 3 2 1

F E D C B A

E 346000 E 348000 E 350000 E 352000

N 90000 N 88000

N

MAINE

KITTERY

SEAVEY ISLAND

JAMAICA ISLAND

GOOSEBERRY ISLAND

FISHING ISLAND

R Bn-2

BOUNDARY OF NAVAL BASE

PORTSMOUTH HARBOR

CLARKS ISLAND

FIR-8

MATCH LINE SHEET 3 OF 6

600'

LIMIT OF NAVAL BASE

HENDERSON POINT

FIR-10

SULLIVAN POINT

35-FOOT CHANNEL

550'

400'

PIERCES ISLAND

FIGC-9

FLOOD

EBB

PISCATAQUA RIVER

SALAMANDER POINT

GOAT ISLAND

NEW CASTLE AVENUE CAUSEWAY

NEW CASTLE ISLAND

NEW HAMPSHIRE

NEW CASTLE AVE. FIXED BRIDGE

CABLE AREA

SHAPLEIGH ISLAND

NEW CASTLE AVE. FIXED BRIDGE

CABLE AREA

LITTLE HARBOR

PEST ISLAND

PLAN
SCALE: 1" = 200'

NOTES:

1. For General Notes see sheet 1 of 6
2. Benchmark PIER (1997) was used to survey this sheet
3. Limits of Navy Base shown thus: _____

SAFETY PAYS

GRAPHIC SCALE:
200 0 200 400
1" = 200'

US Army Corps of Engineers
New England District

Symbol	Description	Date	Appr.	Symbol	Description	Date	Appr.

Date: 4/9/2007
Design file:
Drawing code: 2610
File name: P07V00.562
Plot date: 04/9/07
Plot scale: 1" = 200'

Surveyed by: Eastern Hydrographic Crew
V.S. Gardebedian / S.W. Kelley

Zlatko Fain
Asst. Chief, Survey Section

Richard Graham
Chief, Survey Section

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

PORTSMOUTH HARBOR AND PISCATAQUA RIVER
MAINE AND NEW HAMPSHIRE
CONDITION SURVEY

35-FOOT CHANNEL AND TURNING BASINS

Reference number:
V-2
Sheet 2 of 6

Scanned Recorded Apr. 2007

MAINE

KITTERY

PISCATAQUA RIVER

PORTSMOUTH

NEW HAMPSHIRE

MATCH LINE SHEET 4 OF 6

MATCH LINE SHEET 2 OF 6

BY-PASS

LIFT BRIDGE
HOR CL 200 FT
VERT CL 10 FT (CLOSED)
VERT CL 135 FT (OPEN)

CABLE AREA

700'

725'

600'

U.S. 1

E 92000

N 92000

N 90000

E 342000

E 344000

E 346000

NEW HAMPSHIRE STATE PORT AUTHORITY, MARINE TERMINAL WHARF

NOBLES ISLAND

NORTH MILL POND

BM-9

BM-PIER

BADGER ISLAND MARINE SERVIVE INC.

RN-14

US ROUTE 1

BADGERS ISLAND

SQUASH ISLAND

SEAVEY ISLAND

BOUNDARY OF NAVAL BASE

PORTSMOUTH NAVAL SHIPYARD

GRANITE STATE MINERALS, PORTSMOUTH DOCK

OVHD PWR CABLE AUTH CL 150 FT

PORTSMOUTH HARBOR CRUISES DOCK

MORAN TOWING, PORTSMOUTH WHARF

MEMORIAL BRIDGE
LIFT BRIDGE
HOR CL 260 FT
VERT CL 19 FT (CLOSED)
VERT CL 150 FT (OPEN)

FLOOD

EBB

GC-13

GW-SBS

FI GC-11

35-FOOT CHANNEL

NEW HAMPSHIRE STATE PORT AUTHORITY, COMMERCIAL FISHING PIER

FOUR TREE ISLAND

PIERCES ISLAND

SEWER

PLAN
SCALE: 1" = 200'

NOTES:
1. For General Notes see sheet 1 of 6
2. Benchmarks Pier (1997) and No. 9 (1975) were used to survey this sheet
3. Limits of Navy Base shown thus: ----------

GRAPHIC SCALE:
200 0 200 400
1" - 200'

SAFETY PAYS

US Army Corps of Engineers
New England District

Symbol	Description	Date	Appr.

Date 4/9/2007
Design file

Surveyed by: Eastern Hydrographic Crew
Plotted By: D.M. Garabedian / S.W. Kelley

Drawing code: 2650
File name: n0503.dgn
Plot date: 04/09/07
Plot scale: 1" = 200'

Chief, Survey Section
Asst. Chief, Survey Section
Other Survey Section

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

PORTSMOUTH HARBOR AND PISCATAQUA RIVER
MAINE AND NEW HAMPSHIRE
CONDITION SURVEY

35-FOOT CHANNEL AND TURNING BASINS

Reference number:
V-3
Sheet 3 of 6

Scanned Recorded Apr. 2007

MATCH LINE SHEET 5 OF 6

VICINITY OF BOILING ROCK

MAINE

E 338000

E 340000

SPINNEY CREEK

ELIOT

FIR-4

35-FOOT CHANNEL

FLOOD

EBB

400'

SPRAGUE ENERGY CORPORATION, GOSLING ROAD WHARF

N 96000

PUBLIC SERVICE CO. OF NEW HAMPSHIRE, SCHILLER STATION MOBIL DOCK

BM PLEX

BM-9

FIRN-2

KITTERY

WENTWORTH ACRES

NEWINGTON

INTERSTATE 95

FIXED BRIDGE
HOR CL 440 FT
(MAIN CHAN)
VERT CL 134 FT

PISCATAQUA RIVER

GOLD BOND BUILDING PORTSMOUTH PLANT WHARF

N 94000

PORTSMOUTH

SEWER

CABLE AREA

MATCH LINE SHEET 3 OF 6

700'

NEW HAMPSHIRE

PLAN
SCALE: 1" = 200'

NOTES:
1. For General Notes see sheet 1 of 6
2. Benchmarks No. 9 (1975) and PLEX were used to survey this sheet

GRAPHIC SCALE:
200 0 200 400
1" = 200'

SAFETY PAYS

US Army Corps of Engineers
New England District

Symbol	Description	Date	Appr.	Symbol	Description	Date	Appr.

Surveyed by: Coastal Hydrographic Crew
Plotted by: M. Gershedant
Date: 4/4/2006
Design file: S.W. Kelley
Drawing code: 2610
File name: PISVOL4.S04
Project number: 4007
Plot scale: 1" = 200'
Asst. Chief, Survey Section
Chief, Survey Section

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

PORTSMOUTH HARBOR AND PISCATAQUA RIVER
MAINE AND NEW HAMPSHIRE
CONDITION SURVEY
35-FOOT CHANNEL AND TURNING BASINS

Reference number:
V-4
Sheet 4 of 6

Scanned Recorded Apr. 2007

8 7 6 5 4 3 2 1

F E D C B A

E 332000 E 334000 E 336000

N 100000 N 98000

ELIOT

MAINE

NEWINGTON

NEW HAMPSHIRE

PISCATAQUA RIVER

SPINNEY CREEK

MATCH LINE SHEET 6 OF 6

MATCH LINE SHEET 4 OF 6

400'

35-FOOT CHANNEL

RN-8

FIGC-7

FLOOD

EBB

FI RN-6

950'

950'

35-FOOT TURNING BASIN

OVHD PWR CAB
AUTH CL 165 FT

500'

LORDCO PIER
ASSOCIATES
WHARF

TYCO INTEGRATED
CABLE SYSTEMS
WHARF
(FORMERLY SIMPLEX
WIRE AND CABLE CO.)

PLAN
SCALE: 1"= 200'

NOTES:
1. For General Notes see sheet 1 of 6
2. Benchmark PLEX was used to survey this sheet

GRAPHIC SCALE:
200 0 200 400
1" = 200'

US Army Corps of Engineers
New England District

Symbol	Description	Date	Appr.	Symbol	Description	Date	Appr.

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

Surveyed by
Hydrographic Crew
Survey Party
V.A. Carbonaro / S.W. Kelley

Date: 4/9/07
Rev.
Design file:
Drawing code:
2610
File name: ptsm505.505
Plot date: 04/19/07
Plot scale: 1" = 200'

Asst. Chief, Survey Section
Chief, Survey Section

PORTSMOUTH HARBOR AND
PISCATAQUA RIVER
MAINE AND NEW HAMPSHIRE
CONDITION SURVEY

35-FOOT CHANNEL AND TURNING BASINS

Reference number:
V-5
Sheet 5 of 6

SAFETY PAYS

Scanned Recorded Apr 2007


8
7
6
5
4
3
2
1
F
E
D
C
B
A
E 328000
E 330000
E 332000
N 104000
N 102000
RN-12
GC-13
800'
35-FOOT TURNING BASIN
ELIOT
MAINE
MAST COVE
SPRAGUE ENERGY CORP., RIVER ROAD TERMINAL WHARF
DOLPHINS
ATLANTIC TERMINALS SALE CORP.
CRIBS
PILES
35-FOOT CHANNEL
GC-11
FRANKFORT ISLAND
FI RN-10
PISCATAQUA RIVER
GC-9
400'
FLOOD
EBB
NEWINGTON
NEW HAMPSHIRE
SPRAGUE ENERGY CORP., AVERY LANE TERMINAL WHARF
PEASE DEVELOPMENT AUTHORITY
MATCH LINE SHEET 5 OF 6
N
PLAN
SCALE: 1" = 200'
NOTES:
1. For General Notes see sheet 1 of 6
2. Benchmark PLEX was used to survey this sheet
SAFETY PAYS
GRAPHIC SCALE:
200 0 200 400
1" = 200'
US Army Corps of Engineers
New England District
Symbol | Description | Date | Appr.
Surveyed By: Eastern Regional Hydrographic Crew
Plotted By: V.S. Donaldson
Drawing code: 2610
File name: PSV06506
Project No.: 64-2-2073
Plot scale: 1" = 200'
Date: 4/9/2007
Rev.
Asst. Chief, Survey Section
Chief, Survey Section
U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS
PORTSMOUTH HARBOR AND PISCATAQUA RIVER
MAINE AND NEW HAMPSHIRE
CONDITION SURVEY
35-FOOT CHANNEL AND TURNING BASINS
Reference number:
V-6
Sheet 6 of 6
Scanned Recorded Apr. 2007