



PUBLIC NOTICE

**US Army Corps
of Engineers** ®
New England District
Maine Project Office
675 Western Avenue #3
Manchester, Maine 04351

Date: 31-Jan-2012
Comment Period Ends: 29-Feb-2012
File Number: NAE-2010-02347
In Reply Refer To: Jay L. Clement
Or by e-mail: jay.l.clement@usace.army.mil

The District Engineer has received a permit application from the applicant below to **conduct work in waters of the United States** as described below. The Corps is soliciting comments on both the project itself and the range of issues to be addressed in the environmental documentation.

APPLICANT: DCP MIDSTREAM PARTNERS, LP; 370 17th STREET, SUITE 2500, DENVER, CO 80202

ACTIVITY: Place fill below the Ordinary High Water mark of an unnamed tributary to Long Cove at Searsport, Maine and in adjacent freshwater wetlands in order to develop a liquid propane storage and off-loading facility on Mack Point. The work will also involve the installation of an above ground pipeline extending out onto the existing Mack Point dry cargo terminal pier. Approximately 2.04 acres of wetland and stream bed will be impacted by the project.

In anticipation of unavoidable impacts to aquatic resources, the applicant is proposing compensatory mitigation. He has agreed to compensate for the project's unavoidable wetland impacts by funding \$305,835.00 toward Maine's Natural Resources Conservation Fund (In Lieu Fee Program) and for the stream impacts by implementing a stream restoration/enhancement project nearby (replacement of an undersized culvert). The applicant is proposing these measures seeking to lessen the project's impacts. This notice solicits comments on these proposed measures from the interested or affected public as well as those agencies who speak to the public interest. After receipt of the comments, the Corps of Engineers will obtain any necessary additional information from the applicant and determine whether the proposed measures are practicable and serve to help mitigate this project's unavoidable impacts.

ESSENTIAL FISH HABITAT (EFH): This project not impact Essential Fish Habitat (EFH). Further consultation with the National Marine Fisheries Service regarding EFH conservation recommendations is being conducted and will be concluded prior to the final decision.

WATERWAY AND LOCATION OF THE PROPOSED WORK: Unnamed tributary to Long Cove and adjacent freshwater wetlands on Mack Point at Searsport, Maine.

AUTHORITY

Permits are required pursuant to:

- Section 10 of the Rivers and Harbors Act of 1899
- Section 404 of the Clean Water Act
- Section 103 of the Marine Protection, Research and Sanctuaries Act).

The decision whether to issue a permit will be based on an evaluation of the probable impact of the proposed activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which may reasonably accrue from the proposal must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the proposal will be considered, including the cumulative effects thereof; among those are: conservation, economics, aesthetics, general environmental concerns, wetlands, cultural value, fish and wildlife values, flood hazards, flood plain value, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food production and, in general, the needs and welfare of the people.

The Corps of Engineers is soliciting comments from the public; federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this proposed activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this proposal. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the proposed activity.

Where the activity involves the discharge of dredged or fill material into waters of the United States or the transportation of dredged material for the purpose of disposing it in ocean waters, the evaluation of the impact of the activity in the public interest will also include application of the guidelines promulgated by the Administrator, U.S Environmental Protection Agency, under authority of Section 404(b) of the Clean Water Act, and/or Section 103 of the Marine Protection Research and Sanctuaries Act of 1972 as amended.

SECTION 106 COORDINATION: Based on his initial review, the District Engineer determined that the project will not affect properties with cultural or Native American significance, or listed in, or eligible for listing in, the National Register of Historic Places. Therefore, no further consideration of the requirements of Section 106 of the National Historic Preservation Act of 1966, as amended, is necessary. This determination is based upon one or more of the following:

- a. The permit area has been extensively modified by previous work.
- b. The permit area has been recently created.
- c. The proposed activity is of limited nature and scope.
- d. Review of the latest published version of the National Register shows that no presence of registered properties listed as being eligible for inclusion therein are in the permit area or general vicinity.
- e. Coordination with the State Historic Preservation Officer and/or Tribal Historic Preservation Officer(s)

ENDANGERED SPECIES ACT CONSULTATION: The New England District, Army Corps of Engineers has reviewed the list of species protected under the Endangered Species Act of 1973, as amended, which might occur at the project site. It is our determination that the proposed activity for which authorization is being sought is designed, situated or will be operated/used in such a manner that it is not likely to adversely affect any Federally listed endangered or threatened species or their designated critical habitat. The federal resource agencies have concurred with our determination.

The following authorizations have been applied for, or have been, or will be obtained:

- (X) Permit, License or Assent from State.
- () Permit from Local Wetland Agency or Conservation Commission.
- (X) Water Quality Certification in accordance with Section 401 of the Clean Water Act.

In order to properly evaluate the proposal, we are seeking public comment. Anyone wishing to comment is encouraged to do so. **Comments should be submitted in writing by the above date.** If you have any questions, please contact Jay Clement at 207-623-8367, ext. 1 at our Manchester, Maine Project Office.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider the application. Requests for a public hearing shall specifically state the reasons for holding a public hearing. The Corps holds public hearings for the purpose of obtaining public comments when that is the best means for understanding a wide variety of concerns from a diverse segment of the public.

The initial determinations made herein will be reviewed in light of facts submitted in response to this notice. All comments will be considered a matter of public record. Copies of letters of objection will be forwarded to the applicant who will normally be requested to contact objectors directly in an effort to reach an understanding.




For more information on the New England District Corps of Engineers programs, visit our website at <http://www.nae.usace.army.mil>.

THIS NOTICE IS NOT AN AUTHORIZATION TO DO ANY WORK.


Frank J. Del Giudice
Chief, Permits and Enforcement Branch
Regulatory Division

If you would prefer not to continue receiving Public Notices, please contact Ms. Tina Chaisson at (978) 318-8058 or e-mail her at bettina.m.chaisson@usace.army.mil. You may also check here () and return this portion of the Public Notice to: Bettina Chaisson, Regulatory Division, U.S. Army Corps of Engineers, 696 Virginia Road, Concord, MA 01742-2751.

NAME: _____
ADDRESS: _____



LEGEND

- Site Parcel (MEGIS)
- County Boundary (MEGIS)
- Town Boundary (MEGIS)

Data Sources: Maine Office of GIS (MEGIS), United States Geological Survey (USGS) - Searsport and Castine Topo Quads.
Projection: NAD83, UTM Zone 19N, Grid North.


DCP Midstream, LP
Searsport Propane Terminal
Searsport, Maine

Site Location Map

Created by: TRC 9/23/2010



LONG
COVE



SCALE IN FEET

LIMIT OF WORK

CLEARING LIMIT

LEGEND:

- ① ADMINISTRATION BUILDING
- ② FIRE WATER TANK
- ③ FIRE WATER PUMP
- ④ TRUCK LOADING STATIONS
(3 STATIONS INSTALLED-1 FUTURE)
- ⑤ ODORANT SKID
- ⑥ TRANSFORMER
- ⑦ MCC BUILDING
- ⑧ COMPRESSOR BUILDING
- ⑨ AIR FIN/FAN EXCHANGER/RECONDENSER
- ⑩ LPG PRODUCT HEATER
- ⑪ EMERGENCY FLARE
- ⑫ BULK LPG FUEL STORAGE TANK
- ⑬ LPG PRODUCT PUMPS
- ⑭ COLD BLOWER
- ⑮ PIPE RACK
- ⑯ CONTAINMENT DIKE
- ⑰ SUB IMPOUNDMENT
- ⑱ ODORANT SKID
- ⑲ LPG TRANSFER COMPRESSOR
- ⑳ LPG FUEL STORAGE TANK
- ㉑ FUTURE RAILCAR LOADING STATIONS


--- LIMIT OF WORK
--- CLEARING LIMIT

- WETLAND IMPACT


MATRIX SERVICE
INDUSTRIAL SERVICE CONTRACTOR

CUSTOMER: DCP MIDSTREAM
LPG STORAGE FACILITY SEARSPORT, MAINE

TITLE: POST - DEVELOPMENT SITE PLAN
NEW CONTOUR DEVELOPMENT







NORTH






 - WETLAND IMPACT AREA
2.04 ACRES

 MATRIX SERVICE INDUSTRIAL SERVICE CONTRACTOR
CUSTOMER: DCP MIDSTREAM LPG STORAGE FACILITY SEARSPORT, MAINE
TITLE: POST - DEVELOPMENT SITE PLAN NEW CONTOUR DEVELOPMENT





 MATRIX SERVICE INDUSTRIAL SERVICE CONTRACTOR	
CUSTOMER:	DCP MIDSTREAM LPG STORAGE FACILITY SEARSPORT, MAINE
TITLE:	LPG TANK AREA GRADING SECTIONS AND DETAILS



 MATRIX SERVICE INDUSTRIAL SERVICE CONTRACTOR	
CUSTOMER:	DCP MIDSTREAM LPG STORAGE FACILITY SEARSPORT, MAINE
TITLE:	LPG TANK AREA GRADING SECTIONS AND DETAILS