

U.S. ARMY ENGINEER DISTRICT, NEW ENGLAND  
CORPS OF ENGINEERS  
696 Virginia Road  
Concord, Massachusetts 01742-2751

Aug. 11, 2008

CENAE-EP-DS (11-2-240a)

MEMORANDUM FOR: See Distribution

SUBJECT: Results of Survey

1. In accordance with department regulations there is enclosed a drawing showing results of survey in the following Federal project:

Jonesport Harbor – Jonesport, ME

2. Controlling depth information for the above project is shown on the enclosed copy of navigation and chart data.

FOR THE COMMANDER:

STEPHEN A. JOHNSTON  
Chief, Survey Section

2 Enclosures:

1. ENG Form 4020-R
2. Dwg. No. 2651

  
JOHNSTON  
PROOFREAD

DISTRIBUTION:  
GENERAL

Chief Operations Division, Lyn Preston, Nautical Data Branch/NOAA, N/C26, Station 7350  
1315 East-West Highway, Silver Springs, MD 20910-3282 - 1 copy of drawing, 1 copy of form

USCG Cutter Willow, LT JG Chmielecki - NETC Pier 2 – ATTN: Desiree Atnip, Newport,  
RI 02841 – 1 copy of drawing, 1 copy of form

Capt. E. Howard McVay Jr. - Northeast Marine Pilots Incorporated, 243 Spring Street,  
Newport, RI 02840 – 1 copy of drawing,

MAINE

U.S. Army Corps of Engineers, LeeAnn B. Neal Maine Project Office, 675 Western Ave. # 3  
Manchester, ME 04351

Kevin Rousseau - Federal Consistency/Dredging Coordination – State Planning Office –  
16 State House Station 38 - Augusta. ME 04333-0016

**REPORT OF CHANNEL CONDITIONS  
100 TO 400 FEET WIDE  
(ER 1130-2-316)**

PAGE 1 OF 1-PAGE

DATE: 11 August 2008

T0:

**FROM: U.S. Army Corps of Engineers  
New England District  
696 Virginia Road  
Concord, MA. 01742-2751**

RIVER/HARBOR NAME AND STATE: Jonesport Harbor, Jonesport, Maine  
Dwg. No. 2651, Sheet 1 of 1, Dated 6 August 2008

MINIMUM DEPTHS IN  
CHANNEL ENTERING FROM SEAWARD

NAME OF CHANNEL	DATE OF SURVEY	AUTHORIZED PROJECT			LEFT OUTSIDE QUARTER (feet)	MIDDLE HALF (feet)	RIGHT OUTSIDE QUARTER (feet)
		WIDTH (feet)	LENGTH Nautical (miles)	MLLW DEPTH (feet)			
<u><b>CONDITION SURVEY</b></u> <u><b>8-Foot Channel</b></u>  From about 270' seaward of cellular steel sheet pile breakwater at the entrance to Sawyer Cove upstream 1,010'	7/07	100	0.17	8.0	7.6	6.9	(1) 7.7
<u><b>8-Foot Anchorage</b></u>	7/07	6.83 acres		8.0		(2) 7.0	
<u><b>6-Foot Anchorage</b></u>	7/07	9.14 acres		6.0		5.1	

GENERAL NOTE: The information shown on this sheet(s) represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

FOOT NOTES:

- (1). Except for shoaling to 6.8' within 5' of channel limit located at the entrance about 200' seaward of steel sheet pile breakwater.
- (2). Except for isolated shoal to 6.7' within 100' of east anchorage limit.