

U.S. Army Corps of Engineers

New England District
Concord, Massachusetts

Remedial Investigation
Former Bucks Harbor Air Force Radar Tracking Station
Machiasport, Maine

Contract No. DACA31-96-D-0006
Task Order No. 17

Final
Remedial Investigation Report

DCN: BUCKS2-041205-AAJG

April 2005

01M-0007

WESTON SOLUTIONS
Restoring Resource Efficiency

U.S. Army Corps of Engineers

New England District
Concord, Massachusetts

Former Bucks Harbor Air Force Radar Tracking Station Machiasport, Maine

DCN: BUCKS2-041205-AAJG

April 2005

Final Remedial Investigation Report

Contract No.
DACA31-96-D-0006

Task Order No. 17

WESTON SOLUTIONS
Restoring Resource Efficiency

01M-0007

DISCLAIMER

This Remedial Investigation (RI) Report has been prepared by Weston Solutions, Inc. (WESTON®) solely for the use and benefit of the U.S. Department of the Army, Corps of Engineers, New England District (CENAE). Any use of this document or the information contained herein by persons or entities other than CENAE, without the expressed written consent of WESTON, shall be at the sole risk and liability of said person or entity, and WESTON shall not be liable for any damages resulting therefrom. Weston Solutions, Inc. therefore expressly disclaims any liability to persons other than CENAE who may use or rely upon this report in any way or for any purpose.

The information contained in this document is based on conditions existing as of October 2003. Past conditions were considered on the basis of observations and readily available records, interviews, and personal recollections provided to WESTON, or reasonably available to WESTON. This final version of the RI Report was prepared based on comments to the October 2003 Draft RI Report by the Maine Department of Environmental Protection (MEDEP) and received by WESTON in December 2003. Any additional investigative work conducted at the Site since the date of the Draft RI Report will be presented by others in a supplement to this RI Report or as part of the Feasibility Study. CENAE is responsible for additional data generated after the date of the October 2003 Draft RI Report.

The conclusions and recommendations submitted in this report are based upon the data obtained through June 2003. The nature and extent of contamination identified may change based on proposed supplemental investigation activities. If variations or other latent conditions appear evident, it will be necessary to reevaluate the conclusions and recommendations of this report.

Water level readings have been made in the monitoring wells at times and under conditions stated on the boring logs and in the report. These data have been reviewed and interpretations have been made in the text of this report. However, it should be noted that fluctuations in the level of the groundwater may occur due to variations in rainfall, barometric pressure, and other factors different from those prevailing at the time the measurements were made.

Chemical analyses have been performed for specific parameters during the course of this investigation, as detailed in the text. It must be noted that additional constituents not searched for during this study may be present in soil and groundwater at the Site.

FINAL

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AIR FORCE RADAR TRACKING STATION
MACHIASPORT, MAINE

Contract No. DACA31-96-D-0006
Task Order No. 17

Prepared for:

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT
696 Virginia Road
Concord, Massachusetts 01742-2751

Prepared by:

Weston Solutions, Inc.
One Wall Street
Manchester, New Hampshire 03101-1501

April 2005

W.O. No. 10971.217.002

FINAL

REMEDIAL INVESTIGATION REPORT

REMEDIAL INVESTIGATION
FORMER BUCKS HARBOR AIR FORCE
RADAR TRACKING STATION
MACHIASPORT, MAINE

Contract No. DACA31-96-D-0006
Task Order No. 0017
DCN: BUCKS2-041205-AAJG

April 2005

4/12/05

James P. Ricker, P.G. Date
Project Manager

4-12-05

James J. Soukup, P.G., C.P.G., LSP Date
Principal Hydrogeologist
Project QA/QC Officer

12 April 2005

Joseph Schmidl, P.G. Date
Senior Project Geologist

TABLE OF CONTENTS

Section **Page**

EXECUTIVE SUMMARY ES-1

1. INTRODUCTION 1-1

1.1 PURPOSE AND OBJECTIVES 1-1

1.2 SITE BACKGROUND 1-2

1.2.1 Site Description 1-2
1.2.2 General Geologic Setting 1-4
1.2.3 Site History 1-6
1.2.4 Previous Investigations 1-7

2. STUDY AREA INVESTIGATION 2-1

2.1 INTRODUCTION 2-1

2.2 CONTAMINANT SOURCE INVESTIGATION 2-1

2.3 SOIL AND VADOSE ZONE INVESTIGATION 2-3

2.4 SURFACE GEOPHYSICS 2-3

2.4.1 Clearing and Grubbing 2-4
2.4.2 Geophysical Methods 2-5
2.4.2.1 Ground-Penetrating Radar and GEM-2 2-6
2.4.2.2 Electromagnetic Terrain Conductivity 2-8
2.4.2.3 Seismic Refraction Tomography 2-9
2.4.2.4 Borehole Velocity Survey 2-11

2.5 BEDROCK MONITORING WELL INSTALLATION 2-12

2.5.1 Transmitter Site 2-14
2.5.2 Downeast Correctional Facility-Federal Aviation Administration Site. 2-15
2.5.3 Ground/Air Transmitter/Receiver Site 2-17

2.6 BEDROCK TEST WELL INSTALLATION 2-17

2.7 WELL DEVELOPMENT 2-18

2.8 BOREHOLE GEOPHYSICS 2-19

2.8.1 Caliper Logging 2-20
2.8.2 Natural Gamma Logging 2-20
2.8.3 Single-Point Resistance Logging 2-20
2.8.4 Normal Resistivity Logging 2-20
2.8.5 Electromagnetic-Induction Logging 2-21
2.8.6 Deviation Logging 2-21
2.8.7 Accoustic Image Logging 2-21
2.8.8 Optical Image Logging 2-22
2.8.9 Water-Quality Logging 2-22

TABLE OF CONTENTS
(Continued)

Section **Page**

2.8.10 Heat-Pulse Flowmeter Logging 2-22
2.9 GROUNDWATER INVESTIGATION 2-23
2.9.1 Monitoring Well Sampling and Analysis 2-23
2.9.2 Test Well Sampling and Analysis 2-24
2.9.3 Residential Drinking-Water Sampling and Analysis 2-25
2.10 PACKER PERMEABILITY TESTING 2-26
2.11 SEDIMENT AND SURFACE WATER INVESTIGATION 2-28
2.11.1 Sediment Sampling and Analysis 2-29
2.11.2 Surface Water Sampling and Analysis 2-29
2.12 WELL LOCATION SURVEY 2-30
2.13 QUALITY ASSURANCE/QUALITY CONTROL PROGRAM 2-30

3. PHYSICAL CHARACTERISTICS OF THE STUDY AREA 3-1

3.1 PHYSIOGRAPHY/TOPOGRAPHY 3-1
3.2 CLIMATE 3-1
3.3 SURFACE WATER HYDROLOGY 3-2
3.4 GEOLOGY 3-3
3.4.1 Overburden 3-3
3.4.2 Bedrock 3-4
3.5 ANALYSIS OF SURFACE AND BOREHOLE GEOPHYSICAL TESTING 3-8
3.5.1 Introduction 3-8
3.5.2 Monitoring well MW-04/Surface Geophysics Line L-04 3-10
3.5.3 Monitoring Well MW-05 3-11
3.5.4 Monitoring Well MW-06/Surface Geophysics Line L-06 3-13
3.5.5 Monitoring Well MW-07/Surface Geophysics Line L-07 3-14
3.5.6 Monitoring Well MW-8b/Surface Geophysics Line L-08 3-16
3.5.7 Monitoring Well MW-09/Surface Geophysics Line L-09 3-17
3.5.8 Monitoring Well MW-10 3-18
3.5.9 Monitoring Well MW-11 3-20
3.5.10 Monitoring Well MW-12 3-22
3.5.11 Monitoring Well MW-13 3-23
3.5.12 Monitoring Well MW-14/Surface Geophysical Line L-14 3-25
3.5.13 Test Well TW-1 3-26
3.5.14 Residential Water Supply Well DW-1 3-28
3.5.15 Residential Water Supply Well DW-3 3-29
3.5.16 Residential Water Supply Well DW-4 3-30
3.5.17 Residential Water Supply Well DW-9 3-31

TABLE OF CONTENTS
(Continued)

Section **Page**

3.5.18 Residential Water Supply Well DW-12 3-32
3.5.19 Water Supply Well WY-3 3-34
3.5.20 Water Supply Well WY-3b 3-35
3.6 ANALYSIS OF PACKER-PERMEABILITY TESTING 3-36
3.6.1 Introduction 3-36
3.6.2 Factors Affecting the Permeability Calculations 3-36
3.6.3 Calculation of Permeability 3-38
3.6.4 Determining Values for Parameters in Equation 1 3-38
3.6.5 Results 3-40
3.6.5.1 Monitoring Well MW-07 (Transmitter Site Area) 3-40
3.6.5.2 Monitoring Well MW-10 (Top of Howard Mountain) 3-41
3.6.5.3 Monitoring Well MW-11 (Base of Howard Mountain) 3-42
3.6.5.4 Monitoring Well MW-12 (Base of Howard Mountain) 3-43
3.6.5.5 Monitoring Well MW-14 (Base of Miller Mountain) 3-43
3.7 HYDROGEOLOGY 3-44
3.7.1 Overburden 3-44
3.7.2 Bedrock 3-45
3.7.2.1 Red to Gray Flow-Banded Rhyolite and Vitrophyre 3-46
3.7.2.2 Massive Green Porphyritic Gabbro 3-46
3.7.2.3 Massive Red to Gray Biotite Granodiorite 3-47
3.7.2.4 Aphanitic Diabase Dike 3-47
3.7.2.5 Assessment of Bedrock Lithology 3-47
3.7.3 Groundwater Flow 3-48
3.7.3.1 Overburden 3-49
3.7.3.2 Bedrock 3-50
3.8 DEMOGRAPHY AND LAND USE 3-52
3.9 ECOLOGY 3-53
3.10 SITE CONCEPTUAL MODEL 3-53
4. NATURE AND EXTENT OF CONTAMINATION 4-1
4.1 INTRODUCTION 4-1
4.2 GROUNDWATER 4-2
4.2.1 Monitoring Well Analytical Results 4-2
4.2.2 Residential and Public Water Supply Well Analytical Results 4-3
4.2.3 Test Well Analytical Results 4-3
4.2.4 Packer Water Quality Test Results 4-4
4.3 SURFACE WATER AND SEDIMENT 4-5
4.4 QUALITY ASSURANCE/QUALITY CONTROL RESULTS 4-5

TABLE OF CONTENTS
(Continued)

Section **Page**

4.5 DISCUSSION 4-6
4.5.1 Lateral Extent of Contamination 4-7
4.5.2 Vertical Extent of Contamination 4-8
4.5.3 Long-Term Water Quality Trends 4-8
4.5.4 Natural Attenuation Assessment 4-10

5. ENVIRONMENTAL FATE AND TRANSPORT 5-1

5.1 INTRODUCTION 5-1
5.2 SITE CONTAMINANTS 5-1
5.3 CONTAMINANT MIGRATION PATHWAYS 5-2
5.4 FATE AND TRANSPORT CHARACTERISTICS OF SITE CONTAMINANTS 5-3
5.5 CONTAMINANT TRANSPORT IN GROUNDWATER 5-4
5.6 SITE-SPECIFIC FATE AND TRANSPORT 5-5
5.7 SUMMARY 5-8

6. BASELINE HUMAN HEALTH RISK ASSESSMENT 6-1

6.1 OBJECTIVES 6-1
6.2 APPROACH AND REGULATORY GUIDANCE 6-1
6.3 HAZARD IDENTIFICATION AND DATA EVALUATION 6-2
6.3.1 Data Validation 6-2
6.3.2 Data Reduction 6-3
6.3.3 Data Evaluation and Selection of Chemicals of Potential Concern 6-4
6.4 EXPOSURE ASSESSMENT 6-11
6.4.1 Characterization of Land and Water Uses 6-11
6.4.2 Exposure Pathways Analysis 6-12
6.4.3 Exposure Point Concentrations 6-13
6.4.4 Exposure Dose Models and Assumptions 6-15
6.4.4.1 Ingestion of Groundwater 6-16
6.4.4.2 Inhalation of Volatile Organic Compounds While Showering 6-17
6.4.4.3 Dermal Contact While Bathing 6-17
6.4.4.4 Current and Future Adult Resident 6-17
6.4.4.5 Current and Future Child Resident 6-18
6.4.4.6 Current On-Site Prison Inmate 6-18
6.4.5 Calculated Exposure Doses 6-18
6.5 DOSE-RESPONSE (TOXICITY) ASSESSMENT 6-19

TABLE OF CONTENTS
(Continued)

Section **Page**

6.5.2 Reference Doses 6-19
6.5.3 Cancer Slope Factors 6-19
6.5.4 Dermal Toxicity Criteria 6-20
6.6 RISK CHARACTERIZATION 6-22
6.6.1 Approach 6-22
6.6.2 Risk Results 6-23
6.6.2.1 Noncancer Health Effects 6-23
6.6.2.2 Incremental Lifetime Cancer Risks 6-24
6.6.3 Summary of Chemicals Whose Risks Exceed Points of Departure 6-28
6.6.3.1 Noncancer Health Effects for All Exposure Scenarios 6-28
6.6.3.2 Incremental Lifetime Cancer Risks 6-29
6.6.4 Vapor Intrusion Pathway Screening Analysis 6-31
6.7 UNCERTAINTY ANALYSIS 6-33
6.7.1 General Uncertainties 6-34
6.7.1.1 Sample Data 6-34
6.7.1.2 Chemical Toxicity Assumptions 6-35
6.7.2 Site-Specific Uncertainties 6-37
6.7.2.1 Trichloroethene Toxicity 6-37
6.7.2.2 Dermal Exposure to Current and Future Child Resident While Bathing 6-39
6.8 REMEDIATION GOALS 6-40
6.9 SUMMARY AND CONCLUSIONS 6-40

7. ECOLOGICAL RISK ASSESSMENT 7-1

7.1 ECOLOGICAL SCREENING RISK ASSESSMENT 7-1
7.1.1 Habitat Characterization 7-1
7.1.1.1 Physical Setting 7-1
7.1.1.2 Forested Upland Habitat/High Gradient Stream 7-1
7.1.1.3 Forested Upland Habitat/Low Gradient Stream 7-2
7.1.1.4 Emergent and Scrub/Shrub Wetland/Low Gradient Stream 7-3
7.2 ECOLOGICAL RISK ASSESSMENT RESULTS AND DISCUSSION 7-4
7.2.1 Sediments 7-5
7.2.1.1 Sampling Methods 7-5
7.2.1.2 Results 7-5
7.2.2 Surface Water 7-7
7.2.2.1 Sampling Methods 7-7
7.2.2.2 Results 7-7
7.3 SUMMARY AND RECOMMENDATIONS 7-8

TABLE OF CONTENTS
(Continued)

Section **Page**

8. CONCLUSIONS AND RECOMMENDATIONS 8-1

8.1 CONCLUSIONS 8-1

8.1.1 Nature and Extent of Contamination 8-1
8.1.2 Natural Attenuation Assessment 8-3
8.1.3 Fate and Transport 8-4
8.1.4 Risk Assessment 8-5
8.1.5 Baseline Risk Assessment Analysis of Uncertainty 8-5
8.1.6 Data Limitations 8-6

8.2 RECOMMENDATIONS FOR FUTURE WORK 8-8

8.2.1 Howard Mountain Area 8-8
8.2.2 Miller Mountain Area 8-8
8.2.3 Recommended Remedial Action ObSjectives 8-9

9. REFERENCES 9-1

APPENDIX A USGS GEOPHYSICAL REPORT

APPENDIX B CORING AND WELL CONSTRUCTION LOGS

APPENDIX C PACKER PERMEABILITY LOGS

APPENDIX D LABORATORY ANALYTICAL DATA

APPENDIX E RISK ASSESSMENT DOCUMENTATION (Tables 6-1 through 6-161)

APPENDIX F TOXICOLOGY PROFILES

LIST OF FIGURES

Title

Figure 1-1 Site Location Map

Figure 1-2 Site Plan

Figure 2-1 Site Plan of Howard Mountain/FAA Area

Figure 2-2 Surface Geophysics Transects “A,” “B,” and “C”

Figure 2-3 Surface Geophysics Transect “D”

Figure 2-4 Surface Geophysics Transect “E”

Figure 3-1 Locations of Geologic Cross Sections

Figure 3-2 Cross Sections A-A’ & B-B’

Figure 3-3 Cross Sections C-C’ & D-D’

Figure 3-4 Cross Section E-E’

Figure 3-5 Hydraulically Active Fractures vs. Elevation AMSL Monitoring Wells

Figure 3-6 Hydraulically Active Fractures vs. Elevation AMSL Drinking Water Wells

Figure 3-7 Shallow Groundwater Contour Map of Howard Mountain Area

Figure 4-1 VOC Concentrations in Water Supply Wells: Jan. 2001-Jun. 2003

Figure 4-2 Extent of TCE in Bedrock Groundwater-June 2003

Figure 4-3 Plot of TCE Concentrations vs. Time in Residential Water Supply Wells

Figure 4-4 Plot of Total VOC Concentrations vs. Precipitation

Figure 7-1 Habitat Assessment

LIST OF TABLES

Title

Table 1-1 Well Coordinate and Elevation Survey Data

Table 2-1 Borehole Observation and Well Construction Summary

Table 2-2 Shallow Bedrock/Hybrid Monitoring Well Summary

Table 2-3 Summary of Borehole Geophysical Tests

Table 2-4 Pump Intake Depth Summary

Table 2-5 Quality Assurance/Quality Control Sampling Summary

Table 3-1 August 2003 Packer Permeability Results

Table 3-2 Comprehensive Groundwater Elevations from Monitoring Wells

Table 3-3 June 2003 Vertical Hydraulic Gradients

Table 4-1 Summary of VOCs Detected in Groundwater Monitoring Wells

Table 4-2 Groundwater Monitoring Wells, Monitored Natural Attenuation Parameter Results

Table 4-3 June 2003 Field Water Quality Parameters

Table 4-4 Summary of VOCs Detected in Drinking-Water Wells in 2003

Table 4-5 Residential Drinking-Water Wells, Monitored Natural Attenuation Parameter Results

Table 4-6 VOCs Detected During Packer Permeability Testing

Table 4-7 QA/QC Sample Summary

Table 5-1 Physical Properties of Organic Contaminants

Table 7-1 Comparison of Chemical Concentrations in Sediments to Freshwater Sediment Benchmarks, Samples ECOSED1, ECOSED2, ECOSED3, and ECOSED4

Table 7-2 Comparison of Chemical Concentrations in Sediments to Marine Sediment Benchmarks, Samples ECOSED1, ECOSED2, ECOSED3, and ECOSED4

LIST OF TABLES
(Continued)

Title

Table 7-3 Comparison of Surface Water Data to Federal and State Freshwater Quality Criteria, Samples ECOSW1, ECOSW2, ECOSW3, and ECOSW4

Table 7-4 Comparison of Surface Water Data to Federal and State Marine Water Quality Criteria, Samples ECOSW1, ECOSW2, ECOSW3, and ECOSW4

LIST OF TABLES
(APPENDIX E)

Title

Table 6-1 RAGS Part D Table 1, Selection of Exposure Pathways

Table 6-2 RAGS Part D Table 2.1 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-3 RAGS Part D Table 2.2 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-4 RAGS Part D Table 2.3 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-5 RAGS Part D Table 2.4 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-6 RAGS Part D Table 2.5 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-7 RAGS Part D Table 2.6 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-8 RAGS Part D Table 2.7 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-9 RAGS Part D Table 2.8 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-10 RAGS Part D Table 2.9 Occurrence, Distribution and Selection of Chemicals of Potential Concern Table 6-11

Table 6-11 RAGS Part D Table 2.10 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-12 RAGS Part D Table 2.11 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-13 RAGS Part D Table 2.12 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-14 RAGS Part D Table 2.13 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-15 RAGS Part D Table 2.14 Occurrence, Distribution and Selection of Chemicals of Potential Concern

LIST OF TABLES
(APPENDIX E)

Title

Table 6-16 RAGS Part D Table 2.15 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-17 RAGS Part D Table 2.16 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-18 RAGS Part D Table 2.17 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-19 RAGS Part D Table 2.18 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-20 RAGS Part D Table 2.19 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-21 RAGS Part D Table 2.20 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-22 RAGS Part D Table 2.21 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-23 RAGS Part D Table 2.22 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-24 RAGS Part D Table 2.23 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-25 RAGS Part D Table 2.24 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-26 RAGS Part D Table 2.25 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-27 RAGS Part D Table 2.26 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-28 RAGS Part D Table 2.27 Occurrence, Distribution and Selection of Chemicals of Potential Concern

Table 6-29 RAGS Part D Table 3.1 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-30 RAGS Part D Table 3.2 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-31 RAGS Part D Table 3.3 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-32 RAGS Part D Table 3.4 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-33 RAGS Part D Table 3.5 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-34 RAGS Part D Table 3.6 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-35 RAGS Part D Table 3.7 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-36 RAGS Part D Table 3.8 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-37 RAGS Part D Table 3.9 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-38 RAGS Part D Table 3.10 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-39 RAGS Part D Table 3.11 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-40 RAGS Part D Table 3.12 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-41 RAGS Part D Table 3.13 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-42 RAGS Part D Table 3.14 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-43 RAGS Part D Table 3.15 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-44 RAGS Part D Table 3.16 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-45 RAGS Part D Table 3.17 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-46 RAGS Part D Table 3.18 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-47 RAGS Part D Table 3.19 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-48 RAGS Part D Table 3.20 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-49 RAGS Part D Table 3.21 RME Exposure Point Concentration Summary Reasonable Maximum Exposure

Table 6-50 RAGS Part D Table 4.1 Values Used for Daily Intake Calculations Reasonable Maximum Exposure

Table 6-51 RAGS Part D Table 4.2 Values Used for Daily Intake Calculations Reasonable Maximum Exposure

Table 6-52 RAGS Part D Table 4.3 Values Used for Daily Intake Calculations Reasonable Maximum Exposure

Table 6-53 RAGS Part D Table 4.4 Values Used for Daily Intake Calculations Reasonable Maximum Exposure

Table 6-54 RAGS Part D Table 4.5 Values Used for Daily Intake Calculations Reasonable Maximum Exposure

Table 6-55 RAGS Part D Table 7.1.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-56 RAGS Part D Table 7.2.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-57 RAGS Part D Table 7.3.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-58 RAGS Part D Table 7.4.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-59 RAGS Part D Table 7.5.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-60 RAGS Part D Table 7.6.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-61 RAGS Part D Table 7.7.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-62 RAGS Part D Table 7.8.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-63 RAGS Part D Table 7.9.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-64 RAGS Part D Table 7.10.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-65 RAGS Part D Table 7.11.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-66 RAGS Part D Table 7.12.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-67 RAGS Part D Table 7.13.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-68 RAGS Part D Table 7.14.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-69 RAGS Part D Table 7.15.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-70 RAGS Part D Table 7.16.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-71 RAGS Part D Table 7.17.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-72 RAGS Part D Table 7.18.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-73 RAGS Part D Table 7.19.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-74 RAGS Part D Table 7.20.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-75 RAGS Part D Table 7.21.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-76 RAGS Part D Table 7.22.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-77 RAGS Part D Table 7.23.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-78 RAGS Part D Table 7.24.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-79 RAGS Part D Table 7.25.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-80 RAGS Part D Table 7.26.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-81 RAGS Part D Table 7.27.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-82 RAGS Part D Table 7.28.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-83 RAGS Part D Table 7.29.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-84 RAGS Part D Table 7.30.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-85 RAGS Part D Table 7.31.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-86 RAGS Part D Table 7.32.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-87 RAGS Part D Table 7.33.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-88 RAGS Part D Table 7.34.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-89 RAGS Part D Table 7.35.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-90 RAGS Part D Table 7.36.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-91 RAGS Part D Table 7.37.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-92 RAGS Part D Table 7.38.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-93 RAGS Part D Table 7.39.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-94 RAGS Part D Table 7.40.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-95 RAGS Part D Table 7.41.RME Calculation of Chemical Cancer Risks and Non-Cancer Hazards Reasonable Maximum Exposure

Table 6-96 RAGS Part D Table 5.1 Non-Cancer Toxicity Data -- Oral/Dermal

Table 6-97 RAGS Part D Table 5.2 Non-Cancer Toxicity Data -- Inhalation

Table 6-98 RAGS Part D Table 6.1 Cancer Toxicity Data -- Oral/Dermal

Table 6-99 RAGS Part D Table 6.2 Cancer Toxicity Data -- Inhalation

Table 6-100 Table 9.1.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-101 Table 9.2.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-102 Table 9.3.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-103 Table 9.4.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-104 Table 9.5.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-105 Table 9.6.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-106 Table 9.7.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-107 Table 9.8.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-108 Table 9.9.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-109 Table 9.10.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-110 Table 9.11.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-111 Table 9.12.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-112 Table 9.13.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-113 Table 9.14.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-114 Table 9.15.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-115 Table 9.16.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-116 Table 9.17.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-117 Table 9.18.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-118 Table 9.19.RME Summary of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-119 Table 9.20.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-120 Table 9.21.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-121 Table 9.22.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-122 Table 9.23.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-123 Table 9.24.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-124 Table 9.25.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-125 Table 9.26.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-126 Table 9.27.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-127 Table 9.28.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-128 Table 9.29.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-129 Table 9.30.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-130 Table 9.31.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-131 Table 9.32.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-132 Table 9.33.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-133 Table 9.34.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-134 Table 9.35.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-135 Table 9.36.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-136 Table 9.37.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-137 Table 9.38.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-138 Table 9.39.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-139 Table 9.40.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-140 Table 9.41.RME Summary Of Receptor Risks and Hazards for COPCS Reasonable Maximum Exposure

Table 6-141 Table 10.1.RME Risk Summary Reasonable Maximum Exposure

Table 6-142 Table 10.2.RME Risk Summary Reasonable Maximum Exposure

Table 6-143 Table 10.3.RME Risk Summary Reasonable Maximum Exposure

Table 6-144 Table 10.4.RME Risk Summary Reasonable Maximum Exposure

Table 6-145 Table 10.5.RME Risk Summary Reasonable Maximum Exposure

Table 6-146 Table 10.6.RME Risk Summary Reasonable Maximum Exposure

LIST OF TABLES
(APPENDIX E)

Title

Table 6-147 Table 10.7.RME Risk Summary Reasonable Maximum Exposure

Table 6-148 Table 10.8.RME Risk Summary Reasonable Maximum Exposure

Table 6-149 Table 10.9.RME Risk Summary Reasonable Maximum Exposure

Table 6-150 Table 10.10.RME Risk Summary Reasonable Maximum Exposure

Table 6-151 Table 10.11.RME Risk Summary Reasonable Maximum Exposure

Table 6-152 Table 10.12.RME Risk Summary Reasonable Maximum Exposure

Table 6-153 Table 10.13.RME Risk Summary Reasonable Maximum Exposure

Table 6-154 Table 10.14.RME Risk Summary Reasonable Maximum Exposure

Table 6-155 Table 10.15.RME Risk Summary Reasonable Maximum Exposure

Table 6-156 Table 10.16.RME Risk Summary Reasonable Maximum Exposure

Table 6-157 Table 10.17.RME Risk Summary Reasonable Maximum Exposure

Table 6-158 Vapor Intrusion Screening Analysis of Maximum Detection Concentrations for COPCs

Table 6-159 Impact of EPA Proposed Cancer Slope Factor on Groundwater Risks

Table 6-160 Values Used For Daily Intake Calculations for Trichloroethene Reasonable Maximum Exposure

Table 6-161 Groundwater Dermal Contact Carcinogenic Risks and Hazard Quotients

LIST OF ACRONYMS

"the site"	Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine
1,1,1-TCA	1,1,1-trichloroethane
2-D	two-dimensional
3-D	three dimensional
ABB	ABB Environmental Services, Inc.
ADD	average daily dose
AEL	Analytics Environmental Laboratory, LLC
AFRTS	Air Force Radar Tracking Station
amsl	above mean sea level
ANL	Argonne National Laboratory
AST	aboveground storage tank
ASTM	American Society for Testing Materials
ATSDR	Agency for Toxic Substance and Disease Registry
ATV	acoustic televiewer
AWQC	ambient water quality criteria
bgs	below ground surface
BHHRA	Baseline Human Health Risk Assessment
BV	bathroom volume
CA	air concentration
CAP	Corrective Action Plan
CCC	criteria continuous concentration
CCME	Canadian Council of Ministers of the Environment
CENAE	U.S. Army Corps of Engineers, New England District
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CES	Ces, Inc.
cis-1,2-DCE	cis-1,2-dichloroethene
cis-DCE	cis-dichloroethene
cm	centimeter
CMC	criteria maximum concentration
CoC	chain-of-custody
COD	chemical oxygen demand
COPC	contaminant of potential concern
COPECs	constituents of potential ecological concern
cps	counts per second

LIST OF ACRONYMS
(Continued)

CSF	cancer slope factor
CTE	central tendency exposure
days/year	days per year
DCF	Downeast Correctional Facility
DERP-FUDS	Defense Environmental Restoration Program, Formerly Used Defense Sites
DNAPLs	dense nonaqueous phase liquids
DO	dissolved oxygen
DOD	U.S. Department of Defense
DOE	U.S. Department of Energy
DOI	U.S. Department of the Interior
DRO	diesel range organics
DW	drinking water
ED	exposure duration
EEC	Engineering Evaluation of Contamination
EGGI	Emery & Garrett Groundwater, Inc.
EM	electromagnetic
EPA	U.S. Environmental Protection Agency
EPC	exposure point concentration
ERA	ecological risk assessment
ER-L	low effects range
FAA	Federal Aviation Administration
FL	fraction volatized
Franklin	Franklin Environmental Services, Inc.
FS	feasibility study
ft	feet
ft/day	feet per day
FV	shower-water flow rate
GAC	granular activated charcoal
GATR	Ground/Air Transmitter/Receiver
GI	gastrointestinal
gpm	gallons per minute
GPR	ground-penetrating radar
Great Works	Great Works Pump and Test Boring
Hg	gravity
HI	hazard index

LIST OF ACRONYMS
(Continued)

Hp	water pressure
HPFM	heat-pulse flowmeter
HQ	hazard quotient
Hz	hertz
ILCR	incremental lifetime cancer risk
IRIS	Integrated Risk Information System
kg	kilogram
K_{oc}	organic carbon partition coefficient
L	liter
L/min	liters per minute
LADD	lifetime average daily dose
LCS	Laboratory control sample
LEL	lowest effect level
m	meter
m^3	cubic meter
Maher	D.L. Maher, Inc.
MCL	maximum contaminant level
MEDEP	Maine Department of Environmental Protection
MEG	maximum exposure guideline
MEK	methyl ethyl ketone
MEWQC	Maine water quality criteria
µg/L	micrograms per liter
mg	milligram
mg/kg	milligrams per kilogram
mg/kg-day	milligrams per kilogram per day
mg/L	milligrams per liter
mg/m^3	milligrams per cubic meter
ml	milliliter
µS/cm	microsiemen per centimeter
ms	millisecond
MS/MSD	matrix spike/matrix spike duplicate
MTBE	Methyl Tertiary Butyl Ether
NAPL	nonaqueous phase liquid
NEL	no effect level
NOAA	National Oceanic and Atmospheric Administration

LIST OF ACRONYMS
(Continued)

NWS	National Weather Service
º F	Degrees Fahrenheit
OEHHA	Office of Environmental Health Hazard Assessment
OMEE	Ontario Ministry of Environment and Energy
ORP	oxidation-reduction potential
OTV	optical televiewer
OVM	organic vapor monitor
PAH	polycyclic aromatic hydrocarbon
PCB	polychlorinated biphenyl
PCE	tetrachloroethene
PEL	probable effect level
pH	hydrogen ion concentration
POET	point-of-entry treatment
ppm	parts per million
psi	pounds per square inch
QA	quality assurance
QC	quality control
RAGS	Risk Assessment Guidance for Superfund
RBC	risk-based concentration
RBSC	risk-based screening concentration
RfD	reference dose
RI	remedial investigation
RME	reasonable maximum exposure
ROE	right-of-entry
RQD	rock quality designation
Rx	receiver
SA	site assessment
SAB	Science Advisory Board
SAP	*Sampling and Analysis Plan*
SD	shower duration
SOW	scope of work
SPR	single-point resistance
SQL	sample quantitation limit
SQRT	screening quick reference tables
STL	Severn Trent Laboratories

LIST OF ACRONYMS
(Continued)

SVOC	semivolatile organic compound
TCE	trichloroethene
THQ	target hazard quotient
TOC	total organic carbon
TPH	total petroleum hydrocarbons
TPH-DRO	total petroleum hydrocarbon-diesel range organics
TR	target risk
trans-1,2-DCE	trans-1,2-dichloroethene
trans-DCE	trans-dichloroethene
Tx	transmitter
UCL	upper confidence limit
USACE	U.S. Army Corps of Engineers
USACE-ECB-CX	U.S. Army Corps of Engineers, Environmental Chemistry Branch–Center of Expertise
USAF	U.S. Air Force
USGS	U.S. Geological Survey
UST	underground storage tank
VC	vinyl chloride
VOC	volatile organic compound
WESTON®	Weston Solutions, Inc.
WWTP	wastewater treatment plant

EXECUTIVE SUMMARY

EXECUTIVE SUMMARY

A remedial investigation (RI) of the former Bucks Harbor Air Force Radar Tracking Station (AFRTS) ("the site") has been conducted to characterize the nature and extent of volatile organic compounds (VOCs) in groundwater, to evaluate risks to human health and the environment, and to investigate an area for the installation of a potential water supply well. From 1998 to present, the U.S. Army Corps of Engineers (USACE), New England District (CENAE) has been working with the Restoration Advisory Board, the town of Machiasport, and the Maine Department of Environmental Protection (MEDEP) to determine the steps to be taken for the site. The RI was performed as Task Order 17, under contract DACA31-96-D-0006 through the USACE–CENAE, and conducted in accordance with the revised June 2002 *Scope of Work* (SOW) prepared by CENAE and submitted to Weston Solutions, Inc. (WESTON®). The work required under this SOW falls under the Defense Environmental Restoration Program, Formerly Used Defense Sites.

The former Bucks Harbor AFRTS Facility is located in Machiasport, Maine, and was used by the U.S. Air Force (USAF) as a radar tracking station from 1954 to 1984. The former AFRTS Facility is located on Howard Mountain, with several support facilities in the surrounding area, including the Ground/Air Transmitter/Receiver (GATR) site located on Miller Mountain. The AFRTS site is now owned and operated by the State of Maine as the Downeast Correctional Facility (DCF) and the Federal Aviation Administration (FAA) for the purpose of tracking commercial airline traffic.

During its years of operation, the USAF reportedly used solvents, including trichloroethene (TCE) and tetrachloroethene (PCE), for automotive maintenance, as a paint thinner, for degreasing, and for cleaning radar antennas and electrical equipment. Based on interviews with former employees, it is assumed that waste solvents were disposed of on the ground at the various locations they were used, and eventually migrated into the groundwater. The solvents may also have been discharged to the leaching fields at the Transmitter site and GATR site locations.

In 1995, a hydrogeological investigation and an Engineering Evaluation of Contamination (EEC) were initiated by the USACE to characterize the geology and hydrogeology at the DCF Housing Area, to evaluate potential groundwater impacts associated with fuel oil

underground storage tanks removed from the DCF Housing Area between 1991 and 1995, and to investigate sources of VOCs detected in groundwater. These investigations included test pit excavations, the advancement of soil borings, the installation of groundwater monitoring wells, and the collection and laboratory analysis of soil and groundwater samples. The investigations were completed in 1997, and indicated that TCE and other chlorinated VOCs were present in groundwater in areas where solvents were reportedly used and disposed of on the ground surface.

In 1999, CENAE requested that WESTON conduct a supplemental EEC to further investigate the extent of TCE in the vicinity of the Transmitter site. The supplemental investigation included a soil-gas survey, the installation of three shallow bedrock monitoring wells, and soil and groundwater sampling. The results of the soil-gas survey indicated that TCE and PCE were present at various locations at the Transmitter site. The analytical results of groundwater samples collected from on-site monitoring wells detected the presence of TCE at a concentration of 52 micrograms per liter (µg/L), which exceeded the U.S. Environmental Protection Agency (EPA) maximum contaminant level (MCL) and the MEDEP maximum exposure guideline (MEG) of 5 µg/L for that compound.

In 2001, WESTON prepared a preliminary *Draft Feasibility Study (FS)* to recommend the most suitable alternative for supplying a safe and adequate drinking water supply to residents whose private water supply wells had been affected. The preliminary Draft FS identified several alternatives, including the installation of individual water treatment systems, connection to an existing community water supply system, development of a stand-alone water supply system, and the installation of replacement water supply wells for affected residents. However, after a review of the document by CENAE and MEDEP, it was determined that an RI should be completed to investigate water quality in the deeper bedrock water-bearing zone and assess if there are remedial alternatives that would result in cleanup of the impacted groundwater.

The USACE-CENAE and WESTON initiated the RI in June 2002, which included the following investigative activities:

- A positional survey of groundwater monitoring and residential water supply wells.
- An assessment of overburden soil quality.

- Installation and development of deep bedrock groundwater monitoring wells at the Transmitter site, Howard Mountain, and Miller Mountain areas.
- Installation and development of a bedrock production test well.
- Surface and borehole geophysical investigations.
- Packer-permeability testing.
- Groundwater, surface water, and sediment sampling and analysis.
- Groundwater level monitoring.
- Human health and ecological risk assessments.

After a review of site disposal practices and an evaluation of overburden thickness in potential release areas, CENAE and WESTON determined that an investigation of vadose zone soils was not feasible at this site. Most solvents that were discharged to the ground surface likely evaporated or drained into the shallow or exposed bedrock beneath the area of release. Due to the shallow nature of bedrock across the site and the high volatility of the solvents, it was considered unlikely that residual contamination remained at persistent levels in soil at the site. Furthermore, because of the reported sporadic nature of solvent disposal, no specific area was identified that warranted a quantitative soil investigation.

A multiagency team, led by CENAE and made up of personnel from the U.S. Geological Survey Branch of Geophysical Applications and the U.S. Department of Energy Argonne National Laboratory, performed the surface geophysical program. The program's objectives were to assess and use complementary surface geophysical methods to locate primary bedrock groundwater flow pathways and identify favorable locations for the installation of the bedrock monitoring wells. A total of 11 deep bedrock monitoring wells and one bedrock test well were installed by WESTON and sampled to further define the nature and extent of VOC contamination in groundwater. Prior to groundwater sample collection at these locations, borehole geophysics was conducted to identify water-filled and hydraulically active fractures and to assist in planning the site-wide groundwater sampling program.

The monitoring well and residential water supply well sampling data collected in 2003 as part of the RI confirm that historical releases of chlorinated VOCs at several locations at the site have

impacted local groundwater. The most commonly detected compound was TCE, which was detected in the monitoring wells at a maximum concentration of 3,460 µg/L (MW-10), and in the residential water supply wells at a maximum concentration of 65 µg/L (DW-04). In addition to TCE, PCE was also found in several locations at concentrations exceeding applicable EPA MCLs, although at levels far less than those found for TCE. Several other VOCs were also identified in groundwater, but all at concentrations well below their respective EPA MCLs.

At the test well site area, a test well was installed in the deep bedrock water-bearing zone at a depth of 200 feet below ground surface. Estimates of borehole yield observed during well development and sampling activities indicate that the well is capable of producing a minimum of 22 gallons per minute. However, the laboratory analytical results of a groundwater sample collected from the well in June 2003 indicate the presence of PCE at a concentration of 2.4 µg/L, suggesting that the area may not be a suitable location for a public water supply well.

Published geologic information for the Bucks Harbor area, observations made during the drilling and installation of bedrock monitoring wells at the site, and analyses of water quality and geophysics data reveal that the bedrock beneath the Howard Mountain and Miller Mountain areas have distinctly different geologic properties. The bedrock of the Howard Mountain area belongs primarily to the lower Devonian Eastport Formation, which contains flow-banded rhyolite, vitrophyre, and autobreccia, while the Miller Mountain consists primarily of granodiorite, quartz monzonite, and gabbro/diabase intrusions. The flow-banded rhyolite and vitrophyre is the most widespread of the four predominant rock types and has the highest hydraulic conductivity. Although the gabbro/diabase and granodiorite units do not contain as many fractures as the rhyolite, the number and frequency of open, water-filled fractures are similar for all three units.

Within the varying bedrock lithologies at the Howard Mountain and Miller Mountain areas are three separate areas of dissolved VOCs in groundwater at the site. In the Howard Mountain area, one area originates at the Transmitter site and extends to the southwest, and a second originates in the vicinity of the FAA radar antennas and extends to the southeast. The extent of the leading edge of the Transmitter site plume has not been defined. The third area is located in the Miller Mountain area, originating at the GATR site and extending to the southeast. Each of the

three areas of groundwater contamination is aligned with either the northwest-southeast or northeast-southwest trending bedrock fracture sets identified at the site. At the Transmitter and GATR sites the plumes are narrow, and therefore are believed to be restricted to a few closely-spaced fractures. The FAA plume is wider and has two extensions that align with the mapped northeast-southwest bedrock fracture set.

The source of the contamination in the Howard Mountain area is interpreted to be the use of solvent compounds in the vicinity of monitoring well MW-10, likely related to solvent dispensing activities in the basement of former Building 114. The elevated concentrations of TCE and PCE detected in bedrock monitoring well MW-10 indicate that the location of former Building 114, near the top of Howard Mountain, is a source area that should be addressed when evaluating potential remedial alternatives for the site. The TCE in this area is migrating along the predominant fracture set to the southeast and toward Howard Cove. The low levels of PCE detected in test well TW-1 may be related to the source of the elevated concentrations detected in MW-10; however, the lack of breakdown products detected in test well TW-1 suggests that the presence of PCE in the test well area may be related to another separate, unrelated source area.

The compounds of concern at the site are TCE and PCE, which were previously discharged to the ground surface at isolated locations across the site. However, due to the long elapsed time (>19 years), the high solubility of these compounds and their low adsorption potential, and the nature of the spills (relatively small amounts of TCE spilled at numerous separate locations), it is believed that only small amounts of TCE and PCE remain in site soils at the various source areas. Comparison of historical groundwater quality data and precipitation records supports this theory. The TCE and PCE compounds will tend to move with the groundwater flow under advection once they have entered the saturated zone. They will move through fractures in the bedrock in a downgradient direction toward groundwater discharge zones (Bucks Harbor and Howard Cove). Diffusion of the TCE and PCE into small and dead-end fractures, dilution, and some limited mechanical dispersion will tend to reduce their dissolved concentrations along the groundwater flow path. Natural biodegradation of TCE and PCE is thought to be occurring at the site, based on the presence of the breakdown product cis-1,2-dichloroethene (cis-1,2-DCE), but the biodegradation is spatially variable. The relatively low concentrations of cis-1,2-DCE found in the Howard Mountain area, suggest that natural biodegradation is not significantly affecting

the concentration or distribution of these compounds at Howard Mountain or the Transmitter site. At Miller Mountain however, the ratio of TCE to cis-1,2-DCE is much higher, suggesting that natural biodegradation is effectively reducing contaminant concentrations in this area.

A Baseline Human Health Risk Assessment (BHHRA) was performed to predict the cancer risks and noncancer adverse health effects above background levels in susceptible populations potentially exposed to contaminants associated with the site under baseline conditions (i.e., in the absence of remedial action). The results indicate that there were no exceedances of EPA's acceptable incremental lifetime cancer risk (ILCR) and noncancer health effects ceilings at any individual residential well or at Miller Mountain. Although there were no unacceptable risks for any residential well at Howard Mountain, the future adult resident in this sector has an unacceptable ILCR based on the elevated concentration of TCE detected in on-site bedrock monitoring wells. Risks from showering and groundwater ingestion were nearly identical.

As part of the screening-level ecological risk assessment, WESTON collected surface water and sediment samples from four locations in the wetland area and unnamed stream to the northeast of the DCF Housing Area. No VOCs were detected in any of the surface water and sediment samples collected; therefore, the site does not pose a significant risk to ecological receptors or the surrounding environment.

The geological distinctiveness of the two bedrock aquifers in the Howard Mountain and Miller Mountain areas is an important feature that should be noted in this summary. The predominant bedrock lithology, nature of fracturing, permeability, estimated hydraulic conductivity, and biological degradation rates are distinctly different between the two areas; therefore, the nature and extent of contamination are different as well and should be taken into consideration when planning future remedial alternatives. In consideration of this and other conclusions drawn in the report, WESTON recommends the following:

- Installation of additional deep bedrock monitoring wells southwest of the Transmitter site.
- Pumping tests of selected bedrock monitoring wells to assess hydraulic connection of water-bearing fractures.

- Consider removing residential wells in the vicinity of the GATR site/Miller Mountain area from future drinking-water sampling rounds based on 8+ years of residential water quality monitoring that indicate no VOCs are present at concentrations that exceed EPA MCLs or MEDEP MEGs.

- Conduct an investigation of overburden soil quality to assess if residual soil contamination exists in the vicinity of former Building 114.

- Immediately abandon the former water supply well located at the GATR site.

- Perform a long-term pumping test on the test well to evaluate potential contaminant mobilization and impact to the DCF water supply well (WY-3).

Using the information obtained from the RI, the FS will be completed to recommend the most suitable alternative for supplying a safe and adequate drinking-water supply to residents. The proposed additional investigative activities will be performed as part of the FS. Several groundwater remedial alternatives, including options for public water supplies, will be prepared and presented in the *FS Report*. WESTON recommends the following remedial action objectives:

- Evaluate source area remediation and water supply alternatives.

- Regard the Howard Mountain and Miller Mountain areas as separate groundwater aquifers due to the uniqueness of the individual geologic and hydrogeologic properties.

- Provide an alternative water supply to those residents whose drinking water exceeds EPA MCLs and MEDEP MEGs.

- Continue the residential water supply monitoring program in the vicinity of Howard Mountain until all groundwater quality meets EPA MCLs and MEDEP MEGs, to ensure there is no risk to residents and that the groundwater plume is not moving in response to changes in residential pumping patterns. The selected remedy must remain in effect until the impacted aquifer has been restored.

SECTION 1

INTRODUCTION

1. INTRODUCTION

1.1 PURPOSE AND OBJECTIVES

The objectives of the remedial investigation (RI) are to characterize the source, nature, and extent of volatile organic compounds (VOCs) in groundwater beneath the Bucks Harbor Air Force Radar Tracking Station (AFRTS) ("the site"), and to quantitatively evaluate risks to human health and the environment. This RI also evaluates the potential of installing a water supply well in an adjacent area to supply an adequate volume of clean drinking water. The results of the RI will be used to complete the feasibility study (FS) to evaluate and compare potential groundwater remedial alternatives.

The work was performed as Task Order 17, under contract DACA31-96-D-0006 through the U.S. Army Corps of Engineers (USACE), New England District (CENAE). The RI was conducted in accordance with the revised June 2002 *Scope of Work* (SOW) prepared by CENAE and submitted to Weston Solutions, Inc. (WESTON®). The work required under this SOW falls under the Defense Environmental Restoration Program, Formerly Used Defense Sites. Although not a Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) site, the Bucks Harbor RI was implemented subject to, and in a manner consistent with, the CERCLA process.

The analytical results of the groundwater and residential drinking water samples collected during the RI were compared to the U.S. Environmental Protection Agency (EPA) maximum contaminant levels (MCLs) and maximum exposure guidelines (MEGs) developed by the Maine Bureau of Health's Environmental Toxicology Program. The 1992 MEGs are promulgated by rule, and are therefore, relevant and appropriate requirements.

Field activities conducted as part of the RI included the following:

- A positional survey of groundwater monitoring and residential water supply wells.
- Installation and development of deep bedrock groundwater monitoring wells.
- Installation and development of a bedrock production test well.
- Surface and borehole geophysics.
- Packer-permeability testing.

- Groundwater, surface water, and sediment sampling and analysis.
- Groundwater level monitoring.

Groundwater sampling included the collection and laboratory analysis of drinking water samples from 36 residential wells. The purpose of the continued residential well sampling program is to monitor concentrations of VOCs in residential wells in the vicinity of the former Bucks Harbor AFRTS site and the Ground/Air Transmitter/Receiver (GATR) site. The results of these activities are summarized in this RI Report.

The additional site characterization was designed and executed in response to identified data gaps. As a result, the following additional tasks were performed:

- Positional and elevation surveys of groundwater and residential monitoring wells (Table 1-1).
- Further characterize the nature and extent of VOC contamination in the fractured bedrock water-bearing zones at the site.
- Assessment of the bedrock fracture system that is transmitting contaminated groundwater both vertically and horizontally toward downgradient receptors.
- Evaluate potential human health and ecological risks at the site.
- Evaluate the potential for a water supply well in the bedrock aquifer upgradient of the Downeast Correctional Facility (DCF) Housing Area.

1.2 SITE BACKGROUND

1.2.1 Site Description

The former Bucks Harbor AFRTS Facility is located in Machiasport, Maine, approximately 25 miles from the Canadian border (Figure 1-1). Machiasport is a small coastal town that includes the communities of Larrabee, Bucks Harbor, and Starboard Cove. The land use within Machiasport is predominantly rural/residential with a few commercial operations. The community and its nearby towns rely on the fishing/lobster industry, tourism, and blueberry harvest for economic growth. All homes and commercial facilities are served by private wells. Most of these wells are drilled bedrock wells completed in the fractured bedrock aquifer that underlies the entire area (Prescott, 1974).

The Bucks Harbor facility was used by the U.S. Air Force (USAF) as a radar tracking station from 1954 to 1984 (ABB Environmental Services, Inc. [ABB], 1997a). During its period of operation, the activities at the site included the following three major functions: Radar Operations, the Cantonment Area, and the Housing Area. Other site features include a sanitary sewer filter bed and sanitary wastewater treatment plant (WWTP). Three outpost facilities are associated with the former AFRTS: the Receiver site, the Transmitter site, and the GATR site (Figure 1-2).

With the advent of more sophisticated satellite-based tracking systems, the USAF ceased operations at the facility in 1984. The radar operations facility was transferred to the Federal Aviation Administration (FAA) for use in tracking commercial air traffic, and the Cantonment Area was transferred to the State of Maine Department of Corrections for use as a minimum-security prison (ABB, 1997d). The former Housing Area and the Transmitter site were also transferred to the State of Maine and are used by the DCF. Inmates and DCF employees currently use the Transmitter site as a carpentry shop. The adjacent Receiver site was sold to a private party and is currently used as a residence (ABB, 1997d). The USAF maintained ownership of the GATR site between 1955 and 1963 before transferring the property to the U.S. Department of the Interior (DOI) in 1982. Whereas the USAF and the FAA jointly operated the radar tracking facilities from the late 1950s until 1984, it is unclear whether the GATR site remained active by the USAF during this timeframe. In 1992, DOI transferred the property to its current owner, the Town of Machiasport (ABB, 1997d). The property has not been used since its transfer to the Town of Machiasport. The locations of the various components of the former AFRTS are shown in Figure 1-2.

The former DCF Housing Area consists of 27 housing units, which historically have been used as rental units and/or for storage by the DCF and its employees (ABB, 1997b). The units are currently unoccupied (WESTON, 2002a). A water supply well is located in the northeastern corner of the Housing Area, which currently supplies water to the DCF and the FAA facilities. The well, identified in subsequent sections of this report as “WY-3,” is 340 feet (ft) deep with an estimated yield of 45 gallons per minute (gpm) (ABB, 1997b).

1.2.2 General Geologic Setting

The Bucks Harbor area is situated between two northwest-southeast trending normal faults within the Machias syncline, northwest of the Lubec fault zone (Gates, 1981). The bedrock of the Howard Mountain area is mapped as part of the Eastport Formation, which is classified as lower Devonian in age. It is described as a rhyolitic, flow-banded vitrophyre and autobreccia that was intruded and erupted along a fault bordering the Machias syncline and into the Pembroke and Eastport Formations within the syncline (Gates, 1981). It also includes several northwest-southeast trending diabase dikes of younger Devonian age (Gates, 1981).

To the north of the study area, including Miller Mountain, the bedrock is mapped as younger Devonian igneous rocks, consisting of diabase and gabbro dikes and sills intruded by hornblende-bearing, biotite granodiorite and quartz monzonite (Gates, 1981). These rocks lie stratigraphically above, or crosscut portions of the Silurian Hersey Formation, which is composed of a maroon, green, and gray shale and siltstone with local limestone lenses and tuffs with some fossils. The rocks generally strike in a northeast-southwest direction; however, the dip direction and magnitude vary widely, depending on the location relative to the axis of the Machias syncline. Regional fracture and fault patterns generally trend northwest-southeast, perpendicular to the predominant stress direction of the Acadian Orogeny. An orthogonal set of lesser fractures and faults exists parallel to strike, trending in a northeast-southwest direction.

The dip angles of the joints and fractures observed in the Howard Mountain area are relatively high, generally ranging between 70° and 85° from horizontal (ABB, 1995). The fractures noted in the cores recovered during the RI are consistent with these observations. Three fracture sets are noted in the cores recovered during the RI. One set of fractures is close to horizontal and decreases in frequency with depth; this fracture set is presumably related to near-surface release of vertical stress. A second set of fractures is oriented 35° to 45° from horizontal, while a third set of fractures ranges from 75° to 85° from horizontal. In some cases, the trace of the 35° to 45° fracture set is expressed as a lineation on the face of the 75° to 85° fracture set (WESTON, 2003).

A normal fault is mapped along the northeast face of Howard Mountain, extending from Howard Cove several miles to the northwest. Movement along such faults in rock terrains creates

"rubble zones," in which relatively large volumes of water may be stored. These fractured zones are typically less resistant to erosion than the surrounding bedrock; therefore, they often represent zones of increased porosity and hydraulic conductivity. However, subregional fault zones can also form a barrier to groundwater flow if substantial secondary hydrothermal alteration or chemical weathering of the host rock has resulted in the formation of clay minerals, which can plug the open fractures within the fault zone. Intrusive igneous and metamorphosed crystalline rocks similar to those in the Bucks Harbor region generally have very little, if any, primary porosity. In order for groundwater to occur within the unit, there must be openings in the bedrock that are developed through remnant bedding planes, fracturing, faulting, or weathering (secondary porosity). The fractures can be developed by tectonic movements, pressure relief due to erosion, loading and unloading of glacial ice, shrinking during cooling of intrusive basaltic dikes, and the compression and tensional forces caused by regional tectonic stresses creating folds (Fetter, 1994). The fractures are more frequent near the surface of the bedrock and decrease in frequency with depth. Faults tend to be more regional and often extend to great depths, although their water-bearing capacity typically decreases with depth because the weight of the overlying rock tends to close the openings. Groundwater moving through the bedrock is limited to flow within these fracture sets, and thus, often follows a tortuous route in response to regional hydraulic gradients.

Much of the Howard Mountain and Miller Mountain areas are characterized by frequent bedrock outcrops with a thin veneer of surficial deposits that were deposited approximately 13,000 years ago by glacial processes (Borns, 1974). These deposits consist primarily of brown silty sand with a trace of sub-rounded gravel, and range from 0 to approximately 10 ft thick (ABB, 1995). Located between the base of Howard Mountain and the former DCF Housing Area to the northeast is a glacial till deposit consisting of a heterogeneous mixture of sand, silt, clay, and gravel. It includes two varieties of glacial till: a basal till that is fine grained and very compact with low permeability and poor drainage, and an ablation till that is loose and sandy with moderate permeability and fair drainage (Borns, 1974). Based on logs of soil borings advanced in the area, this unit varies in thickness from 0 to 30 ft, and overlies a glacio-marine silt and clay deposit at least 50 ft thick (ABB, 1997b; WESTON, 2003).

Groundwater flow in the overburden generally mimics topography, especially in the upland areas that are characterized by thin till overlying bedrock. In upland areas, such as the Transmitter site, the top of Howard Mountain, and the top of Miller Mountain, strong downward vertical gradients are anticipated as the groundwater flows from the till into the underlying bedrock. Once in the bedrock, groundwater flows through the various fractures in a generally downgradient direction. Groundwater occurrence and movement within the bedrock are controlled primarily by structural patterns in the bedrock. In lowland areas along the coast, groundwater generally discharges from the bedrock back into the overburden, where it then flows either into local streams or directly into one of the surrounding bays (WESTON, 2001).

Additional information regarding the characteristics of the bedrock unit at the Bucks Harbor site, and the nature and direction of groundwater flow is presented in the updated Site Conceptual Model, which is included in Subsection 3.10 of this RI Report.

1.2.3 Site History

Limited documentation is available relative to specific maintenance and/or waste disposal practices by the USAF or other historical site users. The USAF reportedly used solvents, including trichloroethene (TCE) and tetrachloroethene (PCE), for automotive maintenance, as a paint thinner, and for cleaning and degreasing radar antennas. Waste solvents were reportedly disposed of on the ground at the various locations where they were used (ABB, 1997d; WESTON, 2002a). Much of the solvent disposed of on the ground surface likely volatilized into the atmosphere; however, an unknown quantity migrated into the subsurface and eventually into the groundwater. Diesel fuel and heating oil were also stored at various locations at the AFRTS, and spills reportedly occurred at several locations (ABB, 1997d).

Sanitary wastewater generated at the facility was discharged to the filter bed located south of the facility from 1954 to 1958. In 1958, the USAF constructed a WWTP across Machias Road from the facility, where sanitary wastewater was treated and discharged via pipes to the shoreline at Howard Cove. After taking possession of the radar operations facility, the FAA reconnected the filter bed in the early 1980s and discontinued the use of the WWTP. The State of Maine began using the WWTP when they took possession of the facility and opened the DCF. As during

USAF operation of the WWTP, treated wastewater is discharged from the WWTP to Howard Cove.

The USAF used the former Transmitter site building to store radio transmitters and other electronic equipment prior to the opening of the GATR site (ABB, 1997a). The Transmitter site building is served by its own leach field, which is located northwest of the building. The former Transmitter site contained a 1,000-gallon fuel oil aboveground storage tank (AST) connected to the building by an underground fuel line. The AST is currently being used by the DCF for storage of heating oil for the carpentry shop. During a site assessment by ABB in July 1995, ABB and USACE personnel observed a 55-gallon drum and a large debris disposal area containing pallets, metal goods and parts, drums, paint cans, and an old fire truck. The 55-gallon drum was possibly used for waste oils or kerosene (ABB, 1997a). Solvents used to clean the instruments stored in the Transmitter site building may have been disposed of on the ground surface or in the building's wastewater system (ABB, 1997a).

The USAF reportedly used solvents at the former GATR site to clean electrical equipment; therefore, solvents may have been discharged to the leach field or ground surface in that area (ABB, 1997a). An AST and three abandoned transformers were observed during a site walkover in 1995 by ABB (ABB, 1995). The GATR site has an inoperable water supply well that was used for site operations.

1.2.4 Previous Investigations

The USACE first investigated environmental conditions at the FAA-owned portion of the AFRTS in 1991 (ABB, 1997a). During that investigation four areas were identified that required further investigation, including three former AST locations and one area of stained soil caused by the release of lubricating oil during the operation of a cooling tower (ABB, 1997a). These four areas were addressed in a *Site Assessment (SA) Report* prepared for the USACE by ABB in February 1995. The *SA Report* for Areas 1 through 4 recommended preparation of a Corrective Action Plan (CAP) for soil removal at each of the four areas, demolition of the former fuel pump house and its foundation, and removal of the remains of the underground fuel distribution system in the FAA portion of the facility (ABB, 1997a). The CAP was prepared by ABB in June 1995, and the work was completed in the summer of 1996.

During that same period, the USACE contracted with Franklin Environmental Services, Inc. (Franklin) to remove 27 fuel oil underground storage tanks (USTs) associated with the DCF Housing Area, two diesel fuel ASTs, two 55-gallon drums, and three electrical switches. During removal of the USTs, soil contamination was noted in many of the tank graves. Franklin excavated approximately 2 cubic yards of soil from each of the former tank locations, and collected soil samples for off-site laboratory analysis of total petroleum hydrocarbons (TPH) and VOCs. The petroleum hydrocarbons and VOC analyses were performed using American Society for Testing Materials Method SM17-5520 [equivalent of EPA Method 418.1] and EPA Method 8240, respectively (ABB, 1997b). The results indicated the presence of TPH at concentrations as high as 14,200 milligrams per kilogram (mg/kg) and low levels of chlorinated VOCs (ABB, 1997b). The chlorinated VOCs were detected in samples from the excavations near Buildings 2, 11, 17, and 21 (ABB, 1997b). In 1995, Franklin prepared a *Tank Closure Report*.

Due to concerns about potential adverse impacts to the environment, Maine Department of Environmental Protection (MEDEP) began sampling groundwater from a limited number of residential wells along Machias Road in May 1995. The USACE subsequently began a quarterly monitoring program for impacted and potentially impacted residential water supply wells. The results of the initial residential groundwater sampling indicated the presence of fuel oil at concentrations as high as 470 micrograms per liter (µg/L) and TCE at concentrations as high as 80 µg/L. This prompted MEDEP to issue a Notice of Violation to FAA stating that two diesel fuel USTs were out of compliance with state regulations. The FAA complied by removing the two tanks in March 1995. On behalf of FAA, Millet Associates, Inc. filed an *SA Report* with MEDEP to detail the tank closures (ABB, 1997a). The FAA also conducted limited soil sampling in the vicinity of Buildings 113 and 114 in preparation for the demolition of these buildings as part of a facility upgrade. The results of the soil sampling indicated the presence of fuel, solvents, pesticides, and metals in site soils (ABB, 1997a).

The USACE residential sampling program began in May 1995 and included the following two public water supply wells (WY) and 14 residential wells (DW): WY-03, WY-04, DW-01, DW-02, DW-03, DW-04, DW-05, DW-06, DW-07, DW-08, DW-09, DW-10, DW-11, DW-12, DW-13, and DW-14 (ABB, 1995a). Three additional residential wells (DW-22, DW-23, and DW-24) in the vicinity of the GATR site were added to the program in November 1995 to

assess the impacts of the GATR site on nearby residential wells (ABB, 1995c). Residential wells DW-02, DW-03, DW-04, DW-09, DW-11, DW-12, DW-13, DW-22, DW-23, and DW-24 were equipped with granular activated charcoal (GAC) point-of-entry treatment (POET) systems by MEDEP, and residents received bottled water supplied by the USACE (ABB, 1995a). In May 1996, an additional residential well (DW-30) located to the west of the AFRTS site was added to the program (ABB, 1996a).

According to previous reports, residential wells DW-06 and DW-10 were removed from the program at the request of the owners following the May 1995 (ABB, 1995b) and November 1995 (ABB, 1995c) sampling rounds, respectively. No detections of VOCs or total petroleum hydrocarbon-diesel range organics (TPH-DRO) were reported in the two rounds of sampling performed for residential well DW-06. No detections of VOCs or TPH-DRO were reported in the last round of sampling performed for residential well DW-10 (November 1995). Cis-1,2-dichloroethene (cis-1,2-DCE), 1,1,1-trichloroethane (1,1,1-TCA), and TCE were detected at residential well DW-10 in the August 1995 sampling round, at estimated concentrations well below their respective EPA MCLs and MEDEP MEGs. Diesel range organics (DRO) was detected at residential well DW-10 in the January 1995 round, at a concentration of 67 μg/L, which is above the MCL/MEG of 50 μg/L; however, DRO was not detected in any of the other three rounds for which data are available.

Residential well DW-14 was removed from the program in 1996, based on the absence of site-related chemicals following three rounds of sampling (ABB, 1996b). Community water supply well WY-04 was removed from the program after the August 1996 sampling round, based on the absence of site-related contaminants following six rounds of sampling and the decision to obtain water from community water supply well WY-03 instead of WY-04 (ABB, 1996c).

Residential well DW-13 was removed from the sampling program after the May 1998 (WESTON, 1999a) sampling round, based on a lack of detections of fuel oil/DRO for four consecutive sampling rounds covering a period of ten months, and the lack of detections for TCE for ten consecutive sampling rounds, covering a period of nearly 3 years. Residential well DW-05 was removed from the program in December 1998, because of a lack of detections following nine rounds of sampling covering a period of 31 months. In October 1999, residential

well DW-13 was not sampled as it was removed from the bottled water and GAC filter maintenance program.

In response to the findings of the initial environmental work, the USACE initiated a remediation program that focused on removing impacted soils associated with the ASTs and USTs and several other spill sites identified in the 1995 ABB *SA Report*. The soil removal effort began in the fall of 1995, and due to heavy rains and resulting high groundwater conditions in the excavations, was continued in the summer of 1996 (ABB 1997a). Following completion of the tank and soil removal program, the USACE contracted with ABB to conduct two additional studies: a hydrogeological investigation and an Engineering Evaluation of Contamination (EEC).

The purpose of the hydrogeological investigation was to characterize the geology and hydrogeology at the DCF Housing Area, and evaluate potential groundwater impacts associated with the USTs that supplied heating oil to the 27 housing units. The sampling program included soil boring and overburden monitoring well installations and the collection of soil, groundwater, surface water, and sediment samples. The samples were submitted for off-site laboratory analysis of TPH-DRO and other parameters (ABB, 1997b). The analytical results of the sampling program indicated the presence of fuel oil contamination in soil near 5 of the 27 housing units, at concentrations above the MEDEP stringent cleanup goal of 10 mg/kg. The contamination was reportedly confined to the vadose zone at three of the five locations, and to a zone of groundwater-saturated soils at the other two locations.

A continuous glacio-marine clay layer was identified throughout the area and varied in thickness from 20 to 28 ft. The depth at which the clay layer was encountered also varied, ranging between 6 and 18 ft below ground surface (bgs). The layer was interpreted to be “of sufficient thickness and consistency to act as a confining layer, thus creating a perched overburden aquifer and preventing the downward migration of contaminants at the site” (ABB, 1997b). Based on this interpretation of site conditions, no further action was recommended for the contaminants detected. This recommendation was supported by the amount of soil excavated and removed from the contaminated areas, limited receptors of perched groundwater, and no apparent migration pathway to create future risk (ABB, 1997b).

The EEC assessed the potential for soil and groundwater contamination at six locations that were identified in the 1995 ABB *SA Report*. The six areas investigated in the EEC were as follows:

- The grease trap/utility trench associated with a former automotive maintenance building in the former Cantonment Area (now the DCF).
- The FAA filter bed and outlet that received sanitary waste from many portions of the facility since 1954.
- The Transmitter site leachfield and Burn Pit No. 2 where solvents used to clean the radio transmitters may have been spilled.
- The GATR site where solvents used to clean electrical equipment may have been spilled.
- The Receiver site where solvents used to clean electrical equipment may have been spilled.
- Burn Pit No. 1 where solvents and fuels were reportedly burned as a disposal method and to facilitate fire-fighter training.

To better define groundwater flow patterns and to help identify source(s) of contamination observed in residential wells along Machias Road, additional groundwater monitoring wells were installed by ABB at locations unrelated to suspected contamination areas. A total of 19 groundwater monitoring wells were installed, 10 test pits were excavated, approximately 50 soil borings were advanced, and more than 60 soil samples were analyzed at an off-site laboratory. Numerous other samples were analyzed at a field laboratory.

The EEC recommended excavation or capping of soils from several areas where the levels exceeded MEDEP soil cleanup criteria. Additional investigation was recommended at the Transmitter site, where one groundwater monitoring well (TSMW-002) was found to contain TCE at concentrations of 22 µg/L, exceeding the federal MCL of 5 µg/L (ABB, 1997a).

In 1998, the USACE contracted WESTON to continue the residential well sampling program for VOCs. The USACE also began working with the Restoration Advisory Board group in Machiasport to evaluate what steps would be taken for the site.

WESTON began sampling residential drinking water wells in December 1998. At that time, the sampling program consisted of the following 14 wells:

- DW-02, DW-03, DW-04, DW-09, DW-12, and DW-23 (sampled on a quarterly basis).
- WY-03, DW-01, DW-07, DW-08, DW-11, DW-22, DW-24, and DW-30 (sampled on a semiannual basis).

The number of residential wells included in the sampling program has changed over the years since December 1998. Because of the absence of TCE in 8 of 12 consecutive sampling rounds, residential wells DW-07, DW-08, DW-22, DW-24, and DW-30 were removed from the sampling program in December 1999 (WESTON, 2000a). As residential wells were removed from the sampling program, the maintenance of filter systems and provision of bottled water were also discontinued (DW-09, DW-11, DW-13, DW-22, and DW-24).

Residential well DW-11 was removed from the sampling program following the June 1999 sampling round, based on the absence of site-related compounds for three consecutive rounds of sampling covering a period of 16 months (WESTON, 1999b).

Due to its proximity to the area of impacted groundwater in the vicinity of the former GATR site, residential well DW-31 was added to the program in September 1999 (WESTON, 1999b). Residential wells DW-30 and DW-31 do not have supplied GAC filter systems and have not received bottled water as part of the program because levels of VOCs present in those wells do not exceed half of the MEGs/MCLs.

The USACE and MEDEP re-evaluated the residential sampling program in December 2000. They decided to expand the program to include residential wells that had been sampled only once in 1995, and to add four new locations in the vicinity of the GATR site, based on residents requests for sampling and their proximity to contamination. The proposed sampling program included 31 wells; however, the actual number of wells included in the program was 28 because one location was determined to be a duplicate of another, and two locations were found to be unoccupied. To date, more than 30 sampling rounds have been conducted, and the results indicate that only four of the residential wells sampled (DW-2, DW-3, DW-4, and DW-12) have contained TCE at concentrations that exceed the MCL/MEG of 5 µg/L. Residential drinking

water wells that have contained TCE at concentrations below the MCL/MEG include DW-1, DW-9, DW-23, DW-31, DW-33, and WY-3. The GAC POET systems are currently being maintained at five residences (DW-2, DW-3, DW-4, DW-12, and DW-23) (WESTON, 2003).

To address the findings of the 1997 EEC conducted by ABB, the USACE contracted with WESTON in 1999 to perform a supplemental EEC to further investigate the extent of TCE in the vicinity of the Transmitter site. The supplemental investigation included a soil-gas survey, four test pit excavations, installation of three shallow bedrock monitoring wells (MW-01, MW-02, and MW-03), and soil and groundwater sampling. The results of the soil-gas survey indicated that TCE, PCE, total petroleum hydrocarbon-gasoline range organics, and TPH-DRO were present at various locations at the Transmitter site. Contaminants detected in soil collected from the four test pits included TPH-DRO, polychlorinated biphenyls (PCBs), and inorganic compounds. The TPH-DRO and PCB concentrations detected in the test pits did not exceed the MEDEP *Draft Risk Assessment Guidance for Superfund (RAGs) for Contaminated Soil-Residential Guideline* (MEDEP, 1998). Arsenic, detected at 11 mg/kg in test pit 3, was the only inorganic compound exceeding its respective MEDEP Residential Guideline of 10 mg/kg (WESTON, 2000b).

Monitoring wells MW-01, MW-02, and MW-03 were installed downgradient of the site, on the southeastern, southwestern, and western sides of the Transmitter site to assess contaminant migration from the site. Water levels were measured in the three new monitoring wells and in three existing wells (TSMW-001, TSMW-002, and TSMW-003). Based on these data, groundwater was interpreted to flow in a radial direction from the site and toward the three new wells installed as part of the investigation. The three new monitoring wells, along with existing monitoring wells TSMW-002 and TSMW-003, were sampled for VOCs and TPH-DRO. The analytical results showed that TCE was detected in groundwater at monitoring well location TSMW-002 at a concentration of 52 µg/L, which exceeded the EPA MCL and the MEDEP MEG of 5 µg/L for that compound. Low levels of TCE, chlorobenzene, cis-1,2-DCE, and dichlorobenzenes were detected in TSMW-003, but did not exceed their respective MCLs or MEGs. Trichloroethane was detected in MW-3 during the August 1999 sampling round at 0.8 µg/L. There were no detections of TPH-DRO in groundwater above the reporting limit during the August 1999 sampling event (WESTON, 2000a).

In 2001, WESTON produced a preliminary *Draft FS* for the Bucks Harbor site to recommend the most suitable alternative for supplying a safe and adequate drinking water supply to residents whose wells had been affected by the contamination related to past U.S. Department of Defense (DOD) operations (WESTON, 2001). Of ten possible alternatives considered, the following five alternatives were retained for detailed evaluation:

- Alternative 2—Granular-Activated Carbon Filter/Long-Term Monitoring (Continued POET for Affected Residences) with In-line Sedimentation Filter and a GAC Replacement Program.
- Alternative 3—Connection to an Existing Public Water Supply (DCF).
- Alternative 4—Construction of a New Stand-alone Public Water Supply.
- Alternative 9—Installation of Replacement Wells for Each of the Affected Residents.
- Alternative 10—Installation of a Water Transmission Line from Machias Road to the Affected Residents.

Each retained alternative was individually assessed in detail in terms of implementation, effectiveness, and cost in accordance with EPA FS guidance. A comparative analysis was then completed to evaluate the relative performance of each alternative in relation to each specific evaluation criterion. The purpose of the comparative analysis was to identify the advantages and disadvantages of each alternative, so that the key tradeoffs to be evaluated by the involved decision-makers could be identified. This assessment did not incorporate the subcriteria of community acceptance and state acceptance, which are typically evaluated following receipt of public and state comments on the Proposed Plan. These subcriteria were to be evaluated following comments on the preliminary *Draft FS* from the community and the appropriate state agencies in order to select the final preferred alternative. However, after a review of the preliminary *Draft FS* by the USACE and MEDEP, CENAE determined that the site had not been sufficiently characterized and that the document, as written, was not in compliance with CERCLA because it evaluated alternative water supplies, but did not address the overall remediation of groundwater in the vicinity of the site. Additional investigation was warranted as part of the remedial investigation process to fill identified data gaps, including the evaluation of water quality in the deeper bedrock water-bearing zone, and assessment of other remedial alternatives that would result in cleanup of the impacted groundwater. Upon completion and

approval of the RI, a *Final FS* will be prepared that evaluates various groundwater cleanup alternatives as well as alternative public water supplies. Following release of the *Final FS Report*, a Proposed Plan will be developed and made available for state and public review.

SECTION 1

TABLES

Table 1-1

Well Coordinate and Elevation Survey Data
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Survey Point Number	Location Code	Survey Point Description	Northing	Easting	Elevation (ft amsl)
Howard Mountain Area					
781	WELL	GTMW-001 OUTER CASING	352315.1056	1271324.6764	179.7774
	WELL	GTMW-001 INNER RISER	352315.1056	1271324.6764	179.3300
782	GND	GND @ GTMW-001	352315.1475	1271324.7058	179.7335
783	WELL	BPMW-001 OUTER CASING	352619.6562	1271150.4206	181.1509
	WELL	BPMW-001 INNER RISER	352619.6562	1271150.4206	180.8600
784	GND	GND @ BPMW-001	352619.5415	1271150.5691	181.0793
785	WELL	CDM MW-3 OUTER CASING	352097.7185	1271471.2332	171.8567
	WELL	CDM MW-3 INNER RISER	352097.7185	1271471.2332	171.8100
786	GND	GND @ CDM MW-3	352097.3212	1271471.4711	169.5577
787	GND	GND @ FAMW-002	351887.1835	1271634.6574	162.8244
788	WELL	FAMW-002 INNER RISER	351887.4649	1271635.1510	165.3085
789	WELL	FAMW-002 OUTER CASING	351887.4625	1271634.9030	165.7306
790	WELL	FAMW-001 INNER RISER	351673.5210	1271646.7654	156.3130
791	WELL	FAMW-001 OUTER CASING	351673.5420	1271646.5288	157.5776
792	GND	GND @ FAMW-001	351673.9617	1271647.1254	154.6018
793	GND	GND @ STMW-003	350962.9715	1272030.8794	120.6336
794	WELL	STMW-003 INNER RISER	350962.7461	1272030.7401	122.1446
795	WELL	STMW-003 OUTER CASING	350962.8872	1272030.8278	122.6866
796	WELL	STMW-002 OUTER CASING	351881.6142	1272174.7009	147.9649
797	GND	GND @ STMW-002	351881.3739	1272175.0483	145.1312
798	WELL	DW4 OUTER CASING	352400.5594	1272430.6010	83.9560
799	GND	GND @ DW4	352400.7651	1272430.8026	82.8574
800	GND	GND @ MW11	352644.1947	1272525.4638	55.7775
801	WELL	MW11 OUTER CASING	352644.2857	1272525.3414	58.1421
802	WELL	MW12 OUTER CASING	352970.5149	1272312.3765	44.6694
803	GND	GND @ MW12	352970.4659	1272312.6498	43.0574
804	WELL	WOODEN WELL	352373.7977	1272616.2240	54.3378
805	GND	GND @ WOODEN WELL	352373.3328	1272617.9539	52.2237
806	WELL	DW2 OUTER CASING	352160.3894	1272556.1725	66.3052
807	GND	GND @ DW2	352160.3007	1272555.5656	63.4518
808	WELL	DW1 OUTER CASING	351821.9084	1272602.7246	69.1776
809	GND	GND @ DW1	351822.4527	1272602.7723	66.9934
810	WELL	DW5 OUTER CASING	352121.4773	1272808.8805	38.8991

Table 1-1

Well Coordinate and Elevation Survey Data
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Survey Point Number	Location Code	Survey Point Description	Northing	Easting	Elevation (ft amsl)
811	GND	GND @ DW5	352121.4441	1272808.2975	38.1657
812	WELL	STMW-001 INNER RISER	352736.0088	1272809.3065	37.0690
813	WELL	STMW-001 OUTER CASING	352736.1127	1272809.2950	37.7044
814	GND	GND @ STMW-001	352736.3500	1272809.4563	34.8737
815	WELL	MW103 INNER RISER	352843.6924	1272820.5157	40.9459
816	WELL	MW103 OUTER CASING	352843.6752	1272820.6265	41.3577
817	GND	GND @ MW103	352843.7084	1272821.0619	38.1127
818	WELL	MW105 INNER RISER	353067.5623	1272830.0924	40.0642
819	WELL	MW105 OUTER CASING	353067.8522	1272830.0668	40.4611
820	GND	GND @ MW105	353067.9543	1272830.3934	37.0671
821	WELL	MW140 INNER RISER	353231.7557	1272744.4188	38.6222
822	WELL	MW140 OUTER CASING	353231.6536	1272744.3366	39.0163
823	GND	GND @ MW140	353231.3438	1272744.0745	35.4533
824	WELL	MW101 INNER RISER	353224.8236	1272437.4821	42.9128
825	WELL	MW101 OUTER CASING	353224.8619	1272437.3884	43.0963
826	GND	GND @ MW101	353224.6069	1272438.4437	39.6790
827	WELL	MW102 INNER RISER	353550.5942	1272440.0350	52.5039
828	WELL	MW102 OUTER CASING	353550.5874	1272440.3080	52.8292
829	GND	GND @ MW102	353550.8467	1272440.4098	49.6252
832	WELL	TW1 OUTER CASING	354900.6310	1271729.4699	61.9872
833	GND	GND @ TW1	354900.3316	1271729.5007	59.5856
834	WELL	WY3B OUTER CASING	353700.2859	1272349.1837	39.4708
835	GND	GND @ WY3B	353699.9312	1272349.0639	37.3875
836	WELL	MW8B OUTER CASING	351909.3389	1271704.1451	165.1579
837	GND	GND @ MW8B	351909.6933	1271703.7268	161.4493
838	WELL	STMW-006 INNER RISER	353111.7605	1271484.8044	136.8297
839	WELL	STMW-006 OUTER CASING	353111.7742	1271484.9639	137.0902
840	GND	GND @ STMW-006	353111.2523	1271485.4852	133.7288
406	WELL	WY4 OUTER CASING	352104.2321	1271450.0324	171.4708
407	GND	GND @ WY4	352104.4415	1271450.1675	170.6593
841	WELL	DW12 OUTER CASING	351950.0345	1272188.9635	156.2863
842	GND	GND @ DW12	351949.8363	1272188.7377	154.1651
843	WELL	DW9 OUTER CASING	351422.3023	1271985.9789	127.8380
844	GND	GND @ DW9	351422.0609	1271986.1112	125.7984

Table 1-1

Well Coordinate and Elevation Survey Data
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Survey Point Number	Location Code	Survey Point Description	Northing	Easting	Elevation (ft amsl)
845	WELL	WY3 WHERE ELBOW MEETS CASING	353576.3339	1272311.0140	46.0052
846	GND	VAULT FLOOR @ WY3	353576.6047	1272311.2096	45.0939
847	GND	PAVEMENT OUTSIDE VAULT	353576.5215	1272313.1333	53.6646
200	WELL	CDM MW-1 INNER RISER	352638.6905	1272012.8345	236.9717
201	WELL	CDM MW-1 OUTER CASING	352638.7560	1272012.7714	237.0450
202	GND	GND @ CDM MW-1	352639.0642	1272012.7835	235.2110
203	WELL	MW-10 OUTER CASING	352745.8980	1271986.3171	245.9554
204	GND	GND @ MW-10	352745.8829	1271986.2395	243.3603
351	WELL	UNMARKED OUTER CASING	352703.4808	1271879.4377	249.6653
352	GND	GND @ UNMARKED WELL	352703.5267	1271879.4778	249.3615
379	WELL	CDM MW-2 OUTER CASING	352507.0235	1271872.7324	220.3976
	WELL	CDM MW-2 INNER RISER	352507.0235	1271872.7324	220.3600
380	GND	GND @ CDM MW-2	352507.6932	1271872.5452	218.3501
490	GND	GND @ WY-15	352468.3924	1271591.9252	189.4814
491	WELL	WY-15 OUTER CASING	352468.7663	1271591.3962	191.6241
688	WELL	STMW-001 INNER RISER	352217.6530	1271814.7781	198.4371
689	WELL	STMW-001 OUTER CASING	352217.4587	1271814.4168	199.5411
690	GND	GND @ STMW-001	352217.5015	1271814.1451	196.2057
691	GND	GND @ MW-9	352218.9949	1271779.5724	194.5924
692	WELL	MW-9 OUTER CASING	352219.0282	1271779.6943	197.5054
763	WELL	UNMARKED WELL FLUSH WITH GND	352350.1461	1271687.3508	197.8998
Miller Mountain Area					
148	WELL	MW13 OUTER CASING	361765.1670	1273376.0779	253.9044
149	GND	GND @ MW13	361765.5372	1273376.0904	250.3114
150	GND	GND @ GAMW-001	361765.0231	1273381.7723	250.5437
151	WELL	GAMW-001 INNER RISER	361764.6819	1273382.1237	252.1689
152	WELL	GAMW-001 OUTER CASING	361764.9511	1273381.9250	252.8652
373	WELL	WY-GATR OUTER CASING	361960.4500	1273295.5626	255.2579
374	GND	GND @ WY-GATR	361960.9214	1273296.2317	254.6585
399	WELL	DW 41	360110.2430	1273718.0138	105.7718
400	GND	GND @ DW 41	360110.1238	1273718.4141	104.5898
401	WELL	MW 14	359871.7058	1273851.4569	78.5700
402	GND	GND @ MW 14	359871.9835	1273852.0325	74.3594
1310	PIPE	2" DRAIN PIPE	361593.0342	1273181.0623	236.9423

Table 1-1

Well Coordinate and Elevation Survey Data
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Survey Point Number	Location Code	Survey Point Description	Northing	Easting	Elevation (ft amsl)
1311	GND	GND @ 2" DRAIN PIPE	361592.9881	1273181.2371	235.3696
1312	LINE ST	12" STEEL TROUGH	361593.0203	1273180.5494	235.4402
1313	LINE	12" STEEL TROUGH	361565.5525	1273168.8407	233.1511
1314	WELL	DW 33	360550.2520	1274388.5973	52.8036
1315	GND	GND @ DW 33	360550.0628	1274388.3825	50.7645
1316	WELL	DW 40	361768.9499	1274342.0052	92.4601
1317	GND	GND @ DW 40	361769.0180	1274341.7280	90.1124
1320	WELL	DW 23	359799.7833	1274103.4018	54.5362
1321	GND	GND @ DW 23	359800.3473	1274103.1311	52.4233
1322	WELL	DW 22	359851.4325	1274154.9004	57.4435
1323	GND	GND @ DW 22	359851.5150	1274154.4320	57.2268
1324	WELL	DW 32	359935.0106	1274195.7512	64.5540
1325	GND	GND @ DW 32	359934.7364	1274195.1620	62.9897
1326	WELL	DW 31	360927.5397	1273349.4627	208.7986
1327	GND	GND @ DW 31	360927.6284	1273349.8352	206.3847
1328	WELL	DW 24	359043.8434	1274028.6491	59.9682
1329	GND	GND @ DW 24	359043.5392	1274028.1895	58.3377
1330	WELL	DW 36	358944.3943	1273951.0281	60.7940
1331	GND	GND @ DW 36	358944.2541	1273950.7899	58.5531
1332	WELL	DW 34	358933.6635	1273530.3071	67.1665
1333	GND	GND @ DW 34	358933.6448	1273530.5567	64.6472
1334	WELL	DW 39	363540.6375	1273150.6759	138.2524
1335	GND	GND @ DW 39	363540.6963	1273150.9144	136.3397
1336	WELL	APPROX. LOC OF GND @ DW 29	360117.6152	1273901.7858	99.0074

Notes: GND = Ground
ft amsl = feet above mean sea level
Horizontal control - NAD83, Maine State Plane, East Zone 1801, U.S. feet
Vertical control - NAV88
Survey performed by U.S. Army Corps of Engineers Topographic Survey Crew, 2004.

SECTION 1

FIGURES

GATR SITE AREA

TEST WELL AREA

FORMER DCF HOUSING AREA

FAA AREA

DCF AREA

TRANSMITTER SITE AREA

Miller Mtn

Bucks Mtn

Bucks Harbor

Howard Mtn

Mt Aetna

Mt Aetna

Pettegrove Mountain

Clamshell Cove

Wateback Cove

Mountain Head

Bar Island

Bucks Neck

Bucks Harbor

Bucks Harbor

Howard Cove

Saashore Mtn

Jasper Head

Bucks Head

Cem

Mud

Tidal Flat

SITE LOCATION

GRAPHIC SCALE

1200 600 0 600 1200

APPROXIMATE SCALE IN FEET

WESTON SOLUTIONS

MANCHESTER NEW HAMPSHIRE


DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

SITE LOCATION MAP

DRAWN	DATE	FIGURE NO.
BEG	MAR 2005	1–1
CHECKED	W.O. NO. 10971 217 002	

M:\Design\DWG\ACOE\BUCKS\2003\LOCUS.dwg, FIG1-1, 3/14/2005 2:19:46 PM, girardeb, 1:1



LEGEND

- BUILDING
- MARSH
- ROAD
- 20 ELEVATION CONTOUR (FT)
- STREAM
- EDGE OF WATER
- MW-11 ● MONITORING WELL LOCATION
- DW-13 ◎ RESIDENTIAL OVERBURDEN WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW-7 ◉ RESIDENTIAL BED ROCK WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW-28 ◎ RESIDENTIAL WATER SUPPLY WELL OF UNKNOWN CONSTRUCTION CURRENTLY INCLUDED IN MONITORING PROGRAM
- TW-1 △ TEST WELL LOCATION
- SW/SED-1 △ SURFACE WATER/SEDIMENT SAMPLING LOCATION

MAP SOURCE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315-3864.

GRAPHIC SCALE
600 300 0 300 600
APPROXIMATE SCALE IN FEET

NO.	DATE	APPR.	REVISION

NO.	DATE	APPR.	REVISION

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE

CHECKED	DATE	CLIENT APPROVALS	DATE
DES. ENG.			
PROJ. ENG.			
PROJ. MGR.			
APPROVED			
APPROVED		ISSUED FOR	DATE

DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

SITE PLAN

DRAWN	DATE	FIGURE NO.	REV. NO.
AJM	MAR 2005	1-2	
SCALE: AS SHOWN	W.O. NO. 10971 217 002	SHT. ____ OF ____	

M:\Design\DWG\ACOE\Bucks\2003\Site Plan.dwg, FIG1-2, 3/14/2005 2:25:11 PM, gbardeb, 1:1

SECTION 2

STUDY AREA INVESTIGATION

2. STUDY AREA INVESTIGATION

2.1 INTRODUCTION

This section includes information pertaining to the field activities conducted as part of the RI. This includes, but is not limited to: (1) additional research on historical uses of chemicals at the site; (2) surface and borehole geophysical investigations; (3) installation and development of bedrock monitoring wells; (4) installation of a water supply test well; (5) sampling and analysis of multiple matrices; and (6) surveying. These activities are discussed in more detail in the subsections that follow.

2.2 CONTAMINANT SOURCE INVESTIGATION

In August 2002, representatives of WESTON, CENAE, and MEDEP visited the site and conducted interviews with people familiar with former site operations and history. The primary objective of these interviews was to identify potential former disposal areas of TCE and other solvents commonly used by civilian and USAF personnel at the site. WESTON, CENAE, and MEDEP personnel interviewed the following individuals who were previously, or are currently, associated with the site and its history: Mr. Bruce Coffin, Mr. Glenn Davis, and Mr. Jean Savard. Mr. Coffin was stationed at the Bucks Harbor AFRTS from October 1955 until 1983, then again from 1985 until his retirement in 1997. Between 1955 and 1983 he was employed as a maintenance technician before taking over as the Maintenance Supervisor for the DCF in the mid 1980s. Mr. Davis previously worked in the maintenance department under the direction of Mr. Coffin before taking over as Maintenance Supervisor upon Mr. Coffin's retirement in 1997. Mr. Savard is employed by the FAA and, along with Mr. Davis, currently works at the AFRTS site.

The information and recollections of the individuals interviewed revealed that there were no "dedicated" areas at the site where solvents were disposed of. Although the use of solvents such as TCE and carbon tetrachloride was common, these solvents were typically disposed of on the ground surface in the various areas where they were used (WESTON, 2002a). According to Mr. Coffin, solvents were routinely used during automobile maintenance, as paint thinner, for

cleaning the radar antennas, and as a degreaser for machinery and various mechanical parts. One or more 55-gallon drums of solvent were reportedly kept in the basement of former Building 114, which was located on top of Howard Mountain (Figure 2-1). The drums were fitted with a spigot for dispensing the solvent into coffee cans or other containers used to transport it to the various areas where it was to be used. Reportedly, approximately one-half the basement area in Building 114 had a dirt floor; therefore, spills of solvents on the floor may have directly infiltrated the subsurface. The other half of the basement floor was equipped with several floor drains that routed spills through pipes to the edge of Howard Mountain and down the face of the rock cliff (WESTON, 2002a).

During investigative activities conducted by ABB in 1997, floor drains were also observed in former Building 501 (Figure 2-1). Although there is no history of such practices, improper disposal of chemicals in these drains could have occurred at this location as well. ABB also discovered a small, rusted metal container and an empty 55-gallon drum labeled "1,1,1-TCA" on the western side of Howard Mountain, adjacent to the existing radar dome. Based on the location of the containers, it appeared that they were pushed off the steep slope from the top of Howard Mountain. According to the FAA, solvents are not currently used at the FAA portion of the facility. The FAA used carbon tetrachloride until the 1960s, and then switched to other solvents, including TCE and 1,1,1-TCA, for radar maintenance (ABB, 1997b).

At the former Transmitter and GATR sites, a septic tank and a leach field are located adjacent to each of the main structures. According to historical information and recollections by Mr. Coffin, the USAF used solvents at each location to clean electrical equipment. Used solvents may have been disposed of via sinks and drains in the buildings, and thus, into the septic systems or disposed of on the ground surface. During a site walk of the GATR site by ABB in May 1995, an empty 5-gallon container labeled "ethylene glycol" was observed east of the access road (ABB, 1997b). The abandoned container at this and other associated sites confirms that poor housekeeping practices were common, and supports the historical recollections of the former site workers. This suggests that other than the Building 114 area, there are no particular "source areas" of contamination at the site; rather, there were likely several smaller, periodic releases that have resulted in an overall adverse impact to groundwater quality.

2.3 SOIL AND VADOSE ZONE INVESTIGATION

The term "vadose zone", or unsaturated zone, is defined as the zone between the land surface and the water table that includes the root zone, intermediate zone, and capillary fringe (Fetter, 1994). At the Bucks Harbor site, the depth to bedrock in many areas is very shallow or is exposed at the ground surface. According to Mr. Coffin, the ground surfaces at a majority of the Howard and Miller Mountain areas were bare rock during the time the USAF operated the facility. Over the years since USAF operations, thin layers of soil, vegetation, and fill from the demolition of various on-site structures have accumulated on the rock surface (WESTON, 2002a). The vadose zone at the site, therefore, consists of these thin overburden deposits in addition to an unsaturated, fractured bedrock component. Depending on the specific location within the area, the bedrock component may also be very thin (e.g., at the Transmitter site) or somewhat thicker (e.g., the Miller Mountain area).

CENAE and WESTON had planned to include a soil boring investigation and a soil-gas survey as part of the RI activities. However, after a review of site disposal practices and an evaluation of overburden thickness in potential release areas, CENAE and WESTON determined that an investigation of vadose zone soils was not feasible at this site. Solvents that were discharged to the ground surface likely evaporated and/or entered the bedrock surface in the area where they were released. Due to the shallow nature of bedrock across the site and the high volatility of the solvents, it was considered unlikely that residual contamination remains at persistent levels in soil at the site (ABB, 1997b). Furthermore, because of the sporadic nature of solvent disposal, no specific area was identified that warranted a quantitative soil investigation.

2.4 SURFACE GEOPHYSICS

A multi-agency, integrated geophysics program was conducted to support the RI's drilling and bedrock monitoring well installation program. The competent bedrock aquifer at the site occurs as major connected fracture sets or lineaments, and scattered small fractures with little connectivity. The primary fracture sets were the intended targets of the drilling program, but are poorly located or not exposed. The success of the RI's drilling program required that proposed wells penetrate the bedrock aquifer's primary groundwater flow pathways connected to the potential source areas (CENAE, 2003).

The surface geophysics program was therefore developed to optimize locations of the exploratory boreholes drilled in the bedrock, by identifying the depth to bedrock and locations of fractures that may be capable of transporting groundwater contamination. The results of the geophysical profiling, test drilling, and subsequent borehole geophysical logging were combined to further define the Site Conceptual Model of groundwater flow and solute transport, which can be used to design an effective method of remediation (United States Geological Survey [USGS], 2003). A summary of the surface geophysical program is discussed in the subsections that follow.

2.4.1 Clearing and Grubbing

A subcontractor to WESTON, J.L. Huntley, Inc., performed clearing and grubbing activities at the AFRTS and GATR sites in support of the surface geophysics field investigation in February and March 2003 (CENAE, 2003). Small trees, brush, and snow were removed from four areas of the site to allow for vehicle and equipment access for the surface geophysics program, which was conducted in March 2003 and is discussed in Subsection 2.4.2. Verbal authorization and/or a right-of-entry (ROE) agreement were received from the property owners for the clearing activities conducted in support of installation and testing of the monitoring wells.

Two transects approximately 9 ft wide were cleared through the forested area surrounding the western and southern sides of the Transmitter site (Figure 2-2). Transect "A" extended in a northeast-southwest direction, approximately 250 ft on either side of proposed drilling location MW-06. Approximately 370 ft of the 500-foot long transect was situated along an existing unpaved logging/access road; therefore, the additional clearing of small trees and brush for this transect was minimal. Transect "B" was oriented in an approximate northwest-southeast direction, and extended approximately 950 ft through proposed drilling locations MW-04 and MW-07. Approximately one-half of this transect utilized a portion of the unpaved logging/access road, which also reduced the amount of clearing required. The northwest extent of this transect terminated approximately 50 ft from Hickey Road on a parcel of land owned by a private resident.

Clearing was performed along one transect approximately 8 ft wide in the vicinity of the DCF sewer line easement (Figure 2-2). Transect "C" was oriented in a northeast-southwest direction,

and extended approximately 200 ft from the Base Road to the DCF sewer line easement. Based on preliminary results of the surface geophysics effort, the transect was extended an additional 200 ft in a northeasterly direction and onto the eastern side of the sewer line easement. Additional geophysics tests were conducted in the vicinity of the former Building 501 location; however, no significant clearing was required to complete the surface geophysics program in this area.

At the GATR site, one transect (Transect "D"), approximately 10 ft wide and 100 ft long, was cut through small trees and brush to the north of bedrock monitoring well MW-14 (Figure 2-3). An ROE agreement was required and received from the property owner for all activities conducted in support of the installation and testing of monitoring well MW-14. The original transect orientation was modified slightly so that the majority of the geophysics testing was conducted along the property owner's driveway, thus reducing the amount of clearing required.

At the test well site, one transect (Transect "E"), approximately 5 to 16 ft wide and 1,000 ft long, was cleared to perform surface geophysics in the area of the proposed test well site (Figure 2-4). A gravel access road was subsequently constructed to allow truck access for the surface geophysics activities, as well as future drilling rig access. The road was extended from Hickey Road, approximately 320 ft into the wooded area, with one small extension off the road to allow for maneuverability of the drilling rig.

2.4.2 Geophysical Methods

The multi-agency team that performed the program was led by CENAE and made up of personnel from the USGS Branch of Geophysical Applications, and the U.S. Department of Energy (DOE) Argonne National Laboratory (ANL). Because no single agency had the hardware, data processing and analysis software, or expertise in all of the potentially applicable geophysical methods, a team approach was used to maximize resources and meet an aggressive project schedule.

The program's objectives were to assess and use complementary surface geophysical methods to locate primary bedrock groundwater flow pathways and identify favorable locations for monitoring wells (CENAE, 2003). Several complementary methods were proposed for screening

and locating potential wells: terrain conductivity EM 31/34, GEM-2, ground-penetrating radar (GPR), and seismic refraction tomography (USGS, 2003). The GPR and seismic refraction data were collected in a manner consistent with the guidelines presented in *American Society for Testing Materials Standard D6432, Standard Guide for Using the Surface Ground Penetrating Radar Method for Subsurface Investigation* (ASTM, 2003a), and *ASTM D5777-00, Using the Seismic Refraction Method for Subsurface Investigation*, respectively (ASTM, 2003b).

Prior to conducting geophysical testing at all proposed drilling locations, a geophysical prove-out, or "testing phase," was conducted to develop conclusions regarding the applicability of the selected geophysical techniques and how they could be used at the remaining locations. Once USGS and ANL collected, processed, and integrated their respective data sets, the team developed conclusions regarding the applicability of the selected geophysical techniques and made recommendations for methods to be used in the "execution phase" (CENAE, 2003). A comprehensive description of the surface geophysics program and methodology is included in Appendix A. An overview of the methods used is provided in Subsection 2.4.2.1.

2.4.2.1 Ground-Penetrating Radar and GEM-2

Ground-penetrating radar is a geophysical method used to measure contrasts in the electromagnetic (EM) properties of subsurface materials and the fluids in these materials. Electromagnetic surveying methods make use of the response of the ground to the propagation of electromagnetic fields, which are composed of an alternating electric intensity and magnetizing force. When an EM pulse impinges upon materials with differing EM properties, some energy is reflected while some is transmitted into deeper materials (USGS, 2003). These response variations provide an indication of the depths at which changes occur in the primary subsurface materials present at the test location.

A transmitting antenna, placed on the surface, is used to transmit an EM pulse containing frequencies in the radar frequency range (10 to 1,000 megahertz) into the subsurface. Reflected energy is returned to the surface and recorded by a receiving antenna. By profiling along the surface, a two-dimensional (2-D) record of EM reflections is created, with distance on the x-axis and travel time on the y-axis.

The USGS evaluated the GPR profiling using RAMAC instrumentation. Selected antenna configurations were optimized for site conditions. Where possible, depth of snow was measured and recorded to illustrate changes in depth and consistency (ice, snow, ice over snow, etc.) of the snow layer to aid in interpreting GPR signal returns. The USGS evaluated EM profiling using the GEM-2 instrument.

System operating performance was tested by conducting airwave walk-away tests at the beginning and end of each field day. This test was used to confirm the RAMAC system operation stability, and to ensure that the sampling frequency used to record the GPR data was known and remained stable during data acquisition (ASTM, 2003a).

The GEM-2 is a hand-held, digital, multifrequency EM-induction instrument. It operates in a frequency range of 330 Hertz (Hz) to 24 kilohertz, and can transmit a waveform containing multiple frequencies. The GEM-2 contains three coils: transmitter (Tx), bucking, and receiver (Rx). The Tx and Rx coils are separated by about 5.5 ft. The GEM-2 also contains a third “bucking coil” that removes (or bucks) the primary field from the receiver coil. All coils are molded into a single board (dubbed “ski”) in a fixed geometry. The GEM-2 uses fixed coil spacing and the frequency sounding method to measure changes in electrical conductivity with depth as the instrument is moved along the survey line. The GEM-2 multiple frequency approach capitalizes on EM skin-depth. Skin-depth is inversely proportional to frequency: low-frequency signals can penetrate deeper than high frequency signals. Low frequencies “see” deep structures; higher frequency signals penetrate a shorter distance, and thus, "see" shallow structures. In this way, scanning over a range of frequencies is equivalent to depth sounding. Data collected using the GEM-2 can be used to generate apparent conductivity profiles or maps for each frequency or the data from all frequencies can be inverted to estimate the 2-D or three-dimensional (3-D) subsurface electrical conductivity structure (CENAE, 2003). Whereas electricity is transmitted more readily by fluids in the pore spaces of overburden materials and by the fluid-grain interfaces than the grains themselves, conductivity profiles prove to be strong indicators of changes in subsurface lithology.

2.4.2.2 Electromagnetic Terrain Conductivity

The EM terrain conductivity data were collected using the EM-31 and EM-34 survey instruments manufactured by Geonics. During this type of survey, a transmitter coil is used to induce an electrical current into the ground, and a receiver coil measures the strength of the secondary magnetic field generated by these currents. Two components of the secondary magnetic field are recorded: (1) the quadrature-phase component, which is used to measure the ground conductivity; and (2) the in-phase component, which is used for metallic detection due to its extreme sensitivity to large metallic objects. The electrical conductivity of the ground is nearly linearly proportional to the strength of the quadrature-phase component, and is given in units of millisiemens per meter. The in-phase measurement is the ratio of the secondary magnetic field to the primary field, and is expressed in parts per thousand.

The coils can be oriented in either a vertical dipole or horizontal dipole configuration. For the vertical dipole case, the axes of the coils are oriented perpendicular to the ground surface, and for the horizontal dipole, the axes are parallel to the ground surface. For both cases, the coils are maintained in a coplanar state. The vertical dipole orientation is generally preferred over the horizontal dipole because it provides for a greater investigative depth and is less sensitive to near-surface variations.

The separation between the Tx and Rx coils is the primary component that determines the depth of penetration. The "maximum depth" is roughly the depth at which 90% of the instrument response has occurred (0.75x horizontal coil spacing; 1.5x vertical coil spacing). The "effective depth" is the depth range where the instrument's overall response is the greatest. Thus, layers within the effective depth range contribute most to the measured conductivity.

Conductivity values obtained in EM surveying represent weighted mean values of all the layer conductivities from the ground surface to the maximum depth that is sensed by the EM instrument. If the underlying rock or sediment is uniform, the measured conductivity value will be the true conductivity. The amount of contribution to the measured conductivity from a single layer depends on its conductivity, depth, and thickness. Deeper layers contribute less to the final value than do near-surface layers.

The EM-31 Tx and Rx coils are housed in a 3.5 meter (m) long sensor boom, and a single person can operate the instrument. A nominal depth of investigation of 18 ft (5.5 m) is realized when measurements are made using the vertical-dipole mode. Measurements are collected at ½-second intervals, and the quadrature and in-phase components are collected simultaneously. This allows discrimination between anomalies sourced by buried metallic objects from those that are either lithologically or hydrologically controlled. Additional information, consisting of the profile position, and starting and ending points, as well as fiducial mark locations along the profile, were recorded with an OMNI 720 data logger (Polycorder). This information is then downloaded to a personal computer for processing and display.

The EM-34 is a two-person operable instrument that can measure terrain conductivities to depths of 150 ft. Data are collected at approximately one sample per 2 ft, and fiducial marker points are recorded at 20- to 50-foot intervals to help mitigate measurement point location errors due to uneven walking speeds. A Polycorder data logger is used to record the line geometry and profile data, which are downloaded to a personal computer for processing and display (CENAE, 2003).

2.4.2.3 Seismic Refraction Tomography

Seismic refraction provides acoustic velocity and layer depth information. Variations in acoustic velocity can be used to estimate the depths to various geologic units such as the bedrock surface and also to locate areas of variable density, which could indicate the locations of specific fractures or fractured zones. The refraction method generally depends on an increase in seismic-wave velocity (speed of sound through earth material) with depth, although, the newer tomographic codes presently available have the capability of handling a velocity inversion (zones of lower seismic velocity underlying zones of higher velocity). Both a Tomographic Model and an earth-layer (refractor) cross-section were used as processing outputs from the refraction profiling. The commercially available SeisOpt2D and GeoCT-II codes were used to construct the tomographic model, and the SIPT software package was used to generate the earth-layer cross-section.

In the refraction method, the seismic energy (or wave) bends (refracts) at interfaces between layers of different velocities. In the special case where the seismic wave has been refracted parallel to the interface, the seismic energy travels along this interface, generating a head wave

that returns to the surface. A linear array of acoustic receivers (geophones) is used to record the travel-time of the first returning seismic signal. This information is plotted on a time-distance graph. For the case of plane layer geometry, the time-distance plot will show distinct linear segments for each layer where the inverse of the slope of a segment is equivalent to the apparent seismic velocity for a particular layer.

For the work done in support of the RI, a multichannel engineering seismograph was used to record the seismic refraction information, and a 16-pound sledge hammer was used as the energy source. Due to the relatively shallow bedrock depth, shallow depth of investigation, minimized acoustic noise from traffic or wind, and restricted access during the winter months, the 16-pound sledge proved to be a sufficient acoustic energy source. Geophones (seismic receivers) were spaced at either 6.56-foot (2 m) or 9.84-foot (3 m) intervals, depending on the velocity contrasts encountered during surveying. Shot points were acquired at every fifth geophone position, which allowed input to the tomographic modeling software.

The processing sequence for the refraction data consists of the following:

- Picking first arrival times of return energy for each shot.
- Assigning the array-geometric to the first arrival data.
- Inverting the first-arrival information for velocity and depth using the SIPT algorithm (delay-time method).
- Constructing a tomographic model of the first-arrival information using the SeisOpt2D code available from Optim Software.

The tomography software constructs a velocity model using only first arrival travel-time data and array geometry as input. SeisOpt2D requires no prior assumptions of subsurface structure, or any other subjective data, as input, whereas GeoCT-II requires an initial velocity model prior to inversion. Both software codes construct a globally optimized solution that best fits the measured arrival-time data (CENAE, 2003).

2.4.2.4 Borehole Velocity Survey

Velocity surveys (check shots) are used to measure the in situ velocity of the underlying sediment and rock, and these data provide confirmatory velocity information for the refraction

models. The general configuration for recording the borehole seismic data consists of a three-component geophone, implementing 40-Hz receiver elements. The downhole geophone is moved in 5-foot increments within the borehole (5-foot receiver spacing). A sledge hammer is used as the energy source, and is placed at offsets up to 15 ft from the borehole. Three additional geophones are placed on the surface at offsets up to 20 ft from the borehole, and are required to resolve any shot-timing variations that occur when using impact sources. Data are recorded at a 0.1 millisecond (ms) interval (10,000 samples per second), which is required so that very small changes in arrival time (< 0.3 ms) can be detected. The small arrival time changes are expected due to the presence of fast-velocity rhyolitic, dioritic, and gabbroic rock, and correspond to a seismic wave traveling from 10,000 to 25,000 ft per second.

Data processing consisted of the following:

- Pick first arrival energy for the downhole and reference geophones.
- Sort the arrival-time data by depth point.
- Compute and apply shot-timing corrections using the arrival time picks obtained from the reference geophones.
- Compute the average velocity to a receiver station using the straight-line distance from the shot to the receiver and the corrected arrival time.
- Convert to vertical travel-time using the depth point for the receiver and the computed average velocities.
- Compute interval velocities using the least squares line-fitting algorithm to estimate the slope (inverse of velocity) between measurement points. The least-squares operator has the advantage of smoothing over small time-picking errors.

The results from the downhole seismic analysis are presented as plots of the raw first-arrival data, the corrected arrival times, and the resulting average and interval velocities versus borehole depth. Where available, the data are correlated with the lithologic information and other available borehole geophysical data.

2.5 BEDROCK MONITORING WELL INSTALLATION

A total of 11 open-hole bedrock monitoring wells and one test well were installed during the RI. The locations of the monitoring wells were selected based on the results of the surface

geophysics program and proximity to suspected source areas. The bedrock wells were installed using various drilling techniques, depending on the information desired from the well location and drilling conditions encountered in the field. Permanent 4- or 6-inch-diameter steel casings were installed a minimum of 5 ft into competent bedrock at each well location using air hammer, drive-and-wash, or mud rotary drilling techniques. The casings were grouted with concrete and allowed to cure for at least 24 hours before drilling through the protective steel casing and into bedrock using air hammer or coring techniques.

Throughout the drilling activities, a WESTON geologist monitored the rate at which the air hammer or core barrel advanced through the bedrock, making notes of intervals where the drilling rods quickly dropped, increases in water production, and loss of drilling fluids, all of which could be representative of a fractured zone. Rock cuttings and bedrock cores were examined for composition, mechanical and non-mechanical fractures, iron staining, and evidence of weathering caused by the interaction of groundwater along potential water-bearing fractures. The bedrock wells were drilled to a depth determined in the field, based on the encountered geological conditions and/or water yield. Surface completions at each newly installed bedrock monitoring well consisted of the 4- or 6-inch-diameter steel casing, cut to an appropriate height, grouted in place with concrete, and fitted with a lockable steel slip cap.

A total of eight wells (MW-05, MW-06, MW-07, MW-09, MW-10, MW-11, MW-12, and MW-13) were completed into bedrock using air-hammer drilling techniques. Three wells (MW-04, MW-08b, and MW-14) were installed using an HQ-size (3 5/8-inch outer diameter) core barrel fitted with a diamond bit. Cores were collected for assessing geological conditions and comparison to borehole geophysics data. A summary of total well depths, casing depths, installation methods, bedrock formation, and potential fractured intervals noted during drilling at each well location is presented in Table 2-1. Well construction logs for these wells are included in Appendix B. A summary of the monitoring wells installed prior to the RI is included in Table 2-2.

The 5-foot long bedrock cores were initially logged in the field by a WESTON geologist and stored in standard wooden core boxes at WESTON's Manchester, New Hampshire office. The cores were logged using procedures detailed in EM 1110-1-1804 (USACE, 2001) to document the appearance of the cores and to provide an indication of their physical appearance. The cores

were logged for rock description, fracture density, orientation, rock quality designation (RQD), and solution/void conditions. A State of Maine Certified Geologist further examined the bedrock cores, and developed the rock coring logs included in Appendix B.

The classification and description of each lithologic unit in the bedrock core was logged as completely as possible, and included the following information:

- Unit designation
- Rock type and lithology
- Hardness, relative strength, or induration
- Degree of weathering
- Texture
- Structure
- Discontinuities (faults, factures, joints, seams)
- Orientation with respect to core axis
- Asperity (surface roughness)
- Nature of infilling or coating, if present
- Staining, if present
- Tightness
- Color
- Solution and void conditions
- Swelling and slaking properties, if apparent
- Additional descriptions such as mineralization, inclusions, and fossils

The quality of the rock mass was evaluated by the RQD. The RQD was performed at the time of core retrieval to minimize effects from handling or slaking. The RQD was calculated using the following equation, as defined in EM 1110-1-1804 (USACE, 2001):

$$RQD = \frac{\Sigma \text{ Length of sound core pieces} > 4 \text{ inches}}{\text{Total core run length}}$$

Sound, or intact, pieces of core 4 inches or longer were used to determine the RQD. The core segments were measured along the centerline or axis of the core. Mechanical breaks caused during drilling or handling were disregarded.

2.5.1 Transmitter Site

Four bedrock monitoring wells, identified in Figure 1-2 as MW-04 through MW-07, were installed at the Transmitter site, located downslope of the former Transmitter building, leach

field, and existing monitoring well network. According to the bedrock potentiometric surface contours developed during previous investigative phases, the new wells are located hydraulically downgradient of these areas. The wells were installed by a WESTON subcontractor, Great Works Pump and Test Boring (Great Works) of Rollinsford, New Hampshire, between 3 March 2003 and 24 March 2003. Bedrock monitoring wells MW-04 and MW-06 were positioned at locations that move outward (downhill) from the Transmitter building along the two orientations of interpreted photo-lineament features mapped by ABB (ABB, 1995b). The number of measurable joints and fractures observed at each station during the outcrop survey suggested that the fracture density was sufficient to ensure reasonable success in encountering water-bearing fractures along these orientations.

The results of the surface geophysics conducted in February 2003 and March 2003 further defined the ideal locations for installation of these wells. The GPR and seismic refraction tomography profiling conducted in the vicinity of the proposed drilling locations identified areas of diffuse signals and/or low velocities, which can be indicative of less-competent or fractured zones. The coordinates of such locations were identified and later staked in the field for the installation of the wells. Additional details regarding the results of the surface geophysics program are presented in Appendix A.

Great Works began the installation of bedrock monitoring well MW-04 using a wire-line HQ-size (3 5/8-inch outer diameter) core barrel to a depth of 58 ft bgs. However, the abrasive nature of the bedrock material caused excessive wear of the drilling bit and scoring of the core barrel, and the high density of vertical fractures resulted in frequent core barrel jamming. Because the bedrock quality was not increasing with depth, little usable core was recovered. Due to continued coring equipment damage, the decision was made to cease coring activities and switch to an alternate drilling technique to complete the well. Drilling of MW-04 was continued using a 3 7/8-inch outer diameter air hammer, and was completed on 17 March 2003, at a depth of 100 ft bgs.

Bedrock monitoring well MW-05 was co-located with existing hybrid well TSMW-002, which was installed on the southeastern side of the former Transmitter building. Prior to the RI activities, TCE concentrations in samples collected from hybrid monitoring well TSMW-002

were the highest detected in a groundwater monitoring well (52 µg/L in August 1999). Monitoring well TSMW-002 is screened between 3 and 13 ft bgs, with the bedrock surface at approximately 6 ft bgs. The interpretation that this is a groundwater recharge area suggests that a localized source of TCE could exist in this portion of the site. These two wells now serve as a "couplet" to evaluate the vertical hydraulic gradient and difference in TCE concentrations between the shallow and deep bedrock water-bearing zones. Bedrock well MW-05 was installed by Great Works, using a 3⅞-inch outer diameter air hammer, and was completed on 18 March 2003 at a depth of 100 ft bgs.

Bedrock well MW-06 was installed southeast of the former Transmitter site building, along the approximate strike of the major linear features in the area. The well was installed using a 3⅞-inch outer diameter air hammer and was completed on 18 March 2003 at a total depth of 120 ft bgs.

Bedrock monitoring well MW-07 was installed south-southeast of well MW-02 to evaluate bedrock groundwater quality south of the former Transmitter building, between wells MW-04 and MW-06. The well was installed using a 3⅞-inch outer diameter air hammer, and was completed on 24 March 2003 at a depth of 130 ft bgs.

2.5.2 Downeast Correctional Facility-Federal Aviation Administration Site

Five bedrock monitoring wells, identified on Figure 1-2 as MW-08b through MW-12, were installed at the DCF-FAA site. Bedrock monitoring well MW-08b was installed immediately downslope from the DCF filter bed, which received sanitary waste discharge from the USAF Operations Area and Cantonment Area from 1954 to 1958, and the FAA from the early 1980s until approximately 1996 (ABB, 1997a). This well is also situated southeast of the sanitary filter bed, along the primary northwest/southeast-oriented fracture system present throughout the area. After installing a 4-inch-diameter steel casing at the original location (MW-08a), the well location was repositioned following analysis of the surface geophysics data collected along the transect through the area.

The well was installed using a wire-line HQ-size (3⅝-inch outer diameter) core barrel to a depth of 55 ft bgs. The bedrock unit encountered during drilling was the same flow-banded rhyolitic

vitrophyre encountered at well MW-04, and although the abrasive nature of the bedrock material and density of vertical fractures was less than observed at well MW-04, the core barrel bits were quickly compromised and advancement into rock was extremely slow. Because the target depth of this well was only 60 ft bgs, and the water yield was acceptable, the decision was made to complete the well at 55 ft bgs. This well was completed on 28 March 2003.

Bedrock monitoring well MW-09 was installed downslope from former Building 501, which served as the former Radome Maintenance Building where solvents were likely used during radar antenna cleaning. This well was also positioned between former Building 501 and existing bedrock monitoring well STMW-001, where TCE and PCE were detected above MCLs in 1996, and southwest of former Building 501, following the orientation of the secondary northeast-southwest fracture system present throughout the area. Bedrock well MW-09 was installed using a 3⅞-inch outer diameter air hammer and was completed at a depth of 120 ft bgs on 25 March 2003.

Bedrock monitoring well MW-10 was installed at the former location of Building 114, which was previously located on the top of Howard Mountain. As previously indicated, Building 114 had a basement with a dirt floor where solvents were reportedly stored and dispensed from 55-gallon drums. The well was installed using a 3⅞-inch outer diameter air hammer and was completed at a depth of 201 ft bgs on 1 April 2003.

Bedrock monitoring wells MW-11 and MW-12 were installed at the base of Howard Mountain on the eastern side, within a major northwest-southeast trending fault zone (Gates, 1981). This orientation follows the interpreted fault pattern in the area and may be a preferential pathway for contaminant migration. The overburden in this area consists primarily of coarse sand and gravel underlain by a dense clay and silt layer on top of the bedrock surface. It was anticipated that the overburden could be up to 75 ft thick in this area, and therefore, mud-rotary drilling techniques were used to install the permanent steel casing into the top of the bedrock unit at these locations. Mud rotary excels at effectively removing cuttings while stabilizing the borehole walls in unconsolidated sands and gravels. These two wells were installed by a subcontractor to WESTON, D.L. Maher, Inc. (Maher), a division of the Boart Longyear Company, of North Reading, Massachusetts. The mud-rotary drilling technique was used to install permanent

6-inch steel casing a minimum of 5 ft into competent bedrock at each location. The wells were then advanced into bedrock using air hammer drilling techniques with an approximate 6.1-inch outer diameter air hammer. Bedrock well MW-11 was completed at a depth of 200 ft on 11 May 2003, and bedrock well MW-12 was completed at a depth of 243 ft on 6 May 2003. The well construction logs for bedrock wells MW-11 and MW-12 are included in Appendix B.

2.5.3 Ground/Air Transmitter/Receiver Site

Two bedrock monitoring wells, identified on Figure 1-2 as MW-13 and MW-14, were installed at the GATR site in the Miller Mountain area. Monitoring well MW-13 was co-located with shallow hybrid well GAMW-001, which is located in the inactive leach field at the GATR site. Bedrock well MW-13 was installed by Great Works using a 3 ⅞-inch outer diameter air hammer, and was completed at a depth of 219 ft bgs on 2 April 2003.

Well MW-14 was installed at the base of Miller Mountain in a low seismic velocity zone, located between the leach field area to the north and residential drinking water wells DW-22 and DW-23 to the south. These two residential water supply wells are located downgradient of the GATR site and in a direction that coincides with the predominant northwest-southeast strike direction of joints and fractures identified in local bedrock outcrops. Bedrock well MW-14 was installed using coring techniques with a wire-line HQ-size (3 ⅝-inch outer diameter) core barrel. The well was cored to a depth of 101 ft bgs, and was completed on 26 March 2003.

2.6 BEDROCK TEST WELL INSTALLATION

A bedrock test well (TW-01) was installed to evaluate the feasibility of providing a production well to supply drinking water to local residences. The bedrock test well was installed at the intersection of the mapped northwest-southeast trending fault zone and the power line easement northeast of Howard Mountain, and overlies a seismic low velocity zone within the bedrock. The seismic refraction tomography data also indicated that the saturated thickness of the overburden in this area is approximately 50 ft thick, consisting mainly of silt and clay of the Presumpscot formation, with a thin layer of sand and gravel directly above the bedrock surface.

Maher installed bedrock test well TW-01 prior to the installation of bedrock wells MW-11 and MW-12. The same mud-rotary drilling technique used during MW-11 and MW-12 installation was used to install permanent 6-inch steel casing 5 ft into competent bedrock. The bedrock surface at location TW-01 was encountered at a depth of 47.5 ft bgs. The well was advanced into bedrock using air hammer drilling techniques with an approximate 6.1-inch outer diameter air hammer. A hydraulically active fracture zone was encountered at a depth of between 168 and 169 ft bgs, with an estimated yield of 50 gpm. The well was completed to a depth of 200 ft bgs on 11 May 2003. A summary of the casing and well depths, installation methods, bedrock formation, and potential fractured intervals noted during drilling of test well TW-01 is presented in Table 2-1. The construction log for well TW-01 is included in Appendix B.

2.7 WELL DEVELOPMENT

The newly installed bedrock monitoring wells and test well were developed to promote the free flow of water into the wells. Well development of the open-hole bedrock monitoring wells was performed immediately after installation by surging the air hammer up and down in the borehole and blowing compressed air provided by the drilling rig. WESTON later performed further development of the monitoring wells by surging and pumping with a submersible 2-inch-diameter Grundfos pump. Due to the expected larger production volume of the test well, a 4-inch-diameter Grundfos pump was used for development at test well TW-01. The wells were surged by moving the pump up and down in the borehole to loosen and remove fines within the bedrock fractures. The wells were pumped at a high rate between surging to remove the fines from the well. Development of the monitoring wells continued until the purge water was clear to the unaided eye. Development of the test well was continued for approximately 4 hours. The pumping rate during development was increased slightly after each of the first two 1-hour periods, and then pumped at the maximum pump capacity for the two remaining hours. The maximum rate achieved by the pump was approximately 22.5 gpm with approximately 10 ft of drawdown. Purge water was field-screened with the organic vapor monitor (OVM) during development. At monitoring wells MW-07 and MW-10, OVM readings of approximately 10 parts per million (ppm) and 30 ppm, respectively, were noted during development. No OVM readings were noted above background at the ten other well locations where development was performed. Water quality field parameters were not obtained during well development.

Measurement of temperature, hydrogen ion concentration (pH), conductivity, oxidation-reduction potential (ORP), dissolved oxygen (DO), and turbidity were obtained during groundwater sampling as discussed in Subsection 2.9.1.

2.8 BOREHOLE GEOPHYSICS

Geophysical Applications, Inc. of Foxboro, Massachusetts, conducted borehole geophysical logging from 29 May to 16 June 2003. A total of 17 boreholes were logged as part of this investigation. The following downhole geophysical methods were employed at the site:

- Caliper
- Natural gamma
- Single-point resistance/spontaneous potential
- Normal resistivity
- EM induction
- Deviation
- Acoustic image
- Optical image
- Standard fluid logging
- Idronaut probe water quality (includes oxygen saturation, pH, redox, oxygen concentration, specific conductance)
- Ambient and stressed (pumping) heat-pulse flowmeter

Not every method was performed at each borehole location. Also, as discussed in the *Final Sampling and Analysis Plan (SAP)* (WESTON, 2002b), some variations to the field program were required due to site-specific conditions and the relatively shallow well depths of most of the wells tested. Table 2-3 summarizes the geophysical methods used at each borehole. Each of these methods is briefly described in the following subsections. A detailed description of the borehole geophysical methods is contained in the USGS Report in Appendix A.

2.8.1 Caliper Logging

Caliper logging records borehole diameter by use of a three-arm, spring-loaded tool (USGS, 2003). Changes in borehole diameter are related to drilling and borehole construction procedures, caving in of less competent rocks, and the presence of fractures.

2.8.2 Natural Gamma Logging

Gamma logging records the amount of gamma radiation emitted by the rocks surrounding the borehole in counts per second (cps) (USGS, 2003). Different rock types naturally emit varying amounts of gamma radiation. The vertical resolution of the gamma probe is 30 to 60 centimeters (cm). Although a change in rock type or alteration associated with a fracture can be detected, the tool requires a thickness of 30 cm to obtain a full response. The gamma logs were used to help delineate changes in rock type.

2.8.3 Single-Point Resistance Logging

Single-point resistance logging measures the electrical resistance between a surface electrode (or mudfish) and an electrode in the downhole probe in ohms. The measurement, which is highly influenced by borehole diameter, includes the resistance of the formation, fluids saturating the formation, and fluids in the borehole. Increases in borehole diameter typically are associated with a decrease in resistance. Single-point resistance can be used to delineate changes in lithology, clay content, porosity, and total dissolved solids in the formation water. The single-point resistance is measured below the casing and in a water-filled borehole.

2.8.4 Normal Resistivity Logging

Normal resistivity logging measures the apparent resistivity of the formation in ohm-meters. The tool applies a constant current across two electrodes while measuring the potential between two other electrodes. The apparent resistivity has to be corrected for borehole diameter, drilling mud invasion, and formation bed thickness to obtain true resistivity (USGS, 2003). The normal resistivity is more accurate than the EM induction tool in measuring the electrical properties of the rock when the formation resistivities are high. Resistivity logs can assist in identifying water-filled

fractures in crystalline rock when used in conjunction with other logs (e.g., fluid or heat-pulse flow meter logs).

2.8.5 Electromagnetic-Induction Logging

Electromagnetic-induction logging records the bulk electrical conductivity of the rocks and the fluids in the rocks surrounding the borehole (USGS, 2003). The tool uses an EM induction field to induce an electrical current in the surrounding formation. The induced current in the formation generates a secondary EM field. Changes in electrical conductivity are caused by variations in porosity, borehole diameter, dissolved concentration of the water in the rocks, and by metallic minerals. The log is used to delineate changes in rock type or in electrical properties of water in the rock formation.

2.8.6 Deviation Logging

Deviation logging measures the borehole deviation by providing a record of the 3-D geometry of the borehole (USGS, 2003). The deviation log records the azimuthal direction (0 to 360^{o}) and the inclination (0 to 90^{o}) over the depth of the borehole. Deviation logs are collected simultaneously with acoustic and optical televiewer tools and were used to correct the orientation of planar features that intersect the borehole.

2.8.7 Accoustic Image Logging

Acoustic-televiewer (ATV) logging produces a high-resolution, magnetically oriented, digital image that is used to map the location and orientation of fractures that intersect the borehole (USGS, 2003). The ATV tool emits a narrow acoustic beam that rotates 360^{o} and is focused at the borehole wall. The acoustic wave moves through the fluid in the borehole and is reflected off the borehole wall and recorded by the tool. The log records the amplitude and travel time of the reflected wave, which can be displayed as a flattened 360^{o} image of the borehole wall. The reflectivity or contrast in acoustic impedance between the fluid and the borehole wall can be related to the rock type.

A fracture that intersects the borehole causes scattering of the acoustic wave and appears as a high contrast, low amplitude line (dark feature) on the acoustic amplitude log. Interpretation of

the magnetically oriented images in conjunction with other logs allows for the determination of transmissive structures that may relate to the hydraulics of the aquifer.

2.8.8 Optical Image Logging

Optical-televiewer (OTV) logging records a magnetically oriented, 360° optical image of the borehole wall (USGS, 2003). The location and orientation of fractures, foliation, and lithologic changes can be interpreted from OTV data. Because the OTV is an optical system, low optical contrast features, such as small fractures in dark rocks, can be difficult to delineate. The OTV logs were analyzed to identify lithology and to determine the physical characteristics and orientation of fractures.

2.8.9 Water-Quality Logging

A water-quality multi-parameter probe, called the Idronaut probe, was used to measure pressure, temperature, DO, specific conductance, pH, and ORP of the borehole fluid. Because the tool measures the water in the water column, it may not reflect the water chemistry in adjacent fractures. However, the changes in the water chemistry may help identify ambient flow in the borehole or fractures that contribute to the borehole. In addition, some of these parameters have been related to the natural attenuation of chlorinated solvents, and can be used to help characterize the site.

2.8.10 Heat-Pulse Flowmeter Logging

Heat-pulse flowmeter (HPFM) logging measures the direction and rate of vertical flow in a borehole. Used in conjunction with other geophysical logs, individual fractures or fracture zones where water enters or exits the borehole can be identified. Under ambient conditions, differences in hydraulic head between two transmissive fractures produce vertical flow in the borehole. If the heads in transmissive zones are the same, no vertical flow will occur in the borehole. Therefore, flowmeter logging also is conducted under stressed (low-rate pumping) conditions to identify transmissive zones with similar ambient heads that would not be identified without stressing the aquifer. The flow under pumped conditions can be proportioned and attributed to specific fracture zones in the borehole. The flowmeter used in this investigation uses a heat-pulse

tracer that moves upward or downward in the presence of vertical flow. The measurements were collected at discrete locations, usually above and below suspected water-bearing fractures.

2.9 GROUNDWATER INVESTIGATION

2.9.1 Monitoring Well Sampling and Analysis

Groundwater samples were collected from the 11 new bedrock monitoring wells and 22 existing monitoring wells on 16-18 June 2003 to evaluate groundwater quality at the site. The wells were sampled using EPA low-flow sampling methods (EPA, 1996), as described in the *Final SAP* (WESTON, 2002b). Static water levels were recorded in the wells prior to sampling. Water levels were sounded relative to the measuring point elevation at each well (top of steel or polyvinyl chloride casing) using an electronic water-level indicator that was decontaminated between wells. The measurements were recorded to the nearest 0.01-foot. A 2-inch-diameter submersible Grundfos pump and dedicated polyethylene tubing were used to purge the wells. For the 22 existing monitoring wells where borehole geophysics was not performed, the submersible pump intake was set at the mid-point of the water column in the well. For the 11 new bedrock monitoring wells and the test well, the pump intake was set at a location where drilling observations and borehole geophysics data identified a water-bearing or hydraulically active fracture zone. A summary of the pump intake depths for the 11 new bedrock monitoring wells and the test well is presented in Table 2-4.

The purge water was pumped out of the well and through a flow-through cell that continuously monitored the following parameters: temperature, pH, conductivity, ORP, and DO. In addition, turbidity and OVM headspace readings were monitored with separate instruments. Groundwater samples were collected after stabilization of these parameters as outlined in the low-flow sampling guidance (EPA, 1996). Pre-cleaned/certified and, where appropriate, pre-preserved bottles were provided by the laboratory and used for sample collection. The sample bottles were labeled with the location, time, date, analytical parameter, and sampler's initials. The samples were stored in an ice-filled cooler and transported to the laboratory under standard EPA chain-of-custody (CoC) procedures. The submersible pump was decontaminated between sampling locations in accordance with the procedures detailed in the *Final SAP* (WESTON, 2002b).

Groundwater samples were submitted to Analytics Environmental Laboratory, LLC (AEL) in Portsmouth, New Hampshire for off-site laboratory analysis of VOCs by SW-846 Method 5030B/8260B. AEL is a U.S. Army Corps of Engineers, Environmental Chemistry Branch–Center of Expertise (USACE-ECB-CX)-validated laboratory. Groundwater samples for natural attenuation parameters were also collected during the June 2003 sampling round and submitted for analysis of total organic carbon (TOC), nitrate, ethane, ethene, ferrous iron, dissolved manganese, alkalinity, and chemical oxygen demand (COD). A summary of the field, quality assurance (QA), and quality control (QC) samples collected during monitoring well groundwater sampling is presented in Subsection 2.13.

2.9.2 Test Well Sampling and Analysis

An initial set of groundwater samples was collected from the test well immediately following well development on 14 May 2003. These samples were submitted for laboratory analysis of VOCs, dissolved iron, and dissolved manganese to obtain a preliminary evaluation of groundwater quality at the well. The samples were collected directly from the discharge tubing of the pump, after purging approximately 4,000 gallons from the well over a 4-hour period. A second groundwater sample was collected from the test well on 16 June 2003, to evaluate groundwater quality under low-flow purging conditions, with the pump intake positioned at the depth of the high-yielding fracture from between 168 and 169 ft bgs. The sampling was performed concurrent with the bedrock monitoring well sampling during 16-18 June 2003, and was conducted in accordance with the same low-flow procedures followed during the monitoring well sampling program. The sample was submitted to AEL for off-site laboratory analysis of VOCs by EPA Method 5030B/524.2. The results of the sampling are presented in Subsection 4.2 of this report.

2.9.3 Residential Drinking-Water Sampling and Analysis

Drinking-water samples were collected from 32 of the 36 wells scheduled for sampling in June 2003. The samples were collected from 12 wells in the vicinity of the former AFRTS, 13 wells near the former GATR site, 6 wells in the vicinity of Starboard Cove, and one community supply well (WY-03), which is located in the DCF-FAA area. Water samples were not collected at locations DW-02, DW-11, DW-18, and DW-37. A new owner had just purchased

the property where well DW-02 is located and had yet to move into the residence and turn the water on, and the current owner of well DW-37 is in the process of selling the property and had turned the water off. The water at well DW-18 had been turned off for the winter months and had not been turned back on at the time the sampling was conducted. During scheduling of the sampling at location DW-11, the current renter indicated the property had been sold but did not have the current owner's contact information. The property owner status of this location was still under investigation at the time of the June 2003 sampling, therefore, no samples were collected due to this uncertainty of the ROE status of this property.

The drinking-water samples were collected directly from taps, before any filter or treatment systems, and between GAC filter vessels at locations equipped with POET systems. The water was purged from 20 to 30 minutes at each sampling location, while field measurements of temperature, pH, conductivity, turbidity, DO, and ORP were recorded to coincide with the natural attenuation monitoring program. The ORP readings were measured in the field using an Ag/AgCl reference electrode. They have been corrected to the standard hydrogen electrode by adding 222 millivolts to the field reading, in accordance with manufacturer specifications for the Ag/AgCl electrode (YSI, 2003). The field parameters measured during the June 2003 residential sampling round are presented in Subsection 4.2 of this RI Report.

Four of the water supply wells sampled in June 2003 are equipped with GAC POET systems that were installed by MEDEP and are currently maintained by CENAE. Three of these residential wells (DW-03, DW-04, and DW-12) are located near the former AFRTS site, and one well (DW-23) is located near the former GATR site. At these locations, one untreated water sample was collected prior to the GAC vessels and a second sample was collected from between the GAC vessels. Residential well DW-03 is equipped with two parallel sets of GAC vessels. Three samples were collected at this location in accordance with the *Final SAP* (WESTON, 2002b): one sample prior to the GAC vessels, and one sample from between each of the two sets of GAC vessels.

The residential drinking-water samples were submitted to AEL for laboratory analysis of VOCs by EPA Method 524.2. Groundwater samples for natural attenuation parameters were also collected from selected residential wells during the June 2003 sampling round, and included TOC, nitrate, ethane, ethene, ferrous iron, dissolved manganese, alkalinity, and COD analyses. A

summary of the field, QA, and QC samples collected during residential groundwater sampling is presented in Subsection 2.13.

The latest round of residential well sampling was conducted in September 2003. Two additional sampling rounds are planned for December 2003 and March 2004. Supplementals to the RI report will be prepared to document the results of these sampling events.

2.10 PACKER PERMEABILITY TESTING

Based on the borehole geophysics results and remedial action considerations, packer permeability testing was performed on five of the newly installed bedrock monitoring wells between
12 and 17 August 2003. Packer permeability testing was conducted to further evaluate the hydraulic properties of the bedrock water-bearing zone, as well as assess variations of groundwater quality with depth and between specific fractured zones. The wells selected for packer testing were biased toward the potentially more contaminated locations, with additional consideration given to the well depths, bedrock type, and locations where future pumping tests may be performed. The tests were conducted by installing dual packer assemblies into the open borehole, inflating the packers to seal off selected fracture zones, and pumping a metered amount of water under pressure into the test length (DOI, 1990). Maher performed the packer permeability testing under the direction and supervision of a WESTON geologist. The WESTON geologist was on-site during all packer permeability testing to record the necessary field measurements required to calculate the permeability of each tested zone and to collect water quality samples from each test zone.

Four separate intervals within bedrock monitoring wells MW-07, MW-11, MW-12, and MW-14 were tested (Figure 1-2). Due to the limited number of observed bedrock fractures identified during the borehole geophysics in monitoring well MW-10, only three separate intervals were tested at this location. The subcontractor utilized a Smeal pump hoist rig to perform the packer permeability testing and discrete-interval sampling. A Model 34B dual Aardvark packer system was used for the 4-inch-diameter wells MW-07, MW-10, and MW-14, while a larger diameter Model 47 dual Aardvark packer system was used for the 6-inch-diameter wells MW-11 and MW-12. The packer assemblies consisted of two 30-inch long rubber pneumatic packers

(an upper and a lower) separated by a known length of 1-inch-diameter perforated steel pipe with a submersible pump mounted at the midpoint between the packers. Vibrating wire pressure transducers were used to measure the pressure within the test zone and below the lower packer to confirm that the packers were creating an adequate seal with the sides of the borehole. A Solinst water-level indicator was used to measure the water level in the well during the test to ensure the upper packer was adequately sealing the test zone. The dual packer systems were constructed to allow for a 10-foot test zone at monitoring wells MW-07, MW-10, MW-11, and MW-14, and a 15-foot test zone at monitoring well MW-12.

The collection of the discrete-interval groundwater samples was conducted independently of the permeability tests. The groundwater sampling was conducted first, working from top to bottom within the borehole, and the permeability testing was conducted afterward working from the bottom to the top of the borehole.

The sampling was conducted by lowering the packer assembly to the desired depth and inflating the packers using compressed nitrogen to a pressure at least twice that of the static water pressure at the test depth. Once the packers were in place and inflated, the submersible pump was activated, and one volume of water from between the packers was purged to allow for the collection of a groundwater sample that would be representative of the test interval. As indicated previously, monitoring of the water level above the upper packer, and the pressure within the test interval and below the lower packer was conducted to confirm that only water from the test interval was being collected. The water samples were collected directly from the discharge line using pre-preserved and cleaned 40-milliliter (ml) vials supplied by the laboratory. The samples were handled similar to the procedure for the monitoring well samples described in Subsection 2.9.1. Once the sample was collected, the packers were deflated, the assembly lowered to the next test interval, and the packers were re-inflated to begin the next test. Sampling was continued in this manner until the deepest test interval had been sampled.

After all discrete-interval groundwater samples were collected from the well, the packer permeability testing was conducted in the reverse order, moving from the deepest test zone toward the most shallow test zone. The packer permeability testing was performed by inflating the packers at the selected test interval and injecting potable water down the drop pipe into the test zone, measuring the flow rate and the applied pressure at the wellhead. Again, the water

level and the pressure within and below the test interval were monitored to check for leakage. These measurements, in combination with the dimensions of the packer assembly, were used to calculate the permeability of the formation at each test interval. These calculations, a summary of the packer test intervals, and the overall results of the packer-permeability testing program are presented in Subsection 3.6.

The groundwater samples collected during packer permeability testing were submitted to AEL for laboratory analysis of VOCs by EPA Method 5030B/8260B. A summary of the field, QA, and QC samples collected during packer testing groundwater sampling is presented in Subsection 2.13.

2.11 SEDIMENT AND SURFACE WATER INVESTIGATION

As part of the ecological risk assessment (ERA), WESTON collected sediment and surface water samples from four locations in the wetland area and unnamed stream northeast of the DCF Housing Area (Figure 1-2). Samples were collected by the WESTON field geologist on 12 June 2003 following the procedures described in the *Final SAP* (WESTON, 2002b). Sample locations were selected to include one upgradient location (the farthest upstream point, ECOSED-4), one downgradient location (downgradient of the DCF Housing Area, ECOSED-1), and two locations in between (ECOSED-2 and ECOSED-3) in the vicinity of potential source areas. Sediment and surface water samples were collected using the specific methodologies as discussed in the following subsections. A summary of the field, QA, and QC samples collected during surface-water and sediment sampling is presented in Subsection 2.13.

2.11.1 Sediment Sampling and Analysis

Sediment samples were collected as distinct grab samples at each designated location. Sampling began at the farthest downstream locations and continued in the upstream direction. Sediment samples were collected after surface waters were collected at the same location. This sampling strategy minimized the potential for cross-contamination of adjacent sampling locations within the investigation area. Sediment samples were collected from fully submerged locations where sediment deposition was likely. Sediment sampling was generally biased toward fine-grained sediments whenever possible.

Sediment samples collected were submitted to AEL for analysis of VOCs by SW-846 Method 5035/8260B (including percent solids) and TOC analysis by Method 9060. The sediment samples were collected using a thin-wall tube sampler, which was driven into the sediment to a depth of approximately 6 inches. The tube sampler was then extracted from the water and gently rested on a hard surface so as not to disturb the sample. In accordance with the methods outlined in the *Final SAP* (WESTON, 2002b), the sediment in the center of the tube was spooned out with a decontaminated scoopula and transferred to the appropriate sample containers. The VOC sample was collected into a 40-ml vial first, followed by the percent solids and TOC samples.

2.11.2 Surface Water Sampling and Analysis

Surface water samples were collected as grab samples by dipping the sample container directly into the water at each selected location. Sampling began at the farthest downstream location and continued in the upstream direction. As indicated in the previous subsection, surface water samples were collected at a location prior to the collection of sediment at the same location. This sampling strategy minimized the potential for cross-contamination of adjacent sampling locations within the investigation area.

The grab surface-water samples collected were submitted to AEL for laboratory analysis of VOCs by SW-846 Method 5030B/8260B. The surface-water samples for VOC analysis were collected by partially submerging the 40-ml sample vials into the water column in a way that the preservatives were not lost. The 40-ml vials were filled such that a meniscus was visible, and when the bottle was capped, no air bubbles were present.

2.12 WELL LOCATION SURVEY

A location survey of the residential wells included in the sampling program was performed by WESTON using differential global positioning system instrumentation. The well coordinates were identified by WESTON field personnel using a Trimble PRO-XRS real-time GPS unit with satellite correction and sub-meter accuracy. The unit was mobilized to each well location and the coordinates recorded in reference to the Maine State Plane Coordinate System East Zone NAD 83. The location data were incorporated into the Site Plan, included as Figure 1-2.

The location and elevation for each new monitoring well and the 22 existing monitoring wells included in the sampling program were established by CES, Inc. (CES), a state-licensed surveyor. The survey was conducted in accordance with the CENAE 2002 *SOW* and the precision and accuracy requirements from USACE Engineer Manual EM 1110-1-1005 *(Engineering and Design Topographic Surveying)*, which were forwarded to WESTON in March 2003 (USACE, 1994). The horizontal coordinates and ground elevations were surveyed to the closest 1.0- and 0.1-foot intervals, respectively, with coordinates referenced to the Maine State Plane Coordinate System East Zone NAD 83. The benchmarks used by CES for the survey are identified as designations "L 94 PID: PD0129," which is a brass disk located approximately 6 miles north of the site, and **"**Marstin Reset PID: PD1027," a brass disk located approximately 3 miles west of the site. Monitoring well casing elevations were surveyed to the nearest 0.01 foot. The vertical survey was performed with elevations referenced to the National Geodetic Vertical Datum of 1929. CES tied into the following elevation benchmarks local to the site**:** "Howard 2 RM 4 PID: PD0221," "Tidal 1 Sta 4 PID: PD0219," and "Tidal 2 Sta 4 PID: PD0218."

2.13 QUALITY ASSURANCE/QUALITY CONTROL PROGRAM

Field activities included the collection and analysis of groundwater, surface water, and sediment samples. Monitoring well and residential well groundwater samples were collected and analyzed for the following parameters: VOCs, TOC, nitrate, sulfate, ethane, ethene, ferrous iron, dissolved manganese, alkalinity, and COD. The groundwater sample collected from the test well was analyzed for VOCs. Surface water samples collected in support of the ERA were analyzed for VOCs. Sediment samples collected in support of the ERA were analyzed for VOCs (including percent solids) and TOC. Trip blanks, temperature blanks, rinsate blanks, duplicates, and matrix spike/matrix spike duplicate (MS/MSD) samples were submitted as QC samples for each sample type at the frequency shown in Table 2-5. The laboratory preparatory and analytical methods for each of these parameters are also listed in Table 2-5.

Five types of QA/QC samples were collected at the Bucks Harbor facility during the RI field investigations. These samples were used to verify laboratory precision and accuracy, and to

verify that no outside contamination was introduced into the samples during transit. Table 2-5 shows the number of QA/QC samples submitted for each field sampling activity.

To verify the accuracy of the contract laboratory techniques, field samples were split and sent to the CENAE QA laboratory and analyzed to evaluate contractor laboratory performance. The QA samples represented approximately 1 out of every 10 field samples collected. The second sample taken and sent to the contractor laboratory served as a field duplicate to determine the precision of the contract analytical laboratory. Rinsate samples were also collected at a frequency of 1 in 10 groundwater samples, duplicated, and sent to both the contract analytical laboratory and the CENAE QA laboratory. Matrix spike/matrix spike duplicate samples were collected at selected locations during sampling at a minimum of a 1 in 20 sample frequency. Matrix spike/matrix spike duplicate samples were used to evaluate precision and accuracy in the actual matrix, and also to evaluate possible matrix effects. One trip blank was provided per cooler of samples submitted for VOC analysis in order to evaluate sample contamination due to sampling and shipping. The QA laboratory for this project was Severn Trent Laboratories (STL) of 208 South Park Drive in Colchester, Vermont. STL is also a USACE-ECB-CX-validated laboratory. The QA project number for the Bucks Harbor site is EO901.

WESTON conducted data validation on sample analyses performed by the contract laboratory in accordance with the procedures detailed in the *Final SAP* (WESTON, 2002b). The WESTON project chemist made no data validation qualifications to the data collected in support of the RI activities. Additional information regarding the outcome of the data validation is presented in Subsection 4.4 of this report.

SECTION 2

TABLES

Table 2-1

Borehole Observation and Well Construction Summary
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Well ID	Site	Drilling Method	Predominant Rock Type	Total Depth (ft bgs)	Depth to WBR (ft bgs)	Depth to CBR (ft bgs)	Steel Casing Depth (ft bgs)	Fractured Intervals (ft bgs)	Fractured Intervals and Observations Noted During Drilling and Geophysics
MW-04	TS	Core/AH	Devi	100	6.5	9.5	15	All	Heavy vertical fracturing throughout (see core log)
MW-05	TS	AH	Devi	100	5	6	11	60-65	Soft, fast drilling; no significant water production
								80-100	Mod. fracturing, slight increase in yield
MW-06	TS	AH	Devi	120	3.5	4	9	9-95	Drill rate 40-70 secs/ft, very little (if any) water
								95-105	Mod fracturing, slight increase in yield (1/2 gpm +/-)
								105-120	Drill rate 1 min/ft, increase in yield to +/- 1 gpm
MW-07	TS	AH	Devi	130	0.5	2	7	17-23	Multiple fractures, low yield, ambient borehole gain
								46-48	Large fractures, low yield, ambient loss
								75-85	Large frequent fractures, slight ambient loss
								115-125	Large fracs, incr. FCond., hyd. active zone at 121
MW-08(b)	DCF-FAA	Core	Devi	55	2.5	3.5	9	46-51	High-angle fracs, slight weathering (see core log)
MW-09	DCF-FAA	AH	Devi	120	--	3.5	9	65-70	Small veins, low yield, drilling approx. 1 min/ft
								76-77	Massive, mafic cuttings, drilling approx. 3 mins/ft
								97	Small fracture noted, slight increase in yield
								97-120	No fractures noted
MW-10	DCF-FAA	AH	Devi	200	13	14	19	65-95	Mod fractures, no yield observed (water at 121 ft)
								153	inflow 147-158, large fracture and incr. yield at 153
								165-170	minor inflow, very slight increase in yield at 170
								172-200	No fractures noted
MW-11	Marshall (Base of Howard Mtn.)	AR	Devi	200	--	86	97	97-107	Fast drilling, v. large fractures, lg. increase in flow
								126-138	Mod fracs, FCond slope change, hyd. active at 127
								146, 152-162	Large fractures, substantial incr in flow 157-167
								165-175	Numerous fracs, hyd. active near 165 (FTemp/pH)
								183-193	Fast drilling, mult fractures, slight water gain
MW-12	Marshall (Base of Howard Mtn.)	AR	Devi/d	243	--	12	18.5	44-48	Large fracture at 46 ft, hyd. active at 48 ft
								83-98	Numerous small fracs, slight water gain, O_2% dip
								168-172	Fractures, lith change to gabbro at 171, little yield
								210-222	Lith change to Devi at 210, fracs, slight incr in yield
								230-237	Mod fracs, slight pH variations, no sig yield change
MW-13	Miller Mtn.	AH/RB	Diabase/ Gabbro	220	11	12	17	0-88	Slow drilling through diabase/gabbro; no water
								88, 102	Small fracs, possible quartz veins; little to no yield
								100-200	Minor fracs throughout, slight incr. in yield to 1/2 gpm
MW-14	Miller Mtn.	Core	Dhgr (See core log for lithology changes)	101	12	13	18	38-48	Angled fracs, incr in upwards flow, FTemp inflection
								50-60	Lith change at 54, large fracs, water qual deflects.
								63-73	High angle fracs, variations in flow, high gamma 68 ft
								73-83	High angle fracs, variations in flow, high gamma 77 ft

Table 2-1

Borehole Observation and Well Construction Summary
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Well ID	Site	Drilling Method	Predominant Rock Type	Total Depth (ft bgs)	Depth to WBR (ft bgs)	Depth to CBR (ft bgs)	Steel Casing Depth (ft bgs)	Fractured Intervals (ft bgs)	Fractured Intervals and Observations Noted During Drilling and Geophysics
TW-1	Test Well	AR	Devi	200	--	47.5	54.5	0-32.5	OB: Unconsolidated f-m-c sand, f-m gravel, silt; loose, moist to wet, poorly sorted
								32.5-46.5	OB: Silt & f-sand, trace clay; firm, mod. Sorted
								46.5-47.5	OB: f-m-c sand and gravel, WBR fragments
								100-110	Fractures, Fcond inflections, hyd. active 98-107
								132-140	Large fractures, SPR inflections, no signif. yield
								168-169	Major water bearing zone (50 gpm est.), SPR dip

Notes: AH = Air hammer (5 7/8-inch roller bit to set 4-inch steel casing, then 3 7/8-inch air hammer into rock).
AR = Air rotary (9 7/8-inch roller bit to set 6-inch steel casing, then 6.068-inch air hammer into rock).
CBR = Competent bedrock.
Core = HQ-size core barrel.
d = Diabase and gabbro dikes, sills, plutons.
DCF-FAA = Dept. of Corrections/Federal Aviation Administration.
Devi = Devonian Eastport Formation (rhyolitic flow-banded devitrified vitrophyre). Maroon-gray in color, transitioning to all gray at times.
Dhgr = Hornblende-bearing biotite granodiorite and quartz monzonite.
f-m-c = Fine, medium, coarse.
ft bgs = Feet below ground surface.
OB = Overburden unit.
RB = Roller-bit (3 7/8-inch)
TS = Transmitter site.
WBR = Weathered bedrock.
-- = Not applicable.

Table 2-2

Shallow Bedrock/Hybrid Monitoring Well Summary
Former Bucks Harbor AFRTS/GATR Areas
Machiasport, ME

Well Number	Location Monitored	Well Type	Approx. Well Depth (ft bgs)	Approx. Elevation (amsl)*		Approx. Screen/Open Hole Interval (ft bgs) and Depth to BR
				Ground Surface	Bottom	
MW-101	DCF Housing Area	Overburden	13.5	40.33	26.83	3.5 - 13.5 (BR not encountered)
MW-102	DCF Housing Area	Overburden	23	50.35	27.35	13 - 23 (BR not encountered)
MW-103	DCF Housing Area	Overburden	16	38.95	22.95	6 - 16 (BR not encountered)
MW-105	DCF Housing Area	Overburden	16	37.85	21.85	6 - 16 (BR not encountered)
MW-140	DCF Housing Area	Overburden	15	36.14	21.14	5 - 15 (BR not encountered)
TSMW-001	Transmitter Site	Bedrock	19	234.72	215.72	9 - 19 (BR = 6.5)
TSMW-002	Transmitter Site	Hybrid	13	221.94	208.94	3 - 13 (BR = 6.0)
TSMW-003	Transmitter Site	Hybrid	18	228.32	210.32	8 - 18 (BR = 12.0)
MW-01	Transmitter Site	Hybrid	14	219.35	205.35	4 - 14 (BR = 5.0)
MW-02	Transmitter Site	Bedrock	14.5	209.18	194.68	4.5 - 14.5 (BR = 2.0)
MW-03	Transmitter Site	Hybrid	15	219.37	204.37	5 - 15 (BR = 9.5)
GAMW-001	GATR Site	Hybrid	15	251.22	236.22	5 - 15 (BR = 12.0)
BPMW-001	DCF (Burn Pit No. 1)	Bedrock	13	181.86	168.86	3 - 13 (BR = 2.0)
GTMW-001	DCF (Grease Trap/Utility Trench)	Hybrid	15	180.85	165.85	5 - 15 (BR = 6.0)
FAMW-001	FAA Radar Facility	Hybrid	13	155.55	142.55	3 - 13 (BR = 5.0)
FAMW-002	FAA Radar Facility	Hybrid	14	163.74	149.74	4 - 14 (BR = 4.5)
STMW-001	FAA Radar Facility	Bedrock	45	196.99	151.99	25 - 45 (BR = 5.0)
STMW-002	FAA Radar Facility	Bedrock	57.5	146.00	88.50	4 - 57.5 (BR = 4.0)
STMW-003	Receiver Site	Overburden	17	121.54	104.54	7 - 17 (BR = >17)
STMW-004	DCF Housing Area	Overburden	37	35.46	-1.54	27 - 37 (BR = >37)
STMW-005	Transmitter Site	Overburden	18	198.04	180.04	8 - 18 (BR = >18)
STMW-006	FAA Radar Facility	Overburden	13.5	134.86	121.36	3.5 - 13.5 (BR = >13.5)

*Ground surface elevation data from survey by CES, Inc., August 2003

amsl = Above mean sea level.

BR = Bedrock.

ft bgs = Feet below ground surface.

DCF = Downeast Correctional Facility

FAA = Federal Aviation Administration

Table 2-3

Summary of Borehole Geophysical Tests
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Well ID	Depth of Borehole Logging (ft bgs)	Caliper	Natural Gamma	SP/ SPR	Normal Resistivity	EM Induction	Deviation	Acoustic Televiewer	Optical Televiewer	Heat-Pulse Flowmeter	Idronaut Fluid Log
MW-04	99	X	X	X	X	X	X	X	X	X	X
MW-05	99	X	X	X	X	X	X	X		X	X
MW-06	119	X	X	X	X	X	X	X		X	X
MW-07	129	X	X	X	X	X	X	X		X	X
MW-08b	52	X	X	X	X	X	X	X	X	X	X
MW-09	119	X	X	X	X	X	X	X		X	X
MW-10	200	X	X	X	X	X	X	X	X	X	X
MW-11	198	X	X	X	X	X	X	X		X	X
MW-12	242	X	X	X	X	X	X	X		X	X
MW-13	218	X	X	X		X	X	X		X	X
MW-14	100	X	X	X	X	X	X	X	X	X	X
TW-1	199	X	X	X		X	X	X			
DW-1	247	X	X	X	X	X	X	X			X
DW-3	300	X	X	X	X	X	X	X			X
DW-4	241	X	X	X	X	X	X	X			X
DW-9	261	X	X	X	X	X	X	X			X
DW-12	304	X	X	X	X	X	X	X			X
WY-3	340	X	X	X	X	X	X	X	X		X
WY-3b	218	X	X	X	X	X					X

Notes: ft bgs = feet below ground surface
EM = Electromagnetic
SP = Spontaneous potential
SPR = Single-point resistance
No available data

Table 2-4

Pump Intake Depth Summary
June 2003 Sampling Round
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Well ID	Total Depth (ft)	Pump Intake Depth (ft bgs)	Rationale
MW-04	100	25	Lithologic contact between units at 27 ft; hydr active; heavy vert. fracturing
MW-05	100	55	Fracs; hydr active; slight increase in yield noted during geophysics
MW-06	120	60	Fracs, hydr active; slight increase in yield noted during geophysics
MW-07	130	121	Large frequent fractures, slight ambient loss noted during geophysics
MW-08b	55	23	High-angle fracs, slight weathering, mineralization
MW-09	120	80	Fracs; slight increase in yield noted during geophysics
MW-10	200	153	Inflow between 147-158; large fracture and increase in yield at 153 ft
MW-11	200	165	Large fractures; substantial incr in flow 157-167
MW-12	243	219	Moderately fractured zone; water quality parameter fluctuation at 219 ft
MW-13	220	150	Minor fracs; slight incr. in yield to approx. 1/2 gpm
MW-14	101	54	Lithology change at 54 ft; large fracs; water qual deflections
TW-1	200	168	Large fractures; SPR inflections

fracs = Fractures
ft bgs = Feet below ground surface
hydr = Hydraulically
vert = Vertical

Table 2-5

Quality Assurance/Quality Control Sampling Summary
Former Bucks Harbor AFRTS/GATR Areas
Machiasport, ME

Location	Analysis (Method)	Field Samples	QC Samples				Field + QC Samples	QA Samples			
			Trip Blank	MS/ MSD	Duplicate	Rinse Blank		Trip Blank	Dup.	Rinse Blank	QA Samples
Monitoring Well Samples											
	VOC (SW-846 Method 5030B/8260B)	33	1	1/1	3	3	42	2	3	3	8
	TOC (SW 846 Method 415.1 or 9060)	33	0	0	3	0	36	0	3	0	3
	Nitrate (EPA Method 352.1)	33	0	0	3	0	36	0	3	0	3
	Sulfate (EPA Method 375.1)	33	0	0	3	0	36	0	3	0	3
	Ethane/ethene (SW 846 Method 8015 modified)	33	0	0	3	0	36	0	3	0	3
	Ferrous iron (Method SM3500D)	33	0	0	3	0	36	0	3	0	3
	Dissolved manganese (SW 846 Method 3010A/6010B)	33	0	0	3	0	36	0	3	0	3
	Alkalinity (EPA Method 310.1)	33	0	0	3	0	36	0	3	0	3
	COD (EPA Method 410.1)	33	0	0	3	0	36	0	3	0	3
Packer Testing Samples											
	VOC (SW-846 Method 8260B)	20	2	0	2	0	24	1	2	0	3
Test Well Sampling											
	VOC (EPA Method 524.2)	1	0	1/1	0	0	3	0	0	0	0

Table 2-5


Quality Assurance/Quality Control Sampling Summary
Former Bucks Harbor AFRTS/GATR Areas
Machiasport, ME
(Continued)

Location	Analysis (Method)	Field Samples	QC Samples				Field + QC Samples	QA Samples			
			Trip Blank	MS/ MSD	Duplicate	Rinse Blank		Trip Blank	Dup.	Rinse Blank	QA Samples
Ecological Risk Assessment Sampling											
	VOCs – surface water (SW-846 Method 8260B)	4	1	1/1	1	1	9	1	1	0	2
	VOCs – sediment (SW-846 Method 8260B)	4	1	1/1	1	1	9	1	1	0	2
	TOC – sediment (Method 9060)	4	0	0	0	0	4	0	0	0	0
Residential Well Samples											
	VOC (EPA Method 524.2)	38	1	2/2	4	0	47	3	4	0	7
	TOC (SW 846 Method 415.1 or 9060)	27	0	0	3	0	30	0	3	0	3
	Nitrate (EPA Method 352.1)	27	0	0	3	0	30	0	3	0	3
	Sulfate (EPA Method 375.1)	27	0	0	3	0	30	0	3	0	3
	Ethane/ethene (SW 846 Method 8015 modified)	27	0	0	3	0	30	0	3	0	3
	Ferrous iron (Method SM3500D)	27	0	0	3	0	30	0	3	0	3
	Dissolved manganese (SW 846 Method 3010A/6010B)	27	0	0	3	0	30	0	3	0	3
	Alkalinity (EPA Method 310.1)	27	0	0	3	0	30	0	3	0	3
	COD (EPA Method 410.1)	27	0	0	3	0	30	0	3	0	3

Note: Temperature blanks will also be submitted at a rate of one per cooler.
COD = chemical oxygen demand
EPA = U.S. Environmental Protection Agency
MS/MSD = Matrix Spike / Matrix Spike Duplicate
QA = quality assurance
QC = quality control
TOC = total organic carbon
VOC = volatile organic compounds

SECTION 2

FIGURES



NOTE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315-3864, AND FIGURE 2-2 OF 1997 ABB "ENGINEERING EVALUATION OF CONTAMINATION REPORT". THE LOCATIONS AND DIMENSIONS OF BUILDINGS AND OTHER STRUCTURES ARE APPROXIMATE.

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE


DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

SITE PLAN OF THE HOWARD MOUNTAIN/FAA AREA

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE

DRAWN	AJM
DATE	MAR 2005
FIGURE NO.	2-1

M:\Design\DWG\ACOE\BUCKS\2003\HOWARD MOUNTAIN.dwg, FIG2-1, 3/14/2005 2:18:44 PM, girardeb, 1:1



MAP SOURCE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315-3864.
LINEAMENT SOURCE:
ABB FINAL FRACTURE TRACE ANALYSIS REPORT, SEPT. 1995. LINEAMENTS ARE SHOWN AS WIDE SHADED AREAS TO REFLECT MAPPING UNCERTAINTY.

GRAPHIC SCALE
300 150 0 150 300
APPROXIMATE SCALE IN FEET

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE


DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

SURFACE GEOPHYSICS TRANSECTS "A", "B", AND "C"

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE

DRAWN	AJM
DATE	MAR 2005
FIGURE NO.	2-2

M:\Design\DWG\ACOE\BUCKS\2003\TRANSECTS.dwg, FIG2-2, 3/18/2005 1:29:49 PM, girardeb, 1:1



MAP SOURCE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315-3864.

GRAPHIC SCALE
300 150 0 150 300
APPROXIMATE SCALE IN FEET

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE


DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

SURFACE GEOPHYSICS TRANSECT "D"

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE

DRAWN	AJM
DATE	MAR 2005
FIGURE NO.	2-3

M:\Design\DWG\ACOE\BUCKS\2003\TRANSECTS.dwg, FIG2-3, 3/18/2005 1:30:47 PM, girardeb, 1:1



MAP SOURCE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315-3864.
LINEAMENT SOURCE:
ABB FINAL FRACTURE TRACE ANALYSIS REPORT, SEPT. 1995. LINEAMENTS ARE SHOWN AS WIDE SHADED AREAS TO REFLECT MAPPING UNCERTAINTY.

GRAPHIC SCALE
300 150 0 150 300
APPROXIMATE SCALE IN FEET

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

SURFACE GEOPHYSICS TRANSECT "E"

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE

DRAWN	AJM
DATE	MAR 2005
FIGURE NO.	2-4

M:\Design\DWG\ACOE\BUCKS\2003\TRANSECTS.dwg, FIG2-4, 3/18/2005 1:52:49 PM, girardeb, 1:1

SECTION 3

PHYSICAL CHARACTERISTICS OF THE STUDY AREA

3. PHYSICAL CHARACTERISTICS OF THE STUDY AREA

3.1 PHYSIOGRAPHY/TOPOGRAPHY

The Bucks Harbor study area is characterized by small hills that have been shaped by glacial processes and recent erosion that have resulted in well-developed northwest-southeast oriented drainage, which is parallel to the direction of glacial movement (USGS, 2003). Drainage patterns are further influenced by erosional processes along the northwest-southeast trending fractures and high angle and reverse fault zones mapped in the region (Gates, 1981). The majority of the RI was focused on or near three hilltop areas: the Transmitter site, Howard Mountain, and Miller Mountain (Figure 1-1). The AFRTS area, including the DCF and FAA facilities, is located near the top of Howard Mountain at an approximate elevation of 250 ft above mean sea level (amsl). The Transmitter site is located on an unnamed coastal mountain area that is adjacent to, and southwest of, Howard Mountain at an elevation of approximately 240 ft amsl. The GATR site is located at the top of Miller Mountain, approximately 1 mile north of Howard Mountain, at an elevation of approximately 250 ft amsl. Less topographic relief exists between these main features, including gently rolling hillsides, river basins, and coastal areas with elevations ranging between approximately 0 and 150 ft amsl (USGS, 1977).

3.2 CLIMATE

The weather and climate characteristics of New England are among the most varied in the world. Along with high seasonal variability, New England encounters droughts, heavy rainfall, hurricanes, tornadoes, and blizzards. These climatic variations are influenced and controlled by many factors, including the physical geographical setting, the region's latitude and longitude, and coastal orientation. New England falls along the boundary between two predominant air circulations patterns, the Mid Latitude Westerlies and the Polar Easterlies. The boundary between these two air masses migrates north and south over the year, resulting in distinct seasonality throughout the region (National Oceanic and Atmospheric Administration [NOAA], 1995).

The State of Maine is divided into three major climatological divisions; the Coastal Division, the Southern Interior, and the Northern Interior (Keim, 1999). The Coastal Division extends about 20 miles inland along the entire length of Maine's coast. The coastal climate is tempered by the Atlantic Ocean, which results in lower summer temperatures and higher winter temperatures compared to Maine's interior regions [National Climactic Data Center (NCDC), 2003; Northeast Regional Climate Center (NERCC), 2003; Keim, 1999]. In the study area, about 1 mile southwest of Bucks Harbor, peak temperatures normally occur in July and average about 70 degrees Fahrenheit (ºF), with 2 to 7 days above 90ºF. Winters are much cooler with averages around 20ºF, with 10 to 20 days of subzero temperatures. According to records of the National Weather Service (NWS, 2003), annual precipitation averages about 49 inches and is more or less evenly distributed throughout the year. Snowfall ranges between 50 and 70 inches annually, and spring snowmelt combines with the slightly higher precipitation at that time of year resulting in seasonal high groundwater recharge rates. Typically, the driest and wettest months are August (average precipitation is 3.09 inches) and November (average precipitation is 5.45 inches), respectively (NOAA, 1995). Annualized water budgets for the local area, based on stream gauging and base flow measurements, suggest that the evapotranspiration rate is about 20 inches per year (Prescott, 1974).

3.3 SURFACE WATER HYDROLOGY

The former Bucks Harbor AFRTS is located along the Atlantic Coast of Maine on a north-south trending peninsula formed by Little Kennebec Bay to the west and Machias Bay to the east. Both of these bays open to the Atlantic Ocean. Several small streams that drain the surrounding upland areas feed Little Kennebec Bay. The largest of these, Meadow Brook, is located about 2 miles northwest of the GATR site on Miller Mountain (USGS, 1977). The Machias River feeds Machias Bay, which is the largest surface drainage in the region and the regional groundwater discharge point (other than the coastline).

U.S. Geological Survey topographic maps of the area indicate that major streams, such as the Machias River and its tributaries, flow predominantly from the northwest to the southeast, paralleling the primary regional bedrock structural trend. Many of the minor tributaries trend northeast to southwest, more or less perpendicular to the major drainage systems and parallel to

the secondary bedrock structural trend (Gates, 1981). The regional drainage pattern is indicative of one that is predominantly dependent on structural trends in the bedrock, but that has been altered somewhat by glacial deposition, resulting in a combination of trellis and deranged drainage patterns (Ritter, 1978). This is consistent with the relatively thin overburden deposits, which would result in a strong bedrock influence and the predominant glacial origin of the landscape. This has resulted in a pattern of upland areas with a thin mantle of till overlying bedrock with intervening lowland areas having thicker deposits of glacial material and a deranged drainage pattern.

The average annual discharge of the Machias River distributed over the drainage basin is approximately 27 inches. Of the water that runs off, as much as 40% (11 inches) is derived from precipitation that has percolated to the water table, where it moved as groundwater and discharged to streams (Prescott, 1974). Most of the difference between precipitation and runoff (about 20 inches per year) is evaporated or transpired (Prescott, 1974). The streams immediate to the study area are very minor, typically less than 1 mile long, and follow the slope of the land and/or bedrock structures until reaching larger bodies of water, either Little Kennebec Bay to the west or Machias Bay to the east, eventually discharging to the Atlantic Ocean.

One such small, unnamed stream originates northwest of Howard Mountain as a series of springs and seeps and flows around to the north and then southeast, past the DCF Housing Area and along the north side of Jasper Beach Road. Another is located approximately ½-mile south of the GATR site and flows eastward until it discharges into a small arm of Bucks Harbor. Numerous small, centrally drained wetland areas exist across the study area and are indicative of the deranged drainage pattern described previously.

3.4 GEOLOGY

3.4.1 Overburden

According to the *Surficial Geology of the Machias Quadrangle* by Harold W. Borns, Jr. (1974), much of the Bucks Harbor region is characterized by frequent bedrock outcrops with a thin veneer of surficial deposits (generally less than 10 ft thick) that were deposited about 13,000 years ago by glacial processes. However, some areas of thicker glacial sediments

(up to 100 ft thick) exist both east and west of Howard Mountain and into Bucks Harbor. East of the study area, deposits of sand and gravel (with minor areas of till) interpreted as glacial-lake delta deposits are present. Juxtaposed to these sediments are glacial tills described as a mixture of sand, silt, clay, and stones. The till is generally very dense and yields little groundwater. West of Howard Mountain and the Transmitter site, in a northeast-southwest trending belt, are end-moraine deposits composed primarily of sand deposited by meltwater streams emerging from the glacier. Glacio-marine terrace deposits of the Presumpscot Formation are present northwest of Howard Mountain and may overlie some of the coarser glacio-fluvial delta deposits. Soil borings advanced by ABB in this area indicate the unit consists of silt, sand, and gravel glaciofluvial deposits overlying gray, glacial marine clay. The clay layer was noted to vary in texture and consistency and range from between 20 to 28 ft thick (ABB, 1997b). It was also noted that the unit may be of sufficient consistency and depth to act as a confining layer, thus, creating a perched overburden aquifer (ABB, 1997b).

The overburden noted in the soil borings performed during the RI was consistent with that described by Borns, generally consisting of 2- to 14-foot thick overburden deposits of sand and gravel (WESTON, 2003). This is likely due to the majority of the borings being located on the bedrock high points of Howard and Miller Mountains. However, locations MW-11 and TW-1 were two notable exceptions to this pattern. At monitoring well MW-11, a much thicker deposit of glacial till was encountered (86 ft). The upper 46 ft were described as ablation till (deposited in place as the glacier melts away), while the lower 40 ft were described as denser, basal till. At test well TW-1, located in the topographic low area between Howard and Miller Mountains, 47 ft of overburden deposits were noted. The upper 12 ft of overburden were described as silty sand, while the lower 35 ft were described as gray clay, typical of the glaciomarine Pleistocene Presumpscot Formation. This would appear to indicate that the summits of Howard and Miller Mountains were not submerged by the ocean during the deglaciation of the region at the end of the Pleistocene, while the lower-lying areas between them were submerged.

3.4.2 Bedrock

The rocks of the Bucks Harbor area lie within the easternmost lithotectonic belt of the Coastal Lithotectonic Block known as the Ellsworth Belt (Berry and Osberg, 1989; Osberg et al., 1985). The Coastal Lithotectonic Block includes the easternmost bedrock exposed in Maine, comprised of a group of fault-bounded lithotectonic belts or terranes, each having its own lithostratigraphy, but of uncertain relative provinciality. Regionally, the Norumbega fault zone represents the western boundary of the Coastal Lithotectonic Block. Current interpretations suggest these terranes were juxtaposed during a series of orogenic events spanning the Cambrian through Devonian time concluding with the Acadian Orogeny. The Ellsworth Belt extends from Penobscot Bay, Maine, to Passamaquoddy Bay, New Brunswick, Canada, and is interpreted to have been deposited on Precambrian Avalonian basement, although only Paleozoic rocks are exposed. The bedrock in this belt consists of Middle Ordovician to Devonian mafic to felsic volcanic rocks interlayered with fossiliferous clastic sedimentary rocks. This stratigraphy was extensively intruded by Devonian plutonic rocks of varying composition (Hogan and Sinha, 1989).

Based on the bimodal chemistry of the volcanic rocks present in the Ellsworth Belt, they are interpreted to have a continental tholeiitic affinity having been extruded through continental crust of the Avalon Terrane during Ordovician-Early Devonian time prior to the onset of the Devonian Acadian Orogeny (Gates and Moench, 1981). Comparison of the volcanic rock chemistry of this belt with that of volcanic rocks from around the world of known tectonic position, indicates that these volcanic rocks were derived from partial melting of the upper mantle that was subsequently extruded through extended continental crust. Furthermore, the compositional changes in the volcanic rocks and textural features recorded in this sequence during the 20+ million year period from Early Silurian to Early Devonian time indicates emergence of the depositional environment from subaqueous shallow marine to subaerial by Early Devonian time.

The oldest rocks of the Ellsworth Belt are known as the Columbia Falls Formation consisting of siliceous, feldspathic siltstone and phyllite of an uncertain Middle Ordovician age, possibly as old as Late Proterozoic. The Columbia Falls Formation is correlated with the Ellsworth Formation that comprises the southern portion of the Ellsworth Belt

(Berry and Osberg, 1989). With the exception of the Columbia Falls Formation, the relative ages of the overlying Siluro-Devonian formations described in this belt are defined by widely preserved fossil assemblages. The overlying stratigraphic sequence in the northern part of the Coastal Lithotectonic Belt exposed in the Bucks Harbor area from oldest to youngest includes the Quoddy, Dennys, Edmunds, Leighton, Hersey, and Eastport Formations. The Quoddy Formation is comprised of sulfidic siltstone and argillites interbedded with volcanic ash deposits. It is largely separated from the rest of the sequence by extensive faulting but is interpreted as the basal unit of the bimodal volcanic sequence, conformably underlying the Dennys Formation. Based on the assigned age of the Columbia Falls Formation, an unconformity is interpreted between the Columbia Falls Formation and the Quoddy Formation. The Dennys Formation consists of basalt and siliceous volcanic rocks interbedded with argillites. Overlying the Dennys Formation, the Edmunds Formation consists of dacitic and rhyolitic tuffs, breccias, and volcanoclastic conglomerate including minor basalts and interbedded fossiliferous black shale. The overlying Leighton Formation consists of interbedded gray siltstone, limey shale, basalt flows, and rhyolitic tuffs with debris flows. The Hersey Formation is comprised of maroon siltstone and shale. Importantly, the Hersey Formation is the only member of this sequence not containing volcanic rocks, representing a hiatus in regional volcanic activity during latest Silurian and earliest Devonian time. Fossil assemblages indicate that deposition of the Hersey Formation spans the Silurian-Devonian boundary. The Eastport Formation includes the youngest volcanic rocks of the Coastal Lithotectonic Block and is comprised of basaltic and rhyolitic flows, tuffs, and tuff breccias interbedded with siltstones, shales, cherty limestone, and conglomerate. Importantly, some flows and tuff of the Eastport Formation are interpreted as subaerial deposits, indicating emergence of the Ellsworth Belt by Early Devonian time (Gates and Moench, 1981).

The rocks of the northern portion of the Ellsworth Belt have experienced folding, faulting, and low grade, greenschist facies metamorphism resulting from the Devonian Acadian Orogeny (Guidotti, 1989). The Acadian Orogeny is interpreted to have resulted from the convergence of the Avalon Terrane with North America (Berry and Osberg, 1989). In the Bucks Harbor area, the tectonic and metamorphic overprint is very weak. Regional Acadian metamorphism resulted in chlorite and rare muscovite growth and limited foliation development, while numerous faults of Acadian age and younger have resulted in a disrupted map pattern. Numerous northwest- and

northeast-trending, high-angle reverse and normal faults of Acadian age transect the Bucks Harbor area. The Machias syncline is the most recognizable, map-scale fold in the area defining a structural basin cored by the volcanic rocks of the Eastport Formation and bordered to the south and west by older Silurian volcanic rocks (Gates, 1981). The Lubec fault zone, a northeast trending regional discontinuity, defines the eastern flank of the Machias syncline, separating the older volcanic rocks of the Quoddy Formation exposed on offshore islands to the east from the younger volcanic rocks exposed in the syncline.

Plutonic rocks ranging in composition from granite to gabbro occur extensively throughout the Coastal Lithotectonic Block derived from felsic, mafic, and hybrid magmas derived from melting of the upper mantle and continental crust during Silurian to Early Carboniferous time (Hogan and Sinha, 1989). The largest volume of plutonic rocks in the region was emplaced during Devonian time. In many cases these plutonic rocks obscured contact relations, truncated Acadian fault zones, and imposed contact metamorphic mineral assemblages on the country rock (Guidotti, 1989). Importantly, age determinations from these intrusive rocks provide constraints on the age of regional faulting, the sequence and timing of accretion of lithotectonic terranes, and insight into the tectonic setting that generated the widespread plutonic activity preserved in the Coastal Lithotectonic Block. In the Bucks Harbor area, Devonian hornblende gabbro is mapped intruding Siluro-Devonian gabbroic rocks that, in turn, intruded the layered volcanoclastic rocks of this area (Gates, 1981).

A series of hydrogeological cross-sections were prepared to illustrate subsurface conditions at the site. The locations of the cross-sections are shown in Figure 3-1 and were selected such that they intersected potential contaminant migration pathways as determined, based on groundwater quality results. The cross-sections were developed using data from the borehole logs, downhole geophysics, packer permeability and water quality testing, and monitoring and residential well water quality sampling. These cross-sections show the interrelationships of the various rock types and are presented as Figures 3-2 through 3-4.

Locally, the core and drilling logs recorded from borings in the Howard Mountain area during the RI investigation confirm that bedrock in that area belongs primarily to the lower Devonian Eastport Formation, which contains flow-banded rhyolite, vitrophyre, and autobreccia. Exceptions are noted in the logs for borings MW-9 and MW-12. In boring MW-9, the rhyolitic

member of the lower Devonian Eastport Formation was noted from the bedrock surface downward, but diabase was noted from 80 ft bgs to the bottom of the boring at 120 ft bgs. This is consistent with the mapped bedrock geology, which depicts a diabase dike 500 ft west of boring MW-9 (Gates, 1981). In boring MW-12, the rhyolitic member of the lower Devonian Eastport Formation was noted from the bedrock surface to a depth of 171 ft bgs, where a diabase or gabbroic intrusion was noted to a depth of 203 ft bgs. The rhyolite was again observed from 203 ft bgs to the bottom of the borehole at 243 ft bgs. This is consistent with the mapped bedrock geology, which depicts a relatively small gabbro intrusion 500 ft northwest of boring MW-12, along the strike of the normal fault (Gates, 1981).

The core logs recorded from the two borings in the Miller Mountain area during the RI (MW-13 and MW-14) confirm that bedrock in that area is at the margin of the rhyolitic member of the lower Devonian Eastport Formation. In boring MW-13, it was noted from the bedrock surface downward, with intrusions of dark gray granodiorite noted at intervals 37 to 38 ft bgs, 40 to 47 ft bgs, and 60 to 65 ft bgs. This is not entirely consistent with the mapped bedrock geology, which depicts a relatively large diabase/gabbro intrusion in the area. However, a hornblende-bearing granodiorite and quartz monzonite is mapped 600 ft southwest of boring MW-13, and the rhyolitic member of the lower Devonian Eastport Formation is mapped 700 ft northeast of boring MW-13 (Gates, 1981). The boring log for MW-13 indicates that unmapped intrusions of these units are present in the area. In boring MW-14, better correlation with the mapped bedrock geology is noted. Pink Devonian granodiorite was noted from the bedrock surface to 54 ft bgs, where gabbro was noted from 54 ft bgs to the end of the boring at 101 ft bgs. This is consistent with the mapped bedrock geology, which depicts the boundary between the hornblende-bearing granodiorite and quartz monzonite and diabase/gabbro intrusions with uncertainty due to lack of outcrops (Gates, 1981). The boring log for MW-14 indicates that the intrusion of the hornblende-bearing granodiorite and quartz monzonite extends further to the east than mapped, and that it overlies the diabase/gabbro intrusion.

3.5 ANALYSIS OF SURFACE AND BOREHOLE GEOPHYSICAL TESTING

3.5.1 Introduction

Surface Geophysical Methods, including GPR, multifrequency EM, seismic refraction tomography, and inductive terrain conductivity, were used to assess subsurface bedrock conditions and to assist in determining locations for bedrock monitoring wells designed to intercept primary contaminant migration pathways for impacted groundwater. Multifrequency EM and inductive terrain conductivity were found to be largely ineffective at this site due to the close proximity of a large-scale, low-frequency Naval telecommunications array and the very electrically resistive bedrock. Ground-penetrating radar and seismic refraction tomography, however, proved highly effective at mapping the bedrock surface and identifying fractured zones at depth. Seven surface geophysics lines were conducted; three bracketing the southern side of the Transmitter site, two south of Howard Mountain, one at the proposed location of the water supply test well, and one south-southeast of Miller Mountain (Figures 2-2 through 2-4). The locations of the surface geophysics lines were based on existing knowledge of regional bedrock fracture orientations, groundwater quality and flow data, and presumed contaminant migration pathways.

Bedrock wells were drilled at selected locations along each of the seven surface geophysics lines. An additional five bedrock wells were drilled at locations targeting specific areas such as former building locations or adjacent to existing shallow bedrock wells to investigate vertical groundwater flow conditions. Surface geophysics were not conducted at these locations due to the boring's site specific objectives or lack of relatively flat ground needed to achieve depth penetration. Downhole geophysical logging was performed at all 12 of the wells using a variety of methods. Natural gamma, EM induction, caliper, normal resistivity, spontaneous potential, single point resistance, and optical and acoustic televiewers were used to assess the physical properties of the bedrock as well as fracture location and orientation. Fluid resistivity, temperature, water quality, and HPFM readings were used to assess the hydrological characteristics of the fractures in an effort to assess ambient water quality and determine which ones were hydraulically active, and thus, could represent a migration pathway for site contaminants. Heat-pulse flow meter logging measures the direction and rate of vertical flow in a

borehole. Under ambient conditions, differences in hydraulic head between two transmissive fractures produce vertical flow in the borehole. Flow meter logging also is conducted under stressed (low-rate pumping) conditions to identify transmissive zones with similar ambient heads that would not be identified without stressing the aquifer. The flow under pumped conditions can be proportioned and attributed to specific fracture zones in the borehole.

The following subsections present a summary of the results of the downhole logging at each of the wells. A complete description of the surface and borehole geophysics studies, including graphical logs and profiles, and a detailed discussion of the results is presented in the USGS Report included in Appendix A.

3.5.2 Monitoring well MW-04/Surface Geophysics Line L-04

Monitoring well MW-04 is located on the southwestern flank of the Transmitter site hill coincident within a fracture zone identified by the surface geophysics survey. Surface geophysics line L-04 was run in a northwest-southeast orientation southwest of the Transmitter site. The Seismic refraction tomography profile along line L-04 identified a zone of lower velocity. This velocity low was coincident with a GPR anomaly at depth showing an increase in reflected energy, suggesting a fractured bedrock zone.

The depth to bedrock at this location was estimated to be 10 ft based on the results of the surface geophysical survey, and 11 ft based on the borehole geophysics. Bedrock was observed at a depth of 9 ft during drilling of this well.

In general, borehole geophysics results for MW-04 correlated well with rock core obtained from that well, confirming the performance of the various methods applied at the site. The OTV, ATV, and natural gamma logs all clearly show the contact between the reddish flow-banded rhyolite and the dark gray vitrophyre at 27 ft. The OTV and ATV logs confirm that the altered vitrophyre is more highly fractured than the underlying flow-banded rhyolitic and vitrophyre unit. Two predominant fracture sets were observed; an east-west striking set that dips steeply to the north, and a second set that strikes over a range of orientations (southwest-northeast to east-west) and dips steeply to the west and northwest.

Three significant water-filled fractures were identified in monitoring well MW-04. A series of east-west striking fractures that dip steeply to the south were encountered at a depth of approximately 21 ft. A corresponding variation in normal resistivity, specific conductance, and pH suggest that these fractures are water-filled. Results of the HPFM analysis show a large inflow of water within this zone under ambient as well as pumping conditions, suggesting that this series of fractures does transmit water and is a likely groundwater flow pathway.

A second set of east-west striking fractures that dip steeply to the south were encountered at a depth of approximately 49 to 52 ft. This zone also showed a decrease in normal resistivity, suggesting that the fractures are water-filled. Slight variations in the fluid logs suggest that this zone may be hydraulically active. No water movement was noted in either the ambient or stressed HPFM analysis, however, suggesting that there is little to no groundwater movement from this zone under static conditions. It is possible, however, that this zone could produce water if the well was pumped, and it could still represent a groundwater flow pathway.

The third set of fractures was encountered at a depth of approximately 80 ft. These fractures also strike roughly east-west, but have a much smaller dip than the other two sets of fractures. Once again, a decrease in normal resistivity was observed, suggesting that the fractures are water-filled, although the HPFM did not indicate groundwater movement under ambient conditions.

It is possible that a fourth fracture zone exists just below the bottom of the steel casing. The HPFM suggests that some water is leaving the casing in this depth interval, and the caliper log suggests there may be a fracture as well. However, interference from the casing makes interpretation of most of the parameters difficult.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 80 ft below grade) was at an elevation of approximately 136 ft amsl.

3.5.3 Monitoring Well MW-05

Monitoring well MW-05 is located at the Transmitter Site and is paired with shallow bedrock monitoring well TSMW-002. The rationale for placement of this well was to evaluate VOC

concentrations at depth in the vicinity of the Transmitter Site and to facilitate measurement of the vertical hydraulic gradient within the bedrock. No surface geophysics was performed at this location.

The results of the borehole geophysics correlated well with the drilling log from that location. The depth to bedrock at this location was estimated to be 10 ft, based on the borehole geophysics (primarily the natural gamma log). Bedrock was observed at a depth of 6 ft during drilling of this well. A marked increase in normal resistivity and single-point resistance (SPR) and a slight gamma increase match up with an observed lithology change from a reddish flow-banded rhyolite to a dark gray vitrophyre at about 79 to 80 ft, likely coincident with the horizontal fractured noted on the ATV and caliper logs. This contact was not as well defined by the ATV logging as it was at location MW-04. A series of fractures was noted during drilling between 60 and 65 ft, which were confirmed by the caliper log and variations in SPR and normal resistivity.

Numerous fractures were noted in the ATV logs, typically co-located with enlargements in the borehole as measured by the caliper log. Fracture frequency was high within the upper 50 ft of the borehole, but dropped to infrequent below that depth. Two predominate fracture sets were observed, one nearly horizontal and one striking northeast-southwest. The northeast-southwest striking fractures exhibited moderate dips to the southeast and northwest.

Three significant water-filled fractures were identified in monitoring well MW-05. A series of northeast-southwest striking fractures with parallel dips were encountered at a depth of approximately 24 to 26 ft. A borehole enlargement and a corresponding variation in fluid temperature and normal resistivity suggest that these fractures are water-filled. Results of the HPFM analysis show a slight inflow under ambient conditions and a large inflow under pumping conditions originating in the interval that includes this zone, suggesting that this series of fractures does transmit water and is hydraulically active.

A very large, open horizontal fracture was identified at approximately 61 ft based on the ATV and caliper logs. Slight groundwater outflow was noted from this interval under ambient conditions during the HPFM analysis. Strong groundwater inflow was measured from within this zone during the HPFM pumping analysis suggesting this zone is a hydraulically active.

Another large, open horizontal fracture was identified at approximately 79 to 80 ft, coincident with the lithologic contact between the reddish flow-banded rhyolite and the dark gray vitrophyre, based on the ATV and caliper logs. A small amount of groundwater inflow was observed from this zone during the HPFM pumping analysis. No flow was noted during the ambient HPFM analysis. Based the HPFM pumping analysis, this zone appears to be hydraulically active.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 80 ft below grade) was at an elevation of approximately 143 ft amsl.

3.5.4 Monitoring Well MW-06/Surface Geophysics Line L-06

Monitoring well MW-06 is located on the southeastern flank of the Transmitter site hill coincident with a fracture zone identified by the surface geophysics survey. Surface geophysics line L-06 was run in a northeast-southwest orientation southeast of the Transmitter site in an attempt to identify any northwest-southeast trending fractures that could represent a contaminant migration pathway from the Transmitter site. The seismic refraction tomography profile along line L-06 identified lateral variations in velocity that were coincident with lateral variations in GPR character, suggesting a fractured bedrock zone.

The GPR survey correctly predicted the depth to bedrock at this location to be on the order of 4 to 6 ft. The seismic refraction tomography and borehole velocity analysis, however, predicted that bedrock would be encountered much deeper (10 to 25 ft). The highly weathered nature of the bedrock at this location may have been partially responsible for this discrepancy. Another possibility is that acoustic, GPR, and drilling top-of-rock values are not the same due to the measuring technique (38-inch resolution, 1-inch resolution, and 6-inch resolution, respectively). The depth to bedrock at this location was estimated to be 3 ft based on the down hole geophysics (primarily the natural gamma log). Bedrock was observed at a depth of 4 ft during drilling of this well.

The ATV and natural gamma logs suggest that there are no changes in rock type over the depth of this well. The ATV and caliper logs indicate far fewer fractures were encountered at this

location than at the other six locations. In general, the bedrock is interpreted to be competent and fairly uniform over the entire depth of the borehole. The majority of the few fractures that were encountered had variable strikes and dipped generally southward. One large horizontal fracture was encountered just below the bottom of the well casing.

Three significant water-filled fractures were identified in monitoring well MW-06. A single horizontal fracture was encountered just below the bottom of the steel casing at a depth of approximately 10 ft (3 m). Corresponding variations in specific conductivity and normal resistivity suggest that this fracture is water-filled. Results of the HPFM analysis show a large increase in ambient water flow originating in the interval that includes this fracture. Under pumping conditions, the HPFM showed that all of the water entering the borehole came from this fracture. This shallow, horizontal fracture likely receives groundwater from the overburden and weathered bedrock zones, and therefore, is indicative of conditions in the shallow zone. All data suggest that this fracture is likely a significant groundwater flow pathway.

A set of east-west striking fractures with opposing dips (one to the north and one to the south) was encountered at a depth of approximately 64 ft (19.5 m). This zone also showed a decrease in normal resistivity and variations in specific conductivity and pH, suggesting that the fractures are water-filled. Outward water movement was noted for this zone in the HPFM analysis, suggesting that there is some groundwater movement from this zone under static conditions in the borehole. No change was noted by the HPFM under pumping conditions. It is believed that the intersection of the two observed fractures represents a groundwater flow pathway, based on the ambient HPFM results.

A single fracture dipping to the southeast was encountered at a depth of approximately 116 ft (35.5 m), just above the bottom of the borehole. Large variations in water quality parameters and fluid conductivity suggest that the fracture is water-filled, although the HPFM did not indicate groundwater movement under ambient or pumping conditions. This suggests that this fracture is not extensive and likely not a significant groundwater migration pathway.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 64 ft below grade) was at an elevation of approximately 158 ft amsl.

3.5.5 Monitoring Well MW-07/Surface Geophysics Line L-07

Monitoring well MW-07 is located on the southern flank of the Transmitter site hill coincident with a fracture zone identified by the surface geophysics survey. Surface geophysics line L-07 was run in a northwest-southeast direction south of the Transmitter site. A narrow GPR anomaly was observed at depth showing an increase in reflected energy, suggesting a fractured bedrock zone. The seismic refraction tomography profile along line L-07 indicated that bedrock was shallow. Although two zones of lower velocity were identified in the seismic refraction survey, they were interpreted to be artifacts of the shallow bedrock.

Both the GPR and seismic refraction surveys correctly predicted the shallow depth of the bedrock surface at this location. No lithologic contacts were encountered, based on the ATV and natural gamma logs, however, variations in the single point resistance logs and ATV amplitude may be related to textural variations in the flow banded rhyolite and vitrophyre unit. The ATV log indicates that a higher frequency of fractures was encountered between 5 and 25 ft and 35 to 60 ft. In general, these fractures strike east-west and dip steeply to the north or south, or strike northeast-southwest with variable dip angles to the southeast and northwest.

Several significant water-filled fractures were identified in monitoring well MW-07, including fractures encountered at 20, 50, 80, and 121 ft. The zone at about 20 ft consists of several south-dipping, east-west striking fractures between 18 and 22 ft that were identified from the caliper and ATV logs and is characterized by normal resistivity and SPR lows, suggesting that the fractures are water-filled. In addition, the HPFM log indicates that there is ambient downward flow originating within this zone and strong inflow under pumping conditions. This suggests that the fractures in this zone represent a significant groundwater flow pathway.

A second fracture zone was encountered between 46 and 52 ft as defined by the caliper and ATV logs. This zone includes several steep north-dipping fractures striking roughly east-west. Again, normal resistivity and SPR logs show a strong decline, suggesting water-filled fractures. The HPFM indicated some downward flow from within this zone under ambient conditions. No flow was noted from within this zone under pumping conditions.

The zone at 80 ft includes just a single southeast-dipping fracture defined by the caliper and ATV logs. Normal resistivity and SPR logs show a transition at this depth with lower values

below and high values above, suggesting steady flow from this zone. The HPFM showed water exiting the borehole at this interval under ambient conditions and possibly some weak in-flow under pumping conditions.

The deepest water-filled fracture within this borehole was located at a depth of approximately 121 ft. A single northwest-dipping fracture was identified based on the caliper and ATV logs. Variations in fluid conductivity, pH, and redox, coupled with SPR and gamma lows, suggest that this fracture is water-filled. No flow was noted from this zone using the HPFM under ambient or pumping conditions. It is unclear whether this zone is hydraulically active.

Water quality logs confirm that all water within the borehole is fresh. A conservative estimate of the deepest fracture believed to be hydraulically active is at 121 ft below grade, which corresponds to an elevation of approximately 85 ft amsl.

3.5.6 Monitoring Well MW-8b/Surface Geophysics Line L-08

Monitoring well MW-8b is located on the southern flank of Howard Mountain coincident with a fracture zone identified by the surface geophysics survey. Surface geophysics line L-08 was run in a northeast-southwest orientation downgradient (south) of the drainage between the Transmitter site and Howard Mountain. The GPR survey identified an area of increased reflected energy at depth in this area, suggesting a fractured bedrock zone with an apparent dip to the northeast. A narrow low-velocity zone shown on the seismic refraction profile is an artifact of the analysis and is not necessarily indicative of fractured bedrock.

The GPR and seismic surveys predicted a depth to bedrock at this location of between approximately 6 ft and 16 ft, but the borehole survey predicted that bedrock would be found at 5 ft. Bedrock was observed at 3 ft below grade during drilling. No lithologic contacts were encountered based on the ATV and gamma logs; both suggest the rock is the rhyolitic flow-banded vitrophyre unit. A variation in bedrock texture is suggested by the OTV log at approximately 18 to 19 ft. The bedrock above 18 ft has large phenocrysts and appears to be more brecciated. Below a depth of 18 ft, the rock is fine-grained.

The ATV and OTV logs indicate that fractures are frequent throughout the length of the borehole, although the zone from 12 to 20 ft is more highly fractured. In general, the fractures

strike southwest-northeast and dip southeast over a range of nearly horizontal to nearly vertical. Overall, the sides of the borehole were very smooth with just two significant enlargements, interpreted to be fractures, at 18 and 45 ft.

Fluid temperature and conductivity logs, along with water quality logs, show only minor gradual changes over the entire depth of the borehole, suggesting there is little to no vertical water movement within the borehole under ambient conditions. This was confirmed with the HPFM, which did not show any vertical water movement within the borehole under ambient conditions.

Three significant water-filled fractures were identified in monitoring well MW-8b; one at 12 to 14 ft, a second at 22 to 25 ft, and a third at approximately 45 ft. The shallow zone at 12 to 14 ft coincides with a pH inflection, weak ambient flow, and numerous fractures identified on the ATV log. The zone between 22 and 25 ft is characterized by caliper and fluid inflections and weak ambient downward flow. The HPFM showed large increases in flow from within these zones under pumping conditions, suggesting that they may be important groundwater migration pathways.

The third water-filled zone at 45 ft is characterized by a large caliper inflection and several southeast-dipping fractures evident on the ATV log. The HPFM showed a small increase in flow within this zone under pumping conditions, suggesting that it may transmit small amounts of water.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 45 ft below grade) was at an elevation of approximately 119 ft amsl.

3.5.7 Monitoring Well MW-09/Surface Geophysics Line L-09

Monitoring well MW-09 is located on the southern flank of Howard Mountain coincident with a fracture zone identified by the surface geophysics survey. Surface geophysics line L-09 was run in a northeast-southwest orientation downgradient (south) of the drainage between the Transmitter site and Howard Mountain and is essentially a continuation of line L-08 to the northeast. The GPR survey identified a large area of increased reflected energy but was unable to resolve the depth to bedrock in this area, suggesting heavily fractured bedrock near the surface.

The seismic refraction tomography profile is consistent with the findings of the GPR survey in that it predicts the shallow bedrock to be moderate to highly fractured.

The depth to bedrock at this location was estimated to be 3.6 ft, based on the results of the surface geophysical survey and the borehole geophysics. Bedrock was observed at a depth of 4 ft during drilling of this well.

The ATV and natural gamma logs clearly show a contact between the gray flow-banded rhyolite vitrophyre unit and the underlying aphanitic diabase dike at approximately 75 ft. The ATV log confirms that both units are moderately to highly fractured. The more prominent fractures tend to strike east-west and dip to the north. The less prominent fractures tend to strike either east-west and dip south, or southwest-northeast and dip to the northwest.

The caliper and water quality logs suggest that there are two predominant water-filled fractures; one at 15 ft and another at approximately 75 ft. The shallow zone at 15 ft is defined by a significant enlargement in the borehole as determined from the caliper log. This corresponds with a large fracture observed on the ATV log and with variations in fluid temperature and conductivity. The HPFM did not show any vertical flow within the borehole under ambient conditions but did show significant flow from the zone at 15 ft under pumping conditions, confirming that this zone represents an active groundwater flow pathway.

The deeper zone at 75 ft coincides with the lithology change from the gray flow-banded basaltic vitrophyre unit to the underlying aphanitic diabase dike. Several fractures were also noted at the contact. Abrupt variations in fluid temperature and conductivity logs as well as water quality logs suggest this zone is hydraulically active, although this could not be confirmed with the HPFM.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 75 ft below grade) was at an elevation of approximately 121 ft amsl.

3.5.8 Monitoring Well MW-10

Monitoring well MW-10 is located near the top of Howard Mountain, just downgradient of the former location of Building 114. A storage tank used to dispense TCE is reported to have been located within the basement of Building 114. This area is also near the various radar antennas, where TCE may have been used to clean them. The depth to groundwater at MW-10 was measured at approximately 120 ft, thus, only the caliper, natural gamma, OTV, and EM induction logs could be run above the 120-ft depth. No surface geophysics was performed at this location.

The depth to bedrock at this location was estimated to be 12 ft, based on the down hole geophysics (primarily the natural gamma log). Bedrock was observed at a depth of 14 ft during drilling of this well.

The natural gamma probe recorded an unusually large concentration of gamma counts at approximately 76 ft. This anomaly corresponds with a large crystal of light colored mineral visible on the OTV log. It is unknown whether this light colored mineral is responsible for the natural gamma anomaly, or exactly what the light colored mineral is.

Frequent fractures were noted over much of the borehole; however, based on examination of the drill cuttings, most of the fractures appear to be healed with limonite and hematite mineralization. Based on the OTV and ATV logs, the fractures exhibit a wide range of orientations and dips.

Just two significant water-filled fractures were observed based on the downhole geophysics. A large, open near horizontal fracture was identified, based on the OTV, ATV, and caliper logs at approximately 153 ft. This fracture corresponds with a drop in the normal resistivity suggesting that the fracture is water-filled. The HPFM analysis indicated a large inflow from this zone under pumping conditions, although no flow was noted under ambient conditions. This suggests that there is little vertical flow within the borehole but that the fracture at 153 ft is hydraulically active. An increase in yield was also noted at this depth during drilling of the borehole.

A pair of open fractures, striking northwest-southeast and dipping about 45º to the northeast were encountered between 165 and 168 ft, based on the caliper, OTV, and ATV logs. These

fractures correspond with a decrease in normal resistivity, suggesting that they are water-filled. Although the HPFM analysis did not show any flow associated with this zone under ambient conditions, a slight inflow was noted under pumping conditions. This suggests that these fractures are hydraulically active, although they are not nearly as significant a feature as the horizontal fracture at 153 ft, based on the observed flow rates.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 168 ft below grade) was at an elevation of approximately 77 ft amsl.

3.5.9 Monitoring Well MW-11

Monitoring well MW-11 is located at the base of Howard Mountain to the east of the radar antennas, along the alignment of a major northwest-southeast trending fault zone (Gates, 1981). This orientation is parallel to the predominant bedrock structural alignment in the area and may represent a preferential migration pathway for groundwater and contaminant migration. No surface geophysics was performed at this location.

Based on the drilling log, the overburden at this location was approximately 86 ft thick and consisted of approximately 46 ft of coarse-grained glacio-fluvial material overlying a dense till. Although the natural gamma log suggested a possible lithology change at about 190 ft, no change in lithology was noted during the drilling, based on the cuttings. The caliper log indicates that the borehole diameter is quite variable, especially below 150 ft, ranging from 6.5 to 8 inches. Based on the ATV log, fracture frequency generally decreases with depth in this borehole. The majority of the observed fractures strike roughly north-south with the dip directions evenly distributed between east and west.

This borehole is very active hydraulically. Numerous hydraulically active fractures were noted during drilling, and based on the borehole geophysics including ones at approximately 98, 109, 127, 152-155, 163, 170, and 188 ft below grade. The highly active conditions noted within this borehole seem to confirm that it taps the regional fault system that had been targeted, and that the fault zone does act as a significant migration pathway for groundwater flow.

The feature at 98 ft is a large, open near horizontal fracture, based on the ATV and caliper logs. This fracture corresponds with a sharp increase in fluid conductivity suggesting that the fracture is hydraulically active. This was confirmed by the HPFM analysis, which indicated significant inflow from this zone under pumping conditions, although no flow was noted under ambient conditions.

The fractures at 109 and 127 ft were also identified using the caliper and ATV logs and are coincident with a variation in fluid conductivity suggesting that groundwater is either entering or leaving the borehole at these depths. No flow was noted from these fractures during either the ambient or pumping HPFM logs; however, it is possible that the high flows noted from other fractures in the borehole masked smaller flows from these fractures.

A series of water-filled fractures were noted during drilling between 152 and 170 ft, based on an increase in well yield of approximately 1 to 3 gpm over this interval. The caliper log shows that the borehole diameter is quite enlarged over much of this zone, opening to as wide at 7.5 inches. The ATV log confirms there are several moderately dipping fractures within this zone. Variations in water quality parameters and a general decrease in normal resistivity suggest that these fractures are water-filled. The HPFM indicated that water is entering the borehole from within this zone under pumping conditions, confirming the observations made during drilling. No significant flow was noted within the borehole under static conditions, suggesting there is little vertical flow of groundwater in this area.

A pair of open fractures was identified on the caliper and ATV logs between 188 and 190 ft. Although no flow was noted during the ambient HPFM logging, minor inflow was noted from this interval during the pumping analysis. This corresponds with the drilling observations, which indicated an increase in yield of approximately 1 to 2 gpm from this zone, suggesting that it is hydraulically active.

The deepest fracture that is believed to be hydraulically active (at 190 ft below grade) was at an elevation approximately 131 ft below mean sea level. A marked increase in fluid conductivity was noted between 100 and 110 ft [up to 5,300 microsiemens per centimeter (µS/cm)]. These fractures are at an elevation of between 41 and 51 ft below mean sea level. The data suggest that the hydraulically active fractures noted within this interval may contain brackish water. It should

be noted that several hydraulically active fractures were observed below 110 ft, and the fluid conductivity logs suggest that these fractures all contain fresh water. Thus, this well is not believed to have penetrated the fresh/saline water interface, but rather has intersected a fracture(s) that is in direct communication with the saline waters of Howard Cove.

3.5.10 Monitoring Well MW-12

Monitoring well MW-12 is located at the base of Howard Mountain, northwest of monitoring well MW-11, along the alignment of the same major northwest-southeast trending fault zone intercepted by monitoring well MW-11 (Gates, 1981). Based on regional groundwater flow patterns, this location is believed to be upgradient of MW-11. No surface geophysics was performed at this location.

The overburden at this location was significantly thinner than was observed at monitoring well MW-11 and consisted of approximately 12 ft of till. Variations in the caliper, natural gamma, and normal resistivity logs suggest a different lithology between approximately 170 and 209 ft. This corresponds with observations of drill cuttings, which identified a layer of massive porphorytic gabbro between 171 and 203 ft that differed from the flow-banded rhyolite observed over the rest of the borehole. The variation in the depths of the two contacts predicted by the different methods (borehole geophysics vs. drill cuttings) is minor and likely a result of the delay in cuttings reaching the surface from the time they are encountered. In contrast to observations at monitoring well MW-11, the caliper log indicates that the borehole diameter at monitoring well MW-12 is fairly consistent, ranging from 6 to 7 inches.

Fractures were very common throughout the depth of this borehole, based on the ATV log. The majority of the observed fractures strike roughly northwest-southeast (generally parallel to the overall trend of the fault zone) and dip steeply to the southwest. Larger low-angle fractures were noted at the upper and lower lithologic contacts between the gabbro and rhyolite. In general, this borehole was not found to be very active hydraulically, suggesting that it is not located within the same fault zone encountered by MW-11. Just two potentially active fractures were identified by the borehole geophysics as described below.

A significant enlargement of the borehole was observed just below the bottom of the steel casing at approximately 18 ft. This feature corresponds with a series of steeply dipping fractures noted on the ATV log. Variations in fluid conductivity, temperature and water quality parameters at this depth suggest the fracture is water-filled. No flow was noted from within this zone during either the ambient or pumping HPFM analysis, suggesting that this fracture may not be hydraulically active. No groundwater flow was noted during drilling at this depth interval.

A second set of fractures was encountered at approximately 42-43 ft, based on the caliper and ATV logs. Sharp changes in fluid conductivity and temperature, as well as water quality parameters at this depth suggest the fractures are water-filled. Slight groundwater inflow was noted during the pumping HPFM analysis suggesting that this feature is hydraulically active. The ambient HPFM did not show any vertical flow throughout the borehole, suggesting that there is little vertical gradient within the bedrock in this area, and that the majority of the flow is horizontal.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 43 ft below grade) was at an elevation roughly coincident with mean sea level. This suggests that the freshwater lens in this area extends to at least this depth.

3.5.11 Monitoring Well MW-13

Monitoring well MW-13 is located near the top of Miller Mountain at the GATR site, and is paired with shallow bedrock monitoring well GAMW-001. The rationale for placement of this well was to evaluate VOC concentrations at depth in the vicinity of the GATR site and to facilitate measurement of the vertical hydraulic gradient within the bedrock. No surface geophysics was performed at this location.

Variations in the natural gamma log suggest a different lithology between approximately 35 and 47 ft. This corresponds with observations of drill cuttings, which identified a layer of gray granite between 37 and 47 ft that differed from the vitrophyre observed over the rest of the borehole. The variation in the depths of the two contacts predicted by the different methods (borehole geophysics vs. drill cuttings) is minor and likely a result of the delay in cuttings

reaching the surface from the time they are encountered. The caliper log indicates a change in borehole diameter at approximately 88 ft that corresponds to a change in drilling bits used at this location. The SPR and normal resistivity logs could not be conducted in this borehole because of the dry gravel overburden present at this site, which resulted in an unusually high contact resistance at the surface electrode.

Fractures were very common throughout the depth of this borehole, based on the ATV log. The majority of the observed fractures strike roughly northwest-southeast and dip steeply to the southwest. Larger low-angle fractures were noted at the upper and lower lithologic contacts between the granite and the vitrophyre. In general, this borehole was not found to be very active hydraulically. The ambient HPFM did not show any vertical flow throughout the borehole, suggesting that there is little vertical gradient within the bedrock in this area, and that the majority of the flow is horizontal. Three potentially active fractures were identified by the borehole geophysics as described below.

Several low-angle fractures were identified, based on the caliper and ATV logs at approximately 35 ft. This depth corresponds with the upper contact between the granite and the vitrophyre units. A sharp variation in fluid temperature was noted at this depth, suggesting the fracture may be hydraulically active. No flow was noted from within this zone during either the ambient or pumping HPFM analysis; however, a slight increase in yield was noted at this contact during drilling, suggesting that this interval is hydraulically active to some extent.

Several smaller high-angle fractures were encountered at approximately 46-47 ft, based on the ATV log. This depth interval corresponds with the lower contact between the granite and the vitrophyre units. A sharp variation in fluid temperature and conductivity was noted at this depth, suggesting the fracture may be hydraulically active. No flow was noted from within this zone during the ambient HPFM analysis; however, some limited inflow was noted during the pumping HPFM analysis. No increase in yield was noted at this contact during drilling. This fracture is believed to be hydraulically active to a small degree, based on the result of the HPFM analysis.

A single, low angle fracture was identified at 74 ft based on the ATV log. A fluctuation in fluid conductivity at that depth suggests this fracture may be hydraulically active. Slight groundwater inflow was noted from within this zone during the HPFM pumping analysis, further suggesting

the fracture may be hydraulically active. No increase in yield was noted during drilling at this interval.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 74 ft below grade) was at an elevation of 180 ft amsl.

3.5.12 Monitoring Well MW-14/Surface Geophysical Line L-14

Monitoring well MW-14 is located at the base of Miller Mountain to the south-southeast, downgradient of the GATR site and within the mapped extent of the TCE contamination in that area. The location for monitoring well MW-14 was selected based on the results of the seismic refraction tomography survey, which identified a large area of lower seismic velocity possibly indicating a highly fractured zone within the bedrock. The GPR survey did not show any reflection anomalies in this area due to coupling problems caused by rough terrain.

The depth to bedrock at this location was estimated to be 10 ft based on the results of the surface geophysical survey and 16 ft, based on the borehole geophysics. Bedrock was observed at a depth of 13 ft during drilling of this well.

The OTV, ATV, and natural gamma logs clearly show a contact between the red to brown biotite granodiorite and the underlying dark green porphyritic gabbro at approximately 54 ft. The ATV log suggests that the granodiorite and the upper portion of the gabbro are highly fractured, but rock core from this borehole shows that only the granodiorite is highly fractured and that the gabbro is generally massive with few open fractures. Fracture orientation and dip in the granodiorite is highly variable. Within the gabbro, however, most fractures strike northwest-southeast, and dip moderately to the southwest.

The downhole logging results indicates that several potential water-filled fractures exist within the borehole. A series of fractures identified by the caliper, OTV, and ATV logs, at about 17 ft, are coincident with variations in fluid temperature and conductivity as well as multiple water quality parameters. The HPFM log shows in-flow from the formation within this zone under both ambient and pumping conditions. This zone is likely a significant groundwater flow pathway.

A number of low angle fractures were identified on the caliper, OTV, and ATV logs near the lithologic contact at 53 ft. These fractures are coincident with minor fluctuations in water quality parameters and large-scale variations in natural gamma (due to the lithology change) and normal resistivity. The HPFM results suggest that this interval produces water under ambient as well as pumping conditions. This contact represents a significant groundwater migration pathway.

A third hydraulically active zone was identified at a depth of approximately 78 ft by the HPFM results. This zone loses water under ambient and low-flow pumping conditions but is not correlated with variations on any of the other logs. However, the ATV does indicate a single near-horizontal fracture at this depth that could transmit water. It is unclear whether this zone represents a significant groundwater flow pathway.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 78 ft below grade) was at an elevation approximately coincident with mean sea level.

3.5.13 Test Well TW-1

Test well TW-1 was installed north-northwest of Howard Mountain in the vicinity of a large northwest-southeast trending normal fault zone mapped in the area. Based on earlier interpretations of the regional geology by ABB (ABB, 1997c) and Emery and Garrett Groundwater, Inc. (EGGI, 2002), the area was believed to consist of a favorable overburden groundwater-yielding zone that could produce enough water to supply local residents impacted by site activities. As such, it was proposed in the *Final SAP* that the test well be installed through an unconsolidated sand and gravel formation to a depth of approximately 100 ft bgs and completed as an overburden well using a 6-inch-diameter wire-wrapped well screen (WESTON, 2002b).

During implementation of the surface geophysics program in the Howard Mountain area, the CENAE-led team chose to also conduct additional geophysics at the test well site to evaluate the subsurface overburden stratigraphy, depth to bedrock, and approximate location of the normal fault, in the event that a bedrock test well was also needed and/or feasible. Surface geophysics lines were run along the former power line easement (Figure 2-4) in a north-northeast to

south-southwest direction in an effort to intercept the mapped normal fault and document its location. The results of the surface geophysical survey (seismic) estimated that the depth to bedrock was only 46 ft below grade, and that the velocities of some stratigraphic layers were more representative of the silts and clays of the nearby Presumpscot Formation. Therefore, it was determined by CENAE and WESTON that the overburden stratigraphy at the test well site was not favorable for an overburden test well, and test well TW-1 was instead installed as a deep bedrock well.

Test well TW-1 was installed in the center of a large area with low seismic velocities as determined from the seismic refraction tomography survey. Inductive terrain conductivity survey results showed an area of higher conductivity coincident with the seismic velocity low, suggesting an area of highly fractured bedrock that contains significant amounts of water. Based on the drilling log, the overburden at this location was approximately 47 ft thick and consisted of approximately 12 ft of fine-grained glacio-fluvial material, overlying a clays of the glacio-marine Presumpscot Formation. The natural gamma log suggested lithology changes at approximately 55, 60, and 140 ft, but no lithologic changes were observed during drilling of this well based on examination of the cuttings. The caliper log indicates that the borehole diameter is quite variable, especially below 95 ft, ranging from 6.25 to 7.5 inches. Based on the ATV log, fractures are common throughout the borehole. The majority of the observed fractures strike roughly northeast-southwest with most dipping toward the southeast. The HPFM testing of this borehole was not conducted.

This borehole contained several large hydraulically active fractures. A cluster of northeast-southwest striking fractures was noted between 132 and 142 ft, based on the caliper and ATV logs. A corresponding decrease in the SPR log suggests that these fractures are water-filled. Increased yield within this zone noted during drilling confirms that this zone is hydraulically active.

The caliper log shows a very large fracture at 169 ft. The ATV log indicates this fracture strikes northeast-southwest and dips to the east-southeast. The SPR log confirms that the fracture is water-filled. Observations during drilling indicate that this fracture can produce upwards of 50 gpm of water when pumped. This fracture represents a very significant hydraulically active zone that may be related to the regional northwest-southeast trending fault zone mapped in this

area (Gates, 1981). A single northwest-southeast striking fracture was identified at approximately 182 ft based on the caliper and ATV logs. A sharp decrease in SPR suggests that this fracture is water-filled. No increase in observed yield was noted at this depth during drilling, but it is very likely that small-scale flow from this zone would have been masked by the large flow from the 50 gpm fracture at 169 ft. Thus, this fracture may still represent a hydraulically active zone.

Water quality logs confirm that all water within the borehole is fresh. The deepest fracture that is believed to be hydraulically active (at 183 ft below grade) was at an elevation approximately 120 ft below mean sea level. This suggests that the freshwater lens in this area extends to at least this depth.

3.5.14 Residential Water Supply Well DW-1

Existing residential water supply well DW-1 is located in the lowland area southeast of Howard Mountain. This well has historically contained concentrations of TCE less than 1 µg/L, and as such is located near the downgradient edge of the area of groundwater contamination emanating from the former Building 114 area. A specification plate on the well cap on the well indicated that the total depth of the well was originally 305 ft; however, the borehole geophysical tools could only be advanced to a depth of 247 ft and terminated in soft material. Thus, it is believed that the lower 58 ft of this well is filled with sediment.

The caliper log clearly shows that the steel casing for this well extends to a depth of 102 ft below grade. The natural gamma log for this well shows an inflection at approximately 35 ft that is believed to represent the overburden/bedrock contact. Another inflection in the gamma log occurs at a depth of approximately 82 ft, suggesting a change from weathered to competent bedrock. This conclusion is supported by the length of the steel casing at this location, which extends to a depth of 102 ft. Bedrock at this location is interpreted to be the flow-banded rhyolite, based on a comparison of the natural gamma particle counts for this well [100 to 150 cps] and the others performed in the area. No other significant fluctuations of the natural gamma log were noted, suggesting that there are no lithology changes within the borehole.

Frequent fractures were noted throughout the borehole, with the predominant strike being generally northeast-southwest. The majority of the fractures dip steeply to the northwest; however, the majority of the open fractures dip to the west and southeast.

Three unusually large open features were noted, based on the caliper and ATV logs. A fracture dipping steeply to the west is located at about 193 ft. An irregular gaping open zone dips moderately to the northwest at 218 ft. The caliper reading at this depth exceeds 16 inches and the vertical opening spans approximately 2 ft. The third feature is an open fracture at 226 ft that dips steeply to the east. These zones correspond with a large drop in normal resistivity confirming that the features are water-filled. Fluid conductivity and temperature fluctuations beginning at 190 ft and extending below 230 ft, suggest that this zone is hydraulically active.

The deepest fracture that is believed to be hydraulically active (at 230 ft below grade) was at an elevation approximately 160 ft below mean sea level. A marked increase in fluid conductivity was noted below this fracture (up to 4,500 µS/cm). These data suggests that the fracture at 230 ft contains brackish water. Although the homeowner has not reported any problems with saltwater intrusion, it is likely that extensive pumping of this well would draw in brackish or saline waters.

3.5.15 Residential Water Supply Well DW-3

Existing residential water supply well DW-3 is located at the base of Howard Mountain to the southeast. This well has historically contained concentrations of TCE between 0.5 and 8.2 µg/L and, as such, is located along the presumed centerline of the area of groundwater contamination emanating from the former Building 114 area. Based on the depth to which the geophysical tools could be lowered, this well is approximately 298 ft deep, with steel casing extending to approximately 18 ft below grade, based on the caliper log.

Bedrock at this location is interpreted to be the flow-banded rhyolite, based on a comparison of the natural gamma particle counts for this well (100 to 150 cps) and the others performed in the area. The natural gamma log for this well shows a narrow zone of reduced gamma activity between 144 and 156 ft. Based on a comparison with natural gamma logs from nearby monitoring wells (MW-8b, MW-09, MW-10, and MW-11), these zones are interpreted to represent intrusion of either a diabase dike or the gray vitrophyre.

Frequent fractures were noted throughout the borehole. No single orientation is predominant, with fractures striking in numerous directions. The caliper log indicates that the borehole sides are slightly irregular throughout the uncased portion. The greatest enlargement was noted at 172 ft, but did not correlate with a hydraulically active fracture.

Several hydraulically active zones were identified, based on the borehole geophysics data. Borehole enlargements recorded on the caliper log correlate with a series of open fractures noted on the ATV log at approximately 58 and 156 ft. Sharp variations in the water quality parameters suggest that these zones are hydraulically active. Similar variations in water quality parameters were observed at 238, 246, and 255 ft. Results of the caliper and ATV logs indicate open fractures at these depths as well, suggesting they are hydraulically active. It should be noted that the hydraulically active zone identified at 155 corresponds with the observed lithology change, suggesting that the fracture is coincident with the lithologic contacts.

The deepest fracture that is believed to be hydraulically active (at 255 ft below grade) was at an elevation approximately 180 ft below mean sea level. This suggests that the freshwater lens in this area extends to at least this depth. Because this well is pumped on a daily basis, the presence of saline water in the well would have been noticed by the homeowner, further suggesting that this well does not experience salt water intrusion.

3.5.16 Residential Water Supply Well DW-4

Existing residential water supply well DW-4 is located at the base of Howard Mountain to the east. This well has historically contained concentrations of TCE between 32 and 93 µg/L and, as such, is located along the presumed centerline of the area of groundwater contamination emanating from the former Building 114 area. Based on the depth to which the geophysical tools could be lowered, this well is approximately 241 ft deep, with steel casing extending to approximately 16 ft below grade, based on the caliper log.

Bedrock at this location is interpreted to be the flow-banded rhyolite, based on a comparison of the natural gamma particle counts for this well (100 to 150 cps) and the others performed in the area. The natural gamma log for this well shows two narrow zones of reduced gamma activity (between 110 and 120 ft and between 190 and 210 ft). Based on a comparison with natural

gamma logs from nearby monitoring wells (MW-8b, MW-09, MW-10, and MW-11), these zones are interpreted to represent intrusion of either a diabase dike or the gray vitrophyre.

Frequent fractures were noted throughout the borehole, with the predominant strike being generally northeast-southwest and dipping steeply to the northwest or southeast. A second set of less numerous fractures was observed to strike nearly north-south and dip steeply to the west. The majority of the open fractures strike north-south and dip to the west. The caliper log indicates that the borehole sides are moderately irregular throughout the uncased portion. A large void was measured between approximately 202 and 212 ft.

Several hydraulically active zones were identified, based on the borehole geophysics data. Small borehole enlargements recorded on the caliper log correlate with a series of open fractures noted on the ATV log at approximately 38 and 51 ft. Sharp variations in fluid conductivity and temperature as well as the water quality parameters suggest that these zones are hydraulically active. Similar variations in fluid conductivity, temperature, and water quality parameters were observed at 124, 188, 208, and 220 ft. Results of the caliper and ATV logs indicate open fractures at these depths as well, suggesting they are hydraulically active. It should be noted that the hydraulically active zones identified at 124, 188, and 208 ft correspond with the noted lithology change, suggesting that the fractures are coincident with the lithologic contacts.

The deepest fracture that is believed to be hydraulically active (at 220 ft below grade) was at an elevation approximately 136 ft below mean sea level. A marked increase in fluid conductivity was noted below this fracture (up to 1,700 uS/cm). These data suggests that the fracture at 220 ft contains brackish water. Although the homeowner has not reported any problems with saltwater intrusion, it is likely that extensive pumping of this well would draw in brackish or saline waters.

3.5.17 Residential Water Supply Well DW-9

Existing residential water supply well DW-9 is located on the south side of Howard Mountain. This well has historically contained concentrations of TCE less between 0.5 and 0.7 µg/L and, as such, is located near the western edge of the area of groundwater contamination emanating from the former Building 114 area. This well was unusual in that it was the only well encountered within the study area that was artesian. A small quantity of water flowed from the well

throughout the geophysical logging. Based on the depth to which the geophysical tools could be lowered, this well is approximately 260 ft deep, with steel casing extending to approximately 18 ft below grade, based on the caliper log.

Bedrock at this location is interpreted to be the flow-banded rhyolite, based on a comparison of the natural gamma particle counts for this well (100 to 150 cps) and the others performed in the area. The natural gamma log for this well shows three narrow zones of reduced gamma activity (between 135 and 145 ft, 162 and 168 ft, and between 118 and 184 ft). Based on a comparison with natural gamma logs from nearby monitoring wells (MW-8b, MW-09, MW-10, and MW-11), these zones are interpreted to represent intrusions of either a diabase dike or the gray vitrophyre.

Frequent fractures were noted throughout the borehole, with the predominant strike being generally northeast-southwest. The majority of the fractures dip steeply to the northwest; however, the majority of the open fractures dip to the west and southeast.

Three hydraulically active zones were identified based on the borehole geophysics data. Borehole enlargements recorded on the caliper log correlate with a series of open fractures noted on the ATV log at 130, 162, and 248 ft. Sharp variations in oxygen content and ORP suggest that these zones are hydraulically active. The fact that this well is artesian and that groundwater was actively flowing during the logging makes interpretation of the data difficult because it tends to homogenize water quality within the borehole, masking the impacts of individual fractures.

The deepest fracture that is believed to be hydraulically active (at 248 ft below grade) was at an elevation of approximately 120 ft below mean sea level, suggesting that an intrusion of saline water is possible at this location.

3.5.18 Residential Water Supply Well DW-12

Existing residential water supply well DW-12 is located on the southeastern slope of Howard Mountain about midway between the top and the surrounding lowland areas. This well has historically contained concentrations of TCE between 1 and 3 µg/L and, as such, is located along the southwestern edge of the area of groundwater contamination emanating from the former Building 114 area. A specification plate on the well cap for the well indicated that the

total depth of the well was originally 303 ft and that it was cased to 21 ft below grade. No appreciable sediment buildup was noted in the bottom of the well.

The caliper and ATV logs confirmed that the steel casing for this well extends to a depth of 21 ft below grade. Bedrock at this location is interpreted to be the flow-banded rhyolite, based on a comparison of the natural gamma particle counts for this well (100 to 150 cps) and the others performed in the area. The natural gamma log for this well shows two narrow zones of reduced gamma activity (between 80 and 90 ft and between 236 and 247 ft). Based on a comparison with natural gamma logs from nearby monitoring wells (MW-8, MW-9, MW-10, and MW-11), these zones are interpreted to represent intrusion of either a diabase dike or the gray vitrophyre.

Frequent fractures were noted throughout the borehole, with the predominant strike being generally northeast-southwest and dipping steeply to the northwest (more common) or southeast (less common). A second set of less numerous fractures was observed to strike northwest-southeast and dip steeply southwest. The majority of the open fractures strike northeast-southwest and dip to the northwest.

The caliper log indicates that the borehole sides are irregular throughout the uncased portion. The caliper log was especially irregular between 21 and 225 ft. A noticeable reduction in borehole diameter was observed below 225 ft, possibly indicating a change in drilling equipment (e.g., to a slightly smaller bit).

Two hydraulically active zones were identified, based on the borehole geophysics data. A large borehole enlargement recorded on the caliper log correlates with a series of open fractures noted on the ATV log at 211 to 214 ft. Sharp variations in fluid conductivity and temperature as well as the water quality parameters suggests that this zone is hydraulically active. Similar variations in fluid conductivity, temperature, and water quality parameters were observed between 280 and 285 ft. Results of the ATV log indicates an open fracture at this depth as well, suggesting a hydraulically active fracture.

The deepest fracture that is believed to be hydraulically active (at 285 ft below grade) was at an elevation approximately 128 ft below mean sea level. This suggests that the freshwater lens in this area extends to at least this depth. Because this well is pumped on a daily basis, the presence

of saline water in the well would have been noticed by the homeowner, further suggesting that this well does not experience salt water intrusion.

3.5.19 Water Supply Well WY-3

Water supply well WY-3 serves the DCF Housing Area, as well as the DCF itself. This well is located in the lowland area east of Howard Mountain and is believed to be within the fault zone mapped along the east side of Howard Mountain (Gates, 1981). The yield of the well is reportedly greater than 50 gpm (ABB, 1997b). This well has historically contained concentrations of TCE between 0.5 and 0.7 µg/L and, as such, is located along the southeastern edge of the area of groundwater contamination emanating from the former Building 114 area. Based on the depth to which the geophysical tools could be lowered, this well is approximately 340 ft deep, with steel casing extending to approximately 80 ft below grade, based on the caliper and OTV logs.

The borehole for this well is highly irregular, based on the caliper log, which shows variations from 8 to 12 inches. Bedrock at this location is interpreted to be the flow-banded rhyolite, based on a comparison of the natural gamma log from this well and that obtained from test well TW-1, located just to the northwest. Lower gamma counts in the intervals of 118 to 130 ft, 141 to 181 ft, 190 to 204 ft, and below 325 ft suggest a different lithology, possibly either the diabase dike or the gray vitrophyre, observed at nearby monitoring wells (MW-8b, MW-09, MW-10, and MW-11).

Frequent fractures were noted throughout the borehole, based on the ATV and OTV logs, with the predominant strike being generally northwest-southeast and dipping steeply to the southwest (more common) or northwest (less common). A second set of less numerous fractures was observed to strike northeast-southwest and dip steeply southeast.

Several hydraulically active zones were identified, based on the borehole geophysics data. Borehole enlargements recorded on the caliper log at 87, 118, 252, 264, and 325 ft, correlate with sharp variations in fluid conductivity and temperature, as well as the water quality parameters. These variations suggest that these zones are hydraulically active. It should be noted

that the hydraulically active fractures identified at 118 and 325 ft correlate with the lithologic contacts interpreted from the gamma and ATV logs.

The fluid conductivity log shows a marked increase below approximately 324 ft (to more than 4,000 µS/cm). This well has reportedly had problems with saltwater intrusion when pumped at rates higher than approximately 40 gpm for extended periods (ABB, 1997b). These data suggest that the freshwater lens in this area may be at an elevation of about 279 ft below mean sea level, and that the hydraulically active fractures between approximately 250 and 270 ft below grade may contain brackish water. This is likely where most of the water is coming from, based on the inflections of fluid temperature, conductivity, and pH evident on the WY-3 conventional log.

3.5.20 Water Supply Well WY-3b

Water supply well WY-3b is associated with the Housing Area water supply well (WY-3), and is located in the lowland area east of Howard Mountain. This well is believed to be within the fault zone mapped along the east side of Howard Mountain (Gates, 1981). No water quality samples have been collected from this well. Based on the depth to which the geophysical tools could be lowered, this well is approximately 218 ft deep, with steel casing extending to approximately 56 ft below grade, based on the caliper and ATV logs. The ATV log was terminated at a depth of 175 ft when falling rock within the borehole jeopardized the camera.

The borehole for this well is highly irregular, based on the caliper log, which shows variations from 8 to 14 inches. Several near vertical fractures were observed on the ATV log and the intersection of these fractures with other, less-steep fractures is responsible for the irregular borehole and the falling rocks that were observed. Bedrock at this location is interpreted to be the flow-banded rhyolite, based on a comparison of the natural gamma particle counts for this well (100 to 150 cps) and the others performed in the area. The natural gamma log for this well does not show any significant variations, suggesting that the lithology is consistent throughout.

Several hydraulically active zones were identified based on the downhole geophysics data. Large borehole enlargements recorded on the caliper log at 68, 94, 110, and 201 ft correlate with sharp variations in fluid conductivity and temperature as well as the water quality parameters. These variations suggest that these zones are hydraulically active.

The deepest fracture that is believed to be hydraulically active (at 201 ft below grade) was at an elevation approximately 161 ft below mean sea level. This suggests that the freshwater lens in this area extends to at least this depth.

3.6 ANALYSIS OF PACKER-PERMEABILITY TESTING

3.6.1 Introduction

As discussed in Subsection 2.10, packer-permeability testing was performed on newly installed bedrock monitoring wells MW-7, MW-10, MW-11, MW-12, and MW-14 between 12 and 17 August 2003. The tests were conducted by installing dual packer assemblies into the open borehole, inflating the packers to seal off selected fracture zones selected based on borehole geophysics results, and pumping a metered amount of water under pressure into the test length (DOI, 1990). The dual packer systems were constructed to allow for a 10-foot test zone at monitoring wells MW-07, MW-10, MW-11, and MW-14, and a 15-foot test zone at well MW-12.

Discrete-interval groundwater sampling was conducted on each test zone independently of the permeability tests by pumping out a minimum of one volume of water from within the test zone. The discrete-interval sampling was conducted moving from the shallowest zone to the deepest zone within the well. Immediately following the discrete interval sampling, the packer permeability testing was conducted in the reverse order (deep to shallow).

3.6.2 Factors Affecting the Permeability Calculations

During the packer testing program, static water levels were measured in the well to ensure the upper packer was adequately sealing the test zone. Vibrating wire pressure transducers were used to measure the pressure within and below the test zone to confirm that the lower packer was creating an adequate seal with the sides of the borehole. In every case, the lower packer was determined to provide an adequate seal based on the readings of the lower pressure transducer. However, leakage around the upper packer was noted on several occasions as determined by a rising water level within the borehole above the upper packer. In addition, recovering water

levels from the just-completed water quality testing further complicated the interpretation of the test results.

In general, three situations were encountered during the packer testing program:

1. An adequate seal of the test zone was achieved during the injection test by both packers (as indicated by stable water-level and pressure transducer readings) resulting in a straightforward calculation of the permeability within the test zone.

2. An inadequate seal of the test zone by the upper packer was apparent, based on a steady increase in water-level elevation within the well. The poor seal of the test interval was likely due to hydraulic communication of numerous high-angle to near-vertical fractures providing natural pathways around the packers, or poor sealing of the pneumatic rubber packers against the rough sides of the borehole. Based on a review of the downhole geophysics logs, it is likely that both of these conditions contributed to the leakage.

3. A combination of an inadequate seal of the test zone as described in situation 2 and the natural recovery of the well. The discrete-interval sampling was conducted immediately prior to the injection tests. In many cases where an inadequate seal of the upper packer was observed (situation 2), the well purging as part of the discrete interval sampling lowered the water level in the well, resulting in non-static well conditions. Therefore, the water level was below static at the start of the injection test. In addition to the water-level rise measured by potential hydraulic communication or packer leakage, the water level was also rising in the surrounding formation to achieve the well's natural static condition.

In an effort to take into account the observed leakage and non-static conditions, a range of permeability values were calculated for test zones where these conditions were observed. Three permeability estimates were calculated for zones with leakage:

- Permeability of the zone assuming no leakage or well recovery.
- Permeability of the zone adjusted for leakage only by the rate of water-level increase measured in the well.
- Permeability of the zone adjusted for a combination of leakage and well recovery.

The conditions observed during each test were evaluated to determine which of the three estimates most likely represents the actual permeability for the test zone. This was considered the "best estimate" of permeability for that test zone, although the results of all three analyses are presented to provide the overall range of possible permeabilities.

3.6.3 Calculation of Permeability

The permeability of each test zone was calculated using the following equation from the "Procedure for Constant Head Hydraulic Conductivity Tests in Single Drill Holes," in the *U.S. Bureau of Reclamation Earth Manual* (DOI, 1990):

$$k = \frac{Q}{2\prod LH} \ln L/r \text{, where } L \geq 10r \qquad \text{(Equation 1)}$$

Where:

k = *Permeability* (hydraulic conductivity) in feet per day (ft/day).

Q = *Constant rate of flow* into the test interval in cubic ft/day.

$\prod$ = *Constant of pi* (approximately 3.14)

L = *Length of the test* interval in ft.

H =Differential head of water at the test interval in ft, *Hg* + *Hp*, as defined by the following:

Hg, *gravity* = Distance from groundwater level to pressure gauge in ft.

Hp, *pressure* = Water pressure applied during injection in pounds per square inch (psi) x 2.31 ft of water/psi.

r = *Radius* of the borehole in ft.

ln = *Natural logarithm*.

Equation 1 is most applicable and reliable where the length of the test zone is at least five times the borehole radius, and the full length of the test zone is below the water table. Both of these conditions were met in each of the tests conducted during this investigation. The resultant calculated value is considered an apparent permeability in fractured material (DOI, 1990). Most of the zones tested were highly fractured based on rock cores and downhole geophysics results, and a range of permeability values were calculated based on the field observations and measurements as discussed in the following subsection.

3.6.4 Determining Values for Parameters in Equation 1

During each injection test, measurements were made to determine the values to be used in Equation 1 to calculate the permeability for each 10-minute test. The field sheets for each packer permeability injection test are located in Appendix C. The length of the test was predetermined

to be 10 or 15 ft in length, but the actual packer assembly was measured to verify the exact test length. The borehole radius for each test interval was interpreted from the caliper log for the borehole.

The head associated with the applied Hp during each test was calculated using the applied pressure in units of psi, which was measured using a pressure gauge at the wellhead. The water pressure was recorded every 30 seconds during each 10-minute injection test. The change in water pressure during a given 10-minute test did not typically change more than a few psi. The average water pressure for a 10-minute test was used to calculate Hp. The head associated with Hg was determined by measuring the distance between the water pressure gauge and the "static" groundwater level. However, the water-level elevation at the start of each test was typically not the static water level of the well, due to the initial purging of the well for the discrete-interval groundwater sampling and/or the injection test(s) conducted prior to the test. Therefore, the water-level elevation was measured at the start of the test and during the test. The average water-level elevation during the test was then used to determine Hg for the test.

The Q into each test interval was measured using an in-line flow meter with the water injection system. The volume of water injected was recorded every 30 seconds during each 10-minute test using the flow meter, and then an average injection flow rate (Q_i) was calculated for each test. Flow rate adjustment factors were also estimated to account for situations were leakage/communication and/or well recovery were observed during the test. The leakage/communication flow rate adjustment factor (Q_L) was determined by monitoring the change in water-level elevation in the borehole during each 10-minute test, then converting those measurements to a volumetric flow rate for the 10-minute test. If leakage was observed, this Q_L factor was subtracted from the average injection flow rate, and inserted into Equation 1. If the water-level elevation prior to the injection test was below static conditions, a further well recovery flow rate adjustment factor (Q_r) was estimated, based on observations during the discrete-interval sampling, and previous observations noted during well development and sampling activities. This Q_r factor was subtracted from the Q_L factor, and this overall flow rate adjustment factor was then subtracted from the average injection flow rate to obtain an overall Q,

for a best estimate of the permeability of the interval. For example:

- If no leakage or well recovery was observed during the test, then $Q = Q_i$.
- If leakage was observed during the test, then $Q = Q_i - Q_L$.
- If leakage and well recovery were observed during the test, then $Q = Q_i - (Q_L - Q_r)$.

Table 3-1 summarizes the calculated and estimated values used in Equation 1 for calculating permeability for each test in each monitoring well.

3.6.5 Results

The following subsections present brief descriptions of the packer permeability tests conducted at each well, the factors affecting the permeability calculations, and the results of the calculations.

3.6.5.1 Monitoring Well MW-07 (Transmitter Site Area)

The four packer test intervals for monitoring well MW-07 are summarized in Table 3-1. The first packer test was conducted in the deepest zone following the discrete-interval sampling, and then packer testing continued in the remaining intervals, moving upward in the well. The water-level elevation measured in monitoring well MW-07 at the start of each of the first three injection tests was below the static condition of the well, suggesting that recharge of the well was occurring during the performance of these three tests. The water-level increase from potential leakage/communication in the well during the injection tests and the estimated well recovery were factored into the calculations for a range of permeability for these test zones, as shown in Table 3-1. The best permeability estimates for these three zones are represented by the calculated values shaded in Table 3-1, which take into account the leakage of injected water out of the test zone and into the well and the natural recovery of the well.

An adequate packer seal was achieved for the fourth test zone in monitoring well MW-07 (15 to 25 ft bgs). The water-level rise during the test was minimal, and the water level at the start of the test was close to the static condition for the well. Therefore, the best permeability estimate for this shallow zone was a straightforward calculation using Equation 1.

The permeability calculations for the packer tests conducted in monitoring well MW-07 are summarized in Table 3-1. The calculated permeability values for the four packer test intervals in bedrock monitoring well MW-07 range from <0.001 feet per day (ft/day) to 0.134 ft/day. However, taking into consideration the observations and field measurements made during each packer test at monitoring well MW-07 as discussed previously, a better estimate of permeability for the zones tested at MW-07 ranges from 0.001 ft/day to 0.103 ft/day with an average permeability of 0.07 ft/day.

3.6.5.2 Monitoring Well MW-10 (Top of Howard Mountain)

The three packer test intervals for monitoring well MW-10 are summarized in Table 3-1. The first packer test was conducted in the deepest zone following the discrete-interval sampling, and then packer testing continued in the remaining intervals, moving upward in the well. The water-level elevation measured in monitoring well MW-10 at the start of the deepest injection test (164 to 174 ft bgs) was approximately 5 ft below the static condition of the well. During the injection test, the water level increased in the well to approximately 30 ft above static conditions. Well recovery did not contribute to the water-level rise in this well because the water level actually increased to above static conditions. The best permeability estimate for this zone is represented by the calculated value shaded in Table 3-1, which takes into account the leakage of injected water out of the test zone and into the well.

An adequate packer seal was achieved for the final two test zones in monitoring well MW-10 (130 to 140 ft bgs and 150 to 160 ft bgs). The water-level rise during the test was minimal and the water level at the start of the test was above the static condition, so an estimate of well recovery was not applicable. Therefore, the best permeability estimates for these zones were straight-forward calculations using Equation 1.

The permeability calculations for the packer tests conducted in monitoring well MW-10 are summarized in Table 3-1. The calculated permeability values for the three packer test intervals in bedrock monitoring well MW-10 range from 0.057 ft/day to 0.528 ft/day. Taking into consideration the observations and field measurements made during each packer test at monitoring well MW-10 as discussed previously, does not change this range. The average permeability for the three zones tested in this well is 0.286 ft/day.

3.6.5.3 Monitoring Well MW-11 (Base of Howard Mountain)

The four packer test intervals for monitoring well MW-11 are summarized in Table 3-1. The first packer test was conducted in the deepest zone following the discrete-interval sampling, and then packer testing continued in the remaining intervals, moving upward in the well. The water-level elevation measured in monitoring well MW-11 at the start of each of the first two injection tests was below the static condition of the well. The increase in water level in the well from potential leakage/communication in the well during these two injection tests and the estimated well recovery were factored into the calculations for a range of permeability for these test zones, as shown in Table 3-1. By the third injection test, the water-level elevation in the well had risen above the static condition of the well. Therefore, the increase in water-level elevation measured during this third injection test was solely attributable to leakage around the packer assembly, whether by hydraulic communication of fractures, or poor sealing of the packers due to the rough sides of the borehole. The best permeability estimates for these three zones are represented by the calculated values shaded in Table 3-1, which take into account the leakage of injected water out of the test zone and into the well, and the natural recovery of the well (where applicable).

An adequate packer seal was achieved for the final test zone in monitoring well MW-11 (97 to 107 ft bgs). The water-level rise during the test was minimal, and the water level at the start of the test was close to the static condition for the well. Therefore, the best permeability estimate for this shallow zone is a straight calculation using Equation 1.

The permeability calculations for the packer tests conducted in monitoring well MW-11 are summarized in Table 3-1. The calculated permeability values for the four packer test intervals in bedrock monitoring well MW-11 range from <0.001 ft/day to 0.516 ft/day. However, taking into consideration the observations and field measurements made during each packer test at monitoring well MW-11 as discussed previously, a better estimate of permeability for the zones tested at MW-11 ranges from 0.008 ft/day to 0.418 ft/day with an average permeability of 0.187 ft/day.

3.6.5.4 Monitoring Well MW-12 (Base of Howard Mountain)

The four packer test intervals for monitoring well MW-12 are summarized in Table 3-1. The first packer test was conducted in the deepest zone following the discrete-interval sampling, and then packer testing continued in the remaining intervals, moving upward in the well. The water-level elevation measured in monitoring well MW-12 at the start of all four injection tests was below the static condition of the well. The water-level increase in the well from potential leakage/communication in the well during the injection tests and the estimated well recovery were factored into the calculations for a range of permeability for these test zones, as shown in Table 3-1. The best permeability estimates for these four zones are represented by the calculated values shaded in Table 3-1, which take into account the leakage of injected water out of the test zone and into the well, and the natural recovery of the well.

The permeability calculations for the packer tests conducted in monitoring well MW-12 are summarized in Table 3-1. The calculated permeability values for the four packer test intervals in bedrock monitoring well MW-12 range from <0.001 ft/day to 0.272 ft/day. However, taking into consideration the observations and field measurements made during each packer test at monitoring well MW-12 as discussed previously, a better estimate of permeability for the zones tested at MW-12 ranges from 0.005 ft/day to 0.09 ft/day, with an average permeability of 0.065 ft/day.

3.6.5.5 Monitoring Well MW-14 (Base of Miller Mountain)

The four packer test intervals for monitoring well MW-14 are summarized in Table 3-1. The first packer test was conducted in the deepest zone following the discrete-interval sampling, and then packer testing continued in the remaining intervals, moving upward in the well. An adequate packer seal was achieved during all four injection tests in monitoring well MW-14. The water-level rise during the test was minimal, and the water level at the start of the each test was close to the static condition for the well. Therefore, the best permeability estimates for these zones were straightforward calculations using Equation 1.

The permeability calculations for the packer tests conducted in monitoring well MW-14 are summarized in Table 3-1. The calculated permeability values for the four packer test intervals in

bedrock monitoring well MW-14 range from 0.058 ft/day to 0.102 ft/day with an average permeability of 0.084 ft/day.

The overall range of permeability at the site, the relationship of permeability to rock type, and the implications on groundwater flow conditions at the site are discussed in Subsection 3.7 (Hydrogeology).

3.7 HYDROGEOLOGY

The discussion presented in this subsection is based on a combination of site-specific data and general hydrogeological principles that have been applied to site conditions. All fresh water available for use in the Bucks Harbor area comes from precipitation within the drainage basins or streams flowing through the area. Groundwater levels typically reach their lowest point during August as a result of the low rainfall and high evapotranspiration rates (USGS, 2004). In October rainfall increases, evapotranspiration rates decline as trees and plants go dormant for the winter, stream flow increases, and groundwater levels rise. In December, despite a high rate of precipitation, groundwater levels generally decline because much of the December precipitation may be stored as snow or the ground may be frozen, thus inhibiting recharge. Groundwater levels increase in late February and early March, when water from snowmelt combines with increased precipitation and percolates into the ground, recharging the body of groundwater. Groundwater levels typically reach their seasonal high in mid to late April, but the timing can vary based on the severity of the winter season and on the amount of snowfall. During the late spring, as a result of the onset of the growing season and increased evapotranspiration, groundwater levels and stream flow begin to decline. This decline in groundwater levels and stream flow persists throughout the summer months until the cycle begins again (Prescott, 1974).

3.7.1 Overburden

As discussed in Subsection 3.4.1, overburden deposits at the site are generally thin (less than 10 ft), and in fact are absent in many areas of the site. A thin veneer of dense, low permeability glacial till blankets the upland areas, while thicker deposits of glacio-fluvial and glacio-marine materials are found in the lowland areas. Even when present, the overburden is unsaturated in many areas of the site, including the tops of Miller and Howard Mountains and

the Transmitter site. However, perched groundwater may be present in these areas seasonally (early spring and late fall) as increased recharge during these periods collects on the bedrock surface. The thicker overburden deposits, such as those in the lowland areas between Howard and Miller Mountains, will contain groundwater throughout the year and can in fact yield enough water for residential use. Several shallow dug wells tap the overburden groundwater around the base of Miller and Howard Mountains.

Hydraulic conductivities in the overburden vary widely based on texture. The hydraulic conductivity of the till typically ranges from less than 0.01 ft/day to about 20 ft/day in the sandier, less dense, ablation till (ABB, 1997b). The hydraulic conductivity of sand and gravel glacio-fluvial deposits can exceed several hundred ft/day (Prescott, 1974). Glacio-marine deposits of the Presumpscot Formation are fine-grained silts and sand, with a hydraulic conductivity that is generally less than 20 ft/day. Previous studies conducted at the site have reported hydraulic conductivity values in the various overburden deposits ranging from 1.5 ft/day in till deposits on Howard Mountain to 86 ft/day in sandy glacio-fluvial deposits in the vicinity of the Housing Area, based on slug tests conducted on groundwater monitoring wells (ABB, 1997a).

3.7.2 Bedrock

Groundwater in bedrock exists predominantly in fractures and faults in the rock (secondary porosity). The metamorphic and igneous rocks of the area hold little or no water within their matrix (primary porosity). Thus, groundwater occurrence and movement are primarily controlled by gradient and structural patterns in the bedrock. As indicated previously, the predominant trend of fractures and faults in the region is northwest-southeast, perpendicular to strike (Gates, 1981; ABB, 1997a). A second, lesser set of fractures and faults parallels the regional strike, trending northeast-southwest. Groundwater moving through the bedrock is limited to flow within these faults and fracture sets, and thus, often follows a tortuous, zig-zagging route in response to regional hydraulic gradients. An important factor is the spacing between hydraulically active fractures. The closer the spacing between hydraulically active fractures, the more the system will behave like a porous media system, especially at larger scales.

Faults tend to be larger than fractures and more regional. They often extend to great depths and can yield significant amounts of water due to their larger extent, or can act as barriers to groundwater flow. Individual fractures are generally smaller than faults and do not extend very far laterally. In addition, the water-bearing capacity typically decreases with depth as the weight of the overlying rock tends to close the openings (Davis and DeWiest, 1966). Networks or intersections of fractures, however, can be as important as faults in determining groundwater flow, particularly on the smaller scale associated with a site such as the Bucks Harbor AFRTS (Davis and DeWiest, 1966). The location of site-specific fractures and faults and their impacts on groundwater flow conditions is discussed in Subsection 3.7.3.

As discussed in Subsection 3.4.2, several different rock types are present in the Bucks Harbor region. The four predominant rock types and fracture characteristics, and their relationship with groundwater flow, are described in subsections that follow. The hydraulic conductivity estimates presented for each rock type were estimated based on the results of the packer permeability testing discussed in Subsection 2.10.

3.7.2.1 Red to Gray Flow-Banded Rhyolite and Vitrophyre

This unit was the most common rock type encountered and underlies most of the study area. It is typically moderately to heavily fractured, although the majority of the fractures are healed with limonite and hematite mineralization. Yields of monitoring wells completed in this unit vary from 0.5 to 5 gpm. Although softer and more fractured than the other rock types at the site, the fine-grained nature of the rock as well as its chemical composition tends to heal any fractures that are present, limiting groundwater movement to a few larger, discrete fractures that remain open. The RQD for this unit ranged from 7% at monitoring well MW-4 to 61% at monitoring well MW-8, with an overall average of 37%. The hydraulic conductivity estimates for the unit range from less than 0.01 to 0.5 ft/day, with an average of 0.17 ft/day.

3.7.2.2 Massive Green Porphyritic Gabbro

This unit was found at two locations (monitoring wells MW-12 and MW-14) in the study area. This unit contains few fractures and had an average RQD of 65%. The few fractures that were encountered, however, were generally open and water producing. Although no wells were

screened completely within the gabbro, monitoring well MW-14 was largely within this unit and had a yield of 2 gpm. Hydraulic conductivity estimates for the gabbro range from 0.06 to 0.10 ft/day, with an average value of 0.08 ft/day.

3.7.2.3 Massive Red to Gray Biotite Granodiorite

This unit was found at two locations in the vicinity of Miller Mountain (monitoring wells MW-13 and MW-14). This unit contains few fractures and had an average RQD of 48%. The few fractures that were encountered, however, were generally open and water-filled. No wells were screened completely within the granodiorite; however, the upper 40% of MW-14 was largely within this unit and had a yield of 2 gpm. The estimated hydraulic conductivity for the granodiorite is 0.09 ft/day, based on one packer-permeability result.

3.7.2.4 Aphanitic Diabase Dike

This unit was encountered only from 75 to 120 ft (bottom of boring) at monitoring well MW-9. No core was obtained from this borehole; therefore, all characteristics are based on observations made during drilling and downhole geophysics. The unit has been identified as diabase, as opposed to a more coarse-grained gabbro, based on field observations of cuttings during drilling. The borehole appeared very smooth and no water-filled fractures were identified by the downhole geophysics or during drilling. No packer permeability tests were performed on this boring. This unit is interpreted to be massive, with no significant open fractures and very low permeability.

3.7.2.5 Assessment of Bedrock Lithology

The flow-banded rhyolite and vitrophyre is the most widespread of the four predominant rock types and has the highest hydraulic conductivity. Although the gabbro and granodiorite units do not contain as many fractures as the rhyolite, the number and frequency of open, water-filled fractures is similar for all three units. Although the average hydraulic conductivity of the rhyolite is twice that of the gabbro and granodiorite, this variation is not considered significant given the limited number of permeability tests conducted. It is more likely that the similar hydrological properties of these three rock types allow them to behave as a single hydrostratigraphic unit. The

extremely massive nature of the diabase dike unit suggests it could act as an aquitard, limiting groundwater flow. However, the limited extent of the diabase dike would tend to limit any impact it may have on the overall groundwater flow system within the study area. Large open, low-angle fractures were typically found at or near the contacts between the various units suggesting that the contacts may represent an important groundwater flow pathway, connecting the various linear features. Low-angle to horizontal water-filled fractures were noted in several boreholes just below the well casing. A number of these fractures were interpreted to yield measurable volumes of water, based on the results of the HPFM logging. These fractures may represent unloading features resulting from the removal of the glacial ice sheets and could also tend to transmit water between adjacent linear features.

Finally, the Miller Mountain area is hydrogeologically separate from that of the Howard Mountain area. The geological distinctiveness of the two areas is an important feature that should be noted. The predominant bedrock lithology, nature of fracturing, permeability, estimated hydraulic conductivity, and biological degradation rates are distinctly different between the two areas; therefore, the nature and extent of contamination are different as well and should be taken into consideration when planning future remedial alternatives.

3.7.3 Groundwater Flow

Groundwater movement is governed by hydraulic gradients; groundwater moves from areas of higher hydraulic head to areas of lower hydraulic head. Groundwater flow patterns are determined by the subsurface materials through which the groundwater flows (Freeze and Cherry, 1979). As stated previously, groundwater flow in bedrock is restricted to fractures, and thus, the groundwater will move in a tortuous zig-zag pattern following fractures as it moves downgradient. Groundwater in overburden deposits has no such restriction, but will tend to seek the path of least resistance, flowing predominantly in the more permeable deposits (Freeze and Cherry, 1979).

In addition to moving horizontally, groundwater will also move vertically. The overall groundwater flow direction is a combination of the horizontal and vertical flow vectors. In upland areas, such as near the tops of hills, groundwater will tend to move downward as it moves laterally, recharging the deeper zones. In lowland areas such as adjacent to streams or coastal

areas, groundwater will tend to move upward as it moves laterally, discharging to surface water bodies, where it can then easily flow to regional discharge points (Fetter, 1994).

A synoptic round of groundwater elevation measurements was conducted in June 2003, and the resulting data form the basis for the interpretation of groundwater flow included in this subsection. The groundwater level data are presented in Table 3-2. Table 3-3 summarizes the calculation of vertical gradients.

3.7.3.1 Overburden

Observations of subsurface conditions during drilling suggest that overburden groundwater flow in upland areas such as the tops of Howard and Miller Mountains or the Transmitter site is discontinuous and/or seasonal due to the limited thickness of the till in these areas (generally less than 10 ft). In these areas, groundwater, when present, will tend to perch on the bedrock surface and move laterally along it in a downslope direction. Downward vertical gradients will tend to move groundwater from the till into the underlying bedrock via hydraulically active fractures that intersect the soil-bedrock interface. Thus, overburden groundwater flow directions in the upland areas will closely mimic surface topography. In areas where the bedrock surface intersects the ground surface, seeps will tend to form. Several such seeps were observed in the wooded areas south and east of the Transmitter site.

In the lowland areas adjacent to Miller and Howard Mountains, where the overburden deposits are thicker and more permeable, the overburden groundwater system is likely more developed. Groundwater in these areas is typically found within 5 ft of the ground surface and exists under unconfined conditions. There are insufficient overburden monitoring wells in the study area to allow an overburden groundwater contour map to be constructed or a detailed analysis of overburden flow patterns to be made. Based on basic hydrogeological principles, lateral groundwater flow is interpreted to be from the higher elevations on the flanks of the various hills (recharge areas) toward the various wetlands and small streams that serve as local groundwater discharge areas. Vertical gradients within the overburden are expected to be downward closer to the upland areas, switching to upward in the vicinity of the wetland areas and streams. Overburden in the lowland areas will also receive groundwater from the bedrock in response to upward vertical gradients between the overburden and bedrock in these areas. Groundwater flow

will tend to be faster within the coarser sand and gravel glacio-fluvial deposits and slower within the glacio-marine deposits (Presumpscot Formation). The presence of the low-permeability glacio-marine deposits may tend to restrict vertical movement of groundwater between the bedrock and shallower glacio-fluvial deposits.

3.7.3.2 Bedrock

Within the bedrock, groundwater will move along the various fractures in a generally downgradient direction. As discussed in the previous subsection, there appears to be little difference in the hydraulic properties of the three predominant bedrock units identified within the study area (gabbro, granodiorite, and the rhyolite). The diabase dike unit is presumed to have minor impacts on groundwater flow patterns at the site due to its limited extent within the study area.

Thus, the predominant factor in determining groundwater flow directions in bedrock at the site is the presence and orientation of hydraulically active fractures. Analysis of the bedrock cores, downhole geophysics logs, and permeability test results has indicated that all of the monitoring wells drilled at the site intersected several (generally, three to four) hydraulically active fractures. In general, more hydraulically active fractures were observed closer to the ground surface and that the frequency of hydraulically active fractures decreased with depth. Thus, the shallower bedrock is believed to be more hydraulically active than the deeper bedrock. Summaries of the hydraulically active fractures observed in the monitoring wells and residential drinking water wells during the borehole geophysics program versus elevation above mean sea level are presented in Figures 3-5 and 3-6, respectively.

With the exception of the test well, none of the hydraulically active fractures encountered by the monitoring well borings were considered large or extensive features, even though the wells were drilled along suspected linear features. Specific fractures could not be reliably correlated between boreholes, based on orientation. In general, the majority of the observed hydraulically active fractures were found to strike northeast-southwest or northwest-southeast, paralleling the predominant regional structural trends in the bedrock as identified during previous studies in the area (Gates, 1981; ABB, 1995b).

Based on these observations, the conceptual model of the bedrock zone is that the observed linear features represent discrete fractured zones composed of numerous smaller fractures, rather than a single large traceable fracture. Groundwater moves along the planar features within the various smaller fractures, and moves between the linear features along low-angle or near horizontal fractures associated with lithologic contacts or shallow glacial unloading structures and where the planar features intersect.

In an effort to evaluate the general pattern of groundwater movement in the vicinity of the site, groundwater elevations for monitoring wells calculated from the synoptic water-level measurements were plotted on the Site Plan. The limited number of monitoring points in the vicinity of the GATR site restricted interpretation of groundwater flow patterns to the vicinity of the former AFRTS. With the exception of well MW-10, only groundwater elevations from wells screened in the shallow bedrock were used. Groundwater elevations in the deep bedrock were highly variable due to the strong vertical component of flow at depth, and so were not plotted and contoured. The groundwater elevations were contoured and the resulting Shallow Bedrock Groundwater Contour Map is presented in Figure 3-7. Figure 3-7 indicates that a groundwater divide exists near the Transmitter site, with groundwater west of the site flowing to the west, and groundwater east of the site flowing toward Howard Mountain. In the vicinity of Howard Mountain, the flow becomes more radial, discharging to Howard Cove and the small, unnamed stream just to the north. This general flow pattern is consistent with the migration of VOCs in groundwater at the site.

Groundwater elevation data from paired monitoring wells were used to assess general patterns of vertical groundwater movement within the bedrock. Table 3-3 summarizes the vertical gradient calculations. Three well pairs were used in this analysis: MW-5/TSMW-002 at the Transmitter site, MW-13/GAMW-001 at the GATR site, and MW-9/STMW-001 at the base of Howard Mountain. Strong downward gradients were measured at monitoring wells MW-5/TSMW-002 and MW-13/GAMW-001, which are both located on the tops of mountains (Transmitter site and Miller Mountain, respectively). A strong upward gradient was measured at monitoring well MW-9/STMW-001, which is located in a lowland area south of Howard Mountain. These observations support the interpreted general groundwater flow pattern of downward movement in upland (recharge) areas and upward movement in lowland

(discharge) areas. Vertical groundwater movement is depicted in the hydrogeologic cross-sections in Figures 3-2 through 3-4.

3.8 DEMOGRAPHY AND LAND USE

Machiasport is a small coastal town (approximately 21 square miles) in Downeast Maine that includes the communities of Larrabee, Bucks Harbor, and Starboard Cove. The land use within Machiasport is predominantly rural residential with a few commercial operations. The community and its nearby towns rely on the fishing/lobster industry, tourism, and blueberry harvest for economic growth. All homes and commercial facilities are served by private wells. Most of these wells are drilled bedrock wells completed in the fractured bedrock aquifer that underlies the entire area (Prescott, 1974).

Bucks Harbor, in the Town of Machiasport, is a small coastal community with several dozen homes, two commercial facilities owned by Atlantic Salmon, Inc., and the former Bucks Harbor AFRTS and GATR sites. As previously discussed in Section 1, the former radar operations facility was transferred to the FAA for use in tracking commercial air traffic, and the former Cantonment Area was transferred to the State of Maine DCF for use as a minimum-security prison. The former Housing Area and the Transmitter site were also transferred to the State of Maine and are used by the DCF. Inmates and DCF employees currently use the Transmitter site as a carpentry shop. The Receiver site was sold to a private party and is currently used as a residence. In 1992, DOI transferred the GATR site to its current owner, the Town of Machiasport. The property is currently inactive (ABB, 1997d).

According to the 2000 U.S. Census, the population of Machiasport is 1,160 persons (DOC, 2001). Machiasport is located in Washington County, which has a land area of 2,569 square miles, and a listed 2000 U.S. Census population of just under 34,000. Approximately 93.5% of the population in Washington County is Caucasian, and 4.4% are American Indian and Alaskan Natives. Almost 23% of the population is under 18 years of age, and almost 83% is under the age of 65. Approximately 560 homes are established in Machiasport, with 315 of those being owner-occupied. The median value of an owner-occupied home is $68,700 (DOC, 2001; EPODUNK, 2003).

3.9 ECOLOGY

A forested upland habitat exists along the unnamed streambed that extends from the northwestern corner of the base of Howard Mountain toward the northeastern extent of the DCF Housing Area and into Howard Cove (Figure 1-1). The stream and surrounding habitat in the area encompasses approximately 6.5 acres and consists of several thriving species of trees, grasses, ferns, and various mosses (WESTON, 2002a).

The majority of the area was thickly wooded with a closed canopy and dominated by balsam fir (*Abies balsamea*) and eastern hemlock (*Tsuga canadensis*), with lesser numbers of red maple (*Acer rubrum*), staghorn sumac (*Rhus typhina*), northern white cedar (*Thuja occidentalis*), and paper birch (*Betula papyrifera*). Massachusetts fern (*Thelypteris simulata*), lady fern (*Athyrium asplenioides*), speckled alder (*Alnus rugosa*), broadleaf spirea (*Spiraea latifolia*), and various grasses were also present in the herbaceous layer. No wildlife were observed in this habitat; however, evidence of white-tailed deer (*Odocoileus virginianus*) was found in the way of tracks, trails, and scat. Woodcuttings and a small beaver dam were also found, which is evidence that beavers (*Castor canadensis*) use this habitat area. The black-capped chickadee (*Parus atricapillus*), great blue heron (*Ardea herodias*), osprey (*Pandion haliaetus*), and Philadelphia vireo (*Vireo philadelphicus*) were also observed during site visits to the area.

No macroinvertebrates were observed in the stream; however, evidence of some macroinvertebrates was found with the presence of caddis fly larval casings found on the bottom of many rocks on the streambed. Additional information regarding specific areas where the various wildlife and fauna were observed is included in the ecological risk assessment, which is presented in Section 7 of this report.

3.10 SITE CONCEPTUAL MODEL

The conceptual hydrogeological model for the site represents how the hydrological cycle interacts with the local geology, describing the presumed migration of water through the system. It begins with precipitation falling on the landscape and ends with that same water eventually discharging to the ocean, where it will evaporate and fall again as precipitation, thereby perpetuating the cycle (Anderson and Woessner, 1992).

As indicated in previous subsections, the average rainfall for the region is approximately 49 inches. This water falls more or less evenly over the landscape. Some of the precipitation will run off directly into surface water bodies (approximately 16 inches), particularly if the land surface is steeply sloping (as on the east side of Howard Mountain), or if the ground surface is covered by asphalt or concrete (Prescott, 1974). Water that does not run off will soak into the ground and replenish soil moisture levels. Soil moisture is available for use by plants and trees, which then release water to the atmosphere by transpiration. Soil moisture near the ground surface is lost directly to the atmosphere by evaporation. Evaporation and transpiration (evapotranspiration) account for about 20 inches of water annually. The remaining 13 inches of water continues to move vertically downward through the unsaturated zone, making its way past the root zone and eventually reaching the groundwater table (saturated zone) (Prescott, 1974).

Groundwater flows from areas of higher hydraulic head to areas of lower hydraulic head, and is controlled by the subsurface materials through which the groundwater flows. Upland areas in the vicinity of Bucks Harbor are underlain by a thin, discontinuous layer (less than 10 ft) of low permeability till. Precipitation that moves past the root zone will continue to move downward until it reaches either a saturated zone within the till or the bedrock surface. In areas where the till is unsaturated, the infiltrating water will move along the surface of the bedrock, creating a seasonal perched groundwater zone. Water in the perched zone will move downward into the bedrock in areas where fractures reach the bedrock surface. In areas were there is a sufficient thickness of till to maintain a saturated zone, groundwater will tend to move very slowly, paralleling the surface drainage. In addition to moving horizontally, groundwater will also move vertically. In upland areas, groundwater will tend to move vertically downward, recharging the underlying bedrock. In lowland areas, such as adjacent to streams or coastal areas, groundwater will tend to move upward, both from the bedrock into the overburden and also within the overburden itself, eventually discharging to various surface water bodies.

Groundwater movement in bedrock is restricted to open fractures, and thus, the groundwater will move in a tortuous zig-zag pattern following these fractures as it moves downgradient in response to local hydraulic head distributions. The local hydraulic head distributions in fractured bedrock systems can be significantly altered by the withdrawal of groundwater as from the

operation of water supply wells. This is especially true in areas such as Bucks Harbor where there is no municipal water supply and residents each have their own well. In addition to altering the local hydraulic head distributions (and therefore, the groundwater flow patterns) within the bedrock, pumping of bedrock wells can increase the groundwater velocity through nearby fractures.

In the Bucks Harbor area, precipitation that reaches the water table in upland areas such as the Transmitter site, the GATR site, and Howard Mountain will move vertically downward, through the thin till deposits and into the deeper bedrock fractures. Once in the bedrock it will move along the fractures toward the coastline. Two fracture orientations predominate within the study area, i.e., northwest-southeast and northeast-southwest (Gates, 1981; ABB, 1997a; USGS, 2003). Thus, groundwater in bedrock will tend to move along fractures oriented in these directions, working its way toward the coastline. In the case of Howard Mountain, groundwater in the bedrock moves to the southeast, eventually moving upward and discharging into Howard Cove. Bedrock groundwater at the GATR site also moves in a southeastern direction, discharging into Bucks Harbor. Bedrock groundwater originating beneath the Transmitter site splits, with some flow to the east toward Howard Mountain and eventually Howard Cove, and some flows to the west where it discharges to Little Kennebec Bay.

As groundwater in the bedrock moves closer to the coastline or other lowland areas (such as those adjacent to streams or rivers), it will begin to move upward until it re-enters the overburden. Once in the overburden, the groundwater will move toward nearby surface water bodies where it will discharge via seeps and springs, eventually making its way to the Atlantic Ocean. As the fresh water within the bedrock and overburden moves towards the coastline, it will encounter the saline waters of the ocean. Under ambient conditions, the fresh water will tend to diffuse into the saline waters at a rate that is equal to the recharge rate of the groundwater basin (Fetter, 1994). Pumping of fresh groundwater can induce the freshwater/saline water boundary to move inland and upward to the point that saline water is drawn into the pumping well (salt water intrusion). Fractured bedrock aquifers are particularly susceptible to salt water intrusion because of their limited storage capacity.

The presence of saline water was inferred from borehole geophysical logs and specific conductivity measurements of well water samples in monitoring well MW-11, residential wells

DW-1 and DW-4, and public water supply well WY-3. Of these, only supply well WY-3 has been reported to have historical problems with saltwater intrusion. In three of the four wells (DW-1, DW-4, and WY-3) the saline water was interpreted to be entering the well at the deepest observed hydraulically active fracture, suggesting that these wells were drilled to within a few feet of the bottom of the freshwater lens. Monitoring well MW-11, however, was observed to have saline water entering along a pair of hydraulically active fractures that were much higher in the borehole, suggesting that these fractures are in direct hydraulic communication with the saline waters of Howard Cove. It should be noted that three of the four wells (excepting MW-11) are located within the interpreted boundary of the FAA plume, and are along the major northwest-southeast trending fault that forms the western face of Howard Mountain. Thus, evaluations of any remedial alternatives that require extraction of groundwater will have to take into account the potential for saltwater intrusion. While fault zones such as the one at the base of Howard Mountain may be 10s to 100s of feet wide, these wells may be located within a single "zone" rather than a single narrow feature.

Finally, the GATR site area is hydrogeologically separate from that of the Howard Mountain area. The geological distinctiveness of the two bedrock aquifers is an important feature of the area that should be noted. The predominant bedrock lithology, nature of fracturing, permeability, estimated hydraulic conductivity, and biological degradation rates are distinctly different between the two areas; therefore, the nature and extent of contamination are different as well and should be taken into consideration when planning future remedial alternatives.

SECTION 3

TABLES

Table 3-1

August 2003 Packer Permeability Results
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Monitor Well Location ID	Test Interval (ft bgs)	Rock Type[1]	Flow Rate Factors (Q)			Total Head (H) (feet)	Test Zone Length (L) (feet)	Borehole Radius (r) (feet)	Permeability (k)			Calculated Permeability (k) or Range (feet/day)
			Injected Volume (Q_i) (ft^3/day)	Estimated Well Recovery Factor (Q_r) (ft^3/day)	Leakage Factor (Q_L) (ft^3/day)				No Leakage or Well Recovery (feet/day)	Adjusted for Leakage Only (feet/day)	Adjusted for Leakage and Well Recovery (feet/day)	
MW-07	15-25	Rhyolite	52.2	Negligible	Negligible	34.14	10.2	0.18	0.096	---	---	0.096
	44-54	Rhyolite	105.9	144.4	169.1	49.85	10.2	0.18	0.134	< 0.001	0.103	< 0.001 - 0.134
	75-85	Rhyolite	26.4	96.2	122.2	49.81	10.2	0.18	0.033	< 0.001	0.001	< 0.001 - 0.033
	115-125	Rhyolite	83.4	48.1	77.7	42.17	10.2	0.18	0.125	0.009	0.080	0.009 - 0.125
MW-10	130-140	Rhyolite	123.2	None, above static	Negligible	136.89	10.2	0.17	0.057	---	---	0.057
	150-160	Rhyolite	1145.5	None, above static	Negligible	138.64	10.2	0.17	0.528	---	---	0.528
	164-174	Rhyolite	995.3	Negligible	437.7	130.61	10.2	0.17	0.487	0.273	---	0.273 - 0.487
MW-11	97-107	Rhyolite	317.6	Negligible	Negligible	77.43	10.2	0.26	0.235	---	---	0.235
	147-157	Rhyolite	552.5	None, above static	393.1	60.71	10.2	0.27	0.516	0.149	---	0.149 - 0.516
	157-167	Rhyolite	635.3	288.8	468.6	72.28	10.2	0.27	0.498	0.131	0.357	0.498 - 0.131
	183-193	Rhyolite	810.5	48.1	842.8	105.56	10.2	0.27	0.435	< 0.001	0.008	< 0.001 - 0.435
MW-12	40-55	Rhyolite	96.3	48.1	84.3	37.83	10.7	0.26	0.141	0.018	0.088	0.018 - 0.141
	83-98	Rhyolite	229.1	96.2	249.1	46.59	10.7	0.26	0.272	< 0.001	0.090	< 0.001 - 0.272
	161-176	Rhyolite/ Gabbro	190.6	96.2	196.5	64.66	10.7	0.26	0.163	< 0.001	0.077	< 0.001 - 0.163
	207-222	Rhyolite	5.4	96.2	96.1	60.22	10.7	0.26	0.005	< 0.001	0.005	< 0.001 - 0.005
MW-14	38-48	Granodiorite	62.6	Negligible	Negligible	42.58	10.2	0.17	0.094	---	---	0.094
	50-60	Granodiorite/ Gabbro	77.1	Negligible	Negligible	48.19	10.2	0.17	0.102	---	---	0.102
	63-73	Gabbro	96.3	Negligible	Negligible	74.86	10.2	0.17	0.082	---	---	0.082
	73-83	Gabbro	50.5	Negligible	Negligible	55.85	10.2	0.17	0.058	---	---	0.058

Notes:

1. Refer to well construction logs for a more detailed description of these rock types.

2. Shading indicates "best" estimate of permeabilty for the test based on field observations and measurements.
   ft/bgs = feet below ground surface
   ft^3/day = cubic feet per day

Table 3-2

Comprehensive Groundwater Elevations in Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Wells ID	MP	MP Elevation	Aug-96		Dec-00		Aug-01		Jun-03	
			DTW	GW-Elev	DTW	GW-Elev	DTW	GW-Elev	DTW	GW-Elev
BPMW-001	TIC	181.76	3.30	178.46	NM	NM	3.95	177.81	2.20	179.56
FAMW-001	TIC	157.31	4.70	152.61	NM	NM	5.05	152.26	5.66	151.65
FAMW-002	TIC	166.38	9.57	156.81	NM	NM	9.98	156.40	7.35	159.03
GAMW-001	TIC	253.04	11.17	241.87	NM	NM	14.12	238.92	7.85	245.19
GTMW-001	TOC (PVC)	180.30	7.15	173.15	NM	NM	6.71	173.59	5.70	174.60
MW-1	TIC	222.13	1.90	220.23	4.18	217.95	7.40	214.73	3.88	218.25
MW-10	TOC	246.94	NM	NM	NM	NM	NM	NM	124.10	122.84
MW-101	TIC	43.56	4.84	38.72	NM	NM	5.75	37.81	4.80	38.76
MW-102	TIC	53.26	18.11	35.15	NM	NM	18.28	34.98	17.67	35.59
MW-103	TIC	41.81	12.81	29.00	NM	NM	13.94	27.87	12.00	29.81
MW-105	TIC	40.86	15.67	25.19	NM	NM	16.05	24.81	12.61	28.25
MW-11	TOC	59.02	NM	NM	NM	NM	NM	NM	55.90	3.12
MW-12	TOC	45.45	NM	NM	NM	NM	NM	NM	1.85	43.60
MW-13	TOC	254.74	NM	NM	NM	NM	NM	NM	28.80	225.94
MW-14	TOC	79.47	NM	NM	NM	NM	NM	NM	21.50	57.97
MW-140	TIC	39.40	11.38	28.02	NM	NM	12.22	27.18	10.19	29.21
MW-2	TIC	211.78	2.65	209.13	4.96	206.82	6.80	204.98	4.95	206.83
MW-3	TIC	221.96	8.01	213.95	7.77	214.19	12.20	209.76	7.55	214.41
MW-4	TOC	218.43	NM	NM	NM	NM	NM	NM	6.45	211.98
MW-5	TOC	224.99	NM	NM	NM	NM	NM	NM	9.60	215.39
MW-6	TOC	224.59	NM	NM	NM	NM	NM	NM	7.95	216.64
MW-7	TOC	208.87	NM	NM	NM	NM	NM	NM	2.97	205.90
MW-8	TOC	165.99	NM	NM	NM	NM	NM	NM	7.60	158.39
MW-9	TOC	198.47	NM	NM	NM	NM	NM	NM	9.80	188.67
STMW-001	TIC	199.33	34.10	165.23	NM	NM	34.76	164.57	31.00	168.33
STMW-002	TOC	148.81	14.10	134.71	NM	NM	14.47	134.34	10.90	137.91
STMW-003	TIC	123.12	12.73	110.39	NM	NM	12.13	110.99	11.42	111.70
STMW-004	TIC	37.88	35.69	2.19	NM	NM	36.11	1.77	35.35	2.53
STMW-005	TIC	196.91	14.21	182.70	NM	NM	16.49	180.42	9.38	187.53
STMW-006	TIC	137.79	5.78	132.01	NM	NM	6.82	130.97	4.58	133.21
TSMW-001	TIC	236.49	10.82	225.67	11.93	224.56	14.60	221.89	11.95	224.54
TSMW-002	TIC	225.12	3.23	221.89	5.25	219.87	7.55	217.57	5.70	219.42
TSMW-003	TIC	231.42	11.08	220.34	13.49	217.93	15.75	215.67	13.40	218.02
TW-1	TOC	62.93	NM	NM	NM	NM	NM	NM	4.70	58.23

Notes:

DTW: Depth to Water

GW: ground water

MP: Measuring Point

NM: not measured

TIC: Top Inner Casing

TOC: Top Outer Casing

Table 3-3


June 2003 Vertical Hydraulic Gradients
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Monitor Well ID	Unit Screened	Screen Depth (feet bgs)	Screen Midpoint	Difference in Screen Elevation (feet)	Change in Groundwater Elevation (feet)	Magnitude of Vertical Gradient (feet/feet)	Direction of Vertical Gradient
Well Couplets							
TSMW-002	Hybrid	3-13	8.0	45.2	4.03	0.089	Down
MW-5	Bedrock	100 (open hole)	53.2				
GAMW-001	Hybrid	5-15	6.0	116.6	19.25	0.165	Down
MW-13	Bedrock	hole)	122.6				
STMW-001	Bedrock	25-45	28.7	34.8	20.34	0.584	UP
MW-9	Bedrock	120 (open hole)	63.5				
Wells within 50 feet							
MW-3	Hybrid	5-15	5.0	46.5	2.43	0.052	Down
MW-4	Bedrock	100 (open hole)	51.5				

Notes:
bgs - below ground surface
Equivalent screen midpoint for open hole monitoring wells is the midpoint of the saturated zone of the well.
* - Sceen Midpoint in this case is equivalent to the water level surface (estimated below ground surface) because it resides in the screened interval.

SECTION 3

FIGURES



LEGEND

- BUILDING
- MARSH
- ROAD
- 20 ELEVATION CONTOUR (FT)
- STREAM
- EDGE OF WATER
- MW–11 MONITORING WELL LOCATION
- DW–13 RESIDENTIAL OVERBURDEN WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW–7 RESIDENTIAL BED ROCK WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW–28 RESIDENTIAL WATER SUPPLY WELL OF UNKNOWN CONSTRUCTION CURRENTLY INCLUDED IN MONITORING PROGRAM
- TW–1 Δ TEST WELL LOCATION
- SW/SED–1 SURFACE WATER/SEDIMENT SAMPLING LOCATION

MAP SOURCE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315–3864.

GRAPHIC SCALE
600 300 0 300 600
APPROXIMATE SCALE IN FEET

NO.	DATE	APPR.	REVISION

NO.	DATE	APPR.	REVISION

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE


CHECKED	DATE	CLIENT APPRDVALS	DATE
DES. ENG.			
PROJ. ENG.			
PROJ. MGR.			
APPROVED			
APPROVED		ISSUED FOR	DATE

DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS


LOCATIONS OF GEOLOGIC CROSS–SECTIONS

DRAWN AJM	DATE MAR 2005	FIGURE NO. 3–1	REV. NO.
SCALE AS SHOWN	W.O. NO. 10971 217 002	SHT. ____ OF ____	

M:\Design\DWG\ACOE\BUCKS\2003\Geologic Cross-Section Transects.dwg, FIG3-1, 3/14/2005 2:16:41 PM, girardeb, 1:2



CROSS SECTION A–A'



CROSS SECTION B–B'

NOTES:

1. TOPOGRAPHY IS FROM A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315–3864.
2. THE GEOLOGY IS FROM GATES, 1981.
3. THE ELEVATIONS ARE FEET ABOVE MEAN SEA LEVEL.
4. THE CONTACTS ARE DASHED WHERE INFERRED.
5. THERE IS NO VERTICAL EXAGGERATION FOR CROSS SECTIONS A–A' AND B–B'.

LEGEND

- GROUNDWATER POTENTIOMETRIC SURFACE.
- t — GLACIAL TILL, COMPRISED OF HETEROGENEOUS MIXTURE OF SAND, SILT, CLAY, AND GRAVEL.
- g — GLACIOFLUVIAL DEPOSITS OF WELL–ROUNDED SAND AND GRAVEL WITH SOME SILT.
- m — CLAYEY SILT WITH SAND AND MINOR AMOUNTS OF GRAVEL (PRESUMPSCOT FORMATION)
- d — DIABASE AND GABBRO DIKES, SILLS, AND IRREGULAR SMALL PLUTONS.
- Devi — FLOW BANDED RHYOLITE, VITROPHYRE, AND AUTOBRECCIA.
- Des — SHALE, SILTSTONE, AND FINE–GRAINED BEDDED TUFFS.
- [3400] — AUGUST 2003 PACKER TESTING TCE CONCENTRATION (PPB)
- 3400 — JUNE 2003 GROUNWATER MONITORING ROUND TCE CONCENTRATION (PPB)
- ESTIMATED DIRECTION OF REGIONAL GROUNDWATER GRADIENT
- INDICATES DIRECTION OF GROUNDWATER FLOW IN BOREHOLE BASED ON HPFM DATA.

GRAPHIC SCALE
80 40 0 40 80
APPROXIMATE SCALE IN FEET

NO.	DATE	APPR.	REVISION

NO.	DATE	APPR.	REVISION

FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE


CHECKED	DATE	CLIENT APPROVALS	DATE
DES. ENG.			
PROJ. ENG.			
PROJ. MGR.			
APPROVED			
APPROVED		ISSUED FOR	DATE

DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS


CROSS SECTIONS A–A' & B–B'

DRAWN	DATE	FIGURE NO.	REV. NO.
BEG	MAR 2005	3–2	
SCALE	W.O. NO.	SHT. ____ OF ____	
AS SHOWN	10971 217 002		

M:\Design\DWG\ACOE\BUCKS\2003\cross section ab.dwg, cross-sections ab, 3/14/2005 1:40:50 PM, girardeb, 1:2



CROSS SECTION C–C'



CROSS SECTION D–D'

NOTES:

1. TOPOGRAPHY IS FROM A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315–3864.
2. THE GEOLOGY IS FROM GATES, 1981.
3. THE ELEVATIONS ARE FEET ABOVE MEAN SEA LEVEL.
4. THE CONTACTS ARE DASHED WHERE INFERRED.
5. VERTICAL EXAGGERATION IS 2X FOR CROSS SECTIONS C–C' AND D–D'.

LEGEND

- GROUNDWATER POTENTIOMETRIC SURFACE.
- t — GLACIAL TILL, COMPRISED OF HETEROGENEOUS MIXTURE OF SAND, SILT, CLAY, AND GRAVEL.
- d — DIABASE AND GABBRO DIKES, SILLS, AND IRREGULAR SMALL PLUTONS.
- Dhgr — HORNBLENDE–BEARING BIOTITE GRANODIORITE AND QUARTZ MONZONITE.
- Devi — FLOW BANDED RHYOLITE, VITROPHYRE, AND AUTOBRECCIA.
- Des — SHALE, SILTSTONE, AND FINE–GRAINED BEDDED TUFFS.
- 3400 — JUNE 2003 GROUNWATER MONITORING ROUND TCE CONCENTRATION (PPB)
- ESTIMATED DIRECTION OF REGIONAL GROUNDWATER GRADIENT
- INDICATES DIRECTION OF GROUNDWATER FLOW IN BOREHOLE BASED ON HPFM DATA.

GRAPHIC SCALE
60 30 0 30 60
APPROXIMATE HORIZONTAL SCALE IN FEET
VERTICAL EXAGGERATION 2X

NO.	DATE	APPR.	REVISION

NO.	DATE	APPR.	REVISION

FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE


CHECKED	DATE	CLIENT APPROVALS	DATE
DES. ENG.			
PROJ. ENG.			
PROJ. MGR.			
APPROVED			
APPROVED		ISSUED FOR	DATE

DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

CROSS SECTION C–C' & D–D'

DRAWN	DATE	FIGURE NO.	REV. NO.
BEG	MAR 2005	3–3	
SCALE	W.O. NO.	SHT. ____ OF ____	
AS SHOWN	10971 217 002		

M:\design\DWG\ACOE\BUCKS\2003\cross section cd.dwg, cross-sections cd, 3/14/2005 10:17:06 AM, girardeb, 1:2



CROSS SECTION E–E'

NOTES:

1. TOPOGRAPHY IS FROM A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315–3864.
2. THE GEOLOGY IS FROM GATES, 1981.
3. THE ELEVATIONS ARE FEET ABOVE MEAN SEA LEVEL.
4. THE CONTACTS ARE DASHED WHERE INFERRED.
5. VERTICAL EXAGGERATION IS 5X FOR CROSS SECTION E–E'.

LEGEND

▼	GROUNDWATER POTENTIOMETRIC SURFACE.
t	GLACIAL TILL, COMPRISED OF HETEROGENEOUS MIXTURE OF SAND, SILT, CLAY, AND GRAVEL.
d	DIABASE AND GABBRO DIKES, SILLS, AND IRREGULAR SMALL PLUTONS.
Dhgr	HORNBLENDE–BEARING BIOTITE GRANODIORITE AND QUARTZ MONZONITE.
Des	SHALE, SILTSTONE, AND FINE–GRAINED BEDDED TUFFS.
3400	JUNE 2003 GROUNWATER MONITORING ROUND TCE CONCENTRATION (PPB)

ESTIMATED DIRECTION OF REGIONAL GROUNDWATER GRADIENT

INDICATES DIRECTION OF GROUNDWATER FLOW IN BOREHOLE BASED ON HPFM DATA.

GRAPHIC SCALE
100 50 0 50 100
APPROXIMATE HORIZONTAL SCALE IN FEET
VERTICAL EXAGGERATION 5X

NO.	DATE	APPR.	REVISION

NO.	DATE	APPR.	REVISION

FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE

CHECKED	DATE	CLIENT APPROVALS	DATE
DES. ENG.			
PROJ. ENG.			
PROJ. MGR.			
APPROVED			
APPROVED		ISSUED FOR	DATE


DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS


CROSS SECTION E–E'

DRAWN: BEG	DATE: MAR 2005	FIGURE NO.: 3–4	REV. NO.
SCALE: AS SHOWN	W.O. NO.: 10971 217 002	SHT. ____ OF ____	

M:\Design\DWG\ACOE\BUCKS\2003\cross section e.dwg, cross-section e, 3/14/2005 10:07:38 AM, girardeb, 1:2

Figure 3-5
Hydraulically Active Fractures vs. Elevation AMSL
Monitoring Wells





LEGEND

- BUILDING
- MARSH
- ROAD
- ELEVATION CONTOUR (FT)
- 20 STREAM
- EDGE OF WATER
- MW–11 MONITORING WELL LOCATION
- DW–13 RESIDENTIAL OVERBURDEN WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW–7 RESIDENTIAL BEDROCK WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW–28 RESIDENTIAL WATER SUPPLY WELL OF UNKNOWN CONSTRUCTION CURRENTLY INCLUDED IN MONITORING PROGRAM
- WY–3 PUBLIC BEDROCK WATER SUPPLY WELL LOCATIONS FOR DCF
- MW–1 218.25 MONITORING WELL LOCATION WITH POTENTIOMETRIC SURFACE ELEVATION (JUNE 2003)
- GROUNDWATER CONTOUR LINE (DASHED WHERE INFERRED)
- APPROXIMATE DIRECTION OF GROUNDWATER FLOW

NOTE:
ONLY GROUNDWATER ELEVATIONS FROM SHALLOW BEDROCK WELLS WERE USED TO DEVELOP POTENTIOMETRIC CONTOURS. GROUNDWATER ELEVATIONS IN THE DEEP BEDROCK WERE HIGHLY VARIABLE DUE TO THE STRONG VERTICAL COMPONENT OF FLOW AT DEPTH AND THEREFORE NOT USED.

MAP SOURCE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315–3864.

GRAPHIC SCALE
400 200 0 200 400
APPROXIMATE SCALE IN FEET

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE

DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

SHALLOW BEDROCK GROUNDWATER CONTOUR MAP
HOWARD MOUNTAIN AREA

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

DRAWN	DATE	FIGURE NO.
AJM	MAR 2005	3–7
CHECKED	W.O. NO.	
JPR	10971 217 002	

M:\Design\DWG\ACOE_BUCKS\2003\Groundwater Contour Map.dwg, FIG3-7, 3/18/2005 1:59:52 PM, girardeb, 1:1

SECTION 4

NATURE AND EXTENT OF CONTAMINATION

4. NATURE AND EXTENT OF CONTAMINATION

4.1 INTRODUCTION

This section presents the laboratory analytical results of groundwater, surface water, and sediment samples collected during the RI. The groundwater data presented in Subsection 4.2 are from the monitoring well, residential well, and test well groundwater sampling programs, as well as from discrete-zone sampling conducted during the packer permeability testing. Analytical results for groundwater samples collected from various monitoring wells during three previous sampling rounds (September 1996, August 1999, and June 2003) are also provided for comparative purposes. The data are compared to applicable federal and state criteria. Information on the laboratory analytical data packages for samples collected during the RI is presented in Appendix D.

As discussed in Subsections 2.2 and 2.3, an investigation into potential sources of groundwater contamination initially indicated that there were no "dedicated" or specific areas at the site where chlorinated solvents and/or other VOCs were disposed of. Rather, multiple releases of smaller quantities at varying locations across the site appear to have been the more common practice. As such, subsurface contamination from many parts of the site is primarily limited to saturated zones within the overburden and bedrock, which, therefore, are the focus of this section. Because of the absence or limited thickness of overburden in the vicinity of known or suspected release areas, an assessment of the nature and extent of contamination in vadose zone soils was not feasible.

However, groundwater data generated during the later phases of the RI suggest that repeated releases from the dispensing drum reportedly stored in the basement of former Building 114 may have occurred and could represent a larger and more continuous release to the subsurface. This issue is discussed in further detail in Subsections 4.2, 4.5, and 5.7 of this report.

4.2 GROUNDWATER

4.2.1 Monitoring Well Analytical Results

Laboratory analytical results from groundwater samples collected in June 2003 from 33 monitoring wells indicate that elevated concentrations of chlorinated VOCs are present at the site (see Table 4-1). Trichloroethene was detected at concentrations that exceed the 5 µg/L EPA MCL in 7 of the 33 monitoring wells tested. These concentrations range from 9 µg/L in shallow bedrock monitoring well STMW-001 to 1,880 µg/L in deep bedrock monitoring well MW-10. As discussed in Subsection 4.2.4 below, even higher concentrations of TCE were detected in samples collected from monitoring well MW-10 during packer permeability testing (3,460 µg/L). The concentrations of TCE detected at the top of Howard Mountain represent the highest levels detected in a monitoring well since groundwater sampling activities began in 1996. Trichloroethene was also detected at concentrations below the 5 µg/L EPA MCL in seven other monitoring wells.

Tetrachloroethene was detected above the 5 µg/L EPA MCL in two of the monitoring wells tested: STMW-001 (7 µg/L) and MW-10 (12 µg/L). Wells STMW-001 and MW-10 are each located in the Howard Mountain area, adjacent to former building locations 501 and 114, respectively (Figure 1-2). Tetrachloroethene was also detected in bedrock monitoring well MW-12 at an estimated concentration of 1 µg/L; however, this value is below the 5 µg/L EPA MCL.

Additional VOCs that were detected during the June 2003 groundwater sampling round include: cis-1,2-DCE, trans-1,2-dichloroethene (trans-1,2-DCE), 1,1,1-TCA, 1,1-dichloroethane 1,2,4-trichlorobenzene, 1,3-dichlorobenzene, 1,4-dichlorobenzene, chlorobenzene, toluene, and acetone. These compounds were all detected below their respective federal and state water quality criteria. Summaries of the VOCs detected in all monitoring wells to date, the natural attenuation parameters collected in June 2003, and the field water quality parameters collected in June 2003 are presented in Tables 4-1, 4-2, and 4-3, respectively.

4.2.2 Residential and Public Water Supply Well Analytical Results

The laboratory analytical results of the groundwater samples collected in March 2003 and June 2003 indicate that chlorinated VOCs are present in 19 of the 32 residential wells at the site, and the one public water supply well sampled (AEL, 2003). A summary of the VOCs detected in the residential wells in 2003 is presented in Table 4-4. A summary of the natural attenuation parameters collected from the wells is presented in Table 4-5. A graphical representation of the VOCs detected in all residential wells between January 2001 and June 2003 is included as Figure 4-1.

As with the monitoring well water quality results, TCE is the compound found at the highest concentration in residential and public water supply wells. Detected concentrations of TCE range from 65 µg/L in well DW-04 (March 2003) to 0.55 µg/L in residential well DW-33 (June 2003). Of the 19 residential wells where VOCs were detected, two residential wells had concentrations of VOCs that exceed state or federal groundwater standards (DW-03 and DW-04). Trichloroethene was found in public water supply well WY-3 at a concentration of 0.69 µg/L, well below the EPA MCL of 5 µg/L.

4.2.3 Test Well Analytical Results

No VOCs were detected in the groundwater sample collected from test well TW-01 during well development in May 2003. The analytical results of the inorganic samples collected indicated no detections of dissolved iron or manganese above the laboratory reporting limits of 0.05 milligrams per liter (mg/L) and 0.01 mg/L, respectively (AEL, 2003).

The analytical results of the groundwater sample collected during the June 2003 monitoring well sampling round indicated the presence of PCE at a concentration of 2.4 µg/L (AEL, 2003). This concentration is below the EPA MCL of 5 µg/L. No other VOCs were detected in the sample collected from test well TW-01. A summary of the VOCs detected in the test well to date and the field water quality parameters collected in June 2003 are presented in Tables 4-1 and 4-3, respectively.

The difference in VOC results at location TW-01 between the May well development sample and the June sampling event is likely due to the variation in sampling and purging methods.

During the May sampling event (well development), a 4-inch-diameter electric submersible pump was placed on the bottom of the well and used to purge the well at a high flow rate (between approximately 10 gpm and 22 gpm). The laboratory sample was collected from the discharge line at the completion of the 4-hour development period after substantial turbulence, vertical mixing of the water column, and dilution from groundwater in various fractures moving toward the well. During the June 2003 sampling event, a 2-inch diameter electric submersible pump was placed at a depth of 168 ft bgs where a high-yielding fracture was noted during drilling. The well was sampled using low-flow sampling techniques (as described in the *SAP*) (WESTON, 2002), which minimized turbulence, vertical mixing of the water column, and dilution by groundwater from nearby fractures. This allowed for the collection of a sample from a discrete interval that was more representative of water quality conditions in close proximity to the well. In addition, because the discharge rate was so much lower during the low-flow sampling, volatilization during sampling was minimized, something that could not be controlled during well development.

4.2.4 Packer Water Quality Test Results

Similar to the analytical results of samples collected during the June 2003 groundwater monitoring round, concentrations of VOCs as high as 3,460 µg/L (TCE in monitoring well MW-10) were detected during discrete-zone sampling of deep bedrock monitoring wells MW-07, MW-10, MW-11, MW-12, and MW-14 (see Table 4-6). Little variation was noted in the concentrations of VOCs detected within the various test intervals within each borehole, suggesting that a high degree of hydraulic communication exists between the fractured intervals. It is unclear whether the hydraulic communication between the test intervals is the result of numerous high-angle to near-vertical fractures providing natural pathways around the pneumatic packers, or poor sealing of the packers due to the rough sides of the borehole. A review of the borehole geophysics results and visual inspection of the bedrock cores confirms that either of these conditions could be responsible for the poor seal by the pneumatic packers in various boreholes.

The most commonly detected VOC was TCE, which was detected at concentrations between 161 µg/L and 3,460 µg/L in 11 of the 19 samples collected. All 11 of these samples were

collected from monitoring wells MW-07, MW-10, and MW-12 in the Howard Mountain area. Trichloroethene was also detected in three of the four samples collected from monitoring well MW-11, but at concentrations below the 5 µg/L MCL. There were no detections of TCE in the four samples collected from monitoring well MW-14.

Tetrachloroethene was also detected at concentrations in excess of the 5 µg/L MCL in all three samples collected from monitoring well MW-10. Tetrachloroethene and seven other VOCs (cis-1,2-DCE, trans-1,2-DCE, toluene, naphthalene, methyl ethyl ketone [MEK], styrene, and acetone) were also detected in various samples, but at concentrations below their respective groundwater standards. A summary of the VOCs detected during the packer permeability testing is presented in Table 4-6.

4.3 SURFACE WATER AND SEDIMENT

No VOCs were detected in the surface water or sediment samples collected from the four locations in the wetland area and unnamed stream northeast of the DCF Housing Area. A more comprehensive discussion of the implications of these results can be found in the ecological risk evaluation, which is presented in Section 7.

4.4 QUALITY ASSURANCE/QUALITY CONTROL RESULTS

Quality Assurance/Quality Control samples, including trip blanks, rinsate blanks, duplicate samples, and MS/MSD samples were collected during this investigation as described in previous sections of this report.

Laboratory narratives confirm that all samples were delivered to the laboratory under proper CoC procedures and were preserved properly. All samples were analyzed within the required method holding time. No VOCs were detected in either the trip blank or rinsate blank samples, confirming that sample quality was not compromised or contaminated during transport and that the field decontamination procedures were effective.

As shown in Table 4-7, the relative percent differences calculated using the VOC results for the field duplicate samples were less than 30% for aqueous samples and less than 50% for solid samples, confirming that the field sampling procedures as well as the laboratory analytical

procedures demonstrated good precision. The MS/MSD results were within established guidelines for the matrices sampled, confirming that the matrices did not interfere with the recovery of target compounds and the analyses were performed properly for specific sample matrices.

4.5 DISCUSSION

The groundwater quality data collected from the residential wells and monitoring wells at the site confirm that historical releases of chlorinated VOCs at the Transmitter site, GATR site, and the FAA facility have impacted local groundwater. The most predominant compound identified was TCE, which was detected at 35 different wells, including 19 residential wells, 14 monitoring wells, one public water supply well, and the test well. Concentrations of TCE were found to exceed the applicable EPA MCL of 5 µg/L in 10 wells (two residential wells and eight monitoring wells) with results as high as 3,460 µg/L.

In addition to TCE, PCE was found in two monitoring wells (STMW-001 and MW-10) at concentrations exceeding the EPA MCL of 5 µg/L, although at levels far less than those found for TCE in these wells. Tetrachloroethene was also found in monitoring well MW-12, residential wells DW-04 and DW-12, and at test well TW-01 at concentrations well below the EPA MCL of 5 µg/L. Residential well DW-02 has contained concentrations of PCE well below the EPA MCL of 5 µg/L in the past, but none was found in the most recent sampling rounds. In all cases, PCE has been found only in wells with higher concentrations of TCE, suggesting that the PCE is co-located with TCE and was a lesser component of the initial solvent release.

Several VOCs other than TCE and PCE were identified in residential and monitoring wells at the site, including cis-1,2-DCE, trans-1,2-DCE, toluene, naphthalene, MEK, styrene, and acetone, but all at concentrations well below their respective EPA MCLs. Thus, the primary contaminant of concern at the site is TCE, with PCE as a secondary contaminant of concern. Because PCE is largely co-located with TCE, TCE was the primary focus of the data evaluation presented in the following subsections. Water quality data for TCE were evaluated for trends in lateral and vertical distribution and concentrations over time.

4.5.1 Lateral Extent of Contamination

Trichloroethene results from the comprehensive June 2003 monitoring well and residential well sampling programs were plotted on a site plan to evaluate the lateral distribution (Figure 4-2). This figure clearly shows that there are three separate areas of dissolved VOCs in groundwater at the site. Although the term groundwater "plume" implies a porous media approach, for the sake of convenience the term will be used throughout this report to refer to specific areas of dissolved concentrations of site contaminants in bedrock groundwater moving within discrete fractures. The three groundwater plumes identified at the site are: (1) one originating at the Transmitter site and extending to the southwest (Transmitter site plume); (2) one originating in the vicinity of the FAA radar antennas and extending to the southeast (FAA plume); and (3) one originating at the GATR site and extending to the southeast (GATR plume). Each of the three areas of groundwater contamination is aligned with either the northwest-southeast or northeast-southwest trending bedrock fracture sets identified at the site (Gates, 1981; ABB, 1997a). Both the Transmitter site and GATR site plumes are narrow, and therefore, are believed to be restricted to a few closely spaced fractures. The GATR site plume extends southeastward from the top of Miller Mountain to where it is interpreted to discharge into a small arm of Bucks Harbor. The Transmitter site plume extends southwestward toward undeveloped property where its terminus is undefined.

The FAA plume is wider and has two extensions (one to the southwest and one to the northeast), which align with the northeast-southwest bedrock fracture set (ABB, 1995b). It is believed that the source of the FAA plume was the use of solvent compounds in the vicinity of the radar antennas/Building 114 area and that the TCE is migrating along the predominant fracture set to the southeast where it ultimately discharges to Howard Cove. Operation of residential and housing area water supply wells (DW-09, DW-12, and WY-03) are drawing contaminated groundwater from the predominant northwest-southeast trending fracture, along the orthogonal fractures, creating the two plume extensions.

Tetrachloroethene is found only within the FAA plume and, as discussed previously, closely follows the distribution of TCE. The exception to this is the presence of PCE in one sample collected from test well TW-01. Trichloroethene was not detected in either sample collected from the test well, but 2.5 µg/L of PCE was detected in the sample collected using low-flow

techniques. This variation from the trend observed at the locations within the FAA plume suggests that the PCE found in the test well is not related to the same source as that of the FAA plume. It appears that either a separate source (likely located to the northwest) is responsible for the PCE in the test well or that the single detection is erroneous. Further water quality sampling of the test well would be required to confirm the results of the initial sample analysis.

4.5.2 Vertical Extent of Contamination

In general, VOC concentrations are higher in the deep bedrock than in shallow bedrock or overburden groundwater. This is most evident within the GATR site plume, where TCE was not detected in shallow bedrock groundwater near the source (well GAMW-001), but was found at 61 µg/L in a paired deep bedrock monitoring well (MW-13). The results of the packer water quality testing were inconclusive with regard to the vertical distribution of contaminants due to suspected migration of groundwater around the pneumatic packers used to seal off the test intervals. It is not known whether the inability of the packers to seal the test intervals was due to the presence of high-angle or near-vertical fractures that allowed groundwater to migrate vertically into the test interval, or to a poor seal of the packers against the rough sides of the borehole. Either situation is possible based on WESTON's examination of the rock cores and the downhole caliper logs (see Appendices A and B). In any case, the packer water quality tests showed little vertical variation in contaminant concentration at any of the five locations tested.

4.5.3 Long-Term Water Quality Trends

Historical water quality results from residential wells were examined to assess long-term variations in groundwater quality. Residential well data were used in this assessment because these data provided the longest observational time period (nearly 9 years) and had the most extensive data set. Site monitoring well data includes a maximum of only three sampling rounds, which provides an insufficient data set for trend analysis. Evaluation of the sampling and analytical methods used and also the laboratory employed to perform the analysis suggest the data should be comparable (in accordance with QA/QC results discussed previously in Subsection 4.4). The same sampling procedure and analytical method were used for all sampling rounds and although several different laboratories were used from 1994 to 1998, only AEL has been used from 1998 to the present.

Historical TCE concentrations from five residential wells located within the FAA plume (DW-02, DW-03, DW-04, and DW-12) and GATR site plume (DW-23) were plotted versus time as shown in Figure 4-3. The plot suggests that TCE concentrations in the center of the FAA plume (DW-02, DW-03, and DW-04) have been slowly increasing. This apparent increase in TCE concentration is likely due to the prolonged period of below-normal precipitation, as discussed below. However, the concentration of TCE in residential well DW-12, believed to be located in a crossing fracture southwest of the main body of the FAA plume, has been decreasing. Historical water quality data from residential well DW-23, located within the main body of the GATR site plume, suggest that TCE concentrations in this plume are remaining relatively constant.

Concentrations of PCE have been consistently been found only in residential well DW-04. The detections of PCE in residential wells DW-02 and DW-12 have been sporadic over time and have been at concentrations just above the method detection limit of 0.5 µg/L. Concentrations of PCE in residential well DW-04 have ranged from 0.5 µg/L to 1 µg/L and the fluctuations have paralleled those of TCE, as are depicted on Figure 4-3.

The MEDEP conducted an independent evaluation of historical water quality results and correlated them with precipitation. The resulting graph prepared by MEDEP is presented as Figure 4-4. This evaluation suggests an inverse relationship exists between precipitation and dissolved VOC concentrations in groundwater. An inverse relationship between precipitation and dissolved groundwater quality can be indicative of residual nonaqueous phase liquid (NAPL) within the saturated zone. This is because the reduced precipitation will result in lower groundwater levels, reducing the amount of groundwater flowing through the system that is available to dilute dissolved concentrations diffusing from the residual NAPL adsorbed to the aquifer matrix (Charnley et al., 1988). Typically, if a significant source of contamination remains within the unsaturated zone, the concentration of dissolved contaminants in downgradient monitoring wells will show a positive correlation with precipitation. This is because increased precipitation would tend to flush more contamination from the unsaturated zone into the saturated zone, thereby increasing contaminant concentrations downgradient (Charnley et al., 1988).

4.5.4 Natural Attenuation Assessment

Natural attenuation of VOCs in groundwater refers to the general decrease in concentration of a particular compound as it moves away from the source area, and is the result of a combination of processes including biological degradation, adsorption to the aquifer matrix, chemical interactions, molecular diffusion, and mechanical dispersion. Because the predominant migration pathway at the site is groundwater movement through bedrock fractures, adsorption and dispersion tend to be less important because these processes are limited by the restriction of flow to a relatively few discrete fractures. Diffusion can play an important role in reducing contaminant concentrations along a groundwater flow path. The role of diffusion is discussed in more detail in Section 5. Other than diffusion, biological degradation remains as the predominant mechanism for natural attenuation at this site (Gorelick et al., 1993).

Biological degradation of the VOCs found at the site (TCE and PCE) occurs in the form of reductive dechlorination, by which chlorine ions are removed from the contaminant molecules by indigenous microorganisms (Vogel et al., 1987; Freedman and Gossett, 1989). The presence of

cis-dichloroethene (cis-DCE), which is a breakdown product of TCE, provides evidence that reductive dechlorination is occurring at the site. Trichoroethene can also degrade to trans-dichloroethene (trans-DCE) (Vogel et al., 1987), but this pathway is less common and because trans-DCE was only detected at one location at a very low concentration (1 µg/L at monitoring well MW-10), this pathway is not considered to be of importance at this site.

Water quality parameters that can further suggest biological degradation of VOCs is occurring include DO, ORP, alkalinity, COD, ferrous iron, manganese, TOC, ethane, and ethene. Table 4-2 summarizes these water quality parameters along with total VOC concentrations. However, no clear trends were identified based on this data within any of the three plumes identified at the site. Comparison of the DO and ORP data collected during low-flow sampling of the wells with data from the Idronaut water quality probe used during the borehole geophysics program indicate a generally good correlation between the two methods.

Comparison of the ratio of cis-DCE to TCE shows that at most locations the cis-DCE concentration is less than 5% of the TCE concentration, confirming that only minor biological

breakdown of the TCE is occurring (EPA, 1998). The exception to this, however, is at the GATR site on Miller Mountain where cis-DCE is found at concentrations that are 30% of the TCE concentration. This suggests that more biodegradation is occurring within the GATR site plume than within the other two plumes. This agrees with the long-term trend analysis, which showed that contaminant concentrations downgradient of the GATR site are remaining fairly constant, while those downgradient of Howard Mountain are slowly increasing (refer to Subsection 4.5.3).

It should be noted that vinyl chloride (VC) was not detected in any of the water quality samples at the site, suggesting that biodegradation beyond the cis-DCE stage is not occurring, or that any VC that is produced as a result of biodegradation is quickly broken down into inert byproducts. It is more likely that the VC is rapidly breaking down because it should degrade easily under the aerobic conditions that exist at the site (Vogel et al., 1987).

SECTION 4

TABLES

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	Transmitter Site Area								
		TSMW-001 Hybrid			TSMW-002 Hybrid			TSMW-003 Hybrid		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	ND	NS	2 U	**22**	**52**	1 J	1	1	2 U
Tetrachloroethene	5	ND	NS	2 U	ND	ND	2 U	1	ND	2 U
cis-1,2-Dichloroethene	70	ND	NS	2 U	ND	ND	2 U	ND	1	2 U
trans-1,2-Dichloroethene	100	ND	NS	2 U	ND	ND	2 U	ND	ND	2 U
Toluene	1,000	ND	NS	2 U	ND	ND	2 U	ND	ND	2 U
1,1,1-Trichloroethane	200	ND	NS	2 U	ND	ND	2 U	ND	ND	2 U
1,1-Dichloroethane	70	ND	NS	2 U	ND	ND	2 U	ND	ND	2 U
1,2,4-Trichlorobenzene	70	ND	NS	2 U	ND	ND	2 U	ND	ND	2 U
1,3-Dichlorobenzene	60	ND	NS	2 U	ND	ND	2 U	ND	ND	2
1,4-Dichlorobenzene	21	ND	NS	2 U	ND	ND	2 U	ND	2 J	3
Chlorobenzene	NA	ND	NS	2 U	ND	ND	2 U	0.8 J	2	3
Ethylbenzene	70	ND	NS	2 U	ND	ND	2 U	0.7 J	ND	2 U
Chloromethane	3	ND	NS	2 U	ND	ND	2 U	ND	ND	2 U
Acetone	700	ND	NS	10 U	ND	ND	10 U	ND	ND	10 U

Notes:

1. Concentrations in **BOLD** are in excess of Maine Department of Environmental Protection (MEDEP) or U.S. Environmental Protection Agencey (EPA) groundwater standard.
2. All values shown are in units of micrograms per liter (µg/L).
3. *Whichever is lowest.

J = Compound detected below reporting limit; concentration is estimated.
MCL = Maximum Contaminant Level.
MEG = Maximum Exposure Guidline.
ND = Compound not detected; reporting limit not available.
NS = Not sampled.
U = Compound not detected at associated numerical reporting limit.
-- = Not sampled because well had not yet been installed.
Hybrid = Well is screened across both the overburden and shallow bedrock zones
Please refer to Table 2-4 for information on well-specific depths of the pump intake during sample collection.

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	Transmitter Site Area								
		MW-01 Hybrid			MW-02 Shallow BR			MW-03 Hybrid		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	--	ND	2 U	--	ND	**191**	--	0.8	2 U
Tetrachloroethene	5	--	ND	2 U	--	ND	2 U	--	ND	2 U
cis-1,2-Dichloroethene	70	--	ND	2 U	--	ND	2 U	--	ND	2 U
trans-1,2-Dichloroethene	100	--	ND	2 U	--	ND	2 U	--	ND	2 U
Toluene	1,000	--	ND	2 U	--	ND	2 U	--	ND	2 U
1,1,1-Trichloroethane	200	--	ND	2 U	--	ND	2 U	--	ND	2 U
1,1-Dichloroethane	70	--	ND	2 U	--	ND	2 U	--	ND	2 U
1,2,4-Trichlorobenzene	70	--	ND	2 U	--	ND	2 U	--	ND	2 U
1,3-Dichlorobenzene	60	--	ND	2 U	--	ND	2 U	--	ND	2 U
1,4-Dichlorobenzene	21	--	ND	2 U	--	ND	2 U	--	ND	2 U
Chlorobenzene	NA	--	ND	2 U	--	ND	2 U	--	ND	2 U
Ethylbenzene	70	--	ND	2 U	--	ND	2 U	--	ND	2 U
Chloromethane	3	--	ND	2 U	--	ND	2 U	--	ND	2 U
Acetone	700	--	ND	10 U	--	ND	10 U	--	ND	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	Transmitter Site Area								
		STMW-005 Overburden			MW-04 Deep BR			MW-05 Deep BR		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	ND	NS	2 U	--	--	2 U	--	--	**156**
Tetrachloroethene	5	ND	NS	2 U	--	--	2 U	--	--	2 U
cis-1,2-Dichloroethene	70	ND	NS	2 U	--	--	2 U	--	--	2
trans-1,2-Dichloroethene	100	ND	NS	2 U	--	--	2 U	--	--	2 U
Toluene	1,000	ND	NS	2 U	--	--	2 U	--	--	2 U
1,1,1-Trichloroethane	200	ND	NS	2 U	--	--	2 U	--	--	2 U
1,1-Dichloroethane	70	ND	NS	2 U	--	--	2 U	--	--	2 U
1,2,4-Trichlorobenzene	70	ND	NS	2 U	--	--	2 U	--	--	2 U
1,3-Dichlorobenzene	60	ND	NS	2 U	--	--	2 U	--	--	2 U
1,4-Dichlorobenzene	21	ND	NS	2 U	--	--	2 U	--	--	2 U
Chlorobenzene	NA	ND	NS	2 U	--	--	2 U	--	--	2 U
Ethylbenzene	70	ND	NS	2 U	--	--	2 U	--	--	2 U
Chloromethane	3	ND	NS	2 U	--	--	2 U	--	--	2 U
Acetone	700	ND	NS	10 U	--	--	10 U	--	--	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	Transmitter Site Area						DCF/Filter Bed Area		
		MW-06 Deep BR			MW-07 Deep BR			BPMW-001 Shallow BR		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	--	--	2 U	--	--	**351**	--	--	2 U
Tetrachloroethene	5	--	--	2 U	--	--	2 U	--	--	2 U
cis-1,2-Dichloroethene	70	--	--	2 U	--	--	3	--	--	2 U
trans-1,2-Dichloroethene	100	--	--	2 U	--	--	2 U	--	--	2 U
Toluene	1,000	--	--	2 U	--	--	2	--	--	2 U
1,1,1-Trichloroethane	200	--	--	2 U	--	--	2 U	--	--	2 U
1,1-Dichloroethane	70	--	--	2 U	--	--	2 U	--	--	2 U
1,2,4-Trichlorobenzene	70	--	--	2 U	--	--	2 U	--	--	2 U
1,3-Dichlorobenzene	60	--	--	2 U	--	--	2 U	--	--	2 U
1,4-Dichlorobenzene	21	--	--	2 U	--	--	2 U	--	--	2 U
Chlorobenzene	NA	--	--	2 U	--	--	2 U	--	--	2 U
Ethylbenzene	70	--	--	2 U	--	--	2 U	--	--	2 U
Chloromethane	3	--	--	2 U	--	--	2 U	--	--	2 U
Acetone	700	--	--	10 U	--	--	10 U	--	--	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DCF/Filter Bed Area								
		GTMW-001 Hybrid			FAMW-001 Hybrid			FAMW-002 Hybrid		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	2 J	NS	1 J	ND	NS	2 U	ND	NS	2 U
Tetrachloroethene	5	ND	NS	2 U	0.6 J	NS	2 U	ND	NS	2 U
cis-1,2-Dichloroethene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
trans-1,2-Dichloroethene	100	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Toluene	1,000	ND	NS	2 U	0.5 J	NS	2 U	ND	NS	2 U
1,1,1-Trichloroethane	200	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,1-Dichloroethane	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,2,4-Trichlorobenzene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,3-Dichlorobenzene	60	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,4-Dichlorobenzene	21	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Chlorobenzene	NA	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Ethylbenzene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Chloromethane	3	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Acetone	700	ND	NS	10 U	ND	NS	10 U	ND	NS	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DCF/Filter Bed Area						Howard Mountain/FAA Area		
		STMW-003 Overburden			MW-08b Shallow BR			STMW-001 Shallow BR		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	0.9 J	NS	2 U	--	--	2 U	**18**	NS	**9**
Tetrachloroethene	5	ND	NS	2 U	--	--	2 U	**7**	NS	**7**
cis-1,2-Dichloroethene	70	ND	NS	2 U	--	--	2 U	8	NS	3
trans-1,2-Dichloroethene	100	ND	NS	2 U	--	--	2 U	ND	NS	2 U
Toluene	1,000	ND	NS	2 U	--	--	2 U	ND	NS	2 U
1,1,1-Trichloroethane	200	ND	NS	2 U	--	--	2 U	ND	NS	2 U
1,1-Dichloroethane	70	ND	NS	2 U	--	--	2 U	ND	NS	2 U
1,2,4-Trichlorobenzene	70	ND	NS	2 U	--	--	2 U	ND	NS	2 U
1,3-Dichlorobenzene	60	ND	NS	2 U	--	--	2 U	ND	NS	2 U
1,4-Dichlorobenzene	21	ND	NS	2 U	--	--	2 U	ND	NS	2 U
Chlorobenzene	NA	ND	NS	2 U	--	--	2 U	ND	NS	2 U
Ethylbenzene	70	1	NS	2 U	--	--	2 U	ND	NS	2 U
Chloromethane	3	ND	NS	2 U	--	--	2 U	ND	NS	2 U
Acetone	700	ND	NS	10 U	--	--	10 U	ND	NS	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	Howard Mountain/FAA Area								
		STMW-002 Shallow BR			STMW-006 Overburden			MW-09 Deep BR		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	ND	NS	1 J	0.8 J	NS	2 U	--	--	2 U
Tetrachloroethene	5	ND	NS	2 U	ND	NS	2 U	--	--	2 U
cis-1,2-Dichloroethene	70	ND	NS	2 U	ND	NS	2 U	--	--	2 U
trans-1,2-Dichloroethene	100	ND	NS	2 U	ND	NS	2 U	--	--	2 U
Toluene	1,000	ND	NS	2 U	ND	NS	2 U	--	--	2 U
1,1,1-Trichloroethane	200	ND	NS	2 U	ND	NS	2 U	--	--	2 U
1,1-Dichloroethane	70	ND	NS	2 U	ND	NS	2 U	--	--	2 U
1,2,4-Trichlorobenzene	70	ND	NS	2 U	ND	NS	2 U	--	--	2 U
1,3-Dichlorobenzene	60	ND	NS	2 U	ND	NS	2 U	--	--	2 U
1,4-Dichlorobenzene	21	ND	NS	2 U	ND	NS	2 U	--	--	2 U
Chlorobenzene	NA	ND	NS	2 U	ND	NS	2 U	--	--	2 U
Ethylbenzene	70	ND	NS	2 U	ND	NS	2 U	--	--	2 U
Chloromethane	3	ND	NS	2 U	ND	NS	2 U	--	--	2 U
Acetone	700	ND	NS	12	ND	NS	10 U	--	--	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	Howard Mountain/FAA Area								
		MW-10 Deep BR			MW-11 Deep BR			MW-12 Deep BR		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	--	--	**1,880**	--	--	2 U	--	--	**192**
Tetrachloroethene	5	--	--	**12**	--	--	2 U	--	--	1 J
cis-1,2-Dichloroethene	70	--	--	49	--	--	2 U	--	--	13
trans-1,2-Dichloroethene	100	--	--	1 J	--	--	2 U	--	--	2 U
Toluene	1,000	--	--	2	--	--	2 U	--	--	2 U
1,1,1-Trichloroethane	200	--	--	2 U	--	--	2 U	--	--	2 U
1,1-Dichloroethane	70	--	--	2 U	--	--	2 U	--	--	2 U
1,2,4-Trichlorobenzene	70	--	--	2 U	--	--	2 U	--	--	2 U
1,3-Dichlorobenzene	60	--	--	2 U	--	--	2 U	--	--	2 U
1,4-Dichlorobenzene	21	--	--	2 U	--	--	2 U	--	--	2 U
Chlorobenzene	NA	--	--	2 U	--	--	2 U	--	--	2 U
Ethylbenzene	70	--	--	2 U	--	--	2 U	--	--	2 U
Chloromethane	3	--	--	2 U	--	--	2 U	--	--	2 U
Acetone	700	--	--	10 U	--	--	10 U	--	--	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DCF Housing Area								
		MW-101 Overburden			MW-102 Overburden			MW-103 Overburden		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	ND	NS	1 J	ND	NS	2 U	ND	NS	2 U
Tetrachloroethene	5	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
cis-1,2-Dichloroethene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
trans-1,2-Dichloroethene	100	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Toluene	1,000	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,1,1-Trichloroethane	200	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,1-Dichloroethane	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,2,4-Trichlorobenzene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,3-Dichlorobenzene	60	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,4-Dichlorobenzene	21	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Chlorobenzene	NA	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Ethylbenzene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Chloromethane	3	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Acetone	700	ND	NS	10 U	ND	NS	10 U	ND	NS	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DCF Housing Area								
		MW-105 Overburden			MW-140 Overburden			STMW-004 Overburden		
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03
Trichloroethene	5	ND	NS	1 J	ND	NS	4	ND	NS	2 U
Tetrachloroethene	5	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
cis-1,2-Dichloroethene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
trans-1,2-Dichloroethene	100	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Toluene	1,000	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,1,1-Trichloroethane	200	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,1-Dichloroethane	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,2,4-Trichlorobenzene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,3-Dichlorobenzene	60	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
1,4-Dichlorobenzene	21	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Chlorobenzene	NA	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Ethylbenzene	70	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Chloromethane	3	ND	NS	2 U	ND	NS	2 U	ND	NS	2 U
Acetone	700	ND	NS	14	ND	NS	10 U	ND	NS	10 U

Table 4-1

Summary of VOCs Detected in Groundwater Monitoring Wells
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	Miller Mountain/GATR Site									Test Well Site	
		GAMW-001 Hybrid			MW-13 Deep BR			MW-14 Deep BR			TW-01 Deep BR	
		Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	Sep-96	Aug-99	Jun-03	May-03	Jun-03
Trichloroethene	5	1	NS	1 J	--	--	**61**	--	--	2 U	0.5 U	0.5 U
Tetrachloroethene	5	ND	NS	2 U	--	--	2 U	--	--	2 U	0.5 U	2.4
cis-1,2-Dichloroethene	70	ND	NS	2 U	--	--	23	--	--	2 U	0.5 U	0.5 U
trans-1,2-Dichloroethene	100	ND	NS	2 U	--	--	2 U	--	--	2 U	0.5 U	0.5 U
Toluene	1,000	ND	NS	2 U	--	--	2 U	--	--	2 U	0.5 U	0.5 U
1,1,1-Trichloroethane	200	ND	NS	2 U	--	--	20	--	--	2 U	0.5 U	0.5 U
1,1-Dichloroethane	70	ND	NS	2 U	--	--	2	--	--	2 U	0.5 U	0.5 U
1,2,4-Trichlorobenzene	70	ND	NS	2 U	--	--	4	--	--	2 U	0.5 U	0.5 U
1,3-Dichlorobenzene	60	ND	NS	2 U	--	--	2 U	--	--	2 U	0.5 U	0.5 U
1,4-Dichlorobenzene	21	ND	NS	2 U	--	--	2 U	--	--	2 U	0.5 U	0.5 U
Chlorobenzene	NA	ND	NS	2 U	--	--	2 U	--	--	2 U	0.5 U	0.5 U
Ethylbenzene	70	ND	NS	2 U	--	--	2 U	--	--	2 U	0.5 U	0.5 U
Chloromethane	3	0.8 J	NS	2 U	--	--	2 U	--	--	2 U	0.5 U	0.5 U
Acetone	700	ND	NS	10 U	--	--	10 U	--	--	10 U	0.5 U	5 U

Table 4-2

Groundwater Monitoring Wells
Monitored Natural Attenuation Parameter Results - June 2003
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Monitoring Well ID	Total VOCs (µg/L)	Alkalinity (mg/L)	COD (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Manganese (mg/L)	TOC (mg/L)	Ethane (µg/L)	Ethene (µg/L)	DO (mg/L)	ORP (mv)
BPMW-001	ND	9.3	94	0.37	14	8.6	0.21	15	ND	ND	5.11	367
FAMW-001	ND	7.9	20	ND	11	1.8	0.21	4.1	ND	ND	0.54	410
FAMW-002	ND	ND	28	0.05	ND	0.15	0.012	3.9	ND	ND	3.73	446
GAMW-001	1	19	7.6	0.061	ND	0.12	0.0031	2.8	ND	ND	5.86	402
GTMW-001	1	62	46	1.1	12	ND	0.55	18	ND	ND	0.1	565
MW-01	ND	ND	ND	ND	9.5	ND	0.013	1.6	ND	ND	5.34	667
MW-02	191	29	7.3	0.45	20	ND	0.0061	0.85	ND	ND	3.45	652
MW-03	ND	12	11	1.4	15	ND	0.0032	2.5	ND	ND	6.62	699
MW-04	ND	23	11	0.23	15	0.38	0.049	0.94	ND	ND	5.44	451
MW-05	156	9.8	6.8	0.12	8.8	0.17	0.018	1.6	ND	ND	8.55	667
MW-06	ND	5.8	4.7	0.036	8.4	0.35	0.0066	0.66	ND	ND	11.65	683
MW-07	356	21	9.9	ND	11	3.6	0.25	0.94	ND	ND	0.39	212
MW-08b	ND	8.3	5.2	0.058	9.1	0.89	0.05	1.4	ND	ND	3.9	293
MW-09	ND	24	13	0.12	8	0.12	0.05	1.3	ND	ND	5.2	388
MW-10	1884	130	10	0.82	29	0.11	0.018	0.7	ND	ND	4.37	551
MW-101	1	34	6.2	0.22	20	0.11	0.014	0.81	ND	ND	4.56	542
MW-102	ND	170	69	ND	13	14	9.4	14	ND	ND	3.14	277
MW-103	ND	43	22	0.32	11	0.16	0.0092	2	ND	ND	3.62	308
MW-105	15	67	78	0.46	5.1	8.9	1.5	19	ND	ND	9.49	473
MW-11	ND	29	23	ND	120	0.32	0.0014	0.61	ND	ND	1.13	313
MW-12	206	110	8.2	0.21	20	0.17	0.0021	0.48	ND	ND	4.87	388
MW-13	110	88	15	0.083	4.5	0.58	0.0072	2.4	ND	ND	7.78	369
MW-14	ND	67	9.7	ND	6.3	ND	0.51	1.1	ND	ND	6.88	352
MW-140	4	60	23	0.43	19	0.32	0.026	9.5	ND	ND	2.98	318
STMW-001	19	15	12	2.5	17	0.12	0.32	1.1	ND	ND	4.86	469
STMW-002	13	23	30	0.079	11	1.2	0.29	10	ND	ND	0.4	692
STMW-003	ND	27	38	ND	13	6.4	0.22	9.5	ND	ND	0.1	462
STMW-004	ND	97	16	1.8	16	0.15	ND	0.64	ND	ND	4.92	332
STMW-005	ND	11	21	ND	ND	ND	0.022	2.8	ND	ND	7.65	472
STMW-006	ND	45	18	0.5	2.7	0.17	ND	2.6	ND	ND	4.96	606
TSMW-001	ND	8.4	7.3	0.2	16	ND	0.082	5.4	ND	ND	8.09	461
TSMW-002	1	ND	8.8	ND	5.2	ND	0.0059	1.7	ND	ND	7.08	499
TSMW-003	8	13	18	0.22	8.5	ND	0.019	2.4	ND	ND	8.01	394
TW-01	2.4	NM	NM	NM	NM	ND	ND	NM	NM	NM	0.32	338

Notes:

COD = Chemical oxygen demand.

DO = Dissolved oxygen.

µg/L = Micrograms/liter.

mg/L = Milligrams/liter.

mV = MilliVolts.

ND = Compound not detected in sample above method reporting limit.

NM = Parameter not measured in accordance with the Sampling and Analysis Plan (WESTON, 2002).

ORP = Oxidation reduction potential (oxidation-reduction potential value has been SHE-corrected).

TOC = Total organic carbon.

VOC = volatile organic compound.

Table 4-3

June 2003 Field Water Quality Parameters
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Monitor Well Location ID	Sample Date	Temperature (°C)	Specific Conductance[1] (µS/cm)	pH	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential[2] (mV)	Turbidity (NTU)	Purge Water Headspace with PID (ppm)
MW-101	6/16/2003	10.54	128	6.88	4.56	542	75	BKG
MW-102	6/17/2003	7.98	427	6.18	3.14	277	420	BKG
MW-103	6/17/2003	8.01	430	6.22	3.62	308	116	BKG
MW-105	6/16/2003	23.9	50	6.90	9.49	473	190	BKG
MW-140	6/16/2003	8.32	367	6.41	2.98	318	26	BKG
TSMW-001	6/17/2003	9.36	67	5.42	8.09	461	100	BKG
TSMW-002	6/17/2003	9.65	42	5.37	7.08	499	4.2	BKG
TSMW-003	6/17/2003	9.3	75	5.51	8.01	394	8.8	BKG
GAMW-001	6/16/2003	11.17	46	5.86	5.86	402	2	BKG
BPMW-001	6/17/2003	12.73	80	5.51	5.11	367	46	BKG
GTMW-001	6/17/2003	20.08	299	6.20	0.10	565	11	BKG
FAMW-001	6/17/2003	9.44	78	5.40	0.54	410	11	BKG
FAMW-002	6/17/2003	9.44	50	5.32	3.73	446	110	BKG
STMW-001	6/16/2003	11.29	148	6.01	4.86	469	46	BKG
STMW-002	6/16/2003	9.05	90	5.42	0.40	692	75	BKG
STMW-003	6/16/2003	9.14	170	5.81	0.10	462	270	BKG
STMW-004	6/17/2003	8.12	367	6.54	4.92	332	26	BKG
STMW-005	6/18/2003	6.52	51	5.47	7.65	472	25	BKG
STMW-006	6/18/2003	8.18	137	6.31	4.96	606	33	BKG
MW-01	6/17/2003	8.61	51	5.33	5.34	667	0.6	BKG
MW-02	6/17/2003	10.45	125	6.06	3.45	652	1.8	BKG
MW-03	6/17/2003	7.9	95	5.74	6.62	699	0.9	BKG
MW-04	6/18/2003	8.11	85	6.49	5.44	451	76	BKG
MW-05	6/17/2003	8.43	71	5.75	8.55	667	7	7
MW-06	6/17/2003	8.80	50	5.78	11.65	683	5.7	BKG
MW-07	6/17/2003	8.97	126	6.02	0.39	212	18.6	19
MW-08b	6/17/2003	7.01	60	5.57	3.90	293	6.1	BKG
MW-09	6/16/2003	9.66	71	6.22	5.20	388	14	BKG
MW-10	6/18/2003	11.8	282	7.47	4.37	551	11	89
MW-11	6/16/2003	7.71	4,620	9.56	1.13	313	4.4	1
MW-12	6/16/2003	7.98	769	8.96	4.87	388	13	19
MW-13	6/16/2003	10.13	160	9.14	7.78	369	79	3
MW-14	6/16/2003	9.29	142	6.62	6.88	352	1.6	BKG
TW-01	6/16/2003	7.09	234	9.16	0.32	338	1.8	BKG

Notes: 1. Microsiemens per centimeter (µS/cm) at 25 °C.
2. Oxidation-reduction potential value has been SHE-corrected.
BKG = Background
mg/L = Milligrams per liter.
mV = MilliVolt.
NTU = nephelometric turbidity unit
PID = Photoionization detector.

Table 4-4

Summary of VOCs Detected in Drinking Water Wells in 2003
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DW-01 Before Filter		DW-03 Before Filter		DW-04 Before Filter	
		Mar-03	Jun-03	Mar-03	Jun-03	Mar-03	Jun-03
Trichloroethene	5	NS	0.92	**6.4**	**6.1**	**65**	**60**
Tetrachloroethene	5	NS	ND	ND	ND	0.66	0.88
cis-1,2-Dichloroethene	70	NS	ND	0.33 J	0.34 J	3.7 J	3.2 J
trans-1,2-Dichloroethene	100	NS	ND	ND	ND	ND	0.5
Dichlorodifluoromethane	1,400	NS	ND	ND	ND	ND	ND
Toluene	1,000	NS	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	200	NS	ND	ND	ND	ND	ND
1,1-Dichloroethane	70	NS	ND	ND	ND	ND	ND
Methyl tert-butyl ether	35	NS	ND	ND	ND	ND	ND
Chloroform	57	NS	ND	ND	ND	ND	0.45 J

Notes: 1. All values shown are in units of micrograms per liter (µg/L).

2. * Whichever is lowest.

3. Concentrations in **BOLD** are in excess of Maine Department of Environmental Protection (MEDEP) or U.S. Environmental Protection Agency (EPA) groundwater standard.

J = Estimated value

MCL = Maximum Contaminant Level

MEG = Maximum Exposure Guideline

ND = Compound not detected; reporting limit not available.

NS = Not sampled.

Table 4-4

Summary of VOCs Detected in Drinking Water Wells in 2003
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DW-07		DW-09 Before Filter		DW-12 Before Filter	
		Mar-03	Jun-03	Mar-03	Jun-03	Mar-03	Jun-03
Trichloroethene	5	NS	ND	NS	0.71	2.3	2.6
Tetrachloroethene	5	NS	ND	NS	ND	ND	0.36 J
cis-1,2-Dichloroethene	70	NS	ND	NS	ND	0.35 J	0.44 J
trans-1,2-Dichloroethene	100	NS	ND	NS	ND	ND	ND
Dichlorodifluoromethane	1,400	NS	0.82	NS	ND	0.52	0.56
Toluene	1,000	NS	ND	NS	ND	ND	ND
1,1,1-Trichloroethane	200	NS	ND	NS	ND	ND	ND
1,1-Dichloroethane	70	NS	ND	NS	ND	ND	ND
Methyl tert-butyl ether	35	NS	ND	NS	ND	ND	ND
Chloroform	57	NS	ND	NS	ND	ND	ND

Table 4-4

Summary of VOCs Detected in Drinking Water Wells in 2003
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DW-13 (New Deep Bedrock Well)		DW-15		DW-20	
		Mar-03	Jun-03	Mar-03	Jun-03	Mar-03	Jun-03
Trichloroethene	5	NS	ND	NS	ND	NS	ND
Tetrachloroethene	5	NS	ND	NS	ND	NS	ND
cis-1,2-Dichloroethene	70	NS	ND	NS	ND	NS	ND
trans-1,2-Dichloroethene	100	NS	ND	NS	ND	NS	ND
Dichlorodifluoromethane	1,400	NS	ND	NS	ND	NS	ND
Toluene	1,000	NS	0.26 J	NS	ND	NS	ND
1,1,1-Trichloroethane	200	NS	ND	NS	ND	NS	ND
1,1-Dichloroethane	70	NS	ND	NS	ND	NS	ND
Methyl tert-butyl ether	35	NS	ND	NS	15	NS	ND
Chloroform	57	NS	ND	NS	ND	NS	0.38 J

Table 4-4

Summary of VOCs Detected in Drinking Water Wells in 2003
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DW-21		DW-23 Before Filters		DW-23 Between Filters	
		Mar-03	Jun-03	Mar-03	Jun-03	Mar-03	Jun-03
Trichloroethene	5	NS	ND	1.6	2.3	ND	2.2
Tetrachloroethene	5	NS	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	70	NS	ND	4.3	5.1	ND	4.4
trans-1,2-Dichloroethene	100	NS	ND	ND	0.28 J	ND	ND
Dichlorodifluoromethane	1,400	NS	ND	ND	ND	ND	ND
Toluene	1,000	NS	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	200	NS	ND	0.66	0.74	ND	0.7
1,1-Dichloroethane	70	NS	ND	0.37 J	0.36 J	ND	0.33 J
Methyl tert-butyl ether	35	NS	13	ND	ND	ND	ND
Chloroform	57	NS	ND	ND	ND	ND	ND

Table 4-4

Summary of VOCs Detected in Drinking Water Wells in 2003
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DW-25		DW-29		DW-30	
		Mar-03	Jun-03	Mar-03	Jun-03	Mar-03	Jun-03
Trichloroethene	5	NS	ND	NS	ND	NS	ND
Tetrachloroethene	5	NS	ND	NS	ND	NS	ND
cis-1,2-Dichloroethene	70	NS	ND	NS	ND	NS	ND
trans-1,2-Dichloroethene	100	NS	ND	NS	ND	NS	ND
Dichlorodifluoromethane	1,400	NS	ND	NS	ND	NS	ND
Toluene	1,000	NS	ND	NS	ND	NS	ND
1,1,1-Trichloroethane	200	NS	ND	NS	ND	NS	ND
1,1-Dichloroethane	70	NS	ND	NS	ND	NS	ND
Methyl tert-butyl ether	35	NS	ND	NS	ND	NS	ND
Chloroform	57	NS	0.51	NS	0.36 J	NS	1.2

Table 4-4

Summary of VOCs Detected in Drinking Water Wells in 2003
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DW-31		DW-33		DW-38	
		Mar-03	Jun-03	Mar-03	Jun-03	Mar-03	Jun-03
Trichloroethene	5	NS	0.88	NS	0.55	NS	ND
Tetrachloroethene	5	NS	ND	NS	ND	NS	ND
cis-1,2-Dichloroethene	70	NS	1.3	NS	0.89	NS	ND
trans-1,2-Dichloroethene	100	NS	ND	NS	ND	NS	ND
Dichlorodifluoromethane	1,400	NS	ND	NS	ND	NS	ND
Toluene	1,000	NS	ND	NS	ND	NS	0.36 J
1,1,1-Trichloroethane	200	NS	0.29 J	NS	0.27 J	NS	ND
1,1-Dichloroethane	70	NS	ND	NS	ND	NS	ND
Methyl tert-butyl ether	35	NS	ND	NS	ND	NS	ND
Chloroform	57	NS	ND	NS	0.46 J	NS	ND

Table 4-4

Summary of VOCs Detected in Drinking Water Wells in 2003
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	DW-40		WY-03	
		Mar-03	Jun-03	Mar-03	Jun-03
Trichloroethene	5	NS	ND	NS	0.69
Tetrachloroethene	5	NS	ND	NS	ND
cis-1,2-Dichloroethene	70	NS	ND	NS	ND
trans-1,2-Dichloroethene	100	NS	ND	NS	ND
Dichlorodifluoromethane	1,400	NS	ND	NS	ND
Toluene	1,000	NS	ND	NS	ND
1,1,1-Trichloroethane	200	NS	ND	NS	ND
1,1-Dichloroethane	70	NS	ND	NS	ND
Methyl tert-butyl ether	35	NS	ND	NS	ND
Chloroform	57	NS	0.42 J	NS	ND

Table 4-5

Residential Drinking-Water Wells
Monitored Natural Attenuation Parameter Results
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Monitoring Well ID	Total VOCs (µg/L)	Alkalinity (mg/L)	COD (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	Ferrous Iron (mg/L)	Manganese (mg/L)	TOC (mg/L)	Ethane (µg/L)	Ethene (µg/L)	DO (mg/L)	ORP [3] (mv)
DW-01	0.92	110	5.6	0.12	24	ND	ND	0.49	ND	ND	2.48	127
DW-02	Not Sampled. House was in the process of being sold/bought and plumbing system had not been re-connected yet.											
DW-03	6.44	110	7.8	0.25	8.6	ND	0.0051	0.66	ND	ND	5.72	579
DW-04	66.36	130	11	0.34	20	0.14	ND	0.48	ND	ND	5.16	600
DW-05	ND	26	ND	0.88	8	ND	0.038	1.8	ND	ND	9.8	581
DW-06	ND	57	ND	0.042	3.1	ND	0.014	0.6	ND	ND	7.29	556
DW-07	0.82	140	9.2	0.041	27	ND	0.018	0.93	ND	ND	6.98	520
DW-08	ND	85	7.7	0.19	5.4	ND	0.17	0.52	ND	ND	7.09	527
DW-09	0.71	120	5.6	0.11	11	ND	0.0025	0.58	ND	ND	7.83	554
DW-11	Not Sampled. Renter indicated there was a new property owner. Right-of-entry not issued/signed yet.											
DW-12	3.96	100	4.7	0.46	5.4	ND	0.013	0.78	ND	ND	6.97	533
DW-13 (01) [1]	ND	27	6.2	0.48	7.2	ND	0.05	1.5	ND	ND	11.05	430
DW-13 (02) [2]	0.26	170	10	ND	ND	ND	0.036	0.51	ND	ND	12.78	503
DW-15	15	NM	NM	NM	NM	NM	NM	NM	NM	NM	2.01	-26
DW-16	ND	NM	NM	NM	NM	NM	NM	NM	NM	NM	4.19	531
DW-17	ND	NM	NM	NM	NM	NM	NM	NM	NM	NM	7.38	472
DW-18	Not Sampled. House not occupied on consistent basis, and outside spigot was not operating.											
DW-19	ND	NM	NM	NM	NM	NM	NM	NM	NM	NM	7.2	662
DW-20	0.38	NM	NM	NM	NM	NM	NM	NM	NM	NM	8.98	672
DW-21	13	NM	NM	NM	NM	NM	NM	NM	NM	NM	3.13	788
DW-22	ND	22	5.6	1.6	13	ND	0.089	1	ND	ND	6.4	589
DW-23	8.78	71	9.2	0.11	10	ND	ND	0.49	ND	ND	2.9	520
DW-24	ND	81	5.6	ND	22	ND	ND	0.24	ND	ND	4.35	564
DW-25	0.51	63	12	0.17	5.6	ND	ND	0.47	ND	ND	6.69	488
DW-28	ND	81	ND	0.046	8.5	ND	ND	0.41	ND	ND	4.7	495
DW-29	0.36	ND	3.6	ND	4.8	0.2	0.016	1	ND	ND	10.03	470
DW-30	1.2	5.6	9.7	0.059	4.8	ND	0.0025	0.76	ND	ND	9.88	525
DW-31	2.47	67	4.2	0.039	3.7	ND	0.0028	1.5	ND	ND	9.21	609
DW-32	ND	24	5.7	0.27	5.3	ND	0.0025	0.83	ND	ND	8.85	521
DW-33	2.17	83	4.2	0.056	4.6	ND	0.0029	0.47	ND	ND	5.65	317
DW-34	ND	51	6.7	0.72	8	ND	0.00073	0.41	ND	ND	8.62	574
DW-36	ND	71	9.3	ND	15	0.26	0.12	0.45	ND	ND	3.17	364
DW-37	Not Sampled. House was listed for sale and plumbing has been disconnected (at least at outside spigot).											
DW-38	0.36	110	6.2	ND	4.7	ND	0.013	1.1	ND	ND	6.41	538
DW-39	ND	9.4	6.2	0.099	3.8	ND	0.0072	0.84	ND	ND	7.34	572
DW-40	0.42	62	ND	ND	4.4	ND	ND	0.5	ND	ND	6.56	516
WY-03	0.69	100	7.2	0.53	25	ND	0.0012	0.69	ND	ND	7.29	472

Notes: Parameter sample location is prior to treatment at all locations.
1. First sample collected at location DW-13 from established sampling location, which is a dug well.
2. Second sample collected at residential location DW-13 from newly installed drilled well (approx. 300 ft deep).
3. Oxidation-reduction potential (ORP) value has been SHE-corrected.
NM = Parameter not measured in accordance with the Sampling and Analysis Plan (WESTON, 2002).
COD = Chemical oxygen demand.
DO = Dissolved oxygen.
µg/L = Micrograms/liter.
mg/L = Milligrams/liter.
mV = MilliVolts.
ND = Compound not detected in sample above method reporting limit.
TOC = Total organic carbon.
VOC = volatile organic compound

Table 4-6

VOCs Detected During Packer Permeability Testing
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	MW-07 Packered Interval (ft bgs)				MW-10 Packered Interval (ft bgs)		
		15-25	44-54	75-85	115-125	130-140	150-160	164-174
Trichloroethene	5	**472**	**392**	**376**	**501**	**3,460**	**3,450**	**3,400**
Tetrachloroethene	5	2 U	2 U	2 U	2 U	**17**	**17**	**15**
cis-1,2-Dichloroethene	70	3	3	3	3	61	60	56
trans-1,2-Dichloroethene	100	2 U	2 U	2 U	2 U	2	3	2
Toluene	1,000	2 U	2 U	2 U	2 U	2	2	1 J
Naphthalene	20	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Methyl ethyl ketone (MEK)	1,440	10 U	18	8 J	10 U	29	9 J	10 U
Styrene	100	2 U	2 U	2 U	2 U	1 J	2 U	2 U
Acetone	700	10 U	34	14	10 U	59	18	10 U

Notes: 1. All concentrations shown in units of micrograms per liter (µg/L).

2. Concentrations in **BOLD** are in excess of Maine Department of Environmental Protection (MEDEP) or U.S. Environmental Protection Agency (EPA) groundwater standard.

3. * Whichever is lowest.

ft bgs = Feet below ground surface.

J = Compound detected at concentration below reporting limit. Value is estimated.

U = Not detected at associated numerical reporting limit.

MCL = Maximum Contaminant Level

MEG = Meximum Exposure Guideline

Table 4-6

VOCs Detected During Packer Permeability Testing
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	MW-11 Packered Interval (ft bgs)				MW-12 Packered Interval (ft bgs)			
		97-107	147-157	157-167	183-193	40-55	83-98	161-176	207-222
Trichloroethene	5	4	**5**	3	2 U	**161**	**297**	**279**	**276**
Tetrachloroethene	5	2 U	2 U	2 U	2 U	2 U	2	1 J	2
cis-1,2-Dichloroethene	70	2 U	2 U	2 U	2 U	10	15	15	15
trans-1,2-Dichloroethene	100	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Toluene	1,000	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	20	2 U	2 U	2 U	2	2 U	2 U	2 U	2 U
Methyl ethyl ketone (MEK)	1,440	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Styrene	100	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Acetone	700	15	12	10 U	10 U	10 U	10 U	10 U	10 U

Table 4-6

VOCs Detected During Packer Permeability Testing
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, Maine

Volatile Organic Compound	MEDEP MEG or EPA MCL* (µg/L)	MW-14 Packered Interval (ft bgs) 38-48	50-60	63-73	73-83
Trichloroethene	5	2 U	2 U	2 U	2 U
Tetrachloroethene	5	2 U	2 U	2 U	2 U
cis-1,2-Dichloroethene	70	2 U	2 U	2 U	2 U
trans-1,2-Dichloroethene	100	2 U	2 U	2 U	2 U
Toluene	1,000	1 J	1 J	2	1 J
Naphthalene	20	2 U	2 U	2 U	2 U
Methyl ethyl ketone (MEK)	1,440	8 J	15	8 J	9 J
Styrene	100	2 U	2 U	2 U	2 U
Acetone	700	15	22	13	15

Table 4-7

QA/QC Sample Summary
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

VOC	MEDEP MEG or EPA MCL* (µg/L)	MW-05		MW-07		MW-10	
		Field Sample	Duplicate	Field Sample	Duplicate	Field Sample	Duplicate
		Jun-03	Jun-03	Jun-03	Jun-03	Jun-03	Jun-03
Trichloroethene	5	**156**	**161**	**351**	**360**	**1,820**	**1,880**
Tetrachloroethene	5	2 U	2 U	2 U	2 U	**12**	**12**
cis-1,2-Dichloroethene	70	2	2	3	3	49	49
trans-1,2-Dichloroethene	100	2 U	2 U	2 U	2 U	1 J	1 J
1,1,1-Trichloroethane	200	2 U	2 U	2 U	2 U	2 U	2 U
Toluene	1,000	2 U	2 U	2	1 J	2	2
Bromoform	44	2 U	2 U	2 U	2 U	2 U	2 U
Chloroform	57	2 U	2 U	2 U	2 U	2 U	2 U
Dibromochloromethane	4	2 U	2 U	2 U	2 U	2 U	2 U

Notes: 1. All values shown are in units of micrograms per liter (µg/L).

2. Concentrations in **BOLD** are in excess of Maine Department of Environmental Protection (MEI or U.S. Environmental Protection Agency (EPA) groundwater standard.

3. * Whichever is lowest.

J = Compound detected below reporting limit; concentration is estimated.

Table 4-7

QA/QC Sample Summary
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

VOC	MEDEP MEG or EPA MCL* (µg/L)	DW-03		DW-04		DW-12		DW-23	
		Field Sample	Duplicate	Field Sample	Duplicate	Field Sample	Duplicate	Field Sample	Duplicate
		Jun-03	Jun-03	Jun-03	Jun-03	Jun-03	Jun-03	Jun-03	Jun-03
Trichloroethene	5	**6.1**	**6.2**	**60**	**59**	2.6	2.5	2.3	2.3
Tetrachloroethene	5	0.5 U	0.5 U	0.88	0.81	0.36 J	0.39 J	0.36 J	0.5 U
cis-1,2-Dichloroethene	70	0.34 J	0.33 J	3.2	3.4	0.44 J	0.44 J	5.1	5.2
trans-1,2-Dichloroethene	100	0.5 U	0.5 U	0.5 U	0.57	0.5 U	0.5 U	0.28 J	0.31 J
1,1,1-Trichloroethane	200	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.74	0.75
Toluene	1,000	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Bromoform	44	0.5 U	0.5 U	0.99	0.86	0.5 U	0.5 U	0.5 U	0.5 U
Chloroform	57	0.5 U	0.5 U	0.45 J	0.44 J	0.5 U	0.5 U	0.5 U	0.5 U
Dibromochloromethane	4	0.5 U	0.5 U	0.34 J	0.29 J	0.56	0.63	0.5 U	0.5 U

DEP)

SECTION 4

FIGURES

DOWNEAST CORRECTIONAL FACILITY (DCF)

TRANSMITTER SITE

FAA RADAR FACILITY

DCF HOUSING AREA

GROUND/AIR TRANSMITTER RECEIVER (GATR) SITE

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-20	chloroform	57	ND	NS	ND	NS	ND	ND	NS	0.32J	NS	0.38J

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-18	VOCs	NS	NS	NS	ND	NS	NS	NS	NS	NS	NS

SAMPLE	ANALYTE	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-6	VOCs	ND	NS	ND	ND	ND	ND	NS	NS

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-9	trichloroethene	5	0.7	NS	0.71	NS	0.75	0.75	NS	0.74	NS	0.71

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-15	t-amylmethylether	NA	ND	NS	1.4	NS	ND	ND	NS	ND	NS	ND
	MTBE	35	6.3	NS	.95	NS	18	11	NS	9.5	NS	15
	TOLUENE	1000	ND	NS	0.37J	NS	ND	ND	NS	ND	NS	ND
	XYLENE	10,000	ND	NS	0.48J	NS	ND	ND	NS	ND	NS	ND

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-13	TOLUENE	1000	NS	ND	0.41J	NS	NS	NS	NS	NS	NS	0.26J

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-11	VOCs	ND	NS	ND	NS	NS	ND	NS	NS	NS	NS

SAMPLE	ANALYTE	MEG/MCL (ug/l)	3/02	6/02	9/02	12/02	3/03	6/03
DW-38	TOLUENE	1000	0.59	ND	NS	ND	NS	0.36J

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-17	CHLOROFORM	57	ND	NS	ND	NS	0.39J	ND	NS	ND	NS	NS

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-16	VOCs	ND	NS	ND	NS	ND	ND	NS	ND	NS	NS

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-21	BENZENE	5	0.78	NS	ND	NS	0.65	ND/ND	NS	ND	NS	ND
	MTBE	35	35	NS	36	NS	24	21/21	NS	14	NS	13
	t-amylmethylether	NA	ND	NS	ND	NS	ND	ND/ND	NS	0.55	NS	ND

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-07	dichlorodifluoromethane	1400	ND	NS	NS	0.55	NS	ND	NS	ND	NS	0.8J
	trichloroethene	5	ND	NS	ND	NS	NS	NS	NS	NS	NS	ND

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-19	VOCs	ND	NS	ND	NS	ND	ND	NS	ND	NS	NS

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-8	VOCs	ND	NS	ND	NS	NS	ND	NS	ND	NS	NS

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-3	bromodichloromethane	6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	bromoform	44	ND	ND	ND	ND	ND	ND	ND/ND	ND	ND	ND
	chloroform	57	ND	ND	ND	ND	ND	ND	ND/ND	ND	ND	ND
	dibromochloromethane	4	ND	ND	ND	ND	ND	ND	ND/ND	ND	ND	ND
	trichloroethene	5	4.6	4.3	4.1	4.3	5.2	5.7	7.4/7.2	0.82	6.4	ND
	cis-1-2-dichloroethene	70	ND	0.26J	ND	ND	0.28J	ND	0.36J/0.39J	0.38J	0.33J	0.34J

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-1	trichloroethene	5	0.72	NS	0.74	NS	0.65	0.69	NS	0.84	NS	0.92

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-2	bromomethane	10	ND	ND	ND/ND	ND	NS	ND	NS	ND	NS	NS
	cis-1,2-dichloroethene	70	0.97	0.50	0.71/0.74	0.53	NS	0.97	0.38J	NS	NS	NS
	tetrachloroethene	5	0.62	0.39J	0.44J/0.44J	0.4J	NS	0.53	ND	NS	NS	NS
	trichloroethene	5	15	9.1	12/13	10	NS	18	9.3	NS	NS	NS
	trichlorofluoromethane	2100	ND	ND	ND/ND	ND	NS	ND	ND	NS	NS	NS
	xylenes	10,000	ND	ND	ND/ND	ND	NS	ND	ND	NS	NS	NS

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-30	chloroform	57	1.1	NS	1.1	NS	NS	1.6	NS	NS	NS	1.2
	trichloroethene	5	ND	NS	ND	NS	NS	ND	NS	NS	NS	ND

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-12	cis-1,2-dichloroethene	70	ND/ND	ND	ND	0.4J	ND/ND	0.56/0.57	0.81	ND/0.47J	0.50J	0.44J
	dichlorodifluoromethane	1400	1.7/1.6	1.6	1.1	0.71	1.4/1.8	0.61/0.63	0.33J	0.71/0.78	0.52	0.56
	tetrachloroethene	5	ND/ND	ND	ND	ND	ND/ND	ND/ND	0.25J	ND/ND	ND	0.36J
	trichloroethene	5	0.92/0.91	0.86	0.80	2.8	1.1/1.1	3.6/3.4	1.3	2.8/2.4	2.3	2.6
	xylenes	10,000	ND/ND	ND	ND	ND	ND/ND	ND/ND	ND	ND/ND	ND	ND
	trans-1,2-DCE	100	ND/ND	ND	ND	ND	ND/ND	ND/ND	ND	0.36J/ND	ND	ND

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-4	cis-1,2-dichloroethene	70	3.4J/3.4J	3.5/3.4	3.8/3.7	4.3/4.3	4.6/4.6J	5.1/4.6	4.5/4.8	3.7/3.6	3.2J	3.2J
	trans-1,2-dichloroethene	100	ND/ND	ND/0.36J	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	ND	0.5
	tetrachloroethene	5	0.77J/0.76J	0.74/0.78	0.77/0.87	1/1	0.92/0.78	0.97/0.92	0.90/0.90	0.89/0.85	0.88	0.88
	trichloroethene	5	56/56.3	58/59.3	61/58.9	66/67	80/78	83/71	93/88	90/91	65/65	60
	toluene	NS	0.71/0.71	ND	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	ND
	chloroform	57	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	0.34J/0.30J	0.25J/0.35J	ND/ND	0.45J
	methyl-tert-butyl-ether	30	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	ND/ND	0.42J/0.53J	ND/ND	ND/ND	ND

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
WY-3	bromoform	44	ND	NS	ND	NS	3.8	5.0	NS	ND	NS	NS
	dibromochloromethane	4	ND	NS	ND	NS	0.47J	0.62	NS	ND	NS	NS
	trichloroethene	5	0.64	NS	0.53	NS	0.65	0.63	NS	0.63	NS	0.69

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-23	1,1-DICHLOROETHANE	70	0.52/ND	0.40J/0.38J	ND/0.38J	0.38J/ND	0.44J/0.45J	ND/ND	0.47J	0.37J/0.36J	0.37J	0.36J/0.33J
	1,2-DICHLOROETHANE	4	ND/ND	ND/ND	ND/ND	ND/0.35J	ND/ND	ND/ND	ND	ND/ND	ND	ND/ND
	1,1-DICHLOROETHENE	0.6	ND/ND	0.25J/0.26J	ND/ND	ND/ND	ND/ND	ND/ND	0.32J	ND/ND	ND	ND/ND
	cis-1, 2-DICHLOROETHENE	70	6.3/6.1	5.7/5.6	3.4/5.8	5.4/5.4	6.1/6.3	8.7/8.9	7.4	5.2/4.8	4.3	5.1/4.4
	trans-1,2-DICHLOROETHENE	100	ND/ND	ND/ND	ND/ND	ND/ND	0.41J/0.37J	0.39J/ND	ND	ND/ND	ND	0.28J/ND
	1, 1, 1-TRICHLOROETHANE	200	1.2/1.1	0.80/0.78	0.48J/0.94	0.93/0.95	0.84/0.84	0.9/1.0	1.1	0.72/0.66	0.66	0.74/1
	TRICHLOROETHENE	5	2.8/2.7	2.4/2.2	1.2/2.7	2.5/2.6	1.7/1.7	2.6/2.6	2.9	1.4/1.3	1.6	2.3/2.2

SAMPLE	ANALYTE	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-34	VOCs	ND	NS	ND	ND	NS	ND	NS	NS

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-5	VOCs	NS	NS	ND	NS	NS	ND	NS	NS	NS	NS

SAMPLE	ANALYTE	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-37	VOCs	ND	NS	ND	ND	NS	ND	NS	NS

SAMPLE	ANALYTE	MEG/MCL (ug/l)	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-36	MTBE	35	ND	NS	0.44J	ND	NS	0.28J	NS	NS

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-29	chloroform	57	ND	NS	ND	NS	ND	NS	0.30J	NS	0.36J

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-31	bic-1, 2-DICHLOROETHENE	70	NS	NS	1.5	1.5	NS	1.6	1.8	1.4	NS	1.3
	TRICHLOROETHENE	5	NS	NS	0.98	1.1	NS	1.0	1.1	1.0	NS	0.88
	1,1,1-TRICHLOROETHANE	200	NS	NS	ND	0.4J	NS	ND	0.4J	0.35J	NS	0.29J
	1,1-DICHLOROETHANE	70	NS	NS	ND	ND	NS	ND	0.3J	0.27J	NS	ND
	dichlorodifluoromethane	1400	NS	NS	ND	ND	NS	ND	0.76	NS	NS	ND

SAMPLE	ANALYTE	3/02	6/02	9/02	12/02	3/03	6/03
DW-39	VOCs	ND	ND	NS	ND	NS	NS

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-22	VOCs	ND	NS	ND	NS	ND	ND	NS	NS	NS	NS

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-32	CIS-1,2-DICHLOROETHENE	70	ND	NS	ND	NS	0.28J	ND	NS	ND	NS	NS

SAMPLE	ANALYTE	MEG/MCL (ug/l)	3/02	6/02	9/02	12/02	3/03	6/03
DW-40	CHLOROFORM	57	0.52	0.63	NS	0.54	NS	0.42J

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-33	cis-1, 2-DICHLOROETHENE	70	1.1	NS	1.0/1.0	NS	1.3	1.4	NS	1.2	NS	0.89
	TRICHLOROETHENE	5	0.55	NS	0.84/0.50	NS	0.62	0.64	NS	0.57	NS	0.55
	CHLOROFORM	57	ND	NS	ND/ND	NS	0.40J	ND	NS	0.46J	NS	0.46J
	1,1,1-TRICHLOROETHANE	200	ND	NS	ND/ND	NS	0.37J	ND	NS	0.32J	NS	0.27J

SAMPLE	ANALYTE	MEG/MCL (ug/l)	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-28	CHLOROFORM	57	0.83	NS	NS	ND	NS	NO	NS	NS
	cis-1,2-DCE	70	ND	NS	NS	ND	NS	0.31J	NS	NS

SAMPLE	ANALYTE	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-25	CHLOROFORM	57	ND	NS	ND	NS	0.54	0.52	NS	0.59	NS	0.51

SAMPLE	ANALYTE	MEG/MCL (ug/l)	1/01	3/01	6/01	8/01	3/02	6/02	9/02	12/02	3/03	6/03
DW-24	cis-1, 2-DICHLOROETHENE	70	ND	NS	ND	NS	NS	ND	NS	ND	NS	NS

LEGEND

- BUILDING
- MARSH
- ROAD
- 20 ELEVATION CONTOUR (FT)
- STREAM
- EDGE OF WATER
- MW-11 ● MONITORING WELL LOCATION
- DW-13 ● RESIDENTIAL OVERBURDEN WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW-7 ◉ RESIDENTIAL BED ROCK WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW-28 ◉ RESIDENTIAL WATER SUPPLY WELL OF UNKNOWN CONSTRUCTION CURRENTLY INCLUDED IN MONITORING PROGRAM
- TW-1 △ TEST WELL LOCATION
- SW/SED-1 △ SURFACE WATER/SEDIMENT SAMPLING LOCATION

NOTES:
THE LOWER OF THE MEG AND MCL VALUES IS USED FOR COMPARISON.
WELL LOCATIONS FOR DW-10, DW-14, WY-4, & WY-15 ARE APPROXIMATE.

MAP SOURCE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315-3864.

GRAPHIC SCALE
600 300 0 300 600
APPROXIMATE SCALE IN FEET

NO.	DATE	APPR.	REVISION

NO.	DATE	APPR.	REVISION

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

WESTON SOLUTIONS
MANCHESTER NEW HAMPSHIRE


CHECKED	DATE	CLIENT APPROVALS	DATE
DES. ENG.			
PROJ. ENG.			
PROJ. MGR.			
APPROVED		ISSUED FOR	DATE
APPROVED			

DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

VOC CONCENTRATIONS IN WATER SUPPLY WELLS JAN 2001 – JUN 2003

DRAWN	DATE	FIGURE NO.	REV. NO.
AJM	MAR 2005	4-1	
SCALE: AS SHOWN	W.O. NO. 10971 217 002	SHT. ___ OF ___	

M:\Design\DWG\MCGE\BUCKS\2003\Chem Box Map.dwg, FIG4-1, 3/14/2005 2:10:18 PM, ginadeb, 1:1



LEGEND

- BUILDING
- MARSH
- ROAD
- 20 — ELEVATION CONTOUR (FT)
- STREAM
- EDGE OF WATER
- MW–11 ● MONITORING WELL LOCATION
- DW–7 ◎ RESIDENTIAL BED ROCK WATER SUPPLY WELL CURRENTLY INCLUDED IN MONITORING PROGRAM
- DW–28 ◎ RESIDENTIAL WATER SUPPLY WELL OF UNKNOWN CONSTRUCTION CURRENTLY INCLUDED IN MONITORING PROGRAM
- TW–1 △ TEST WELL LOCATION
- APPROXIMATE EXTENT OF TCE IN BEDROCK GROUNDWATER (INFERRED)
- DW–2 ◎ (18) CONCENTRATION OF TRICHLOROETHENE (TCE) IN ug/L. RESULTS FROM JUNE 2003 SAMPLE ROUND
- ND TCE WAS NOT DETECTED ABOVE THE METHOD DETECTION LIMIT

MAP SOURCE:
BASE MAP IS A COMPILATION OF ELECTRONIC FILES OBTAINED FROM U.S. ARMY TOPOGRAPHIC ENGINEERING CENTER, 7701 TELEGRAPH ROAD, ALEXANDRIA, VA 22315–3864.

GRAPHIC SCALE
600 300 0 300 600
APPROXIMATE SCALE IN FEET

NO.	DATE	APPR.	REVISION
NO.	DATE	APPR.	REVISION

REMEDIAL INVESTIGATION REPORT
FORMER BUCKS HARBOR AFRTS/GATR AREA
MACHIASPORT, MAINE

WESTON SOLUTIONS — MANCHESTER NEW HAMPSHIRE

		CLIENT APPRDVALS	DATE
CHECKED			
DES. ENG.			
PROJ. ENG.			
PROJ. MGR.			
APPROVED			
APPROVED		ISSUED FOR	DATE

DEPARTMENT OF THE ARMY
NEW ENGLAND DISTRICT
CORPS OF ENGINEERS
CONCORD, MASSACHUSETTS

EXTENT OF TCE IN BEDROCK GROUNDWATER JUNE 2003

DRAWN	DATE	FIGURE NO.	REV. NO.
AJM	MAR 2005	4–2	
SCALE	W.O. NO.	SHT. ____ OF ____	
AS SHOWN	10971 217 002		

M:\Design\UWC\ACOE\BUCKS\2003\Plume Map.dwg, FIG4-2, 3/14/2005 2:21:20 PM, glorakb, 1:1

Figure 4-3
Trichloroethene (TCE) Concentrations (µg/L) versus Time in Residential Drinking Water Wells





Figure 4-4

Precipitation and TCE Concentrations in Selected Residential Wells



SECTION 5

ENVIRONMENTAL FATE AND TRANSPORT

5. ENVIRONMENTAL FATE AND TRANSPORT

5.1 INTRODUCTION

This section discusses the physical and chemical processes that affect contaminant migration in the various media at the site. The properties of the chemicals detected at the site are reviewed, and the interactions of these chemicals within groundwater and surface water are summarized. Difficulties and concerns associated with their presence in the subsurface are also presented.

5.2 SITE CONTAMINANTS

Based on the historical uses of the Bucks Harbor AFRTS facility, as well as the results of this RI and previous investigations (ABB, 1997a, 1997b, 1997c, 1997d; WESTON, 2000b), it has been determined that chlorinated VOCs are the primary compounds of concern at the site. Specifically, TCE and PCE have been detected in groundwater samples above applicable standards. The MEDEP MEG and EPA MCL for both TCE and PCE in groundwater is 5 µg/L. The MEDEP's action level for each compound is one-half the MCL/MEG, or 2.5 µg/L. Neither TCE nor PCE were detected in surface water or sediment samples collected at the site. No soil sampling was conducted as part of this RI, due to the limited thickness of unsaturated soils in the presumed source areas and the presumed diffuse nature of the initial release(s).

Historically, DRO had also been detected in several monitoring wells and residential drinking water wells in the vicinity of Howard Mountain at concentrations above the MEDEP MEG (there is no EPA MCL for DRO). However, Franklin Environmental Services, under contract to CENAE, conducted UST and soil removal activities at the site in 1995 (ABB, 1997b), and DRO concentrations in groundwater have decreased to below the MEDEP MEG of 50 µg/L (WESTON, 1999b).

Based on this information, TCE and PCE in site soils and groundwater are the primary focus of the fate and transport analysis presented in this section.

5.3 CONTAMINANT MIGRATION PATHWAYS

Contaminant presence at the site is apparently the result of operational activities at the site during 1954 to 1984. According to former employees (WESTON, 2002a), TCE and PCE were used

at the site for parts and materials degreasing and equipment cleaning. Small amounts (less than 1 gallon) of spent solvent were routinely discharged to the ground surface at the location(s) at which they were used. In addition, one or more 55-gallon drums of TCE were reportedly kept in the basement of former Building 114, located at the top of Howard Mountain (Figure 2-1). The drums were fitted with a spigot for dispensing the solvent into small containers used to transport it to the various areas where it was to be used. One-half of the basement floor was reportedly dirt, thus, it is possible that spills of solvent from this dispensing area could have infiltrated directly into the subsurface. The basement floor also had floor drains that routed spills through pipes to the face of Howard Mountain. These practices have resulted in the release of small amounts of contaminants over a wide area. Thus, it is unlikely that a concentrated source of TCE or PCE exists in the unsaturated soils at the site. Rather, it is more likely that smaller amounts of residual solvents are located at discrete areas scattered around the site (ABB, 1997d; WESTON, 2002a).

Precipitation falling on the site will tend to flush contaminants from the unsaturated soils and carry them through the bedrock's fracture network to the groundwater both in the dissolved phase, as well as NAPL. A portion of the NAPL and dissolved phases could have migrated into dead-end fractures within the bedrock, becoming residual contamination with little significant movement. Once the compounds reach the saturated zone, the primary migration pathway is via groundwater flow through the fractured bedrock (Gorelick et al., 1993; Fetter, 1994). The natural hydraulic flow of groundwater, combined with the use of groundwater as a drinking water source by local residents, government agencies, and businesses, has resulted in the migration of dissolved TCE and PCE away from the source areas (Howard and Miller Mountains and the Transmitter site) and toward local groundwater discharge areas (Howard Cove and Bucks Harbor). Surface water and sediment sampling in the smaller surface water bodies between the source area and the major discharge areas did not detect any TCE or PCE.

5.4 FATE AND TRANSPORT CHARACTERISTICS OF SITE CONTAMINANTS

An evaluation of the environmental fate and transport characteristics of the compounds of concern at the site addresses the mobility, stability, volatility, and persistence of each substance. Of these parameters, mobility and persistence are of primary importance (Gorelick et al., 1993). Mobility represents the potential for a chemical to migrate along a given pathway. Persistence is a measure of how long a chemical will remain in the environment.

The following five primary physical and chemical properties affect the transport of organic compounds in the environment:

- Specific gravity
- Water solubility
- Vapor pressure
- Henry's Law constant
- Organic carbon partition coefficient

The values of these parameters for TCE and PCE are listed in Table 5-1. Other properties not listed that may affect contaminant migration include water diffusion coefficient, viscosity, and temperature. Brief descriptions of the above parameters follow.

Specific gravity is ratio of a compound's density compared to the density of water. A compound with a specific gravity greater than one (1) will tend to sink within the saturated zone, when in its pure form. Compounds with a specific gravity less than one (1) will tend to float on top of the water table, when in their pure form.

Water solubility is the maximum concentration of a compound that can dissolve in water at a specific pH and temperature. Highly soluble compounds tend to be more mobile in groundwater and leach more readily from soils.

Vapor pressure is a relative measure of volatility of a substance in its pure state. Compounds with high vapor pressures readily volatilize from liquid form.

Henry's Law constant describes the distribution of a chemical between air and soil or water at equilibrium. It is usually defined as the ratio of the partial pressure of the compound in air, measured in atmospheres, to the mole fraction of the compound in a water solution. A high

Henry's Law constant indicates a higher tendency for a compound to volatilize from soil or water.

The **organic carbon partition coefficient** (K_{oc}) indicates the tendency for a chemical to be absorbed by organic carbon in the solid matrix of the vadose and water-bearing zones. Low K_{oc} values indicate less adsorption resulting in faster leaching from soil in the source areas and less retardation of the contaminant as it is transported by groundwater movement. This translates into lower persistence of contaminants in unsaturated soils and higher persistence of contaminants in the groundwater.

Based on an evaluation of these parameters, TCE and PCE have relatively high specific gravity, high solubility in water, high vapor pressure, high Henry's Law constant, and low K_{oc}. As a result, they would be expected to easily leach from soils in the unsaturated zone and move with groundwater in the water-bearing zone. Once they reach a surface water body, they would be expected to quickly volatilize into the atmosphere. Because of their high specific gravity, PCE and TCE are referred to as dense (i.e., heavier than water) nonaqueous phase liquids (DNAPL), and will tend to sink within the saturated zone when in their nonaqueous phase or at very high dissolved concentrations.

5.5 CONTAMINANT TRANSPORT IN GROUNDWATER

Dissolved concentrations of TCE and PCE have been identified in groundwater at the site. This subsection describes four predominant mechanisms that influence the migration of dissolved compounds in groundwater as follows:

- **Advection** - The transport of dissolved solutes by the motion of flowing groundwater. The amount (mass) of contaminant being transported is a function of its concentration in the groundwater and the quantity of moving groundwater (Gorelick et al., 1993). Advection will vary based on groundwater flow conditions, including hydraulic gradient and hydraulic conductivity.

- **Hydrodynamic dispersion -** The spreading of solutes from the path they would be expected to follow strictly according to advection hydraulics. Hydrodynamic dispersion is a combination of mechanical dispersion and molecular diffusion. Mechanical dispersion refers to the spreading of solutes as a result of the interaction of the groundwater with the aquifer matrix due to spatial and hydraulic conductivity

variations in the water-bearing zone as well as fluid mixing (Fetter, 1994). Molecular diffusion refers to the process by which a solute will move from an area of greater concentration toward an area of lower concentration. Diffusion will occur as long as a concentration gradient exists even if the fluid is not moving. Diffusion is generally responsible for the slow migration of contaminants into lower permeability zones, such as dead-end fractures and clay layers, adjacent to higher permeability zones, where the main mass of contamination exists (Fetter, 1994).

- **Adsorption** - The retention of dissolved chemicals on the solid matrix of the water-bearing zone due to partitioning between groundwater and the surfaces of the solid matrix. Adsorption of a compound results in a reduction of concentration in the aqueous phase and a retardation of the velocity of contaminant migration. The degree of retardation experienced by a particular organic contaminant will depend on the fraction of organic carbon in the aquifer matrix. The higher the organic carbon fraction, the greater the contaminant retardation (Fetter, 1994).

- **Degradation** - The biological decomposition or chemical alteration of dissolved compounds. Degradation includes the processes of phototransformation, biodegradation, metabolic reactions, hydrolysis, and dissociation/redox reactions. Of these only biodegradation is considered an important mechanism for the degradation of TCE and PCE in natural groundwaters below the root zone. Phototransformation requires sunlight, metabolic reactions and hydrolysis are not known to occur with TCE or PCE, and dissociation/redox reactions require the presence of certain catalysts that are not typically found in groundwater. Biodegradation is the biological process by which aerobic or anaerobic (in the case of TCE and PCE) microbes break down organic chemicals. This is a very important process by which soil or aquatic microbes can detoxify chemicals (Ney, 1998). Reduction of the concentration of a particular organic compound due to biodegradation does not ensure a reduction in toxicity. Many of the daughter products of biodegradation processes are as toxic, or more toxic, than their parents. Biodegradation of TCE, for example, can result in the formation of VC, which is more toxic than its parent (Gorelick et al., 1993).

5.6 SITE-SPECIFIC FATE AND TRANSPORT

This subsection applies the general concepts and information provided previously to the actual site conditions to assess the fate and transport of site contaminants.

The compounds of concern at the site are TCE and PCE. These compounds were released to surface soils in three separate areas (Transmitter site, GATR site, and Howard Mountain) as a result of disposal practices acceptable at the time of the USAF operations. The nature of the disposal practices suggests it is likely that small amounts of these compounds were discharged at discrete areas scattered around the site. The exception to this is a 55-gallon drum of solvent that

was reportedly stored in the basement of former Building 114 and used to dispense solvent to smaller containers for use in other areas of the site (WESTON, 2002). Portions of the basement floor of Building 114 were reportedly dirt, and it is possible that spills during the dispensing process could have infiltrated directly into the ground in this area.

The unsaturated zone within the suspected source areas at the site is characterized by a relatively thin layer of till that is underlain by fractured bedrock. The upper few feet of the bedrock was typically found to be slightly to moderately chemically weathered. The thickness of the unsaturated zone varied from approximately 10 to 120 ft. In general, a greater thickness of the unsaturated zone would tend to increase the likelihood that residual solvents remain above the water table in that area.

The high solubility and low K_{oc} of TCE and PCE suggest that these compounds would readily leach from the unsaturated soil and bedrock and enter the groundwater as precipitation infiltrates through the unsaturated soil and bedrock zones underlying the source areas. This would explain the lack of TCE and PCE suspected in site soils; although, it is still possible that some residual NAPL remains within the bedrock unsaturated zone at depth, especially in dead-end fractures. Typically, if a significant source of contamination remains within the unsaturated zone, the concentration of dissolved contaminants in downgradient monitoring wells will show a positive correlation with precipitation. This is because increased precipitation would tend to flush more contamination from the unsaturated zone into the saturated zone, thereby increasing contaminant concentrations downgradient. Analysis of data collected at the Bucks Harbor AFRTS (see Subsection 4.5.3) have shown that contaminant concentrations have an inverse relationship with precipitation, further suggesting that there is little contamination remaining within the unsaturated zone at this site.

The high specific gravity of TCE and PCE suggests that if a spill or leak is large enough, the material may remain as free-phase product or NAPL, even within the saturated zone. Residual NAPL can become adsorbed onto the soil, and to a much lesser extent, the bedrock fracture surfaces as well within the saturated zone and act as a secondary source of dissolved contamination. Typically, if residual NAPL is present within the saturated zone, contaminant concentrations in downgradient monitoring wells will exhibit an inverse relationship with

precipitation. This is because the reduced precipitation will result in lower groundwater levels, reducing the amount of groundwater flowing through the system that is available to dilute the contaminant concentrations. As mentioned previously, analyses at this site have shown that contaminant concentrations have an inverse relationship with precipitation, suggesting that residual NAPL could be present within the saturated bedrock zone.

Based on observations during drilling and groundwater monitoring activities at the site, no free-phase solvent or NAPL has been identified in site soils or on bedrock fracture surfaces to date. The highest concentration of a DNAPL compound (TCE) was identified in the groundwater at monitoring well MW-10, at a level of 3.4 mg/L. This represents approximately 0.3% of the solubility of TCE in water (1,100 mg/L at standard temperature and pressure) (Montgomery and Welkom, 1990). According to Newell and Ross (1991), a concentration of DNAPL-related chemicals in groundwater greater than 1% of pure-phase solubility indicates the potential for free-phase (mobile) DNAPL to exist at the site. Although the presence of other VOCs dissolved in groundwater suggests that any DNAPL found at the site could contain those compounds, it is unlikely that the percentage of compounds other than TCE would be very high based on the ratio of those compounds to TCE in the dissolved samples. Thus, co-solvency is not considered likely to lower the solubility of TCE in groundwater at the site. Therefore, it is unlikely that mobile NAPL exists at the site. Given the observed concentrations in the vicinity of Building 114, it is possible that residual non-mobile NAPL exists in dead-end fractures and/or on soil particles in the unsaturated zone. While the probability of mobile DNAPL is low, it will be considered during future source area treatment monitoring.

Once the dissolved-phase contaminants have entered the groundwater flow system, they will move in the direction of groundwater movement by advection. Mechanical dispersion is believed to play a lesser role in the downgradient migration of contaminants due to the limited mixing that occurs in flow through fractures. Some dilution will occur as the fractures containing contaminants receive water from fractures with clean water and recharge from above. Diffusion will tend to move contaminants into smaller and dead-end fractures transverse to the primary direction of contaminant movement. This is important because reverse diffusion from these dead-end fractures must be considered when evaluating potential remedial measures for the site.

Adsorption to the aquifer matrix is limited due to the nature of the bedrock and the low K_{oc} of the target compounds. The volcanic-intrusive igneous bedrock, such as that found at the site, would be expected to have a very low organic carbon content and thus, would not tend to bind contaminants to the fracture surfaces.

The potential for natural biodegradation to occur at the site was discussed previously in Section 4. WESTON's analysis of the potential for biodegradation concluded that in the absence of additional site data, it is unlikely that significant natural biodegradation of the TCE and PCE is occurring within the FAA or Transmitter site plumes in the Howard Mountain area, but that natural biodegradation is more prevalent within the GATR site plume in the Miller Mountain area. The reader is referred to Section 4 for a more detailed discussion of natural biodegradation at the site.

5.7 SUMMARY

In summary, it is believed that only small amounts of TCE and PCE are likely to remain in site soils at the presumed source areas due to the high solubility of these compounds and the diffuse nature of the release mechanism. However, groundwater data generated during the later phases of the RI suggest that potential repeated releases from the dispensing drum reportedly stored in the basement of former Building 114 could represent a larger and more continuous release. Releases related to the dispensing drum are the likely source of the higher concentrations of TCE found in monitoring well MW-10. Although it is possible that free-phase TCE could exist within the overburden and/or dead-end fractures within the unsaturated zone, evaluation of groundwater quality data versus precipitation suggest that this is not the case. It is possible that residual NAPL exists within the saturated zone in the vicinity of Howard Mountain based on the relatively high dissolved concentrations found in monitoring well MW-10, but it is unlikely that mobile NAPL exists in this area. Similarly, it is unlikely that any NAPL (residual or mobile) is present at either the Transmitter site or the GATR site based on the observed dissolved concentrations.

Trichloroethene and PCE will tend to move with the groundwater flow under advection once they have entered the saturated zone. They will move through fractures in the bedrock in a

downgradient direction toward groundwater discharge zones (Bucks Harbor and Howard Cove). Diffusion of the TCE and PCE into small and dead-end fractures, dilution, and some limited mechanical dispersion will tend to reduce their dissolved concentrations along the groundwater flow path. Limited natural biodegradation of TCE and PCE is occurring based on the presence of cis-DCE breakdown products. However, only minor amounts of cis-DCE (less than 5% of the TCE and PCE concentrations) are found at the site, suggesting that this mechanism is not significantly affecting the concentration or distribution of TCE and PCE at Howard Mountain or the Transmitter site. At Miller Mountain, however, the ratio of TCE to cis-DCE is much higher (more than 2.5:1), suggesting that natural biodegradation is effectively reducing contaminant concentrations in this area.

SECTION 5

TABLES

Table 5-1

Physical Properties of Organic Contaminants
Former Bucks Harbor AFRTS/GATR Sites
Machiasport, ME

Chemical	Specific Gravity (g/cc)	Aqueous Solubility (mg/L)	Vapor Pressure (mm Hg)	Henry's Law (atm-m^3 mol)	Log K_{oc} (ml/g)	Log K_{ow}	Water Diffusion Coefficient (sq. cm/sec)	Estimated Half-Life (days)	
								Soil	Groundwater
Tetrachloroethene	1.62[a]	150[a]	14[a]	121	2.42[a]	2.60[a]	7.5E-06[b]	180 - 360[b]	360 - 720[b]
Trichloroethene	1.46[a]	1,100[a]	57.8[a]	87	2.10[a]	2.53[a]	8.3E-06[b]	180 - 360[b]	321 - 1,653[b]

Note: All values represent properties measured at standard temperature and pressure (STP).

[a] J.H. Montgomery, and L.M. Welkom. 1990. *Groundwater Chemicals Desk Reference* , Lewis Publ., Chelsea, MI. 65 p.

[b] J.E. Lucius et al. 1990. *Properties and Hazards of 108 Selected Substances* , USGS Open File Report, 90-408. 559 p.

atm-m^3 mol = atmospheres per cubic meter per mole
g/cc = grams per cubic centimeter
K_{OC} = organic carbon partition coefficient
K_{OW} = octanol-water partition coefficient
mg/L = milligrams per liter
mL/g = milliliters per gram
mm HG = millimeters of mercury
sq. cm/sec = square centimeters per second

SECTION 6

BASELINE HUMAN HEALTH RISK ASSESSMENT

6. BASELINE HUMAN HEALTH RISK ASSESSMENT

6.1 OBJECTIVES

A baseline human health risk assessment (BHHRA) was performed for the Bucks Harbor former AFRTS and GATR Site in Machiasport, Maine, according to the National Contingency Plan (NCP). The objectives were to predict the cancer risks and noncancer adverse health effects above background levels in susceptible populations potentially exposed to contaminants associated with the site under baseline conditions (i.e., in the absence of remedial action). The BHHRA has evaluated both current and future exposure scenarios. Table 6-1 provides the exposure pathways analysis that summarizes the sources of chemical exposure, exposure media, exposure pathways, susceptible populations, exposure routes, and rationale. The exposure scenarios include off-site current residents, current on-site prison inmates at the Downeast Correctional Facility (DCF), and on-site future residents (i.e., direct exposure drinking water, inhalation of VOCs while showering). The tables for Section 6 are provided in Appendix E of this report.

6.2 APPROACH AND REGULATORY GUIDANCE

The individual steps of the BHHRA process as performed for the Bucks Harbor former AFRTS and GATR site are discussed in the following subsections:

- Hazard Identification and Data Evaluation (Subsection 6.3)
- Exposure Assessment (Subsection 6.4)
- Dose-Response (Toxicity) Assessment (Subsection 6.5)
- Risk Characterization (Subsection 6.6)
- Uncertainty Analysis (Subsection 6.7)

Risk assessment guidance documents and information sources that were used to prepare this report include the following:

- *Guidance for Data Usability for Risk Assessment* (EPA, 1992a).
- *U.S. Army Corps of Engineers Risk Assessment Guidance* (USACE, 1995).

- *Risk Assessment Guidance for Superfund (RAGS), Volume 1 – Human Health Evaluation Manual, Part D, Standardized Planning, Reporting, and Review of Superfund Risk Assessments (RAGS, Part D)* (EPA, 2001).
- *Risk Assessment Guidance for Superfund (RAGS), Part A, Volume 1* (EPA, 1989).
- *Exposure Factors Handbook* (EFH) (EPA, 1997a).
- *Guidance Manual for Human Health Risk Assessments at Hazardous Substance Sites*, State of Maine, Departments of Environmental Protection and Human Services (MEDEP, 1994).
- Other documents or directives have been cited in the text where appropriate.

Documentation of the calculations and the summary tables for this section are presented in Appendix E and will be cited as required in the appropriate sections of the report.

6.3 HAZARD IDENTIFICATION AND DATA EVALUATION

The objectives of the hazard identification step are to:

- Identify and statistically evaluate the potential contaminants in each sampled medium.
- Classify chemicals as to their adverse health effects.
- Determine the usability of the analytical data in the risk assessment.
- Select the contaminants of potential concern (COPCs). MEDEP use the term "Study Chemicals" to denote those chemicals to be evaluated in a risk assessment. This term is similar to the term "COPC" as used in EPA *Superfund Risk Assessment Guidance*. The term "COPC" has been used in this report in order to be consistent with EPA *Superfund Risk Assessment Guidelines* (See Subsection 6.3.3.1).

6.3.1 Data Validation

Site data were collected, analyzed, and validated in accordance with the general methods discussed in EPA guidance documents (EPA, 1989, 1992a). Validation of the analytical data was conducted in accordance with EPA guidelines. These guidelines ensure that the data will meet uniform requirements for data usability for conducting this risk assessment.

The parameters included in the data validation are the following:

- Data completeness
- Holding time
- Calibrations
- Laboratory and field blanks analyses
- Surrogate recoveries
- Matrix spike/matrix spike duplicate analyses
- Laboratory control sample (LCS) and LCS duplicate
- Field duplicates
- Internal standards
- Pesticide instrument performance
- Sample cleanup
- Compound identification
- Compound quantitation

6.3.2 Data Reduction

The following guidelines for data reduction were used to produce the data summaries for each medium. These guidelines are consistent with EPA and MEDEP risk assessment guidance documents (EPA, 1989, 1992a; MEDEP, 1994):

- If a chemical was not positively identified in any sample from a given medium because it was reported as a nondetect and/or because of blank contamination, it was addressed for that medium.

- All data with "J" qualifiers were assumed to be positive identifications for those media. "J" values are estimated concentrations reported below the minimum confident quantitation limit.

- For sample sets from a specific medium that contain at least one detection, any nondetects in that same sample set were treated at one-half the sample quantitation limit (SQL) for the purposes of calculating the 95% upper confidence limit (UCL) of the arithmetic mean.

- Duplicate samples were considered as one data point in summarizing the analytical results and for calculating the exposure point concentration (EPC). The values reported for a duplicate sample were treated according to the following rules:

    - For duplicates in which both sample values were detected concentrations, the values were averaged unless the relative difference between the two samples, based on the magnitude of the lower of the two values, was equal to or greater than 50% for soils/sediments or 30% for groundwater and surface water.

- In the latter cases, the maximum value of the duplicate set was used as the sample concentration.
- If a duplicate set consisted of nondetected and detected values, the detected value was used as the sample concentration in subsequent calculations.

Both duplicate samples were included in the summary table with respect to reporting the range of detected concentrations.

6.3.3 Data Evaluation and Selection of Chemicals of Potential Concern

6.3.3.1 Introduction

The objectives of the data evaluation are to summarize the analytical data for each sampled medium, to select the media that will be evaluated, and to determine the chemicals of potential concern (COPCs) (EPA, 1989). MEDEP (1994) uses the term "Study Chemical," which is similar to the term "COPC," and is determined by methods similar to EPA *Risk Assessment Guidelines* (EPA, 1989, 1993). The term "COPC" has been retained for this report.

The data were segregated according to medium and exposure area as determined from the exposure pathways analysis presented (Table 6-1). The media for evaluation included only groundwater data from on-site and off-site areas. The rationale for evaluating these groundwater samples with respect to the potential for exposure is discussed in Subsection 6.4.

Two general sets of groundwater data were evaluated for this final report. The first set included drinking water (DW) well samples located off-site in residential areas. These data were evaluated for a *current off-site residential* exposure scenario. The well identified as WY-03 was evaluated for a *current prison inmate* scenario at the Downeast Correctional Facility (DCF). The second set, which was not included in the draft of this report, included on-site monitoring well (MW) data and were evaluated for a *future on-site residential* scenario. Two subsets of the on-site MW data were separately evaluated for the Howard Mountain and Miller Mountain exposure areas.

The DW and MW raw data with sample identifications and locations for all wells (i.e., drinking water wells and monitoring wells) are presented in Appendix E.1. The data distributions for the DW and WY well data were determined using the Shapiro-Wilk test

(Pioneer Technologies, 2002; Gilbert, 1987). If the program indicated that the data distribution for a given chemical was indeterminable, a lognormal distribution was assumed (EPA, 1992b). For the on-site MW data, statistical distributions for each exposure area were determined using ProUCL software (EPA, 2004a). Data distribution information for all detected chemicals can be found in Appendix E.2.

6.3.3.2 Approach for Selecting COPCs

A conservative list of COPCs for each medium was developed for the risk characterization according to the EPA Region *Risk Assessment Guidance* (EPA, 1993). The maximum detected concentration of each chemical, by medium, was compared with medium-specific risk-based screening concentrations (RBSCs) based on residential exposure. The RBSCs for tap water were developed from Region III risk-based concentrations (RBCs) (EPA, 2004b). Target risk (TR) and target hazard quotient (THQ) levels for RBSCs were set at 1E-06 and 0.1, respectively, unless otherwise noted. This lowers the noncancer RBC values presented in the EPA Region III *RBC tables* by an order of magnitude in order to address the additivity of noncancer effects when there is exposure to multiple chemicals (EPA, 1993). If the maximum detected chemical concentration was less than its respective medium-specific RBSC, that chemical was eliminated from the COPC list. If the maximum detected concentration for a given chemical exceeded its respective RBSC, that chemical was carried forward in the BHHRA as a COPC. All chemicals that were detected in the groundwater data sets had corresponding tap water RBSCs in the EPA Region III *RBC Tables* (EPA, 2004b).

6.3.3.3 Drinking Water Wells

A total of 35 drinking water wells and 1 DCF Housing Area supply well were analyzed for the BHHRA. Drinking water wells were sampled up to 17 times (i.e., 4 years of quarterly monitoring). The monitoring data from all sampling rounds from each residential well were separately evaluated. Of the 36 wells, 11 (DW-05, DW-06, DW-08, DW-11, DW-16, DW-18, DW-19, DW-22, DW-34, DW-37, and DW-39) did not have any detected chemicals in any sampling round evaluated, and therefore, these wells were not further assessed. Tables 6-2 through 6-26 summarize the groundwater data detected in each of the remaining 25 individual private wells at Bucks Harbor. The following is a list of the chemicals detected at each respective

drinking water well. The frequency of detection for each chemical in each well is shown in parentheses.

- **DW-01**: Trichloroethene (9/9).
- **DW-02**: Tetrachloroethene (6/10), trichloroethene (10/10), and cis-1,2-dichloroethene (9/10).
- **DW-03**: Trichloroethene (16/17) and cis-1,2-dichloroethene (5/17).
- **DW-04**: Chloroform (1/17), methyl tertiary butyl ether (MTBE) (1/17), tetrachloroethene (16/17), toluene (1/17), trichloroethene (17/17), xylenes (1/13), cis-1,2-dichloroethene (17/17), and trans-1,2-dichloroethene (1/17).
- **DW-07**: Dichlorodifluoromethane (4/5).
- **DW-09**: Trichloroethene (12/13).
- **DW-12**: Dichlorodifluoromethane (13/16), tetrachloroethene (1/16), trichloroethene (16/16), cis-1,2-dichloroethene (9/16), and trans-1,2-dichloroethene (1/16).
- **DW-13**: Toluene (1/3).
- **DW-15**: MTBE (5/5), toluene (1/5), xylenes (1/4), and t-amyl methyl ether (1/5).
- **DW-17**: Chloroform (1/5).
- **DW-20**: Chloroform (1/5).
- **DW-21**: Benzene (2/5), MTBE (5/5), and t-amyl methyl ether (1/5).
- **DW-23**: 1,1,1-Trichloroethane (13/17), 1,1-dichloroethane (8/17), 1,1-dichloroethene (2/17), 1,2-dichloroethane (1/17), trichloroethene (14/17), cis-1,2-dichloroethene (14/17), and trans-1,2-dichloroethene (3/17).
- **DW-24**: cis-1,2-Dichloroethene (1/5).
- **DW-25**: Chloroform (3/5).
- **DW-28**: Chloroform (1/3) and cis-1,2-dichloroethene (1/3).
- **DW-29**: Chloroform (1/4).
- **DW-30**: Chloroform (4/5).
- **DW-31**: 1,1,1-Trichloroethane (3/8), 1,1-dichloroethane (2/8), dichlorodifluoro-methane (1/8), trichloroethene (8/8), and cis-1,2-dichloroethene (8/8).

- **DW-32**: cis-1,2-Dichloroethene (1/5).
- **DW-33**: 1,1,1-Trichloroethane (2/5), chloroform (2/5), trichloroethene (5/5), and cis-1,2-dichloroethene (5/5).
- **DW-36**: MTBE (2/4).
- **DW-38**: Toluene (1/3).
- **DW-40**: Chloroform (3/3).
- **WY-03**: Bromoform (3/10), dibromochloromethane (2/10), and trichloroethene (10/10)*

Merged List of Chemicals Detected Above Detection Limit in Drinking Water Wells	
Chemical Class	**Chemical**
Volatile Organic Compound	1,1-Dichloroethane
	cis-1,2-Dichloroethene
	trans-1,2-Dichloroethene
	t-Amyl methyl ether
	Benzene
	Bromoform
	Chloroform
	Dichlorodifluoromethane
	Dibromochloromethane
	Methyl-tert-butyl ether
	Tetrachloroethene
	Toluene
	Trichloroethene
	Xylenes

Of the 25 DW wells with at least one detection, 19 wells were further evaluated in the BHHRA because one or more chemicals were selected as COPCs (i.e., where the maximum detected

* Well WY-03 is an on-site well used for the prison inmate scenario at the DCF.

concentration of a chemical exceeded its RBSC). The methods for calculating the EPCs are discussed in the *Exposure Assessment* (Subsection 6.4.3).

- **DW-01**: Trichloroethene
- **DW-02**: Tetrachloroethene and trichloroethene
- **DW-03**: Trichloroethene
- **DW-04**: Chloroform, tetrachloroethene, and trichloroethene
- **DW-09**: Trichloroethene
- **DW-12**: Tetrachloroethene and trichloroethene
- **DW-15**: MTBE and t-amyl methyl ether
- **DW-17**: Chloroform
- **DW-20**: Chloroform
- **DW-21**: Benzene, MTBE, and t-amyl methyl ether
- **DW-23**: 1,2-Dichloroethane, trichloroethene, and cis-1,2-dichloroethene
- **DW-25**: Chloroform
- **DW-28**: Chloroform
- **DW-29**: Chloroform
- **DW-30**: Chloroform
- **DW-31**: Trichloroethene
- **DW-33**: Chloroform and trichloroethene
- **DW-40**: Chloroform
- **WY-03**: Dibromochloromethane and trichloroethene

In summary, wells DW-07, DW-13, DW-24, DW-32, DW-36, and DW-38 showed no chemicals exceeding their respective RBSCs. TCE and chloroform were the two primary COPCs found in the wells, with 10 and 9 well exceedances, respectively. Tetrachloroethene, MTBE, and t-amyl-methyl ether each exceeded in two wells, and benzene, cis-1,2-dichloroethene, 1,2-dichloroethene, and dibromochloromethane each exceeded in one well.

6.3.3.4 Monitoring Wells Evaluated for Future Residential Use

In contrast to the residential drinking water wells, which were evaluated separately, the wells from the Howard Mountain and Miller Mountain exposure areas were each grouped and evaluated as complete data sets. (i.e., the COPC EPC for each exposure area were determined from a statistical average of all the wells within a given exposure area). Data for the monitoring wells for Howard Mountain and Miller Mountain exposure areas were separately evaluated because each area has its own distinct geological characteristics and contaminant concentration profiles.

The Transmitter Site area, DCF Filter Bed Area, Howard Mountain FAA Area, and DCF Housing Area are all considered "Howard Mountain Area" locations. The hand full of wells identified as "Miller Mountain/GATR Site" belong to what we identify as the "Miller Mountain" site. The Test Well is linked hydrogeologically to Howard Mountain, so it was included in the Howard Mountain evaluation.

Only June 2003 data was evaluated, as it is one complete set, was collected at the same time, has a complete list of sample quantitation limits, and is the most current indicator of groundwater conditions.

Thirty-two (32) monitoring wells from Howard Mountain and three (3) monitoring wells from Miller Mountain, respectively, were evaluated in this BHHRA.

Tables 6-27 and 6-28 present data summaries of 32 monitoring wells from Howard Mountain and three monitoring wells from Miller Mountain, respectively. The following is a list of the chemicals detected in at least one monitoring well from the Howard Mountain area. The frequency of detection for each chemical is shown in parentheses.

- 1,3-Dichlorobenzene (1/32)
- 1,4-Dichlorobenzene (1/32)
- Acetone (2/32)
- Chlorobenzene (1/32)
- Tetrachloroethene (4/32)
- Toluene (2/32)
- Trichloroethene (12/32)
- cis-1,2-Dichloroethene (5/32)
- trans-1,2-Dichloroethene (1/32)

The following is a list of the chemicals detected in at least one monitoring well from the Miller Mountain area. The frequency of detection for each chemical is shown in parentheses.

- 1,1,1-Trichloroethane (1/3)
- 1,1-Dichloroethane (1/3)
- 1,2,4-Trichlorobenzene (1/3)
- Trichloroethene (2/3)
- cis-1,2-Dichloroethene (1/3)

Maximum concentrations of each chemical that exceeded its respective EPA Region III tap water RBSC were selected as COPCs and carried through the risk assessment (EPA, 1993, 2004b).

Merged List of Chemicals Detected Above Detection Limit in Monitoring Wells	
Chemical Class	**Chemical**
Volatile Organic Compound	**Howard Mountain**
	1,3-Dichlorobenzene
	1,4-Dichlorobenzene
	cis-1,2-Dichloroethene
	trans-1,2-Dichloroethene
	Acetone
	Chlorobenzene
	Tetrachloroethene
	Toluene
	Trichloroethene
	Miller Mountain
	1,1,1-Trichloroethane
	1,2,4-Trichlorobenzene
	1,1-Dichloroethane
	cis-1,2-Dichloroethene
	Tetrachloroethene
	Trichloroethene

The following chemicals were selected as COPCs for Howard Mountain:

- 1,3-Dichlorobenzene
- 1,4-Dichlorobenzene
- Tetrachloroethene
- Trichloroethene
- cis-1,2-Dichloroethene

The following chemicals were selected as COPCs for Miller Mountain:

- 1,2,4-Trichlorobenzene
- Trichloroethene
- cis-1,2-Dichchloroethene

6.4 EXPOSURE ASSESSMENT

The goal of the exposure assessment is to determine the extent of potential exposure of susceptible populations. The exposure assessment involves several discrete elements, including:

- Characterization of current and planned future land and water uses on or near the site.
- Identification of the potential chemical sources, exposure pathways and routes, and susceptible populations (i.e., exposure pathways analysis).
- Estimation of exposure point concentrations (EPCs) for each chemical in each medium.
- Identification of the exposure models and a description of the assumptions used to calculate daily intakes or doses.
- Estimation of daily doses by medium and exposure route for both carcinogenic and noncancer effects in susceptible populations.

6.4.1 Characterization of Land and Water Uses

Machiasport is a small coastal town that includes the communities of Larrabee, Bucks Harbor, and Starboard Cove. The USAF operated a radar tracking station in Machiasport from 1954 to 1984, located approximately 25 miles from the Canadian border (see Figure 1-1). The Base was used after 1984 by the FAA to track commercial aircraft. Part of the former USAF facility is used by the Department of Corrections of the State of Maine for use as a minimum-security prison (DCF).

The current off-Base land use within Machiasport is predominantly rural residential with a few commercial operations. All homes and commercial facilities are served by private wells, in which solvents such as TCE and PCE have been detected as a result of former on-Base activities. Most of the private wells are drilled bedrock wells completed in the fractured bedrock aquifer that underlies the entire area.

On the former site, a drinking water well (WY-03) is used by the DCF to provide water to current inmates and its employees. Several additional wells on-site are located on Miller Mountain and Howard Mountain. Although these areas are not currently inhabited by

residents or used by commercial/industrial workers, certain areas may be developed residentially in the future.

6.4.2 Exposure Pathways Analysis

An exposure pathways analysis depicts the chemical sources, chemical migration pathways in affected media, potential exposure routes, and known or potential human populations. A key function of the analysis is to identify complete exposure pathways and to assist in the development of exposure scenarios and dose estimation models. A complete exposure pathway is one that has all of the elements just described. Table 6-1 (previously cited) is an exposure pathways analysis that details the exposure pathways selected for Bucks Harbor and summarizes the potential future exposure pathways based on the site information discussed previously.

The BHHRA focuses on those human populations assumed to be the most likely exposed to off-site and on-site contamination. This approach ensures that the risk range over various population subgroups has been characterized for all current and potential future activities. Each population assessed in the risk assessment was evaluated using "reasonable maximum exposure" (RME) assumptions. The RME case is designed to be a measure of high-end exposure and ultimately, leads to an estimate of upper-bound population risk (EPA, 1989). A central tendency exposure (CTE) assessment, which is based on average exposure assumptions, was also performed; this is presented in Appendix E.3.

The exposure scenarios and their rationales were selected on the basis of these discussions of land and water uses. These were:

- **Current Off-Site Resident**—There are a number of residences off-site that use private wells for drinking water. A child aged 1 to 6 years and an adult were evaluated for exposure to groundwater through tap water ingestion (child and adult), and indoor water uses related to inhalation of volatiles while showering (adult). Dermal contact while bathing was semi-quantitatively evaluated in the Uncertainty Analysis. Each drinking water well was individually evaluated (i.e., per residence).

- **Current On-Site Prison Inmate**—An adult inmate was evaluated for groundwater exposure through tap water ingestion and inhalation while showering using well WY-03 as the drinking water source.

- **Future On-Site Resident.** A future resident child aged 1 to 6 years and a resident adult were evaluated for exposure to groundwater through tap water ingestion (child and adult), and inhalation while showering. Dermal contact while bathing was semi-quantitatively evaluated in the Uncertainty Analysis. Monitoring well data were separately grouped based on future residents residing at Howard Mountain and Miller Mountain.

The potential for vapor intrusion into current and future residences was not quantitatively evaluated. Groundwater data were screened by comparing maximum detected concentrations of all COPCs with risk-based vapor intrusion data (EPA, 2002). The results of the screening analysis are presented and discussed in Subsection 6.6.4.

6.4.3 Exposure Point Concentrations

The chemical-specific EPCs for the various scenarios were calculated based on the following data sets:

- For current off-site resident and on-site prison inmate, EPCs for groundwater were based on the untreated groundwater data from the 24 individual residential drinking water wells and the DCF Housing Area supply well (WY-03).
- For the future resident, EPCs were calculated for each COPC on the collective monitoring well data from Howard Mountain and Miller Mountain.
- For VOCs in groundwater, the EPCs for indoor showering exposure of adults were calculated according to the method of Foster and Chrostowski (1987).

For the off-site current resident and on-site prison inmate scenarios, the EPCs were calculated for each chemical based on the 95% UCL concentration of the arithmetic mean of the data from all rounds. The 95% UCL of the mean for each COPC was calculated in accordance with EPA guidance for either a lognormal or normal distribution (EPA, 1992b). The selection of the appropriate method was dependent on the results of the Shapiro-Wilk *W*-test (Gilbert, 1987). If the distribution test results were indeterminate, a lognormal distribution was assumed.

Sample non-detects were included at one-half the sample quantitation limit (SQL) for those COPCs that had nondetects reported. The appropriate formula (dependent on the type of

distribution) was used to estimate the 95% UCL of the mean. The formulas used for each type of distribution are as follows:

Lognormal Distribution:

$$UCL = e^{\left(\bar{x} + 0.5s^2 + sH/\sqrt{n-1}\right)}$$

Where:

UCL	=	95% upper confidence limit of the arithmetic mean.
e	=	Constant (base of the natural log, equal to 2.718).
$\bar{x}$	=	Arithmetic mean of the log-transformed data for contaminant i.
s	=	Standard deviation of the log-transformed data.
H	=	H-statistic, determined by the standard deviation and sample size.
n	=	Sample size for contaminant in the designated media set.

Normal Distribution:

$$UCL = \bar{x} + t\,(s/\sqrt{n})$$

Where:

UCL	=	95% Upper confidence limit of the arithmetic mean.
$\bar{x}$	=	Arithmetic mean of the untransformed data.
s	=	Standard deviation of the untransformed data.
t	=	Student-t statistic.
n	=	Sample size for contaminant in the designated media set.

If the 95% UCL concentration exceeded the maximum detected concentration for a chemical, the maximum detected concentration in a given medium was used as the EPC. Tables 6-29 through 6-47 present the EPCs for the residential and DCF Housing Area supply wells.

For the MW data for Howard and Miller Mountains incorporated in this revised risk assessment, the EPCs were determined using the newest version of ProUCL (EPA, 2004a). This statistical program calculates EPCs by several statistical approaches (e.g., Land method, Student's *t*, bootstrap, and Chebyshev), and then provides a recommendation for which method provides the

most statistically valid estimate of the average concentration (i.e., 95% UCL). ProUCL was developed for data sets that are highly censored and/or when the results of statistical distribution tests indicate the data are neither normally nor lognormally distributed (EPA, 2002a, 1992b). Tables 6-48 and 6-49 present the EPCs for the monitoring wells for Howard and Miller Mountain Areas. Each table lists the statistical distribution of the data and the mathematical formula on which the EPCs were based. Appendix E contains the Shapiro-Wilk *W* test and ProUCL outputs for each data set, as applicable.

The ProUCL program was not used to recalculate the drinking water well data previously developed for the current resident. Although there were some indeterminate distributions in these data (and therefore, a lognormal distribution was assumed), the 95% UCLs calculated from these cases is expected to be more conservative than that which would be recommended by the ProUCL model.

6.4.4 Exposure Dose Models and Assumptions

The mathematical models and exposure assumptions that were used to calculate the daily intakes (i.e., the daily doses) of COPCs for each receptor population through the applicable exposure routes are presented in this subsection. Many of the exposure parameters that were used are standard default values recommended by EPA guidance (EPA, 1989, 1991a, 1997, 2001) and MEDEP guidance (MEDEP, 1994). Site-specific assumptions and professional judgment were used where information was not available.

Two types of daily exposure doses were calculated. The first model, in which the daily doses (chronic daily intakes) were averaged over the assumed exposure duration, was used to evaluate the potential for noncancer health effects (i.e., the average daily dose [ADD]). The second model, in which the doses were averaged over a 70-year lifetime, was used to evaluate potential carcinogenic risk (i.e., the lifetime average daily dose [LADD]).

The two dose models are identical with the exception of the averaging time, as shown below:

Dose (Intake, mg/kg-day) = (C x CR x EFD)/(BW x AT)
Where:
Chemical-Related Variable:
C = Exposure concentration of chemical in medium (air, soil, water, food) contacted during the exposure period, and expressed as amount of chemical per weight or volume of medium (e.g., mg chemical/m^3 in air, mg chemical/kg in soil, mg chemical/L in water).
Variables that Describe the Exposed Population:
CR = Contact rate, expressed as the amount of medium contacted per unit time (e.g., mg soil/day, L water/day).
EFD = Exposure frequency and duration; describes how long and how often exposure occurs. Usually calculated using two terms:
EF = Exposure frequency (days/year).
ED = Exposure duration (years).
BW = Body weight; the average body weight over the exposure period (kg).
Assessment-Determined Variables:
AT = Averaging time; period over which exposure is averaged (days); ED (years) x 365 days/year for calculating the ADD, and 70 years x 365 days/year for the LADD.

Source: EPA, 1989.

The final exposure doses were expressed as administered (oral, inhalation) doses, in milligrams of contaminant per kilogram body weight per day (mg/kg-day).

The rationale for selecting groundwater contact rates is presented in the following subsections. The tables presenting the dose algorithms, exposure inputs, and references are provided at the end of Section 6 (see Tables 6-50 through 6-54). The exposure inputs are consistent with MEDEP *Risk Assessment Guidance* (MEDEP, 1994).

6.4.4.1 Ingestion of Groundwater

The ingestion of groundwater as a drinking water source was evaluated for the current and future child and adult resident and the current adult prison inmate. Adult residents and children were assumed to ingest 2 liters (L) of water per day and 1 L of water per day, respectively. The on-site prison inmate was assumed to ingest 2 L of water each day from on-site sources.

6.4.4.2 Inhalation of Volatile Organic Compounds While Showering

Inhalation of VOCs while showering was assessed quantitatively for the adult resident and on-site prison inmate. The Foster-Chrostowski Model (Foster and Chrostowski, 1987) was used to estimate the air concentration (CA) of the VOCs from the groundwater levels. The algorithms for calculating CA and the exposure doses for the adult resident and on-site prison inmate are shown in Tables 6-51 and 6-54, respectively. The predicted shower stall air concentration of each VOC is dependent on the groundwater chemical-specific EPC, shower-water flow rate (FV), the shower duration (SD), the fraction volatilized (FL), and the bathroom volume (BV). The following assumptions were used:

- FL – 30 liters per minute (L/min)
- SD – 15 min
- FV – 1 (100%)
- BV – 12 cubic meters (m^3)

Based on prison inmate showering information for the DCF obtained from (Personal Communication; WESTON, 2005), the assumptions used to estimate inhalation while showering for the resident are similar to the DCF (i.e., shower stall volume and showering duration). The flow rate and fraction volatilized were assumed to be identical for both scenarios.

6.4.4.3 Dermal Contact While Bathing

The models and assumptions for the semi-quantitative evaluation of this potential pathway for children are presented in the Uncertainty Analysis.

6.4.4.4 Current and Future Adult Resident

Tables 6-50 and 6-51 present the algorithms for current and future adult contact with drinking water via ingestion and inhalation (while showering). An exposure frequency of 350 days/year, exposure duration of 30 years, and a body weight of 70 kg were used for all pathways of exposure. Drinking water ingestion was assumed to be 2 L/day (EPA, 1991a). Showering time was assumed to be 15 minutes. The inhalation rate while showering was assumed to be 0.5 m^3/hour, which is the value for sedentary activities (see Table 5-23; EPA, 1997a).

The CA of VOCs was calculated using the Foster-Chrostowski Model shown at the bottom of Table 6-51 (Foster and Chrostowski, 1987). The drinking well water chemical-specific EPCs were obtained from Tables 6-29 through 6-49.

6.4.4.5 Current and Future Child Resident

Table 6-52 presents the algorithms for child contact with drinking water via ingestion. An exposure frequency of 350 days/year, an exposure duration of 6 years, and a body weight of 15 kg were used for all pathways of exposure. Drinking water ingestion was assumed to be 1 L/day (EPA, 1991a) The EPCs were obtained from Tables 6-29 through 6-49. Inhalation of VOCs from bathwater was not evaluated for the current or future child resident. Dermal contact while bathing was evaluated semi-quantitatively in the Uncertainty Analysis.

6.4.4.6 Current On-Site Prison Inmate

Tables 6-53 and 6-54 present the algorithms for adult contact with drinking water via ingestion and inhalation (while showering). An exposure frequency of 365 days/year, an exposure duration of 30 years, and a body weight of 70 kg were used for all pathways of exposure. Drinking water ingestion was assumed to be 2 L/day (EPA, 1991a) Showering time was assumed to be 15 minutes. The inhalation rate while showering was assumed to be 0.5 m^3/hour (EPA, 1997a; sedentary activity). The CA of VOCs was calculated using the Foster-Chrostowski Model shown at the bottom of Table 6-54 (Foster and Chrostowski, 1987). The EPCs were obtained from Table 6-47. The water flow rate in the shower was assumed to be 30 L/min, and the bathroom volume was assumed to be 12 m^3.

6.4.5 Calculated Exposure Doses

Noncancer exposure daily intakes (ADD) and carcinogenic exposure daily intakes (LADD) for the current resident adult and child, and prison inmate were calculated for each well location and are presented in Tables 6-55 through 6-91 (well locations are shown in column three of each table). Future resident adult and child intakes for exposure at Howard Mountain and Miller Mountain are shown in Tables 6-92 through 6-95.

6.5 DOSE-RESPONSE (TOXICITY) ASSESSMENT

6.5.1 Introduction

The purpose of the toxicity assessment is to identify the toxicity values used to estimate risk. EPA generally classifies chemicals as those that are carcinogens and those that produce only noncancer health effects. Carcinogens can produce noncancer health effects as well. Therefore, the noncancer health effects calculations collectively reflect all chemicals including carcinogens.

6.5.2 Reference Doses

Toxicity values used to determine noncancer health effects are termed reference doses (RfDs). RfDs represent the daily dose for an individual not anticipated to result in any deleterious noncancer health effects over a lifetime of exposure (EPA, 1989). Therefore, it is assumed that there is a "safe" daily dose below which no adverse health effects will likely occur, even over a lifetime of exposure (i.e., there is a dose "threshold"). The lower the RfD value, the more potent is the chemical in potentially producing noncancer health effects. RfDs have been developed for chronic exposure (>7 years), and in some cases, subchronic exposure (≤7 years) periods. Chronic RfDs were used for all exposure scenarios. The impact of subchronic reference doses on noncancer health effects for the construction worker and trespasser has been discussed in the Uncertainty Analysis. These two potentially exposed populations have continuous exposure durations well below 7 years.

Oral and dermal RfDs were conventionally expressed as the dose in milligrams of chemical per kilogram of body weight per day (mg/kg-d). Inhalation RfDs were derived from reference concentrations (RfCs, mg/m^3 for a 70 kg person breathing 20 m^3/day). These were converted into units of mg/kg-d for purposes of calculation in the risk assessment.

Tables 6-96 and 6-97 summarize the toxicity criteria used for noncancer health effects.

6.5.3 Cancer Slope Factors

Toxicity values used to determine carcinogenicity are termed cancer slope factors (CSFs), which are a measure of carcinogenic potency. The higher the CSF value, the more potent is the

chemical in potentially producing cancer over a lifetime. Oral and dermal CSFs were conventionally expressed as $(mg/kg\text{-}d)^{-1}$ (i.e., risk per unit dose). Inhalation CSFs were derived as unit risk factors (URFs; $[mg/m^3]^{-1}$ for a 70-kg person breathing 20-m3/day). These were converted into units of $(mg/kg\text{-}d)^{-1}$ for purposes of calculation in the risk assessment. Cancer slope factors are generally developed from lifetime animal studies in which very high doses are used, much higher than would be expected to occur in humans with typical environmental exposures. The human CSF is determined by extrapolating downward the carcinogenic dose in animals to a dose more representative of human environmental exposure. Most CSFs were very conservative because the statistical extrapolation tests used assume the extrapolation is linear down to infinitesimally small doses (i.e., it is assumed that there is no threshold for carcinogenesis). Infrequently, some CSFs may be derived from human epidemiologic studies. Note that EPA's currently used carcinogen classification system assumes that even if a chemical is only suspected to cause cancer in humans, it is evaluated as a human carcinogen.

The *Draft Final Guidelines for Carcinogen Risk Assessment* (EPA, 2003a) recommends a different scheme for weighing evidence of carcinogenicity than has been traditionally used in risk assessments. Previous risk assessment guidance assigned a weight-of-evidence classification to each evaluated chemical as follows: Group A (human carcinogen); Group B (probable human carcinogen); Group C (possible human carcinogen); Group D (not classifiable); or Group E (no evidence of carcinogenicity) (EPA, 1989). The *Draft Final Guidelines for Carcinogen Risk Assessment* (EPA, 2003a) recommend replacing these classifications with descriptions of "known likely," "cannot be determined," or "not likely." However, because most chemicals are still classified by the old system in the *Integrated Risk Information System* (IRIS) database, the older system has been retained in this risk assessment.

Tables 6-98 and 6-99 summarize the toxicity criteria used for carcinogenicity.

6.5.4 Dermal Toxicity Criteria

Although EPA has developed oral and/or inhalation slope factors for a number of carcinogens, dermal slope factors have not been derived for any chemicals. The general approach used for estimating noncancer dermal RfDs was used to derive dermal CSFs (EPA, 1989). Dermal slope factors were derived by dividing its oral slope factor by an appropriate chemical-specific

gastrointestinal (GI) absorption factor (EPA, 1998). This results in the conversion of the oral slope factor, which represents the carcinogenic potency of the "administered" dose, to a dermal slope factor, which represents the carcinogenic potency of the "absorbed" dose. The conversion is necessary to be able to calculate risk through the dermal pathway. The dermal slope factors must be consistent with the dermal doses, which are calculated in the exposure assessment as absorbed doses. The oral and inhalation doses, by contrast, are calculated as administered doses and are evaluated using CSFs based on the administered dose.

Dermal RfDs and CSFs were extrapolated from their respective oral criteria by dividing or multiplying by, respectively, the appropriate chemical-specific GI absorption factors recommended in the *Dermal Risk Assessment Guidance* (EPA, 2001c).

Dermal RfDs and CSFs can be found in Tables 6-96 and 6-98.

6.5.6 Sources of Toxicity Information

The current guidance for obtaining toxicity values for Superfund risk assessments recommends that the IRIS serve as the primary source of both RfDs and CSFs (EPA, 2003b). Secondary sources should be peer-reviewed provisional toxicity values which can be found in the *Provisional Peer-Reviewed Toxicity Values* (PPRTV) database available through Oak Ridge National Laboratory (EPA, 2005a). However, this database is restricted to EPA use only, and can only be accessed with the authorization of the EPA Superfund Office (EPA, 2005a). Finally, sources such as the California EPA (OEHHA, 2003) and the ATSDR *Minimal Risk Levels* (MRLs) (ATSDR, 2004) can serve as third tier sources. HEAST is listed as the last source of toxicity information since many of its provisional toxicity values are outdated (EPA, 1997b).

This report uses the OEHHA values for TCE via ingestion and inhalation for calculation of noncancer health effects and cancer risk. The Department of Defense, through the Air Force Institute for Environment, Safety and Occupational Health Risk Analysis prepared comments on the TCE risk assessment (EPA, 2001c) and has many concerns with its conclusions and methods used to derive them. In view of these concerns, the USACE is not confident that the draft values will be finalized and is reluctant to use them in their risk assessments. Instead, the USACE recommends use of the OEHHA values, the practice of which is consistent with new toxicity

value guidance (EPA, 2003). However, the impact of using the draft RfD and CSF recently proposed by EPA (EPA, 2001c) is discussed in the "Uncertainty Analysis."

6.5.7 Toxicology Profiles

Brief toxicology profiles of those COPCs significantly contributing to risk are in Appendix F.

6.6 RISK CHARACTERIZATION

6.6.1 Approach

The objective of the risk characterization section is to evaluate the likelihood of potential carcinogenic risks and the extent of adverse noncancer health effects occurring as a result of exposure to COPCs. The potential for human carcinogenic risks and noncancer health effects of COPCs were evaluated separately because of differences in the processes by which these health effects are believed to occur. Carcinogenic risks were calculated for those COPCs with evidence of carcinogenicity and for which cancer toxicity values are available. Noncancer health effects were evaluated for COPCs (i.e., including carcinogens) for which noncancer toxicity values are available.

In accordance with EPA policy (EPA, 1989), carcinogenic risk was expressed as the probability that an individual will develop cancer during a 70-year lifetime in excess of the background risk for developing cancer (i.e., approximately 1 in 3 individuals). This is referred to as incremental lifetime cancer risk (ILCR). ILCR was calculated for each carcinogen through each applicable exposure route (i.e., oral, inhalation, or dermal) using the following equation:

Incremental Lifetime Cancer Risk (ILCR) = LADD x CSF

Where:

LADD = Lifetime average daily intake (dose) of the carcinogen averaged over a 70-year lifetime (mg/kg-day).

CSF = Chemical- and route-specific cancer slope factor $(mg/kg\text{-}day)^{-1}$.

For the resident, cancer risks were calculated separately for the child and adult. The total lifetime excess cancer risk for each scenario was calculated by adding the cancer risks calculated for each chemical for all exposure routes.

The potential for noncancer toxicity in an individual as a result of exposure to a single chemical through a single exposure pathway is referred to as the hazard quotient (HQ) using the following equation:

Hazard Quotient (HQ) = ADD/RfD

Where:

ADD = Chronic average daily dose for the chemical averaged over the appropriate exposure period (mg/kg-day).

RfD = Chemical- and route-specific reference dose (mg/kg-day) for a similar exposure period.

Total noncancer health effects (hazard index [HI]) were evaluated for each age-specific receptor by adding the HQs calculated for each chemical by exposure route, and then adding the HIs across all exposure routes. If the total HI for a given scenario is less than or equal to one, it is believed that there is not a significant potential for noncancer health effects to that receptor, even in the most susceptible members of the population. If the HI exceeds one, there may be a risk of noncancer health effects. In that case, the HQs calculated for each chemical, which reflect different critical toxic endpoints, may not be additive. Therefore, HIs are segregated according to the toxic endpoint (EPA, 1989).

6.6.2 Risk Results

6.6.2.1 Noncancer Health Effects

6.6.2.1.1 Current Resident

Tables 6-100 through 6-117 show the noncancer health effects for each COPC for the current adult resident individualized for each of the 18 drinking water wells. Total HI for each of the 18 drinking water wells was less than 1.

Tables 6-118 through 6-135 show the noncancer health effects for the child resident separated for each of the 18 drinking water wells with COPCs. All of the COPCs in all 18 drinking water wells had HQs less than 1.

6.6.2.1.2 Future Resident

Tables 6-137 and 6-139 show the noncancer health effects for the future adult resident for Howard Mountain and Miller Mountain, respectively. Total HI was 3.3 and 0.6, respectively. Trichloroethene contributed almost 98% of the HI at Howard Mountain. All other COPCs had HQs less than 1.

Tables 6-138 through 6-140 show the noncancer health effects for the child resident for Howard Mountain and Miller Mountain, respectively. Total HIs were 7.1 and 0.8, respectively. Trichloroethene contributed 98% of the noncancer HI in Howard Mountain. All other COPCs for Howard Mountain and Miller Mountain had HQs below 1.

6.6.2.1.3 Current Prison Inmate

Table 6-136 shows the noncancer health effects for the on-site prison inmate for the DCF Housing Area supply well (WY-03). Total HI for the groundwater ingestion and inhalation pathways was less than 0.01.

6.6.2.2 Incremental Lifetime Cancer Risks

6.6.2.2.1 Current Adult Resident

Tables 6-100 through 6-117 show the ILCRs for the current adult resident individualized for each of the 18 drinking water wells. Total ILCRs from eight drinking water wells (DW-01, DW-03, DW-09, DW-17, DW-20, DW-23, DW-29, and DW-31) did not exceed 1E-06.

The remaining 10 drinking water wells had cancer risks that exceeded 1E-06:

- Five wells showed exceedances solely contributed by chloroform via the groundwater inhalation (showering) pathway. These wells and their ILCRs were:
  - DW-25: ILCR, 1.3E-06
  - DW-28: ILCR, 1.9E-06
  - DW-30: ILCR, 3.3E-06
  - DW-33: ILCR, 1E-06
  - DW-40: ILCR, 1.4E-06
- Two wells showed exceedances from PCE and TCE via the groundwater ingestion and inhalation pathways. These wells and their cancer risks were:
  - DW-02: total ILCR, 8.2E-06 (PCE: 36% ingestion and 3% inhalation; TCE: 27% ingestion and 34% inhalation).
  - DW-04: total ILCR, 3E-05 (PCE: 17% ingestion and 1.4% inhalation; TCE: 35% ingestion and 45% inhalation).
- Two wells showed exceedances solely contributed by MTBE via the groundwater ingestion pathway. These wells and their cancer risks were:
  - DW-15: ILCR, 4.5E-06
  - DW-21: ILCR, 1.6E-06
- One well (DW-12: ILCR, 3.2E-06) showed an exceedance solely from PCE via the groundwater ingestion (49% contribution) and inhalation (4% contribution) pathways.

The highest total adult ILCR of all current residential drinking water wells was DW-04, with a value of 3E-05. This total risk is within EPA's acceptable risk range of 1E-06 to 1E-04. All other individual wells were associated with an adult ILCR less than 1E-05.

6.6.2.2.2 Current Child Resident

Tables 6-118 through 6-135 show the ILCRs for the child resident separated for each of the 18 drinking water wells with COPCs. All child ICLRs for residential drinking water wells were less than 1E-05. Of the drinking water wells, 15 did not have any cancer risks that exceeded 1E-06.

The remaining three drinking water wells had cancer risks that exceeded the point of departure of 1E-06:

- One well (DW-02: ILCR, 2.4E-06) showed exceedances from PCE and TCE via the groundwater ingestion pathway (ILCR, 1.4E-06 and 1E-06, respectively).
- One well (DW-04: ILCR, 7.4E-06) showed an exceedance from PCE (32% contribution) and TCE (68% contribution) via the groundwater ingestion pathway.
- One well (DW-15: ILCR, 2.1E-06) showed exceedances solely from MTBE via the groundwater ingestion pathway.

Total ILCR for the combined adult and child at DW-04 was close to 3.7E-05. This was the highest total child ILCR for all residential drinking water wells. This total risk is within EPA's acceptable risk range of 1E-06 to 1E-04.

6.6.2.2.3 Future Adult Resident

Tables 6-137 and 6-139 show cancer risks for the future adult resident for Howard and Miller Mountains, respectively:

- Howard Mountain was associated with an adult cancer risk of 2.5E-04. TCE was the main contributor with 40% (ILCR, 1.0E-04) via the ingestion pathway and 51% (ILCR, 1.3E-04) via the inhalation pathway. PCE contributed 9% of the total ILCR; it exceeded the cancer risk point of departure with ILCRs of 2.1E-05 and 1.8E-06 via the ingestion and inhalation pathways, respectively. All other COPCs had ILCRs below 1E-06.
- Miller Mountain was associated with an adult cancer risk of 2.1E-05. TCE was the only carcinogenic COPC with 44% (ILCR, 9.3E-06) via the ingestion pathway and 56% (ILCR, 1.2E-05) via the inhalation pathway.

6.6.2.2.4 Future Child Resident

Tables 6-138 and 6-140 show the ILCRs for the future child resident for Howard and Miller Mountains, respectively.

Both areas had cancer risks that exceeded the point of departure of 1E-06:

- Howard Mountain was associated with a child cancer risk of 5.7E-05. TCE was the main contributor with a cancer risk via groundwater ingestion of 4.7E-05 (83% contribution). Tetrachloroethene contributed 17% of the total ILCR and exceeded the cancer risk point of departure with an ILCR of 9.6E-06. All other COPCs had ILCRs below 1E-06.

- Miller Mountain was associated with a child cancer risk of 4.4E-06. Trichloroethene was the only carcinogenic COPC with 100% of the cancer risk via the groundwater ingestion pathway.

Total child and adult ILCR for Howard Mountain was 3.1E-04 which exceeds the EPA acceptable guidelines for cancer risk. For Miller Mountain, the total ILCR was 2.5E-05, which is also acceptable under EPA guidelines.

6.6.2.2.4 Current Prison Inmate

Table 6-136 shows the calculations of chemical cancer risks and noncancer hazards for the current prison inmate for the DCF Housing Area supply well (WY-03). Well WY-03 was associated with an ILCR of less than 1E-06.

6.6.2.2.5 Summary of Major Cancer Risks and Hazard Indices

The summary table below presents the key cancer risks and hazard indices. Ingestion and inhalation accounted for approximately 50% each towards the adult cancer risk. For HI, inhalation was approximately 10% of the total HI. Dermal contact while bathing for the child was not quantitatively evaluated for all chemicals. However, TCE was quantitatively evaluated in the Uncertainty Analysis and its impact on total child risk and HI was discussed.

Location	Cancer Risk		Hazard Index	
	Adult	Child	Adult	Child
DW-04 [a]	3E-05 [b,c]	7.4E-06 [b,c]	<1	<1
	Ingestion, 1.5E-05 Inhalation, 1.5E-05	Ingestion, 7.4E-06	----------	----------
Howard Mountain [d]	2.5E-04 [e]	5.7E-05 [e]	3.3 [b]	7.1 [b]
	Ingestion, 1.2E-04 Inhalation, 1.3E-04	Ingestion, 5.7E-05	Ingestion, 3 Inhalation, 0.3	Ingestion, 7.1
Miller Mountain [d]	2.1E-05 [b]	4.4E-06 [b]	<1	<1
	Ingestion, 9.3E-06 Inhalation, 1.2E-05	Ingestion, 5.7E-05	----------	----------
WY-03 [f]	6.8E-07	NA	<0.01	NA
	----------	NA	----------	NA

[a] Current resident
[b] TCE was principal contributor (>98%).
[c] All other DW wells for current resident have total cancer risks <1E-05.
[d] Future resident
[e] TCE was principal contributor (>80%).
[f] Current prison Inmate

NA = Not applicable

6.6.3 Summary of Chemicals Whose Risks Exceed Points of Departure

Tables 6-141 through 6-153 summarize those chemicals exceeding an HQ of 1 or a cancer risk of 1E-06 for the current child and adult residents.

Tables 6-154 through 6-157 present summaries of those chemicals exceeding an HQ of 1 or a cancer risk of 1E-06 for future child and adult residents at Howard and Miller Mountains, respectively.

6.6.3.1 Noncancer Health Effects for All Exposure Scenarios

None of the chemicals in the drinking water wells (i.e., current child or adult resident) exceeded an HQ of 1.

For the monitoring wells on Howard Mountain, TCE had HQs of 3.3 and 7.1 for the future adult and child residents, respectively. TCE contributed 98% of the noncancer HI in Howard Mountain. None of the chemicals in the monitoring wells on Miller Mountain exceeded an HQ of 1.

None of the chemicals detected in well WY-03 exceeded an HQ of 1 (prison inmate scenario).

6.6.3.2 Incremental Lifetime Cancer Risks

6.6.3.2.1 Current Resident

Chloroform exceeded the point of departure of 1E-06 for the current adult resident groundwater exposure scenario (inhalation while showering) in five of the 18 drinking water wells (DW-25, DW-28, DW-30, DW-33, and DW-40). The adult resident exceedances were via the groundwater inhalation pathway with chloroform ILCRs of 1.3E-06 (Table 6-146), 1.9E-06 (Table 6-147), 3.3E-06 (Table 6-148), 1.0E-06 (Table 6-149), and 1.4E-06 (Table 6-150).

TCE exceeded the point of departure of 1E-06 for the current adult resident and child resident for two of the 18 wells (DW-02 and DW-04). The adult resident exceedances for TCE were via the groundwater ingestion and groundwater inhalation pathways with cancer risks of:

- DW-02: ILCR, 4.9E-06 (Table 6-141)
- DW-04: ILCR, 2.4E-05 (Table 6-142)

The young child resident exceedances for TCE were via the groundwater ingestion pathway with a cancer risk of:

- DW-02: ILCR, 1E-06 (Table 6-151)
- DW-04: ILCR, 5E-06 (Table 6-152)

PCE exceeded the point of departure of 1E-06 for the adult resident and child resident for three of the 18 wells (DW-02, DW-04, and DW-12). The adult resident exceedances for PCE were via the groundwater ingestion and groundwater inhalation pathways with cancer risks of:

- DW-02: ILCR, 3.24E-06 (Table 6-141)
- DW-04: ILCR, 5.45E-06 (Table 6-142)
- DW-12: ILCR, 1.72E-06 (Table 6-143)

The young child resident exceedances for PCE were via the groundwater ingestion pathway with a cancer risk of:

- DW-02: ILCR, 1.4E-06 (Table 6-151)
- DW-04: CR, 2.3E-06 (Table 6-152)

Methyl tertiary butyl ether exceeded the point of departure of 1E-06 for the adult and child resident groundwater ingestion pathway in two of the 18 drinking water wells (DW-15 and DW-21). The adult resident MTBE exceedances had cancer risks of 4.5E-06 (Table 6-144) and 1.6E-06 (Table 6-145), respectively. The young child resident had one MTBE exceedance at drinking water well DW-15 with a cancer risk of 2.1E-06 (Table 6-153).

6.6.3.2.2 Future Resident - Howard Mountain

Trichloroethene and PCE exceeded the point of departure of 1E-06 for the adult resident and child resident. The adult resident exceedances for TCE were via the groundwater ingestion and groundwater inhalation pathways with cancer risks of 1E-04 and 1.3E-04, respectively. The child resident exceedance for TCE was via the groundwater ingestion pathway with a cancer risk of 4.7E-05.

The adult resident exceedances for PCE were *via* the groundwater ingestion and groundwater inhalation pathways with cancer risks of 2.1E-05 and 1.8E-06, respectively. The child resident exceedance for PCE was *via* the groundwater ingestion pathway with a cancer risk of 9.6E-06.

6.6.3.2.3 Future Resident - Miller Mountain

Trichloroethene was the only carcinogenic COPC selected for Miller Mountain. Trichloroethene exceeded the point of departure of 1E-06 for the adult resident and child resident. The adult resident exceedances for TCE were via the groundwater ingestion and groundwater inhalation pathways with cancer risks of 9.3E-06 and 1.2E-05, respectively. The child resident exceedance for TCE was via the groundwater ingestion pathway with a cancer risk of 4.4E-06.

The adult resident exceedances for PCE were via the groundwater ingestion and groundwater inhalation pathways with cancer risks of 2.1E-05 and 1.8E-06, respectively. The child resident exceedance for PCE was via the groundwater ingestion pathway with a cancer risk of 9.6E-06.

6.6.4 Vapor Intrusion Pathway Screening Analysis

EPA recently published the *Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soils Vapor Intrusion* (EPA, 2002b). The target screening level concentrations for soil gas, groundwater, and indoor air published in this guidance are intended to provide a screening tool for determining whether more intensive air sampling is required. The screening values are based on potential migration of VOCs from groundwater through soils and into the interior of a residence. The screening numbers for each chemical equate to an indoor air concentration that is protective of a residential exposure (30 years, 350 days/year, 24-hours/day) based on defined target risk or hazard quotient levels. As stated in the *Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soils Vapor Intrusion* (EPA, 2002b):

> *"For groundwater, an attenuation factor of 0.001 (generally considered reasonably conservative) is used in combination with the conservative assumption that the partitioning of chemicals between groundwater and soil vapor is assumed to obey Henry's Law. (Note that if the risk-based concentration calculated for groundwater falls below the chemical's MCL, the MCL is recommended as the target concentrations.) EPA generally considers the attenuation factors used in this guidance to be reasonable upper bound values based on data from sites where paired indoor air, soil gas and groundwater samples were available (see Appendix F), and also theoretical considerations."*

Soil gas concentration data were not available; therefore, only groundwater data were evaluated in this screen. Table 6-158 presents the results of a preliminary Tier II screening analysis as recommended by EPA (2002b). The maximum detected concentrations of all COPCs in all wells (i.e., drinking water, monitoring wells, DCF) were compared to the screening values at a target risk (TR) of 1E-06 or target hazard quotient (THQ) of 1. Two VOCs exceeded their screening levels. These were PCE and TCE, both in the monitoring wells at Howard Mountain. The exceedance by PCE was small – about two-fold. However, the exceedance for TCE was significant – about 360 fold. Note that the vapor intrusion screening values for TCE and PCE are both 5 μg/L (i.e., their MCLs) (EPA, 2002b).

Based on the results of the preliminary Tier II screening analysis, a more detailed Tier II screening evaluation was conducted by assessing the extent to which TCE and PCE exceeded their respective screening values in all wells (residential, monitoring, WY-03). The summary table below shows that maximum detected concentrations of TCE in four (4) private residential wells (DW-2, DW-3, DW-4 and DW-12) and the wells at Miller Mountain also exceeded the vapor intrusion screening value (in addition to Howard Mountain).

Well Location	Maximum Detected TCE Concentration (µg/L)	Exposure Point Concentration of TCE (µg/L)	Exceedance Ratio [a]	
			Maximum	EPC
DW-2	18	0.62	3.6	0.12
DW-3	8.2	4.99	1.6	1
DW-4	90.5	70.4	18.1	14
DW-12	9	4.3	1.8	0.9
Howard Mountain	1,820	660	364	132
Miller Mountain	61	61	12	12

[a] Ratio of sample concentration to vapor intrusion screening value.

For the private wells, the TCE EPC at DW-4 also exceeded the vapor intrusion value (i.e., factor of 14). However, the EPCs for the remaining private wells were less than the TCE screening value. The EPCs for TCE at Howard Mountain and Miller Mountain exceeded the TCE screening value by factors of approximately 132 and 12, respectively.

Although the maximum detected value of PCE at Howard Mountain exceeded its screening value in the preliminary analysis, maximum detected levels of PCE in all other wells (i.e., private wells, monitoring wells, and Miller Mountain) were not in excess. Also note that the EPC for PCE at Howard Mountain was 3.3 µg/L, which is less than the screening value.

Based on these initial screening assessments, TCE in groundwater poses a potential risk of vapor intrusion into the current residence at DW-4, and future residences on Howard Mountain and Miller Mountain.

6.7 UNCERTAINTY ANALYSIS

Each step in the risk assessment process requires some degree of assumption. These assumptions contribute to uncertainty in the risk evaluation. In the absence of empirical or site-specific data, assumptions are developed based on best estimates of data quality, exposure parameters, and dose-response relationships. To assist in the development of these estimates, EPA recommends the use of guidelines and standard exposure factors in Superfund risk assessments (EPA, 1989, 1991a, 1997a). The use of these standard factors is intended to promote consistency among risk assessments where assumptions must be made, but their usefulness in accurately predicting risk depends on their applicability to site-specific conditions. In most cases, use of default exposure assumptions may contribute to over-estimation of plausible real-life exposures, and, therefore, true risks may be over-estimated. The RME calculation is recognized by many risk assessors to represent an unrealistically high exposure level to the general population, i.e., only about 5 to 10% of the general population would be expected to be exposed to this dose level. The combination of multiple 90^{th} to 95^{th} percentile RME default assumptions, combined with conservative toxicity values, can yield site risk estimates that may be over-protective. Nevertheless, these assumptions are appropriate when performing risk assessments of this type so that risk managers can be reasonably assured that human health risks are not under-estimated (i.e., are health-protective), and so that risk assessments for different sites can be uniformly compared.

The basic objectives of the risk characterization and uncertainty analysis steps are defined in several guidance documents provided by EPA (EPA, 1989, 1995b) and are summarized as follows:

- Provide to the appropriate decision-makers a summary of those factors that significantly influence the risk results, evaluate their range of variability, and assess the contribution of these factors to the under- or over-estimation of risk.
- Discuss the data underlying the assumptions that most significantly influence risk to highlight the strengths and weaknesses of the risk assessment results.
- Provide a discussion of both the confidence and uncertainty in the data (i.e., sampling and analysis, exposure, and toxicity) used to characterize site risk. This includes statements of the impact of key variables on site risk.

- Providing clear and transparent explanations of the types of risk calculated, use of multiple descriptors (i.e., CTE, RME), and ranges of risks as a function of average and high-end assumptions. This is not only important information needed by the risk manager, but helps to avoid public confusion and misinterpretation of the results. Although "risk communication" to the public is separate from the purpose of the risk assessment, the risk results nevertheless should be conveyed in a manner that is consistent with other similar risk assessments, that clearly differentiates the various types of risk (e.g., screening-level risks, individual risks, population risks), and that helps the public understand the logic behind any risk reduction standards that may be proposed in the future.

This Uncertainty Analysis discussion first presents a discussion of general uncertainties associated with the risk assessment process, followed by a discussion of site-specific uncertainties. The focus will be on those chemicals and exposure pathways that pose a potential cancer risk of greater than 1E-06 or a total HI of greater than 1 (including segregated HI).

6.7.1 General Uncertainties

6.7.1.1 Sample Data

The analytical data usually contain some samples with positive results and others with nondetect results. The nondetect results are usually reported as SQLs or detection limits. In such a case, the chemical may be present at a concentration just below the reported SQL or the detection limit, or it may not be present in the sample at all. The 95% UCL of the mean concentration was used as the EPC for estimation of risks. The use of one-half the SQL or the detection limit may have resulted in either an under- or over-estimation of the actual exposure concentration, and thereby, the cancer risk HQs.

6.7.1.1.1 Exposure Assumptions

The exposure assumptions directly influence the calculated doses (daily intakes), and ultimately, the calculation of risk. In general, conservative exposure assumptions were made in calculating exposure doses. The assumptions include the selection of exposure routes and scenarios, and the exposure input factors (e.g., contact rate, exposure frequency, exposure duration, and body weight) used to estimate exposure doses. In most cases, these uncertainties contribute to over-estimation of plausible real-life exposures, and therefore, true risks are over-estimated.

These assumptions are appropriate when performing risk assessments of this type so that risk managers can be reasonably assured that human health risks are not under-estimated (i.e., are health-protective), and so that risk assessments for different sites can be uniformly compared.

The concept of RME is used to develop the exposure potentials in standard human health benchmarks. The RME is defined as the "maximum exposure that is reasonably expected to occur at the site" (EPA, 1989). Several significant variables that determine the exposure doses for the RME are based on upper bound (typically, 90^{th} to 95^{th} percentile) estimates.

These are:

- Intake/contact rates
- Exposure frequency
- Exposure duration

Therefore, the calculated exposure dose for any given chemical (i.e., the exposure function of the benchmarks), which results from the integration of all of these variables, represents an upper-bound estimate of the probable exposure dose. The use of these upper-bound exposure parameters, coupled with conservative estimates of toxicity, may yield conservative (i.e., upper-bound) estimates of potential ILCRs or noncancer health effects.

6.7.1.2 Chemical Toxicity Assumptions

Perhaps the greatest single source of uncertainty in risk assessments is the toxicity assessment. Sources of uncertainty in the toxicity assessment include using the dose response information from the following:

- Effects observed at high doses to predict the adverse health effects that may occur following exposure to the low levels expected from human contact with the chemical in the environment.
- Short-term exposure studies to predict the effects of long-term exposures, and vice-versa.

- Animal studies to predict effects in humans.
- Homogeneous animal populations or healthy human populations to predict the effects likely to be observed in the general population consisting of individuals with a wide range of sensitivities.

In the development of RfDs for noncancer-causing chemicals, it is assumed that a threshold dose exists below which there is no potential for adverse health effects to the most sensitive individuals in the population. The RfD is typically derived by applying several uncertainty factors of 10 each to a no-observed-adverse-effect level (NOAEL) or a lowest-observed-adverse-effect level (LOAEL) determined from a dose-response study in animals. An additional modifying factor of from 1 to 10, which accounts for a qualitative professional assessment of additional uncertainties in the available toxicity data, also may be applied (EPA, 1989). For practical purposes, the total safety factor (uncertainty plus modifying factors) in deriving an RfD has a ceiling of 3,000. In general, the calculated RfD is overly protective, and its use probably results in some degree of over-estimation of the potential for noncancer health effects. The extrapolation of cancer potency from laboratory animals to humans, which forms the basis for the cancer risk estimates, may be associated with uncertainties ranging from as much as three to five orders of magnitude (1,000 to 100,000-fold) for selected chemicals.

The use of toxicity criteria intentionally designed to be conservative is likely to over-estimate the COPC's toxic potency. The extrapolation of animal carcinogen bioassay results to potential human cancer risk at much lower levels of exposure involves a number of assumptions regarding effect threshold, interspecies extrapolation, high- to low-dose extrapolation, and route-to-route extrapolation. The scientific validity of these assumptions is uncertain. Each of the potentially numerous steps in the extrapolation process is designed to prevent under-estimation of risk. However, in concert with other conservative assumptions (e.g., sampling, data evaluation, and exposure assumptions), they potentially result in a significant over-estimation of risk.

6.7.2 Site-Specific Uncertainties

6.7.2.1 Trichloroethene Toxicity

Trichloroethene was responsible for the majority of cancer risk and HI calculated for the current and future adult and child residents (refer to summary table in Subsection 6.6.2.2.5). For adults, the TCE risk was approximately 50% each from ingestion of tap water and inhalation while showering. Inhalation was not evaluated in children. Note that dermal contact while bathing in TCE-contaminated water has been evaluated in Subsection 6.7.2.2. The purpose of this discussion is to discuss the current uncertainty in TCE CSFs and to estimate the impact of the proposed TCE CSFs and RfDs on the health effects that were calculated in the text of the Bucks Harbor Risk Assessment.

The EPA recently published the *Draft Trichloroethylene Health Risk Assessment* (EPA, 2001c) and proposed a draft CSF range for TCE of from 2E-02 to 4E-01 $(mg/kg\text{-}day)^{-1}$. The TCE risk assessment performed in 2001 by EPA, which developed the toxicity values, is currently under review by the National Academy of Sciences. The EPA (2003c) *Draft Risk Assessment* is an "external review draft" that is still undergoing the peer review process within EPA. The EPA's *Science Advisory Board* (SAB) raised a number of significant questions on the derivation of the CSF and has requested EPA to re-evaluate its study in a number of areas (SAB, 2002). EPA is still in the process of reviewing the risk assessment (EPA, 2005) and has asked the SAB for additional guidance before EPA submits the revised risk assessment and recommends values for IRIS. It is not clear how soon this submission will occur at the moment.

Although some EPA regions are using the upper bound value EPA proposed cancer slope factor for TCE, EPA's *National Center for Environmental Assessment* (NCEA) has ceased recommending this value for use in risk assessments. EPA's Science Advisor and head of EPA's Office of Research and Development, Paul Gilman, has been quoted in *Inside EPA* saying that he "does not support the TCE 2001 draft health risk assessment." The Department of Defense, through the Air Force Institute for Environment, Safety and Occupational Health Risk Analysis, prepared comments on the TCE risk assessment (EPA, 2001c) and has many concerns with its conclusions and methods used to derive them. In view of these concerns, the USACE is not confident that the draft values will be finalized and is reluctant to use them in their risk

assessments. Instead, the USACE recommends use of the OEHHA values, the practice of which is consistent with new toxicity value guidance (EPA, 2003).

The summary table below compares the EPA provisional toxicity criteria (1989), the EPA proposed criteria (EPA, 2003c), and the OEHHA criteria (OEHHA, 2003) for TCE. The provisional RfD (oral) was used as a default in the Bucks Harbor risk assessment because OEHHA did not list one.

Summary of Trichloroethene Toxicity Values			
Toxicity Criterion	**EPA 1989 Provisional**	**EPA 2001 Proposed**	**OEHHA 2003**
RfD_o (mg/kg-d)	6E-03	3-E04	NTV [a]
CSF_o $(mg/kg\text{-}d)^{-1}$	1.1E-02	4E-01 [b]	1.3E-02
RfD_i (mg/kg-d)	None	1.1E-02	1.7E-01
CSF_i $(mg/kg\text{-}d)^{-1}$	6E-03	4E-01 [a]	7E-03

[a] The noncancer health effects calculated for ingestion in the current BHHRA used the EPA 1989 provisional RfD.
[b] Upper bound value

NTV = No toxicity value available.

The proposed upper bound CSF value 4E-01 $(mg/kg/d)^{-1}$ is approximately 57 times more potent than the OEHHA inhalation CSF of 7E-03 $(mg/kg\text{-}day)^{-1}$, and is approximately 31 times more potent than the OEHHA oral CSF. Similarly, the proposed EPA oral and inhalation RfDs (3E-04 and 1.1E-02 mg/kg-d, respectively) are approximately 20 and 15 times more potent than the respective OEHHA values.

A semi-quantitative estimate of the impact of the proposed toxicity values was made on the risk characterization results. Several assumptions were made for this approximation:

- Trichloroethene is primarily responsible for total risk from all COPCs in all scenarios.
- Of the total risk from TCE, 50% is due to tap water ingestion and 50% is due to inhalation while showering using TCE-contaminated groundwater.

- Total risk would be expected to increase by approximately 44 times (i.e., weighted factor based on 50% inhalation and ingestion) if the proposed slope factors (EPA, 2001c) were used.

- For the child, where only ingestion was evaluated, the total risk would increase by approximately 31 times.

Table 6-159 shows the potential impact on total cancer risk in all wells and sets of data using the proposed EPA CSF (EPA, (2001c). This table is only a semi-quantitative approximation because of the assumptions discussed above. Only wells, where TCE was detected and evaluated for risk, are included in Table 6-159 (i.e., some residential wells did not have detectable levels of TCE). The table can be summarized as follows:

- **Adult** – Only Howard Mountain showed total risks greater than 1E-04 using the OEHHA toxicity values for TCE in the original calculations in the Risk Characterization. Using the EPA proposed CSF, cancer risks greater than 1E-04 were noted for DW-02, DW-04, DW-12 and Howard Mountain.

- **Child** - There were no cancer risks greater than 1E-04 using the OEHHA toxicity values for TCE in the original calculations in the Risk Characterization. Using the EPA proposed CSF, cancer risks greater than 1E-04 were noted for DW-04 and Howard Mountain.

6.7.2.2 Dermal Exposure to Current and Future Child Resident While Bathing

Dermal absorption while bathing was not quantitatively evaluated for all chemicals for the current and future child residents. However, since TCE was the principal chemical responsible for total ILCR and HI, the impact of TCE skin absorption through bathing was evaluated. The dermally-absorbed dose through bathing in TCE-contaminated groundwater was calculated for the current and future child resident according to *EPA Risk Assessment Guidance for Superfund, Volume 1, Human Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment)* (EPA, 2004d). Table 6-160 provides the specific algorithms and inputs recommended by EPA. A detailed description of these algorithms, exposure inputs can be found in Section 3 and Appendix A of the *EPA Risk Assessment Guidance* (EPA, 2004d). The chemical specific inputs used in the dose calculations are found in Appendix B of the *Risk Assessment Guidance* (EPA, 2004d). The entire skin surface area of the child bather was assumed to be exposed for one hour (EPA, 2004d; Exhibit 3-2). An event duration (t_{event}) of 1 hour for the daily

RME exposure time was used as recommended in Exhibit 3-2 (EPA, 2004d).Table 6-161 shows the child resident TCE cancer risk and hazard quotient through bathing for well DW-04, Howard Mountain and Miller Mountain (i.e., those wells or scenarios where total risk exceeded 1E-05). The dermal risks for TCE exposure were 1.3E-07, 1.2E-06 and 1.1E-07, respectively. Because TCE was the principal driver for tap water ingestion for the current and future child resident (see Subsection 6.6.2.2.5), the dermal bathing risks calculated for TCE were added to ingestion risk for TCE to yield a new estimate of TCE ILCR (see Summary table below):

Location	TCE Child Resident Cancer Risk	
	Tap Water Ingestion [a,b]	Combined Ingestion and Dermal Contact [a,b]
DW-04	5.0E-06	5.1E-06
Howard Mountain	4.7E-05	4.8E-05
Miller Mountain	4.4E-06	4.5E-06

[a] Based on OEHHA cancer criteria (see Subsection 6.6.2.2.5)
[b] Assumes that TCE was principally responsible for total cancer risk.

As can be seen from the summary table, an estimate of the increase in TCE risk to the current and future child resident as a result of bathing was negligible. Similar results would be expected for PCE, which in some cases of tap water ingestion , provided as much as 20% of total risk. Therefore, total ILCR would not be expected to increase significantly for the child as a result of dermal contact while bathing. An identical pattern of negligible contribution of dermal absorption while bathing can be seen for HI for the child at DW-04, Howard Mountain and Miller Mountain (Table 6-161).

6.8 REMEDIATION GOALS

It is assumed that groundwater will be cleaned up to MCLs where clean up is deemed necessary. Therefore, no risk-based clean up goals were calculated.

6.9 SUMMARY AND CONCLUSIONS

A BHHRA was conducted for current (off-site) and future (on-site) residents at the former Bucks Harbor facility (EPA's *Risk Assessment Guidance for Superfund)* (RAGS Parts A, D

and E were followed). Only groundwater data were evaluated. Current use was evaluated on a well-by-well basis (Wells DW-01 through DW-40). The EPCs were calculated for the monitoring well data from Howard Mountain and Miller Mountain with respect to future residential use. A current on-site prison inmate scenario for the DCF was evaluated using data from well WY-03. Selection of contaminants of potential concern (COPCs) were as follows:

- **Current residential wells:** TCE; PCE; chloroform; MTBE; t-amyl methyl ether; benzene; 1,2-dichloroethane; cis-1,2-DCE, and dibromochloromethane.
- **Howard Mountain:** 1,3-dichlorobenzene; 1,4-dichlorobenzene; PCE; TCE; and cis-1,2-DCE.
- **Miller Mountain:** 1,2,4-trichlorobenzene; TCE; and cis-1,2-DCE.

The primary COPC in terms of risk for all scenarios was TCE with lesser contributions from PCE. Risk results are summarized as follows:

- There were no exceedances of EPA's acceptable ILCR and noncancer health effects ceilings (HI) for combined exposure pathways of 1E-04 or 1, respectively, at any individual residential well (i.e., current resident child and adult) or Miller Mountain (i.e., future resident child and adult).
- Future adult residents at Howard Mountain would be expected to have an ILCR greater than the EPA ceiling ILCR for acceptability of 1E-04 (i.e., 2.5E-04). Trichloroethene was the principal contributor accounting for the majority of risk. Risk from showering and groundwater ingestion were nearly identical.
- Future adult and child residents at Howard Mountain would be expected to have HIs of 3.3 and 7.1, respectively. Trichloroethene was the principal contributor. For both the adult and child, HI was primarily through tap water ingestion.
- Prison inmates had acceptable ILCRs and HIs.
- Trichloroethene vapor intrusion into future residences at Howard Mountain and Miller Mountain, and in the current residence at DW-04, poses a potential indoor air risk that may require further evaluation.

The following are the conclusions for this BHHRA:

- The future adult resident in the Howard Mountain sector of the site has an unacceptable ILCR of 2.5E-04. This risk exceeds the upper bound risk level of 1E-04 established by EPA (1991b). Total ILCR is primarily attributable to TCE. The uncertainty analysis showed that this risk would be significantly increased (approximately 40-fold) if EPA proposed draft slope factors were used in the calculations. This would drive up the total ILCR for future residents of Howard Mountain. Additionally, the ILCRs for current adult residents would be increased above 1E-04 for DW-12, DW-4 and DW-12. Child cancer risk at DW-01, Howard Mountain and Miller Mountain would also exceed 1E-04.

- There were also unacceptable hazard indices for children and adults based on an acceptable EPA HI of 1. Although there were no unacceptable risks for any residential well, well DW-04 would be significantly greater than 1E-04 risk and HI of 10 if the EPA proposed draft slope factors and RfDs.

- Vapor intrusion by TCE may be a potential indoor air issue for future residents at Howard Mountain and Miller Mountain, and for current residents at DW-04. For the future residents, preferential pathways of vapor migration will need to be identified to see if this affects the screening results. For current future residents, a more site-specific evaluation of potential vapor intrusion should be performed. This may involve gathering soil gas data in the vicinity of DW-04 and other wells on-site. Soil gas data provide more accurate estimates of indoor air potential risk. If soil gas data show there is still a potential risk, then measuring indoor air concentrations of VOCs may be necessary at DW-04.

SECTION 7

ECOLOGICAL RISK ASSESSMENT

7. ECOLOGICAL RISK ASSESSMENT

7.1 ECOLOGICAL SCREENING RISK ASSESSMENT

7.1.1 Habitat Characterization

WESTON conducted a habitat reconnaissance at the site on 6 and 7 August 2002. The goals of this cursory examination were to characterize the physical setting and identify potential ecological receptors, habitat types, and potential receptor pathways.

7.1.1.1 Physical Setting

The DCF Housing Area is located northeast of the site. A large geological fault line lies in the middle of the former AFRTS and GATR sites, and forms an outcropping with an elevation of approximately 240 ft amsl. Ground elevations adjacent to the existing radar tower and prison range from 180 to 240 ft amsl. Elevations at the DCF Housing Area range from 24 ft amsl at the stream and ponded area to the northeast to a maximum of 66 ft amsl at its southwestern border. To the west of the DCF Housing Area where a stream originates, the elevation is approximately 180 ft amsl. Surface water drainage at the site is either toward the north into the above-mentioned stream or to the south directly into Howard Cove (Figure 7-1).

7.1.1.2 Forested Upland Habitat/High Gradient Stream

A forested upland habitat was identified on the site at the beginning of the stream directly north of the former AFRTS site to the northernmost part of the stream (Figure 7-1). The stream and surrounding habitat in this area encompassed approximately 2 acres and showed vegetation to be thriving. The majority of the area was thickly wooded with a closed canopy and dominated by balsam fir (*Abies balsamea*) and eastern hemlock (*Tsuga canadensis*), with lesser numbers of paper birch (*Betula papyrifera*). Massachusetts fern (*Thelypteris simulata*) and lady fern (*Athyrium asplenioides*) were also present in the herbaceous layer. No wildlife was observed in this habitat; however, evidence of white-tailed deer (*Odocoileus virginianus*) was found in the way of tracks, trails, and scat.

The headwaters of the stream were found in this area where small seeps and forested wetlands were present. The stream flow direction from this headwaters area generally was from southwest to northeast through this forested upland habitat area. For the most part, this high gradient section of stream was only 3 ft wide and approximately 4 inches deep in pooled areas. The velocity in this section of stream was moderate. The stream substrate consisted of very fine sediments, gravel, and cobble with some woody debris that had collected over time. No macroinvertebrates were observed in the stream at this reach; however, evidence of some macroinvertebrates was found with the presence of caddis fly larval casings found on the bottom of many rocks on the streambed during cursory examinations of rocks and cobbles within the streambed. The potential lack of macroinvertebrate communities may be due to intermittent stream flow, water turbidity and sedimentation, lack of stream vegetation, or warm water conditions. Specific macroinvertebrate sampling would need to be conducted to further evaluate the presence of any macroinvertebrate communities.

7.1.1.3 Forested Upland Habitat/Low Gradient Stream

The forested upland community continued along the stream from the northernmost part of the stream to approximately the northern property boundary of the DCF Housing Area (Figure 7-1). The stream and surrounding habitat in this area encompassed approximately 1 acre. The majority of the area was thickly wooded with a closed canopy dominated by balsam fir and eastern hemlock, with lesser numbers of red maple (*Acer rubrum*), staghorn sumac (*Rhus typhina*), paper birch, and northern white cedar (*Thuja occidentalis*). Massachusetts fern, lady fern, and various mosses were also present in the herbaceous layer. No mammals were observed in this habitat; however, evidence of some mammals was found. White-tailed deer tracks, trails, scat, and rubs were found in this habitat. Woodcuttings and a small beaver dam were also found, which is evidence that beavers (*Castor canadensis*) use this habitat area. The black-capped chickadee (*Parus atricapillus*) was observed during the site visit at this area.

The flow direction in the stream was generally from northwest to southeast through this forested area. This section of stream differed from upstream conditions because it was determined to be low gradient. For the most part, this section of stream was only 3 ft wide and approximately 6 inches deep. The velocity in this section of the stream also changed to low, due to the lower, flatter elevation. The bottom was muddy and consisted of very fine sediments with woody

debris. In one section of the stream within this habitat, the stream seemed to disappear under heavy sediment deposits and then resurface about 6 ft away. Cursory observations of the rocks and cobbles in the streambed showed no macroinvertebrates or evidence that any may have been present. This potential lack of macroinvertebrate communities may be due to the cursory nature of the habitat survey, intermittent stream flow, water turbidity and sedimentation, lack of stream vegetation, or warm water conditions. Specific macroinvertebrate sampling would need to be conducted to further evaluate the presence of a macroinvertebrate community.

7.1.1.4 Emergent and Scrub/Shrub Wetland/Low Gradient Stream

The area along the stream from the property boundary of the DCF Housing Area in the north to approximately Route 92 to the south was primarily emergent and scrub/shrub wetland with some standing dead timber (Figure 7-1). The stream and surrounding habitat in this area encompassed approximately 3.5 acres and showed vegetation to be thriving. The dominant plant species here were speckled alder (*Alnus rugosa*), broadleaf spirea (*Spiraea latifolia*), and various grasses. The outlying perimeter of the area consisted of balsam fir, eastern hemlock, and red maple. No mammals were observed in this habitat; however, evidence of some mammals was found. White-tailed deer tracks, trails, scat, and rubs were found throughout the habitat. Woodcuttings were also found at the northern end of the area, which is evidence of either beaver or muskrat (*Ondatra zibethicus*) using the habitat. The birds observed identified during the site visit at this area were the great blue heron (*Ardea herodias*), osprey (*Pandion haliaetus*), and Philadelphia vireo (*Vireo philadelphicus*). However, it should be noted that the osprey was seen flying over the area, not actually feeding or perching there.

The flow direction in the stream was from north to south through this area. At the southern end of the stream near Route 92 was a ponded area (approximately 0.10 acre). For the most part, this low gradient section of stream was only 3 ft wide and approximately 6 inches deep with negligible velocity. The bottom was muddy and consisted of very fine sediments with woody debris that had collected over time. Cursory observations of the rocks and cobbles in the streambed showed no macroinvertebrates or evidence that any may have been present. This potential lack of macroinvertebrate communities may be due to the cursory nature of the habitat survey, intermittent stream flow, water turbidity and sedimentation, lack of stream vegetation, or

warm water conditions. Specific macroinvertebrate sampling would need to be conducted to further evaluate the presence of a macroinvertebrate community.

The ponded area at the southern end of the stream had a mud bottom consisting of very fine sediments and some aquatic vegetation (submerged and floating) and approximately 8 inches of water. A school of approximately 30 small baitfish (less than 0.5 inch long) was observed in the pond, and were probably serving as forage for a great blue heron observed feeding at this location. The pond had flood lines along the shores that indicate that the pond may hold from 12 to 18 inches of water during storm events and may be affected by surface-water runoff from the adjacent DCF Housing Area. An outfall near a pumping station in the DCF Housing Area empties into the southern end of the pond. The pond then drains into a pipe that directs water under Route 92 toward Howard Cove. However, the stream never directly empties into Howard Cove. Instead, water collects in another ponded area at the base of a berm that separates it from the cove. Because no drainage pipes were found to allow water passage under the berm, it was assumed that the surface water seeps back into the groundwater or percolates through the stone berm at Jasper Beach and into Howard Cove.

7.2 ECOLOGICAL RISK ASSESSMENT RESULTS AND DISCUSSION

As part of the screening-level ecological risk assessment, WESTON collected sediment and surface water samples from four locations in the wetland area and unnamed stream to the northeast of the DCF-FAA Housing Area (Figure 7-1). Since the primary focus of this RI is on the characterization of groundwater contamination, no soil borings were collected from the site. Sediment and surface water were sampled from the site to determine whether the potential groundwater to surface water pathway was complete and, if contamination was present, determine the potential risk to ecological receptors on a screening level basis. The results of this sediment and surface water sampling are presented below.

7.2.1 Sediments

7.2.1.1 Sampling Methods

Sediment samples were collected as distinct grab samples at each designated location. Sampling locations were chosen in depositional areas in the stream where sediments have accumulated over time. Sampling began at the farthest downstream location and continued in the upstream direction. Sediment samples were collected after surface water samples were collected at the same location. This sampling strategy minimized the potential for cross-contamination of adjacent sampling locations within the investigation area. Sediment samples were collected for VOC analysis using EPA Method 8260B and TOC analysis using EPA Method 9060.

Sediment samples were collected using a thin-wall tube sampler. The tube sampler was driven into the sediment to a completion depth of approximately 6 inches. The tube sampler was extracted from the water and gently rested on a hard surface as not to disturb the sample. Using a decontaminated scoopula, the sediment in the center of the tube was spooned out and collected in the appropriate sample containers. Sediment sampling was generally biased toward fine-grained sediments whenever possible. The sediment touching the side of the tube sampler was avoided as the integrity of the VOCs may have been affected as the tube was driven into the sediment.

7.2.1.2 Results

Tables 7-1 and 7-2 summarize the sediment data (0 to 0.5 ft bgs) used for the ecological risk screening assessment. Four samples were collected from the stream adjacent to the DCF Housing Area to characterize the sediments at the site. Table 7-1 lists the chemicals analyzed in site sediments, and provides the maximum concentration, (SQLs and, where available, freshwater sediment benchmarks for each chemical. Table 7-2 provides the marine sediment benchmarks available for each chemical. These tables also present the ratio of the maximum concentration for each of the analytes with the lowest ecological screening benchmark evaluated.

The results of the sediment analysis yielded nondetect values for the following seven chemicals: TCE, PCE, cis-1,2-DCE, chloroform, toluene, o-xylene, and m,p-xylene. However, to assess any

potential ecological risks associated with censored data for the COPECs, the SQLs provided by the analytical laboratory were used to screen against the sediment benchmarks. Because the stream running along the site is a freshwater stream, freshwater sediment benchmarks were used in

Table 7-1. However, because the stream eventually discharges into a marine environment (nearby Howard Cove), the constituents were also screened against marine sediment benchmarks in Table 7-2.

The freshwater sediment benchmarks used in Table 7-1 are as follows:

- Ontario Ministry of Environment and Energy (OMEE) no effect level (NEL) and lowest effect level (LEL) benchmarks (Persaud et al., 1993).
- Canadian Council of Ministers of the Environment (CCME) probable effect level (PEL) benchmarks (CCME, 1998).
- National Oceanic and Atmospheric Administration low effects range (ER-L) and screening quick reference tables (SQRT) benchmarks (Long et al., 1995; NOAA, 1999).
- Oak Ridge National Laboratory probable effect concentration and threshold effect concentration benchmarks (Sample et al., 1996).

These benchmarks provide screening values for a number of constituents including metals, polycyclic aromatic hydrocarbons (PAHs), semivolatile organic compounds (SVOCs), and some VOCs. However, for the chemicals analyzed at AFRTS, no sediment benchmarks have been developed.

The marine sediment benchmarks used in Table 7-2 are as follows:

- OMEE NELs and LELs.
- CCME PELs.
- National Oceanic and Atmospheric Administration ER-Ls and SQRTs.

These benchmarks provide screening values for a number of constituents including metals, PAHs, SVOCs, and some VOCs. However, for the chemicals analyzed at AFRTS, no sediment benchmarks have been developed.

7.2.2 Surface Water

7.2.2.1 Sampling Methods

Surface water samples were collected as distinct grab samples from fully submerged locations within the streambed. Sampling locations were co-located with the sediment sampling locations. The surface water samples were collected by partially submerging the sample vials into the water column in a way that the preservatives were not lost. Surface water samples were collected for VOC analysis using EPA Method 8260B. Sampling began at the farthest downstream location and continued in the upstream direction. Surface water samples were collected at a location prior to the collection of sediment at the same location. This sampling strategy minimized the potential for cross-contamination of adjacent sampling locations within the investigation area.

7.2.2.2 Results

Tables 7-3 and 7-4 summarize the AFRTS surface water data used for the ecological risk screening assessment. Four samples were collected from the stream to characterize the surface water at the site. Table 7-3 lists the chemicals analyzed in AFRTS surface waters, and provides the maximum concentration, SQLs, and where available, freshwater benchmarks, for each chemical. Table 7-4 provides the marine water benchmarks available for each chemical. These tables also present the ratio of the maximum concentration for each of the analytes with the lowest ecological screening benchmark evaluated.

The results of the surface water analyses yielded nondetect values for the following seven chemicals: TCE, PCE, cis-1,2-DCE, chloroform, toluene, o-xylene, and m,p-xylene. However, to assess any potential ecological risks associated with censored data for the constituents of potential ecological concern (COPECs), the SQLs provided by the analytical laboratory were used to screen against the surface water benchmarks. Because the stream running along the site is a freshwater stream, freshwater benchmarks were used in Table 7-3. However, because the stream eventually discharges into a marine environment (nearby Howard Cove), the constituents were also screened against marine water sediment benchmarks in Table 7-4.

The freshwater benchmarks used in Table 7-3 are as follows:

- Federal freshwater ambient water quality criteria (AWQC)-acute (criteria maximum concentration [CMC]) and chronic (criteria continuous concentration [CCC]) criteria.
- Maine Water Quality Criteria (MEWQC)-freshwater.
- ORNL Tier II acute and chronic criteria.

These benchmarks provide screening values for a number of constituents including metals, PAHs, SVOCs, and VOCs. However, for cis-1,2-DCE, no benchmark has been developed. The remainder of the chemical quantitation limits remained well below all of the freshwater benchmarks.

The marine water benchmarks used in Table 7-4 are as follows:

- Federal marine water AWQC CMCs and CCCs.
- MEWQC-marine.

These benchmarks provide screening values for a number of constituents including metals, PAHs, SVOCs, and VOCs. However, for cis-1,2-DCE, chloroform, o-xylene, and m,p-xylene, no marine benchmarks have been developed. The remainder of the chemical quantitation limits remained well below all of the marine water benchmarks.

7.3 SUMMARY AND RECOMMENDATIONS

No freshwater or marine ecological benchmarks were available for the seven COPECs in sediment. Surface water benchmarks for freshwater and marine ecological receptors were available for a subset of the COPECs. The SQLs were all below the sediment benchmark values. Based on the absence of detections, the current concentrations of the COPECs in sediment and surface water at the site do not pose a significant risk to ecological receptors or the surrounding environment. Consequently, WESTON recommends that no additional sampling or baseline evaluation of potential ecological risk is warranted for the site.

SECTION 7

TABLES

Table 7-1

Comparison of Chemical Concentrations in Sediments to Freshwater Sediment Benchmarks
Samples ECOSED1, ECOSED2, ECOSED3, and ECOSED4
Bucks Harbor
Former Air Force Radar Tracking Station & Ground/Air Transmitter/Receiver Site
Machiasport, ME

Chemical	Maximum Detected Concentration (µg/kg)	Sample Quantitation Limit (µg/kg)	Sediment Benchmarks							Lowest Ecological Benchmark	Ratio of Quantitation Limit to Lowest Benchmark
			OMEE		CCME	NOAA	NOAA SQRT	ORNL			
			NEL[a] (µg/kg DW)	LEL[a] (µg/kg DW)	PEL[b] (µg/kg DW)	ER-L[c] (µg/kg DW)	Freshwater PEL[d] (µg/kg DW)	TEC[e] (µg/kg DW)	PEC[e] (µg/kg DW)		
Volatile Organic Compounds											
Trichloroethene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	NBA	NBA	---
Tetrachloroethene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	NBA	NBA	---
cis-1,2-Dichloroethene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	NBA	NBA	---
Chloroform	ND	300	NBA	NBA	NBA	NBA	NBA	NBA	NBA	NBA	---
Toluene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	NBA	NBA	---
o-Xylene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	NBA	NBA	---
m,p-Xylene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	NBA	NBA	---

[a] Persaud, D., R. Jaagumagi, and A. Hayton. 1993. *Guidelines for the Protection and Management of Aquatic Sediment Quality in Ontario* . Ontario Ministry of Environment and Energy (OMEE). Queen's Printer for Ontario.

[b] CCME (Canadian Council of Ministers of the Environment). 1998. *Canadian Sediment Quality Guidelines for the Protection of Aquatic Life.*

[c] Long et al. 1995. *Incidence of Adverse Biological Effects Within Ranges of Chemical Concentrations in Marine and Estuarine Sediments.*

[d] NOAA (National Oceanic and Atmospheric Administration). September 1999. NOAA Screening Quick Reference Tables. Hazmat Report 99-1.

[e] Sample, B.E., D.M. Opresko, and G.W. Suter II. *Toxicological Benchmarks for Wildlife: 1996 Revision.* Oak Ridge National Laboratories.

DW = Dry weight.
ER-L = Effects range-low.
LEL = Lowest effect level.
µg/kg = Micrograms per kilogram.
NBA = No benchmark available.
ND = Not detected.
NEL = No effect level.
PEC = Probable effect concentration.
PEL = Probable effect level.
SQRT = Screening quick reference tables.
TEC = Threshold effect concentration.

Table 7-2

Comparison of Chemical Concentrations in Sediments to Marine Sediment Benchmarks
Samples ECOSED1, ECOSED2, ECOSED3, and ECOSED4
Bucks Harbor
Former Air Force Radar Tracking Station & Ground/Air Transmitter/Receiver Site
Machiasport, ME

Chemical	Maximum Detected Concentration (µg/kg)	Sample Quantitation Limit (µg/kg)	Sediment Benchmarks					Lowest Ecological Benchmark	Ratio of Quantitation Limit to Lowest Benchmark
			OMEE		CCME	NOAA	NOAA SQRT		
			NEL[a] (µg/kg DW)	LEL[a] (µg/kg DW)	PEL[b] (µg/kg DW)	ER-L[c] (µg/kg DW)	Marine PEL[d] (µg/kg DW)		
Volatile Organic Compounds									
Trichloroethene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	---
Tetrachloroethene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	---
cis-1,2-Dichloroethene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	---
Chloroform	ND	300	NBA	NBA	NBA	NBA	NBA	NBA	---
Toluene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	---
o-Xylene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	---
m,p-Xylene	ND	400	NBA	NBA	NBA	NBA	NBA	NBA	---

[a] Persaud, D., R. Jaagumagi, and A. Hayton. 1993. *Guidelines for the Protection and Management of Aquatic Sediment Quality in Ontario* . Ontario Ministry of Environment and Energy (OMEE). Queen's Printer for Ontario.

[b] CCME (Canadian Council of Ministers of the Environment). 1998. *Canadian Sediment Quality Guidelines for the Protection of Aquatic Life.*

[c] Long et al. 1995. *Incidence of Adverse Biological Effects Within Ranges of Chemical Concentrations in Marine and Estuarine Sediments.*

[d] NOAA (National Oceanic and Atmospheric Administration). September 1999. NOAA Screening Quick Reference Tables. Hazmat Report 99-1.

DW = Dry weight.
ER-L = Effects range-low.
LEL = Lowest effect level.
µg/kg = Micrograms per kilogram.
NBA = No benchmark available.
ND = Not detected.
NEL = No effect level.
PEL = Probable effect level.
SQRT = Screening quick reference tables.

Table 7-3

Comparison of Surface Water Data to Federal and State Freshwater Quality Criteria
Samples ECOSW1, ECOSW2, ECOSW3, and ECOSW4
Bucks Harbor
Former Air Force Radar Tracking Station & Ground/Air Transmitter/Receiver Site
Machiasport, ME

Chemical	Maximum Detected Concentration (µg/L)	Sample Quantitation Limit (µg/L)	Federal Freshwater AWQC[a]		Maine WQC[b]		ORNL Tier II[c]		Lowest Ecological Benchmark	Ratio of Quantitation Limit to Lowest Benchmark
			CMC (µg/L)	CCC (µg/L)	CMC (µg/L)	CCC (µg/L)	Secondary Acute (µg/L)	Secondary Chronic (µg/L)		
Volatile Organic Chemicals										
Trichloroethene	ND	2	NBA	NBA	45,000	21,900	440	47	47	0.043
Tetrachloroethene	ND	2	NBA	NBA	5,280	840	830	98	98	0.020
cis-1,2-Dichloroethene	ND	2	NBA	NBA	NBA	NBA	NBA	NBA	NBA	---
Chloroform	ND	2	NBA	NBA	28,900	1,240	490	28	28	0.071
Toluene	ND	2	NBA	NBA	17,500	NBA	120	9.8	10	0.204
o-Xylene	ND	2	NBA	NBA	NBA	NBA	230	13	13	0.154
m,p-Xylene	ND	2	NBA	NBA	NBA	NBA	230	13	13	0.154

[a] EPA (U. S. Environmental Protection Agency). *National Recommended Water Quality Criteria 2002.* EPA 822-R-02-001. November 2002.

[b] MEDEP.

[c] Suter, G.W. and C.L. Tsao. 1996. *Toxicological Benchmarks for Screening Potential Contaminants of Concern for Effects on Aquatic Biota: 1996 Revision.*

AWQC = Ambient water quality criteria.

CCC = Criterion continuous concentration (chronic criterion).

CMC = Criterion maximum concentration (acute criterion).

µg/L = Micrograms per liter.

NBA = No benchmark available.

ND = Not detected.

WQC = Water quality criteria.

Table 7-4

Comparison of Surface Water Data to Federal and State Marine Water Quality Criteria
Samples ECOSW1, ECOSW2, ECOSW3, and ECOSW4
Bucks Harbor
Former Air Force Radar Tracking Station & Ground/Air Transmitter/Receiver Site
Machiasport, ME

Chemical	Maximum Detected Concentration (µg/L)	Sample Quantitation Limit (µg/L)	Federal Marine Water AWQC[a]		Maine WQC[b]		Lowest Ecological Benchmark	Ratio of Quantitation Limit to Lowest Benchmark
			CMC (µg/L)	CCC (µg/L)	CMC (µg/L)	CCC (µg/L)		
Volatile Organic Chemicals								
Trichloroethene	ND	2	NBA	NBA	2,000	NBA	2,000	0.001
Tetrachloroethene	ND	2	NBA	NBA	10,200	450	450	0.0044
cis-1,2-Dichloroethene	ND	2	NBA	NBA	NBA	NBA	NBA	---
Chloroform	ND	2	NBA	NBA	NBA	NBA	NBA	---
Toluene	ND	2	NBA	NBA	6,300	5,000	5,000	0.00040
o-Xylene	ND	2	NBA	NBA	NBA	NBA	NBA	---
m,p-Xylene	ND	2	NBA	NBA	NBA	NBA	NBA	---

[a] EPA (U. S. Environmental Protection Agency). *National Recommended Water Quality Criteria 2002.* EPA 822-R-02-001. November 2002.

[b] MEDEP.

AWQC = Ambient water quality criteria.

CCC = Criterion continuous concentration (chronic criterion).

CMC = Criterion maximum concentration (acute criterion).

µg/L = Micrograms per liter.

NBA = No benchmark available.

ND = Not detected.

WQC = Water quality criteria.

SECTION 7

FIGURES



t:/bucks harbor/mxd/bucks_harbor_points.mxd

Legend

- Forested Upland/High Gradient Stream
- Forested Upland/Low Gradient Stream
- Emergent Scrub/Shrub Wetland/ Low Gradient Stream
- Contours
- Sample points

N
W E
S

0 400
Feet

WESTON SOLUTIONS

Figure 7-1
Habitat Assessment

Former Bucks Harbor Air Force Radar Tracking Station and Ground/Air Transmittal/Receiver Site
Machiasport, Maine

SECTION 8

CONCLUSIONS AND RECOMMENDATIONS

8. CONCLUSIONS AND RECOMMENDATIONS

8.1 CONCLUSIONS

This RI was conducted to characterize the nature and extent of VOCs in groundwater beneath the Bucks Harbor site, to quantitatively evaluate risks to human health and the environment, and to investigate an adjacent area for a potential production well to supply drinking water to local residents. Between June 2002 and August 2003, a comprehensive field investigation was conducted, including surface and borehole geophysical investigations; installation of bedrock monitoring wells and a bedrock test well; surveying; packer permeability testing; and the collection and analysis of groundwater, surface water, sediment, and residential drinking water samples.

The data and information generated during the RI are described in the preceding sections of this report and in the attached appendices. The subsections that follow provide a summary of the results with respect to contaminant distribution, fate and transport of the contaminants, and potential risk to human and ecological receptors. Conclusions are also drawn regarding the limitations of the investigation and uncertainties in the baseline risk assessment. Finally, recommendations on supplemental investigations that could be performed to satisfy future project objectives are presented.

8.1.1 Nature and Extent of Contamination

The monitoring well, residential water supply well, and test well sampling data collected in 2003 as part of the RI, confirm that historical releases of chlorinated VOCs at several locations at the site have impacted local groundwater. The most commonly detected compound was TCE, which was detected in the monitoring wells at a maximum concentration of 3,460 µg/L (MW-10), and in the residential water supply wells at a maximum concentration of 65 µg/L (DW-4). In addition to TCE, PCE was also detected in two monitoring wells (STMW-001 and MW-10), at concentrations exceeding applicable EPA MCLs, although at levels far less than those found for TCE. A low level of PCE was also detected in the test well (TW-1), which may be related to former operations at the AFRTS site or a separate, localized release. Several other VOCs were identified in groundwater at the site including cis-1,2-DCE, trans-1,2-DCE, toluene, naphthalene,

MEK, styrene, and acetone, but all at concentrations well below their respective EPA MCLs. Thus, the primary contaminant at the site is TCE, with PCE as a secondary concern.

There are three separate areas of dissolved VOCs in groundwater at the site: (1) originating at the Transmitter site and extending to the southwest; (2) originating in the vicinity of the FAA radar antennas and extending to the southeast; and (3) originating at the GATR site and extending to the southeast. Each of the three areas of groundwater contamination is aligned with either the northwest-southeast or northeast-southwest trending bedrock fracture sets identified at the site (Gates, 1981; ABB, 1997a). At the Transmitter and GATR sites the plumes are narrow, and therefore, are believed to be restricted to a few closely spaced fractures. The FAA plume is wider and has two extensions that align with the mapped northeast-southwest bedrock fracture set. It is believed that the source of the contamination at the FAA site was the use of solvent compounds in the vicinity of monitoring well MW-10, possibly related to solvent dispensing activities in the basement of former Building 114, and that TCE is migrating along the predominant fracture set to the southeast before moving vertically upwards into the overburden and ultimately discharging to Howard Cove. Daily operation of local water supply wells are drawing contaminated groundwater from the predominant northwest-southeast trending fracture, along the orthogonal fractures, creating two extensions to the contaminant plume.

Vertically, VOC concentrations are generally higher within the deep bedrock water-bearing zone than in shallow bedrock or overburden groundwater. This is most evident at the GATR site, where TCE was not detected in shallow bedrock groundwater near the presumed source area, but was found at 61 µg/L in a deep bedrock monitoring well (MW-13) at that location. The results of the packer water quality testing were inconclusive with regard to the vertical distribution of contaminants due to suspected migration of groundwater around the pneumatic packers used to seal off the test intervals. It is not known whether the inability of the packers to seal the test intervals was due to the presence of high-angle or near-vertical fractures that allowed groundwater to migrate vertically into the test interval, or to a poor seal of the packers against the rough sides of the borehole. Regardless, the packer water quality tests showed little vertical variation in contaminant concentration at any of the five locations tested.

Long-term variations of water quality in residential drinking-water supply wells affected by VOCs were also evaluated. Historical concentrations of TCE in five residential wells located within the FAA plume (DW-2, DW-3, DW-4, and DW-12) and the GATR site plume (DW-23) were plotted versus time. The plot suggests that TCE concentrations in the center of the FAA plume (DW-2, DW-3, and DW-4) have been slowly increasing; however, the concentration of TCE in well DW-12, located southwest of the main body of the plume, has been decreasing, possibly related to a reduction in the amount of water withdrawn from this well. Historical water quality data from well DW-23, located within the main body of the GATR site plume, suggest that TCE concentrations in this plume are remaining relatively constant and below the EPA MCL and MEDEP MEG of 5 µg/L.

8.1.2 Natural Attenuation Assessment

Based on an analysis of water quality parameters and an assessment of the hydrogeological processes operating within the local bedrock aquifer, there is no significant biodegradation of chlorinated solvents occurring at this site. Comparison of the ratio of cis-1,2-DCE to TCE shows that at most locations the cis-1,2-DCE concentration is less than 5% of the TCE concentration, confirming that only minor biological breakdown of the TCE is occurring in the FAA and Transmitter site areas. At the GATR site on Miller Mountain, however, cis-1,2-DCE is found at concentrations that are 30% of the TCE concentration. This suggests that more biodegradation is occurring within the GATR site plume than within the other two plumes. This is consistent with the long-term trend analysis, which shows that contaminant concentrations downgradient of the GATR site remain fairly constant, while those downgradient of Howard Mountain are slowly increasing.

It should be noted that VC was not detected in any of the water quality samples at the site, suggesting that biodegradation beyond the cis-1,2-DCE stage is not occurring, or that any VC produced through biodegradation is quickly broken down into inert byproducts. It is more likely that the VC is rapidly breaking down because it should degrade easily under the aerobic conditions that exist at the site (Vogel et al., 1987).

8.1.3 Fate and Transport

The compounds of concern at the site are TCE and PCE. However, based on the high solubility of these compounds, their low adsorption potential, and the largely diffuse nature of the release mechanism, it is believed that only small amounts of TCE and PCE remain in site soils at the various source areas. Further evidence for this is a comparison of historical groundwater quality results with precipitation, which shows a negative correlation, suggesting that there is little TCE in the unsaturated zone to be leached out with increased precipitation.

It is possible that residual NAPL exists within the saturated zone in the vicinity of Howard Mountain based on the relatively high dissolved concentrations found in monitoring well MW-10, but unlikely that mobile NAPL exists in this area. Similarly, it is unlikely that any NAPL (residual or mobile) is present at either the Transmitter Site or the GATR Site based on the observed dissolved concentrations.

The TCE and PCE compounds will tend to move with the groundwater flow under advection once they have entered the saturated zone. They will move through fractures in the bedrock in a downgradient direction toward groundwater discharge zones (Bucks Harbor and Howard Cove). Diffusion of the TCE and PCE into small and dead-end fractures, dilution, and some limited mechanical dispersion will tend to reduce their dissolved concentrations along the groundwater flow path. Adsorption results in contaminant reductions and a retardation of the velocity of contaminant migration. The degree of retardation experienced by a particular organic contaminant will depend on the fraction of organic carbon in the aquifer matrix.

Limited natural biodegradation of TCE and PCE is occurring, based on the presence of cis-1,2-DCE breakdown products in groundwater at the site. However, this mechanism does not appear to be significantly affecting the concentration or distribution of these compounds in the Howard Mountain area based on the persistence of concentrations observed in the Transmitter site and FAA areas. However, natural biodegradation does appear to be responsible for the decreasing concentrations of TCE at the GATR site on Miller Mountain, based on the higher ratio of TCE to cis-1,2-DCE in this area, and the observed decreasing trend in overall TCE concentrations.

8.1.4 Risk Assessment

The objectives of the BHHRA were to predict the cancer risks and noncancer adverse health effects above background levels in susceptible populations potentially exposed to contaminants associated with the site under existing baseline conditions (i.e., in the absence of remedial action). The BHHRA evaluated both current and future exposure scenarios. The results indicate that on-site and off-site cumulative cancer risks for all human health risk scenarios did not exceed the upper bound acceptable level of 1E-04, and only one well (DW-4) marginally exceeded 1E-05. Therefore, total on-site and off-site cancer risks, as calculated, were well within the risk range EPA uses to regulate hazardous waste sites under Superfund (i.e., 1E-06 to 1E-04) (EPA, 1991b) and noncancer effects were not at issue. Assuming that sources of chemicals associated with significant risks have been remedied, the conservative assumptions used in this BHHRA provide an adequate degree of health protectiveness to off-site residents and on-site prison inmates.

As part of the Screening-Level Ecological Risk Assessment, WESTON collected surface water and sediment samples from four locations in the wetland area and unnamed stream northeast of the DCF Housing Area. As discussed in Sections 4 and 7, no VOCs were detected in any of the surface-water and sediment samples collected. Based on the absence of detections, the current concentrations of the COPECs in sediment and surface water at the site do not pose a significant risk to ecological receptors or the surrounding environment. Therefore, WESTON believes that additional sampling or a baseline evaluation of potential ecological risk is not warranted for the site.

8.1.5 Baseline Risk Assessment Analysis of Uncertainty

Each step in the risk assessment process requires some degree of assumption, which contributes to uncertainty in the risk evaluation. In the absence of empirical or site-specific data, assumptions are developed based on best estimates of data quality, exposure parameters, and dose-response relationships. To assist in the development of these estimates, EPA recommends the use of guidelines and standard exposure factors to promote consistency among risk assessments where assumptions must be made; however, their usefulness in accurately predicting risk depends on their applicability to site-specific conditions. In most cases, use of default

exposure assumptions may contribute to over-estimation of plausible real-life exposures, and therefore, true risks may be over-estimated.

This BHHRA calculated risks using these conservative assumptions and the RME approach, which is recognized by many risk assessors to represent an unrealistically high exposure level to the general population. The RME default assumptions, combined with conservative toxicity values, can yield site risk estimates that may be over-protective. Nevertheless, these assumptions are appropriate when performing risk assessments of this type so that risk managers can be reasonably assured that human health risks are not under-estimated (i.e., are health-protective), and so that risk assessments for different sites can be uniformly compared.

Despite the use of the conservative assumptions, total on-site and off-site cancer risks were well within the risk range EPA uses to regulate hazardous waste sites, and non-cancer effects were not at issue. Furthermore, in the absence of detections of VOCs in surface water and sediment samples, the ERA performed concluded that no significant risk exists to ecological receptors.

8.1.6 Data Limitations

Several data limitations and site-specific conditions should be considered when evaluating the results and conclusions presented in this report. The conclusions and recommendations presented in this RI Report are based on site conditions that exist as of September 2003. Past conditions were considered on the basis of observations and readily available records, interviews, recollections, and information provided to WESTON or reasonably available to WESTON. The results of groundwater samples collected from, in some instances, widely spaced subsurface explorations and at depths determined by data obtained during the investigation were evaluated. Water-level readings have been made in the monitoring wells at times and under conditions stated in the report. These data have been reviewed and interpretations have been made in the text of this report; however, it should be noted that fluctuations in the level of the groundwater could occur due to variations in rainfall, barometric pressure, and other factors different from those prevailing at the time the measurements were made. Chemical analyses have been performed for specific parameters during the course of this investigation, as detailed in the text.

These data limitations, however, can be applied to most RIs under a variety of conditions. With respect to the Bucks Harbor AFRTS and GATR sites, there are also some site-specific data gaps that should be acknowledged:

- **Howard Mountain Area:** The analytical results of groundwater samples collected from the Transmitter site area, indicate the presence of TCE at concentrations well above the EPA MCL and MEDEP MEG of 5 µg/L. Based on the orientation of the mapped northeast-southwest bedrock fracture set, and the water-level elevations in the monitoring wells, the plume is migrating in a southwesterly direction (Figure 4-2). Whereas no additional bedrock monitoring wells are located southwest of monitoring well MW-07, the nature and extent of the plume in this direction has not been defined, nor have potential risks to downgradient receptors been identified.

- **Howard Mountain Area:** The information obtained from previous investigations and during interviews with former USAF employees and people with knowledge of site history indicated that there were no specific areas where TCE and other solvents were discharged to the ground surface; rather, the releases were intermittent and limited to the areas where they were used. The overburden thickness in these areas was reportedly thin, which, when combined with the high volatility of the solvents and low K_{oc} value, suggested that the presence of residual contamination in soil at the site was unlikely.

  However, the storage of drums containing TCE in the basement of the former Building 114 could represent a source area. Leaks or spills from the drums combined with the floor drains/drain pipe features associated with the building likely resulted in a release of chlorinated solvents to the subsurface. In consideration of the overburden thickness encountered during installation of monitoring well MW-10, and the concentrations of TCE detected in groundwater at this location, soil conditions in the area around former Building 114 have not been thoroughly evaluated.

- **Howard Mountain/Miller Mountain Areas:** The hydraulic interconnectivity of the bedrock fractures in the water-bearing zone has not been verified. Analyses of the bedrock cores, borehole geophysics logs, and permeability test results indicate that all of the monitoring wells drilled at the site intersected several water-bearing fractures; however, specific fractures could not be reliably correlated between boreholes. Water level fluctuations in on-site monitoring wells in response to daily pumping of residential water supply wells were not monitored, and no pumping or step-drawdown tests were performed during the investigation. Data from such tests would provide an evaluation of the level of communication between fractures in adjacent well locations within the bedrock aquifer, and further refine the Site Conceptual Model.

The data show that the Miller Mountain area is hydrogeologically separate from that of the Howard Mountain area. The geological distinctiveness of the two bedrock aquifers is not considered a data limitation or a data gap, but is an important feature of the area that should be

noted in this summary. The predominant bedrock lithology, nature of fracturing, permeability, estimated hydraulic conductivity, and biological degradation rates are distinctly different between the two areas; therefore, the nature and extent of contamination are different as well and should be taken into consideration when planning future remedial alternatives.

8.2 RECOMMENDATIONS FOR FUTURE WORK

In consideration of the data limitations and conclusions identified, WESTON recommends the following:

8.2.1 Howard Mountain Area

- Installation of additional deep bedrock monitoring wells southwest of the Transmitter site to assess the lateral extent of the TCE plume, and to evaluate potential impacts to downgradient receptors.

- Pumping tests of selected bedrock monitoring wells to assess hydraulic connection of water-bearing fractures. Observation wells should be equipped with electronic data loggers to record drawdown in response to pumping and communication within the bedrock aquifer.

- Conduct an investigation of overburden soil quality to assess if residual soil contamination exists in the vicinity of former Building 114.

- Perform a long-term pumping test on the test well to evaluate potential contaminant mobilization. The presence of PCE in a groundwater sample collected from test well TW-1 suggests that this location may be inadequate for water supply purposes. If salt water or elevated concentrations of PCE are detected in test well TW-1 during testing, or if long-term pumping results in a negative impact to the DCF water supply well (WY-3), then the test well area should be eliminated from further consideration as a potential water supply well location.

8.2.2 Miller Mountain Area

- Consider removing residential wells in the vicinity of the GATR site/Miller Mountain area from future drinking-water sampling rounds based on 8+ years of residential water quality monitoring that indicate no VOCs are present at concentrations that exceed EPA MCLs or MEDEP MEGs. However, water quality monitoring of well MW-13 and, if possible, the former GATR site water supply well should be conducted until concentrations at the site have dropped below the EPA MCL.

- Immediately secure or abandon the former water supply well located at the GATR site. This well is accessible to the public and subject to vandalism, including the introduction of potentially hazardous substances into the water-bearing zone in which it was installed.

8.2.3 Recommended Remedial Action ObSjectives

Using the information obtained from the RI, the FS will be completed to recommend the most suitable alternative for supplying a safe and adequate drinking-water supply to residents. The proposed additional investigative activities will be performed as part of the FS. Several groundwater remedial alternatives, including options for public water supplies, will be prepared and presented in the FS Report. WESTON recommends the following remedial action objectives:

- Evaluate source area remediation and water supply alternatives.
- Regard the Howard Mountain and Miller Mountain areas as separate groundwater aquifers due to the uniqueness of the individual geologic and hydrogeologic properties.
- Provide an alternative water supply to those residents whose drinking water exceeds EPA MCLs and MEDEP MEGs.
- Continue the residential water supply monitoring program in the vicinity of Howard Mountain until all groundwater quality meets EPA MCLs and MEDEP MEGs, to ensure there is no risk to residents, and that the groundwater plume is not moving in response to changes in residential pumping patterns. The selected remedy must remain in effect until the impacted aquifer has been restored.

SECTION 9

REFERENCES

9. REFERENCES

ABB (ABB Environmental Services, Inc.). 1997a. *Engineering Evaluation of Contamination, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* July 1997.

ABB (ABB Environmental Services, Inc.). 1997b. *Hydrogeologic Investigation Report, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* July 1997.

ABB (ABB Environmental Services, Inc.). 1997c. *Geophysical Study for Alternative Water Supply, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* July 1997.

ABB (ABB Environmental Services, Inc.). 1997d. *Operations History Report, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* Prepared in support of the *Hydrogeologic Investigation Report*.

ABB (ABB Environmental Services, Inc.). 1996a. *1996 Quarterly Groundwater Sampling Report Round No. 2, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* July 1996.

ABB (ABB Environmental Services, Inc.). 1996b. *1996 Quarterly Groundwater Sampling Report Round No. 3, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* July 1996.

ABB (ABB Environmental Services, Inc.). 1996c. *1996 Quarterly Groundwater Sampling Report Round No. 4, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* July 1996.

ABB (ABB Environmental Services, Inc.). 1995. *Site Assessment Report, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine*. February 1995.

ABB (ABB Environmental Services, Inc.). 1995. *Final Fracture Trace Analysis Report, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine*. September 1995.

ABB (ABB Environmental Services, Inc.). 1995a. *Groundwater Sampling Quarterly Report Round No. 1, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* July 1995.

ABB (ABB Environmental Services, Inc.). 1995b. *Groundwater Sampling Quarterly Report Round No. 2, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* October 1995.

ABB (ABB Environmental Services, Inc.). 1995c. *Groundwater Sampling Quarterly Report Round No. 3, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* December 1995.

AEL (Analytics Environmental Laboratory, LLC). 2003. *Analytical Data Reports 49768, 49784, 49793, 49794, 49855, 49866, 49874, 49877, and 49878.*

Andersson, M.P., and W.W. Woessner. 1992. *Applied Groundwater Modeling, Simulation of Flow and Advective Transport*. Academic Press, Inc., San Diego, California. 381 p.

ATSDR (Agency for Toxic Substances and Disease Registry). 2004. *Minimal Risk Levels.* http://www.atsdr.cdc.gov/. Accessed May 2004.

ASTM (American Society for Testing and Materials). 2003a. Standard D6432-99: "Standard Guide for Using the Surface Ground Penetrating Radar Method for Subsurface Investigation."

ASTM (American Society for Testing and Materials). 2003b. Standard D5777-00: "Using the Seismic Refraction Method for Subsurface Investigation."

Berry, H.N., IV and P.H. Osberg. 1989. *A Stratigraphic Synthesis of Eastern Maine and Western New Brunswick.* Maine Geological Survey, Studies in Maine Geology, Volume 2. 1989.

Borns, H.W., Jr. 1974. *Surficial Geology of the Machias Quadrangle, Maine.* Maine Geological Survey Open File No. 74-4.

Bull, R.D. 2000. "Drinking Water Disinfection." In: *Environmental Toxicants: Human Exposures and their Health Effects*. Second Eddition. Edited by Morton Lippmann. pp. 267-318.

Cant, D.J. 1984. *Subsurface Facies Analysis*. From R.G. Walker, Facies Models. Second Edition. Geological Association of Canada. pp. 297-310.

CCME (Canadian Council of Ministers of the Environment). 1998. *Canadian Sediment Quality Guidelines for the Protection of Aquatic Life.*

CENAE (U.S. Army Corps of Engineers, New England District). 2003. *Integrated Geophysics Work Management Plan, Bucks Harbor FUDS Site, Machiasport, Maine.* February.

CENAE (U.S. Army Corps of Engineers, New England District). 2002. *Statement of Work for Remedial Investigation Report, Bucks Harbor Former Air Force Radar Tracking Station and Former Ground/Air Transmitter/Receiver (GATR) Site, Machiasport, Maine*. 12 June 2002.

Charnley, G., E.A.C. Crouch, L.C. Green, and T.L. Lash. 1988. *Municipal Solid Waste Landfilling: A Review of Environmental Effects*. No. Meta Systems, Inc.

Cohen, A.J.B. 1995. *Hydrogeologic Characterization of Fractured Rock Formations: A Guide for Groundwater Remediations*. Prepared by the Ernest Orlando Lawrence Berkeley National Laboratory for the U.S. Department of Energy Under Contract No. DE-AC03-76-SF00098.

Daniels, J.J. (Date unknown). *Well Logging for Engineering and Environmental Applications*. Published by the Department of Geology and Mineralogy, Ohio State University, Columbus, Ohio.

Davis, S.N., and R.J.M. DeWiest. 1966. *Hydrogeology*. John Wiley & Sons Publishers, Inc., New York, New York. 463 p.

DOC (U.S. Department of Commerce). 2001. *2000 Census Report*. U.S. Census Bureau.

DOI (U.S. Department of the Interior, U.S. Geological Survey). 2003. *Surface- and Borehole-Geophysical Investigation of a Formerly Used Defense Site, Machiasport, Maine.* Water-Resources Investigation Report. February 2003.

DOI (U.S. Department of the Interior, Bureau of Reclamation). 1990. *Earth Manual,* Part 2. Third Edition.

Emery & Garrett Groundwater, Inc. 2002. *Groundwater Exploration, Phase I, Bucks Harbor, Machiasport, Maine.* 11 March 2002.

EPODUNK. 2003. *The Power of Place, database search engine with demographic information for more than 25,000 Communities*. Website: www.epodunk.com. Ithaca, New York. September 2003.

EPA (U.S. Environmental Protection Agency). 2005a. *Provisional Peer-Reviewed Toxicity Database*. Office Superfund, U.S. EPA and Oak Ridge National Laboratory. 14 March 2005. http://hhpprtv.ornl.gov/

EPA (U.S. Environmental Protection Agency). 2005b. *Trichloroethylene Issue Paper 4: Issues in Trichloroethylene Cancer Epidemiology*. NCEA. EPA/600/R-05/025. February 2005.

EPA (U.S. Environmental Protection Agency). 2004a *Software for Calculation Upper Confidence Limits (UCLs), Version 3.00.02*. http://www.epa.gov/nerlesd1/tsc/software.htm

EPA (U.S. Environmental Protection Agency). 2004b. *Risk-Based Concentration Tables*. EPA Region III, Philadelphia, Pennsylvania 19104. 19 October 2004.

EPA (U.S. Environmental Protection Agency). 2004c. *Integrated Risk Information System (IRIS).* Peer-reviewed toxicity database maintained by the U.S. Environmental Protection Agency, Washington, DC. Accessed 2 February 2004.

EPA (U.S. Environmental Protection Agency). 2004d. *Risk Assessment Guidance for Superfund: Volume 1, Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final,*. EPA 540/R/99005. OSWER 9285.7-02EP. PB99-963312. Office of Solid Waste and Emergency Response. July 2004.

EPA (U.S. Environmental Protection Agency). 2003a. *Draft Final Guidelines for Carcinogen Risk Assessment.* EPA/630/P-03/001A. NCEA-F-0644A. Draft Final. February 2003.

EPA (U.S. Environmental Protection Agency). 2003b. *Human Health Toxicity Values in Superfund Risk Assessments*. OSWER Directive 9285.7-53. December 5, 2003

EPA (U.S. Environmental Protection Agency). 2002a. *National Recommended Water Quality Criteria 2002*. EPA 822-R-02-001. November 2002.

EPA (U.S. Environmental Protection Agency). 2002b. *Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soils (Subsurface Vapor Intrusion Guidance).* EPA 530-F-02-052. November 2002.

EPA (U.S. Environmental Protection Agency). 2001a. *Risk Assessment Guidance for Superfund:* Volume 1, *Human Health Evaluation Manual* (*Part D, Standardized Planning, Reporting, and Review of Superfund Risk Assessments*). Interim. EPA 540-R-97-033. OSWER 9285.7-01D. Office of Solid Waste and Emergency Response. January.

EPA (U.S. Environmental Protection Agency). 2001c. *Draft Trichloroethylene Health Risk Assessment: Synthesis and Characterization*. Office of Research and Development, Washington, DC. EPA 600/P-01/002A. August 2001.

EPA (U.S. Environmental Protection Agency). 1998. *Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Ground Water.* Office of Research and Development, Washington, DC. EPA 600/R-98/128. September 1998.

EPA (U.S. Environmental Protection Agency). 1997a. *Exposure Factors Handbook,* Volume I, *General Factors*. EPA/600/P-95/002Fa. Office of Research and Development, Washington, DC. August 1997. (Update to *Exposures Factors Handbook,* May 1989.)

EPA (U.S. Environmental Protection Agency). 1997b. *Health Effects Assessment Summary Tables (HEAST), FY-1997 Update*. EPA-540-R-97-036. PB 97-921199. Office of Solid Waste and Emergency Response, Washington, DC. July 1997.

EPA (U.S. Environmental Protection Agency). 1996. *Proposed Guidelines for Carcinogen Risk Assessment.* Office of Research and Development, U.S. Environmental Protection Agency, Washington, DC. EPA/600/P-92/003C. April 1996.

EPA (U.S. Environmental Protection Agency). 1995b. *Guidance for Risk Characterization.* Science Policy Council. February 1995. http://www.epa.gov/ordntrnt/ORD/spc/rcguide.htm

EPA (U.S. Environmental Protection Agency). 1994. *EPA Region III Modifications to the National Functional Guidelines for Inorganic Data Review.*

EPA (U.S. Environmental Protection Agency). 1993. *Selecting Exposure Routes and Contaminants of Concern by Risk-Based Screening*. EPA Region III, Hazardous Waste Management Division, Office of Superfund Programs, Philadelphia, Pennsylvania. EPA/903/R-93-001.

EPA (U.S. Environmental Protection Agency). 1992a. *Guidance for Data Usability in Risk Assessment (Part A).* Final. OERR. Publication 9285.7-09A. April 1992.

EPA (U.S. Environmental Protection Agency). 1992b. *Supplemental Guidance to RAGS: Calculating the Concentration Term.* Publication 9285.7-081. Office of Solid Waste and Emergency Response. May 1992.

EPA (U.S. Environmental Protection Agency). 1991a. *Human Health Evaluation Manual Supplemental Guidance,* "Standard Default Exposure Factors." OSWER Directive 92856-03. 25 March 1991.

EPA (U.S. Environmental Protection Agency). 1991b. *Role of the Baseline Risk Assessment in Superfund Remedy Selection Decisions.* OSWER Directive 9355.0-30. 22 April 1991.

EPA (U.S. Environmental Protection Agency). 1989. *Risk Assessment Guidance for Superfund (RAGS),* Volume I, *Human Health Evaluation Manual (Part A).* Interim Final. EPA/540/1-89/002. Office of Solid Waste and Emergency Response, Washington, DC.

EPA (U.S. Environmental Protection Agency). 1986. *Test Methods for Evaluating Solid Wastes, Public*. SW-846, November 1986, revised December 1987 and December 1988, and all promulgated updates.

Fetter, C.W. 1994. *Applied Hydrogeology.* Macmillan College Publishing Company, New York. Third Edition.

Foster, S. and P. Chrostowski. 1987. *Inhalation Exposures to Volatile Organic Contaminants in the Shower*. APCA 80th Annual Meeting, New York. June 21-28.

Freedman, D.L., and J.M. Gossett. 1989. "Biological Reductive Dechlorination of Tetrachloroethylene and Trichloroethylene to Ethylene Under Methanogenic Conditions." *Applied Environmental Microbiology,* Vol. 55(9). pp. 144-152.

Freeze, R.A., and J.A. Cherry. 1979. *Groundwater*. Prentice-Hall, Inc., Englewood Cliffs, New Jersey. First Edition. 604 p.

Gates, O. 1981. *Bedrock Geology of the Machias, Columbia Falls, and Great Wass Island Quadrangles, Maine*. Maine Geological Survey.

Gates, O. and R.H. Moench. 1981. *Bimodal Silurian and Lower Devonian Volcanic Rock Assemblages in the Machias-Eastport Area, Maine*. U.S. Geological Survey Professional Paper 1184.

Gilbert, R.O. 1987. *Statistical Methods for Environmental Pollution Monitoring*. Van Nostrand Reinhold, New York, New York.

Gorelick, S.M., R.A. Freeze, D. Donohue, and J.F. Keely. 1993. *Groundwater Contamination: Optimal Capture and Containment.* Lewis Publishers, Chelsea, Michigan. 385 p.

Griswold, W.J., J.H. Vernon, and B.A. Moore. 1993. "Wellhead Protection Area Delineation and Monitoring Strategies for a Fractured Bedrock Aquifer, Dover, New Hampshire." In: *Case Studies in Wellhead Protection Area Delineation and Monitoring.* U.S. Environmental Protection Agency, EPA 600/R-93/107.

Guidotti, C.V. 1989. *Metamorphism in Maine: An Overview.* Maine Geological Survey, Studies in Maine Geology, Volume 3.

Hearst, J.R., P.H. Nelson, and F.L. Paillet. 2000. *Well Logging for Physical Properties – A Handbook for Geophysicists, Geologists, and Engineers*. John Wiley and Sons, Ltd., New York.

Hogan, J.P. and A.K. Sinha. 1989. "Compositional Variation of Plutonism in the Coastal Maine Magmatic Province: Mode of Origin and Tectonic Setting." *Studies in Maine Geology*, Volume 4. Maine Geological Survey,

Keim, B. 1999. *Current Climate of the New England Region*. New England Regional Assessment Website. June 1999.

Keys, W.S. 1997. *A Practical Guide to Borehole Geophysics in Environmental Investigations*. Published by CRC Lewis Publishers, Inc.

Keys, W.S. 1989. *Borehole Geophysics Applied to Ground-Water Investigations.* Published by the National Ground Water Association.

Keys, W.S. and L.M. MacCary. 1971. "Application of Borehole Geophysics to Water-Resources Investigation." Book 2, Chapter E1. *Techniques of Water-Resources Investigations of the United States Geological Survey.* Department of the Interior, U.S. Geological Survey.

Long et al., 1995. *Incidence of Adverse Biological Effects within Ranges of Chemical Concentrations in Marine and Estuarine Sediments.*

Lucius, J.E. et al. 1990. *Properties and Hazards of 108 Selected Substances.* USGS Open File Report, 90-408.

Mack, T.J. 1993. *Detection of Contaminant Plumes by Borehole Geophysical Logging*. Ground Water Monitoring and Remediation. Winter Volume.

MBH (Maine Bureau of Health). 2000. Department of Human Services Environmental Toxicology Program *Maximum Exposure Guidelines (MEG) for Drinking Water*. Revised January 20.

MEDEP (Maine Department of Environmental Protection). 1998. *Remedial Action Guidelines for Contaminated Soil, Direct Contact Guidelines.* Bureau of Health – Environmental Toxicology Program, Department of Human Services. Revised 1 June 1998. Obtained from MEDEP Internet Website on 8 June 1999.

MEDEP (Maine Department of Environmental Protection). 1995. *Procedural Guidelines for Establishing Standards for the Remediation of Oil Contaminated Soil and Groundwater in Maine.* State of Maine, Department of Environmental Protection and Department of Human Services. Maximum Exposure Guidelines revised 20 January 2000.

MEDEP (Maine Department of Environmental Protection). 1994. *Guidance Manual for Human Health Risk Assessments at Hazardous Substance Sites.* State of Maine, Department of Environmental Protection and Department of Human Services. June 1994.

Montgomery, J.H., and L.M. Welkom. 1990. *Groundwater Chemicals Desk Reference.* Lewis Publ., Chelsea, MI. 650 p.

NCDC (National Climatic Data Center). 2003. *Climatological Data for Machias Maine*. Website: www.NCDC.gov. September 2003.

NERCC (Northeast Regional Climate Center). 2003. *Discussion of New England Climate*. Website: www.NERCC.gov. September 2003.

Newell, C., and R.R. Ross. 1991. *Estimating Potential for Occurrence of DNAPL at Superfund Sites, Quick Reference Guide Sheet.* U.S. Environmental Protection Agency, Washington, DC. 9355.4-07FS.

Ney, R.E. 1998. *Fate and Transport of Organic Chemicals in the Environment: A Practical Guide*. Government Institute, Inc., Rockville, MD.

NOAA (National Oceanic and Atmospheric Administration). 1999. *NOAA Screening Quick Reference Tables*. Hazmat Report 99-1. September 1999.

NOAA (National Oceanic and Atmospheric Administration). 1995. *Climatological Data Annual Summary, New England 1995*, Volume 107, Number 13.

NWS (National Weather Service). 2003. *Information Center, Past Weather Data*. Website: www.nws.noaa.gov. September 2003.

OEHHA (Office of Environmental Health Hazard Assessment). 2003. *OEHHA Cancer Potency List.* State of California Environmental Protection Agency. September 2003.

Persaud, D., R. Jaagumagi, and A. Hayton. 1993. *Guidelines for the Protection and Management of Aquatic Sediment Quality in Ontario*. Ontario Ministry of Environment and Energy (OMEE). Queen's Printer for Ontario.

Pioneer Technologies. 2002. SiteSTAT 1.0. Software. Pioneer Environmental Consulting.

Prescott, G.C. 1974. *Ground-Water Favorability and Surficial Geology of the Machias-Lubec Area, Washington County, Maine*. Hydrologic Investigations Atlas HA-535, U.S. Geological Survey, Reston, VA.

Ritter, D.F. 1978. *Process Geomorphology*. Wm. C. Brown Company Publishers, Dubuque, IA, Fall 1978. 603 p.

SAB (Science Advisory Board). 2002. *Review of Draft Trichloroethylene Health Risk Assessment: Synthesis and Characterization: An EPA Science Advisory Board Report.* EPA-SAB-EHC-03-002 (1400A). EPA Science Advisory Board, Washington, DC. December 2002. www.epa.gov/sab.

Sample, B.E., D.M. Opresko, and G.W. Suter II. 1996. *Toxicological Benchmarks for Wildlife: 1996 Revision.* Oak Ridge National Laboratories.

Schlumberger, 1987. *Log Interpretation Principles/Applications.* Schlumberger Educational Services, Houston, Texas.

State of Maine, Bureau of Health – Environmental Toxicology Program, Department of Human Services. 1992. *Summary of State and Federal Drinking Water Guidelines*. 23 October 1992.

Suter, G.W. and C.L. Tsao. 1996. *Toxicological Benchmarks for Screening Potential Contaminants of Concern for Effects on Aquatic Biota: 1996 Revision.*

USACE (U.S. Army Corps of Engineers). Engineer Research and Development Center, Topographic Engineering Center (TEC). 2003. Electronic source data for development of base map. September.

USACE (U.S. Army Corps of Engineers). 2001. *USACE Requirements for the Preparation of Sampling and Analysis Plans, Appendix I: Shell for Analytical Chemistry Requirements.* EM-200-1-3. February 1.

USACE (U.S. Army Corps of Engineers). 2001. *USACE Chemical Quality Assurance for HTRW Projects.* EM-200-1-6. February 1.

USACE (U.S. Army Corps of Engineers). 2001. *Engineering Manual 1110-1-1804 Geotechnical Investigations, Engineering and Design.*

USACE (U.S. Army Corps of Engineers). 1998. *U.S. Army Environmental Restoration Programs Guidance Manual.* April.

USACE (U.S. Army Corps of Engineers). 1998. *Technical Project Planning (TPP) Process*. EM-200-1-2.

USACE (U.S. Army Corps of Engineers). 1994. *Engineering Manual 1110-1-1804 Geotechnical Investigations, Engineering and Design.* August 31.

USGS (U.S. Geological Survey). 2003. *Surface- and Borehole-Geophysical Investigation of a Formerly Used Defense Site, Machiasport, Maine.* Draft. February.

USGS (U.S. Geological Survey). 1977. *Machias, Maine 15' Topographic Quadrangle, 1949.* Photo-revised 1977.

Vernon, J.H, W.H. Pedler, and F.L. Paillet. 1993. "Selected Borehole Geophysical Techniques for Well Protection in a Fractured Bedrock Aquifer." Special Environmental Edition. *The Log Analyst*. January-February. p. 41-58.

Vogel, T.M., C.S. Criddle, and P.L. McCarty. 1987. *Transformations of Halogenated Aliphatic Compounds.* Environmental Science and Technology, Vol. 21. pp 722-736.

WESTON (Weston Solutions, Inc.). 2005. *Personal Communication (E-Mail) from Kathleen Taylor, WESTON, Manchester Office, to Robert Warwick, Health Risk Concepts, Inc*. February 22, 2005.

WESTON (Weston Solutions, Inc.). 2003. Summary of Field Notes and Observations During RI Field Activities Between January and August.

WESTON (Weston Solutions, Inc.). 2002a. Summary of Field Notes Taken During Site Visit and Walkover of Property with Former USAF Employees.

WESTON (Weston Solutions, Inc.). 2002b. *Sampling and Analysis Plan, Remedial Investigation, Bucks Harbor Former Air Force Radar Tracking Station (AFRTS), Machiasport, Maine.* October 2002.

WESTON (Roy F. Weston, Inc.). 2001. *Draft Feasibility Study for Former Transmitter Site, Bucks Harbor Former Air Force Radar Tracking Station and Ground/Air Transmitter/Receiver Site, Machiasport, Maine.*

WESTON (Roy F. Weston, Inc.). 2000a. *Final Quarterly Groundwater Sampling Report, Round 12, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine*. February 2000a.

WESTON (Roy F. Weston, Inc.). 2000b. *Supplemental Engineering Evaluation of Contamination, Former Transmitter Site, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine*.

WESTON (Roy F. Weston, Inc.). 1999a. *Final Quarterly Groundwater Sampling Report, Round 12, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine*. March 1999a.

WESTON (Roy F. Weston, Inc.). 1999b. *Final Quarterly Groundwater Sampling Report, Round 12, Bucks Harbor Former Air Force Radar Tracking Station, Machiasport, Maine.* September 1999b.


YSI (YSI Incorporated Environmental). 2003. Monitoring Systems Operations Manual for 600-series model.

USACE (U.S. Army Corps of Engineers). 1995. *Risk Assessment Handbook, Human Health Evaluation. Volume 1: Human Health Evaluation.* EM 200-1-4. 30 June 1995.


APPENDIX A

USGS GEOPHYSICAL REPORT


Project - Well: Weston - USACE/Bucks Harbor, ME - MW-04 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - MW-04 optical & acoustic televiewer log




44
46
48
50
52
54
56
58
60
62
64
66
68
70
72
74










76
78
80
82
84
86
88
90
92
94
96
98


Project - Well: Weston - USACE/Bucks Harbor, ME - MW-05 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - MW-05 acoustic televiewer log




38
40
42
44
46
48
50
52
54
56
58
60
62
64
66
68











70
72
74
76
78
80
82
84
86
88
90
92
94
96
98

Project - Well: Weston - USACE/Bucks Harbor, ME - MW-06 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - MW-06 acoustic televiewer log





32
34
36
38
40
42
44
46
48
50
52
54
56
58
60
62


64
66
68
70
72
74
76
78
80
82
84
86
88
90
92
94








96
98
100
102
104
106
108
110
112
114
116
118
120

Project - Well: Weston - USACE/Bucks Harbor, ME - MW-07 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - MW-07 acoustic televiewer log






32
34
36
38
40
42
44
46
48
50
52
54
56
58
60
62


64
66
68
70
72
74
76
78
80
82
84
86
88
90
92
94









96
98
100
102
104
106
108
110
112
114
116
118
120
122
124
126


128
130

Project - Well: Weston - USACE/Bucks Harbor, ME - MW-08b conventional logs




all depths in feet below ground surface; steel casing to approximately 8.5 feet deep; water level near 4 feet deep at time of logging; "corrected" redox data values were adjusted for the potential between the Idronaut's reference electrode & the standard hydrogen electrode


most inflow while pumping occurred between 12 & 20 feet deep (possibly near the 14-foot pH inflection); weak ambient downward flow also entered the borehole in this depth interval

inflow while pumping originated between 20 & 27 feet deep (possibly near the 22-foot FTemp inflection); weak ambient downward flow exited the borehole in this depth interval


103566 - mw8b.wcl

Project - Well: Weston - USACE/Bucks Harbor, ME - MW-08b optical & acoustic televiewer logs





38
40
42
44
46
48
50
52
54


Project - Well: Weston - USACE/Bucks Harbor, ME - MW-09 conventional logs




Project - Well: Weston - USACE/Bucks Harbor, ME - MW-09 acoustic televiewer log




38
40
42
44
46
48
50
52
54
56
58
60
62
64
66
68







70
72
74
76
78
80
82
84
86
88
90
92
94
96
98
100



102
104
106
108
110
112
114
116
118

Project - Well: Weston - USACE/Bucks Harbor, ME - MW-10 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - MW-10 optical & acoustic televiewer logs






48
50
52
54
56
58
60
62
64
66
68
70
72
74
76
78


80
82
84
86
88
90
92
94
96
98
100
102
104
106
108
110










112
114
116
118
120
122
124
126
128
130
132
134
136
138
140


142
144
146
148
150
152
154
156
158
160
162
164
166
168
170
172


174
176
178
180
182
184
186
188
190
192
194
196
198
200

Project - Well: Weston - USACE/Bucks Harbor, ME - MW-11 conventional logs



all depths in feet below ground surface; steel casing to approximately 98 feet deep; water level near 54 feet deep at time of logging; "corrected" redox data values were adjusted for the potential between the Idronaut's reference electrode & the standard hydrogen electrode

inflow while pumping occurred between the casing bottom & 104 feet deep, probably at the caliper enlargement (to approximately 10 inches immediately below the casing) & coincident FCond anomaly

a hydraulically active zone is indicated by FCond, O2, redox, & pH inflections near 107 to 109 feet

FCond slope change suggests a hydraulically active zone near 127 feet

minor increase in inflow while pumping may have occurred between 136 & 146.5 feet

pumping inflow increased between 146.5 & 157 feet

pumping inflow increased between 157 & 167 feet (possibly near 165-foot FTemp & pH inflections)

hydraulically active zone is suggested by FTemp & FCond inflections near 170 feet

weak ambient upward flow may have exited borehole between 174 & 181 feet deep


inflow while pumping may have increased between 181 & 191 feet (possibly at 185-foot FTemp inflection)

weak upward flow (ambient & pumping conditions) may have originated below 191 feet deep


fluid log inflections near 198 feet deep may represent accumulated sediments


103566 - mw11.wcl

Project - Well: Weston - USACE/Bucks Harbor, ME - MW-11 acoustic televiewer log




126
128
130
132
134
136
138
140
142
144
146
148
150
152
154
156



158
160
162
164
166
168
170
172
174
176
178
180
182
184
186
188



190
192
194
196


Project - Well: Weston - USACE/Bucks Harbor, ME - MW-12 conventional logs




Project - Well: Weston - USACE/Bucks Harbor, ME - MW-12 acoustic televiewer log






46
48
50
52
54
56
58
60
62
64
66
68
70
72
74
76



78
80
82
84
86
88
90
92
94
96
98
100
102
104
106
108


110
112
114
116
118
120
122
124
126
128
130
132
134
136
138
140











142
144
146
148
150
152
154
156
158
160
162
164
166
168
170
172



174
176
178
180
182
184
186
188
190
192
194
196
198
200
202
204



206
208
210
212
214
216
218
220
222
224
226
228
230
232
234
236


238
240
242


Project - Well: Weston - USACE/Bucks Harbor, ME - MW-12 acoustic televiewer log






46
48
50
52
54
56
58
60
62
64
66
68
70
72
74
76



78
80
82
84
86
88
90
92
94
96
98
100
102
104
106
108


110
112
114
116
118
120
122
124
126
128
130
132
134
136
138
140











142
144
146
148
150
152
154
156
158
160
162
164
166
168
170
172


174
176
178
180
182
184
186
188
190
192
194
196
198
200
202
204



206
208
210
212
214
216
218
220
222
224
226
228
230
232
234
236



238
240
242


Project - Well: Weston - USACE/Bucks Harbor, ME - MW-13 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - MW-13 acoustic televiewer log





60
62
64
66
68
70
72
74
76
78
80
82
84
86
88
90



92
94
96
98
100
102
104
106
108
110
112
114
116
118
120


124
126
128
130
132
134
136
138
140
142
144
146
148
150
152



154
156
158
160
162
164
166
168
170
172
174
176
178
180
182
184



186
188
190
192
194
196
198
200
202
204
206
208
210
212
214
216


Project - Well: Weston - USACE/Bucks Harbor, ME - MW-14 conventional logs




Project - Well: Weston - USACE/Bucks Harbor, ME - MW-14 optical & acoustic televiewer logs





46
48
50
52
54
56
58
60
62
64
66
68
70
72
74
76



78
80
82
84
86
88
90
92
94
96
98

Project - Well: Weston - USACE/Bucks Harbor, ME - TW-1 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - TW-1 acoustic televiewer log






82
84
86
88
90
92
94
96
98
100
102
104
106
108
110
112

114
116
118
120
122
124
126
128
130
132
134
136
138
140
142
144












146
148
150
152
154
156
158
160
162
164
166
168
170
172
174
176






178
180
182
184
186
188
190
192
194
196
198

Project - Well: Weston - USACE/Bucks Harbor, ME - DW-1 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - DW-1 acoustic televiewer log






126
128
130
132
134
136
138
140
142
144
146
148
150
152
154
156


158
160
162
164
166
168
170
172
174
176
178
180
182
184
186
188










190
192
194
196
198
200
202
204
206
208
210
212
214
216
218
220



222
224
226
228
230
232
234
236
238
240
242
244
246


Project - Well: Weston - USACE/Bucks Harbor, ME - DW-3 conventional logs




Project - Well: Weston - USACE/Bucks Harbor, ME - DW-3 acoustic televiewer log






46
48
50
52
54
56
58
60
62
64
66
68
70
72
74
76



78
80
82
84
86
88
90
92
94
96
98
100
102
104
106
108



110
112
114
116
118
120
122
124
126
128
130
132
134
136
138
140


142
144
146
148
150
152
154
156
158
160
162
164
166
168
170
172








174
176
178
180
182
184
186
188
190
192
194
196
198
200
202
204



206
208
210
212
214
216
218
220
222
224
226
228
230
232
234
236



238
240
242
244
246
248
250
252
254
256
258
260
262
264
266
268



270
272
274
276
278
280
282
284
286
288
290
292
294
296
298

Project - Well: Weston - USACE/Bucks Harbor, ME - DW-3 acoustic televiewer log






46
48
50
52
54
56
58
60
62
64
66
68
70
72
74
76



78
80
82
84
86
88
90
92
94
96
98
100
102
104
106
108



110
112
114
116
118
120
122
124
126
128
130
132
134
136
138
140


142
144
146
148
150
152
154
156
158
160
162
164
166
168
170
172








174
176
178
180
182
184
186
188
190
192
194
196
198
200
202
204


206
208
210
212
214
216
218
220
222
224
226
228
230
232
234
236



238
240
242
244
246
248
250
252
254
256
258
260
262
264
266
268



270
272
274
276
278
280
282
284
286
288
290
292
294
296
298


Project - Well: Weston - USACE/Bucks Harbor, ME - DW-4 conventional logs




Project - Well: Weston - USACE/Bucks Harbor, ME - DW-4 acoustic televiewer log






50
52
54
56
58
60
62
64
66
68
70
72
74
76
78
80



82
84
86
88
90
92
94
96
98
100
102
104
106
108
110
112

114
116
118
120
122
124
126
128
130
132
134
136
138
140
142
144





146
148
150
152
154
156
158
160
162
164
166
168
170
172
174
176



178
180
182
184
186
188
190
192
194
196
198
200
202
204
206
208



210
212
214
216
218
220
222
224
226
228
230
232
234
236
238
240


Project - Well: Weston - USACE/Bucks Harbor, ME - DW-9 conventional logs




Project - Well: Weston - USACE/Bucks Harbor, ME - DW-9 acoustic televiewer log






46
48
50
52
54
56
58
60
62
64
66
68
70
72
74
76



78
80
82
84
86
88
90
92
94
96
98
100
102
104
106
108


110
112
114
116
118
120
122
124
126
128
130
132
134
136
138
140











142
144
146
148
150
152
154
156
158
160
162
164
166
168
170
172


174
176
178
180
182
184
186
188
190
192
194
196
198
200
202
204



206
208
210
212
214
216
218
220
222
224
226
228
230
232
234
236


238
240
242
244
246
248
250
252
254
256
258
260


Project - Well: Weston - USACE/Bucks Harbor, ME - DW-12 conventional logs





Project - Well: Weston - USACE/Bucks Harbor, ME - DW-12 acoustic televiewer log




64
66
68
70
72
74
76
78
80
82
84
86
88
90
92
94






96
98
100
102
104
106
108
110
112
114
116
118
120
122
124
126



128
130
132
134
136
138
140
142
144
146
148
150
152
154
156
158


160
162
164
166
168
170
172
174
176
178
180
182
184
186
188
190











192
194
196
198
200
202
204
206
208
210
212
214
216
218
220
222


224
226
228
230
232
234
236
238
240
242
244
246
248
250
252
254


256
258
260
262
264
266
268
270
272
274
276
278
280
282
284
286


288
290
292
294
296
298
300
302
304

Project - Well: Weston - USACE/Bucks Harbor, ME - WY-3 conventional logs



all depths in feet below top of concrete vault opening; top of casing is approximately 11 feet below top of vault; casing is approximately 8-inch diameter, but is apparently narrower due to corrosion or scale below approximately 60 feet deep; steel casing to approximately 80 feet deep; water level near 55 feet deep at time of logging; "corrected" redox data values were adjusted for the potential between the Idronaut's reference electrode & the standard hydrogen electrode

FTemp inflections indicate a hydraulically active zone near 83 to 90 feet deep


small FTemp, pH, and redox inflections suggest a possibly hydraulically active zone near 116 feet deep


FTemp and/or FCond, O2, & pH inflections indicate hydraulically active zones near 236, 246, & 252 to 266 feet deep


FTemp, FCond, pH, & redox inflections indicate hydraulically active zones near 324 and possibly 336 feet deep


103566 - wy3.wcl


Project - Well: Weston - USACE/Bucks Harbor, ME - WY-3 optical & acoustic televiewer logs





40
42
44
46
48
50
52
54
56
58
60
62
64
66
68
70



72
74
76
78
80
82
84
86
88
90
92
94
96
98
100
102



104
106
108
110
112
114
116
118
120
122
124
126
128
130
132
134



136
138
140
142
144
146
148
150
152
154
156
158
160
162
164
166



168
170
172
174
176
178
180
182
184
186
188
190
192
194
196


200
202
204
206
208
210
212
214
216
218
220
222
224
226
228











230
232
234
236
238
240
242
244
246
248
250
252
254
256
258
260


262
264
266
268
270
272
274
276
278
280
282
284
286
288
290
292


294
296
298
300
302
304
306
308
310
312
314
316
318
320
322
324


326
328
330
332
334
336
338
340

Project - Well: Weston - USACE/Bucks Harbor, ME - WY-3b conventional logs



APPENDIX B

WELL CONSTRUCTION AND ROCK CORING LOGS

WELL CONSTRUCTION LOGS


WELL CONSTRUCTION LOG	Sheet 1 of 2	Well ID: MW-4
Project: Bucks Harbor AFRTS	Drilling Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE	Total Well Depth: 100 ft bgs	
Date(s) Drilled: 13 to 17 March 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 15 ft	
Drill Rig: CME 850 Track-mounted	Well Construction: 4-in steel casing to 15 ft, ~4-in open hole	
Drill Foreman: Jeff Lee	Static Water Depth: 3 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: ~0.75 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
5		C	Unconsolidated Pleistocene overburden.	Not logged in detail.
10		F, M	Dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Common (6-10 " apart), open, 10° low-angle fractures; common, partly open, 30-45° moderate-angle fractures, and one, open, 80-85° high-angle fracture; all fractures have hematite and limonite mineralization.	Heavily fractured thoughout.
15		F, M		
20		F, M		
25		F, M		
		C		
30		F, M	Flow-banded, vitreous, dark red and black, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Rare, 0.125" pale yellow-green phenocrysts from 40 to 48 ft bgs. Unweathered. Common, partly open, 45° moderate-angle fractures, and one, open, 85° high-angle fracture; all fractures have hematite, limonite, pryolusite, and siderite mineralization. The trace of the moderate-angle fractures can be seen as a lineation on the high-angle fracture faces.	Heavily fractured throughout.
35		F, M		
40		F, M		
45		F, M		
50		F, M		

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 2	Well ID.: MW-4
Project: Bucks Harbor AFRTS	Drilling Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE	Total Well Depth: 100 ft bgs	
Date(s) Drilled: 19 to 28 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
55		F, M	Same as above.	Heavily fractured throughout.
60		F, M		Coring terminated at 58 ft bgs, due to eccessive wear on bit.
65		F, M		
70		F, M		
75		F, M		
80		F, M		
85		F, M		
90		F, M		
95		F, M		
100		F, M	Well bottom at 100 ft bgs.	Well yields about 0.75 gal/min.
105				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 1 of 2	Well ID: MW-5
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 100 ft bgs	
Date(s) Drilled: 3 to 18 March 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 6 ft	
Drill Rig: CME 850 Track-mounted	Well Construction: 4-in steel casing to 11 ft, ~4-in open hole	
Drill Foreman: Jeff Lee	Static Water Depth: 6.7 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: 1.5 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
5		C	Unconsolidated Pleistocene overburden, dry.	Not logged in detail.
10		F, M F, M F, M F, M F, M F, M F, M F, M	Flow-banded, vitreous, dark red and black, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Unweathered. Common, partly open, fractures with hematite, limonite, pryolusite, and siderite mineralization. Epidote crystals noted.	Heavily fractured thoughout.
15		F, M F, M F, M F, M F, M		
20		F, M F, M F, M F, M F, M		
25		F, M F, M F, M F, M F, M	Black devirtified vitrophyre predominates, epidote rare.	
30		F, M F, M F, M F, M F, M		
35		F, M F, M F, M F, M F, M	Dark red devirtified vitrophyre with epidote crystals predominates.	No apparent water loss/gain.
40		F, M F, M F, M F, M F, M		
45		F, M F, M F, M F, M F, M		
50		F, M		

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 2	Well ID.: MW-5
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 100 ft bgs	
Date(s) Drilled: 3 to 18 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
55		F, M	Same as above.	Heavily fractured throughout.
60		F, M	Fracture zone 60 to 65 ft bgs.	Faster drilling rate noted, 60 to 65 ft bgs.
65		F, M		
70		F, M		Faster drilling rate noted.
75		F, M		
80		F, M	Dark gray, devirtified vitrophyre predominates, epidote noted.	
85		F, M		
90		F, M		
95		F, M		Faster drilling rate noted.
100		F, M	End of boring at 100 ft bgs.	
105				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 1 of 3	Well ID: MW-6
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 120 ft bgs	
Date(s) Drilled: 1 to 18 March 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 4 ft	
Drill Rig: CME 850 Track-mounted	Well Construction: 4-in steel casing to 9 ft, ~4-in open hole	
Drill Foreman: Jeff Lee	Static Water Depth: 4.5 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: 3 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
		C	Unconsolidated Pleistocene overburden, coarse sand and gravel.	Not logged in detail.
5			Flow-banded, very dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	Some fractures noted, none that provide appreciable water.
10				
15				
20				
25				
30				
35				
40			Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
45				
50				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 3	Well ID: MW-6
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 120 ft bgs	
Date(s) Drilled: 1 to 18 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
55			Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	Some fractures noted, none that provide appreciable water.
60				
65		F, M	Fracture zone.	Choppy drilling. Fracture contributes ~1L/min.
70				
75		F, M	Fracture zone.	Fracture contributes ~1L/min.
			Flow-banded, dark red and dark green, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
80				
85				
90		F, M	Fracture zone.	
95				
100				
105				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 3 of 3	Well ID: MW-6
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 120 ft bgs	
Date(s) Drilled: 1 to 18 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
110			Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
115				
120			End of boring at 120 ft bgs.	~ 1 gal/min total yield.
125				
130				
135				
140				
145				
150				
155				
160				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 1 of 3	Well ID: MW-7
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 130 ft bgs	
Date(s) Drilled: 21 to 24 March 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 2 ft	
Drill Rig: CME 850 Track-mounted	Well Construction: 4-in steel casing to 7 ft, ~4-in open hole	
Drill Foreman: Jeff Lee	Static Water Depth: 0 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: 3 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
0		C	Unconsolidated Pleistocene overburden.	Not logged in detail.
5			Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	Drilling water lost to upper fractures.
10		F, M	Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	Water appears.
15		F, M F, M		Produces ~0.5 L/min water.
20		F, M		Produces ~1 L/min water.
25			Flow-banded, dark red, rhyolitic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization. Flow-banded, dark red, rhyolitic devitrified vitrophyre member of the Devonian Eastport Formation, with pale green feldspathoids. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
30				
35				
40				
45				
50		F, M	Possible fracture zone.	

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 3	Well ID: MW-7
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 130 ft bgs	
Date(s) Drilled: 21 to 24 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
55		F, M	Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation, with pale green feldspathoids. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
60		F, M F, M F, M	Fracture zone. Fracture zone. Fracture zone.	
65		F, M F, M F, M F, M F, M F, M	Fracture zone.	
70				
75		F, M	Fracture zone.	
80		F, M F, M	Flow-banded, dark red, rhyolitic devitrified vitrophyre member of the Devonian Eastport Formation, with pale green feldspathoids. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
85				
90				
95		F, M F, M	Fracture zone. Fracture zone.	
100		F, M F, M	Fracture zone. Fracture zone.	
105				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 3 of 3	Well ID: MW-7
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 130 ft bgs	
Date(s) Drilled: 21 to 24 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
110			Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
115		F, M	Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	Faster drilling from 112 to 118 ft bgs.
120		F, M		
125		F, M	Hydraulically-active zone.	
130			End of boring at 130 ft bgs.	~ 1 gal/min total yield.
135				
140				
145				
150				
155				
160				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 1 of 2	Well ID: MW-8b
Project: Bucks Harbor AFRTS	Drilling Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE	Total Well Depth: 55 ft bgs	
Date(s) Drilled: 19 to 28 March 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 3.5 ft	
Drill Rig: CME 850 Track-mounted	Well Construction: 4-in steel casing to 9 ft, ~4-in open hole	
Drill Foreman: Jeff Lee	Static Water Depth: 4.1 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: 1.5 gallon/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
		C	Unconsolidated Pleistocene overburden.	Not logged in detail.
5		F, M	Flow-banded, red, rhyolitic vitrophyre member of the Devonian Eastport Formation with 0.25-2" pink, gray, and green phenocrysts, heavily intruded with dark olive gabbro (olivine imparts dominant rock color); blocks of vitrophyre evident in gabbro matrix. Slightly weathered. Three apparent fracture sets: common (2-6 " apart), open, 10-15 ^{o} low-angle fractures, rare, partly open, 35-40 ^{o} moderate-angle fractures, and uncommon, open, 75-90 ^{o} high-angle fractures; all fractures have heavy hematite, limonite, and trace pyrolusite mineralization. Color darkens and phenocrysts smaller below 25 ft.	Moderately fractured.
10		F, M		
15		F, M		
20		F, M		Uncommon fractures.
25		F, M		
30		F, M		Common fractures.
35		F, M		
40		F, M		
45		F, M		
50		F, M		

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 2 of 2	Well ID.: MW-8b
Project: Bucks Harbor AFRTS	Drilling Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE	Total Well Depth: 55 ft bgs	
Date(s) Drilled: 19 to 28 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
55		F, M F, M F, M F, M	Same as above.	
60				
65				
70				
75				
80				
85				
90				
95				
100				
105				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 1 of 3	Well ID: MW-9
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 120 ft bgs	
Date(s) Drilled: 19 to 25 March 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 3.5 ft	
Drill Rig: CME 850 Track-mounted	Well Construction: 4-in steel casing to 9 ft, ~4-in open hole	
Drill Foreman: Jeff Lee	Static Water Depth: 7 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: 2.5 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
		C	Unconsolidated Pleistocene overburden.	Not logged in detail.
5				Dry to 14 ft bgs.
10			Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
15		F, M		Water appears; ~0.25 gal/min.
20		F, M		
25		F, M		
30		F, M F, M		
35			Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation, with trace pale green feldspathoids. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
40		F, M		
45		F, M		Water flow ~0.25 gal/min.
50		F, M F, M		

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 3	Well ID: MW-9
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 130 ft bgs	
Date(s) Drilled: 19 to 25 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
55		F, M F, M F, M	Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Fm., with pale green feldspathoids. Slightly weathered. Moderately fractured, partly healed with limonite and hematite mineralization. Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation, with trace pale green feldspathoids. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
60				
65				
70		F, M F, M F, M		
75		F, M F, M		
80		C	Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation, with trace blue-green feldspathoids. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	Drilling "choppy".
85			Aphanitic diabase dike of Devonian age. No phenocrysts. Unweathered. Cuttings are distinctly 'discoid'. No fractures noted.	Water flow ~0.25 gal/min.
90				
95		F		
100				Water flow ~0.25 gal/min.
105		F		

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WESTON SOLUTIONS	WELL CONSTRUCTION LOG	Sheet 3 of 3	Well ID: MW-9
	Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE		Total Well Depth: 130 ft bgs	
Date(s) Drilled: 19 to 25 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
110			Aphanitic diabase dike of Devonian age. No phenocrysts. Unweathered. Cuttings are distinctly 'discoid'. No fractures noted.	
115				
120			End of boring at 120 ft bgs.	~ 0.25 gal/min total yield.
125				
130				
135				
140				
145				
150				
155				
160				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 1 of 4	Well ID: MW-10
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 201 ft bgs	
Date(s) Drilled: 6 March to 1 April 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 14 ft	
Drill Rig: Mobile Drill B-59	Well Construction: 4-in steel casing to 19 ft, ~4-in open hole	
Drill Foreman: Wayne Macpherson	Static Water Depth: 121.5 ft bgs	
Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	Water Production: 0.5 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
5, 10			Unconsolidated Pleistocene sand and gravel overburden.	Not logged in detail.
15		C		
15, 20, 25, 30, 35, 40, 45, 50		F	Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, partly healed with limonite and hematite mineralization. (dark red intervals in graphic log to left)	Water loss at 15 ft bgs fracture. Rock not competent to 19 ft bgs.
25, 30, 35, 40, 45, 50		F, M	Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.(dark gray intervals in graphic log to	
45, 50		F, M		
50		F, M		No water flow noted.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 2 of 4	Well ID: MW-10
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 201 ft bgs	
Date(s) Drilled: 6 March to 1 April 2003	Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
55		F, M	Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, partly healed with limonite and hematite mineralization. (dark red intervals in graphic log to left)	
60			Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.(dark gray intervals in graphic log to left)	
65				
70				
75				No water flow into well noted.
80				
85				
90				
95				
100				Water flow ~0.25 gal/min.
105				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 3 of 4	Well ID: MW-10
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 201 ft bgs	
Date(s) Drilled: 6 March to 1 April 2003	Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
110		F, M	Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.(dark gray intervals in graphic log to left)	
		F, M		
115			Flow-banded, dark red and dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, partly healed with limonite and hematite mineralization. (dark red intervals in graphic log to left)	
		F, M		
120		F, M		
		F, M		
125			Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
130		F, M		
		F, M		
135		F, M		
		F, M		
140				
145				
150				
		F, M		
155		F, M		Fracture produces ~0.5 gal/min water.
160				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 4 of 4	Well ID: MW-10
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 201 ft bgs	
Date(s) Drilled: 6 March to 1 April 2003	Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
165		F, M	Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
170		F, M		
		F, M		
175				
180				
185				
190				
195				
200				Well produces ~0.75 gal/min water.
			End of Boring at 201 ft bgs.	
205				
210				
215				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 1 of 4	Well ID: MW-11
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 200 ft bgs	
Date(s) Drilled: 7 to 11 May 2003	Ground Elevation:	
Drilling Contractor: D.L. Maher	Overburden Thickness: 86 ft	
Drill Rig: Reich T-690	Well Construction: 6.1-in steel casing to 97 ft, ~6-in open hole	
Drill Foreman: Bill Zamow	Static Water Depth: 53.5 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: 4 to 5 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
5			Unconsolidated Pleistocene sand and gravel overburden.	Not logged in detail.
10				
15				
20				
25				
30				
35				
40				
45		C		
50			Dense Pleistocene glacial till.	Based on decrease in drilling rate; not logged in detail.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 4	Well ID.: MW-11
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 200 ft bgs	
Date(s) Drilled: 7 to 11 May 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
55			Dense Pleistocene glacial till.	Not logged in detail.
60				
65				
70				
75				
80				
85		C		
90			Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured.	
95				
100		F F F F F F F F F		Water-bearing fractures.
105				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 3 of 4	Well ID.: MW-11
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 200 ft bgs	
Date(s) Drilled: 7 to 11 May 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
110		F F	Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured.	Water-bearing fractures.
115				
120				
125		F	Fracture zone.	Increased drilling rate.
		F	Fracture zone, hydraulically-active.	Increased drilling rate.
130		F	Fracture zone.	Increased drilling rate.
135		F	Fracture zone.	Increased drilling rate.
140		F?	Possible fracture zone.	Increased drilling rate.
145				
150		F	Large fracture zone.	Increased drilling rate.
155		F F F F F F F F	Fracture zone 152 to 162 ft bgs.	Increased drilling rate. 1-2 gal/min yield in this zone.
160				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 4 of 4	Well ID.: MW-11
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 200 ft bgs	
Date(s) Drilled: 7 to 11 May 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
165			Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured.	
170		F F F F F F F F F F	Fracture zone 168 to 178 ft bgs, hydralically-active.	about 0.5 gal/min yield.
175				
180		F F F F F F F F F F F F F F F F F F F F	Fracture zone 182 to 196 ft bgs.	Increased drilling rate. 1-2 gal/min yield in this zone.
185				
190				
195				
200			End of boring at 200 ft bgs.	Total 4-5 gal/min yield.
205				
210				
215				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 1 of 5	Well ID: MW-12
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 243 ft bgs	
Date(s) Drilled: 6 to 12 March 2003	Ground Elevation:	
Drilling Contractor: D.L. Maher	Overburden Thickness: 12 ft	
Drill Rig: Reich T-690	Well Construction: 6.1-in steel casing to 18.5 ft, ~6-in open hole	
Drill Foreman: Bill Zamow	Static Water Depth: 0 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: ~1 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
5–10		C	Unconsolidated Pleistocene overburden.	Not logged in detail.
15–50		F	Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured. Large fracture. Hydraulically-active zone.	Some fractures noted, none that provide appreciable water.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 5	Well ID.: MW-12
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 243 ft bgs	
Date(s) Drilled: 6 to 12 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
55 60 65 70 75 80 85 90 95 100 105			Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured.	Some fractures noted, none that provide appreciable water.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone




WELL CONSTRUCTION LOG	Sheet 3 of 5	Well ID.: MW-12
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 243 ft bgs	
Date(s) Drilled: 6 to 12 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
110			Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured.	Some fractures noted, none that provide appreciable water.
115				
120				
125				
130				
135				
140		F?	Possible fracture zone.	Increased drilling rate.
145				
150				
155				
160				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 4 of 5	Well ID.: MW-12
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 243 ft bgs	
Date(s) Drilled: 6 to 12 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
165		C	Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured.	Some fractures noted, none that provide appreciable water.
170				
175		C	Massive, dark green, porphorytic gabbro of Siluro-Devonian age. Fractures suspected.	Some fractures noted, none that provide appreciable water.
180				
185				
190				
195				
200				about 0.25 gal/min yield.
205			Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Slightly weathered. Moderately fractured.	
210				
215				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 5 of 5	Well ID.: MW-12
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 243 ft bgs	
Date(s) Drilled: 6 to 12 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
			Same as above.	
220		F	Fracture zone at 224 ft bgs.	
		F	Fracture zone at 224 ft bgs.	
225				
230		F	Fracture zone 230 to 232 ft bgs.	
		F		
235				
		F	Fracture zone 236 to 237 ft bgs.	
		F		
240				
			End of boring at 243 ft bgs.	about 2 gal/min yield.
245				
250				
255				
260				
265				
270				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 1 of 5	Well ID: MW-13
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 219 ft bgs	
Date(s) Drilled: 5 March to 2 April 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 12 ft	
Drill Rig: Mobile Drill B-59	Well Construction: 4-in steel casing to 16.5 ft, ~4-in open hole	
Drill Foreman: Wayne Macpherson	Static Water Depth: 25.3 ft bgs	
Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	Water Production: 2 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
5			Unconsolidated Pleistocene sand and gravel overburden.	Not logged in detail.
10		C		
15		F	Dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization. (dark gray intervals in graphic log to left)	Water loss at 12.5 ft bgs
20				
25				
30				
35				
40		F, M	Pale gray, fine-grained granite likely of Devonian age. Unweathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization. (pale gray intervals in graphic log to left)	Fracture produces little water.
45				
50				No water flow noted.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 5	Well ID: MW-13
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 219 ft bgs	
Date(s) Drilled: 5 March to 2 April 2003	Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
55			Dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization. (dark gray intervals in graphic log to left)	
60		F	Pale gray, fine-grained granite likely of Devonian age. Unweathered. Moderately fractured. (pale gray intervals in graphic log to left)	
65				
70				
75				
80				
85				
90		F, M	Dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation with pale gray, fine-grained granite likely of Devonian age. Unweathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization. (dark gray stippled intervals in graphic log to left)	
95		F		
100				
105		F		Fracture produces ~0.5 gal/min water.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 3 of 5	Well ID: MW-13
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 219 ft bgs	
Date(s) Drilled: 5 March to 2 April 2003	Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
110			Dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization. (dark gray intervals in graphic log to left)	
115				
120				
125				
130				
135				
140				
145				
150				
155				
160				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 4 of 5	Well ID: MW-13
Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE	Total Well Depth: 219 ft bgs	
Date(s) Drilled: 5 March to 2 April 2003	Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
165		F, M	Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization.	
170		F, M		
		F, M		
175				
180				
185				
190				
195				
200				Well produces minimal water.
205				
210				
215				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone




WESTON SOLUTIONS	WELL CONSTRUCTION LOG	Sheet 5 of 5	Well ID: MW-13
	Project: Bucks Harbor AFRTS	Drilling Method: 3-7/8-in OD air hammer	
Client: ACOE		Total Well Depth: 219 ft bgs	
Date(s) Drilled: 5 March to 2 April 2003		Logged by: K. Taylor-Soukup/S. Combs/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
220			Flow-banded, dark gray, basaltic devitrified vitrophyre member of the Devonian Eastport Formation. Slightly weathered. Moderately fractured, with fractures partly healed with limonite and hematite mineralization. End of boring at 219 ft bgs.	Well produces minimal water at the end of drilling.
225				
230				
235				
240				
245				
250				
255				Well produces minimal water.
260				
265				
270				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 1 of 2	Well ID: MW-14
Project: Bucks Harbor AFRTS	Drilling Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE	Total Well Depth: 101 ft bgs	
Date(s) Drilled: 25 to 26 March 2003	Ground Elevation:	
Drilling Contractor: Great Works	Overburden Thickness: 13 ft	
Drill Rig: CME 850 Track-mounted	Well Construction: 4-in steel casing to 18 ft, ~4-in open hole	
Drill Foreman: Jeff Lee	Static Water Depth: 17.5 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: ~ 2 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
5–10		C	Unconsolidated Pleistocene overburden.	Not logged in detail.
15–20		F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M C, F, M	Massive, pale red to brown, biotite granodiorite of Devonian age. Slightly to non-weathered. Few low-angle fractures; common, open, 45° fractures with limonite, hematite, and pyrolusite mineralization.	Moderately fractured throughout.
25–50		F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M F, M	Massive, light red, biotite granodiorite of Devonian age. Gabbroic inclusions noted at 26.8, 35.8, and 45.5 to 47 ft bgs. Slightly to non-weathered. Common, open to partly healed, 20-30° fractures mineralized with limonite and hematite; common open, 85° fractures, heavily mineralized with limonite and hematite.	Moderately fractured throughout.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 2	Well ID.: MW-14
Project: Bucks Harbor AFRTS	Drilling Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE	Total Well Depth: 101 ft bgs	
Date(s) Drilled: 25 to 26 March 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
		F, M F, M F, M C, F, M	Same as above.	Moderately fractured throughout.
55		F, M F, M F, M F, M F, M F, M	Massive, dark green, porphorytic gabbro of Siluro-Devonian age. Rare, open, fractures, slightly mineralized with hematite; 60-75° fractures, healed with potassium-feldspar. Hydraulically-active fractures.	Fractures uncommon to rare.
60				
65		F, M F, M F, M F, M F, M F, M F, M F, M C, F, M		
70				
75		F, M C, F, M	Common, very dark red potassium-feldspar intrusions in gabbro of Devonian age. Weathered, with hematite mineralization on the 50° fractures .	Rare fractures.
80		F, M F, M F, M	Massive, dark gray-green gabbro of Siluro-Devonian age. Uncommon, healed, 30-60° fractures, mineralized with potassium-feldspar.	Uncommon fractures.
85			Same as above, uncommon 75° fractures.	
90		F, M		
95		F, M F, M		Unfractured.
100			End of boring at 101 ft bgs.	
105				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 1 of 4	Well ID: TW-1
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 200 ft bgs	
Date(s) Drilled: 8 to 11 May 2003	Ground Elevation:	
Drilling Contractor: D.L. Maher	Overburden Thickness: 47.5 ft	
Drill Rig: Reich T-690	Well Construction: 6.1-in steel casing to 52.5 ft, ~6-in open hole	
Drill Foreman: Bill Zamow	Static Water Depth: 2.1 ft bgs	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG	Water Production: 50 gallons/minute	

Depth (ft bgs)	Graphic Log	Features	Descriptive Log	Remarks
5–10		C	Unconsolidated silty sand Pleistocene overburden.	Not logged in detail.
15–45		C	Unconsolidated gray clay of the Pleistocene Presumpscot Formation.	Not logged in detail.
50			See next page.	

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 2 of 4	Well ID.: TW-1
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 200 ft bgs	
Date(s) Drilled: 8 to 11 May 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
55			Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Contains some pale yellow-green feldspathoids and pink feldspars. Slightly weathered. Moderately fractured.	
60				
65				
70		F?	Possible fracture zone.	Increased drilling rate.
75		F?	Possible fracture zone.	Increased drilling rate.
80		F?	Possible fracture zone.	Increased drilling rate.
85				
90		F?	Possible fracture zone.	Increased drilling rate.
95		F?	Possible fracture zone.	Increased drilling rate.
100				
105		F F	Fracture zone 100 to 100 ft bgs. Hydraulically active 97 to 105 ft bgs.	Increased drilling rate.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone


WELL CONSTRUCTION LOG	Sheet 3 of 4	Well ID.: TW-1
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 200 ft bgs	
Date(s) Drilled: 8 to 11 May 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
110			Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Contains some pale yellow-green feldspathoids and pink feldspars. Slightly weathered. Moderately fractured.	
115				
120				
125				
130				
135		F	Fracture zone, hydraulically active.	Increased drilling rate.
140		F F F	Fracture zone 140 to 143 ft bgs.	Increased drilling rate.
145				
150				
155				
160		F	Fracture zone 152 to 162 ft bgs.	Increased drilling rate.

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

WELL CONSTRUCTION LOG	Sheet 4 of 4	Well ID.: TW-1
Project: Bucks Harbor AFRTS	Drilling Methods: 9.75-in mud rotary/6.068-in air hammer	
Client: ACOE	Total Well Depth: 200 ft bgs	
Date(s) Drilled: 8 to 11 May 2003	Logged by: K. Taylor-Soukup/J. Schmidl, CG	



Depth (ft bgs)	Graphic Log	Core Time (min/ft)	Descriptive Log	Remarks
165		F F	Flow-banded, very dark red and very dark gray, rhyolitic and basaltic devitrified vitrophyre members of the Devonian Eastport Formation. Contains some pale yellow-green feldspathoids and pink feldspars. Slightly weathered. Moderately fractured.	
170		F F	Fracture zone 168 to 169 ft bgs, very hydraulically-active.	~50 gal/min yield.
175				
180				
185				
190				
195				
200			End of boring at 200 ft bgs.	Total ~50 gal/min yield.
205				
210				
215				

Draft

Legend: F-Fracture, C-Contact, M-Mineralized Zone, WX-Weathered Zone

ROCK CORING LOGS

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 1 of 8	Boring No.: MW-4
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 15 to 100 ft bgs	
Date(s) Cored: 13 to 17 March 2003		Core Angle: vertical	
Drilling Contractor: Great Works Test Boring, Inc.		Ground Elevation:	
Drill Rig: CME 850 Track-mounted		No. of Core Boxes: 3	
Drill Foreman: Jeff Lee		Overburden Thickness: 15 ft	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG		Depth to Groundwater:	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
16		Rec 75% RQD 17%	7:45 11:00 5:30 5:00 5:30	Dark gray, vitrophyric zone of the rhyolite in the Lower Devonian Eastport Formation. Slightly weathered. Common (6-10 " apart), open, 10° low-angle fractures; common, partly open, 45° moderate-angle fractures, and one, open, 85° high-angle fracture; all fractures have hematite/limonite mineralization. No drilling breaks.	Core Run 1 15-20 ft bgs Drilling action: smooth Water loss: 2% Box 1 most of recovered interval is highly fractured.
17		FZ			
18					
19					
20					
21		Rec 80% RQD 17% FZ D	7:45 11:00 5:30 5:00 5:30	Dark gray, vitrophyric zone of the rhyolite in the Lower Devonian Eastport Formation. Slightly weathered. Common (6-10 " apart), open, 10° low-angle fractures; common, partly open, 30° moderate-angle fractures, and one, open, 80° high-angle fracture; all fractures have hematite and limonite mineralization. Rare drilling breaks.	Core Run 2 20-25 ft bgs Drilling action: smooth Water loss: 2% Box 1 most of recovered interval is highly fractured.
22					
23					
24					
25					




Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 2 of 8	Boring No.: MW-4
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 15 to 100 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
26		Rec 65% RQD 7%	7:00 8:30	Dark gray, vitrophyric zone of the rhyolite in the Lower Devonian Eastport Formation. Slightly weathered. Common (6-10 " apart), open, 10° low-angle fractures; common, partly open, 45° moderate-angle fractures, and one, open, 85° high-angle fracture; all fractures have hematite/limonite mineralization. Rare drilling breaks.	Core Run 3 25-30 ft bgs Drilling action: smooth Water loss: 4% Box 1
27		D D C D D D D D	12:30	Flow-banded, vitreous, dark red and black, rhyolite and vitrophyre of the Lower Devonian Eastport Formation. Unweathered. Common, partly open, 45° moderate-angle fractures, and one, open, 85° high-angle fracture; all fractures have hematite/limonite mineralization. The trace of the moderate-angle fractures can be seen as a lineation on the high-angle fracture faces. Common, conchoidal drilling breaks in the highly fractured core recovered.	most of recovered interval is highly fractured.
28			11:00		
29			10:30		
30					
31		Rec 50% RQD 15% D	7:00 8:30	Same as above. Flow-banded, very dark red and very dark gray, rhyolite and vitrophyre of the Lower Devonian Eastport Formation. Unweathered. Common, partly open, 45° moderate-angle fractures, and one, open, 85° high-angle fracture; all fractures have hematite/limonite, and trace dendritic pyrolusite mineralization. The trace of the moderate-angle fractures can be seen as a lineation on the high-angle fracture faces. Uncommon drilling breaks.	Core Run 4 30-35 ft bgs Drilling action: smooth Water loss: 4% Box 2 most of recovered interval is highly fractured.
32		FZ	12:30		
33			11:00		
34			10:30		
35					
36		FZ	23:00	See below.	Core Run 5 35-40 ft bgs most of recovered interval is highly fractured.


Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 3 of 8	Boring No.: MW-4
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 15 to 100 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl, CG	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
37		Rec 25% RQD 0% FZ	18:30 3:00	Very dark red and dark gray, flow-banded rhyolite and vitrophyre of the Lower Devonian Eastport Formation, with rare, 0.125" pale yellow-green phenocrysts. Slightly weathered. Common, partly open, coupled, 45° moderate-angle fractures, and rare, open, 70-80° high-angle fracture; all fractures have hematite/limonite, and trace dendritic pyrolusite mineralization. No drilling breaks.	Core Run 5 35-40 ft bgs Drilling action: smooth Water loss: 5% Box 2 most of recovered interval is highly fractured.
38			6:00		
39			11:00		
40		FZ			
41		Rec 50% RQD 0% FZ	2:00 8:00	Very dark red and dark gray, flow-banded rhyolite and dark gray vitrophyre of the Lower Devonian Eastport Formation, with rare, 0.125" pale yellow-green phenocrysts. Slightly weathered. Common (less than 1" apart), partly open to healed, coupled, 45° moderate-angle fractures; all fractures have hematite/limonite, and trace dendritic pyrolusite mineralization. No drilling breaks.	Core Run 6 40-45 ft bgs Drilling action: smooth Water loss: <5% Box 2 most of recovered interval is highly fractured.
42			18:00		
43			4:00		bit replaced @ 43.5 ft
44			6:00		
45		FZ			
46		Rec 75% RQD 10%	5:00	Very dark red and black, flow-banded rhyolite and vitrophyre of the Lower Devonian Eastport Formation, with rare, 0.125" pale yellow-green phenocrysts. Slightly weathered. Common (6" apart above 49.5 ft, less than 1" apart below 49.5 ft), partly open to healed, coupled, 45° moderate-angle fractures and 90°, high-angle fractures; all fractures have heavy hematite/limonite mineralization. No drilling breaks.	Core Run 7 45-50 ft bgs Drilling action: smooth Water loss: 5% Box 3
47					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 4 of 8	Boring No.: MW-4
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 15 to 100 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
48		D FZ	10:00 17:00	See above.	Core Run 7 45-50 ft bgs
49			6:00		
50					
51		Rec 20% RQD 0% FZ	5:00 6:00	Very dark red and black, flow-banded rhyolite and vitrophyre of the Lower Devonian Eastport Formation. Slightly weathered. Common (generally less than 1"), partly open to healed, coupled, 45° moderate-angle fractures and 90°, high-angle fractures; all fractures have heavy hematite/limonite mineralization. No drilling breaks.	Core Run 8 50-55 ft bgs Drilling action: smooth Water loss: 5% Box 3 all of recovered interval is highly fractured and broken.
52			5:00		
53			7:00		
54			11:00		
55					
56		Rec 80% RQD 0% FZ	9:00 14:00	Very dark red and black, flow-banded rhyolite and vitrophyre of the Lower Devonian Eastport Formation. Slightly weathered. Common (less than 1" apart), partly open to healed, coupled, 45° moderate-angle fractures and 90°, high-angle fractures; all fractures have moderate hematite/limonite mineralization. No drilling breaks.	Core Run 9 55-58 ft bgs Drilling action: smooth Water loss: 0% Box 3 all of recovered interval is highly fractured and broken.
57			22:00		
58					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 5 of 8	Boring No.: MW-4
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 15 to 100 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
59				Not cored.	coring abandoned at 58 ft bgs, due to excessive wear on bit. Interval drilled using air hammer, logged based on cuttings.
60			0:53	Rock cuttings comparable to previous interval.	drilling times are not comparable to coring times for shallower intervals.
61			0:50		
62			0:50		
63			0:50		
64			0:50		
65			0:50	Rock cuttings comparable to previous interval.	
66			0:50		
67			0:50		
68			0:50		
69					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 6 of 8	Boring No.: MW-4
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 15 to 100 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
			0:50		Interval drilled using air hammer, logged based on cuttings.
70			1:00	Rock cuttings comparable to previous interval.	drilling times are not comparable to coring times for shallower intervals.
71			1:00		
72			1:00		
73			1:10		
74			1:10		fracture encountered; water flow does not increase.
75			1:00	Rock cuttings comparable to previous interval.	
76			1:00		
77			1:10		
78			1:00		
79			1:10		
80					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 7 of 8	Boring No.: MW-4
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 15 to 100 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
			1:10	Rock cuttings comparable to previous interval.	fracture encountered; water increases temporarily
81			1:10		
					Interval drilled using air hammer, logged based on cuttings.
82			1:10		
					drilling times are not comparable to coring times for shallower intervals.
83			1:10		
84			1:10		
85			1:10	Rock cuttings comparable to previous interval.	
86			1:10		
87			1:10		
88			1:10		
89			1:10		
90			1:10	Rock cuttings comparable to previous interval.	
91					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 8 of 8	Boring No.: MW-4
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 15 to 100 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
			1:10	Rock cuttings comparable to previous interval.	Interval drilled using air hammer, logged based on cuttings.
92			1:10		drilling times are not comparable to coring times for shallower intervals.
93			1:10		fracture encountered; water flow does not increase.
94			1:10		fracture encountered; water flow does not increase.
95			1:10		
96			1:10		
97			1:10		fracture encountered; water flow does not increase.
98			1:10		
99			1:10		
100					well yields about 0.75 gal/min.
				End of boring.	
101					
102					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 1 of 5	Boring No.: MW-8b
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 10 to 55 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Core Angle: vertical	
Drilling Contractor: Great Works Test Boring, Inc.		Ground Elevation:	
Drill Rig: CME 850 Track-mounted		No. of Core Boxes: 4	
Drill Foreman: Jeff Lee		Overburden Thickness: 10 ft	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG		Depth to Groundwater:	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
11		Rec 100% RQD 79%	5:30	Flow-banded, dark red, vitrophyric zone of the rhyolite in the Lower Devonian Eastport Formation, heavily intruded with dark olive gabbro (olivine imparts dominant rock color). Non-weathered. Few, open, 35° moderate-angle fractures and one 75° high-angle fracture. No drilling breaks.	Core Run 0 10-11 ft bgs Drilling action: smooth Water loss: 2% Box 1
12 13 14 15 16		Rec 93% RQD 47% D D FZ D	7:45 11:00 5:30 5:00 5:30	Flow-banded, dark red, vitrophyric zone of the rhyolite in the Lower Devonian Eastport Formation with 0.25-2" pink, gray, and green phenocrysts, heavily intruded with dark olive gabbro (olivine imparts dominant rock color); blocks of vitrophyre evident in gabbro matrix. Slightly weathered. Three apparent fracture sets: common (2-6 " apart), open, 15° low-angle fractures. Rare, partly open, 35° moderate-angle fractures. One, open, 75° high-angle fracture; all fractures have heavy hematite/limonite, and trace pyrolusite mineralization. Two drilling breaks.	Core Run 1 11-16 ft bgs Drilling action: smooth Water loss: 2% Box 1
17 18 19 20		Rec 100% RQD 65%	5:30 7:00 6:45 6:00	Black, vitrophyre with few 1-3 mm inclusions of red flow-banded rhyolite of the Lower Devonian Eastport Formation. Slightly weathered. Two apparent fracture sets: common, open, 10° low-angle fractures; rare, open, 35° moderate-angle fractures; neither fracture set has mineralization. No drilling breaks.	Core Run 2 16-21 ft bgs Drilling action: smooth Water loss: 5% Box 1


Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 2 of 5	Boring No.: MW-8b
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 10 to 55 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
21			6:00	See above.	Core Run 2 16-21 ft bgs
22		Rec 100% RQD 81%	7:00 8:30	Flow-banded, dark red and black, rhyolite and vitrophyre of the Lower Devonian Eastport Formation. Slightly weathered. common, open, 15° low-angle drilling break; uncommon, partly healed, 40° moderate-angle fractures, with heavy hematite/limonite mineralization. Color darkens and phenocrysts smaller below 25 ft.	Core Run 3 21-26 ft bgs Drilling action: smooth Water loss: 4% Box 2
23			12:30		
24			11:00		
25			10:30		
26		D D			
27		Rec 95% RQD 65%	8:30 8:30	Flow-banded, dark red and black, rhyolite and vitrophyre of the Lower Devonian Eastport Formation, with 0.125" phenocrysts. Slightly weathered. rare, 15° low-angle drilling breaks; rare, partly healed, 30° moderate-angle fractures; common, partly healed, 90° high-angle fractures, with heavy hematite/limonite, pyrolusite, and a white mineral mineralization.	Core Run 4 26-31 ft bgs Drilling action: smooth Water loss: 4% Box 2
28			8:00		
29		FZ	10:30		
30			23:00		
31		D			

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 3 of 5	Boring No.: MW-8b
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 10 to 55 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
32		Rec 100% RQD 74% D	18:30 3:00	Flow-banded, dark red and black, rhyolite and vitrophyre of the Lower Devonian Eastport Formation, with 0.125" phenocrysts. Slightly weathered. Rare, 15° low-angle drilling breaks; rare, open, 30° moderate-angle fractures; common, partly healed, 90° high-angle fractures, with heavy hematite/limonite, and a white mineral mineralization, especially around 35 ft bgs, where pitting is evident on the surface.	Core Run 5 31-36 ft bgs Drilling action: smooth Water loss: 5% Box 2
33		FZ	6:00		
34			11:00		
35			8:30		
36					
37		Rec 90% RQD 57% FZ	17:30 11:00	Flow-banded, red and black, rhyolite and vitrophyre of the Lower Devonian Eastport Formation, with rare 0.125" phenocrysts. Slightly weathered. Rare, 15° low-angle drilling breaks; uncommon, partly healed, 30° moderate-angle fractures; common, partly healed, 90° high-angle fractures, with heavy hematite, limonite, and a white mineral mineralization.	Core Run 6 36-41 ft bgs Drilling action: smooth Water loss: 10% Box 3
38			5:30		
39		D FZ	7:00		
40			not recorded		
41					
42		Rec 100% RQD 56%	5:00	See next page.	Core Run 7 41-46 ft bgs Drilling action: smooth Water loss: 5%

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 4 of 5	Boring No.: MW-8b
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 10 to 55 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
43		Rec 100% RQD 56%	10:00 17:00 6:00 6:30	Flow-banded, dark red and black, rhyolite and vitrophyre of the Lower Devonian Eastport Formation, with rare 0.125" phenocrysts. Non-weathered. Rare, 15° low-angle unmineralized fractures; uncommon, partly healed, 30° moderate-angle fractures with trace limonite and siderite? mineralization; common, partly healed, 90° high-angle fractures, with moderate hematite/limonite mineralization.	Core Run 7 41-46 ft bgs Drilling action: smooth Water loss: 5% Box 3
44					
45					
46					
47		Rec 100% RQD 33%	6:00 5:00 7:00 11:00 13:00	Flow-banded (indistinct), red and black, rhyolite and vitrophyre of the Lower Devonian Eastport Formation, with rare, indistinct, 0.125" phenocrysts. Slightly weathered. Uncommon, open, 35° moderate-angle fractures and uncommon, partly healed, 85° high-angle fractures, both with moderate hematite/limonite, and a feldspar mineralization.	Core Run 8 46-51 ft bgs Drilling action: smooth Water loss: 5% Box 3
48					
49					
50					
51					
52		Rec 75% RQD 57% D D	16:30 9:30	Flow-banded, red and black, rhyolite and vitrophyre of the Lower Devonian Eastport Formation, with rare 0.125" phenocrysts. Non-weathered. Rare, 15° low-angle drilling breaks; uncommon, partly healed, 30° moderate-angle fractures with trace limonite and siderite? mineralization; common, partly healed, 90° high-angle fractures, with moderate hematite/limonite mineralization.	Core Run 9 51-55 ft bgs Drilling action: smooth Water loss: 5% Box 3
53					


Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 5 of 5	Boring No.: MW-8b
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 10 to 55 ft bgs	
Date(s) Cored: 19 to 28 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
54			18:30 22:00	See above.	Core Run 9 51-55 ft bgs
55				End of boring.	
56					
57					
58					
59					
60					
61					
62					
63					
64					


Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 1 of 8	Boring No.: MW-14
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 18 to 101 ft bgs	
Date(s) Cored: 25 to 26 March 2003		Core Angle: vertical	
Drilling Contractor: Great Works Test Boring, Inc.		Ground Elevation:	
Drill Rig: CME 850 Track-mounted		No. of Core Boxes: 6	
Drill Foreman: Jeff Lee		Overburden Thickness: 18 ft	
Logged by: K. Taylor-Soukup/ J. Schmidl, CG		Depth to Groundwater:	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
19		Rec 100% RQD 50%	4:00 4:00 5:00	Massive, pale red to brown, biotite granodiorite of Devonian age. Slightly to non-weathered. Few low-angle fractures; common, open, 45° fractures with hematite/limonite and pyrolusite mineralization. No drilling breaks.	Core Run 1 18-21 ft bgs Drilling action: smooth Water loss: none noted Box 1
20					
21					
22		Rec 95% RQD 26%	4:00 4:30	Massive, pale red to brown, biotite granodiorite of Devonian age. Slightly to non-weathered. Few low-angle fractures; common, open, 45° fractures with hematite/limonite and pyrolusite mineralization. No drilling breaks. Gradual change in color.	Core Run 2 21-26 ft bgs Drilling action: smooth Water loss: 95% Box 1
23			4:00		
24		D	5:00	Massive, light red, biotite granodiorite of Devonian age. Slightly to non-weathered. Common, open, 20°-30° fractures mineralized with hematite/limonite; one open, 85° fracture, heavily mineralized with hematite/limonite. One drilling break.	
25			6:30		
26					
27		Rec 95% RQD 39%	4:00 3:30	Massive, light red, biotite granodiorite of Devonian age. Slightly to non-weathered. Common, open, 30° fractures mineralized with hematite/limonite; open, 85° fractures, heavily mineralized with hematite/limonite. Two drilling breaks. At 26.7 to 26.9 ft, includes a portion of a 2-inch thick gabbro body, with a fine-grained margin.	Core Run 3 26-31 ft bgs Drilling action: smooth Water loss: 98% Box 1
28					




Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 2 of 8	Boring No.: MW-14
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 18 to 101 ft bgs	
Date(s) Cored: 25 to 26 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
29		D	4:30	See above.	Core Run 3 26-31 ft bgs
30			4:30		
31			4:30		
32		Rec 100% RQD 42%	3:15	Massive, light red, hornblende-bearing biotite granodiorite of Devonian age. Few low-angle, 5° fractures mineralized with limonite and hematite; common, open, 30° fractures mineralized with hematite/limonite; open, 85° fractures, heavily mineralized with hematite/limonite. Rare drilling breaks.	Core Run 4 31-36 ft bgs Drilling action: smooth Water loss: 95% Box 2
33			4:00		
34		D	4:30		
35			5:00		
36			6:00		
37		Rec 95% RQD 61%	5:30	Massive, light red, hornblende-bearing biotite granodiorite of Devonian age. Common, open, 30° fractures mineralized with hematite/limonite; partly healed, 60° fractures, heavily mineralized with hematite/limonite and pyrolusite. No drilling breaks.	Core Run 5 36-41 ft bgs Drilling action: smooth Water loss: 5% Box 2
38			6:00		
39			5:30		

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 3 of 8	Boring No.: MW-14
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 18 to 101 ft bgs	
Date(s) Cored: 25 to 26 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
40			6:00 6:30	See above.	Core Run 5 36-41 ft bgs
41					
42		Rec 100% RQD 74%	5:15 5:00	Massive, light red, hornblende-bearing biotite granodiorite of Devonian age. Common, open, 30° fractures mineralized with hematite/limonite; open, 60° fractures, heavily mineralized with hematite/limonite and pyrolusite. Black, spherical, basaltic inclusions 2-10 mm diameter common from 45.5 ft. No drilling breaks.	Core Run 6 41-46 ft bgs Drilling action: smooth Water loss: 5% Box 2
43			5:30		
44			6:00		
45			7:15		
46					
47		Rec 100% RQD 53%	9:00 12:00	Massive, light red, hornblende-bearing biotite granodiorite of Devonian age. Common, open, 30° fractures mineralized with hematite/limonite; open, 60° fractures, heavily mineralized with hematite/limonite and pyrolusite. Black, spherical, basaltic inclusions 2-10 mm diameter with pale areoles, common from 46 to 47 ft. Uncommon drilling breaks.	Core Run 7 46-51 ft bgs Drilling action: smooth Water loss: 5% Box 3
48		D	3:30		
49			4:30		
50					




Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 4 of 8	Boring No.: MW-14
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 18 to 101 ft bgs	
Date(s) Cored: 25 to 26 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
51			5:00	See above.	Core Run 7 46-51 ft bgs
52		Rec 85% RQD 42% D	4:00 3:30	Massive, light red, hornblende-bearing biotite granodiorite of Devonian age. Common, open, 30° fractures mineralized with hematite/limonite; open, 60° fractures, heavily mineralized with hematite/limonite and pyrolusite. One drilling break.	Core Run 8 51-56 ft bgs Drilling action: smooth Water loss: 10% Box 3
53			3:30		
54		C	4:00	Massive, dark green, gabbro of Devonian age. Drilling results in rubble below 54.6 ft.	
55		FZ	4:15		
56					
57		Rec 100% RQD 84% D	4:45 4:30	Massive, dark green, porphorytic, gabbro of Siluro-Devonian age. Rare, open, fractures, slightly mineralized with hematite; 60° fractures, healed with potassium-feldspar at 57.75 and 58.5 to 59.8 ft. One drilling break.	Core Run 9 56-61 ft bgs Drilling action: smooth Water loss: 5% Box 3
58			4:45		
59			4:45		
60			6:15		
61					


Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 5 of 8	Boring No.: MW-14
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 18 to 101 ft bgs	
Date(s) Cored: 25 to 26 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
62		Rec 100% RQD 55% D	5:45 5:00	Massive, dark green, gabbro of Devonian age. Uncommon, open, fractures, slightly mineralized with hematite; 65° fractures, mineralized with potassium-feldspar . Three drilling breaks.	Core Run 10 61-66 ft bgs Drilling action: smooth Water loss: 5% Box 4
63		D	4:45		
64			5:00		
65			4:45		
66		D			
67		Rec 100% RQD 18% D	5:15 5:30	Massive, dark green, gabbro of Devonian age. Uncommon, open, 75° fractures, mineralized with potassium-feldspar . Ten drilling breaks at lower angles.	Core Run 11 66-71 ft bgs Drilling action: smooth Water loss: 5% Box 4
68		D	5:00		
69			5:30		
70		D	5:00		
71		D			
72		Rec 100% RQD 65%	5:30	Massive, dark green, gabbro of Devonian age. Uncommon, open, 75° fractures, mineralized with potassium-feldspar . No drilling breaks.	Core Run 12 71-76 ft bgs Box 4

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 6 of 8	Boring No.: MW-14
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 18 to 101 ft bgs	
Date(s) Cored: 25 to 26 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
73		C	5:00 4:30	Massive, dark green, gabbro of Devonian age. Uncommon, open, 75° fractures, mineralized with potassium-feldspar . No drilling breaks.	Core Run 12 71-76 ft bgs Drilling action: Water loss: Box 4
74			3:30	Common, very dark red potassium-feldspar intrusions of Devonian age. Weathered, with hematite mineralization on the low-angle (50°) fractures .	
75		WX	4:30		
76					
77		Rec 100% RQD 58% D	5:00 4:30	Massive, dark gray-green, gabbro of Devonian age. Uncommon, healed, 30-50° fractures, mineralized with potassium-feldspar. Two drilling breaks.	Core Run 13 76-81 ft bgs Drilling action: smooth Water loss: 5% Box 5
78			4:00		
79			4:30		
80			4:30		
81					
82		Rec 100% RQD 100% D	5:00 5:30	Massive, dark gray-green, gabbro of Devonian age. Uncommon, healed, 30-60° fractures, mineralized with potassium-feldspar, trace hematite. All breaks are drilling breaks.	Core Run 14 81-86 ft bgs Drilling action: smooth Water loss: 5% Box 5
83					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 7 of 8	Boring No.: MW-14
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 18 to 101 ft bgs	
Date(s) Cored: 25 to 26 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
84			5:00	See above.	Core Run 14 81-86 ft bgs
			5:30		
85		M			
		D	5:00		
86					
		Rec 100%	5:30	Massive, dark gray-green, gabbro of Devonian age. Uncommon, healed, 75° fractures, mineralized with potassium-feldspar . 1 cm gash vein filled with weathered feldspar at 88 ft bgs. Five drilling breaks. The two drilling breaks at 87.6 and 90.6 ft bgs also have minor hematite mineralization.	Core Run 15 86-91 ft bgs Drilling action: smooth Water loss: 5% Box 5
87		RQD 84%			
			4:30		
88		D			
			5:00		
		WX			
89		D			
			5:30		
90					
		D	5:00		
91		D			
		Rec 100%	5:15	Massive, dark gray-green, gabbro of Devonian age. Two uncommon, healed, 75° fractures, mineralized with potassium-feldspar, which appears weathered out and partly replaced by hematite mineralization . The remaining breaks are drilling breaks.	Core Run 16 91-96 ft bgs Drilling action: smooth Water loss: 5% Box 6
92		RQD 77%			
			4:30		
93		D			
			4:30		
		WX			
94					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

WESTON SOLUTIONS	ROCK CORING LOG	Sheet 8 of 8	Boring No.: MW-14
	Project: Bucks Harbor AFRTS	Coring Method: wire-line H-size (3-5/8-in OD) barrel	
Client: ACOE		Total Core Interval: 18 to 101 ft bgs	
Date(s) Cored: 25 to 26 March 2003		Logged by: K. Taylor-Soukup/J. Schmidl	

Depth (ft bgs)	Graphic Log	Recovery RQD	Core Time (min/ft)	Descriptive Log	Remarks
95		WX D	4:45 5:00	See above.	Core Run 16 91-96 ft bgs
96					
97		Rec 100% RQD 100% D	4:15 4:45	Massive, dark gray-green, gabbro of Devonian age. Uncommon, healed, 75° fractures, mineralized with potassium-feldspar . All breaks are drilling breaks.	Core Run 17 96-101 ft bgs Drilling action: smooth Water loss: 5% Box 6
98			4:30		
99		D	4:30		
100		D	4:30		
101		D			
102				End of Boring	
103					
104					
105					

Legend: J-Joint, F-Fault, B-Bedding, C-Contact, D-Drilling Break, M-Mineralized Zone, WX-Weathering Zone, FZ-Densely-fractured Zone

APPENDIX C

PACKER PERMEABILITY LOGS

PACKER PERMEABILITY TEST

Project: *Bucks Harbor, Maine*	Job No.: *10971.217.002.2003*	
Boring No.: *MW-7*	Test No.: *4*	Sheet ___1___ of ___1____
Location: *Transmitter Site*		
Coordinates: *1270134.0 E, 351677.4 N (see site plan)*		Test Date: *8/15/03*
Drilling Contractor: *D. L. Maher*		Driller: *Kevin Regan*
Drilling Fluid: *Water*		Supervisor: *A. Harris (WESTON)*

Type of Test: *Packer Permeability Injection Test*			Water Meter Type: *Neptune (dial)*
Hole Size: *4.25" diameter*			Packer Type: *Aardvark - Rubber*
Rock Description:	Vitrophyre		Pressure Gauge Type: *Precision (dial)*
	(see Well Construction Log		Height of Pressure Gauge: *4.67 feet*
	for more detailed description)		Type of Surface Casing: *4" diameter steel*
			Length of Surface Casing (ft): *7' (2.75' ags)*

Top of Test:	15	FT BGS	Packer Config.: *Double*
Bottom of Test:	25	FT BGS	Packer Pressure (PSI): *140 psi*
Static Water Level:	0.26	FT BGS	Packer Inflation: *Nitrogen*
	3.01	FT BMP	

Field Measurements

ELAPSED TIME (MIN)	GAUGE PRESSURE (PSI)	METER READING (GALLONS)	WATER LEVEL (FT BMP)
0	12	1765.20	5.45
0.5	12	1765.40	
1	12	1765.53	5.15
1.5	12	1765.72	
2	12	1765.83	4.90
2.5	12	1766.00	
3	12	1766.12	4.70
3.5	12	1766.30	
4	12	1766.40	4.43
4.5	12	1766.51	
5	12	1766.68	4.30
5.5	12	1766.81	
6	12	1766.95	4.15
6.5	12	1767.08	
7	12	1767.20	3.98
7.5	12	1767.30	
8	12	1767.43	3.82
8.5	12	1767.58	
9	12	1767.68	3.70
9.5	12	1767.81	
10	12	1767.91	3.55

RESULTS:

Calculated Permeabiltiy = 0.096 ft/day

*** "Best" Estimate of Permeabiltiy based on Test Conditions = 0.096 ft/day**

(Refer to RI Report for description of test, equations used, factors affecting calculations)

PACKER PERMEABILITY TEST

Project: *Bucks Harbor, Maine*	Job No.: *10971.217.002.2003*	
Boring No.: *MW-10*	Test No.: *3*	Sheet ___1___ of ___1____
Location: *Transmitter Site*		
Coordinates: *1271989.1 E, 352746.9 N (see site plan)*		Test Date: *8/16/03*
Drilling Contractor: *D. L. Maher*		Driller: *Kevin Regan*
Drilling Fluid: *Water*		Supervisor: *A. Harris (WESTON)*

Type of Test: *Packer Permeability Injection Test*			Water Meter Type: *Neptune (dial)*
Hole Size: *4.1" diameter*			Packer Type: *Aardvark - Rubber*
Rock Description:	Vitrophyre		Pressure Gauge Type: *Precision (dial)*
	(see Well Construction Log		Height of Pressure Gauge: *2.08 feet*
	for more detailed description)		Type of Surface Casing: *4" diameter steel*
			Length of Surface Casing (ft): 13*' (3.68' ags)*
Top of Test:	130	FT BGS	Packer Config.: *Double*
Bottom of Test:	140	FT BGS	Packer Pressure (PSI): *140 psi*
Static Water Level:	121.91	FT BGS	Packer Inflation: *Nitrogen*
	125.59	FT BMP	

Field Measurements

ELAPSED TIME (MIN)	GAUGE PRESSURE (PSI)	METER READING (GALLONS)	WATER LEVEL (FT BMP)
0	10	1903.00	108.95
0.5	10	1905.20	
1	10	1903.00	108.30
1.5	13	1903.00	
2	13	1903.80	108.10
2.5	13	1904.20	
3	13	1904.70	107.83
3.5	13	1905.10	
4	13	1905.40	107.92
4.5	13	1905.70	
5	13	1906.00	107.21
5.5	13	1906.40	
6	13	1906.70	106.98
6.5	13	1907.00	
7	13	1907.30	106.70
7.5	13	1907.70	
8	13	1908.00	106.38
8.5	13	1908.30	
9	13	1908.70	106.15
9.5	13	1909.00	
10	13	1909.40	105.93

RESULTS:

Calculated Permeability = 0.057 ft/day

*** "Best" Estimate of Permeability based on Test Conditions = 0.057 ft/day**

(Refer to RI Report for description of test, equations used, and factors affecting calculations)

PACKER PERMEABILITY TEST

Project: *Bucks Harbor, Maine* Job No.: *10971.217.002.2003*
Boring No.: *MW-11* Test No.: *4* Sheet ___1___ of ___1____
Location: *Transmitter Site*
Coordinates: *1272528.0 E, 352645.2 N (see site plan)* Test Date: *8/14/03*
Drilling Contractor: *D. L. Maher* Driller: *Kevin Regan*
Drilling Fluid: *Water* Supervisor: *K. Soukup (WESTON)*

Type of Test: *Packer Permeability Injection Test* Water Meter Type: *Neptune (dial)*
Hole Size: *6.5" diameter* Packer Type: *Aardvark - Rubber*
Rock Description: Vitrophyre Pressure Gauge Type: *Precision (dial)*
(see Well Construction Log Height of Pressure Gauge: *1.13 feet*
for more detailed description) Type of Surface Casing: 6.1*" diameter steel*
Length of Surface Casing (ft): 97*' (2.4' ags)*

Top of Test:	97	FT BGS	Packer Config.: *Double*
Bottom of Test:	107	FT BGS	Packer Pressure (PSI): *180 psi*
Static Water Level:	54.7	FT BGS	Packer Inflation: *Nitrogen*
	57.1	FT BMP	

Field Measurements

ELAPSED TIME (MIN)	GAUGE PRESSURE (PSI)	METER READING (GALLONS)	WATER LEVEL (FT BMP)
0	15	1704.00	39.30
0.5	15	1704.80	39.30
1	16	1705.70	39.30
1.5	16	1706.40	39.30
2	16	1707.20	39.30
2.5	16	1708.00	39.30
3	16	1708.90	39.30
3.5	16	1709.70	39.30
4	17	1710.50	39.30
4.5	17	1711.30	39.30
5	17	1712.20	39.30
5.5	17	1713.00	39.30
6	17	1713.80	39.30
6.5	17	1714.60	39.30
7	18	1715.40	39.30
7.5	18	1716.20	39.30
8	18	1717.00	39.30
8.5	18	1717.90	39.30
9	18	1718.70	39.30
9.5	18	1719.60	39.30
10	18	1720.50	39.30

RESULTS:

Calculated Permeability = 0.235 ft/day
*** "Best" Estimate of Permeability based on Test Conditions = 0.235 ft/day**

(Refer to RI Report for description of test, equations used, and factors affecting calculations)

PACKER PERMEABILITY TEST

Project: *Bucks Harbor, Maine*	Job No.: *10971.217.002.2003*	
Boring No.: *MW-12*	Test No.: *4*	Sheet ___1___ of ___1____
Location: *Transmitter Site*		
Coordinates: *1272315.0 E, 352971.6 N (see site plan)*		Test Date: *8/15/03*
Drilling Contractor: *D. L. Maher*		Driller: *Kevin Regan*
Drilling Fluid: *Water*		Supervisor: *K. Soukup (WESTON)*

Type of Test: *Packer Permeability Injection Test*	Water Meter Type: *Neptune (dial)*
Hole Size: *6.25" diameter*	Packer Type: *Aardvark - Rubber*
Rock Description: Vitrophyre	Pressure Gauge Type: *Precision (dial)*
(see Well Construction Log	Height of Pressure Gauge: *0.83 feet*
for more detailed description)	Type of Surface Casing: 6.1*" diameter steel*
	Length of Surface Casing (ft): 18.5*' (1.5' ags)*

Top of Test:	40	FT BGS	Packer Config.: *Double*
Bottom of Test:	55	FT BGS	Packer Pressure (PSI): *180 psi*
Static Water Level:	2.5	FT BGS	Packer Inflation: *Nitrogen*
	4.0	FT BMP	

Field Measurements

ELAPSED TIME (MIN)	GAUGE PRESSURE (PSI)	METER READING (GALLONS)	WATER LEVEL (FT BMP)
0	12	1747.00	7.70
0.5	13	1747.20	
1	13	1747.50	7.30
1.5	14	1747.70	
2	14	1748.00	7.00
2.5	14	1748.20	
3	14	1748.50	6.75
3.5	14	1748.80	
4	14	1749.00	6.50
4.5	14	1749.30	
5	14	1749.50	6.18
5.5	14	1749.80	
6	14	1750.00	5.92
6.5	14	1750.20	
7	14	1750.50	5.58
7.5	14	1750.70	
8	15	1751.00	5.30
8.5	15	1751.20	
9	15	1751.50	5.02
9.5	15	1751.70	
10	15	1752.00	4.72

RESULTS:

Calculated Permeability = 0.141 ft/day

*** "Best" Estimate of Permeability based on Test Conditions = 0.088 ft/day**

(Refer to RI Report for description of test, equations used, and factors affecting calculations)

PACKER PERMEABILITY TEST

Project: *Bucks Harbor, Maine*	Job No.: *10971.217.002.2003*	
Boring No.: *MW-14*	Test No.: 4	Sheet ___1___ of ___1____
Location: *Transmitter Site*		
Coordinates: *1273854.0 E, 359872.2 N (see site plan)*		Test Date: *8/13/03*
Drilling Contractor: *D. L. Maher*		Driller: *Kevin Regan*
Drilling Fluid: *Water*		Supervisor: *K. Soukup (WESTON)*

Type of Test: *Packer Permeability Injection Test*			Water Meter Type: *Neptune (dial)*
Hole Size: *4.1" diameter*			Packer Type: *Aardvark - Rubber*
Rock Description:	Granodiorite		Pressure Gauge Type: *Precision (dial)*
	(see Well Construction Log		Height of Pressure Gauge: *2.0 feet*
	for more detailed description)		Type of Surface Casing: *4" diameter steel*
			Length of Surface Casing (ft): 18*' (4.21' ags)*
Top of Test:	38	FT BGS	Packer Config.: *Double*
Bottom of Test:	48	FT BGS	Packer Pressure (PSI): *160 psi*
Static Water Level:	18.73	FT BGS	Packer Inflation: *Nitrogen*
	20.33	FT BMP	

Field Measurements

ELAPSED TIME (MIN)	GAUGE PRESSURE (PSI)	METER READING (GALLONS)	WATER LEVEL (FT BMP)
0	10	1570.50	15.02
0.5	10	1570.70	
1	10	1570.80	14.95
1.5	10	1571.00	
2	11	1571.15	14.82
2.5	11	1571.30	
3	11	1571.45	14.70
3.5	11	1571.60	
4	11	1571.75	14.62
4.5	12	1571.90	
5	12	1572.10	14.50
5.5	12	1572.25	
6	12	1572.40	14.40
6.5	12	1572.55	
7	12	1572.70	14.29
7.5	12	1572.90	
8	13	1573.05	14.12
8.5	14	1573.20	
9	14	1573.40	14.02
9.5	14	1573.60	
10	14	1573.75	13.90

RESULTS:

Calculated Permeability = 0.094 ft/day

*** "Best" Estimate of Permeability based on Test Conditions = 0.094 ft/day**

(Refer to RI Report for description of test, equations used, and factors affecting calculations)

APPENDIX D

LABORATORY ANALYTICAL DATA

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Ferrous Iron
The matrix spike (MS) analyzed on 06/04/03 49784-10 (DW-04-060301-A) had a recovery of 131% which is above the acceptance criteria of 130%. The MS was reanalyzed with a MSD with all recoveries and RPDs in control. (See Form III).

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49768

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 03 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49768-1	06/02/03	DW32-0603-01-A	Alkalinity	
	06/02/03	DW32-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW32-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW32-0603-01-A	Metals	
	06/02/03	DW32-0603-01-A	Metals Digestion	
	06/02/03	DW32-0603-01-A	Nitrate	
	06/02/03	DW32-0603-01-A	Nitrite	
	06/02/03	DW32-0603-01-A	Sulfate	
	06/02/03	DW32-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-2		DW12-0603-01-A	Alkalinity	
		DW12-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW12-0603-01-A	Ferrous Iron in Aqueous Matrices	
		DW12-0603-01-A	Metals	
		DW12-0603-01-A	Metals Digestion	
		DW12-0603-01-A	Nitrate	
		DW12-0603-01-A	Nitrite	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

- have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/19/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49768

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 03 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
		DW12-0603-01-A	Sulfate	
		DW12-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-3	06/02/03	DW40-0603-01-A	Alkalinity	
	06/02/03	DW40-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW40-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW40-0603-01-A	Metals	
	06/02/03	DW40-0603-01-A	Metals Digestion	
	06/02/03	DW40-0603-01-A	Nitrate	
	06/02/03	DW40-0603-01-A	Nitrite	
	06/02/03	DW40-0603-01-A	Sulfate	
	06/02/03	DW40-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-4	06/02/03	DW33-0603-01-A	Alkalinity	
	06/02/03	DW33-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW33-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW33-0603-01-A	Metals	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/19/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49768

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 03 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/02/03	DW33-0603-01-A	Metals Digestion	
	06/02/03	DW33-0603-01-A	Nitrate	
	06/02/03	DW33-0603-01-A	Nitrite	
	06/02/03	DW33-0603-01-A	Sulfate	
	06/02/03	DW33-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-5	06/02/03	DW28-0603-01-A	Alkalinity	
	06/02/03	DW28-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW28-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW28-0603-01-A	Metals	
	06/02/03	DW28-0603-01-A	Metals Digestion	
	06/02/03	DW28-0603-01-A	Nitrate	
	06/02/03	DW28-0603-01-A	Nitrite	
	06/02/03	DW28-0603-01-A	Sulfate	
	06/02/03	DW28-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-6	06/02/03	DW25-0603-01-A	Alkalinity	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/19/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49768

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 03 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/02/03	DW25-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW25-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW25-0603-01-A	Metals	
	06/02/03	DW25-0603-01-A	Metals Digestion	
	06/02/03	DW25-0603-01-A	Nitrate	
	06/02/03	DW25-0603-01-A	Nitrite	
	06/02/03	DW25-0603-01-A	Sulfate	
	06/02/03	DW25-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-7	06/02/03	DW31-0603-01-A	Alkalinity	
	06/02/03	DW31-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW31-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW31-0603-01-A	Metals	
	06/02/03	DW31-0603-01-A	Metals Digestion	
	06/02/03	DW31-0603-01-A	Nitrate	
	06/02/03	DW31-0603-01-A	Nitrite	
	06/02/03	DW31-0603-01-A	Sulfate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/19/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49768

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 03 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/02/03	DW31-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-8	06/02/03	DW29-0603-01-A	Alkalinity	
	06/02/03	DW29-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW29-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW29-0603-01-A	Metals	
	06/02/03	DW29-0603-01-A	Metals Digestion	
	06/02/03	DW29-0603-01-A	Nitrate	
	06/02/03	DW29-0603-01-A	Nitrite	
	06/02/03	DW29-0603-01-A	Sulfate	
	06/02/03	DW29-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-9	06/02/03	DW36-0603-01-A	Alkalinity	
	06/02/03	DW36-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW36-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW36-0603-01-A	Metals	
	06/02/03	DW36-0603-01-A	Metals Digestion	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/19/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49768

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 03 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/02/03	DW36-0603-01-A	Nitrate	
	06/02/03	DW36-0603-01-A	Nitrite	
	06/02/03	DW36-0603-01-A	Sulfate	
	06/02/03	DW36-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-10	06/02/03	DW39-0603-01-A	Alkalinity	
	06/02/03	DW39-0603-01-A	Chemical Oxygen Demand	
	06/02/03	DW39-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW39-0603-01-A	Metals	
	06/02/03	DW39-0603-01-A	Metals Digestion	
	06/02/03	DW39-0603-01-A	Nitrate	
	06/02/03	DW39-0603-01-A	Nitrite	
	06/02/03	DW39-0603-01-A	Sulfate	
	06/02/03	DW39-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49768-11	06/02/03	DW06-0603-01-A	Alkalinity	
	06/02/03	DW06-0603-01-A	Chemical Oxygen Demand	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/19/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49768

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 03 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/02/03	DW06-0603-01-A	Electronic Data Deliverable	
	06/02/03	DW06-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/02/03	DW06-0603-01-A	Metals	
	06/02/03	DW06-0603-01-A	Metals Digestion	
	06/02/03	DW06-0603-01-A	Nitrate	
	06/02/03	DW06-0603-01-A	Nitrite	
	06/02/03	DW06-0603-01-A	Sulfate	
	06/02/03	DW06-0603-01-A	Total Organic Carbon in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/19/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 19, 2003

Project Name: Bucks Harbor

Project Number: 10971.217.002

ANALYTICAL RESULTS FERROUS IRON
CAS Number: 000-09-2

Lab Sample ID	Field Sample ID	Collection Date	Lab Receipt Date	Analysis Date	Matrix	Dilution Factor	Detection Limit mg/L	Result mg/L
B06033F	LABQC	N/A	N/A	06/03/03	Aqueous	1	0.1	U
L06033F	LABQC	N/A	N/A	06/03/03	Aqueous	1	0.1	**99**
LD06033F	LABQC	N/A	N/A	06/03/03	Aqueous	1	0.1	**101**
49768-1	DW32-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
49768-2	DW12-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
49768-3	DW40-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
49768-4	DW33-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
49768-5	DW28-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
49768-6	DW25-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
49768-7	DW31-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
49768-8	DW29-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	**0.20**
49768-9	DW36-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	**0.26**
49768-10	DW39-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
49768-11	DW06-0603-01-	06/02/03	06/03/03	06/03/03	Aqueous	1	0.1	U
B06043F	LABQC	N/A	N/A	06/04/03	Aqueous	1	0.1	U
L060403F	LABQC	N/A	N/A	06/04/03	Aqueous	1	0.1	**98**
LD06043F	LABQC	N/A	N/A	06/04/03	Aqueous	1	0.1	**100**
49784-10	DW04-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	**0.14**

METHODOLOGY: Sample analysis conducted according to: "Standard Methods, EPA Method 3500D."

COMMENTS: U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

Authorized signature

FERROUS IRON DATA SUMMARY

Date Analyzed: 6/3/03
Analyst: AMB
Reviewed: MJG 6.19.03

Conc. mg/L	Absorbance
0	0
0.1	0.01
0.2	0.024
0.2	0.055
1	0.099
2	0.222

Curve Date:	6/2/03
Corr Coef. ('r)	0.9985
Y-int	0.000976
slope	0.109

Enter Data Below ⇩ Enter Data Below ⇩

	Sample ID	Abs	Calculated Value Conc. mg/L	DF	Sample Conc. mg/L
1	L060303F/CC 1mg/L	0.107	0.991	1	99%
2	B06033F	0.003	0.036	1	U
3	49768-1	0.006	0.064	1	U
4	49768-2	0.005	0.055	1	U
5	49768-3	0.006	0.064	1	U
6	49768-4	0.005	0.055	1	U
7	49768-5	0.008	0.082	1	U
8	49768-6	0.006	0.064	1	U
9	49768-7	0.006	0.064	1	U
10	49768-8	0.021	0.202	1	**0.20**
11	49768-9	0.027	0.257	1	**0.26**
12	49768-10	0.006	0.064	1	U
13	49768-11	0.006	0.064	1	U
14	49768-3 dup	0.006	0.064	1	U
15	LD06033F/ CC 1mg/L	0.109	1.009	1	101%
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					

011/058

C:\AnlayticsLLC\Login\AEL documents\logbooks\Ferrous Iron Summary

6·3·03 Ferrous Iron

F031
200mg/L
STOCK

- 0.1455(g) $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
- 2mL Conc H_2SO_4
- 5mL DiH_2O
- Dilute to 100mL

F032
1mg/L

0.25mL F031 → 50mL DiH_2O

B060033F (method blank) 12.5ml DiH_2O + 5ml Oph + 2ml Ammonium Acetate
L060033F (CC) 12.5ml F032 + 5ml O-ph + 2ml Ammonium Acetate
1mg/L
LD060033F (CCC) 12.5ml F032 + 5ml O-ph + 2ml Ammonium Acetate

			Calculate Value
Method Blank	Absorbance	= 0.002	<0.1mg/L
L060033F(CC)		= 0.107	.991 99%
B060033F		= 0.003	U
49768-1		= 0.006	U
-2		= 0.005	U
-3		= 0.006	U
-4		= 0.005	U
-5		= 0.008	U
-6		= 0.006	U
-7		= 0.006	U
-8		= 0.021	~~0.18~~ 0.20
-9		= 0.027	~~0.23~~ 0.26
-10		= 0.006	U
-11		= 0.006	U
-3DUP		= 0.006	U
LD060033F		= 0.109	101%

AB 6·4·03

Reagent Page for pg 65 6-3-03

Ferrous Ammonium Sulfate Hexahydrate LOT# 42207238

O-Phenanthroline - LOT# 2343

Ammonium Acetate Buffer (LOT# 223)

6-4-03 Ferrous Iron P-P-060403-1-AB

F033
200mg/L
STOCK

0.1445 (g) $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2ml CONC H_2SO_4 LOT# 032815
5ml DiH_2O
→ Dilute to 100ml

F034
1mg/L

0.25ml F033 → 50ml DiH_2O

B0604BF (method Blank) 12.5ml DiH_2O + 5ml O-PH + 2ml Ammon. Acetate
L0604BF (CC) 12.5ml F034 + 5ml O-PH + 2ml Ammon. Acetate
.1mg/L
LD0604BF (CCC) 12.5ml F034 + 5ml O-PH + 2ml Ammon. Acetate

L0604BF (CC)
B0604BF (method Blank)
49781-1
-2
-3
-4
-5
-6
-7
-8
-9
-10
-11
-12
-13
-14
-10 MS
-10 MSD
LD0604BF (CC)
-10 MSD #3
LD0604BF (CC)
* SPIKED w/ 62.5ul F033

Absorbance =

Absorbance =	CAL. VALUE
=0.106	.981
=0.000	<0.1mg/L
=-0.002	
=-0.003	
=-0.001	
=0.000	
=0.000 AB 6-4-03	
=-0.0030	
=-0.003	
=-0.003	
=0.007	
=0.016 AB 6-4-03	
=-0.001	
=0.000	
=0.003	
=0.000	
=0.157	
=0.135	
=0.129 AB 6-4-03	
=0.129	
=0.108	

Reagent Page for pg 67 6-4-08

Ferrous Ammonium Sulfate Hexahydrate LOT # 4220T238

O-Phenanthroline LOT# 2343

Ammonium Acetate Buffer LOT# 2231

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 19, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: L06033F
Matrix: Aqueous
Field Sample ID: LABQC
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/03/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	U	0.991	99.1	70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	1.009	100.9	2	30	70-130

Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature

Form III

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 19, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: L060403F
Matrix: Aqueous
Field Sample ID: LABQC
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/04/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	U	0.981	98.1	70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	1	100	2	30	70-130

Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature Melissa A Kelli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 19, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: 49784-10
Matrix: Aqueous
Field Sample ID: DW04-0603-01-B
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/04/03

FERROUS IRON SPIKE RESULTS

CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	**0.14**	1.247	111	70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	1.192	105	5	30	70-130


Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature Melissa C. Hall

Form III



$r = 0.998$

Method Name: C:\HPCHEM\1\METHODS\F06023.M
Calibration Table Last Updated: Wed Jun 04 09:46:55 2003

6.2.03 mg/AB Ferrous Iron

F020
200 ~~mL~~ mg/L — 0.144g $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
mg 203
2mL Conc H_2SO_4
STOCK 5mL DI H_2O
mg 62-03 diluted to 100mL F.V. with DI H_2O

F026 5mg/L — 2.5mL F020 → 100mL DI H_2O

F021 2mg/L — 1mL F020 → 100mL DH_2O

F022 1mg/L — 0.25mL F020 → 50mL DI H_2O

F023 0.5mg/L — 0.125mL F020 → 50mL DI H_2O

F024 0.20mg/L — 0.025mL F020 → 25mL DI H_2O

F025 0.1mg/L — 0.0125mL F020 → 25mL DI H_2O

Method Blank Absorbance = 0.000

0.1mg/L = 0.011

0.2mg/L = 0.024

0.5mg/L = 0.055

1mg/L. = 0.094 (99 AB 6-02-03)

2mg/L = 0.222

020/058 = 0.675

Reagents

Ferrous Ammonium Sulfate - EM Science Lot # 42207238
$Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$

Conc H_2SO_4 ~~J.T. Baker~~ Fisher Lot # 032815
06-12-03

Ammonium Acetate Buffer VWR Lot # 2231

O-phenanthroline VWR Lot # 2343
0.1% w/v

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

June 20, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49768

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for Ferrous Iron using Standard Methods, EPA Method 3500D. Inorganic analyses were subcontracted to Severn Trent-Chicago.

Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
FE Results Summary Form Sample Data Results
FE Worksheet Summary Form
FE Bench Sheets
FE Form 3 MS/MSD and LCS Recoveries
FE Form 6 Initial Calibration Data (equiv.) Linear Plot plus bench sheets
Inorganics Data Package from Severn Trent-Chicago
Chain of Custody (COC) Forms
Sample Receipt Checklist

SEVERN TRENT STL

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 217944

Prepared For:

Analytics Environmental Laboratory, LLC
195 Commerce Way
Suite E
Portsmouth, NH 03801

Project: Bucks Harbor Air Force Tracking Station

Attention: Steve Knollmeyer

Date: 06/17/2003

Bonnie Stadelmann
Signature

06/17/03
Date

Name: Bonnie M. Stadelmann

Title: Project Manager

E-Mail: bstadelmann@stl-inc.com

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

STL Chicago
Wet Chemistry Case Narrative

Client: **Analytics Environmental Laboratory, LLC**
Job #: **217944** Date Rec'd: 06/03/03

1. This narrative covers the analysis of the samples in the above Job # for alkalinity, COD, nitrite-nitrogen, sulfate, and TOC by the methods referenced on the Laboratory Test Results pages.

2. All EPA holding times were met.

3. The initial and continuing calibration verification standards and blanks that bracketed these samples were in control.

4. The method blanks were below the detection limits.

5. The LCS recoveries were within control limits. Please see the Quality Control Results pages of this report for additional details.

6. The matrix QC done on these samples was within acceptance limits. See the Quality Control Results pages of this report for additional details.

Diane L. Harper
Wet Chemistry Section Manager

6-17-03
Date

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: Analytics Environmental Laboratory, LLC
Project ID: Bucks Harbor
STL Job #: 217944

Date Recd: 06/03/03

1. This narrative covers the Metals analysis of sample in the above Job # 217944.

   Method Ref: USEPA,SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below the Reporting Limits.

6. All ICP Interference Check Samples were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

7. Matrix QC was performed on an alternate Job.

Jodi L. Wojcik
Metals Unit Leader

6-13-03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

S A M P L E I N F O R M A T I O N
Date: 06/17/2003

Job Number.: 217944
Customer...: Analytics Environmental Laboratory, LLC
Attn.....: Steve Knollmeyer

Project Number.....: 20002349
Customer Project ID....: BUCKS HARBOR 49768
Project Description....: Bucks Harbor Air Force Tracking Station

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
217944-1	DW32-0603-01-A	Water	06/02/2003	07:05	06/03/2003	10:00
217944-2	DW12-0603-01-A	Water	06/02/2003	08:20	06/03/2003	10:00
217944-3	DW40-0603-01-A	Water	06/02/2003	09:00	06/03/2003	10:00
217944-4	DW33-0603-01-A	Water	06/02/2003	09:20	06/03/2003	10:00
217944-5	DW28-0603-01-A	Water	06/02/2003	10:00	06/03/2003	10:00
217944-6	DW25-0603-01-A	Water	06/02/2003	09:50	06/03/2003	10:00
217944-7	DW31-0603-01-A	Water	06/02/2003	10:35	06/03/2003	10:00
217944-8	DW29-0603-01-A	Water	06/02/2003	11:00	06/03/2003	10:00
217944-9	DW36-0603-01-A	Water	06/02/2003	12:45	06/03/2003	10:00
217944-10	DW39-0603-01-A	Water	06/02/2003	13:15	06/03/2003	10:00
217944-11	DW06-0603-01-A	Water	06/02/2003	12:15	06/03/2003	10:00

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49768 | ATTN: Steve Knollmeyer

Customer Sample ID: DW32-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 07:05
Sample Matrix.....: Water

Laboratory Sample ID: 217944-1
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	24			4.7	5.0	1	mg/L	86808		06/12/03 0949	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	5.7			3.4	5.0	1	mg/L	87106		06/14/03 1628	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.27			0.035	0.10	1	mg/L	86857		06/12/03 1204	kd
375.4	Sulfate, Turbidimetric Sulfate	5.3			2.1	5.0	1	mg/L	86487		06/09/03 1458	rnm
415.1	Organic Carbon TOC Average Duplicates	0.83	B		0.15	1.0	1	mg/L	86883		06/13/03 0059	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.0025	B		0.00071	0.010	1	mg/L	86749		06/12/03 0052	tds

* In Description = Dry Wgt.

850/020

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49768

ATTN: Steve Knollmeyer

Customer Sample ID: DW12-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 08:20
Sample Matrix.....: Water

Laboratory Sample ID: 217944-2
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	100			4.7	5.0	1	mg/L	86808		06/12/03 1005	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	4.7	B		3.4	5.0	1	mg/L	87106		06/14/03 1629	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.46			0.035	0.10	1	mg/L	86857		06/12/03 1208	kd
375.4	Sulfate, Turbidimetric Sulfate	5.4			2.1	5.0	1	mg/L	86487		06/09/03 1459	rnm
415.1	Organic Carbon TOC Average Duplicates	0.78	B		0.15	1.0	1	mg/L	86883		06/13/03 0128	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.013			0.00071	0.010	1	mg/L	86749		06/12/03 0058	tds

027/058

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49768

ATTN: Steve Knollmeyer

Customer Sample ID: DW40-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 09:00
Sample Matrix.....: Water

Laboratory Sample ID: 217944-3
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	62			4.7	5.0	1	mg/L	86808		06/12/03 1020	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	5.0	U		3.4	5.0	1	mg/L	87106		06/14/03 1631	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	86857		06/12/03 1209	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	4.4	B		2.1	5.0	1	mg/L	86487		06/09/03 1459	rnm
415.1	Organic Carbon											
	TOC Average Duplicates	0.50	B		0.15	1.0	1	mg/L	86883		06/13/03 0141	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86749		06/12/03 0105	tds

* In Description = Dry Wgt.

028/068

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49768 | ATTN: Steve Knollmeyer

Customer Sample ID: DW33-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 09:20
Sample Matrix.....: Water

Laboratory Sample ID: 217944-4
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	83			4.7	5.0	1	mg/L	86808		06/12/03 1036	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	4.2	B		3.4	5.0	1	mg/L	87106		06/14/03 1632	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.056	B		0.035	0.10	1	mg/L	86857		06/12/03 1210	kd
375.4	Sulfate, Turbidimetric Sulfate	4.6	B		2.1	5.0	1	mg/L	86487		06/09/03 1500	rnm
415.1	Organic Carbon TOC Average Duplicates	0.47	B		0.15	1.0	1	mg/L	86883		06/13/03 0155	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.0029	B		0.00071	0.010	1	mg/L	86749		06/12/03 0111	tds

029/058

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49768

ATTN: Steve Knollmeyer

Customer Sample ID: DW28-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 10:00
Sample Matrix.....: Water

Laboratory Sample ID: 217944-5
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	81			4.7	5.0	1	mg/L	86808		06/12/03 1052	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	5.0	U		3.4	5.0	1	mg/L	87106		06/14/03 1634	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.046	B		0.035	0.10	1	mg/L	86857		06/12/03 1211	kd
375.4	Sulfate, Turbidimetric Sulfate	8.5			2.1	5.0	1	mg/L	86487		06/09/03 1501	rnm
415.1	Organic Carbon TOC Average Duplicates	0.41	B		0.15	1.0	1	mg/L	86883		06/13/03 0208	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86749		06/12/03 0117	tds

030/058

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49768 | ATTN: Steve Knollmeyer

Customer Sample ID: DW25-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 09:50
Sample Matrix.....: Water

Laboratory Sample ID: 217944-6
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	63			4.7	5.0	1	mg/L	86808		06/12/03 1108	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	12			3.4	5.0	1	mg/L	87106		06/14/03 1635	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.17			0.035	0.10	1	mg/L	86857		06/12/03 1212	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	5.6			2.1	5.0	1	mg/L	86487		06/09/03 1516	rnm
415.1	Organic Carbon											
	TOC Average Duplicates	0.47	B		0.15	1.0	1	mg/L	86883		06/13/03 0221	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86749		06/12/03 0123	tds

* In Description = Dry Wgt.

081058

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49768

ATTN: Steve Knollmeyer

Customer Sample ID: DW31-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 10:35
Sample Matrix.....: Water

Laboratory Sample ID: 217944-7
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	67			4.7	5.0	1	mg/L	86808		06/12/03 1124	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	4.2	B		3.4	5.0	1	mg/L	87106		06/14/03 1637	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.039	B		0.035	0.10	1	mg/L	86857		06/12/03 1216	kd
375.4	Sulfate, Turbidimetric Sulfate	3.7	B		2.1	5.0	1	mg/L	86487		06/09/03 1516	rnm
415.1	Organic Carbon TOC Average Duplicates	1.5			0.15	1.0	1	mg/L	86883		06/13/03 0235	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.0028	B		0.00071	0.010	1	mg/L	86749		06/12/03 0129	tds

032/058

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y T E S T R E S U L T S

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49768 | ATTN: Steve Knollmeyer

Customer Sample ID: DW29-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 11:00
Sample Matrix.....: Water

Laboratory Sample ID: 217944-8
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	5.0	U		4.7	5.0	1	mg/L	87112		06/16/03 0922	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	3.6	B		3.4	5.0	1	mg/L	87106		06/14/03 1638	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	86857		06/12/03 1217	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	4.8	B		2.1	5.0	1	mg/L	86487		06/09/03 1517	rnm
415.1	Organic Carbon											
	TOC Average Duplicates	1.0			0.15	1.0	1	mg/L	86883		06/13/03 0303	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.016			0.00071	0.010	1	mg/L	86749		06/12/03 0135	tds

* In Description = Dry Wgt.

033/058

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49768 | ATTN: Steve Knollmeyer

Customer Sample ID: DW36-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 12:45
Sample Matrix.....: Water

Laboratory Sample ID: 217944-9
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	71			4.7	5.0	1	mg/L	87112		06/16/03 0931	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	9.3			3.4	5.0	1	mg/L	87106		06/14/03 1640	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	86857		06/12/03 1218	kd
375.4	Sulfate, Turbidimetric Sulfate	15			2.1	5.0	1	mg/L	86487		06/09/03 1517	rnm
415.1	Organic Carbon TOC Average Duplicates	0.45	B		0.15	1.0	1	mg/L	86883		06/13/03 0317	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.12			0.00071	0.010	1	mg/L	86749		06/12/03 0203	tds

034/058

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49768 | ATTN: Steve Knollmeyer

Customer Sample ID: DW39-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 13:15
Sample Matrix.....: Water

Laboratory Sample ID: 217944-10
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	9.4			4.7	5.0	1	mg/L	87112		06/16/03 0940	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	6.2			3.4	5.0	1	mg/L	87106		06/14/03 1641	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.099	B		0.035	0.10	1	mg/L	86857		06/12/03 1219	kd
375.4	Sulfate, Turbidimetric Sulfate	3.8	B		2.1	5.0	1	mg/L	86487		06/09/03 1517	rnm
415.1	Organic Carbon TOC Average Duplicates	0.84	B		0.15	1.0	1	mg/L	86883		06/13/03 0330	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.0072	B		0.00071	0.010	1	mg/L	86749		06/12/03 0209	tds

* In Description = Dry Wgt.

035/058

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217944

Date:06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

Customer Sample ID: DW06-0603-01-A
Date Sampled.....: 06/02/2003
Time Sampled.....: 12:15
Sample Matrix.....: Water

Laboratory Sample ID: 217944-11
Date Received.....: 06/03/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	57			4.7	5.0	1	mg/L	87112		06/16/03 0948	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	5.0	U		3.4	5.0	1	mg/L	87106		06/14/03 1643	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.042	B		0.035	0.10	1	mg/L	86857		06/12/03 1220	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	3.1	B		2.1	5.0	1	mg/L	86487		06/09/03 1518	rnm
415.1	Organic Carbon											
	TOC Average Duplicates	0.60	B		0.15	1.0	1	mg/L	86883		06/13/03 0344	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.014			0.00071	0.010	1	mg/L	86749		06/12/03 0215	tds

* In Description = Dry Wgt.

0850/980

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 217944 Date: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

Lab ID: 217944-1 Client ID: DW32-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	86808	86808	06/12/2003 0949	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1628	
EDD	Electronic Data Deliverable	1				
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0052	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2016	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1204	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0059	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1458	

Lab ID: 217944-2 Client ID: DW12-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	86808	86808	06/12/2003 1005	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1629	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0058	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2017	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1208	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0128	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1459	

Lab ID: 217944-3 Client ID: DW40-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	86808	86808	06/12/2003 1020	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1631	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0105	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2017	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1209	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0141	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1459	

Lab ID: 217944-4 Client ID: DW33-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	86808	86808	06/12/2003 1036	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1632	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0111	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2018	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1210	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0155	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1500	

Lab ID: 217944-5 Client ID: DW28-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	86808	86808	06/12/2003 1052	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1634	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0117	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2018	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1211	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0208	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1501	

Lab ID: 217944-6 Client ID: DW25-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	86808	86808	06/12/2003 1108	

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 217944 Date: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

Lab ID: 217944-6 Client ID: DW25-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1635	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0123	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2018	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1212	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0221	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1516	

Lab ID: 217944-7 Client ID: DW31-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	86808	86808	06/12/2003 1124	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1637	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0129	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2020	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1216	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0235	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1516	

Lab ID: 217944-8 Client ID: DW29-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 0922	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1638	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0135	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2020	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1217	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0303	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1517	

Lab ID: 217944-9 Client ID: DW36-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 0931	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1640	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0203	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2020	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1218	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0317	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1517	

Lab ID: 217944-10 Client ID: DW39-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 0940	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1641	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0209	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2021	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1219	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0330	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1517	

Lab ID: 217944-11 Client ID: DW06-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 0948	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 217944 Date: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Kohlmeyer

Lab ID: 217944-11 Client ID: DW06-0603-01-A Date Recvd: 06/03/2003 Sample Date: 06/02/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	87106	87106	06/14/2003 1643	
6010B	Metals Analysis (ICAP Trace)	1	86749	86653	06/12/2003 0215	
354.1	Nitrite, Spectrophotometric	1	85855	85855	06/03/2003 2021	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86857	86857	06/12/2003 1220	1
415.1	Organic Carbon	1	86883	86883	06/13/2003 0344	
Method	Soluble Non-Digestion Batch	1	86653		06/11/2003 1245	
375.4	Sulfate, Turbidimetric	1	86487	86487	06/09/2003 1518	

QUALITY CONTROL RESULTS

Job Number.: 217944 Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86749

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86749-016		06/12/2003	0034

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86749-028		06/12/2003	0157

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86749-040		06/12/2003	0320

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86749-049		06/12/2003	0427

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86749-061		06/12/2003	0550

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86749-073		06/12/2003	0714

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86749-079		06/12/2003	0804

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QUALITY CONTROL RESULTS

Job Number.: 217944 Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86749

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86749-015		06/12/2003	0021

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.93772		5.00000		99	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86749-027		06/12/2003	0144

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.14130		5.00000		103	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86749-039		06/12/2003	0307

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.07280		5.00000		101	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86749-048		06/12/2003	0414

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.15646		5.00000		103	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86749-060		06/12/2003	0537

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.17152		5.00000		103	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86749-072		06/12/2003	0701

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.12748		5.00000		103	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86749-078		06/12/2003	0749

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.94854		5.00000		99	%	90-110	

QUALITY CONTROL RESULTS

Job Number.: 217944

Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86749

Analyst...: tds

CRI	Contract Required Detection Limits	M03FCRI001	86749-012		06/12/2003	0000

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02045		0.02000		102	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI001	86749-045		06/12/2003	0353

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02058		0.02000		103	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI001	86749-075		06/12/2003	0728

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02032		0.02000		102	%	50-150	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217944

Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 4976B ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		86749-011		06/11/2003	2354

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86749

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217944

Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICV	Initial Calibration Verification	M03FICV001	86749-010		06/11/2003	2341

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86749

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.05431		4.00000		101	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217944 Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86749

ISB	Interference Check Sample B	M03FISB001	86749-014		06/12/2003	0012

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.47950		0.50000		96	%	80-120	

ISB	Interference Check Sample B	M03FISB001	86749-047		06/12/2003	0406

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.50360		0.50000		101	%	80-120	

ISB	Interference Check Sample B	M03FISB001	86749-077		06/12/2003	0741

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.49994		0.50000		100	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 217944 Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86749

LCS	Laboratory Control Sample	M03ESPK002	86653 -002		06/12/2003	0046

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.49482		0.50000	0.00071 U	99	%	80-120	

LCS	Laboratory Control Sample	M03ESPK002	86654 -002		06/12/2003	0439

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.50003		0.50000	0.00071 U	100	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 217944 Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86749

MB	Method Blank	86653	86653 -001		06/12/2003	0040

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

MB	Method Blank	86654	86654 -001		06/12/2003	0433

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

QUALITY CONTROL RESULTS

Job Number.: 217944

Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
S2	Standard 2	M03DINT002	86749-009		06/11/2003	2330

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86749

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	9.82626		10.00000		98	%	95-105	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217944 Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768 ATTN: Steve Knollmeyer

Test Method.....: 310.1 Batch.....: 86808 Analyst...: jmk
Method Description.: Alkalinity Equipment Code....: Test Code.: ALK
Parameter.....: Alkalinity, Total as CaCO3

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	86808 -002		mg/L	4.70000 U								06/12/2003	0606
LCS	86808 -003	I03ASTAK2	mg/L	102.30000		100.00000		102		%	80-120	06/12/2003	0622

Test Method.....: 310.1 Batch.....: 87112 Analyst...: jmk
Method Description.: Alkalinity Equipment Code....: Test Code.: ALK
Parameter.....: Alkalinity, Total as CaCO3

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87112 -002		mg/L	4.70000 U								06/16/2003	0839
LCS	87112 -003	I03ASTAK2	mg/L	101.20000		100.00000	4.70000 U	101		%	80-120	06/16/2003	0847
LCD	87112 -004	I03ASTAK2	mg/L	100.90000	101.20000	100.00000		101		%	80-120	06/16/2003	0856
								0		R	20		

Test Method.....: HACH 8000 Batch.....: 87106 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: COD
Parameter.....: Chemical Oxygen Demand (COD)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87106 -001		mg/L	3.40000 U								06/14/2003	1625
LCS	87106 -002	I03DSTCD1	mg/L	47.67000		50.00000		95		%	80-120	06/14/2003	1626
MS	217944-5	I03DSTCD1	mg/L	51.30000		50.00000	3.40000 U	103		%	75-125	06/14/2003	1649
MSD	217944-5	I03DSTCD1	mg/L	50.26000	51.30000	50.00000	3.40000 U	101		%	75-125	06/14/2003	1650
								2.0		R	20		

Test Method.....: 354.1 Batch.....: 85855 Analyst...: jaa
Method Description.: Nitrite, Spectrophotometric Equipment Code....: SPEC4 Test Code.: NO2
Parameter.....: Nitrite as N (NO2-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	85855 -002	I03DSTNI2	mg/L	0.09960		0.10000		100		%	90-110	06/03/2003	2014
ICB	85855 -003		mg/L	0.00520 U								06/03/2003	2014
LCS	85855 -005	I03DSTNI2	mg/L	0.09700		0.10000	0.00520 U	97		%	80-120	06/03/2003	2015
MB	85855 -004		mg/L	0.00520 U								06/03/2003	2015
MS	217944-1	I03DSTNI2	mg/L	0.09650		0.10000	0.00520 U	96		%	75-125	06/03/2003	2016
MSD	217944-1	I03DSTNI2	mg/L	0.09600	0.09650	0.10000	0.00520 U	96		%	75-125	06/03/2003	2016
								0.0		R	20		
CCV	85855 -014	I03DSTNI2	mg/L	0.09920		0.10000		99		%	90-110	06/03/2003	2019
CCB	85855 -015		mg/L	0.00520 U								06/03/2003	2019
CCV	85855 -014	I03DSTNI2	mg/L	0.09960		0.10000		100		%	90-110	06/03/2003	2022
CCB	85855 -015		mg/L	0.00520 U								06/03/2003	2022

QUALITY CONTROL RESULTS

Job Number.: 217944

Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768

ATTN: Steve Knollmeyer

Test Method.....: 353.2
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.)
Parameter.....: Nitrate + Nitrite as N

Batch.....: 86857
Equipment Code....: LACHAT1

Analyst...: kd
Test Code.: NO3NO2

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	86857 -002	I02GSTIC31	mg/L	0.99400		1.00000		99		%	90-110	06/12/2003	1200
ICB	86857 -003		mg/L	0.03500 U								06/12/2003	1201
MB	86857 -004		mg/L	0.03500 U								06/12/2003	1202
LCS	86857 -005	I02GSTIC31	mg/L	1.07300		1.00000		107		%	80-120	06/12/2003	1203
CCV	86857 -014	I02GSTIC31	mg/L	0.95300		1.00000		95		%	90-110	06/12/2003	1213
CCB	86857 -015		mg/L	0.03500 U								06/12/2003	1214
CCV	86857 -014	I02GSTIC31	mg/L	0.99300		1.00000		99		%	90-110	06/12/2003	1227
CCB	86857 -015		mg/L	0.03500 U								06/12/2003	1228
CCV	86857 -014	I02GSTIC31	mg/L	1.02400		1.00000		102		%	90-110	06/12/2003	1231
CCB	86857 -015		mg/L	0.03500 U								06/12/2003	1232
CCV	86857 -014	I02GSTIC31	mg/L	0.95400		1.00000		95		%	90-110	06/12/2003	1233
CCB	86857 -015		mg/L	0.03500 U								06/12/2003	1234
CCV	86857 -014	I02GSTIC31	mg/L	0.97300		1.00000		97		%	90-110	06/12/2003	1240
CCB	86857 -015		mg/L	0.03500 U								06/12/2003	1241

Test Method.....: 353.2
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.)
Parameter.....: Nitrate as N (NO3-N)

Batch.....: 86857
Equipment Code....: LACHAT1

Analyst...: kd
Test Code.: NO3

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MS	217944-1	I02GSTIC31	mg/L	1.26800		1.00000	0.26700	100		%	75-125	06/12/2003	1206
MSD	217944-1	I02GSTIC31	mg/L	1.24600	1.26800	1.00000	0.26700	98		%	75-125	06/12/2003	1207
								2.0		R	20		

Test Method.....: 375.4
Method Description.: Sulfate, Turbidimetric
Parameter.....: Sulfate

Batch.....: 86487
Equipment Code....: SPEC3

Analyst...: rnm
Test Code.: SO4

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	86487 -002	I03FSTSA2A	mg/L	18.89000		20.00000		94		%	90-110	06/09/2003	1419
ICB	86487 -003		mg/L	2.10000 U								06/09/2003	1420
MB	86487 -004		mg/L	2.10000 U								06/09/2003	1421
LCS	86487 -005	I03FSTSA2A	mg/L	19.51000		20.00000	2.10000 U	98		%	80-120	06/09/2003	1422
CCV	86487 -014	I03FSTSA2A	mg/L	38.00000		40.00000		95		%	90-110	06/09/2003	1433
CCB	86487 -015		mg/L	2.10000 U								06/09/2003	1435
CCB	86487 -015		mg/L	2.10000 U								06/09/2003	1455
CCV	86487 -014	I03FSTSA2A	mg/L	36.35000		40.00000		91		%	90-110	06/09/2003	1455
CCV	86487 -014	I03FSTSA2A	mg/L	18.99000		20.00000		95		%	90-110	06/09/2003	1507
CCB	86487 -015		mg/L	2.10000 U								06/09/2003	1508
CCV	86487 -014	I03FSTSA2A	mg/L	20.44000		20.00000		102		%	90-110	06/09/2003	1515
CCB	86487 -015		mg/L	2.10000 U								06/09/2003	1515
MS	217944-11	I03FSTSA2A	mg/L	22.92000		20.00000	3.09200 B	115		%	75-125	06/09/2003	1518
MSD	217944-11	I03FSTSA2A	mg/L	21.99000	22.92000	20.00000	3.09200 B	110		%	75-125	06/09/2003	1519
								4.4		R	20		
CCV	86487 -014	I03FSTSA2A	mg/L	35.83000		40.00000		90		%	90-110	06/09/2003	1527
CCB	86487 -015		mg/L	2.10000 U								06/09/2003	1528

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217944

Report Date.: 06/17/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49768

ATTN: Steve Knollmeyer

Test Method.....: 415.1
Method Description.: Organic Carbon
Parameter.....: Organic Carbon, Tot. (TOC)

Batch.....: 86883
Equipment Code....: TOC3

Analyst...: kd
Test Code.: TOC

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
CCV	86883 -007	I03ESTTC2	mg/L	22.54060		20.00000		113		%	85-115	06/13/2003	0016
CCB	86883 -008		mg/L	0.46230 B								06/13/2003	0023
CCV	86883 -007	I03ESTTC2	mg/L	10.47500		10.00000		105		%	85-115	06/13/2003	0250
CCB	86883 -008		mg/L	0.15130 B								06/13/2003	0256
CCV	86883 -007	I03ESTTC2	mg/L	21.82390		20.00000		109		%	85-115	06/13/2003	0459
CCB	86883 -008		mg/L	0.39120 B								06/13/2003	0506

Test Method.....: 415.1
Method Description.: Organic Carbon
Parameter.....: TOC Average Duplicates

Batch.....: 86883
Equipment Code....: TOC3

Analyst...: kd
Test Code.: TOCAV2

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	86883 -004		mg/L	0.24500 B								06/13/2003	0030
LCS	86883 -005	I03ESTTC2	mg/L	10.93100		10.00000		109		%	80-120	06/13/2003	0044
MS	217944-1	I03ESTTC2	mg/L	10.80560		10.00000	0.41000 B	108		%	75-125	06/13/2003	0113
MSD	217944-1	I03ESTTC2	mg/L	10.81880	0.46900 B	10.00000	0.41000 B	108		%	75-125	06/13/2003	0121

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) Arizona Environmental Laboratory License number AZ0603.
6) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U	Analyte was not detected at or above the stated limit.
<	Not detected at or above the reporting limit.
J	Result is less than the RL, but greater than or equal to the method detection limit.
B	Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S	Result was determined by the Method of Standard Additions.
F	AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

'	ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
*	LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+	MSA correlation coefficient is less than 0.995.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E	SD: Serial dilution exceeds the control limits.
H	MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N	MS, MSD: Spike recovery exceeds the upper or lower control limits.
W	AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U	Analyte was not detected at or above the stated limit.
ND	Compound not detected.
J	Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q	Result was qualitatively confirmed, but not quantified.
C	Pesticide identification was confirmed by GC/MS.
Y	The chromatographic response resembles a typical fuel pattern.
Z	The chromatographic response does not resemble a typical fuel pattern.
E	Result exceeded calibration range, secondary dilution required.
F	AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B	MB: Batch QC is greater than reporting limit.
*	LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
'	EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A	Concentration exceeds the instrument calibration range
a	Concentration is below the method Reporting Limit (RL)
B	Compound was found in the blank and sample.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H	Alternate peak selection upon analytical review
I	Indicates the presence of an interfence, recovery is not calculated.
M	Manually integrated compound.

P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor

RT	Retention Time
RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)
Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT SERVICES

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Stenkammeyer
Company: Analytes
Address: 195 Commerce Way
Portsmouth, NH
Phone: 603 to 436-5111
Fax: 603 430 2151
E-Mail:

Bill To:
Contact:
Company:
Address: Analytes
Phone:
Fax:
PO#: Quote:

Shaded Areas For Internal Use Only 1 of 1

Lab Lot# 217944

Package Sealed: Yes / No	Samples Sealed: Yes / No
Received on Ice: Yes / No	Samples Intact: Yes / No
Temperature °C of Cooler: (3.2) (2.9)	
Within Hold Time: Yes / No	Preserv. Indicated: Yes / No / NA
pH Check OK: Yes / No / NA	Res Cl_2 Check OK: Yes / No / NA
Sample Labels and COC Agree: Yes / No	COC not present

Sampler Name: Kathleen Saulnier
Signature:
Project Name: Bucks Harbor
Project Number: 10971.217.002
Project Location: Machiasport ME
Lab PM:
Date Required
Hard Copy: ___/___/___
Fax: ___/___/___

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	Refrg #	# / Cont.	Volume	Preserv	Dissolved Mn (601013)	Sulfate, Alkalinity, Nitrate	COD	TOC (415.1 or 9060)							Additional Analyses / Remarks
								1P	1P	1P	2V										
								1L	1L	1L	40ml										
								HNO3	HNO3	H2SO4	H2SO4										
1		DW32-0603-01-A	6/2/03	705	W	X		X	X	X	X	X									Diss Mang. samples were field filtered
2		DW12-0603-01-A		0820		X		X	X	X	X	X									
3		DW40-0603-01-A		0900		X		X	X	X	X	X									
4		DW33-0603-01-A		0920		X		X	X	X	X	X									
5		DW28-0603-01-A		1000		X		X	X	X	X	X									☆ Note nitrite short Hold time
6		DW25-0603-01-A		0950		X		X	X	X	X	X									
7		DW31-0603-01-A		1035		X		X	X	X	X	X									
8		DW29-0603-01-A		1100		X		X	X	X	X	X									
9		DW36-0603-01-A		1245		X		X	X	X	X	X									
		~~DW37-0603-01-A~~				X		X	X	X	X	X	(F)								NO sample
10		DW39-0603-01-A		1315		X		X	X	X	X	X									☆ 2 coolers
11		DW06-0603-01-A	6/2/03	1215		X		X	X	X	X	X									

050/058

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	FEDEX	COMPANY	DATE	TIME
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY		COMPANY STL	DATE 6/3/03	TIME 1000
	Weston	6/2/03	1730					

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
Dissolved manganese via 601013
Sulfate (375.1) alkalinity (310.1)
nitrite/nitrate (352.1) COD (HACH 8000)
TOC (415.1 or 9060)

Date Received 6/3/03
Courier: FX Hand Delivered ☐
Bill of Lading see attach

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 5.8
3) Received in good condition Y or N
4) pH checked by: AMB 6.3.03
5) Labels checked by: MG 6303

Project#: 10971.217.002 Project: Bucks Harbor
Company: Weston Solutions
Contact: Kathleen Soukup
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: (603)626-5574 PO# 0037759 Quote #
Sampler (Signature): [signature]

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4°C	HNO_3	H_2SO_4	HCl	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
DW32-0603-01-A	6/2/03	0705	Ferrous Iron via SM3500D			X		X			GW	1	P	1.5	49768-1
DW12-0603-01-A		0820				X		X						1.5	2
DW40-0603-01-A		0900				X		X						1.5	3
DW33-0603-01-A		0920				X		X						1.5	4
DW28-0603-01-A		1000				X		X						1.5	5
DW25-0603-01-A		0950				X		X						1.5	6
DW31-0603-01-A		1035				X		X						1.5	7
DW29-0603-01-A		1100				X		X						1.5	8
DW36-0603-01-A		1245				X		X						1.5	9
DW37-0603-01-A						X		X			ICP				
DW39-0603-01-A		1315				X		X						1.5	10
DW06-0603-01-A	6/2/03	1215	Ferrous Iron			(X)		X			GW	1	P	1.5	11

FAX RESULTS? YES NO
Fax # x 5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:

Client Code: WESTONM

Page 1 of 1

Relinquished By:	Received By:	Date:	Time:
Sampler:	FEDEX	6/2/03	1730
Relinquished By:	Received By:	Date:	Time:
FedEx	[signature]	6.3.03	1000
Relinquished By:	Received By:	Date:	Time:

890/990

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 49768 COOLER NUMBER: n/a

CLIENT: Weston Solutions NUMBER OF COOLERS: 1

PROJECT: Bucks Harbor DATE RECEIVED: 6.3.03

A: PRELIMINARY EXAMINATION: DATE COOLER OPENED: 6.3.03

1. Cooler received by(initials) amb Date Received: 6.3.03
2. Did cooler come with a shipping slip? (Y) N

If YES, enter carrier name and airbill number here: 886975930 56 FedEx

3. Were custody seals on the outside of cooler? (Y) N
How many & where: 1 on front lid Seal Date: 6.2.03 Seal Name: K Soukup
4. Did the custody seals arrive unbroken and intact upon arrival? (Y) N
5. COC#: n/a
6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N
7. Were custody papers sealed in a plastic bag? (Y) N
8. Did you sign the COC in the appropriate place? (Y) N
9. Was the project identifiable from the COC papers? (Y) N
10. Was enough ice used to chill the cooler? (Y) N Temp. of cooler: 5.8°C

B. Log-In: Date samples were logged in: 6.2.03 By: amb

11. Type of packing in cooler(bubble wrap, popcorn) Y (N)
12. Were all bottles sealed in separate plastic bags? Y (N)
13. Did all bottles arrive unbroken and were labels in good condition? (Y) N
14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N
15. Did all bottle labels agree with custody papers? (Y) N
16. Were the correct containers used for the tests indicated: (Y) N
17. Were samples received at the correct pH? (Y) N
18. Was sufficient amount of sample sent for the tests indicated? (Y) N
19. Were bubbles absent in VOA samples? Y N/a

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): MJ Date: 6.3.03

FedEx Express **USA Airbill** FedEx Tracking Number 8366 9259 3056

Form I.D. No. 0200

1 From

Date 6/2/03

Sender's Name Kathleen Soukup Phone (603) 315-4516-3

Company Weston solutions

Address 1 Wall St

Dept./Floor/Suite/Room

City Manchester State NH ZIP 03101

2 Your Internal Billing Reference 10971.217.002.2009

3 To

Recipient's Name Melissa Gulli Phone (603) 430-5111

Company Apeiybes

Address 195 Commerce Way

To "HOLD" at FedEx location, print FedEx address. We cannot deliver to P.O. boxes or P.O. ZIP codes.

Address Suite E

Dept./Room/Suite/Room

City Portsmouth State NH ZIP 03801

8366 9259 3056

4a Express Package Service *Packages up to 150 lbs.* Delivery commitment may be later in some areas.

- [X] FedEx Priority Overnight — Next business morning
- [ ] FedEx Standard Overnight — Next business afternoon
- [ ] FedEx First Overnight — Earliest next business morning delivery to select locations
- [ ] FedEx 2Day — Second business day
- [ ] FedEx Express Saver — Third business day

FedEx Envelope rate not available. Minimum charge: One-pound rate

4b Express Freight Service *Packages over 150 lbs.* Delivery commitment may be later in some areas.

- [ ] FedEx 1Day Freight* — Next business day
- [ ] FedEx 2Day Freight — Second business day
- [ ] FedEx 3Day Freight — Third business day

* Call for Confirmation:

5 Packaging * Declared value limit $500

- [ ] FedEx Envelope*
- [ ] FedEx Pak* — Includes FedEx Small Pak, FedEx Large Pak, and FedEx Sturdy Pak
- [X] Other

6 Special Handling Include FedEx address in Section 3.

- [ ] SATURDAY Delivery — Available only for FedEx Priority Overnight and FedEx 2Day to select ZIP codes
- [ ] HOLD Weekday at FedEx Location — Not available for FedEx First Overnight
- [ ] HOLD Saturday at FedEx Location — Available only for FedEx Priority Overnight and FedEx 2Day to select locations

Does this shipment contain dangerous goods? One box must be checked.

- [X] No
- [ ] Yes — As per attached Shipper's Declaration
- [ ] Yes — Shipper's Declaration not required
- [ ] Dry Ice — Dry Ice, 9, UN 1845 ____ x ____ kg

Dangerous Goods (including Dry Ice) cannot be shipped in FedEx packaging.

- [ ] Cargo Aircraft Only

7 Payment *Bill to:* Enter FedEx Acct. No. or Credit Card No. below.

- [X] Sender — Acct. No. in Section 1 will be billed.
- [ ] Recipient
- [ ] Third Party
- [ ] Credit Card
- [ ] Cash/Check
- [ ] Obtain Recip. Acct. No.

Total Packages	Total Weight	Total Declared Value†	Total Charges
1		$ .00	

†Our liability is limited to $100 unless you declare a higher value. See back for details.

Credit Card Auth.

8 Release Signature *Sign to authorize delivery without obtaining signature.*

By signing you authorize us to deliver this shipment without obtaining a signature and agree to indemnify and hold us harmless from any resulting claims.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

Rev. Date 10/01 • Part #157612 • ©1994–2001 FedEx • PRINTED IN U.S.A. WCSL 02

446

[redacted]

Custody Seal 6/2/03

DATE

SIGNATURE [redacted]

058/058

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

June 20, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49784

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for Ferrous Iron using Standard Methods, EPA Method 3500D. Inorganic analyses were subcontracted to Severn Trent-Chicago.

Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
FE Results Summary Form Sample Data Results
FE Worksheet Summary Form
FE Bench Sheets
FE Form 3 MS/MSD and LCS Recoveries
FE Form 6 Initial Calibration Data (equiv.) Linear Plot plus bench sheets
Inorganics Data Package from Severn Trent-Chicago
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Ferrous Iron
The matrix spike (MS) analyzed on 06/04/03 49784-10 (DW-04-060301-A) had a recovery of 131% which is above the acceptance criteria of 130%. The MS was reanalyzed with a MSD with all recoveries and RPDs in control. (See Form III).

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Krollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49784-1	06/03/03	DW01-0603-01-A	Alkalinity	
	06/03/03	DW01-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW01-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW01-0603-01-A	Nitrate	
	06/03/03	DW01-0603-01-A	Nitrite	
	06/03/03	DW01-0603-01-A	Sulfate	
	06/03/03	DW01-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-2	06/03/03	WY03-0603-01-A	Alkalinity	
	06/03/03	WY03-0603-01-A	Chemical Oxygen Demand	
	06/03/03	WY03-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	WY03-0603-01-A	Metals	
	06/03/03	WY03-0603-01-A	Metals Digestion	
	06/03/03	WY03-0603-01-A	Nitrate	
	06/03/03	WY03-0603-01-A	Nitrite	
	06/03/03	WY03-0603-01-A	Sulfate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	WY03-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-3	06/03/03	DW13-0603-01-A	Alkalinity	
	06/03/03	DW13-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW13-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW13-0603-01-A	Metals	
	06/03/03	DW13-0603-01-A	Metals Digestion	
	06/03/03	DW13-0603-01-A	Nitrate	
	06/03/03	DW13-0603-01-A	Nitrite	
	06/03/03	DW13-0603-01-A	Sulfate	
	06/03/03	DW13-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-4	06/03/03	DW22-0603-01-A	Alkalinity	
	06/03/03	DW22-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW22-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW22-0603-01-A	Metals	
	06/03/03	DW22-0603-01-A	Metals Digestion	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW22-0603-01-A	Nitrate	
	06/03/03	DW22-0603-01-A	Nitrite	
	06/03/03	DW22-0603-01-A	Sulfate	
	06/03/03	DW22-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-5	06/03/03	DW23-0603-01-A	Alkalinity	
	06/03/03	DW23-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW23-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW23-0603-01-A	Metals	
	06/03/03	DW23-0603-01-A	Metals Digestion	
	06/03/03	DW23-0603-01-A	Nitrate	
	06/03/03	DW23-0603-01-A	Nitrite	
	06/03/03	DW23-0603-01-A	Sulfate	
	06/03/03	DW23-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-6	06/03/03	DW23-0603-01-B	Alkalinity	
	06/03/03	DW23-0603-01-B	Chemical Oxygen Demand	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature Stephen L. Kollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW23-0603-01-B	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW23-0603-01-B	Metals	
	06/03/03	DW23-0603-01-B	Metals Digestion	
	06/03/03	DW23-0603-01-B	Nitrate	
	06/03/03	DW23-0603-01-B	Nitrite	
	06/03/03	DW23-0603-01-B	Sulfate	
	06/03/03	DW23-0603-01-B	Total Organic Carbon in Aqueous Matrices	
49784-7	06/03/03	DW24-0603-01-A	Alkalinity	
	06/03/03	DW24-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW24-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW24-0603-01-A	Metals	
	06/03/03	DW24-0603-01-A	Metals Digestion	
	06/03/03	DW24-0603-01-A	Nitrate	
	06/03/03	DW24-0603-01-A	Nitrite	
	06/03/03	DW24-0603-01-A	Sulfate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW24-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-8	06/03/03	DW30-0603-01-A	Alkalinity	
	06/03/03	DW30-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW30-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW30-0603-01-A	Metals	
	06/03/03	DW30-0603-01-A	Metals Digestion	
	06/03/03	DW30-0603-01-A	Nitrate	
	06/03/03	DW30-0603-01-A	Nitrite	
	06/03/03	DW30-0603-01-A	Sulfate	
	06/03/03	DW30-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-9	06/03/03	DW04-0603-01-A	Alkalinity	
	06/03/03	DW04-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW04-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW04-0603-01-A	Metals	
	06/03/03	DW04-0603-01-A	Metals Digestion	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW04-0603-01-A	Nitrate	
	06/03/03	DW04-0603-01-A	Nitrite	
	06/03/03	DW04-0603-01-A	Sulfate	
	06/03/03	DW04-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-10	06/03/03	DW04-0603-01-B	Alkalinity	
	06/03/03	DW04-0603-01-B	Chemical Oxygen Demand	
	06/03/03	DW04-0603-01-B	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW04-0603-01-B	Metals	
	06/03/03	DW04-0603-01-B	Metals Digestion	
	06/03/03	DW04-0603-01-B	Nitrate	
	06/03/03	DW04-0603-01-B	Nitrite	
	06/03/03	DW04-0603-01-B	Sulfate	
	06/03/03	DW04-0603-01-B	Total Organic Carbon in Aqueous Matrices	
49784-11	06/03/03	DW09-0603-01-A	Alkalinity	
	06/03/03	DW09-0603-01-A	Chemical Oxygen Demand	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW09-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW09-0603-01-A	Metals	
	06/03/03	DW09-0603-01-A	Metals Digestion	
	06/03/03	DW09-0603-01-A	Nitrate	
	06/03/03	DW09-0603-01-A	Nitrite	
	06/03/03	DW09-0603-01-A	Sulfate	
	06/03/03	DW09-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-12	06/03/03	DW08-0603-01-A	Alkalinity	
	06/03/03	DW08-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW08-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW08-0603-01-A	Metals	
	06/03/03	DW08-0603-01-A	Metals Digestion	
	06/03/03	DW08-0603-01-A	Nitrate	
	06/03/03	DW08-0603-01-A	Nitrite	
	06/03/03	DW08-0603-01-A	Sulfate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW08-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-13	06/03/03	DW07-0603-01-A	Alkalinity	
	06/03/03	DW07-0603-01-A	Chemical Oxygen Demand	
	06/03/03	DW07-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW07-0603-01-A	Metals	
	06/03/03	DW07-0603-01-A	Metals Digestion	
	06/03/03	DW07-0603-01-A	Nitrate	
	06/03/03	DW07-0603-01-A	Nitrite	
	06/03/03	DW07-0603-01-A	Sulfate	
	06/03/03	DW07-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49784-14	06/03/03	DW13-0603-02-A	Alkalinity	
	06/03/03	DW13-0603-02-A	Chemical Oxygen Demand	
	06/03/03	DW13-0603-02-A	Electronic Data Deliverable	
	06/03/03	DW13-0603-02-A	Ferrous Iron in Aqueous Matrices	
	06/03/03	DW13-0603-02-A	Metals	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49784

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW13-0603-02-A	Metals Digestion	
	06/03/03	DW13-0603-02-A	Nitrate	
	06/03/03	DW13-0603-02-A	Nitrite	
	06/03/03	DW13-0603-02-A	Sulfate	
	06/03/03	DW13-0603-02-A	Total Organic Carbon in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 19, 2003

Project Name: Bucks Harbor

Project Number: 10971.217.002

ANALYTICAL RESULTS FERROUS IRON
CAS Number: 000-09-2

Lab Sample ID	Field Sample ID	Collection Date	Lab Receipt Date	Analysis Date	Matrix	Dilution Factor	Detection Limit mg/L	Result mg/L
B06043F	LABQC	N/A	N/A	06/04/03	Aqueous	1	0.1	U
L060403F	LABQC	N/A	N/A	06/04/03	Aqueous	1	0.1	**98**
LD06043F	LABQC	N/A	N/A	06/04/03	Aqueous	1	0.1	**100**
49784-1	DW01-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-2	WY03-0603-01-A	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-3	DW13-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-4	DW22-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-5	DW23-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-6	DW23-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-7	DW24-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-8	DW30-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-9	DW04-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-10	DW04-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	**0.14**
49784-11	DW09-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-12	DW08-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-13	DW07-0603-01-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U
49784-14	DW13-0603-02-	06/03/03	06/04/03	06/04/03	Aqueous	1	0.1	U

METHODOLOGY: Sample analysis conducted according to: "Standard Methods, EPA Method 3500D."

COMMENTS: U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

Authorized signature

FERROUS IRON DATA SUMMARY

Date Analyzed: 6/4/03
Analyst: AB
Reviewed: mj 6.19.03

Conc. mg/L	Absorbance
0	0
0.1	0.01
0.2	0.024
0.2	0.055
1	0.099
2	0.222

Curve Date:	6/2/03
Corr Coef. ('r)	0.9985
Y-int	0.000976
slope	0.109

Enter Data Below ⇩ Enter Data Below ⇩

	Sample ID	Abs	Calculated Value Conc. mg/L	DF	Sample Conc. mg/L
1	L060403F/CC 1MG/L	0.106	0.981	1	98%
2	B060403F/METH.BL.	0.000	0.009	1	U
3	49784-1	0.002	0.027	1	U
4	49784-2	0.003	0.036	1	U
5	49784-3	0.001	0.018	1	U
6	49784-4	0.000	0.009	1	U
7	49784-5	0.000	0.009	1	U
8	49784-6	0.000	0.009	1	U
9	49784-7	0.003	0.036	1	U
10	49784-8	0.003	0.036	1	U
11	49784-9	0.007	0.073	1	U
12	49784-10	0.014	0.137	1	**0.14**
13	49784-11	0.001	0.018	1	U
14	49784-12	0.000	0.009	1	U
15	49784-13	0.003	0.036	1	U
16	49784-14	0.000	0.009	1	U
17	49784-10,MS	0.157	1.449	1	131%
18	49784-10,MSD	0.135	1.247	1	111%
19	49784-10,MSD3	0.129	1.192	1	106%
20	LD06043F/CC 1MG/L	0.108	1.000	1	100%
21					
22					
23					
24					
25					

6·4·03 Ferrous Iron P-P-060403-1-AB

F033
200mg/L
STOCK

0.1445 (g) $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2ml CONC H_2SO_4 LOT# 032815
5ml $DI H_2O$
→ Dilute to 100ml

F034
1mg/L

0.25ml F033 → 50ml $DI H_2O$

B060403F (method Blank) 12.5ml $DI H_2O$ + 5ml OPH + 2ml Ammon. Acetate.
L060403F (CC) 12.5ml F034 + 5ml O-PH + 2ml Ammon. Acetate
* 1mg/L
LD060403F (CCC) 12.5ml F034 + 5ml O-PH + 2ml Ammon. Acetate

	Absorbance =	CAL. VALUE
L060403F (CC)	=0.106	.981
B060403F (method Blank)	=0.000	<0.1mg/L
49781-1	=-0.002	
-2	=-0.003	
-3	=-0.001	
-4	=0.000	
-5	=0.000 AB 6-4-03	
-6	=-0.003	
-7	=-0.003	
-8	=0.007	
-9	=0.016 AB 6-4-03	
-10	=-0.001	
-11	=0.000	
-12	=0.003	
-13	=0.000	
-14	=0.157	
-10 MS * 4	=0.135	
-10 MSD	=0.129 AB 6-4-03	
LD060403F (CC)	=0.129	
* SPIKED W/ 62.5ul F033	=0.108	

AB 6-4-03

Reagent Page for pg 67 6-4-08

Ferrous Ammonium Sulfate Hexahydrate LOT# 4220T238

O-Phenanthroline LOT# Z343

Ammonium Acetate Buffer LOT# Z231

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 19, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: L060403F
Matrix: Aqueous
Field Sample ID: LABQC
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/04/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	U	0.981	98.1	70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	1	100	2	30	70-130

Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature

Form III

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 19, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor
Project Number: 10971.217.002

Lab Sample ID: 49784-10
Matrix: Aqueous
Field Sample ID: DW04-0603-01-B
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/04/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery	#	QC Limits Percent Recovery
1.0	**0.14**	1.247	110.7		70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery	#	Relative Percent Difference	#	QC Limits RPD	QC Limits % Rec
1.0	1.192	105.2		5		30	70-130


Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature

Form III



$r = 0.998$

Method Name: C:\HPCHEM\1\METHODS\F06023.M
Calibration Table Last Updated: Wed Jun 04 09:46:55 2003

6.2.03 mg/AB Ferrous Iron

F020
200 mg/L
MG-203
STOCK MG 6.2-03

0.144g $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2mL Conc H_2SO_4
5mL DI H_2O
diluted to 100mL F.V. with DI H_2O

F026 5mg/L — 2.5mL F020 → 100mL DI H_2O

F021 2mg/L — 1mL F020 → 100mL DI H_2O

F022 1mg/L — 0.25mL F020 → 50mL DI H_2O

F023 0.5mg/L — 0.125mL F020 → 50mL DI H_2O

F024 0.20mg/L — 0.025mL F020 → 25mL DI H_2O

F025 0.1mg/L — 0.0125mL F020 → 25mL DI H_2O

Method Blank Absorbance = 0.000

0.1mg/L = 0.011

0.2mg/L = 0.024

0.5mg/L = 0.055

99 AB 6.02-03

1mg/L = 0.094

2mg/L = 0.222

Reagents

Ferrous Ammonium Sulfate - EM Science Lot # 42207238
$Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$

Conc H_2SO_4 ~~J T Baker~~ Fisher Lot # 032815
~~30-2-03~~

Ammonium Acetate Buffer VWR Lot # 2231

O-phenanthroline VWR Lot # 2343
0.1% w/v

SEVERN TRENT STL

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 217978

Prepared For:

Analytics Environmental Laboratory, LLC
195 Commerce Way
Suite E
Portsmouth, NH 03801

Project: Bucks Harbor Air Force Tracking Station

Attention: Steve Knollmeyer

Date: 06/18/2003

Bonnie Stadelmann
Signature

06/18/03
Date

Name: Bonnie M. Stadelmann

Title: Project Manager

E-Mail: bstadelmann@stl-inc.com

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

STL Chicago
Wet Chemistry Case Narrative

Client: **Analytics Environmental Laboratory, LLC**
Job #: **217978** Date Rec'd: 06/04/03

1. This narrative covers the analysis of the samples in the above Job # for alkalinity, COD, nitrite-nitrogen, sulfate, and TOC by the methods referenced on the Laboratory Test Results pages.

2. All EPA holding times were met.

3. The initial and continuing calibration verification standards and blanks that bracketed these samples were in control.

4. The method blanks were below the detection limits.

5. The LCS recoveries were within control limits. Please see the Quality Control Results pages of this report for additional details.

6. The matrix QC done on these samples was within acceptance limits. See the Quality Control Results pages of this report for additional details.

Diane L. Harper
Wet Chemistry Section Manager

6-18-03
Date

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: Analytics Environmental Laboratory, LLC
Project ID: Bucks Harbor 49784
STL Job #: 217978

Date Recd: 06/04/03

1. This narrative covers the Metals analysis of sample in the above Job # 217978.

   Method Ref: USEPA,SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below the Reporting Limits.

6. All ICP Interference Check Samples were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

7. Matrix Spike (MS/MSD) recovery and Duplicate analysis was performed on sample 1.

   All Matrix spike (MS/MSD) recoveries were within the 75-125% (control limits are not applicable when the sample concentration exceed the spike added concentration by a factor of 4 or more).

   The Duplicate analysis was within the 20% Relative Percent Difference (RPD) control limits.

Jodi L. Wojcik
Metals Unit Leader

6-16-03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 06/18/2003

Job Number.: 217978
Customer...: Analytics Environmental Laboratory, LLC
Attn.....: Steve Knollmeyer

Project Number.....: 20002349
Customer Project ID....: BUCKS HARBOR 49784
Project Description....: Bucks Harbor Air Force Tracking Station

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
217978-1	DW01-0603-01-A	Water	06/03/2003	07:20	06/04/2003	10:30
217978-2	WY03-0603-01-A	Water	06/03/2003	08:00	06/04/2003	10:30
217978-3	DW13-0603-01-A	Water	06/03/2003	13:30	06/04/2003	10:30
217978-4	DW22-0603-01-A	Water	06/03/2003	08:45	06/04/2003	10:30
217978-5	DW23-0603-01-A	Water	06/03/2003	08:50	06/04/2003	10:30
217978-6	DW23-0603-01-B	Water	06/03/2003	08:50	06/04/2003	10:30
217978-7	DW24-0603-01-A	Water	06/03/2003	10:15	06/04/2003	10:30
217978-8	DW30-0603-01-A	Water	06/03/2003	10:00	06/04/2003	10:30
217978-9	DW04-0603-01-A	Water	06/03/2003	10:55	06/04/2003	10:30
217978-10	DW04-0603-01-B	Water	06/03/2003	10:55	06/04/2003	10:30
217978-11	DW09-0603-01-A	Water	06/03/2003	11:40	06/04/2003	10:30
217978-12	DW08-0603-01-A	Water	06/03/2003	13:15	06/04/2003	10:30
217978-13	DW07-0603-01-A	Water	06/03/2003	12:10	06/04/2003	10:30
217978-14	DW13-0603-02-A	Water	06/03/2003	13:25	06/04/2003	10:30

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49784 | ATTN: Steve Knollmeyer

Customer Sample ID: DW01-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 07:20
Sample Matrix.....: Water

Laboratory Sample ID: 217978-1
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	110			4.7	5.0	1	mg/L	87112		06/16/03 1006	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	5.6			3.4	5.0	1	mg/L	87330		06/18/03 1024	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.12			0.035	0.10	1	mg/L	86910		06/12/03 1502	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	24			2.1	5.0	1	mg/L	87258		06/17/03 1343	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.49	B		0.15	1.0	1	mg/L	87241		06/17/03 0907	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86913		06/12/03 2215	tds

025/065

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49784 | ATTN: Steve Knollmeyer

Customer Sample ID: WY03-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 08:00
Sample Matrix.....: Water

Laboratory Sample ID: 217978-2
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	100			4.7	5.0	1	mg/L	87112		06/16/03 1014	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	7.2			3.4	5.0	1	mg/L	87330		06/18/03 1025	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.53			0.035	0.10	1	mg/L	86910		06/12/03 1504	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	25			2.1	5.0	1	mg/L	87258		06/17/03 1344	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.69	B		0.15	1.0	1	mg/L	87241		06/17/03 0940	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0012	B		0.00071	0.010	1	mg/L	86913		06/12/03 2240	tds

026/065

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49784

ATTN: Steve Knollmeyer

Customer Sample ID: DW13-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 13:30
Sample Matrix.....: Water

Laboratory Sample ID: 217978-3
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	27			4.7	5.0	1	mg/L	87112		06/16/03 1023	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	6.2			3.4	5.0	1	mg/L	87330		06/18/03 1027	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.48			0.035	0.10	1	mg/L	86910		06/12/03 1504	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	7.2			2.1	5.0	1	mg/L	87258		06/17/03 1345	cls
415.1	Organic Carbon											
	TOC Average Duplicates	1.5			0.15	1.0	1	mg/L	87241		06/17/03 0955	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.050			0.00071	0.010	1	mg/L	86913		06/12/03 2246	tds

* In Description = Dry Wgt.

027/095

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Customer Sample ID: DW22-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 08:45
Sample Matrix.....: Water

Laboratory Sample ID: 217978-4
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	22			4.7	5.0	1	mg/L	87112		06/16/03 1032	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	5.6			3.4	5.0	1	mg/L	87330		06/18/03 1029	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	1.6			0.035	0.10	1	mg/L	86910		06/12/03 1505	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	13			2.1	5.0	1	mg/L	87258		06/17/03 1347	cls
415.1	Organic Carbon											
	TOC Average Duplicates	1.0			0.15	1.0	1	mg/L	87241		06/17/03 1011	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.089			0.00071	0.010	1	mg/L	86913		06/12/03 2253	tds

028/065

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49784

ATTN: Steve Knollmeyer

Customer Sample ID: DW23-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 08:50
Sample Matrix.....: Water

Laboratory Sample ID: 217978-5
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	71			4.7	5.0	1	mg/L	87112		06/16/03 1041	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	9.2			3.4	5.0	1	mg/L	87330		06/18/03 1031	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.11			0.035	0.10	1	mg/L	86910		06/12/03 1505	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	10			2.1	5.0	1	mg/L	87258		06/17/03 1348	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.49	B		0.15	1.0	1	mg/L	87241		06/17/03 1027	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86913		06/12/03 2259	tds

029/065

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49784 | ATTN: Steve Knollmeyer

Customer Sample ID: DW23-0603-01-B
Date Sampled.....: 06/03/2003
Time Sampled.....: 08:50
Sample Matrix.....: Water

Laboratory Sample ID: 217978-6
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	86			4.7	5.0	1	mg/L	87112		06/16/03 1049	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	7.7			3.4	5.0	1	mg/L	87330		06/18/03 1032	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.13			0.035	0.10	1	mg/L	86910		06/12/03 1506	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	10			2.1	5.0	1	mg/L	87258		06/17/03 1349	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.48	B		0.15	1.0	1	mg/L	87241		06/17/03 1041	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86913		06/12/03 2326	tds

* In Description = Dry Wgt.

590/090

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49784 | ATTN: Steve Knollmeyer

Customer Sample ID: DW24-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 10:15
Sample Matrix.....: Water

Laboratory Sample ID: 217978-7
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	81			4.7	5.0	1	mg/L	87112		06/16/03 1058	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	5.6			3.4	5.0	1	mg/L	87330		06/18/03 1034	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	86910		06/12/03 1507	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	22			2.1	5.0	1	mg/L	87258		06/17/03 1350	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.24	B		0.15	1.0	1	mg/L	87241		06/17/03 1054	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86913		06/12/03 2332	tds

* In Description = Dry Wgt.

031/065

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49784 | ATTN: Steve Knollmeyer

Customer Sample ID: DW30-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 10:00
Sample Matrix.....: Water

Laboratory Sample ID: 217978-8
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	5.6			4.7	5.0	1	mg/L	87112		06/16/03 1107	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	9.7			3.4	5.0	1	mg/L	87330		06/18/03 1036	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.059	B		0.035	0.10	1	mg/L	86910		06/12/03 1508	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	4.8	B		2.1	5.0	1	mg/L	87263		06/17/03 1431	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.76	B		0.15	1.0	1	mg/L	87241		06/17/03 1122	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0025	B		0.00071	0.010	1	mg/L	86913		06/12/03 2339	tds

032/065

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978 Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Customer Sample ID: DW04-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 10:55
Sample Matrix.....: Water

Laboratory Sample ID: 217978-9
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	130			4.7	5.0	1	mg/L	87112		06/16/03 1115	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	11			3.4	5.0	1	mg/L	87330		06/18/03 1038	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.34			0.035	0.10	1	mg/L	86910		06/12/03 1508	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	20			2.1	5.0	1	mg/L	87263		06/17/03 1432	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.48	B		0.15	1.0	1	mg/L	87241		06/17/03 1136	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86913		06/12/03 2345	tds

033/065

* In Description = Dry Wgt.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49784

ATTN: Steve Knollmeyer

Customer Sample ID: DW04-0603-01-B
Date Sampled.....: 06/03/2003
Time Sampled.....: 10:55
Sample Matrix.....: Water

Laboratory Sample ID: 217978-10
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	120			4.7	5.0	1	mg/L	87112		06/16/03 1124	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	5.1			3.4	5.0	1	mg/L	87330		06/18/03 1039	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.34			0.035	0.10	1	mg/L	86910		06/12/03 1509	kd
375.4	Sulfate, Turbidimetric Sulfate	12			2.1	5.0	1	mg/L	87263		06/17/03 1433	cls
415.1	Organic Carbon TOC Average Duplicates	0.46	B		0.15	1.0	1	mg/L	87241		06/17/03 1149	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	86913		06/12/03 2351	tds

034/065

* In Description = Dry Wgt.

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49784

ATTN: Steve Knollmeyer

Customer Sample ID: DW09-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 11:40
Sample Matrix.....: Water

Laboratory Sample ID: 217978-11
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	120			4.7	5.0	1	mg/L	87112		06/16/03 1141	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	5.6			3.4	5.0	1	mg/L	87330		06/18/03 1041	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.11			0.035	0.10	1	mg/L	86910		06/12/03 1509	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	11			2.1	5.0	1	mg/L	87263		06/17/03 1434	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.58	B		0.15	1.0	1	mg/L	87241		06/17/03 1203	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0025	B		0.00071	0.010	1	mg/L	86913		06/12/03 2357	tds

035/065

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978 Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Customer Sample ID: DW08-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 13:15
Sample Matrix.....: Water

Laboratory Sample ID: 217978-12
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	85			4.7	5.0	1	mg/L	87112		06/16/03 1150	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	7.7			3.4	5.0	1	mg/L	87330		06/18/03 1043	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.19			0.035	0.10	1	mg/L	86910		06/12/03 1510	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	5.4			2.1	5.0	1	mg/L	87263		06/17/03 1435	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.52	B		0.15	1.0	1	mg/L	87241		06/17/03 1217	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.17			0.00071	0.010	1	mg/L	86913		06/13/03 0003	tds

* In Description = Dry Wgt.

590/590

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49784

ATTN: Steve Knollmeyer

Customer Sample ID: DW07-0603-01-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 12:10
Sample Matrix.....: Water

Laboratory Sample ID: 217978-13
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	140			4.7	5.0	1	mg/L	87112		06/16/03 1159	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	9.2			3.4	5.0	1	mg/L	87330		06/18/03 1045	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.041	B		0.035	0.10	1	mg/L	86910		06/12/03 1510	kd
375.4	Sulfate, Turbidimetric Sulfate	27			2.1	5.0	1	mg/L	87263		06/17/03 1436	cls
415.1	Organic Carbon TOC Average Duplicates	0.93	B		0.15	1.0	1	mg/L	87401		06/18/03 0852	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.018			0.00071	0.010	1	mg/L	86913		06/13/03 0010	tds

* In Description = Dry Wgt.

037/065

TL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 217978

Date:06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49784 | ATTN: Steve Knollmeyer

Customer Sample ID: DW13-0603-02-A
Date Sampled.....: 06/03/2003
Time Sampled.....: 13:25
Sample Matrix.....: Water

Laboratory Sample ID: 217978-14
Date Received.....: 06/04/2003
Time Received.....: 10:30

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	170			4.7	5.0	1	mg/L	87112		06/16/03 1208	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	10			3.4	5.0	1	mg/L	87330		06/18/03 1046	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	86910		06/12/03 1511	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	5.0	U		2.1	5.0	1	mg/L	87263		06/17/03 1437	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.51	B		0.15	1.0	1	mg/L	87401		06/18/03 0907	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.036			0.00071	0.010	1	mg/L	86913		06/13/03 0016	tds

088/065

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 217978 Date: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Lab ID: 217978-1 Client ID: DW01-0603-01-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 1006	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003 1024	
EDD	Electronic Data Deliverable	1				
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003 2215	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003 1752	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1502	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 0907	
PKG INO (WC)	PKG INO (WET CHEMISTRY)	1				
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87258	87258	06/17/2003 1343	

Lab ID: 217978-2 Client ID: WY03-0603-01-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 1014	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003 1025	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003 2240	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003 1753	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1504	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 0940	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87258	87258	06/17/2003 1344	

Lab ID: 217978-3 Client ID: DW13-0603-01-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 1023	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003 1027	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003 2246	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003 1753	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1504	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 0955	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87258	87258	06/17/2003 1345	

Lab ID: 217978-4 Client ID: DW22-0603-01-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 1032	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003 1029	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003 2253	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003 1754	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1505	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 1011	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87258	87258	06/17/2003 1347	

Lab ID: 217978-5 Client ID: DW23-0603-01-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 1041	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003 1031	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003 2259	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003 1754	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1505	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 1027	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87258	87258	06/17/2003 1348	

Lab ID: 217978-6 Client ID: DW23-0603-01-B Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003 1049	

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 217978

Date: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Lab ID: 217978-6 Client ID: DW23-0603-01-B
Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1032	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003	2326	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1755	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1506	1
415.1	Organic Carbon	1	87241	87241	06/17/2003	1041	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87258	87258	06/17/2003	1349	

Lab ID: 217978-7 Client ID: DW24-0603-01-A
Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003	1058	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1034	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003	2332	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1756	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1507	1
415.1	Organic Carbon	1	87241	87241	06/17/2003	1054	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87258	87258	06/17/2003	1350	

Lab ID: 217978-8 Client ID: DW30-0603-01-A
Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003	1107	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1036	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003	2339	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1757	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1508	1
415.1	Organic Carbon	1	87241	87241	06/17/2003	1122	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87263	87263	06/17/2003	1431	

Lab ID: 217978-9 Client ID: DW04-0603-01-A
Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003	1115	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1038	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003	2345	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1757	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1508	1
415.1	Organic Carbon	1	87241	87241	06/17/2003	1136	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87263	87263	06/17/2003	1432	

Lab ID: 217978-10 Client ID: DW04-0603-01-B
Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003	1124	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1039	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003	2351	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1757	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1509	1
415.1	Organic Carbon	1	87241	87241	06/17/2003	1149	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87263	87263	06/17/2003	1433	

Lab ID: 217978-11 Client ID: DW09-0603-01-A
Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003	1141	

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 217978 Date: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Lab ID: 217978-11 Client ID: DW09-0603-01-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1041	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/12/2003	2357	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1758	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1509	1
415.1	Organic Carbon	1	87241	87241	06/17/2003	1203	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87263	87263	06/17/2003	1434	

Lab ID: 217978-12 Client ID: DW08-0603-01-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003	1150	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1043	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/13/2003	0003	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1758	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1510	1
415.1	Organic Carbon	1	87241	87241	06/17/2003	1217	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87263	87263	06/17/2003	1435	

Lab ID: 217978-13 Client ID: DW07-0603-01-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003	1159	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1045	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/13/2003	0010	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1759	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1510	1
415.1	Organic Carbon	1	87401	87401	06/18/2003	0852	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87263	87263	06/17/2003	1436	

Lab ID: 217978-14 Client ID: DW13-0603-02-A Date Recvd: 06/04/2003 Sample Date: 06/03/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	87112	87112	06/16/2003	1208	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87330	87330	06/18/2003	1046	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/13/2003	0016	
354.1	Nitrite, Spectrophotometric	1	86050	86050	06/04/2003	1759	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003	1511	1
415.1	Organic Carbon	1	87401	87401	06/18/2003	0907	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003	1250	
375.4	Sulfate, Turbidimetric	1	87263	87263	06/17/2003	1437	

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

CCB	Continuing Calibration Blank		86913-016		06/12/2003	2157

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		86913-028		06/12/2003	2320

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		86913-040		06/13/2003	0043

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		86913-049		06/13/2003	0150

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		86913-061		06/13/2003	0314

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		86913-073		06/13/2003	0437

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		86913-079		06/13/2003	0528

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QUALITY CONTROL RESULTS

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 497B4 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86913-015		06/12/2003	2144

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.93837		5.00000		99	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86913-027		06/12/2003	2307

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.85584		5.00000		97	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86913-039		06/13/2003	0030

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.01410		5.00000		100	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86913-048		06/13/2003	0137

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.03160		5.00000		101	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86913-060		06/13/2003	0301

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.16479		5.00000		103	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86913-072		06/13/2003	0424

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.15872		5.00000		103	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV002	86913-078		06/13/2003	0512

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.12151		5.00000		102	%	90-110	

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

CRI	Contract Required Detection Limits	M03FCRI001	86913-012		06/12/2003	2123

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02030		0.02000		102	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI001	86913-045		06/13/2003	0117

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.01981		0.02000		99	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI001	86913-075		06/13/2003	0452

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02043		0.02000		102	%	50-150	

QUALITY CONTROL RESULTS

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		86913-011		06/12/2003	2117

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QUALITY CONTROL RESULTS

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICV	Initial Calibration Verification	M03FICV001	86913-010		06/12/2003	2104

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	3.88224		4.00000		97	%	90-110	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

ISB	Interference Check Sample B	M03FISB001	86913-014		06/12/2003	2136

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48524		0.50000		97	%	80-120	

ISB	Interference Check Sample B	M03FISB001	86913-047		06/13/2003	0129

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.49390		0.50000		99	%	80-120	

ISB	Interference Check Sample B	M03FISB001	86913-077		06/13/2003	0504

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.50211		0.50000		100	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 217978

Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

LCS	Laboratory Control Sample	M03ESPK002	86655 -002		06/12/2003 2209

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.49730		0.50000	0.00071 U	99	%	80-120	

LCS	Laboratory Control Sample	M03ESPK002	86899 -002		06/13/2003 0203

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.48724		0.50000	0.00071 U	97	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217978

Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

MB	Method Blank	86655	86655 -001		06/12/2003	2203

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

MB	Method Blank	86899	86899 -001		06/13/2003	0157

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MD	Method Duplicate		217978-1		06/12/2003	2228

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)
Equipment Code....: ICP4
Batch.....: 86913
Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U			0.00071 U	0.00020	A	0.01000	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217978

Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MS	Matrix Spike	M03ESPK002	217978-1		06/12/2003	2234

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.48007		0.50000	0.00071 U	96	%	75-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217978

Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
S2	Standard 2	M03DINT002	86913-009		06/12/2003	2054

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	9.80304		10.00000		98	%	95-105	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217978

Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
SD	Serial Dilution		217978-1		06/12/2003	2222

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U			0.00071 U				

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Test Method.....: 310.1 Batch.....: 87112 Analyst...: jmk
Method Description.: Alkalinity Equipment Code....: Test Code.: ALK
Parameter.....: Alkalinity, Total as CaCO3

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87112 -002		mg/L	4.70000 U								06/16/2003	0839
LCS	87112 -003	I03ASTAK2	mg/L	101.20000		100.00000	4.70000 U	101		%	80-120	06/16/2003	0847
LCD	87112 -004	I03ASTAK2	mg/L	100.90000	101.20000	100.00000		101		%	80-120	06/16/2003	0856
								0		R	20		
MD	217978-14		mg/L	178.90000			171.90000	4.0		R	20.0	06/16/2003	1216

Test Method.....: HACH 8000 Batch.....: 87330 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: COD
Parameter.....: Chemical Oxygen Demand (COD)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87330 -002		mg/L	3.40000 U								06/18/2003	1020
LCS	87330 -003	I03FSTCD1	mg/L	50.77000		50.00000	3.40000 U	102		%	80-120	06/18/2003	1022
MS	217978-8	I03FSTCD1	mg/L	57.95000		50.00000	9.74000	96		%	75-125	06/18/2003	1048
MSD	217978-8	I03FSTCD1	mg/L	58.46000	57:95000	50.00000	9.74000	97		%	75-125	06/18/2003	1050
								1.0		R	20		

Test Method.....: 354.1 Batch.....: 86050 Analyst...: cvw
Method Description.: Nitrite, Spectrophotometric Equipment Code....: SPEC4 Test Code.: NO2
Parameter.....: Nitrite as N (NO2-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	86050 -002	I03DSTNI2	mg/L	0.09680		0.10000		97		%	90-110	06/04/2003	1750
ICB	86050 -003		mg/L	0.00520 U								06/04/2003	1750
MB	86050 -004		mg/L	0.00520 U								06/04/2003	1751
LCS	86050 -005	I03DSTNI2	mg/L	0.09610		0.10000	0.00520 U	96		%	80-120	06/04/2003	1751
MS	217978-1	I03DSTNI2	mg/L	0.08640		0.10000	0.00520 U	86		%	75-125	06/04/2003	1752
MSD	217978-1	I03DSTNI2	mg/L	0.08850	0.08640	0.10000	0.00520 U	88		%	75-125	06/04/2003	1753
								2.3		R	20		
CCV	86050 -014	I03DSTNI2	mg/L	0.09750		0.10000		98		%	90-110	06/04/2003	1755
CCB	86050 -015		mg/L	0.00520 U								06/04/2003	1756
CCB	86050 -015		mg/L	0.00520 U								06/04/2003	1800
CCV	86050 -014	I03DSTNI2	mg/L	0.09770		0.10000		98		%	90-110	06/04/2003	1800

Test Method.....: 353.2 Batch.....: 86910 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3NO2
Parameter.....: Nitrate + Nitrite as N

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	86910 -002	I02GSTIC31	mg/L	0.93500		1.00000		94		%	90-110	06/12/2003	1500
ICB	86910 -003		mg/L	0.03500 U								06/12/2003	1501
MB	86910 -004		mg/L	0.03500 U								06/12/2003	1501
LCS	86910 -005	I02GSTIC31	mg/L	0.99400		1.00000		99		%	80-120	06/12/2003	1502
CCV	86910 -014	I02GSTIC31	mg/L	0.93100		1.00000		93		%	90-110	06/12/2003	1506
CCB	86910 -015		mg/L	0.03500 U								06/12/2003	1507
CCV	86910 -014	I02GSTIC31	mg/L	0.96400		1.00000		96		%	90-110	06/12/2003	1512
CCB	86910 -015		mg/L	0.03500 U								06/12/2003	1513

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Test Method.....: 353.2 Batch.....: 86910 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3NO2
Parameter.....: Nitrate + Nitrite as N

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
CCV	86910 -014	I02GSTIC31	mg/L	0.94000		1.00000		94		%	90-110	06/12/2003	1515
CCB	86910 -015		mg/L	0.03500 U								06/12/2003	1516

Test Method.....: 353.2 Batch.....: 86910 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3
Parameter.....: Nitrate as N (NO3-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MS	217978-1	I02GSTIC31	mg/L	1.21800		1.00000	0.12400	109		%	75-125	06/12/2003	1503
MSD	217978-1	I02GSTIC31	mg/L	1.20300	1.21800	1.00000	0.12400	108		%	75-125	06/12/2003	1503
								0.9		R	20		

Test Method.....: 375.4 Batch.....: 87258 Analyst...: cls
Method Description.: Sulfate, Turbidimetric Equipment Code....: SPEC3 Test Code.: SO4
Parameter.....: Sulfate

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	87258 -002	I03FSTSA2A	mg/L	20.54000		20.00000		103		%	90-110	06/17/2003	1323
ICB	87258 -003		mg/L	2.10000 U								06/17/2003	1324
MB	87258 -004		mg/L	2.10000 U								06/17/2003	1325
LCS	87258 -005	I03FSTSA2A	mg/L	20.44000		20.00000	2.10000 U	102		%	80-120	06/17/2003	1326
CCV	87258 -014	I03FSTSA2A	mg/L	9.80600		10.00000		98		%	90-110	06/17/2003	1334
CCB	87258 -015		mg/L	2.10000 U								06/17/2003	1335
CCV	87258 -014	I03FSTSA2A	mg/L	18.27000		20.00000		91		%	90-110	06/17/2003	1345
CCB	87258 -015		mg/L	2.10000 U								06/17/2003	1346
CCV	87258 -014	I03FSTSA2A	mg/L	9.39300		10.00000		94		%	90-110	06/17/2003	1351
CCB	87258 -015		mg/L	2.10000 U								06/17/2003	1352

Test Method.....: 375.4 Batch.....: 87263 Analyst...: cls
Method Description.: Sulfate, Turbidimetric Equipment Code....: SPEC3 Test Code.: SO4
Parameter.....: Sulfate

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	87263 -002	I03FSTSA2A	mg/L	20.85000		20.00000		104		%	90-110	06/17/2003	1427
ICB	87263 -003		mg/L	2.10000 U								06/17/2003	1428
MB	87263 -004		mg/L	2.10000 U								06/17/2003	1429
LCS	87263 -005	I03FSTSA2A	mg/L	20.65000		20.00000	2.10000 U	103		%	80-120	06/17/2003	1430
CCV	87263 -014	I03FSTSA2A	mg/L	10.42000		10.00000		104		%	90-110	06/17/2003	1438
CCB	87263 -015		mg/L	2.10000 U								06/17/2003	1439
CCV	87263 -014	I03FSTSA2A	mg/L	19.92000		20.00000		100		%	90-110	06/17/2003	1449
CCB	87263 -015		mg/L	2.10000 U								06/17/2003	1450

QUALITY CONTROL RESULTS

Job Number.: 217978 Report Date.: 06/18/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49784 ATTN: Steve Knollmeyer

Test Method.....: 415.1 Batch.....: 87241 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOC
Parameter.....: Organic Carbon, Tot. (TOC)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	87241 -002	I03ESTTC2	mg/L	21.24110		20.00000		106		%	85-115	06/17/2003	0824
ICB	87241 -003		mg/L	0.45340 B								06/17/2003	0830
CCV	87241 -015	I03ESTTC2	mg/L	10.38660		10.00000		104		%	85-115	06/17/2003	1109
CCB	87241 -016		mg/L	0.30670 B								06/17/2003	1115
CCV	87241 -015	I03ESTTC2	mg/L	20.79900		20.00000		104		%	85-115	06/17/2003	1341
CCB	87241 -016		mg/L	0.38900 B								06/17/2003	1347

Test Method.....: 415.1 Batch.....: 87401 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOC
Parameter.....: Organic Carbon, Tot. (TOC)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	87401 -002	I03ESTTC2	mg/L	20.88860		20.00000		104		%	85-115	06/18/2003	0809
ICB	87401 -003		mg/L	0.44330 B								06/18/2003	0816
CCV	87401 -014	I03ESTTC2	mg/L	10.29310		10.00000		103		%	85-115	06/18/2003	1055
CCB	87401 -015		mg/L	0.33730 B								06/18/2003	1101
CCV	87401 -014	I03ESTTC2	mg/L	10.35230		10.00000		104		%	85-115	06/18/2003	1235
CCB	87401 -015		mg/L	0.36180 B								06/18/2003	1241
CCV	87401 -014	I03ESTTC2	mg/L	21.19520		20.00000		106		%	85-115	06/18/2003	1615
CCB	87401 -015		mg/L	0.45590 B								06/18/2003	1621

Test Method.....: 415.1 Batch.....: 87241 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOCAV2
Parameter.....: TOC Average Duplicates

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87241 -004		mg/L	0.23100 B								06/17/2003	0837
LCS	87241 -005	I03ESTTC2	mg/L	10.44100		10.00000		104		%	80-120	06/17/2003	0851
MS	217978-1	I03ESTTC2	mg/L	10.75350		10.00000	0.49400 B	108		%	75-125	06/17/2003	0924
MSD	217978-1	I03ESTTC2	mg/L	10.86250	10.75350	10.00000	0.49400 B	109		%	75-125	06/17/2003	0933
								0.9		R	20		

Test Method.....: 415.1 Batch.....: 87401 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOCAV2
Parameter.....: TOC Average Duplicates

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87401 -004		mg/L	0.20000 B								06/18/2003	0822
LCS	87401 -005	I03ESTTC2	mg/L	10.21300		10.00000		102		%	80-120	06/18/2003	0837

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) Arizona Environmental Laboratory License number AZ0603.
6) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U	Analyte was not detected at or above the stated limit.
<	Not detected at or above the reporting limit.
J	Result is less than the RL, but greater than or equal to the method detection limit.
B	Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S	Result was determined by the Method of Standard Additions.
F	AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

'	ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
*	LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+	MSA correlation coefficient is less than 0.995.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E	SD: Serial dilution exceeds the control limits.
H	MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N	MS, MSD: Spike recovery exceeds the upper or lower control limits.
W	AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U	Analyte was not detected at or above the stated limit.
ND	Compound not detected.
J	Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q	Result was qualitatively confirmed, but not quantified.
C	Pesticide identification was confirmed by GC/MS.
Y	The chromatographic response resembles a typical fuel pattern.
Z	The chromatographic response does not resemble a typical fuel pattern.
E	Result exceeded calibration range, secondary dilution required.
F	AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B	MB: Batch QC is greater than reporting limit.
*	LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
'	EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A	Concentration exceeds the instrument calibration range
a	Concentration is below the method Reporting Limit (RL)
B	Compound was found in the blank and sample.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H	Alternate peak selection upon analytical review
I	Indicates the presence of an interfence, recovery is not calculated.
M	Manually integrated compound.

P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calibration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor

RT	Retention Time
RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)
Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT **STL**

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Sten Knollmeyer
Company: Cardno ChemRisk
Address: 195 Commerce Way
Portsmouth, NH
Phone: 603 436-5111
Fax: 603 430-2151
E-Mail:

Bill To:
Contact:
Company:
Address:
Phone: cardno chemrisk
Fax:
PO#: Quote:

Shaded Areas For Internal Use Only 1 of 2

Lab Lot# 217978

Package Sealed (Yes) No	Samples Sealed Yes (No)
Received on Ice (Yes) No	Samples Intact (Yes) No
Temperature °C of Cooler: (3.4) (2.6) (3.1)	
Within Hold Time (Yes) No	Preserv. Indicated (Yes) No NA
pH Check OK (Yes) No NA	Res Cl_2 Check OK Yes No (NA)
Sample Labels and COC Agree (Yes) No	COC not present

Sampler Name: Kathleen Salkeld
Signature:
Project Name: Bucks Harbor
Project Number: 10471.217.002
Project Location: Maine
Date Required Hard Copy: STD
Fax:
Lab PM:

Refrg #													
# / Cont.	1 P	1 P	1 P	2 V									
Volume	1 L	1 L	1 L	40ml									
Preserv	HNO_3	—	H_2SO_4	H_2SO_4									

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	Dissolved Manganese	Sulfate Alkalinity Nitrite	COD + nitrate	TOC	Additional Analyses / Remarks
1		DW01-0603-01-A	6/3/03	0720	W	G	X	X	X	X	Dissolved Mang - 6010B
2		WY03-0603-01-A		0800			X	X	X	X	Sulfate 375.1
3		DW13-0603-01-A		1330			X	X	X	X	Alkalinity 310.1
4		DW22-0603-01-A		0845			X	X	X	X	Nitrite/nitrate: 352.1
5		DW23-0603-01-A		0850			X	X	X	X	COD HACH 8000
6		DW23-0603-01-B		0850			X	X	X	X	TOC 415.1 or 9060
7		DW24-0603-01-A		1015			X	X	X	X	
8		DW30-0603-01-A		1000			X	X	X	X	metals samples were
9		DW04-0603-01-A		1055			X	X	X	X	Field filtered
10		DW04-0603-01-B		1055			X	X	X	X	
11		DW09-0603-01-A		1140			X	X	X	X	3
12		DW08-0603-01-A		1315			X	X	X	X	(A) (X) coolers

Methods for all samples

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
	Weston	6/3/03	1730	FEDEX			
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
					SR	6/4/03	1030

Matrix Key
WW = Wastewater, W = Water, S = Soil, SL = Sludge, MS = Miscellaneous, OL = Oil, A = Air, SE = Sediment, SO = Solid, DS = Drum Solid, DL = Drum Liquid, L = Leachate, WI = Wipe, O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
* note nitrate
Short HT

Date Received 6/4/03
Courier: FX Hand Delivered ☐
Bill of Lading see attach

060/066

SEVERN TRENT SERVICES

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Shaded Areas For Internal Use Only 2 of 4

Report To:
Contact: Sterknameyer
Company: analytics
Address: 195 Commerce Way
Portsmouth, NH
Phone: (603) 436-5111
Fax: (603) 430-2151
E-Mail:

Bill To:
Contact:
Company:
Address:
Phone: analytics
Fax:
PO#: Quote:

Lab Lot# 217978

Package Sealed Yes No	Samples Sealed Yes No
Received on Ice Yes No	Samples Intact Yes No
Temperature °C of Cooler	

Within Hold Time Yes No	Preserv. Indicated Yes No NA
pH Check OK Yes No NA	Res Cl2 Check OK Yes No NA
Sample Labels and COC Agree Yes No	COC not present

Sampler Name: Kathleen Soukup
Signature:
Project Name: Bucks Harbor
Project Number: 10971.217.002
Project Location: Maine
Lab PM:
Date Required
Hard Copy: ___/___/___
Fax: ___/___/___

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	Refrg #	# / Cont.	Volume	Preserv	Dissolved Manganese	Sulfate Calcium Nitrate	COD Nitrate	TOC							Additional Analyses / Remarks
								1 P	1 P	1 P	2 V										
								1 L	1 L	1 L	40 ml										
								HNO3	—	H2SO4	H2SO4										
13		DW07-0603-01-A	6/3/03	1210	GW	G		X	X	X	X										
		~~DW38-0603-01-A~~	↓		↓	G		X	X	X	X	KT									
14		DW13-0603-02-A	6/3/03	1325	GW	G		X	X	X	X										

RELINQUISHED BY	COMPANY	DATE	TIME
	Weston	6/3/03	1730
RELINQUISHED BY	COMPANY	DATE	TIME

RECEIVED BY	COMPANY	DATE	TIME
FEDEX			
RECEIVED BY	COMPANY	DATE	TIME
	STL	6/4/03	1030

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
See page 1 for methods

Date Received 6/4/03
Courier: FX **Hand Delivered** ☐
Bill of Lading see attach

STL 8208 (0600)

061/065

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 3.7
3) Received in good condition (Y) or N
4) pH checked by: AMB 6.4.03
5) Labels checked by: MJG 6.4.03

Project#: 10471.217.002 Project: Bucksharbor
Company: Weston Solutions
Contact: Kathleen Sackup
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 626-5574 PO# 0037759 Quote #
Sampler (Signature): CTS-P

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO_3	H_2SO_4	HCl	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
DW01-0603-01-A	6/3/03	0720	Ferrous Iron					X			GW	1	P	2	49784-1
W403-0603-01-A		0800						X						2	2
DW13-0603-01-A		1330						X						1.5	3
DW22-0603-01-A		0845						X						1.5	4
DW23-0603-01-A		0850						X						1.5	5
DW23-0603-01-B		0850						X						1.5	6
DW24-0603-01-A		1015						X						1.5	7
DW30-0603-01-A		1000						X						1.5	8
DW04-0603-01-A		1055						X						2	9
DW04-0603-01-B		1055						X						2	10
DW09-0603-01-A		1140						X						2	11
DW08-0603-01-A		1315						X						2	12

Received By: FedEx Time: 1730 Date: 6/3/03
Received By: MJG Time: 1000 Date: 6.4.03
Received By: Time: Date:

FAX RESULTS? (YES) NO
Fax # x540

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
Ferrous Iron via SM 3500D

Client Code: WESTONM

Page 1 of 2

Relinquished By: Sampler: CTS-P
Relinquished By: FedEx
Relinquished By:

990/390

Analytics\AEL Documents\AEL COC

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 3.7
3) Received in good condition (Y) or N
4) pH checked by: amb 6.4.03
5) Labels checked by: MJ 6-4-03

Project#: 10471.217-002 Project: Bucks Harbor
Company: Weston Solutions
Contact: Kathleen Sowlcup
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 6516-5574 PO# 0037759 Quote #
Sampler (Signature): KSowlcup

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO3	H2SO4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
DW07-0603-01-A	6/3/03	1210	Ferrous Iron					X			GW	1	P	2	49784-13
~~DW38-0603-01-A~~	~~6/3/03~~		↓					X			↓	1	P	(2)	
DW13-0603-02-A	6/3/03	1325	Ferrous Iron					X			GW	1	P	2	-14

Received By: FedEx — Time: 1730 — Date: 6/3/03
Received By: — Time: 1000 — Date: 6.4.03
Received By: — Time: — Date:

FAX RESULTS? (YES) NO
Fax # x5469

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
Ferrous Iron via SM3500D

Client Code: WESTONM

Page 2 of 2

Relinquished By Sampler:
Relinquished By: FedEx
Relinquished By:

Analytics\AEL Documents\AEL COC

063/065

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: _____ COOLER NUMBER: n/a

CLIENT: WESTON SOLUTIONS NUMBER OF COOLERS: 1

PROJECT: BUCKS HARBOR DATE RECEIVED: 6.4.03

A: PRELIMINARY EXAMINATION: DATE COOLER OPENED: 6.4.03

1. Cooler received by(initials) Date Received: 6.4.03
2. Did cooler come with a shipping slip? (Y) N

If YES, enter carrier name and airbill number here: 836687593045 FedEx

3. Were custody seals on the outside of cooler? (Y) N
How many & where: 1 on front lid Seal Date: 6.3.03 Seal Name: ADV
4. Did the custody seals arrive unbroken and intact upon arrival? (Y) N
5. COC#: n/a
6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N
7. Were custody papers sealed in a plastic bag? (Y) N
8. Did you sign the COC in the appropriate place? (Y) N
9. Was the project identifiable from the COC papers? (Y) N
10. Was enough ice used to chill the cooler? (Y) N Temp. of cooler: 3.7 °C

B. Log-In: Date samples were logged in: _____ By: _____

11. Type of packing in cooler(bubble wrap, popcorn) Y (N)
12. Were all bottles sealed in separate plastic bags? Y (N)
13. Did all bottles arrive unbroken and were labels in good condition? (Y) N
14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N
15. Did all bottle labels agree with custody papers? (Y) N
16. Were the correct containers used for the tests indicated: (Y) N
17. Were samples received at the correct pH? Y N
18. Was sufficient amount of sample sent for the tests indicated? (Y) N
19. Were bubbles absent in VOA samples? Y N/a

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): MJ Date: 6.4.03

[redacted]

Custody Seal

DATE 10/3/03

SIGNATURE ADV

FedEx Express **USA Airbill** FedEx Tracking Number 8366 7259 3045

Form I.D. No. 0200

1 From

Date 10/3/03

Sender's Name Kathleen Soukup Phone (603) 315-4516

Company Weston Solutions

Address 1 Wall St

Dept./Floor/Suite/Room

City Manchester State NH ZIP 03101

2 Your Internal Billing Reference 10971.217.002.2002

3 To

Recipient's Name Melissa Gulli Phone (603) 436-5114

Company Analytics

Address 195 Commerce Way

To "HOLD" at FedEx location, print FedEx address. We cannot deliver to P.O. boxes or P.O. ZIP codes.

Address Suite E

Dept./Floor/Suite/Room

City Portsmouth State NH ZIP 03801

8366 9259 3045

4a Express Package Service — *Packages up to 150 lbs.* Delivery commitment may be later in some areas.

- [x] FedEx Priority Overnight — Next business morning
- [ ] FedEx Standard Overnight — Next business afternoon
- [ ] FedEx First Overnight — Earliest next business morning delivery to select locations
- [ ] FedEx 2Day — Second business day
- [ ] FedEx Express Saver — Third business day

FedEx Envelope rate not available. Minimum charge: One-pound rate

4b Express Freight Service — *Packages over 150 lbs.* Delivery commitment may be later in some areas.

- [ ] FedEx 1Day Freight* — Next business day
- [ ] FedEx 2Day Freight — Second business day
- [ ] FedEx 3Day Freight — Third business day

* Call for Confirmation: * Declared value limit $500

5 Packaging

- [ ] FedEx Envelope*
- [ ] FedEx Pak* — Includes FedEx Small Pak, FedEx Large Pak, and FedEx Sturdy Pak
- [x] Other

6 Special Handling — Include FedEx address in Section 3

- [ ] SATURDAY Delivery — Available only for FedEx Priority Overnight and FedEx 2Day to select ZIP codes
- [ ] HOLD Weekday at FedEx Location — Not available for FedEx First Overnight
- [ ] HOLD Saturday at FedEx Location — Available only for FedEx Priority Overnight and FedEx 2Day to select locations

Does this shipment contain dangerous goods? One box must be checked.

- [x] No
- [ ] Yes — As per attached Shipper's Declaration
- [ ] Yes — Shipper's Declaration not required
- [ ] Dry Ice — Dry Ice, 9, UN 1845 ____ x ____ kg

Dangerous Goods (including Dry Ice) cannot be shipped in FedEx packaging.

- [ ] Cargo Aircraft Only

7 Payment *Bill to:* Enter FedEx Acct. No. or Credit Card No. below.

- [x] Sender — Acct. No. in Section 1 will be billed.
- [ ] Recipient
- [ ] Third Party
- [ ] Credit Card
- [ ] Cash/Check
- [ ] Obtain Recip. Acct. No.

Total Packages	Total Weight	Total Declared Value†	Total Charges
1		$ .00	Credit Card Auth.

†Our liability is limited to $100 unless you declare a higher value. See back for details.

8 Release Signature *Sign to authorize delivery without obtaining signature.*

By signing you authorize us to deliver this shipment without obtaining a signature and agree to indemnify and hold us harmless from any resulting claims.

Questions? Visit our Web site at fedex.com or call 1.800.Go.FedEx® 800.463.3339.

Rev. Date 10/01 • Part #157812 • ©1994–2001 FedEx • PRINTED IN U.S.A. WCSL 02

446

990/990

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

RECEIVED
JUN 27 2003

June 24, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49793

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for Ferrous Iron using Standard Methods, EPA Method 3500D. Inorganic analyses were subcontracted to Severn Trent-Chicago.

Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
FE Results Summary Form Sample Data Results
FE Worksheet Summary Form
FE Bench Sheets
FE Form 3 MS/MSD and LCS Recoveries
FE Form 6 Initial Calibration Data (equiv.) Linear Plot plus bench sheets
Inorganics Data Package from Severn Trent-Chicago
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Ferrous Iron
No QC deviations.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49793

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49793-1	06/04/03	DW34-0603-01-A	Alkalinity	
	06/04/03	DW34-0603-01-A	Chemical Oxygen Demand	
	06/04/03	DW34-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/04/03	DW34-0603-01-A	Metals	
	06/04/03	DW34-0603-01-A	Metals Digestion	
	06/04/03	DW34-0603-01-A	Nitrate	
	06/04/03	DW34-0603-01-A	Nitrite	
	06/04/03	DW34-0603-01-A	Sulfate	
	06/04/03	DW34-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49793-2	06/04/03	DW03-0603-01-A	Alkalinity	
	06/04/03	DW03-0603-01-A	Chemical Oxygen Demand	
	06/04/03	DW03-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/04/03	DW03-0603-01-A	Metals	
	06/04/03	DW03-0603-01-A	Metals Digestion	
	06/04/03	DW03-0603-01-A	Nitrate	
	06/04/03	DW03-0603-01-A	Nitrite	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/25/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49793

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/04/03	DW03-0603-01-A	Sulfate	
	06/04/03	DW03-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49793-3	06/04/03	DW03-0603-01-B	Alkalinity	
	06/04/03	DW03-0603-01-B	Chemical Oxygen Demand	
	06/04/03	DW03-0603-01-B	Ferrous Iron in Aqueous Matrices	
	06/04/03	DW03-0603-01-B	Metals	
	06/04/03	DW03-0603-01-B	Metals Digestion	
	06/04/03	DW03-0603-01-B	Nitrate	
	06/04/03	DW03-0603-01-B	Nitrite	
	06/04/03	DW03-0603-01-B	Sulfate	
	06/04/03	DW03-0603-01-B	Total Organic Carbon in Aqueous Matrices	
49793-4	06/04/03	DW05-0603-01-A	Alkalinity	
	06/04/03	DW05-0603-01-A	Chemical Oxygen Demand	
	06/04/03	DW05-0603-01-A	Ferrous Iron in Aqueous Matrices	
	06/04/03	DW05-0603-01-A	Metals	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/25/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49793

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/04/03	DW05-0603-01-A	Metals Digestion	
	06/04/03	DW05-0603-01-A	Nitrate	
	06/04/03	DW05-0603-01-A	Nitrite	
	06/04/03	DW05-0603-01-A	Sulfate	
	06/04/03	DW05-0603-01-A	Total Organic Carbon in Aqueous Matrices	
49793-5	06/04/03	DW38-0603-02-A	Alkalinity	
	06/04/03	DW38-0603-02-A	Chemical Oxygen Demand	
	06/04/03	DW38-0603-02-A	Electronic Data Deliverable	
	06/04/03	DW38-0603-02-A	Ferrous Iron in Aqueous Matrices	
	06/04/03	DW38-0603-02-A	Metals	
	06/04/03	DW38-0603-02-A	Metals Digestion	
	06/04/03	DW38-0603-02-A	Nitrate	
	06/04/03	DW38-0603-02-A	Nitrite	
	06/04/03	DW38-0603-02-A	Sulfate	
	06/04/03	DW38-0603-02-A	Total Organic Carbon in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/25/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

Project Name: Bucks Harbor

Project Number: 10971.217.002

ANALYTICAL RESULTS FERROUS IRON
CAS Number: 000-09-2

Lab Sample ID	Field Sample ID	Collection Date	Lab Receipt Date	Analysis Date	Matrix	Dilution Factor	Detection Limit mg/L	Result mg/L
L060503F	LABQC	N/A	N/A	06/05/03	Aqueous	1	0.1	93
B060503F	LABQC	N/A	N/A	06/05/03	Aqueous	1	0.1	U
49793-1	DW34-0603-01-	06/04/03	06/04/03	06/05/03	Aqueous	1	0.1	U
49793-2	DW03-0603-01-	06/04/03	06/04/03	06/05/03	Aqueous	1	0.1	U
49793-3	DW03-0603-01-	06/04/03	06/04/03	06/05/03	Aqueous	1	0.1	U
49793-4	DW05-0603-01-	06/04/03	06/04/03	06/05/03	Aqueous	1	0.1	U
49793-5	DW38-0603-02-	06/04/03	06/04/03	06/05/03	Aqueous	1	0.1	U
49793-1, DUP	DW34-0603-01-	06/04/03	06/04/03	06/05/03	Aqueous	1	0.1	U
LD06053F	LABQC	N/A	N/A	06/05/03	Aqueous	1	0.1	93

METHODOLOGY: Sample analysis conducted according to: "Standard Methods, EPA Method 3500D."

COMMENTS: U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

Authorized signature

FERROUS IRON DATA SUMMARY

Date Analyzed: 6/5/03
Analyst: AB
Reviewed: mgo 6/24/03

Conc. mg/L	Absorbance
0	0
0.1	0.01
0.2	0.024
0.2	0.055
1	0.099
2	0.222

Curve Date:	6/2/03
Corr Coef. ('r)	0.9985
Y-int	0.000976
slope	0.109

Enter Data Below ⇩ Enter Data Below ⇩

	Sample ID	Abs	Calculated Value Conc. mg/L	DF	Sample Conc. mg/L
1	L060503F/CC 1MG/L	0.100	0.926	1	98%
2	B060503F/METH.BL.	-0.004	-0.028	1	U
3	49793-1	-0.006	-0.046	1	U
4	49793-2	-0.006	-0.046	1	U
5	49793-3	-0.008	-0.064	1	U
6	49793-4	-0.006	-0.046	1	U
7	49793-5	0.006	0.064	1	U
8	49793-5,MS	0.128	1.183	1	118%
9	49793-5,MSD	0.127	1.174	1	117%
10	49793-1 DUP	-0.007	-0.055	1	U
11	LD06053F/CC 1MG/L	0.100	0.926	1	93%
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					

Q-P-060503-1-AB
P-P-060503-1-AB

60.5.03 Ferrous Iron

F035
200mg/L
AB
6 16 5 FEB 03

0.1443(g) $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2ml Conc H_2SO_4 LOT# 032815
5ml DiH_2O → Diluted to 100ml
= 200mg/L STOCK

F036
1mg/L

0.25ml F035 → 50ml DiH_2O

B060503F 12.5ml DiH_2O + 5ml O-Ph + 2ml Ammonium Acetate
L060503F(c) 12.5ml F036 + 5ml O-Ph + 2ml Ammonium Acetate
LD060503F(c) 12.5ml F036 + 5ml O-Ph + 2ml Ammonium Acetate

SAMPLE#	Absorbance	=
L060503F(c)		0.100
B060503F(method blank)		-0.004
49793-1		-0.006
-2		-0.006
-3		-0.008
-4		-0.006
-5		0.006
-5MS		0.128
-5MSD		0.127
49793-1 DUP		-0.007
LD060503F		0.100

SPIKED w/ 62.5 ul F035
LD

AB 6/5/03

6.5.03 Reagent Page for pg 69

Ferrous Ammonium Sulfate Hexahydrate LOT# 42207238

O-phenanthroline LOT# 2343

Ammonium acetate buffer LOT# 2231

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 24, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: L060503F
Matrix: Aqueous
Field Sample ID: LABQC
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/05/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	U	0.926	92.6	70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	0.926	92.6	0	30	70-130

Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature

Form III

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 24, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: 49793-5
Matrix: Aqueous
Field Sample ID: DW38-0603-02-A
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	U	1.18	118	70-130


Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	1.17	117	1	30	70-130

Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature Melissa A Kelli



r = 0.998

Method Name: C:\HPCHEM\1\METHODS\F06023.M
Calibration Table Last Updated: Wed Jun 04 09:46:55 2003

6.2.03 mg/AB Ferrous Iron

F020
200 ~~5~~ mg/L
MG-203
STOCK
MG 6-2-03

0.144g $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2mL Conc H_2SO_4
5mL DI H_2O
diluted to 100mL F.V. with DI H_2O

F026
5 mg/L
2.5mL F020 → 100mL DI H_2O

F021
2mg/L
1mL F020 → 100mL DI H_2O

F022
1mg/L
0.25mL F020 → 50mL DI H_2O

F023
0.5mg/L
0.125mL F020 → 50mL DI H_2O

F024
0.20mg/L
0.025mL F020 → 25mL DI H_2O

F025
0.1mg/L
0.0125mL F020 → 25mL DI H_2O

Method Blank Absorbance = 0.000

0.1mg/L = 0.011

0.2mg/L = 0.024

0.5mg/L = 0.055

1mg/L = 0.094 (99 AB 6-02-03)

2mg/L = 0.222

Reagents

Ferrous Ammonium Sulfate – EM Science Lot # 42207238
$Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$

Conc H_2SO_4 ~~J.T. Baker~~ Fisher Lot # 032815
~~06-2-03~~

Ammonium Acetate Buffer VWR Lot # 2231

O-phenanthroline VWR Lot # 2343
0.1% w/v

SEVERN TRENT STL

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 218019

Prepared For:

Analytics Environmental Laboratory, LLC
195 Commerce Way
Suite E
Portsmouth, NH 03801

Project: Bucks Harbor Air Force Tracking Station

Attention: Steve Knollmeyer

Date: 06/20/2003

Bonnie Stadelmann
Signature

06/20/03
Date

Name: Bonnie M. Stadelmann

Title: Project Manager

E-Mail: bstadelmann@stl-inc.com

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

STL Chicago
Wet Chemistry Case Narrative

Client: **Analytics Environmental Laboratory, LLC**
Job #: **218019** Date Rec'd: 06/05/03

1. This narrative covers the analysis of the samples in the above Job # for alkalinity, COD, nitrite-nitrogen, nitrate-nitrogen, sulfate, and TOC by the methods referenced on the Laboratory Test Results pages.

2. All EPA holding times were met, except for the nitrite analysis of sample 218019-1. While the color reagent was added within hold time, the sample preparation was read approximately 15 minutes after the expiration of the 48-hour holding time.

3. The initial and continuing calibration verification standards and blanks that bracketed these samples were in control.

4. The method blanks were below the detection limits.

5. The LCS recoveries were within control limits. Please see the Quality Control Results pages of this report for additional details.

6. The matrix QC done on these samples was within acceptance limits. See the Quality Control Results pages of this report for additional details.

Diane L. Harper
Wet Chemistry Section Manager

6-20-03
Date

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: Analytics Environmental Laboratory, LLC
Project ID: Bucks Harbor 49793
STL Job #: 218019

Date Recd: 06/05/03

1. This narrative covers the Metals analysis of sample in the above Job # 218019.

   Method Ref: USEPA, SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below the Reporting Limits.

6. All ICP Interference Check Samples were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

7. Matrix QC was performed on an alternate Job.

Jodi L. Wojcik
Metals Unit Leader

6-16-03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 06/20/2003

Job Number.: 218019
Customer...: Analytics Environmental Laboratory, LLC
Attn.....: Steve Knollmeyer

Project Number.....: 20002349
Customer Project ID....: BUCKS HARBOR 49793
Project Description....: Bucks Harbor Air Force Tracking Station

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
218019-1	DW34-0603-01-A	Water	06/04/2003	08:15	06/05/2003	10:00
218019-2	DW03-0603-01-A	Water	06/04/2003	08:50	06/05/2003	10:00
218019-3	DW03-0603-01-B	Water	06/04/2003	08:50	06/05/2003	10:00
218019-4	DW05-0603-01-A	Water	06/04/2003	09:40	06/05/2003	10:00
218019-5	DW38-0603-01-A	Water	06/04/2003	10:25	06/05/2003	10:00

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218019

Date:06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49793 | ATTN: Steve Knollmeyer

Customer Sample ID: DW34-0603-01-A
Date Sampled.....: 06/04/2003
Time Sampled.....: 08:15
Sample Matrix.....: Water

Laboratory Sample ID: 218019-1
Date Received.....: 06/05/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	51			4.7	5.0	1	mg/L	87230		06/17/03 0654	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	6.7			3.4	5.0	1	mg/L	87654		06/20/03 1125	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.72			0.035	0.10	1	mg/L	86910		06/12/03 1511	kd
375.4	Sulfate, Turbidimetric Sulfate	8.0			2.1	5.0	1	mg/L	87377		06/18/03 1134	cls
415.1	Organic Carbon TOC Average Duplicates	0.41	B		0.15	1.0	1	mg/L	87241		06/17/03 1230	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.00073	B		0.00071	0.010	1	mg/L	86913		06/13/03 0022	tds

* In Description = Dry Wgt.

019/041

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218019

Date:06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49793 | ATTN: Steve Knollmeyer

Customer Sample ID: DW03-0603-01-A
Date Sampled.....: 06/04/2003
Time Sampled.....: 08:50
Sample Matrix.....: Water

Laboratory Sample ID: 218019-2
Date Received.....: 06/05/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	110			4.7	5.0	1	mg/L	87230		06/17/03 0706	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	7.8			3.4	5.0	1	mg/L	87654		06/20/03 1127	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.25			0.035	0.10	1	mg/L	86910		06/12/03 1512	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	8.6			2.1	5.0	1	mg/L	87377		06/18/03 1135	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.66	B		0.15	1.0	1	mg/L	87241		06/17/03 1244	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0051	B		0.00071	0.010	1	mg/L	86913		06/13/03 0050	tds

020/041

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218019

Date:06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49793 | ATTN: Steve Knollmeyer

Customer Sample ID: DW03-0603-01-B
Date Sampled.....: 06/04/2003
Time Sampled.....: 08:50
Sample Matrix.....: Water

Laboratory Sample ID: 218019-3
Date Received.....: 06/05/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	110			4.7	5.0	1	mg/L	87230		06/17/03 0717	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	8.3			3.4	5.0	1	mg/L	87654		06/20/03 1129	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.23			0.035	0.10	1	mg/L	86910		06/12/03 1513	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	8.8			2.1	5.0	1	mg/L	87377		06/18/03 1136	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.65	B		0.15	1.0	1	mg/L	87241		06/17/03 1258	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0050	B		0.00071	0.010	1	mg/L	86913		06/13/03 0056	tds

021/041

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218019

Date:06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49793 | ATTN: Steve Knollmeyer

Customer Sample ID: DW05-0603-01-A
Date Sampled.....: 06/04/2003
Time Sampled.....: 09:40
Sample Matrix.....: Water

Laboratory Sample ID: 218019-4
Date Received.....: 06/05/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	26			4.7	5.0	1	mg/L	87230		06/17/03 0729	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	5.0	U		3.4	5.0	1	mg/L	87654		06/20/03 1131	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.88			0.035	0.10	1	mg/L	86910		06/12/03 1514	kd
375.4	Sulfate, Turbidimetric Sulfate	8.0			2.1	5.0	1	mg/L	87377		06/18/03 1137	cls
415.1	Organic Carbon TOC Average Duplicates	1.8			0.15	1.0	1	mg/L	87241		06/17/03 1311	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.038			0.00071	0.010	1	mg/L	86913		06/13/03 0102	tds

022/041

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218019

Date:06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49793 | ATTN: Steve Knollmeyer

Customer Sample ID: DW38-0603-01-A
Date Sampled.....: 06/04/2003
Time Sampled.....: 10:25
Sample Matrix.....: Water

Laboratory Sample ID: 218019-5
Date Received.....: 06/05/2003
Time Received.....: 10:00

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	110			4.7	5.0	1	mg/L	87230		06/17/03 0740	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	6.2			3.4	5.0	1	mg/L	87654		06/20/03 1134	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	86910		06/12/03 1514	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	4.7	B		2.1	5.0	1	mg/L	87377		06/18/03 1138	cls
415.1	Organic Carbon											
	TOC Average Duplicates	1.1			0.15	1.0	1	mg/L	87241		06/17/03 1325	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.013			0.00071	0.010	1	mg/L	86913		06/13/03 0108	tds

023/041

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218019 Date: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

Lab ID: 218019-1 Client ID: DW34-0603-01-A Date Recvd: 06/05/2003 Sample Date: 06/04/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87230	87230	06/17/2003 0654	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87654	87654	06/20/2003 1125	
EDD	Electronic Data Deliverable	1				
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/13/2003 0022	
354.1	Nitrite, Spectrophotometric	1	86180	86180	06/06/2003 0829	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1511	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 1230	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87377	87377	06/18/2003 1134	

Lab ID: 218019-2 Client ID: DW03-0603-01-A Date Recvd: 06/05/2003 Sample Date: 06/04/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87230	87230	06/17/2003 0706	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87654	87654	06/20/2003 1127	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/13/2003 0050	
354.1	Nitrite, Spectrophotometric	1	86180	86180	06/06/2003 0830	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1512	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 1244	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87377	87377	06/18/2003 1135	

Lab ID: 218019-3 Client ID: DW03-0603-01-B Date Recvd: 06/05/2003 Sample Date: 06/04/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87230	87230	06/17/2003 0717	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87654	87654	06/20/2003 1129	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/13/2003 0056	
354.1	Nitrite, Spectrophotometric	1	86180	86180	06/06/2003 0830	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1513	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 1258	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87377	87377	06/18/2003 1136	

Lab ID: 218019-4 Client ID: DW05-0603-01-A Date Recvd: 06/05/2003 Sample Date: 06/04/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87230	87230	06/17/2003 0729	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87654	87654	06/20/2003 1131	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/13/2003 0102	
354.1	Nitrite, Spectrophotometric	1	86180	86180	06/06/2003 0830	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1514	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 1311	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87377	87377	06/18/2003 1137	

Lab ID: 218019-5 Client ID: DW38-0603-01-A Date Recvd: 06/05/2003 Sample Date: 06/04/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87230	87230	06/17/2003 0740	
HACH 8000	Chemical Oxygen Demand (HACH)	1	87654	87654	06/20/2003 1134	
6010B	Metals Analysis (ICAP Trace)	1	86913	86655	06/13/2003 0108	
354.1	Nitrite, Spectrophotometric	1	86180	86180	06/06/2003 0831	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	86910	86910	06/12/2003 1514	1
415.1	Organic Carbon	1	87241	87241	06/17/2003 1325	
Method	Soluble Non-Digestion Batch	1	86655		06/11/2003 1250	
375.4	Sulfate, Turbidimetric	1	87377	87377	06/18/2003 1138	

QUALITY CONTROL RESULTS

Job Number.: 218019

Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86913-016		06/12/2003	2157

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86913-028		06/12/2003	2320

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86913-040		06/13/2003	0043

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86913-049		06/13/2003	0150

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86913-061		06/13/2003	0314

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86913-073		06/13/2003	0437

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		86913-079		06/13/2003	0528

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218019 Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

CCV	Continuing Calibration Verification	M03FCCV002	86913-015		06/12/2003	2144

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.93837		5.00000		99	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV002	86913-027		06/12/2003	2307

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.85584		5.00000		97	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV002	86913-039		06/13/2003	0030

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.01410		5.00000		100	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV002	86913-048		06/13/2003	0137

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.03160		5.00000		101	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV002	86913-060		06/13/2003	0301

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.16479		5.00000		103	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV002	86913-072		06/13/2003	0424

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.15872		5.00000		103	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV002	86913-078		06/13/2003	0512

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.12151		5.00000		102	%	90-110	

QUALITY CONTROL RESULTS

Job Number.: 218019 Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

CRI	Contract Required Detection Limits	M03FCRI001	86913-012		06/12/2003	2123

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02030		0.02000		102	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI001	86913-045		06/13/2003	0117

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.01981		0.02000		99	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI001	86913-075		06/13/2003	0452

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02043		0.02000		102	%	50-150	

QUALITY CONTROL RESULTS

Job Number.: 218019

Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		86913-011		06/12/2003	2117

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218019

Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICV	Initial Calibration Verification	M03FICV001	86913-010		06/12/2003	2104

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	3.88224		4.00000		97	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218019 Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

ISB	Interference Check Sample B	M03FISB001	86913-014		06/12/2003	2136

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48524		0.50000		97	%	80-120	

ISB	Interference Check Sample B	M03FISB001	86913-047		06/13/2003	0129

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.49390		0.50000		99	%	80-120	

ISB	Interference Check Sample B	M03FISB001	86913-077		06/13/2003	0504

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.50211		0.50000		100	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 218019 Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

LCS	Laboratory Control Sample	M03ESPK002	86655 -002		06/12/2003 2209

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.49730		0.50000	0.00071 U	99	%	80-120	

LCS	Laboratory Control Sample	M03ESPK002	86899 -002		06/13/2003 0203

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.48724		0.50000	0.00071 U	97	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 218019 Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 86913

MB	Method Blank	86655	86655 -001		06/12/2003	2203

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

MB	Method Blank	86899	86899 -001		06/13/2003	0157

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

QUALITY CONTROL RESULTS

Job Number.: 218019

Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 86913

Analyst...: tds

S2	Standard 2	M03D1NT002	86913-009		06/12/2003	2054

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	9.80304		10.00000		98	%	95-105	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218019 Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

Test Method.....: 310.1 Batch.....: 87230 Analyst...: jmk
Method Description.: Alkalinity Equipment Code....: Test Code.: ALK
Parameter.....: Alkalinity, Total as CaCO3

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87230 -002		mg/L	4.70000 U								06/17/2003	0631
LCS	87230 -003	I03ASTAK2	mg/L	101.60000		100.00000	4.70000 U	102		%	80-120	06/17/2003	0643

Test Method.....: HACH 8000 Batch.....: 87654 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: COD
Parameter.....: Chemical Oxygen Demand (COD)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87654 -003		mg/L	3.40000 U								06/20/2003	1120
LCS	87654 -004	I03FSTCD1	mg/L	49.61000		50.00000	3.40000 U	99		%	80-120	06/20/2003	1122
MS	218019-5	I03FSTCD1	mg/L	60.47000		50.00000	6.20000	109		%	75-125	06/20/2003	1136
MSD	218019-5	I03FSTCD1	mg/L	57.88000	60.47000	50.00000	6.20000	103		%	75-125	06/20/2003	1138
								5.7		R	20		

Test Method.....: HACH 8000 Batch.....: 87654 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: CODH
Parameter.....: Chemical Oxygen Demand (COD-High)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
LCS	87654 -012	I03FSTCD2	mg/L	436.60000		500.00000		87		%	80-120	06/20/2003	1140

Test Method.....: 354.1 Batch.....: 86180 Analyst...: jaa
Method Description.: Nitrite, Spectrophotometric Equipment Code....: SPEC4 Test Code.: NO2
Parameter.....: Nitrite as N (NO2-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICB	86180 -003		mg/L	0.00520 U								06/06/2003	0828
ICV	86180 -002	I03DSTNI2	mg/L	0.09790		0.10000		98		%	90-110	06/06/2003	0828
LCS	86180 -005	I03DSTNI2	mg/L	0.09890		0.10000	0.00520 U	99		%	80-120	06/06/2003	0829
MB	86180 -004		mg/L	0.00520 U								06/06/2003	0829
CCV	86180 -014	I03DSTNI2	mg/L	0.09820		0.10000		98		%	90-110	06/06/2003	0832
CCB	86180 -015		mg/L	0.00520 U								06/06/2003	0832
CCB	86180 -015		mg/L	0.00520 U								06/06/2003	0834
CCV	86180 -014	I03DSTNI2	mg/L	0.09760		0.10000		98		%	90-110	06/06/2003	0834

Test Method.....: 353.2 Batch.....: 86910 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3NO2
Parameter.....: Nitrate + Nitrite as N

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	86910 -002	I02GSTIC31	mg/L	0.93500		1.00000		94		%	90-110	06/12/2003	1500
MB	86910 -004		mg/L	0.03500 U								06/12/2003	1501
ICB	86910 -003		mg/L	0.03500 U								06/12/2003	1501
LCS	86910 -005	I02GSTIC31	mg/L	0.99400		1.00000		99		%	80-120	06/12/2003	1502
CCV	86910 -014	I02GSTIC31	mg/L	0.93100		1.00000		93		%	90-110	06/12/2003	1506

QUALITY CONTROL RESULTS

Job Number.: 218019 Report Date.: 06/20/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49793 ATTN: Steve Knollmeyer

Test Method.....: 353.2 Batch.....: 86910 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3NO2
Parameter.....: Nitrate + Nitrite as N

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
CCB	86910 -015		mg/L	0.03500 U								06/12/2003	1507
CCV	86910 -014	I02GSTIC31	mg/L	0.96400		1.00000		96		%	90-110	06/12/2003	1512
CCB	86910 -015		mg/L	0.03500 U								06/12/2003	1513
CCV	86910 -014	I02GSTIC31	mg/L	0.94000		1.00000		94		%	90-110	06/12/2003	1515
CCB	86910 -015		mg/L	0.03500 U								06/12/2003	1516

Test Method.....: 375.4 Batch.....: 87377 Analyst...: cls
Method Description.: Sulfate, Turbidimetric Equipment Code....: Test Code.: SO4
Parameter.....: Sulfate

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	87377 -002	I03FSTSA2A	mg/L	20.23000		20.00000		101		%	90-110	06/18/2003	1130
ICB	87377 -003		mg/L	2.10000 U								06/18/2003	1131
MB	87377 -004		mg/L	2.10000 U								06/18/2003	1132
LCS	87377 -005	I03FSTSA2A	mg/L	20.13000		20.00000		101		%	80-120	06/18/2003	1133
CCV	87377 -014	I03FSTSA2A	mg/L	9.80600		10.00000		98		%	90-110	06/18/2003	1142
CCB	87377 -015		mg/L	2.10000 U								06/18/2003	1143
CCV	87377 -014	I03FSTSA2A	mg/L	19.51000		20.00000		98		%	90-110	06/18/2003	1155
CCB	87377 -015		mg/L	2.10000 U								06/18/2003	1156
CCV	87377 -014	I03FSTSA2A	mg/L	9.80600		10.00000		98		%	90-110	06/18/2003	1201
CCB	87377 -015		mg/L	2.10000 U								06/18/2003	1202

Test Method.....: 415.1 Batch.....: 87241 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOC
Parameter.....: Organic Carbon, Tot. (TOC)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	87241 -002	I03ESTTC2	mg/L	21.24110		20.00000		106		%	85-115	06/17/2003	0824
ICB	87241 -003		mg/L	0.45340 B								06/17/2003	0830
CCV	87241 -015	I03ESTTC2	mg/L	10.38660		10.00000		104		%	85-115	06/17/2003	1109
CCB	87241 -016		mg/L	0.30670 B								06/17/2003	1115
CCV	87241 -015	I03ESTTC2	mg/L	20.79900		20.00000		104		%	85-115	06/17/2003	1341
CCB	87241 -016		mg/L	0.38900 B								06/17/2003	1347

Test Method.....: 415.1 Batch.....: 87241 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOCAV2
Parameter.....: TOC Average Duplicates

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87241 -004		mg/L	0.23100 B								06/17/2003	0837
LCS	87241 -005	I03ESTTC2	mg/L	10.44100		10.00000		104		%	80-120	06/17/2003	0851

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) Arizona Environmental Laboratory License number AZ0603.
6) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U	Analyte was not detected at or above the stated limit.
<	Not detected at or above the reporting limit.
J	Result is less than the RL, but greater than or equal to the method detection limit.
B	Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S	Result was determined by the Method of Standard Additions.
F	AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

'	ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
*	LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+	MSA correlation coefficient is less than 0.995.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E	SD: Serial dilution exceeds the control limits.
H	MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N	MS, MSD: Spike recovery exceeds the upper or lower control limits.
W	AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U	Analyte was not detected at or above the stated limit.
ND	Compound not detected.
J	Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q	Result was qualitatively confirmed, but not quantified.
C	Pesticide identification was confirmed by GC/MS.
Y	The chromatographic response resembles a typical fuel pattern.
Z	The chromatographic response does not resemble a typical fuel pattern.
E	Result exceeded calibration range, secondary dilution required.
F	AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B	MB: Batch QC is greater than reporting limit.
*	LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
'	EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A	Concentration exceeds the instrument calibration range
a	Concentration is below the method Reporting Limit (RL)
B	Compound was found in the blank and sample.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H	Alternate peak selection upon analytical review
I	Indicates the presence of an interfence, recovery is not calculated.
M	Manually integrated compound.

P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
	Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor

RT	Retention Time
RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)
Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT SERVICES

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Shaded Areas For Internal Use Only 1 of 1

Report To:
Contact: Steve Knollmeyer
Company: Analytics
Address: 195 commerce way
Portsmouth NH
Phone: 603 436-5111
Fax: 603 430-2151
E-Mail:

Bill To:
Contact:
Company:
Address:
Phone: analytics
Fax:
PO#: Quote:

Lab Lot# 218019

Package Sealed (Yes) No	Samples Sealed Yes (No)
Received on Ice (Yes) No	Samples Intact (Yes) No
Temperature °C of Cooler 3.3	
Within Hold Time (Yes) No	Preserv. Indicated (Yes) No NA
pH Check OK (Yes) No NA	Res Cl_2 Check OK Yes No (NA)
Sample Labels and COC Agree (Yes) No	COC not present

Sampler Name: Kathleen Soukup
Signature: KTS
Project Name: Bucks Harbor
Project Number: 10971.217.002
Project Location: Maine
Lab PM:
Date Required
Hard Copy: ___/___/___
Fax: ___/___/___

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	Refrg #	# / Cont.	Volume	Preserv.	Dissolved Manganese	Sulfate Alkalinity Nitrate	COD Nitrate	TOC	Additional Analyses / Remarks
								1P	1L	HNO3					
								1P	1L	—					
								1P	1L	H_2SO_4					
								2V	40ml	H_2SO_4					
1		DW34-0603-01-A	6/4/03	0815	GW	G					X	X	X	X	Dissolved Manganese
2		DW03-0603-01-A		0850							X	X	X	X	Samples were field filtered
3		DW03-0603-01-B		0850							X	X	X	X	
4		DW05-0603-01-A		0940							X	X	X	X	
5		DW38-0603-02-A	6/4/03	1025	GW	G					X	X	X	X	
						☆	note short HT w/ nitrates								

RELINQUISHED BY		COMPANY Weston Solutions	DATE 6/4/03	TIME 1200	RECEIVED BY FEDEX	COMPANY	DATE TIME
RELINQUISHED BY		COMPANY	DATE	TIME	RECEIVED BY	COMPANY STL	DATE 6/5/03 TIME 1000

Matrix Key
WW = Wastewater
W = Water
S = Soil
SL = Sludge
MS = Miscellaneous
OL = Oil
A = Air
SE = Sediment
SO = Solid
DS = Drum Solid
DL = Drum Liquid
L = Leachate
WI = Wipe
O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H_2SO_4, Cool to 4°
3. HNO_3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS Dissolved Mang. (6010B)
Sulfate (375.1) alkalinity (310.1)
nitrate/nitrite (352.1)
COD (HACH 8000)
TOC (415.1 or 9060)

Date Received 6/5/03
Courier: FX Hand Delivered ☐
Bill of Lading see attach

STL Chicago is a part of Severn Trent Laboratories, Inc.

STL-8208 (0608)

0839/041

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 6.0c
3) Received in good condition (Y) or N
4) pH checked by: JB 6/4/03
5) Labels checked by: MC 6/4/03

Project#: BUCKS Project: 10971.217.002
Company: Weston Solutions
Contact: Richard Sonkup
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 656-5574 PO# 0037759 Quote #
Sampler (Signature): CTS&P

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4°C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
DW34-0603-01-A	6/4/03	0915	Ferrous Iron					X			GW	1	P	2	49793-1
DW03-0603-01-A	"	0850	"					X			"	"	"	1.5	-2
DW03-0603-01-B	"	0850	"					X			"	"	"	2	-3
DW05-0603-01-A	"	0940	"					X			"	"	"	2	-4
DW38-0603-02-A	6/4/03	1025	Ferrous Iron					X			GW	1	P	2	-5

Received By: Time: 1050 Date: 6/4/03
Received By: Time: Date:
Received By: Time: Date:

Relinquished By Sampler:
Relinquished By:
Relinquished By:

FAX RESULTS? YES NO
Fax # x5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
Ferrous Iron via SM3500D

Client Code: WESTONM

Page 1 of 1

040/041

Analytics\AEL Documents\AEL COC

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 41993

CLIENT: Weston

PROJECT: Bucks

COOLER NUMBER: 1

NUMBER OF COOLERS: 1

DATE RECEIVED: 6/4/03

A: PRELIMINARY EXAMINATION:

DATE COOLER OPENED: 6/4/03

1. Cooler received by(initials) JB — Date Received: 6/4/03
2. Did cooler come with a shipping slip? Y (N)

If YES, enter carrier name and airbill number here: _____

3. Were custody seals on the outside of cooler? Y (N)
How many & where: _____ Seal Date: _____ Seal Name: _____
4. Did the custody seals arrive unbroken and intact upon arrival? Y (N/A)
5. COC#: _____
6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N
7. Were custody papers sealed in a plastic bag? Y (N)
8. Did you sign the COC in the appropriate place? (Y) N
9. Was the project identifiable from the COC papers? (Y) N
10. Was enough ice used to chill the cooler? (Y) N Temp. of cooler: 6°C

B. Log-In: Date samples were logged in: 6/4/03 By: JB

11. Type of packing in cooler(bubble wrap, popcorn) Y (N/A)
12. Were all bottles sealed in separate plastic bags? Y (N)
13. Did all bottles arrive unbroken and were labels in good condition? (Y) N
14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N
15. Did all bottle labels agree with custody papers? (Y) N
16. Were the correct containers used for the tests indicated: (Y) N
17. Were samples received at the correct pH? (Y) N
18. Was sufficient amount of sample sent for the tests indicated? (Y) N
19. Were bubbles absent in VOA samples? Y (N/A)

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): MM Date: 6/4/03

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

June 25, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49794

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for the target volatile organic compounds by EPA Method 524.2, Ethane, Ethene (EE) by EPA Method 8015B.
Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, surrogate recovery, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
VOA Form 1 Sample Data Results
Chromatograms
VOA Form 2 Surrogate Recoveries
VOA Form 3 MS/MSD and LCS Recoveries
VOA Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
VOA Form 5 BFB Tune Summaries
VOA Form 6 Initial Calibration Data (equiv..) Response Factor Report
VOA Form 7 Continuing Calibration Check (equiv.)
VOA Form 8 Int. Standard and RT Summary
EE Form 1 Sample Data Results
Chromatograms
EE Form 2 Surrogate Recoveries
EE Form 3 MS/MSD and LCS Recoveries
EE Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
EE Form 6 Initial Calibration Data (equiv..) Response Factor Report
EE Form 7 Continuing Calibration Check (equiv.)
EE Form 8 Retention Time Summary
Chain of Custody (COC) Forms
Sample Receipt Checklist

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Volatile Organics:
2,2-Dichloropropane was above the 70-130 % R limits in the MS/MSD analyzed on sample 49794-10 (DW-39-0603-01-A) on 06/05/03. This MS/MSD also had two RPDs above the acceptance criteria. (See Form III) These compounds were not detected in any samples associated with this QC.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L506053B2)had high recovery for Acetone and Tetrahydrofuran at 158% and 133% respectively. The LFB/CC (L506053B3) was reanalyzed with Acetone recovery still high at 163%, Tetrahydrofuran was in control. These analytes were not detected in any samples associated with this QC.

The matrix spike/matrix spike duplicate analyzed on sample 49794-30 (DW05-0603-01-A) had an RPD above the acceptance criteria of 15% for t-Butyl alcohol (TBA). (See Form III) t-Butyl alcohol was not detected in this SDG and results were reported without qualification.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L506053I2) had high recovery for three compounds. (See Form III) The LFB/CC (L506053I3) was reanalyzed with similar results. These analytes were not detected in any samples associated with this QC.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L506063I) had high recovery for three compounds. (See Form III). The matrix spike/matrix spike duplicate analyzed on sample 49794-11 (DW06-0603-01-A) had low recoveries for methylene chloride. (See Form III) These analytes were not detected in any samples associated with this QC.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L506063I2) had high recovery for three compounds. (See Form III) The LFB/CC (L506063I3) was reanalyzed with similar results. These analytes were not detected in any samples associated with this QC.

Ethane and Ethene:
No QC deviations.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49794

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49794-1	06/02/03	DW32-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW32-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-2	06/02/03	DW12-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW12-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-3	06/02/03	DW40-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW40-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-4	06/02/03	DW33-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW33-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-5	06/02/03	DW28-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW28-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-6	06/02/03	DW25-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW25-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer, Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49794

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49794-7	06/02/03	DW31-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW31-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-8	06/02/03	DW29-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW29-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-9	06/02/03	DW36-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW36-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-10	06/02/03	DW39-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW39-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-11	06/02/03	DW06-0603-01-A	EPA 524.2 Volatile Organics	
	06/02/03	DW06-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-12	06/02/03	DW12-0603-01-B	EPA 524.2 Volatile Organics	
49794-13	06/02/03	DW12-0603-02-A	EPA 524.2 Volatile Organics	
49794-14	06/03/03	DW01-0603-01-A	EPA 524.2 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49794

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW01-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-15	06/03/03	WY03-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	WY03-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-16	06/03/03	DW13-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	DW13-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-17	06/03/03	DW22-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	DW22-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-18	06/03/03	DW23-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	DW23-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-19	06/03/03	DW23-0603-01-B	EPA 524.2 Volatile Organics	
	06/03/03	DW23-0603-01-B	Methane, Ethane and Ethene in Aqueous Matrices	
49794-20	06/03/03	DW23-0603-02-A	EPA 524.2 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49794

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49794-21	06/03/03	DW24-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	DW24-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-22	06/03/03	DW30-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	DW30-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-23	06/03/03	DW09-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	DW09-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-24	06/03/03	DW04-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	DW04-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-25	06/03/03	DW04-0603-01-B	EPA 524.2 Volatile Organics	
	06/03/03	DW04-0603-01-B	Methane, Ethane and Ethene in Aqueous Matrices	
49794-26	06/03/03	DW04-0603-02-A	EPA 524.2 Volatile Organics	
49794-27	06/03/03	DW08-0603-01-A	EPA 524.2 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49794

Revision: Rev. 0

Re: Bucks Harbor

10971.217.002

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/03/03	DW08-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-28	06/03/03	DW07-0603-01-A	EPA 524.2 Volatile Organics	
	06/03/03	DW07-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-29	06/04/03	DW34-0603-01-A	EPA 524.2 Volatile Organics	
	06/04/03	DW34-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-30	06/04/03	DW05-0603-01-A	EPA 524.2 Volatile Organics	
	06/04/03	DW05-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-31	06/04/03	DW03-0603-01-A	EPA 524.2 Volatile Organics	
	06/04/03	DW03-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-32	06/04/03	DW03-0603-01-B	EPA 524.2 Volatile Organics	
	06/04/03	DW03-0603-01-B	Methane, Ethane and Ethene in Aqueous Matrices	
49794-33	06/04/03	DW03-0603-02-A	EPA 524.2 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49794

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 04 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49794-34	06/04/03	DW03-0603-03-A	EPA 524.2 Volatile Organics	
49794-35	06/03/03	DW13-0603-02-A	EPA 524.2 Volatile Organics	
	06/03/03	DW13-0603-02-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-36	06/04/03	DW38-0603-01-A	EPA 524.2 Volatile Organics	
	06/04/03	DW38-0603-01-A	Methane, Ethane and Ethene in Aqueous Matrices	
49794-37	06/02/03	DW15-0603-01-A	EPA 524.2 Volatile Organics	
49794-38	06/02/03	DW16-0603-01-A	EPA 524.2 Volatile Organics	
49794-39	06/02/03	DW17-0603-01-A	EPA 524.2 Volatile Organics	
49794-40	06/02/03	DW19-0603-01-A	EPA 524.2 Volatile Organics	
49794-41	06/02/03	DW20-0603-01-A	EPA 524.2 Volatile Organics	
49794-42	06/02/03	DW21-0603-01-A	EPA 524.2 Volatile Organics	
49794-43	06/02/03	TB060203-01	Electronic Data Deliverable	
	06/02/03	TB060203-01	EPA 524.2 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/20/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B506053B
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	100 %	1,2-Dichlorobenzene-d4	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full

Authorized signature


Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B15997B.D
Acq On : 5 Jun 2003 10:09 am
Sample : B506053B
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 5 10:31 2003

Vial: 4
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000010

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B506053B2
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	103 %	1,2-Dichlorobenzene-d4	102 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16016B.D Vial: 23
Acq On : 5 Jun 2003 11:55 pm Operator: JR
Sample : B506053B2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 0:18 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000012

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number:

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B506053I
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	101 %	Bromofluorobenzene	100 %	1,2-Dichlorobenzene-d4	94 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11547B.D Vial: 4
Acq On : 5 Jun 2003 10:12 am Operator: JMR
Sample : B506053I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 11:13 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000014

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number:

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B506053I2
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	101 %	Bromofluorobenzene	106 %	1,2-Dichlorobenzene-d4	101 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full


Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11569B.D
Acq On : 5 Jun 2003 11:55 pm
Sample : B506053I2
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 6 0:18 2003

Vial: 26
Operator: JMR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number:

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B506063I
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	103 %	1,2-Dichlorobenzene-d4	100 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Kelly

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11580B.D Vial: 4
Acq On : 6 Jun 2003 10:12 am Operator: JMR
Sample : B506063I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 10:35 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000017

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number:

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B506063I2
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	**1.1**
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	106 %	Bromofluorobenzene	90 %	1,2-Dichlorobenzene-d4	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full

Authorized signature Melissa A. Hall


Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11591B.D
Acq On : 6 Jun 2003 10:38 pm
Sample : B506063I2
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 6 23:00 2003

Vial: 11
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000019

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW32-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-1
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	109 %	1,2-Dichlorobenzene-d4	105 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11552.D Vial: 9
Acq On : 5 Jun 2003 1:06 pm Operator: JMR
Sample : 49794-1 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 13:29 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000021

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW12-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-2
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	**0.36 J**
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**2.6**
Dichlorodifluoromethane	0.5	**0.56**	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**0.44 J**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	104 %	1,2-Dichlorobenzene-d4	106 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11553.D Vial: 10
Acq On : 5 Jun 2003 1:42 pm Operator: JMR
Sample : 49794-2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 14:04 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000023

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW40-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-3
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	**0.42 J**	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	102 %	Bromofluorobenzene	106 %	1,2-Dichlorobenzene-d4	104 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11554.D Vial: 11
Acq On : 5 Jun 2003 2:17 pm Operator: JMR
Sample : 49794-3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 14:39 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000025

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW33-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-4
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	**0.46 J**	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	**0.27 J**
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**0.55**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**0.89**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	101 %	Bromofluorobenzene	110 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A. Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11555.D Vial: 12
Acq On : 5 Jun 2003 2:52 pm Operator: JMR
Sample : 49794-4 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 15:15 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000027

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW28-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-5
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	102 %	Bromofluorobenzene	111 %	1,2-Dichlorobenzene-d4	104 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11556.D Vial: 13
Acq On : 5 Jun 2003 3:28 pm Operator: JMR
Sample : 49794-5 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 15:51 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



I11556.D V506043I.M Thu Jun 05 15:51:08 2003 Page 29

000029

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW25-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-6
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	**0.51**	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	104 %	Bromofluorobenzene	107 %	1,2-Dichlorobenzene-d4	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11557.D Vial: 14
Acq On : 5 Jun 2003 4:17 pm Operator: JMR
Sample : 49794-6 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 16:40 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000031

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW31-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-7
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	**0.29 J**
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**0.88**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**1.3**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	103 %	Bromofluorobenzene	109 %	1,2-Dichlorobenzene-d4	101 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11558.D Vial: 15
Acq On : 5 Jun 2003 4:52 pm Operator: JMR
Sample : 49794-7 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 17:15 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



I11558.D V506043I.M Thu Jun 05 17:15:33 2003 Page 1

000033

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW29-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-8
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	**0.36 J**	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	101 %	Bromofluorobenzene	110 %	1,2-Dichlorobenzene-d4	107 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11559.D Vial: 16
Acq On : 5 Jun 2003 5:28 pm Operator: JMR
Sample : 49794-8 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 17:50 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW36-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-9
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	102 %	Bromofluorobenzene	117 %	1,2-Dichlorobenzene-d4	109 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11560.D Vial: 17
Acq On : 5 Jun 2003 6:03 pm Operator: JMR
Sample : 49794-9 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 18:26 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



I11560.D V506043I.M Thu Jun 05 18:26:40 2003 Page 37

000937

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW39-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-10
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	98 %	1,2-Dichlorobenzene-d4	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B15999.D Vial: 6
Acq On : 5 Jun 2003 11:29 am Operator: JR
Sample : 49794-10 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 11:51 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000939

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW06-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-11
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	101 %	Bromofluorobenzene	100 %	1,2-Dichlorobenzene-d4	101 %

U=Undetected J=Estimated' E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11581.D Vial: 5
Acq On : 6 Jun 2003 10:47 am Operator: JMR
Sample : 49794-11 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 11:10 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000041

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW12-0603-01-B

SAMPLE DATA

Lab Sample ID: 49794-12
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	**0.39 J**
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**2.5**
Dichlorodifluoromethane	0.5	**0.63**	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**0.44 J**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	97 %	Bromofluorobenzene	114 %	1,2-Dichlorobenzene-d4	104 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11584.D Vial: 8
Acq On : 6 Jun 2003 12:32 pm Operator: JMR
Sample : 49794-12 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 12:55 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000043

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW12-0603-02-A

SAMPLE DATA

Lab Sample ID: 49794-13
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	102 %	1,2-Dichlorobenzene-d4	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11585.D Vial: 9
Acq On : 6 Jun 2003 1:07 pm Operator: JMR
Sample : 49794-13 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 13:30 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000045

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW01-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-14
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**0.92**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	102 %	1,2-Dichlorobenzene-d4	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16002.D Vial: 9
Acq On : 5 Jun 2003 1:29 pm Operator: JR
Sample : 49794-14 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 13:52 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000046A

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: WY03-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-15
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**0.69**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	102 %	1,2-Dichlorobenzene-d4	101 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16003.D Vial: 10
Acq On : 5 Jun 2003 2:10 pm Operator: JR
Sample : 49794-15 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 14:32 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000048

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW13-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-16
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	103 %	1,2-Dichlorobenzene-d4	100 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16004.D Vial: 11
Acq On : 5 Jun 2003 2:50 pm Operator: JR
Sample : 49794-16 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 15:13 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000050

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW22-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-17
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	104 %	1,2-Dichlorobenzene-d4	100 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16005.D Vial: 12
Acq On : 5 Jun 2003 3:31 pm Operator: JR
Sample : 49794-17 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 15:53 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000052

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW23-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-18
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	**0.74**
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**2.3**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	**0.36 J**	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**5.1**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	**0.28 J**	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	103 %	1,2-Dichlorobenzene-d4	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Kelly

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11586.D Vial: 10
Acq On : 6 Jun 2003 1:42 pm Operator: JMR
Sample : 49794-18 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 14:05 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000054

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW23-0603-01-B

SAMPLE DATA

Lab Sample ID: 49794-19
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	**0.75**
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**2.3**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	**0.38 J**	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**5.2**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	**0.31 J**	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	101 %	Bromofluorobenzene	102 %	1,2-Dichlorobenzene-d4	91 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11587.D Vial: 11
Acq On : 6 Jun 2003 7:49 pm Operator: JMR
Sample : 49794-19 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 20:12 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000056

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW23-0603-02-A

SAMPLE DATA

Lab Sample ID: 49794-20
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	**0.70**
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**2.2**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	**0.33 J**	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**4.4**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	103 %	1,2-Dichlorobenzene-d4	100 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16006.D Vial: 13
Acq On : 5 Jun 2003 4:11 pm Operator: JR
Sample : 49794-20 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 16:33 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW24-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-21
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	104 %	1,2-Dichlorobenzene-d4	102 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16007.D Vial: 14
Acq On : 5 Jun 2003 4:51 pm Operator: JR
Sample : 49794-21 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 17:14 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000059

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW30-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-22
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	**1.2**	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	105 %	1,2-Dichlorobenzene-d4	102 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16008.D Vial: 15
Acq On : 5 Jun 2003 5:32 pm Operator: JR
Sample : 49794-22 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 17:54 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000061

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW09-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-23
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**0.71**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	96 %	Bromofluorobenzene	96 %	1,2-Dichlorobenzene-d4	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11592.D Vial: 12
Acq On : 6 Jun 2003 11:13 pm Operator: JMR
Sample : 49794-23 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 23:35 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



060063

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW04-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-24
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	**0.99**	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	**0.45 J**	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	**0.34 J**	Tetrachloroethene	0.5	**0.88**
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**54 E**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**3.2**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	**0.50**	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	112 %	1,2-Dichlorobenzene-d4	104 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2


COMMENTS:

NH 524 full

Authorized signature

Data File : C:\HPCHEM\1\data\060503-i\I11570.D Vial: 27
Acq On : 6 Jun 2003 12:30 am Operator: JMR
Sample : 49794-24 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 0:53 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW04-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-24 DL
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 10
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	5	U	1,3-Dichloropropane	5	U
Bromobenzene	5	U	cis-1,3-Dichloropropene	5	U
Bromochloromethane	5	U	trans-1,3-Dichloropropene	5	U
Bromodichloromethane	5	U	2,2-Dichloropropane	5	U
Bromoform	5	U	1,1-Dichloropropene	5	U
Bromomethane	5	U	Ethylbenzene	5	U
n-butylbenzene	5	U	Hexachlorobutadiene	5	U
sec-butylbenzene	5	U	Isopropylbenzene	5	U
tert-butylbenzene	5	U	p-isopropyltoluene	5	U
Carbon Tetrachloride	5	U	Methylene Chloride	5	U
Chlorobenzene	5	U	Methyl-tert-butyl ether	5	U
Chloroethane	5	U	Naphthalene	5	U
Chloroform	5	U	n-Propylbenzene	5	U
Chloromethane	5	U	Styrene	5	U
2-Chlorotoluene	5	U	1,1,1,2-Tetrachloroethane	5	U
4-Chlorotoluene	5	U	1,1,2,2-Tetrachloroethane	5	U
Dibromochloromethane	5	U	Tetrachloroethene	5	U
1,2-Dibromo-3-chloropropane	5	U	Toluene	5	U
1,2-Dibromoethane	5	U	1,2,3-Trichlorobenzene	5	U
Dibromomethane	5	U	1,2,4-Trichlorobenzene	5	U
1,2-Dichlorobenzene	5	U	1,1,1-Trichloroethane	5	U
1,3-Dichlorobenzene	5	U	1,1,2-Trichloroethane	5	U
1,4-Dichlorobenzene	5	U	Trichloroethene	5	**60**
Dichlorodifluoromethane	5	U	Trichlorofluoromethane	5	U
1,1-Dichloroethane	5	U	1,2,3-Trichloropropane	5	U
1,2-Dichloroethane	5	U	1,2,4-Trimethylbenzene	5	U
1,1-Dichloroethene	5	U	1,3,5-Trimethylbenzene	5	U
cis-1,2-Dichloroethene	5	**3.1 J**	Vinyl Chloride	1	U
trans-1,2-Dichloroethene	5	U	o-Xylene	5	U
1,2-Dichloropropane	5	U	m,p-Xylene	5	U
Acetone	50	U	Diethyl ether	5	U
Carbon Disulfide	5	U	2-Hexanone	50	U
Tetrahydrofuran	25	U	Methyl isobutyl ketone	50	U
Methyl ethyl ketone	50	U	Di-isopropyl ether	5	U
t-Butyl alcohol	100	U	Ethyl t-butyl ether	5	U
t-Amyl methyl ether	5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	101 %	Bromofluorobenzene	89 %	1,2-Dichlorobenzene-d4	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11599.D Vial: 19
Acq On : 7 Jun 2003 3:16 am Operator: JMR
Sample : 49794-24,DL Inst : Instrumen
Misc : 2500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 7 3:39 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000067

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW04-0603-01-B

SAMPLE DATA

Lab Sample ID: 49794-25
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	**0.86**	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	**0.44 J**	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	**0.29 J**	Tetrachloroethene	0.5	**0.81**
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**57 E**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**3.4**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	**0.57**	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	100 %	1,2-Dichlorobenzene-d4	108 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11571.D Vial: 28
Acq On : 6 Jun 2003 1:06 am Operator: JMR
Sample : 49794-25 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 1:29 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000069

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW04-0603-01-B

SAMPLE DATA

Lab Sample ID: 49794-25 DL
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 10
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	5	U	1,3-Dichloropropane	5	U
Bromobenzene	5	U	cis-1,3-Dichloropropene	5	U
Bromochloromethane	5	U	trans-1,3-Dichloropropene	5	U
Bromodichloromethane	5	U	2,2-Dichloropropane	5	U
Bromoform	5	U	1,1-Dichloropropene	5	U
Bromomethane	5	U	Ethylbenzene	5	U
n-butylbenzene	5	U	Hexachlorobutadiene	5	U
sec-butylbenzene	5	U	Isopropylbenzene	5	U
tert-butylbenzene	5	U	p-isopropyltoluene	5	U
Carbon Tetrachloride	5	U	Methylene Chloride	5	U
Chlorobenzene	5	U	Methyl-tert-butyl ether	5	U
Chloroethane	5	U	Naphthalene	5	U
Chloroform	5	U	n-Propylbenzene	5	U
Chloromethane	5	U	Styrene	5	U
2-Chlorotoluene	5	U	1,1,1,2-Tetrachloroethane	5	U
4-Chlorotoluene	5	U	1,1,2,2-Tetrachloroethane	5	U
Dibromochloromethane	5	U	Tetrachloroethene	5	U
1,2-Dibromo-3-chloropropane	5	U	Toluene	5	U
1,2-Dibromoethane	5	U	1,2,3-Trichlorobenzene	5	U
Dibromomethane	5	U	1,2,4-Trichlorobenzene	5	U
1,2-Dichlorobenzene	5	U	1,1,1-Trichloroethane	5	U
1,3-Dichlorobenzene	5	U	1,1,2-Trichloroethane	5	U
1,4-Dichlorobenzene	5	U	Trichloroethene	5	**59**
Dichlorodifluoromethane	5	U	Trichlorofluoromethane	5	U
1,1-Dichloroethane	5	U	1,2,3-Trichloropropane	5	U
1,2-Dichloroethane	5	U	1,2,4-Trimethylbenzene	5	U
1,1-Dichloroethene	5	U	1,3,5-Trimethylbenzene	5	U
cis-1,2-Dichloroethene	5	**3.0 J**	Vinyl Chloride	1	U
trans-1,2-Dichloroethene	5	U	o-Xylene	5	U
1,2-Dichloropropane	5	U	m,p-Xylene	5	U
Acetone	50	U	Diethyl ether	5	U
Carbon Disulfide	5	U	2-Hexanone	50	U
Tetrahydrofuran	25	U	Methyl isobutyl ketone	50	U
Methyl ethyl ketone	50	U	Di-isopropyl ether	5	U
t-Butyl alcohol	100	U	Ethyl t-butyl ether	5	U
t-Amyl methyl ether	5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	102 %	Bromofluorobenzene	88 %	1,2-Dichlorobenzene-d4	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11600.D Vial: 20
Acq On : 7 Jun 2003 3:51 am Operator: JMR
Sample : 49794-25,DL Inst : Instrumen
Misc : 2500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 7 4:14 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000071

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW04-0603-02-A

SAMPLE DATA

Lab Sample ID: 49794-26
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	103 %	Bromofluorobenzene	110 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hill

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11572.D Vial: 29
Acq On : 6 Jun 2003 1:41 am Operator: JMR
Sample : 49794-26 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 2:04 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000073

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW08-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-27
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	104 %	Bromofluorobenzene	95 %	1,2-Dichlorobenzene-d4	100 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full

Authorized signature Melissa A Hall


Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11593.D
Acq On : 6 Jun 2003 11:47 pm
Sample : 49794-27
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 7 0:10 2003

Vial: 13
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000075

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW07-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-28
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	**0.82**	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	103 %	Bromofluorobenzene	95 %	1,2-Dichlorobenzene-d4	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Milena A Kalli

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11594.D Vial: 14
Acq On : 7 Jun 2003 12:22 am Operator: JMR
Sample : 49794-28 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 7 0:45 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000077

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW34-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-29
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	102 %	Bromofluorobenzene	92 %	1,2-Dichlorobenzene-d4	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full


Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11595.D
Acq On : 7 Jun 2003 12:57 am
Sample : 49794-29
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 7 1:20 2003

Vial: 15
Operator: JMR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW05-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-30
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	99 %	1,2-Dichlorobenzene-d4	94 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11548.D Vial: 5
Acq On : 5 Jun 2003 10:47 am Operator: JMR
Sample : 49794-30 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 11:10 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000081

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW03-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-31
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**6.1**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**0.34 J**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	102 %	Bromofluorobenzene	113 %	1,2-Dichlorobenzene-d4	109 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11573.D Vial: 30
Acq On : 6 Jun 2003 2:17 am Operator: JMR
Sample : 49794-31 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 2:40 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000083

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW03-0603-01-B

SAMPLE DATA

Lab Sample ID: 49794-32
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**6.2**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	**0.33 J**	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	103 %	Bromofluorobenzene	114 %	1,2-Dichlorobenzene-d4	106 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2


COMMENTS:

NH 524 full

Authorized signature Melissa A Hall

Data File : C:\HPCHEM\1\data\060503-i\I11574.D Vial: 31
Acq On : 6 Jun 2003 2:53 am Operator: JMR
Sample : 49794-32 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 3:15 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000085

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW03-0603-02-A

SAMPLE DATA

Lab Sample ID: 49794-33
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	103 %	Bromofluorobenzene	112 %	1,2-Dichlorobenzene-d4	106 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11575.D Vial: 32
Acq On : 6 Jun 2003 3:29 am Operator: JMR
Sample : 49794-33 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 3:51 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000087

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW03-0603-03-A

SAMPLE DATA

Lab Sample ID: 49794-34
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	103 %	Bromofluorobenzene	107 %	1,2-Dichlorobenzene-d4	101 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-i\I11576.D Vial: 33
Acq On : 6 Jun 2003 4:04 am Operator: JMR
Sample : 49794-34 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 4:27 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000089

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW13-0603-02-A

SAMPLE DATA

Lab Sample ID: 49794-35
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	**0.26 J**
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	105 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Kalb

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16017.D Vial: 24
Acq On : 6 Jun 2003 12:36 am Operator: JR
Sample : 49794-35 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 0:58 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000091

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW38-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-36
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	**0.36 J**
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	104 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa G Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16018.D Vial: 25
Acq On : 6 Jun 2003 1:16 am Operator: JR
Sample : 49794-36 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 1:38 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000093

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW15-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-37
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	**15**
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	101 %	Bromofluorobenzene	106 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16019.D Vial: 26
Acq On : 6 Jun 2003 1:56 am Operator: JR
Sample : 49794-37 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 2:19 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000095

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW16-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-38
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	110 %	Bromofluorobenzene	107 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16020.D Vial: 27
Acq On : 6 Jun 2003 2:37 am Operator: JR
Sample : 49794-38 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 2:59 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000597

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW17-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-39
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	107 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16021.D Vial: 28
Acq On : 6 Jun 2003 3:17 am Operator: JR
Sample : 49794-39 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 3:40 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000099

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW19-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-40
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	107 %	1,2-Dichlorobenzene-d4	104 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16022.D Vial: 29
Acq On : 6 Jun 2003 3:58 am Operator: JR
Sample : 49794-40 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 4:20 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000101

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW20-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-41
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	**0.38 J**	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	99 %	Bromofluorobenzene	105 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Valli

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16023.D Vial: 30
Acq On : 6 Jun 2003 4:38 am Operator: JR
Sample : 49794-41 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 5:01 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000103

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW21-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-42
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	**17 E**
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	109 %	Bromofluorobenzene	107 %	1,2-Dichlorobenzene-d4	103 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B16024.D Vial: 31
Acq On : 6 Jun 2003 5:19 am Operator: JR
Sample : 49794-42 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 6 5:41 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000105

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW21-0603-01-A

SAMPLE DATA

Lab Sample ID: 49794-42 DL
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 5.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	3	U	1,3-Dichloropropane	3	U
Bromobenzene	3	U	cis-1,3-Dichloropropene	3	U
Bromochloromethane	3	U	trans-1,3-Dichloropropene	3	U
Bromodichloromethane	3	U	2,2-Dichloropropane	3	U
Bromoform	3	U	1,1-Dichloropropene	3	U
Bromomethane	3	U	Ethylbenzene	3	U
n-butylbenzene	3	U	Hexachlorobutadiene	3	U
sec-butylbenzene	3	U	Isopropylbenzene	3	U
tert-butylbenzene	3	U	p-isopropyltoluene	3	U
Carbon Tetrachloride	3	U	Methylene Chloride	3	U
Chlorobenzene	3	U	Methyl-tert-butyl ether	3	**13**
Chloroethane	3	U	Naphthalene	3	U
Chloroform	3	U	n-Propylbenzene	3	U
Chloromethane	3	U	Styrene	3	U
2-Chlorotoluene	3	U	1,1,1,2-Tetrachloroethane	3	U
4-Chlorotoluene	3	U	1,1,2,2-Tetrachloroethane	3	U
Dibromochloromethane	3	U	Tetrachloroethene	3	U
1,2-Dibromo-3-chloropropane	3	U	Toluene	3	U
1,2-Dibromoethane	3	U	1,2,3-Trichlorobenzene	3	U
Dibromomethane	3	U	1,2,4-Trichlorobenzene	3	U
1,2-Dichlorobenzene	3	U	1,1,1-Trichloroethane	3	U
1,3-Dichlorobenzene	3	U	1,1,2-Trichloroethane	3	U
1,4-Dichlorobenzene	3	U	Trichloroethene	3	U
Dichlorodifluoromethane	3	U	Trichlorofluoromethane	3	U
1,1-Dichloroethane	3	U	1,2,3-Trichloropropane	3	U
1,2-Dichloroethane	3	U	1,2,4-Trimethylbenzene	3	U
1,1-Dichloroethene	3	U	1,3,5-Trimethylbenzene	3	U
cis-1,2-Dichloroethene	3	U	Vinyl Chloride	0.5	U
trans-1,2-Dichloroethene	3	U	o-Xylene	3	U
1,2-Dichloropropane	3	U	m,p-Xylene	3	U
Acetone	25	U	Diethyl ether	3	U
Carbon Disulfide	3	U	2-Hexanone	25	U
Tetrahydrofuran	13	U	Methyl isobutyl ketone	25	U
Methyl ethyl ketone	25	U	Di-isopropyl ether	3	U
t-Butyl alcohol	50	U	Ethyl t-butyl ether	3	U
t-Amyl methyl ether	3	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	105 %	Bromofluorobenzene	104 %	1,2-Dichlorobenzene-d4	91 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Mullen

Quantitation Report

Data File : C:\HPCHEM\1\data\060603-i\I11598.D Vial: 18
Acq On : 7 Jun 2003 2:41 am Operator: JMR
Sample : 49794-42,DL Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 7 3:04 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Initial Calibration



000107

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: TB060203-01

SAMPLE DATA

Lab Sample ID: 49794-43
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/05/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether (DIPE)	0.5	U
t-Butyl alcohol (TBA)	10	U	Ethyl t-butyl ether (ETBE)	0.5	U
t-Amyl methyl ether (TAME)	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	98 %	1,2-Dichlorobenzene-d4	95 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\060503-B\B15998.D Vial: 5
Acq On : 5 Jun 2003 10:49 am Operator: JR
Sample : 49794-43 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 5 11:11 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration



000109

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B15940T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 5/28/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1649

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	0.1PPB STD	110%	81%	85%	0
02	0.5PPB STD	111%	83%	87%	0
03	1.2PPB STD	112%	83%	86%	0
04	4.8PPB STD	110%	84%	88%	0
05	8PPB STD	111%	84%	88%	0
06	16PPB STD	110%	85%	88%	0
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B15995T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0848

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L506053B	99%	100%	98%	0
02	B506053B	98%	100%	97%	0
03	49794-43	100%	98%	95%	0
04	49794-10	99%	98%	97%	0
05	49794-10,MS	100%	100%	99%	0
06	49794-10,MSD	101%	101%	99%	0
07	49794-14	99%	102%	99%	0
08	49794-15	99%	102%	101%	0
09	49794-16	99%	103%	100%	0
10	49794-17	98%	104%	100%	0
11	49794-20	99%	103%	100%	0
12	49794-21	99%	104%	102%	0
13	49794-22	100%	105%	102%	0
14	ZZZZZ	97%	113%	106%	0
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B16013T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2154

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L506053B2	98%	105%	103%	0
02	L506053B3	98%	106%	103%	0
03	B506053B2	98%	103%	102%	0
04	49794-35	99%	105%	103%	0
05	49794-36	98%	104%	103%	0
06	49794-37	101%	106%	103%	0
07	49794-38	110%	107%	103%	0
08	49794-39	99%	107%	103%	0
09	49794-40	100%	107%	104%	0
10	49794-41	99%	105%	103%	0
11	49794-42	109%	107%	103%	0
12	ZZZZZ	107%	107%	104%	0
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: B15995T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0848

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.1	89		70-130
Chloromethane	1.2	1.3	108		70-130
Vinyl Chloride	1.2	1.5	126		70-130
Bromomethane	1.2	1.1	89		70-130
Chloroethane	1.2	1.2	103		70-130
t-Butyl alcohol (TBA)	6.0	4.8	81		70-130
Trichlorofluoromethane	1.2	1.2	103		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.3	109		70-130
Acetone	1.2	1.6	129		70-130
1,1-Dichloroethene	1.2	1.2	103		70-130
Di-isopropyl ether (DIPE)	1.2	1.2	101		70-130
Methylene Chloride	1.2	1.2	96		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.4	99		70-130
trans-1,2-Dichloroethene	1.2	1.3	105		70-130
1,1-Dichloroethane	1.2	1.2	103		70-130
Methyl ethyl ketone	1.2	1.2	99		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.1	92		70-130
2,2-Dichloropropane	1.2	1.3	106		70-130
cis-1,2-Dichloroethene	1.2	1.1	89		70-130
t-Amyl methyl ether (TAME)	1.2	1.1	93		70-130
Chloroform	1.2	1.2	102		70-130
Bromochloromethane	1.2	1.2	100		70-130
Tetrahydrofuran	1.2	1.3	106		70-130
1,1,1-Trichloroethane	1.2	1.2	99		70-130
1,1-Dichloropropene	1.2	1.2	102		70-130
Carbon Tetrachloride	1.2	1.2	98		70-130
1,2-Dichloroethane	1.2	1.2	102		70-130
Benzene	1.2	1.2	101		70-130
Trichloroethene	1.2	1.3	111		70-130
1,2-Dichloropropane	1.2	1.2	103		70-130
Bromodichloromethane	1.2	1.2	99		70-130
Dibromomethane	1.2	1.2	98		70-130
2-Hexanone	1.2	1.0	81		70-130
Methyl isobutyl ketone	1.2	1.0	82		70-130
cis-1,3-Dichloropropene	1.2	1.2	101		70-130
Toluene	1.2	1.2	100		70-130
trans-1,3-Dichloropropene	1.2	1.2	98		70-130
1,1,2-Trichloroethane	1.2	1.2	102		70-130
1,3-Dichloropropane	1.2	1.2	99		70-130
Tetrachloroethene	1.2	1.3	108		70-130
Dibromochloromethane	1.2	1.1	90		70-130
1,2-Dibromoethane	1.2	1.2	98		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 | Quote #: | SDG: 49794

BFB File ID: B15995T | Site ID: Bucks Harbor | Location: Maine

Instrument ID: B | BFB Injection Date: 6/5/03

GC Column: RTX-502.2 | ID: 0.25 (mm) | BFB Injection Time: 0848

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.2	99		70-130
1,1,1,2-Tetrachloroethane	1.2	1.2	103		70-130
Ethylbenzene	1.2	1.2	100		70-130
m,p-Xylene	2.4	2.4	100		70-130
o-Xylene	1.2	1.2	99		70-130
Styrene	1.2	1.2	98		70-130
Bromoform	1.2	1.0	84		70-130
Isopropylbenzene	1.2	1.1	93		70-130
1,1,2,2-Tetrachloroethane	1.2	1.1	95		70-130
1,2,3-Trichloropropane	1.2	1.1	93		70-130
n-Propylbenzene	1.2	1.2	98		70-130
Bromobenzene	1.2	1.2	98		70-130
1,3,5-Trimethylbenzene	1.2	1.2	98		70-130
2-Chlorotoluene	1.2	1.2	101		70-130
4-Chlorotoluene	1.2	1.1	95		70-130
tert-butylbenzene	1.2	1.2	98		70-130
1,2,4-Trimethylbenzene	1.2	1.2	100		70-130
sec-butylbenzene	1.2	1.2	99		70-130
p-isopropyltoluene	1.2	1.1	95		70-130
1,3-Dichlorobenzene	1.2	1.2	98		70-130
1,4-Dichlorobenzene	1.2	1.2	97		70-130
n-butylbenzene	1.2	1.2	98		70-130
1,2-Dichlorobenzene	1.2	1.2	98		70-130
1,2-Dibromo-3-chloropropane	1.2	1.2	98		70-130
1,2,4-Trichlorobenzene	1.2	1.2	97		70-130
Hexachlorobutadiene	1.2	1.3	108		70-130
Naphthalene	1.2	1.1	88		70-130
1,2,3-Trichlorobenzene	1.2	1.1	95		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 0 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49794

BFB File ID: B15995T Site ID: Buck Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0848

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49794-10

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	4.8	U	4.7	97		4.7	97		0		15	70-130
Chloromethane	4.8	U	5.7	118		5.6	117		0		15	70-130
Vinyl Chloride	4.8	U	5.6	117		5.5	114		3		15	70-130
Bromomethane	4.8	U	4.7	98		5.0	105		7		15	70-130
Chloroethane	4.8	U	5.4	113		5.4	111		1		15	70-130
t-Butyl alcohol (TBA)	24.0	U	20.9	87		22.6	94		8		15	70-130
Trichlorofluoromethane	4.8	U	5.4	112		5.3	111		1		15	70-130
1,1,2-Trichlorotrifluoroethane	4.8	U	5.6	116		5.6	116		0		15	70-130
Acetone	4.8	U	6.1	128		5.3	111		14		15	70-130
1,1-Dichloroethene	4.8	U	5.5	114		5.5	114		0		15	70-130
Di-isopropyl ether (DIPE)	4.8	U	4.82	100		4.8	100		0		15	70-130
Methylene Chloride	4.8	U	3.9	76		3.8	74		3		15	70-130
Methyl-tert-butyl ether (MTBE)	9.6	U	9.3	97		9.3	97		1		15	70-130
trans-1,2-Dichloroethene	4.8	U	5.4	112		5.4	112		0		15	70-130
1,1-Dichloroethane	4.8	U	5.2	109		5.2	109		0		15	70-130
Methyl ethyl ketone	4.8	U	3.9	80		5.6	116		36	*	15	70-130
Ethyl t-butyl ether (ETBE)	4.8	U	4.5	93		4.7	99		6		15	70-130
2,2-Dichloropropane	4.8	U	5.7	118		6.7	139	*	17	*	15	70-130
cis-1,2-Dichloroethene	4.8	U	5.6	116		6.1	128		10		15	70-130
t-Amyl methyl ether (TAME)	4.8	U	4.6	96		4.8	99		3		15	70-130
Chloroform	4.8	U	5.4	112		5.6	116		3		15	70-130
Bromochloromethane	4.8	U	5.0	105		5.2	109		4		15	70-130
Tetrahydrofuran	4.8	U	5.7	118		6.0	126		6		15	70-130
1,1,1-Trichloroethane	4.8	U	5.4	113		5.6	117		3		15	70-130
1,1-Dichloropropene	4.8	U	5.5	114		5.6	118		3		15	70-130
Carbon Tetrachloride	4.8	U	5.6	117		5.8	120		3		15	70-130
1,2-Dichloroethane	4.8	U	4.9	103		5.2	108		5		15	70-130
Benzene	4.8	U	5.1	107		5.3	110		2		15	70-130
Trichloroethene	4.8	U	5.8	121		6.0	124		3		15	70-130
1,2-Dichloropropane	4.8	U	5.2	108		5.3	111		3		15	70-130
Bromodichloromethane	4.8	U	5.3	109		5.4	113		3		15	70-130
Dibromomethane	4.8	U	4.9	101		5.0	104		3		15	70-130
2-Hexanone	4.8	U	4.3	89		4.4	92		3		15	70-130
Methyl isobutyl ketone	4.8	U	4.3	89		4.5	93		4		15	70-130
cis-1,3-Dichloropropene	4.8	U	5.4	112		5.6	116		3		15	70-130
Toluene	4.8	U	5.3	109		5.3	111		1		15	70-130
trans-1,3-Dichloropropene	4.8	U	5.3	111		5.5	115		3		15	70-130
1,1,2-Trichloroethane	4.8	U	5.0	105		5.1	106		1		15	70-130
1,3-Dichloropropane	4.8	U	4.9	102		5.0	105		3		15	70-130
Tetrachloroethene	4.8	U	5.6	116		5.7	118		2		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49794

BFB File ID: B15995T Site ID: Buck Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0848

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49794-10

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dibromochloromethane	4.8	U	5.0	104		5.2	108		4		15	70-130
1,2-Dibromoethane	4.8	U	5.0	105		5.2	108		3		15	70-130
Chlorobenzene	4.8	U	5.1	106		5.2	107		1		15	70-130
1,1,1,2-Tetrachloroethane	4.8	U	5.4	112		5.6	116		3		15	70-130
Ethylbenzene	4.8	U	5.2	108		5.3	110		1		15	70-130
m,p-Xylene	9.6	U	10.4	108		10.4	108		0		15	70-130
o-Xylene	4.8	U	5.2	108		5.2	109		1		15	70-130
Styrene	4.8	U	5.1	107		5.2	108		1		15	70-130
Bromoform	4.8	U	4.9	102		5.1	107		5		15	70-130
Isopropylbenzene	4.8	U	5.0	104		5.1	106		1		15	70-130
1,1,2,2-Tetrachloroethane	4.8	U	4.6	95		4.7	97		2		15	70-130
1,2,3-Trichloropropane	4.8	U	4.5	94		4.6	96		3		15	70-130
n-Propylbenzene	4.8	U	5.2	109		5.3	109		1		15	70-130
Bromobenzene	4.8	U	4.9	103		5.1	106		3		15	70-130
1,3,5-Trimethylbenzene	4.8	U	5.2	108		5.2	109		1		15	70-130
2-Chlorotoluene	4.8	U	5.2	109		5.1	107		2		15	70-130
4-Chlorotoluene	4.8	U	4.9	103		5.2	108		5		15	70-130
tert-butylbenzene	4.8	U	5.3	110		5.5	114		3		15	70-130
1,2,4-Trimethylbenzene	4.8	U	5.2	109		5.3	111		2		15	70-130
sec-butylbenzene	4.8	U	5.4	113		5.5	114		1		15	70-130
p-isopropyltoluene	4.8	U	5.2	108		5.2	109		1		15	70-130
1,3-Dichlorobenzene	4.8	U	5.1	106		5.2	108		2		15	70-130
1,4-Dichlorobenzene	4.8	U	5.0	103		5.0	104		1		15	70-130
n-butylbenzene	4.8	U	5.2	109		5.3	110		1		15	70-130
1,2-Dichlorobenzene	4.8	U	4.9	102		5.0	105		2		15	70-130
1,2-Dibromo-3-chloropropane	4.8	U	5.1	105		4.9	102		3		15	70-130
1,2,4-Trichlorobenzene	4.8	U	5.0	103		5.1	107		4		15	70-130
Hexachlorobutadiene	4.8	U	5.9	123		6.1	127		3		15	70-130
Naphthalene	4.8	U	4.6	96		4.8	100		4		15	70-130
1,2,3-Trichlorobenzene	4.7	U	4.8	104		5.1	109		4		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 2 out of 70 outside limits
Spike Recovery: 1 out of 140 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: B16013T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2154

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053B2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.0	80		70-130
Chloromethane	1.2	1.3	104		70-130
Vinyl Chloride	1.2	1.4	119		70-130
Bromomethane	1.2	0.9	78		70-130
Chloroethane	1.2	1.1	90		70-130
t-Butyl alcohol (TBA)	6.0	6.1	102		70-130
Trichlorofluoromethane	1.2	1.1	95		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.2	98		70-130
Acetone	1.2	1.9	158	*	70-130
1,1-Dichloroethene	1.2	1.2	98		70-130
Di-isopropyl ether (DIPE)	1.2	1.2	101		70-130
Methylene Chloride	1.2	1.2	98		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.5	106		70-130
trans-1,2-Dichloroethene	1.2	1.2	101		70-130
1,1-Dichloroethane	1.2	1.2	101		70-130
Methyl ethyl ketone	1.2	1.3	109		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.2	97		70-130
2,2-Dichloropropane	1.2	0.9	78		70-130
cis-1,2-Dichloroethene	1.2	1.1	90		70-130
t-Amyl methyl ether (TAME)	1.2	1.2	101		70-130
Chloroform	1.2	1.4	113		70-130
Bromochloromethane	1.2	1.3	110		70-130
Tetrahydrofuran	1.2	1.6	133	*	70-130
1,1,1-Trichloroethane	1.2	1.2	100		70-130
1,1-Dichloropropene	1.2	1.2	100		70-130
Carbon Tetrachloride	1.2	1.2	98		70-130
1,2-Dichloroethane	1.2	1.3	110		70-130
Benzene	1.2	1.2	102		70-130
Trichloroethene	1.2	1.4	114		70-130
1,2-Dichloropropane	1.2	1.3	110		70-130
Bromodichloromethane	1.2	1.3	107		70-130
Dibromomethane	1.2	1.3	110		70-130
2-Hexanone	1.2	1.2	98		70-130
Methyl isobutyl ketone	1.2	1.1	95		70-130
cis-1,3-Dichloropropene	1.2	1.3	107		70-130
Toluene	1.2	1.3	106		70-130
trans-1,3-Dichloropropene	1.2	1.2	102		70-130
1,1,2-Trichloroethane	1.2	1.4	113		70-130
1,3-Dichloropropane	1.2	1.3	109		70-130
Tetrachloroethene	1.2	1.3	111		70-130
Dibromochloromethane	1.2	1.2	100		70-130
1,2-Dibromoethane	1.2	1.3	110		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 | Quote #: | SDG: 49794

BFB File ID: B16013T | Site ID: Bucks Harbor | Location: Maine

Instrument ID: B | BFB Injection Date: 6/5/03

GC Column: RTX-502.2 | ID: 0.25 (mm) | BFB Injection Time: 2154

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053B2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.2	102		70-130
1,1,1,2-Tetrachloroethane	1.2	1.2	103		70-130
Ethylbenzene	1.2	1.2	99		70-130
m,p-Xylene	2.4	2.4	100		70-130
o-Xylene	1.2	1.2	102		70-130
Styrene	1.2	1.2	103		70-130
Bromoform	1.2	1.1	90		70-130
Isopropylbenzene	1.2	1.1	93		70-130
1,1,2,2-Tetrachloroethane	1.2	1.2	103		70-130
1,2,3-Trichloropropane	1.2	1.2	101		70-130
n-Propylbenzene	1.2	1.2	98		70-130
Bromobenzene	1.2	1.2	102		70-130
1,3,5-Trimethylbenzene	1.2	1.2	99		70-130
2-Chlorotoluene	1.2	1.2	99		70-130
4-Chlorotoluene	1.2	1.2	101		70-130
tert-butylbenzene	1.2	1.2	98		70-130
1,2,4-Trimethylbenzene	1.2	1.2	103		70-130
sec-butylbenzene	1.2	1.2	99		70-130
p-isopropyltoluene	1.2	1.1	95		70-130
1,3-Dichlorobenzene	1.2	1.2	102		70-130
1,4-Dichlorobenzene	1.2	1.2	99		70-130
n-butylbenzene	1.2	1.1	93		70-130
1,2-Dichlorobenzene	1.2	1.2	101		70-130
1,2-Dibromo-3-chloropropane	1.2	1.1	93		70-130
1,2,4-Trichlorobenzene	1.2	1.2	100		70-130
Hexachlorobutadiene	1.2	1.2	103		70-130
Naphthalene	1.2	1.1	95		70-130
1,2,3-Trichlorobenzene	1.2	1.2	103		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 2 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: B16013T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2154

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053B3

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.0	79		70-130
Chloromethane	1.2	1.2	103		70-130
Vinyl Chloride	1.2	1.4	114		70-130
Bromomethane	1.2	0.8	69	*	70-130
Chloroethane	1.2	1.1	93		70-130
t-Butyl alcohol (TBA)	6.0	6.5	108		70-130
Trichlorofluoromethane	1.2	1.1	92		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.1	94		70-130
Acetone	1.2	2.0	163	*	70-130
1,1-Dichloroethene	1.2	1.1	95		70-130
Di-isopropyl ether (DIPE)	1.2	1.2	101		70-130
Methylene Chloride	1.2	1.3	105		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.6	108		70-130
trans-1,2-Dichloroethene	1.2	1.2	99		70-130
1,1-Dichloroethane	1.2	1.2	99		70-130
Methyl ethyl ketone	1.2	1.3	106		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.2	98		70-130
2,2-Dichloropropane	1.2	0.9	73		70-130
cis-1,2-Dichloroethene	1.2	1.1	88		70-130
t-Amyl methyl ether (TAME)	1.2	1.3	105		70-130
Chloroform	1.2	1.3	110		70-130
Bromochloromethane	1.2	1.3	107		70-130
Tetrahydrofuran	1.2	1.5	126		70-130
1,1,1-Trichloroethane	1.2	1.2	98		70-130
1,1-Dichloropropene	1.2	1.2	98		70-130
Carbon Tetrachloride	1.2	1.2	96		70-130
1,2-Dichloroethane	1.2	1.3	109		70-130
Benzene	1.2	1.2	99		70-130
Trichloroethene	1.2	1.3	112		70-130
1,2-Dichloropropane	1.2	1.3	108		70-130
Bromodichloromethane	1.2	1.3	108		70-130
Dibromomethane	1.2	1.3	109		70-130
2-Hexanone	1.2	1.2	98		70-130
Methyl isobutyl ketone	1.2	1.2	98		70-130
cis-1,3-Dichloropropene	1.2	1.3	105		70-130
Toluene	1.2	1.2	103		70-130
trans-1,3-Dichloropropene	1.2	1.2	101		70-130
1,1,2-Trichloroethane	1.2	1.4	115		70-130
1,3-Dichloropropane	1.2	1.3	111		70-130
Tetrachloroethene	1.2	1.3	108		70-130
Dibromochloromethane	1.2	1.2	102		70-130
1,2-Dibromoethane	1.2	1.4	113		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: B16013T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2154

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053B3

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.2	100		70-130
1,1,1,2-Tetrachloroethane	1.2	1.3	104		70-130
Ethylbenzene	1.2	1.2	96		70-130
m,p-Xylene	2.4	2.4	98		70-130
o-Xylene	1.2	1.2	98		70-130
Styrene	1.2	1.2	100		70-130
Bromoform	1.2	1.2	96		70-130
Isopropylbenzene	1.2	1.1	90		70-130
1,1,2,2-Tetrachloroethane	1.2	1.2	103		70-130
1,2,3-Trichloropropane	1.2	1.3	105		70-130
n-Propylbenzene	1.2	1.1	94		70-130
Bromobenzene	1.2	1.2	103		70-130
1,3,5-Trimethylbenzene	1.2	1.1	95		70-130
2-Chlorotoluene	1.2	1.2	99		70-130
4-Chlorotoluene	1.2	1.2	96		70-130
tert-butylbenzene	1.2	1.1	94		70-130
1,2,4-Trimethylbenzene	1.2	1.2	98		70-130
sec-butylbenzene	1.2	1.1	95		70-130
p-isopropyltoluene	1.2	1.1	90		70-130
1,3-Dichlorobenzene	1.2	1.2	102		70-130
1,4-Dichlorobenzene	1.2	1.2	98		70-130
n-butylbenzene	1.2	1.1	90		70-130
1,2-Dichlorobenzene	1.2	1.2	102		70-130
1,2-Dibromo-3-chloropropane	1.2	1.2	101		70-130
1,2,4-Trichlorobenzene	1.2	1.2	102		70-130
Hexachlorobutadiene	1.2	1.2	102		70-130
Naphthalene	1.2	1.2	100		70-130
1,2,3-Trichlorobenzene	1.2	1.2	103		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 2 out of 70 outside limits

Comments: _____

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4483 Exp: 6-12-03

Voltage 1875

Threshold 100

052803-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-B-052803-1-JR							
1	V5052803B	Blank	25mL			B15939		
2		BFB 25ng/mL V4483		✓		40	T	
3		0.1 ppb 0.125mL V4477 V4479		✓	VC only	41	SI	
4		0.5 ppb 0.625mL		✓		42	SI	
5		1.2 ppb 1.5mL		✓		43	SI	
6		4.8 ppb 6mL		✓		44	SI	
7		8 ppb 10mL		✓		45	SI	
8		16 ppb 20mL		✓		46	SI	
9		Blank	0			47		
10								

5.29.03

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4487 Exp: 6.12.03

Voltage 1875

Threshold 100

Sm 060503-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
W-B-060503-1-JN								
1	V5052838	Blank	25mL			B15994	Sm	
2		BFB 25ng/uL V4487		✓		95	T	
3	Sm 6.5.03	LS05 LS060503B2 V4485 V4493		✓	All OK	96	Q	
4		B5060503B		✓		97	B	
5		49794-43	25mL	✓		98		<2
6		-10		✓		99		<2
7		-10 MS			RPD MEAN @ 7%.	B16000	SP	<2
8		-10 MSD			2.2 DCP MS/D @ 17%. RPD 13%	1	SP	<2
9		-14		✓		2		<2
10		-15		✓		3		<2
11		-16		✓		4		<2
12		-17		✓		5		<2
13		-20		✓		6		<2
14		-21		✓		7		<2
15		-22		✓		8		<2
16		-23		RR	error - Run stopped	9		
17		-27				10		
18		-28				11		
19		-29				12		
20		BFB 25ng/uL V4487	25mL	✓		13	T	
21		LS060503B2 V4485 V4493			Acetone ↑ THF ↑	14	Q	
22		LS060503B3 ↓				15	Q	
23		B5060503B2		✓		16	B	
24		49794-35	25mL	✓		17		<2
25		-36		✓		18		<2
26		-37		✓		19		<2
27		-38		✓		20		<2
28		-39		✓		21		<2
29		-40		✓		22		<2
30		-41		✓		23		<2

(Cont.)

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS 14483 Exp: 6.12.03

Voltage 1835

Threshold 100

060503-B (CONT.)

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
31	V5052831B	49794-42	25mL	✓	RR 5mL	B16024		<2
32		49790-5	↓	✓		25		<2

6.6.03

Revision: 04/30/02

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B15940T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 5/28/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1649

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	21.4
75	30.0 - 60.0% of mass 95	44.4
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.2
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	62.4
175	5.0 - 9.0% of mass 174	4.7 (7.5)1
176	>95.0 - <101.0% of mass 174	61.6 (98.7)1
177	5.0 - 9.0% of mass 176	3.9 (6.3)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	0.1PPB STD	0.1PPB STD	B15941SI.D	05/28/03	17:30
02	0.5PPB STD	0.5PPB STD	B15942SI.D	05/28/03	18:12
03	1.2PPB STD	1.2PPB STD	B15943SI.D	05/28/03	18:53
04	4.8PPB STD	4.8PPB STD	B15944SI.D	05/28/03	19:34
05	8PPB STD	8PPB STD	B15945SI.D	05/28/03	20:15
06	16PPB STD	16PPB STD	B15946SI.D	05/28/03	20:56
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B15995T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0848

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.6
75	30.0 - 60.0% of mass 95	43.2
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.7
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	68.8
175	5.0 - 9.0% of mass 174	4.4 (6.5)1
176	>95.0 - <101.0% of mass 174	66.5 (96.6)1
177	5.0 - 9.0% of mass 176	4.9 (7.4)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L506053B	L506053B	B15996Q.D	06/05/03	9:29
02	B506053B	B506053B	B15997B.D	06/05/03	10:09
03	49794-43	49794-43	B15998.D	06/05/03	10:49
04	49794-10	49794-10	B15999.D	06/05/03	11:29
05	49794-10,MS	49794-10,MS	B16000SP.D	06/05/03	12:09
06	49794-10,MSD	49794-10,MSD	B16001SP.D	06/05/03	12:49
07	49794-14	49794-14	B16002.D	06/05/03	13:29
08	49794-15	49794-15	B16003.D	06/05/03	14:10
09	49794-16	49794-16	B16004.D	06/05/03	14:50
10	49794-17	49794-17	B16005.D	06/05/03	15:31
11	49794-20	49794-20	B16006.D	06/05/03	16:11
12	49794-21	49794-21	B16007.D	06/05/03	16:51
13	49794-22	49794-22	B16008.D	06/05/03	17:32
14	ZZZZZ	ZZZZZ	B16010.D	06/05/03	21:14
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B16013T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2154

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	17.8
75	30.0 - 60.0% of mass 95	40.8
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	5.8
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	77.8
175	5.0 - 9.0% of mass 174	4.0 (5.2)1
176	>95.0 - <101.0% of mass 174	74.0 (95.1)1
177	5.0 - 9.0% of mass 176	5.1 (6.9)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L506053B2	L506053B2	B16014Q.D	06/05/03	22:34
02	L506053B3	L506053B3	B16015Q.D	06/05/03	23:15
03	B506053B2	B506053B2	B16016B.D	06/05/03	23:55
04	49794-35	49794-35	B16017.D	06/06/03	0:36
05	49794-36	49794-36	B16018.D	06/06/03	1:16
06	49794-37	49794-37	B16019.D	06/06/03	1:56
07	49794-38	49794-38	B16020.D	06/06/03	2:37
08	49794-39	49794-39	B16021.D	06/06/03	3:17
09	49794-40	49794-40	B16022.D	06/06/03	3:58
10	49794-41	49794-41	B16023.D	06/06/03	4:38
11	49794-42	49794-42	B16024.D	06/06/03	5:19
12	ZZZZZ	ZZZZZ	B16025.D	06/06/03	6:00
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration

6-13-03

VMT 6/13/03

Calibration Files
0.1 =B15941SI.D 0.5 =B15942SI.D 1.2 =B15943SI.D
4.8 =B15944SI.D 8 =B15945SI.D 16 =B15946SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
1)	I	Pentafluorobenzene	ISTD							
2)	TM	Dichlorodifluoromet		0.727	0.721	0.722	0.724	0.710	0.721	0.8
3)	TMP	Chloromethane		0.664	0.633	0.607	0.593	0.554	0.610	6.7
4)	TMC	Vinyl Chloride	0.440	0.395	0.438	0.358	0.317	0.268	0.369	18.5
5)	TM	Bromomethane		0.133	0.148	0.167	0.186	0.216	0.170	19.2
6)	TM	Chloroethane		0.260	0.254	0.248	0.245	0.238	0.249	3.4
7)	TM	t-Butyl alcohol (TB		0.008	0.010	0.010	0.010	0.010	0.009#	8.1
8)	TM	Trichlorofluorometh		0.603	0.590	0.589	0.578	0.584	0.589	1.5
9)	TM	Diethyl ether		0.102	0.106	0.108	0.101	0.109	0.105	3.7
10)	T	1,1,2-Trichlorotrif		0.379	0.377	0.374	0.353	0.369	0.371	2.8
11)	T	NO COMPOUND							0.000#	-1.0
12)	TM	Acetone		0.045	0.038	0.036	0.034	0.035	0.038#	11.9
13)	TMC	1,1-Dichloroethene		0.317	0.325	0.323	0.312	0.328	0.321	2.0
14)	T	Methyl iodide		0.266	0.384	0.489	0.522	0.561	0.444	26.8 NT
15)	TM	Di-isopropyl ether		1.161	1.152	1.151	1.083	1.135	1.137	2.7
16)	TM	Methylene Chloride		0.928	0.547	0.387	0.338	0.338	0.508	49.3 LR
17)	TM	Carbon Disulfide		0.938	0.977	1.031	0.996	1.051	0.999	4.4
18)	T	Acrylonitrile		0.040	0.042	0.045	0.041	0.043	0.042#	4.5
19)	TM	Methyl-tert-butyl e		0.507	0.490	0.498	0.475	0.504	0.495	2.6
20)	TM	trans-1,2-Dichloroe		0.352	0.356	0.361	0.343	0.358	0.354	2.0
21)	TMP	1,1-Dichloroethane		0.681	0.702	0.688	0.654	0.679	0.681	2.6
22)	T	Vinyl acetate		0.008	0.013	0.017	0.016	0.017	0.014#	28.7 NT
23)	TM	Methyl ethyl ketone		0.069	0.071	0.061	0.094	0.060	0.071#	19.4
24)	TM	Ethyl t-butyl ether		0.856	0.844	0.871	1.162	0.866	0.920	14.7
25)	TM	2,2-Dichloropropane		0.465	0.563	0.485	0.563	0.465	0.508	9.9
26)	TM	cis-1,2-Dichloroeth		0.386	0.533	0.432	0.520	0.383	0.451	15.9
27)	TM	t-Amyl methyl ether		0.808	0.836	0.856	0.867	0.860	0.845	2.8
28)	T	No Compound							0.000#	-1.0
29)	TMC	Chloroform		0.710	0.904	0.876	0.873	0.812	0.835	9.2
30)	TM	Bromochloromethane		0.171	0.184	0.183	0.181	0.180	0.180	2.8
31)	TM	Tetrahydrofuran		0.011	0.016	0.017	0.017	0.018	0.016#	16.8
32)	TM	1,1,1-Trichloroetha		0.625	0.687	0.688	0.697	0.695	0.679	4.4
33)	T	NO COMPOUND							0.000#	-1.0
34)	TM	1,1-Dichloropropene		0.752	0.803	0.797	0.801	0.775	0.785	2.7
35)	TM	Carbon Tetrachlorid		0.452	0.515	0.535	0.554	0.560	0.523	8.3
36)	S	1,4-Difluorobenzene	1.807	1.812	1.830	1.804	1.818	1.808	1.813	0.5
37)	TM	1,2-Dichloroethane		0.440	0.457	0.438	0.436	0.431	0.440	2.2
38)	TM	Benzene		2.263	2.351	2.289	2.285	2.189	2.275	2.5
39)	I	Fluorobenzene	ISTD							
40)	TM	Trichloroethene		0.239	0.252	0.248	0.250	0.244	0.247	2.1
41)	TMC	1,2-Dichloropropane		0.242	0.262	0.256	0.258	0.251	0.254	3.0
42)	T	Methylmethacrylate		0.062	0.070	0.074	0.076	0.077	0.072#	8.3

(#) = Out of Range

000127

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration

Calibration Files
0.1 =B15941SI.D 0.5 =B15942SI.D 1.2 =B15943SI.D
4.8 =B15944SI.D 8 =B15945SI.D 16 =B15946SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
43)	T	NO COMPOUND							0.000#	-1.0
44)	T	NO COMPOUND							0.000#	-1.0
45)	TM	Bromodichloromethan		0.188	0.217	0.225	0.231	0.232	0.219	8.2
46)	TM	Dibromomethane		0.087	0.091	0.095	0.095	0.094	0.092#	3.5
47)	T	NO COMPOUND							0.000#	-1.0
48)	T	NO COMPOUND							0.000#	-1.0
49)	T	NO COMPOUND							0.000#	-1.0
50)	T	2-Chloroethylvinyl					0.000	0.001	0.001#	6.7
51)	TM	2-Hexanone		0.035	0.036	0.038	0.038	0.038	0.037#	4.4
52)	TM	Methyl isobutyl ket		0.036	0.038	0.039	0.040	0.040	0.039#	4.3
53)	TM	cis-1,3-Dichloropro		0.254	0.281	0.300	0.305	0.307	0.289	7.6
54)	S	Bromofluorobenzene	0.306	0.314	0.311	0.317	0.317	0.320	0.314	1.5
55)	TMC	Toluene		0.561	0.606	0.596	0.598	0.586	0.589	2.9
56)	TM	trans-1,3-Dichlorop		0.145	0.170	0.194	0.202	0.207	0.184	13.9
57)	T	NO COMPOUND							0.000#	-1.0
58)	TM	1,1,2-Trichloroetha		0.100	0.108	0.106	0.105	0.103	0.105	2.6
59)	TM	1,3-Dichloropropane		0.217	0.227	0.229	0.228	0.225	0.225	2.0
60)	TM	Tetrachloroethene		0.210	0.224	0.222	0.225	0.222	0.221	2.8
61)	TM	Dibromochloromethan		0.098	0.106	0.121	0.126	0.131	0.116	12.0
62)	TM	1,2-Dibromoethane		0.097	0.108	0.108	0.110	0.110	0.107	5.0
63)	I	d5-Chlorobenzene	----------	ISTD	----------					
64)	TMP	Chlorobenzene		0.880	0.927	0.918	0.913	0.893	0.906	2.1
65)	TM	1,1,1,2-Tetrachloro		0.216	0.239	0.254	0.258	0.258	0.245	7.3
66)	TMC	Ethylbenzene		1.742	1.865	1.824	1.826	1.747	1.801	3.0
67)	TM	m,p-Xylene		0.616	0.657	0.636	0.636	0.611	0.631	2.9
68)	TM	o-Xylene		0.553	0.592	0.601	0.598	0.585	0.586	3.2
69)	TM	Styrene		0.898	0.949	0.961	0.964	0.942	0.943	2.8
70)	TMP	Bromoform		0.054	0.067	0.079	0.084	0.089	0.074#	19.2
71)	TM	Isopropylbenzene		1.556	1.682	1.662	1.653	1.608	1.632	3.0
72)	TMP	1,1,2,2-Tetrachloro		0.184	0.197	0.196	0.196	0.198	0.194	3.0
73)	S	1,2-Dichlorobenzene	0.329	0.337	0.336	0.340	0.342	0.342	0.338	1.4
74)	TM	1,2,3-Trichloroprop		0.150	0.147	0.140	0.138	0.138	0.143	4.0
75)	T	trans-1,4-Dichloro-		0.053	0.060	0.062	0.063	0.062	0.060#	6.4
76)	TM	n-Propylbenzene		2.080	2.213	2.199	2.208	2.123	2.164	2.7
77)	TM	Bromobenzene		0.284	0.302	0.296	0.296	0.294	0.294	2.2
78)	TM	1,3,5-Trimethylbenz		1.207	1.297	1.293	1.295	1.253	1.269	3.0
79)	TM	2-Chlorotoluene		1.307	1.397	1.330	1.375	1.323	1.347	2.8
80)	TM	4-Chlorotoluene		1.164	1.201	1.224	1.174	1.141	1.181	2.7
81)	TM	tert-butylbenzene		1.022	1.091	1.102	1.097	1.080	1.079	3.0
82)	TM	1,2,4-Trimethylbenz		1.232	1.321	1.307	1.314	1.277	1.290	2.8
83)	TM	Pentachloroethane		0.108	0.129	0.147	0.153	0.159	0.139	14.8
84)	TM	sec-butylbenzene		1.607	1.742	1.734	1.745	1.701	1.706	3.4
85)	TM	p-isopropyltoluene		1.250	1.329	1.359	1.369	1.340	1.329	3.5

(#) = Out of Range


000128

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Initial Calibration

Calibration Files
0.1 =B15941SI.D 0.5 =B15942SI.D 1.2 =B15943SI.D
4.8 =B15944SI.D 8 =B15945SI.D 16 =B15946SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
86)	TM	1,3-Dichlorobenzene	0.599	0.633	0.632	0.636	0.631		0.626	2.4
87)	I	1,4-Dichlorobenzene-d	ISTD							
88)	TM	1,4-Dichlorobenzene	1.363	1.431	1.380	1.395	1.365		1.387	2.0
89)	TM	n-butylbenzene	3.133	3.366	3.285	3.316	3.194		3.259	2.8
90)	TM	1,2-Dichlorobenzene	1.092	1.140	1.127	1.128	1.105		1.118	1.7
91)	T	NO COMPOUND							0.000#	-1.0
92)	TM	1,2-Dibromo-3-chlor	0.037	0.042	0.048	0.050	0.053		0.046#	14.1
93)	T	NO COMPOUND							0.000#	-1.0
94)	TM	1,2,4-Trichlorobenz	0.621	0.668	0.681	0.685	0.682		0.667	3.9
95)	TM	Hexachlorobutadiene	0.241	0.257	0.258	0.263	0.261		0.256	3.4
96)	TM	Naphthalene	0.934	1.016	1.057	1.080	1.086		1.035	6.0
97)	TM	1,2,3-Trichlorobenz	0.471	0.516	0.516	0.527	0.520		0.510	4.4
98)	TM	1,3,5-Trichlorobenz	0.898	0.977	0.964	0.974	0.971		0.957	3.4

(#) = Out of Range



6-13-03

VMH 6/13/03

Method Name: C:\HPCHEM\1\METHODS\V505283B.M
Calibration Table Last Updated: Thu May 29 12:57:59 2003

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15941SI.D Vial: 3
Acq On : 28 May 2003 5:30 pm Operator: JR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:55 2003 Quant Results File: V505283B.

VC only

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

5.29.03
VMT 5/29/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	216477	4.00	ug/L	0.00
39) Fluorobenzene	8.35	96	494297	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.16	117	315487	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	137666	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	8.48	114	391112	4.42	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 110.50%			
54) Bromofluorobenzene	15.08	95	151373	3.25	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 81.25%			
73) 1,2-Dichlorobenzene-d4	17.61	152	103902	3.39	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 84.75%			
Target Compounds						Qvalue
4) Vinyl Chloride	1.94	62	2380	0.15	ug/L	95


(#) = qualifier out of range (m) = manual integration

000131

Quantitation Report

Data File : C:\HPCHEM\1\DATA\052803-B\B15941SI.D Vial: 3
Acq On : 28 May 2003 5:30 pm Operator: JR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:55 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:57:59 2003
Response via : Initial Calibration



009132

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15942SI.D Vial: 4
Acq On : 28 May 2003 6:12 pm Operator: JR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:59 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

5.29.03 VMT 5/29/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	216437	4.00	ug/L	0.00
39) Fluorobenzene	8.35	96	491779	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.16	117	317353	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	16.99	152	140136	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	8.47	114	392221	4.43	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 110.75%			
54) Bromofluorobenzene	15.09	95	154189	3.33	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 83.25%			
73) 1,2-Dichlorobenzene-d4	17.61	152	106887	3.47	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 86.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	19663	0.62	ug/L	99
3) Chloromethane	1.84	50	17958	0.74	ug/L	87
4) Vinyl Chloride	1.94	62	10683m	0.68	ug/L	
5) Bromomethane	2.39	94	3586	0.48	ug/L	94
6) Chloroethane	2.49	64	7028	0.67	ug/L	94
7) t-Butyl alcohol (TBA)	3.78	59	1094	2.44	ug/L #	96
8) Trichlorofluoromethane	2.79	101	16302	0.61	ug/L	92
9) Diethyl ether	3.18	74	2752	0.60	ug/L #	80
10) 1,1,2-Trichlorotrifluoroet	3.35	101	10248	0.64	ug/L	92
12) Acetone	3.43	43	6092	3.32	ug/L	94
13) 1,1-Dichloroethene	3.58	96	8585	0.62	ug/L	96
14) Methyl iodide	4.03	142	7191	0.34	ug/L	97
15) Di-isopropyl ether (DIPE)	5.42	45	31400	0.66	ug/L	97
16) Methylene Chloride	4.33	84	25116	0.94	ug/L	91
17) Carbon Disulfide	4.30	76	25389	0.63	ug/L	100
18) Acrylonitrile	4.55	53	1079	0.62	ug/L #	82
19) Methyl-tert-butyl ether (M	4.65	73	13708	0.61	ug/L	100
20) trans-1,2-Dichloroethene	4.82	96	9515	0.61	ug/L	91
21) 1,1-Dichloroethane	5.51	63	18421	0.65	ug/L	97
22) Vinyl acetate	5.57	86	210	0.36	ug/L #	1
23) Methyl ethyl ketone	6.25	43	9372	2.95	ug/L #	97
24) Ethyl t-butyl ether (ETBE)	6.07	59	23160	0.65	ug/L	97
25) 2,2-Dichloropropane	6.40	77	12586	0.48	ug/L	95
26) cis-1,2-Dichloroethene	6.47	96	10443	0.50	ug/L #	87
27) t-Amyl methyl ether (TAME)	7.84	73	21866	0.59	ug/L	95
29) Chloroform	6.73	83	19208	0.48	ug/L	96
30) Bromochloromethane	6.97	128	4631	0.51	ug/L #	66

(#) = qualifier out of range (m) = manual integration

090133

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15942SI.D Vial: 4
Acq On : 28 May 2003 6:12 pm Operator: JR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:59 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
31) Tetrahydrofuran	7.07	71	305	0.45 ug/L	#	1
32) 1,1,1-Trichloroethane	7.34	97	16909	0.53 ug/L		99
34) 1,1-Dichloropropene	7.60	75	20339	0.61 ug/L		92
35) Carbon Tetrachloride	7.73	119	12227	0.47 ug/L		93
37) 1,2-Dichloroethane	7.99	62	11893	0.60 ug/L		100
38) Benzene	7.99	78	61226	0.63 ug/L		100
40) Trichloroethene	8.96	95	14700	0.48 ug/L		88
41) 1,2-Dichloropropane	9.23	63	14862	0.56 ug/L		97
42) Methylmethacrylate	9.37	69	3826	0.48 ug/L	#	86
45) Bromodichloromethane	9.58	83	11570	0.44 ug/L		95
46) Dibromomethane	9.66	93	5362	0.47 ug/L		88
51) 2-Hexanone	11.51	58	10660	2.58 ug/L		96
52) Methyl isobutyl ketone	10.17	58	11002	2.59 ug/L	#	89
53) cis-1,3-Dichloropropene	10.44	75	15625	0.46 ug/L		91
55) Toluene	10.93	92	34490	0.47 ug/L		97
56) trans-1,3-Dichloropropene	11.22	75	8938	0.40 ug/L		96
58) 1,1,2-Trichloroethane	11.45	83	6170	0.49 ug/L		96
59) 1,3-Dichloropropane	11.85	76	13362	0.50 ug/L		97
60) Tetrachloroethene	11.94	166	12880	0.37 ug/L		97
61) Dibromochloromethane	12.23	129	6002	0.38 ug/L		100
62) 1,2-Dibromoethane	12.55	107	5990	0.42 ug/L		99
64) Chlorobenzene	13.22	112	34927	0.53 ug/L		95
65) 1,1,1,2-Tetrachloroethane	13.30	131	8577	0.47 ug/L		95
66) Ethylbenzene	13.31	91	69100	0.57 ug/L		95
67) m,p-Xylene	13.43	106	48833	1.09 ug/L		94
68) o-Xylene	14.13	106	21930	0.52 ug/L		93
69) Styrene	14.17	104	35604	0.53 ug/L		93
70) Bromoform	14.69	173	2133	0.33 ug/L		94
71) Isopropylbenzene	14.70	105	61735	0.54 ug/L		99
72) 1,1,2,2-Tetrachloroethane	14.96	83	7293	0.56 ug/L		90
74) 1,2,3-Trichloropropane	15.20	75	5960	0.61 ug/L		95
75) trans-1,4-Dichloro-2-buten	15.32	53	2122	0.59 ug/L	#	66
76) n-Propylbenzene	15.34	91	82498	0.56 ug/L		99
77) Bromobenzene	15.39	156	11260	0.47 ug/L	#	80
78) 1,3,5-Trimethylbenzene	15.60	105	47892	0.53 ug/L		99
79) 2-Chlorotoluene	15.61	91	51843	0.56 ug/L		97
80) 4-Chlorotoluene	15.69	91	46188	0.55 ug/L		94
81) tert-butylbenzene	16.17	119	40552	0.50 ug/L		94
82) 1,2,4-Trimethylbenzene	16.24	105	48864	0.53 ug/L		94
83) Pentachloroethane	16.26	167	4288	0.39 ug/L	#	71
84) sec-butylbenzene	16.51	105	63753	0.52 ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15942SI.D Vial: 4
Acq On : 28 May 2003 6:12 pm Operator: JR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:59 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85)	p-isopropyltoluene	16.74	119	49573	0.50	ug/L		96
86)	1,3-Dichlorobenzene	16.88	146	23759	0.47	ug/L		98
88)	1,4-Dichlorobenzene	17.04	146	23867	0.54	ug/L		98
89)	n-butylbenzene	17.40	91	54885	0.61	ug/L		91
90)	1,2-Dichlorobenzene	17.65	146	19136	0.53	ug/L		96
92)	1,2-Dibromo-3-chloropropan	18.92	75	641	0.56	ug/L	#	74
94)	1,2,4-Trichlorobenzene	20.38	180	10883	0.47	ug/L		96
95)	Hexachlorobutadiene	20.61	225	4213	0.43	ug/L		96
96)	Naphthalene	20.80	128	16366	0.51	ug/L		97
97)	1,2,3-Trichlorobenzene	21.24	180	8246	0.47	ug/L		89
98)	1,3,5-Trichlorobenzene	19.33	180	15729	0.47	ug/L		96

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\052803-B\B15942SI.D Vial: 4
Acq On : 28 May 2003 6:12 pm Operator: JR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:59 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:57:59 2003
Response via : Initial Calibration



000136

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15943SI.D Vial: 5
Acq On : 28 May 2003 6:53 pm Operator: JR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:39 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

5.29.03
VMT 5/29/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	216173	4.00	ug/L	0.00
39) Fluorobenzene	8.34	96	491181	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.16	117	315461	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	138403	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	8.47	114	395577	4.47	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 111.75%			
54) Bromofluorobenzene	15.09	95	152946	3.31	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 82.75%			
73) 1,2-Dichlorobenzene-d4	17.60	152	105896	3.45	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 86.25%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	46742	1.47	ug/L	99
3) Chloromethane	1.83	50	41039	1.68	ug/L	96
4) Vinyl Chloride	1.93	62	28387	1.81	ug/L	100
5) Bromomethane	2.40	94	9588	1.29	ug/L	96
6) Chloroethane	2.49	64	16498	1.57	ug/L	97
8) Trichlorofluoromethane	2.78	101	38258	1.43	ug/L	100
9) Diethyl ether	3.17	74	6874	1.50	ug/L	96
10) 1,1,2-Trichlorotrifluoroet	3.35	101	24473	1.52	ug/L	95
12) Acetone	3.42	43	12345	6.74	ug/L #	90
13) 1,1-Dichloroethene	3.58	96	21069	1.53	ug/L	98
15) Di-isopropyl ether (DIPE)	5.40	45	74717	1.58	ug/L	97
16) Methylene Chloride	4.33	84	35496	1.70	ug/L	93
17) Carbon Disulfide	4.30	76	63329	1.57	ug/L	100
19) Methyl-tert-butyl ether (M	4.65	73	31751	1.41	ug/L	100
20) trans-1,2-Dichloroethene	4.81	96	23119	1.48	ug/L	94
21) 1,1-Dichloroethane	5.50	63	45558	1.60	ug/L	98
23) Methyl ethyl ketone	6.24	43	22928	7.23	ug/L	96
24) Ethyl t-butyl ether (ETBE)	6.08	59	54728	1.54	ug/L	98
25) 2,2-Dichloropropane	6.41	77	36520	1.38	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	34581	1.47	ug/L #	84
27) t-Amyl methyl ether (TAME)	7.84	73	54197	1.47	ug/L	96
29) Chloroform	6.73	83	58624	1.46	ug/L	99
30) Bromochloromethane	6.97	128	11928	1.31	ug/L #	82
32) 1,1,1-Trichloroethane	7.35	97	44564	1.40	ug/L	96
34) 1,1-Dichloropropene	7.59	75	52052	1.56	ug/L	96
35) Carbon Tetrachloride	7.73	119	33392	1.28	ug/L	97
37) 1,2-Dichloroethane	7.99	62	29631	1.50	ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15943SI.D Vial: 5
Acq On : 28 May 2003 6:53 pm Operator: JR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:39 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	Benzene	8.00	78	152475	1.57	ug/L		98
40)	Trichloroethene	8.96	95	37187	1.21	ug/L		97
41)	1,2-Dichloropropane	9.23	63	38584	1.45	ug/L		98
45)	Bromodichloromethane	9.59	83	31909	1.21	ug/L		92
46)	Dibromomethane	9.65	93	13386	1.18	ug/L		89
51)	2-Hexanone	11.51	58	26540	6.43	ug/L		95
52)	Methyl isobutyl ketone	10.17	58	28062	6.61	ug/L		90
53)	cis-1,3-Dichloropropene	10.44	75	41413	1.23	ug/L		97
55)	Toluene	10.93	92	89306	1.21	ug/L		99
56)	trans-1,3-Dichloropropene	11.22	75	25092	1.13	ug/L		94
58)	1,1,2-Trichloroethane	11.45	83	15847	1.26	ug/L		96
59)	1,3-Dichloropropane	11.84	76	33503	1.26	ug/L		97
60)	Tetrachloroethene	11.94	166	32988	0.95	ug/L		97
61)	Dibromochloromethane	12.24	129	15665	1.00	ug/L		88
62)	1,2-Dibromoethane	12.55	107	15907	1.12	ug/L		96
64)	Chlorobenzene	13.21	112	87692	1.34	ug/L		92
65)	1,1,1,2-Tetrachloroethane	13.29	131	22607	1.24	ug/L		97
66)	Ethylbenzene	13.31	91	176494	1.45	ug/L		95
67)	m,p-Xylene	13.44	106	124428	2.79	ug/L		94
68)	o-Xylene	14.12	106	56009	1.35	ug/L		91
69)	Styrene	14.18	104	89858	1.34	ug/L		95
70)	Bromoform	14.69	173	6294	0.99	ug/L		93
71)	Isopropylbenzene	14.69	105	159176	1.39	ug/L		97
72)	1,1,2,2-Tetrachloroethane	14.97	83	18643	1.43	ug/L		96
74)	1,2,3-Trichloropropane	15.20	75	13937	1.45	ug/L		96
75)	trans-1,4-Dichloro-2-buten	15.32	53	5644	1.58	ug/L	#	85
76)	n-Propylbenzene	15.34	91	209479	1.43	ug/L		98
77)	Bromobenzene	15.39	156	28548	1.21	ug/L	#	83
78)	1,3,5-Trimethylbenzene	15.60	105	122790	1.37	ug/L		100
79)	2-Chlorotoluene	15.61	91	132233	1.44	ug/L		95
80)	4-Chlorotoluene	15.69	91	113695	1.37	ug/L		94
81)	tert-butylbenzene	16.16	119	103289	1.28	ug/L		90
82)	1,2,4-Trimethylbenzene	16.23	105	124999	1.36	ug/L		96
83)	Pentachloroethane	16.26	167	12214	1.12	ug/L	#	89
84)	sec-butylbenzene	16.52	105	164882	1.36	ug/L		97
85)	p-isopropyltoluene	16.74	119	125761	1.27	ug/L		95
86)	1,3-Dichlorobenzene	16.88	146	59900	1.20	ug/L		98
88)	1,4-Dichlorobenzene	17.05	146	59425	1.35	ug/L		98
89)	n-butylbenzene	17.41	91	139754	1.57	ug/L		94
90)	1,2-Dichlorobenzene	17.65	146	47315	1.33	ug/L		97
92)	1,2-Dibromo-3-chloropropan	18.92	75	1754	1.39	ug/L		86

(#) = qualifier out of range (m) = manual integration

000138

Data File : C:\HPCHEM\1\DATA\052803-B\B15943SI.D Vial: 5
Acq On : 28 May 2003 6:53 pm Operator: JR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:39 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
94)	1,2,4-Trichlorobenzene	20.37	180	27737	1.21 ug/L	100
95)	Hexachlorobutadiene	20.62	225	10664	1.11 ug/L	97
96)	Naphthalene	20.80	128	42176	1.32 ug/L	98
97)	1,2,3-Trichlorobenzene	21.24	180	21414	1.23 ug/L	98
98)	1,3,5-Trichlorobenzene	19.33	180	40549	1.24 ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\052803-B\B15943SI.D Vial: 5
Acq On : 28 May 2003 6:53 pm Operator: JR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:39 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:57:59 2003
Response via : Initial Calibration



000140

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15944SI.D Vial: 6
Acq On : 28 May 2003 7:34 pm Operator: JR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

5.29.03
VMT 5/29/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.94	168	217614	4.00	ug/L	0.00
39) Fluorobenzene	8.34	96	491924	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.16	117	317920	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	141911	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	8.47	114	392560	4.41	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 110.25%			
54) Bromofluorobenzene	15.09	95	155948	3.37	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 84.25%			
73) 1,2-Dichlorobenzene-d4	17.60	152	108209	3.50	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 87.50%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	188422	5.89	ug/L	96
3) Chloromethane	1.84	50	158547	6.45	ug/L	97
4) Vinyl Chloride	1.93	62	93540	5.94	ug/L	99
5) Bromomethane	2.40	94	43710	5.86	ug/L	98
6) Chloroethane	2.49	64	64651	6.12	ug/L	95
7) t-Butyl alcohol (TBA)	3.76	59	12889	28.58	ug/L #	90
8) Trichlorofluoromethane	2.78	101	153931	5.73	ug/L	97
9) Diethyl ether	3.17	74	28306	6.12	ug/L	96
10) 1,1,2-Trichlorotrifluoroet	3.35	101	97792	6.03	ug/L	95
12) Acetone	3.42	43	46369	25.13	ug/L #	88
13) 1,1-Dichloroethene	3.58	96	84276	6.06	ug/L	93
14) Methyl iodide	4.03	142	127628	6.06	ug/L	97
15) Di-isopropyl ether (DIPE)	5.41	45	300647	6.32	ug/L	97
16) Methylene Chloride	4.33	84	101140	6.44	ug/L	92
17) Carbon Disulfide	4.30	76	269111	6.61	ug/L	100
18) Acrylonitrile	4.56	53	11692	6.65	ug/L #	88
19) Methyl-tert-butyl ether (M	4.64	73	130008	5.74	ug/L	100
20) trans-1,2-Dichloroethene	4.81	96	94377	6.01	ug/L	93
21) 1,1-Dichloroethane	5.50	63	179680	6.28	ug/L	99
22) Vinyl acetate	5.56	86	4476	7.69	ug/L #	29
23) Methyl ethyl ketone	6.23	43	79577	24.94	ug/L	95
24) Ethyl t-butyl ether (ETBE)	6.07	59	227539	6.34	ug/L	98
25) 2,2-Dichloropropane	6.40	77	126756	4.77	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	112713	4.56	ug/L #	84
27) t-Amyl methyl ether (TAME)	7.84	73	223491	6.00	ug/L	98
29) Chloroform	6.73	83	228748	5.66	ug/L	96
30) Bromochloromethane	6.96	128	47679	5.19	ug/L #	74

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\052803-B\B15944SI.D Vial: 6
Acq On : 28 May 2003 7:34 pm Operator: JR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
31) Tetrahydrofuran	7.08	71	4318	6.27 ug/L	91
32) 1,1,1-Trichloroethane	7.35	97	179660	5.59 ug/L	98
34) 1,1-Dichloropropene	7.60	75	208217	6.18 ug/L	95
35) Carbon Tetrachloride	7.73	119	139588	5.33 ug/L	100
37) 1,2-Dichloroethane	7.99	62	114388	5.74 ug/L	97
38) Benzene	8.00	78	597712	6.12 ug/L	99
40) Trichloroethene	8.96	95	146264	4.74 ug/L	95
41) 1,2-Dichloropropane	9.23	63	151165	5.67 ug/L	97
42) Methylmethacrylate	9.37	69	43667	5.44 ug/L	94
45) Bromodichloromethane	9.59	83	132902	5.03 ug/L	93
46) Dibromomethane	9.65	93	56133	4.94 ug/L #	86
51) 2-Hexanone	11.50	58	112475	27.22 ug/L	100
52) Methyl isobutyl ketone	10.16	58	115951	27.25 ug/L	92
53) cis-1,3-Dichloropropene	10.44	75	177263	5.25 ug/L	93
55) Toluene	10.93	92	351591	4.76 ug/L	99
56) trans-1,3-Dichloropropene	11.22	75	114587	5.15 ug/L	97
58) 1,1,2-Trichloroethane	11.45	83	62643	4.98 ug/L	98
59) 1,3-Dichloropropane	11.85	76	135375	5.09 ug/L	97
60) Tetrachloroethene	11.94	166	131131	3.79 ug/L	97
61) Dibromochloromethane	12.24	129	71709	4.55 ug/L	96
62) 1,2-Dibromoethane	12.55	107	64035	4.51 ug/L	98
64) Chlorobenzene	13.22	112	350182	5.29 ug/L	92
65) 1,1,1,2-Tetrachloroethane	13.29	131	96832	5.27 ug/L	99
66) Ethylbenzene	13.31	91	695957	5.69 ug/L	97
67) m,p-Xylene	13.43	106	485640	10.79 ug/L	92
68) o-Xylene	14.12	106	229162	5.47 ug/L	95
69) Styrene	14.17	104	366680	5.44 ug/L	95
70) Bromoform	14.70	173	29997	4.69 ug/L	96
71) Isopropylbenzene	14.70	105	634022	5.50 ug/L	98
72) 1,1,2,2-Tetrachloroethane	14.97	83	74928	5.71 ug/L	97
74) 1,2,3-Trichloropropane	15.20	75	53540	5.51 ug/L	99
75) trans-1,4-Dichloro-2-buten	15.32	53	23710	6.57 ug/L	97
76) n-Propylbenzene	15.34	91	838767	5.66 ug/L	97
77) Bromobenzene	15.40	156	112978	4.75 ug/L #	87
78) 1,3,5-Trimethylbenzene	15.60	105	493398	5.45 ug/L	99
79) 2-Chlorotoluene	15.61	91	507376	5.49 ug/L	95
80) 4-Chlorotoluene	15.69	91	466871	5.56 ug/L	93
81) tert-butylbenzene	16.16	119	420593	5.18 ug/L	94
82) 1,2,4-Trimethylbenzene	16.23	105	498654	5.37 ug/L	96
83) Pentachloroethane	16.25	167	56015	5.11 ug/L #	87
84) sec-butylbenzene	16.51	105	661449	5.42 ug/L	96

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\052803-B\B15944SI.D Vial: 6
Acq On : 28 May 2003 7:34 pm Operator: JR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B


Compound	R.T.	QIon	Response	Conc Unit	Qvalue
85) p-isopropyltoluene	16.74	119	518278	5.20 ug/L	96
86) 1,3-Dichlorobenzene	16.87	146	241005	4.79 ug/L	98
88) 1,4-Dichlorobenzene	17.05	146	234920	5.21 ug/L	97
89) n-butylbenzene	17.40	91	559445	6.15 ug/L	94
90) 1,2-Dichlorobenzene	17.65	146	191858	5.25 ug/L	96
92) 1,2-Dibromo-3-chloropropan	18.93	75	8151	5.84 ug/L	95
94) 1,2,4-Trichlorobenzene	20.38	180	115901	4.93 ug/L	98
95) Hexachlorobutadiene	20.62	225	43943	4.48 ug/L	99
96) Naphthalene	20.80	128	180054	5.51 ug/L	98
97) 1,2,3-Trichlorobenzene	21.24	180	87870	4.93 ug/L	98
98) 1,3,5-Trichlorobenzene	19.33	180	164177	4.89 ug/L	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\052803-B\B15944SI.D Vial: 6
Acq On : 28 May 2003 7:34 pm Operator: JR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:57:59 2003
Response via : Initial Calibration



000144

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15945SI.D Vial: 7
Acq On : 28 May 2003 8:15 pm Operator: JR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

5.29.03
VMT 5/29/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	217260	4.00	ug/L	0.00
39) Fluorobenzene	8.34	96	490391	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.16	117	317213	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	142411	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	8.47	114	394963	4.44	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 111.00%			
54) Bromofluorobenzene	15.09	95	155473	3.37	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 84.25%			
73) 1,2-Dichlorobenzene-d4	17.60	152	108373	3.51	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 87.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	314388	9.84	ug/L	97
3) Chloromethane	1.83	50	257802	10.51	ug/L	96
4) Vinyl Chloride	1.93	62	137600	8.75	ug/L	98
5) Bromomethane	2.39	94	80747	10.84	ug/L	99
6) Chloroethane	2.49	64	106613	10.10	ug/L	98
7) t-Butyl alcohol (TBA)	3.77	59	20838	46.28	ug/L #	81
8) Trichlorofluoromethane	2.78	101	251218	9.37	ug/L	97
9) Diethyl ether	3.17	74	43678	9.46	ug/L	94
10) 1,1,2-Trichlorotrifluoroet	3.35	101	153384	9.47	ug/L	95
12) Acetone	3.42	43	73267	39.78	ug/L #	87
13) 1,1-Dichloroethene	3.58	96	135448	9.76	ug/L	97
14) Methyl iodide	4.02	142	226842	10.80	ug/L	97
15) Di-isopropyl ether (DIPE)	5.40	45	470735	9.91	ug/L	98
16) Methylene Chloride	4.33	84	146915	9.77	ug/L	91
17) Carbon Disulfide	4.30	76	432973	10.65	ug/L	100
18) Acrylonitrile	4.56	53	17819	10.15	ug/L	93
19) Methyl-tert-butyl ether (M	4.64	73	206192	9.12	ug/L	100
20) trans-1,2-Dichloroethene	4.81	96	149054	9.51	ug/L	92
21) 1,1-Dichloroethane	5.50	63	284014	9.95	ug/L	99
22) Vinyl acetate	5.56	86	7138	12.28	ug/L #	22
23) Methyl ethyl ketone	6.23	43	205175	64.41	ug/L	96
24) Ethyl t-butyl ether (ETBE)	6.06	59	504761	14.09	ug/L	95
25) 2,2-Dichloropropane	6.40	77	244462	9.21	ug/L	96
26) cis-1,2-Dichloroethene	6.47	96	225804	9.07	ug/L #	86
27) t-Amyl methyl ether (TAME)	7.84	73	376515	10.13	ug/L	98
29) Chloroform	6.73	83	379297	9.41	ug/L	98
30) Bromochloromethane	6.97	128	78713	8.59	ug/L #	80

(#) = qualifier out of range (m) = manual integration

000145

Data File : C:\HPCHEM\1\DATA\052803-B\B15945SI.D Vial: 7
Acq On : 28 May 2003 8:15 pm Operator: JR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
31) Tetrahydrofuran	7.08	71	7569	11.01 ug/L		93
32) 1,1,1-Trichloroethane	7.35	97	303066	9.45 ug/L		97
34) 1,1-Dichloropropene	7.59	75	347844	10.34 ug/L		95
35) Carbon Tetrachloride	7.73	119	240557	9.21 ug/L		100
37) 1,2-Dichloroethane	7.99	62	189248	9.51 ug/L		96
38) Benzene	8.00	78	992707	10.19 ug/L		100
40) Trichloroethene	8.95	95	245495	7.98 ug/L		93
41) 1,2-Dichloropropane	9.23	63	253207	9.53 ug/L		98
42) Methylmethacrylate	9.38	69	74059	9.25 ug/L		94
45) Bromodichloromethane	9.59	83	226569	8.60 ug/L		93
46) Dibromomethane	9.65	93	92777	8.20 ug/L	#	88
51) 2-Hexanone	11.50	58	187303	45.47 ug/L		99
52) Methyl isobutyl ketone	10.16	58	193767	45.68 ug/L		92
53) cis-1,3-Dichloropropene	10.44	75	298920	8.88 ug/L		95
55) Toluene	10.93	92	586021	7.95 ug/L		99
56) trans-1,3-Dichloropropene	11.22	75	197723	8.92 ug/L		96
58) 1,1,2-Trichloroethane	11.45	83	103292	8.23 ug/L		98
59) 1,3-Dichloropropane	11.84	76	223253	8.43 ug/L		98
60) Tetrachloroethene	11.94	166	220905	6.40 ug/L		98
61) Dibromochloromethane	12.24	129	123970	7.89 ug/L		96
62) 1,2-Dibromoethane	12.55	107	107883	7.62 ug/L		97
64) Chlorobenzene	13.21	112	579299	8.77 ug/L		91
65) 1,1,1,2-Tetrachloroethane	13.29	131	163742	8.93 ug/L		99
66) Ethylbenzene	13.31	91	1158274	9.49 ug/L		96
67) m,p-Xylene	13.44	106	807531	17.98 ug/L		95
68) o-Xylene	14.12	106	379116	9.08 ug/L		92
69) Styrene	14.18	104	611528	9.10 ug/L		97
70) Bromoform	14.69	173	53456	8.38 ug/L		97
71) Isopropylbenzene	14.69	105	1048790	9.12 ug/L		98
72) 1,1,2,2-Tetrachloroethane	14.97	83	124631	9.52 ug/L		96
74) 1,2,3-Trichloropropane	15.20	75	87381	9.02 ug/L		98
75) trans-1,4-Dichloro-2-buten	15.31	53	39794	11.05 ug/L		98
76) n-Propylbenzene	15.34	91	1400583	9.48 ug/L		98
77) Bromobenzene	15.39	156	187605	7.91 ug/L	#	86
78) 1,3,5-Trimethylbenzene	15.60	105	821832	9.10 ug/L		100
79) 2-Chlorotoluene	15.61	91	872404	9.46 ug/L		95
80) 4-Chlorotoluene	15.69	91	744729	8.89 ug/L		94
81) tert-butylbenzene	16.17	119	696073	8.59 ug/L		95
82) 1,2,4-Trimethylbenzene	16.23	105	833332	9.00 ug/L		94
83) Pentachloroethane	16.26	167	97212	8.88 ug/L	#	82
84) sec-butylbenzene	16.52	105	1107331	9.10 ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15945SI.D Vial: 7
Acq On : 28 May 2003 8:15 pm Operator: JR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.


Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
85) p-isopropyltoluene	16.73	119	868450	8.74	ug/L	96
86) 1,3-Dichlorobenzene	16.88	146	403493	8.03	ug/L	99
88) 1,4-Dichlorobenzene	17.05	146	397397	8.79	ug/L	98
89) n-butylbenzene	17.41	91	944453	10.34	ug/L	96
90) 1,2-Dichlorobenzene	17.65	146	321147	8.75	ug/L	97
92) 1,2-Dibromo-3-chloropropan	18.92	75	14256	9.87	ug/L	94
94) 1,2,4-Trichlorobenzene	20.37	180	195150	8.28	ug/L	99
95) Hexachlorobutadiene	20.62	225	74858	7.60	ug/L	99
96) Naphthalene	20.80	128	307579	9.38	ug/L	99
97) 1,2,3-Trichlorobenzene	21.24	180	150200	8.39	ug/L	100
98) 1,3,5-Trichlorobenzene	19.33	180	277321	8.23	ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\052803-B\B15945SI.D Vial: 7
Acq On : 28 May 2003 8:15 pm Operator: JR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:57:59 2003
Response via : Initial Calibration



000148

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15946SI.D Vial: 8
Acq On : 28 May 2003 8:56 pm Operator: JR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

5.29.03
VMT 5/29/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.94	168	221466	4.00	ug/L	0.00
39) Fluorobenzene	8.34	96	499090	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.16	117	325937	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	147595	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	8.47	114	400300	4.42	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 110.50%			
54) Bromofluorobenzene	15.09	95	159621	3.39	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 84.75%			
73) 1,2-Dichlorobenzene-d4	17.60	152	111550	3.52	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 88.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	629314	19.32	ug/L	98
3) Chloromethane	1.84	50	490799	19.63	ug/L	95
4) Vinyl Chloride	1.92	62	237587	14.82	ug/L	98
5) Bromomethane	2.39	94	191439	25.21	ug/L	98
6) Chloroethane	2.48	64	210508	19.57	ug/L	99
7) t-Butyl alcohol (TBA)	3.77	59	43846	95.52	ug/L #	77
8) Trichlorofluoromethane	2.78	101	517102	18.92	ug/L	98
9) Diethyl ether	3.17	74	96922	20.60	ug/L	94
10) 1,1,2-Trichlorotrifluoroet	3.34	101	327119	19.82	ug/L	94
12) Acetone	3.42	43	155879	83.02	ug/L #	85
13) 1,1-Dichloroethene	3.58	96	290430	20.52	ug/L	99
14) Methyl iodide	4.03	142	497189	23.21	ug/L	98
15) Di-isopropyl ether (DIPE)	5.41	45	1005620	20.76	ug/L	97
16) Methylene Chloride	4.33	84	299168	20.41	ug/L	93
17) Carbon Disulfide	4.30	76	931043	22.47	ug/L	100
18) Acrylonitrile	4.55	53	38308	21.41	ug/L	93
19) Methyl-tert-butyl ether (M	4.64	73	446386	19.37	ug/L	100
20) trans-1,2-Dichloroethene	4.81	96	316835	19.83	ug/L	93
21) 1,1-Dichloroethane	5.50	63	601150	20.65	ug/L	99
22) Vinyl acetate	5.56	86	15361	25.92	ug/L #	23
23) Methyl ethyl ketone	6.23	43	267761	82.46	ug/L	95
24) Ethyl t-butyl ether (ETBE)	6.07	59	767105	21.00	ug/L	98
25) 2,2-Dichloropropane	6.40	77	411858	15.23	ug/L	100
26) cis-1,2-Dichloroethene	6.47	96	338971	13.31	ug/L	90
27) t-Amyl methyl ether (TAME)	7.83	73	761605	20.10	ug/L	98
29) Chloroform	6.73	83	719716	17.51	ug/L	98
30) Bromochloromethane	6.96	128	159689	17.09	ug/L #	76

(#) = qualifier out of range (m) = manual integration

000149

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15946SI.D Vial: 8
Acq On : 28 May 2003 8:56 pm Operator: JR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
31) Tetrahydrofuran	7.07	71	15971	22.79 ug/L		99
32) 1,1,1-Trichloroethane	7.35	97	615575	18.83 ug/L		99
34) 1,1-Dichloropropene	7.60	75	686312	20.02 ug/L		96
35) Carbon Tetrachloride	7.73	119	495891	18.62 ug/L		100
37) 1,2-Dichloroethane	7.99	62	382203	18.83 ug/L		97
38) Benzene	8.00	78	1939253	19.52 ug/L		99
40) Trichloroethene	8.96	95	486926	15.54 ug/L		95
41) 1,2-Dichloropropane	9.23	63	500842	18.52 ug/L		97
42) Methylmethacrylate	9.37	69	154201	18.92 ug/L		94
45) Bromodichloromethane	9.59	83	463474	17.28 ug/L		93
46) Dibromomethane	9.65	93	187698	16.29 ug/L	#	87
50) 2-Chloroethylvinyl ether	10.15	63	1071	8.24 ug/L	#	1
51) 2-Hexanone	11.50	58	383103	91.38 ug/L		98
52) Methyl isobutyl ketone	10.16	58	397881	92.17 ug/L		92
53) cis-1,3-Dichloropropene	10.44	75	612868	17.89 ug/L		94
55) Toluene	10.93	92	1169106	15.59 ug/L		100
56) trans-1,3-Dichloropropene	11.22	75	412952	18.31 ug/L		97
58) 1,1,2-Trichloroethane	11.45	83	206500	16.17 ug/L		99
59) 1,3-Dichloropropane	11.85	76	449718	16.68 ug/L		99
60) Tetrachloroethene	11.94	166	444074	12.64 ug/L		98
61) Dibromochloromethane	12.24	129	260863	16.32 ug/L		94
62) 1,2-Dibromoethane	12.55	107	220140	15.27 ug/L		96
64) Chlorobenzene	13.22	112	1163988	17.16 ug/L		92
65) 1,1,1,2-Tetrachloroethane	13.29	131	336379	17.84 ug/L		99
66) Ethylbenzene	13.31	91	2277675	18.16 ug/L		97
67) m,p-Xylene	13.44	106	1592866	34.51 ug/L		95
68) o-Xylene	14.12	106	762501	17.77 ug/L		96
69) Styrene	14.17	104	1228475	17.79 ug/L		95
70) Bromoform	14.70	173	116333	17.74 ug/L		97
71) Isopropylbenzene	14.70	105	2097035	17.75 ug/L		99
72) 1,1,2,2-Tetrachloroethane	14.97	83	257768	19.17 ug/L		96
74) 1,2,3-Trichloropropane	15.20	75	179459	18.02 ug/L		98
75) trans-1,4-Dichloro-2-buten	15.32	53	81272	21.96 ug/L		96
76) n-Propylbenzene	15.35	91	2767377	18.23 ug/L		99
77) Bromobenzene	15.40	156	382950	15.71 ug/L		93
78) 1,3,5-Trimethylbenzene	15.60	105	1634230	17.61 ug/L		99
79) 2-Chlorotoluene	15.61	91	1725397	18.20 ug/L		97
80) 4-Chlorotoluene	15.69	91	1487416	17.29 ug/L		95
81) tert-butylbenzene	16.16	119	1407636	16.90 ug/L		92
82) 1,2,4-Trimethylbenzene	16.23	105	1664555	17.49 ug/L		96
83) Pentachloroethane	16.25	167	206698	18.38 ug/L	#	79

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\052803-B\B15946SI.D Vial: 8
Acq On : 28 May 2003 8:56 pm Operator: JR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Quant Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Tue May 27 16:04:50 2003
Response via : Initial Calibration
DataAcq Meth : V505283B


Compound	R.T.	QIon	Response	Conc Unit	Qvalue
84) sec-butylbenzene	16.51	105	2218046	17.74 ug/L	97
85) p-isopropyltoluene	16.74	119	1747040	17.11 ug/L	97
86) 1,3-Dichlorobenzene	16.88	146	822274	15.93 ug/L	98
88) 1,4-Dichlorobenzene	17.05	146	805862	17.19 ug/L	98
89) n-butylbenzene	17.41	91	1885477	19.92 ug/L	97
90) 1,2-Dichlorobenzene	17.65	146	652247	17.15 ug/L	98
92) 1,2-Dibromo-3-chloropropan	18.92	75	31181	19.64 ug/L	88
94) 1,2,4-Trichlorobenzene	20.38	180	402778	16.49 ug/L	100
95) Hexachlorobutadiene	20.62	225	154028	15.09 ug/L	99
96) Naphthalene	20.80	128	640873	18.86 ug/L	99
97) 1,2,3-Trichlorobenzene	21.24	180	307168	16.55 ug/L	99
98) 1,3,5-Trichlorobenzene	19.33	180	573404	16.42 ug/L	100

(#) = qualifier out of range (m) = manual integration

000151

Data File : C:\HPCHEM\1\DATA\052803-B\B15946SI.D Vial: 8
Acq On : 28 May 2003 8:56 pm Operator: JR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: May 29 12:40 2003 Quant Results File: V505283B.

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:57:59 2003
Response via : Initial Calibration



000152

524 RECOVERY

Data File Name	B15996Q.D
Sample Name	L506053B
Date	5 Jun 2003 9:29 am

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.07	1.2	89%	OK
Chloromethane	1.30	1.2	108%	OK
Vinyl Chloride	1.51	1.2	126%	OK
Bromomethane	1.07	1.2	89%	OK
Chloroethane	1.24	1.2	104%	OK
t-Butyl alcohol (TBA)	4.83	6.0	80%	OK
Trichlorofluoromethane	1.23	1.2	102%	OK
1,1,2-Trichlorotrifluoroethane	1.31	1.2	109%	OK
Acetone	1.55	1.2	129%	OK
1,1-Dichloroethene	1.23	1.2	103%	OK
Di-isopropyl ether (DIPE)	1.21	1.2	101%	OK
Methylene Chloride	1.15	1.2	96%	OK
Methyl-tert-butyl ether (MTBE)	2.37	2.4	99%	OK
trans-1,2-Dichloroethene	1.26	1.2	105%	OK
1,1-Dichloroethane	1.24	1.2	103%	OK
Methyl ethyl ketone	1.19	1.2	99%	OK
Ethyl t-butyl ether (ETBE)	1.10	1.2	92%	OK
2,2-Dichloropropane	1.27	1.2	106%	OK
cis-1,2-Dichloroethene	1.07	1.2	89%	OK
t-Amyl methyl ether (TAME)	1.12	1.2	94%	OK
Chloroform	1.22	1.2	101%	OK
Bromochloromethane	1.20	1.2	100%	OK
Tetrahydrofuran	1.27	1.2	106%	OK
1,1,1-Trichloroethane	1.19	1.2	99%	OK
1,1-Dichloropropene	1.22	1.2	102%	OK
Carbon Tetrachloride	1.18	1.2	98%	OK
1,2-Dichloroethane	1.22	1.2	101%	OK
Benzene	1.21	1.2	101%	OK
Trichloroethene	1.33	1.2	111%	OK
1,2-Dichloropropane	1.24	1.2	104%	OK
Bromodichloromethane	1.19	1.2	99%	OK
Dibromomethane	1.17	1.2	97%	OK
2-Hexanone	0.97	1.2	81%	OK
Methyl isobutyl ketone	0.98	1.2	82%	OK
cis-1,3-Dichloropropene	1.21	1.2	101%	OK
Toluene	1.20	1.2	100%	OK
trans-1,3-Dichloropropene	1.18	1.2	98%	OK
1,1,2-Trichloroethane	1.22	1.2	101%	OK
1,3-Dichloropropane	1.19	1.2	99%	OK
Tetrachloroethene	1.29	1.2	108%	OK
Dibromochloromethane	1.08	1.2	90%	OK
1,2-Dibromoethane	1.18	1.2	98%	OK
Chlorobenzene	1.19	1.2	100%	OK
1,1,1,2-Tetrachloroethane	1.23	1.2	102%	OK
Ethylbenzene	1.20	1.2	100%	OK
m,p-Xylene	2.40	2.4	100%	OK
o-Xylene	1.19	1.2	99%	OK
Styrene	1.18	1.2	98%	OK

6.6.03

VMTI 6/6/03

Bromoform	1.01	1.2	84%	OK
Isopropylbenzene	1.12	1.2	93%	OK
1,1,2,2-Tetrachloroethane	1.14	1.2	95%	OK
1,2,3-Trichloropropane	1.12	1.2	93%	OK
n-Propylbenzene	1.17	1.2	98%	OK
Bromobenzene	1.17	1.2	98%	OK
1,3,5-Trimethylbenzene	1.17	1.2	98%	OK
2-Chlorotoluene	1.21	1.2	101%	OK
4-Chlorotoluene	1.14	1.2	95%	OK
tert-butylbenzene	1.17	1.2	98%	OK
1,2,4-Trimethylbenzene	1.20	1.2	100%	OK
sec-butylbenzene	1.19	1.2	99%	OK
p-isopropyltoluene	1.14	1.2	95%	OK
1,3-Dichlorobenzene	1.17	1.2	98%	OK
1,4-Dichlorobenzene	1.16	1.2	97%	OK
n-butylbenzene	1.17	1.2	97%	OK
1,2-Dichlorobenzene	1.18	1.2	99%	OK
1,2-Dibromo-3-chloropropane	1.17	1.2	97%	OK
1,2,4-Trichlorobenzene	1.16	1.2	97%	OK
Hexachlorobutadiene	1.30	1.2	108%	OK
Naphthalene	1.06	1.2	89%	OK
1,2,3-Trichlorobenzene	1.14	1.2	95%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B15996Q.D Vial: 3
Acq On : 5 Jun 2003 9:29 am Operator: JR
Sample : L506053B Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

6.6.03 VMT 6/6/03

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	107	0.00	
2	TM	Dichlorodifluoromethane	0.721	0.644	10.7	96	0.00	
3	TMP	Chloromethane	0.610	0.659	-8.0	112	0.00	
4	TMC	Vinyl Chloride	0.369	0.464	-25.7#	114	0.00	
5	TM	Bromomethane	0.170	0.151	11.2	109	0.00	
6	TM	Chloroethane	0.249	0.258	-3.6	109	0.00	
7	TM	t-Butyl alcohol (TBA)	0.009	0.008#	11.1	83	0.01	
8	TM	Trichlorofluoromethane	0.589	0.603	-2.4	109	0.00	
9	TM	Diethyl ether	0.105	0.108	-2.9	109	0.01	
10	T	1,1,2-Trichlorotrifluoroeth	0.371	0.404	-8.9	115	0.00	
11	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.10~~	MJG 6-20
12	TM	Acetone	0.038	0.010# see RPT	73.7#	27#	0.01	
13	TMC	1,1-Dichloroethene	0.321	0.330	-2.8	109	0.00	
14	T	Methyl iodide	0.444	0.316	28.8#	88	0.00	
15	TM	Di-isopropyl ether (DIPE)	1.137	1.145	-0.7	107	0.01	
16	TM	Methylene Chloride	0.508	0.538	-5.9	105	0.00	
17	TM	Carbon Disulfide	0.999	0.894	10.5	98	0.00	
18	T	Acrylonitrile	~~0.042~~	~~0.040#~~	~~4.8~~	~~101~~	~~0.01~~	NT
19	TM	Methyl-tert-butyl ether (MT	0.495	0.977 see RPT	-97.4#	214#	0.00	
20	TM	trans-1,2-Dichloroethene	0.354	0.370	-4.5	111	0.00	
21	TMP	1,1-Dichloroethane	0.681	0.703	-3.2	107	0.00	
22	T	Vinyl acetate	~~0.014~~	~~0.028#~~	~~-100.0#~~	~~241#~~	~~0.00~~	NT
23	TM	Methyl ethyl ketone	0.071	0.014# see RPT	80.3#	21#	0.01	
24	TM	Ethyl t-butyl ether (ETBE)	0.920	0.846	8.0	107	0.00	
25	TM	2,2-Dichloropropane	0.508	0.537	-5.7	102	0.00	
26	TM	cis-1,2-Dichloroethene	0.451	0.400	11.3	80	0.00	
27	TM	t-Amyl methyl ether (TAME)	0.845	0.792	6.3	102	0.00	
28	T	No Compound	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.50~~	MJG 6-20
29	TMC	Chloroform	0.835	0.847	-1.4	100	0.00	
30	TM	Bromochloromethane	0.180	0.180	0.0	105	0.00	
31	TM	Tetrahydrofuran	0.016	0.017#	-6.3	112	0.00	
32	TM	1,1,1-Trichloroethane	0.679	0.672	1.0	105	0.00	
33	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.43~~	MJG 6-20
34	TM	1,1-Dichloropropene	0.785	0.801	-2.0	107	0.00	
35	TM	Carbon Tetrachloride	0.523	0.514	1.7	107	0.00	
36	S	1,4-Difluorobenzene	1.813	1.791	1.2	105	0.00	
37	TM	1,2-Dichloroethane	0.440	0.446	-1.4	105	0.00	
38	TM	Benzene	2.275	2.288	-0.6	104	0.00	
39	I	Fluorobenzene	1.000	1.000	0.0	105	0.00	
40	TM	Trichloroethene	0.247	0.274	-10.9	114	0.00	

(#) = Out of Range

000155

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B15996Q.D Vial: 3
Acq On : 5 Jun 2003 9:29 am Operator: JR
Sample : L506053B Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.254	0.263	-3.5	105	0.00
42	T	Methylmethacrylate	0.072	0.064#	11.1	96	0.00
43	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~
44	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~
45	TM	Bromodichloromethane	0.219	0.217	0.9	105	0.00
46	TM	Dibromomethane	0.092	0.090#	2.2	104	0.00
47	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.43
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.43
50	T	2-Chloroethylvinyl ether	~~0.001~~	~~0.000#~~	~~100.0#~~	~~0#~~	~~-10.16#~~
51	TM	2-Hexanone	0.037	0.006#	83.8#	17#	0.00
52	TM	Methyl isobutyl ketone	0.039	0.006#	84.6#	17#	0.00
53	TM	cis-1,3-Dichloropropene	0.289	0.292	-1.0	109	0.00
54	S	Bromofluorobenzene	0.314	0.315	-0.3	106	0.00
55	TMC	Toluene	0.589	0.590	-0.2	102	0.00
56	TM	trans-1,3-Dichloropropene	0.184	0.181	1.6	111	0.00
57	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~
58	TM	1,1,2-Trichloroethane	0.105	0.106	-1.0	103	0.00
59	TM	1,3-Dichloropropane	0.225	0.224	0.4	103	0.00
60	TM	Tetrachloroethene	0.221	0.237	-7.2	111	0.00
61	TM	Dibromochloromethane	0.116	0.105	9.5	103	0.00
62	TM	1,2-Dibromoethane	0.107	0.105	1.9	102	0.00
63	I	d5-Chlorobenzene	1.000	1.000	0.0	108	0.00
64	TMP	Chlorobenzene	0.906	0.902	0.4	105	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.245	0.250	-2.0	113	0.00
66	TMC	Ethylbenzene	1.801	1.795	0.3	104	0.00
67	TM	m,p-Xylene	0.631	0.631	0.0	104	0.00
68	TM	o-Xylene	0.586	0.580	1.0	106	0.00
69	TM	Styrene	0.943	0.928	1.6	106	0.00
70	TMP	Bromoform	0.074	0.063#	14.9	102	0.00
71	TM	Isopropylbenzene	1.632	1.523	6.7	98	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.194	0.185	4.6	102	0.00
73	S	1,2-Dichlorobenzene-d4	0.338	0.331	2.1	107	0.00
74	TM	1,2,3-Trichloropropane	0.143	0.133	7.0	98	0.00
75	T	trans-1,4-Dichloro-2-butene	0.060	0.055#	8.3	100	0.00
76	TM	n-Propylbenzene	2.164	2.119	2.1	103	0.00
77	TM	Bromobenzene	0.294	0.288	2.0	103	0.00
78	TM	1,3,5-Trimethylbenzene	1.269	1.241	2.2	103	0.00
79	TM	2-Chlorotoluene	1.347	1.361	-1.0	105	0.00
80	TM	4-Chlorotoluene	1.181	1.121	5.1	101	0.00

(#) = Out of Range

000156

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B15996Q.D Vial: 3
Acq On : 5 Jun 2003 9:29 am Operator: JR
Sample : L506053B Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	1.079	1.053	2.4	104	0.00
82	TM	1,2,4-Trimethylbenzene	1.290	1.293	-0.2	106	0.00
83	TM	Pentachloroethane	0.139	0.127	8.6	106	0.00
84	TM	sec-butylbenzene	1.706	1.695	0.6	105	0.00
85	TM	p-isopropyltoluene	1.329	1.262	5.0	103	0.00
86	TM	1,3-Dichlorobenzene	0.626	0.610	2.6	104	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	108	0.00
88	TM	1,4-Dichlorobenzene	1.387	1.341	3.3	101	0.00
89	TM	n-butylbenzene	3.259	3.167	2.8	102	0.00
90	TM	1,2-Dichlorobenzene	1.118	1.103	1.3	105	0.00
91	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.43~~ 5/6/03
92	TM	1,2-Dibromo-3-chloropropane	0.046	0.045#	2.2	114	0.00
93	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.43~~ 5/6/03
1	TM	1,2,4-Trichlorobenzene	0.667	0.648	2.8	105	0.00
95	TM	Hexachlorobutadiene	0.256	0.277	-8.2	117	0.00
96	TM	Naphthalene	1.035	0.917	11.4	98	0.00
97	TM	1,2,3-Trichlorobenzene	0.510	0.485	4.9	102	0.00
98	TM	1,3,5-Trichlorobenzene	0.957	0.868	9.3	96	0.00

524 RECOVERY

Data File Name **B16014Q.D**
Sample Name **L506053B2**
Date **5 Jun 2003 10:34 pm**

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	0.96	1.2	80%	OK
Chloromethane	1.25	1.2	104%	OK
Vinyl Chloride	1.43	1.2	119%	OK
Bromomethane	0.93	1.2	77%	OK
Chloroethane	1.08	1.2	90%	OK
t-Butyl alcohol (TBA)	6.13	6.0	102%	OK
Trichlorofluoromethane	1.14	1.2	95%	OK
1,1,2-Trichlorotrifluoroethane	1.18	1.2	99%	OK
Acetone	1.90	1.2	158%	*
1,1-Dichloroethene	1.17	1.2	97%	OK
Di-isopropyl ether (DIPE)	1.21	1.2	101%	OK
Methylene Chloride	1.17	1.2	98%	OK
Methyl-tert-butyl ether (MTBE)	2.54	2.4	106%	OK
trans-1,2-Dichloroethene	1.21	1.2	101%	OK
1,1-Dichloroethane	1.21	1.2	101%	OK
Methyl ethyl ketone	1.31	1.2	109%	OK
Ethyl t-butyl ether (ETBE)	1.16	1.2	97%	OK
2,2-Dichloropropane	0.93	1.2	77%	OK
cis-1,2-Dichloroethene	1.08	1.2	90%	OK
t-Amyl methyl ether (TAME)	1.21	1.2	101%	OK
Chloroform	1.35	1.2	113%	OK
romochloromethane	1.32	1.2	110%	OK
etrahydrofuran	1.59	1.2	133%	*
1,1,1-Trichloroethane	1.20	1.2	100%	OK
1,1-Dichloropropene	1.20	1.2	100%	OK
Carbon Tetrachloride	1.18	1.2	98%	OK
1,2-Dichloroethane	1.32	1.2	110%	OK
Benzene	1.22	1.2	101%	OK
Trichloroethene	1.37	1.2	114%	OK
1,2-Dichloropropane	1.32	1.2	110%	OK
Bromodichloromethane	1.28	1.2	107%	OK
Dibromomethane	1.32	1.2	110%	OK
2-Hexanone	1.17	1.2	98%	OK
Methyl isobutyl ketone	1.14	1.2	95%	OK
cis-1,3-Dichloropropene	1.28	1.2	106%	OK
Toluene	1.27	1.2	106%	OK
trans-1,3-Dichloropropene	1.22	1.2	102%	OK
1,1,2-Trichloroethane	1.35	1.2	113%	OK
1,3-Dichloropropane	1.31	1.2	110%	OK
Tetrachloroethene	1.33	1.2	111%	OK
Dibromochloromethane	1.20	1.2	100%	OK
1,2-Dibromoethane	1.32	1.2	110%	OK
Chlorobenzene	1.22	1.2	101%	OK
1,1,1,2-Tetrachloroethane	1.24	1.2	104%	OK
Ethylbenzene	1.19	1.2	99%	OK
,p-Xylene	2.41	2.4	101%	OK
o-Xylene	1.22	1.2	102%	OK
Styrene	1.23	1.2	102%	OK

6.6.03
VMT 6/6/03

Bromoform	1.08	1.2	90%	OK
Isopropylbenzene	1.12	1.2	93%	OK
1,1,2,2-Tetrachloroethane	1.23	1.2	103%	OK
1,2,3-Trichloropropane	1.21	1.2	100%	OK
-Propylbenzene	1.17	1.2	98%	OK
Bromobenzene	1.22	1.2	102%	OK
1,3,5-Trimethylbenzene	1.19	1.2	99%	OK
2-Chlorotoluene	1.19	1.2	100%	OK
4-Chlorotoluene	1.21	1.2	101%	OK
tert-butylbenzene	1.17	1.2	98%	OK
1,2,4-Trimethylbenzene	1.23	1.2	102%	OK
sec-butylbenzene	1.19	1.2	99%	OK
p-isopropyltoluene	1.14	1.2	95%	OK
1,3-Dichlorobenzene	1.22	1.2	102%	OK
1,4-Dichlorobenzene	1.19	1.2	99%	OK
n-butylbenzene	1.12	1.2	93%	OK
1,2-Dichlorobenzene	1.21	1.2	100%	OK
1,2-Dibromo-3-chloropropane	1.12	1.2	94%	OK
1,2,4-Trichlorobenzene	1.20	1.2	100%	OK
Hexachlorobutadiene	1.24	1.2	104%	OK
Naphthalene	1.14	1.2	95%	OK
1,2,3-Trichlorobenzene	1.24	1.2	103%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B16014Q.D Vial: 21
Acq On : 5 Jun 2003 10:34 pm Operator: JR
Sample : L506053B2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

6.6.03 VMT 6/6/03

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	102	0.00	
2	TM	Dichlorodifluoromethane	0.721	0.574	20.4#	82	0.00	
3	TMP	Chloromethane	0.610	0.636	-4.3	103	0.00	
4	TMC	Vinyl Chloride	0.369	0.439	-19.0	103	0.00	
5	TM	Bromomethane	0.170	0.131	22.9#	91	0.00	
6	TM	Chloroethane	0.249	0.224	10.0	90	0.00	
7	TM	t-Butyl alcohol (TBA)	0.009	0.010#	-11.1	101	0.00	
8	TM	Trichlorofluoromethane	0.589	0.561	4.8	97	0.00	
9	TM	Diethyl ether	0.105	0.104	1.0	101	0.00	
10	T	1,1,2-Trichlorotrifluoroeth	0.371	0.365	1.6	99	0.00	
11	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.10~~	6.6.03
12	TM	Acetone	0.038	0.012#	68.4#	32#	0.01	
13	TMC	1,1-Dichloroethene	0.321	0.312	2.8	98	0.00	
14	T	Methyl iodide	0.444	0.351	20.9#	94	0.00	
15	TM	Di-isopropyl ether (DIPE)	1.137	1.147	-0.9	102	0.01	
16	TM	Methylene Chloride	0.508	0.543	-6.9	102	0.00	
17	TM	Carbon Disulfide	0.999	0.822	17.7	86	0.00	
18	T	Acrylonitrile	~~0.042~~	~~0.045#~~	~~7.1~~	~~111~~	~~0.00~~	NT
19	TM	Methyl-tert-butyl ether (MT	0.495	1.045	-111.1#	219#	0.00	
20	TM	trans-1,2-Dichloroethene	0.354	0.356	-0.6	102	0.00	
21	TMP	1,1-Dichloroethane	0.681	0.688	-1.0	100	0.00	
22	T	Vinyl acetate	~~0.014~~	~~0.022#~~	~~-57.1#~~	~~180~~	~~0.00~~	NT
23	TM	Methyl ethyl ketone	0.071	0.016#	77.5#	23#	0.00	
24	TM	Ethyl t-butyl ether (ETBE)	0.920	0.889	3.4	108	0.00	
25	TM	2,2-Dichloropropane	0.508	0.393	22.6#	72	0.00	
26	TM	cis-1,2-Dichloroethene	0.451	0.404	10.4	78	0.00	
27	TM	t-Amyl methyl ether (TAME)	0.845	0.854	-1.1	105	0.00	
28	T	No Compound	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.50~~	6.6.03
29	TMC	Chloroform	0.835	0.942	-12.8	107	0.00	
30	TM	Bromochloromethane	0.180	0.198	-10.0	110	0.00	
31	TM	Tetrahydrofuran	0.016	0.021#	31.3#	134	0.00	
32	TM	1,1,1-Trichloroethane	0.679	0.679	0.0	101	0.00	
33	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	6.6.03
34	TM	1,1-Dichloropropene	0.785	0.783	0.3	100	0.00	
35	TM	Carbon Tetrachloride	0.523	0.515	1.5	102	0.00	
36	S	1,4-Difluorobenzene	1.813	1.770	2.4	99	0.00	
37	TM	1,2-Dichloroethane	0.440	0.483	-9.8	108	0.00	
38	TM	Benzene	2.275	2.304	-1.3	100	0.00	
39	I	Fluorobenzene	1.000	1.000	0.0	97	0.00	
40	TM	Trichloroethene	0.247	0.282	-14.2	109	0.00	

(#) = Out of Range

000160

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B16014Q.D Vial: 21
Acq On : 5 Jun 2003 10:34 pm Operator: JR
Sample : L506053B2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
41	TMC	1,2-Dichloropropane	0.254	0.280	-10.2	104	0.00	
42	T	Methylmethacrylate	~~0.072~~	~~0.075#~~	~~4.2~~	~~104~~	~~0.00~~	NT
43	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	06219
44	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	06219
45	TM	Bromodichloromethane	0.219	0.234	-6.8	105	0.00	
46	TM	Dibromomethane	0.092	0.101	-9.8	109	0.00	
47	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.43	
49	T	NO COMPOUND	0.000	0.000# 06210	0.0	0#	-0.43	
50	T	2-Chloroethylvinyl ether	~~0.001~~	~~0.000#~~	~~100.0#~~	~~0#~~	~~-10.16#~~	NT
51	TM	2-Hexanone	0.037	0.007#	81.1#	20#	0.00	
52	TM	Methyl isobutyl ketone	0.039	0.007#	82.1#	19#	0.00	
53	TM	cis-1,3-Dichloropropene	0.289	0.308	-6.6	107	0.00	
54	S	Bromofluorobenzene	0.314	0.330	-5.1	103	0.00	
55	TMC	Toluene	0.589	0.626	-6.3	101	0.00	
56	TM	trans-1,3-Dichloropropene	0.184	0.187	-1.6	107	0.00	
57	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	06219
58	TM	1,1,2-Trichloroethane	0.105	0.118	-12.4	107	0.00	
59	TM	1,3-Dichloropropane	0.225	0.247	-9.8	106	0.00	
60	TM	Tetrachloroethene	0.221	0.244	-10.4	106	0.00	
61	TM	Dibromochloromethane	0.116	0.116	0.0	106	0.00	
62	TM	1,2-Dibromoethane	0.107	0.117	-9.3	106	0.00	
63	I	d5-Chlorobenzene	1.000	1.000	0.0	104	0.00	
64	TMP	Chlorobenzene	0.906	0.919	-1.4	103	0.00	
65	TM	1,1,1,2-Tetrachloroethane	0.245	0.254	-3.7	111	0.00	
66	TMC	Ethylbenzene	1.801	1.780	1.2	99	0.00	
67	TM	m,p-Xylene	0.631	0.635	-0.6	101	0.00	
68	TM	o-Xylene	0.586	0.597	-1.9	105	0.00	
69	TM	Styrene	0.943	0.965	-2.3	106	0.00	
70	TMP	Bromoform	0.074	0.067#	9.5	105	0.00	
71	TM	Isopropylbenzene	1.632	1.521	6.8	94	0.00	
72	TMP	1,1,2,2-Tetrachloroethane	0.194	0.200	-3.1	106	0.00	
73	S	1,2-Dichlorobenzene-d4	0.338	0.347	-2.7	108	0.00	
74	TM	1,2,3-Trichloropropane	0.143	0.143	0.0	101	0.00	
75	T	trans-1,4-Dichloro-2-butene	0.060	0.054#	10.0	94	0.00	
76	TM	n-Propylbenzene	2.164	2.118	2.1	100	0.00	
77	TM	Bromobenzene	0.294	0.300	-2.0	104	0.00	
78	TM	1,3,5-Trimethylbenzene	1.269	1.254	1.2	101	0.00	
79	TM	2-Chlorotoluene	1.347	1.340	0.5	100	0.00	
80	TM	4-Chlorotoluene	1.181	1.194	-1.1	104	0.00	

(#) = Out of Range

000161

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B16014Q.D Vial: 21
Acq On : 5 Jun 2003 10:34 pm Operator: JR
Sample : L506053B2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.079	1.055	2.2	101	0.00	
82	TM	1,2,4-Trimethylbenzene	1.290	1.320	-2.3	104	0.00	
83	TM	Pentachloroethane	0.139	0.139	0.0	112	0.00	
84	TM	sec-butylbenzene	1.706	1.693	0.8	101	0.00	
85	TM	p-isopropyltoluene	1.329	1.259	5.3	99	0.00	
86	TM	1,3-Dichlorobenzene	0.626	0.638	-1.9	105	0.00	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	107	0.00	
88	TM	1,4-Dichlorobenzene	1.387	1.372	1.1	103	0.00	
89	TM	n-butylbenzene	3.259	3.039	6.8	97	0.00	
90	TM	1,2-Dichlorobenzene	1.118	1.123	-0.4	106	0.00	
91	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.43~~	15629
92	TM	1,2-Dibromo-3-chloropropane	0.046	0.043#	6.5	110	0.00	
93	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.43~~	15629
	TM	1,2,4-Trichlorobenzene	0.667	0.667	0.0	107	0.00	
95	TM	Hexachlorobutadiene	0.256	0.265	-3.5	111	0.00	
96	TM	Naphthalene	1.035	0.983	5.0	104	0.00	
97	TM	1,2,3-Trichlorobenzene	0.510	0.526	-3.1	110	0.00	
98	TM	1,3,5-Trichlorobenzene	0.957	0.886	7.4	97	0.00	

(#) = Out of Range SPCC's out = 1 CCC's out = 0

524 RECOVERY

Data File Name **B16015Q.D**
Sample Name **L506053B3**
Date **5 Jun 2003 11:15 pm**

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	0.95	1.2	79%	OK
Chloromethane	1.23	1.2	103%	OK
Vinyl Chloride	1.37	1.2	114%	OK
Bromomethane	0.83	1.2	70%	OK
Chloroethane	1.11	1.2	93%	OK
t-Butyl alcohol (TBA)	6.50	6.0	108%	OK
Trichlorofluoromethane	1.10	1.2	92%	OK
1,1,2-Trichlorotrifluoroethane	1.13	1.2	94%	OK
Acetone	1.96	1.2	163%	*
1,1-Dichloroethene	1.14	1.2	95%	OK
Di-isopropyl ether (DIPE)	1.21	1.2	101%	OK
Methylene Chloride	1.26	1.2	105%	OK
Methyl-tert-butyl ether (MTBE)	2.59	2.4	108%	OK
trans-1,2-Dichloroethene	1.19	1.2	99%	OK
1,1-Dichloroethane	1.19	1.2	99%	OK
Methyl ethyl ketone	1.27	1.2	106%	OK
Ethyl t-butyl ether (ETBE)	1.17	1.2	97%	OK
2,2-Dichloropropane	0.88	1.2	73%	OK
cis-1,2-Dichloroethene	1.06	1.2	89%	OK
t-Amyl methyl ether (TAME)	1.26	1.2	105%	OK
Chloroform	1.32	1.2	110%	OK
Bromochloromethane	1.28	1.2	106%	OK
Tetrahydrofuran	1.51	1.2	126%	OK
1,1,1-Trichloroethane	1.17	1.2	97%	OK
1,1-Dichloropropene	1.17	1.2	98%	OK
Carbon Tetrachloride	1.15	1.2	96%	OK
1,2-Dichloroethane	1.31	1.2	109%	OK
Benzene	1.19	1.2	99%	OK
Trichloroethene	1.34	1.2	112%	OK
1,2-Dichloropropane	1.29	1.2	107%	OK
Bromodichloromethane	1.30	1.2	108%	OK
Dibromomethane	1.31	1.2	109%	OK
2-Hexanone	1.18	1.2	98%	OK
Methyl isobutyl ketone	1.18	1.2	99%	OK
cis-1,3-Dichloropropene	1.26	1.2	105%	OK
Toluene	1.23	1.2	103%	OK
trans-1,3-Dichloropropene	1.21	1.2	101%	OK
1,1,2-Trichloroethane	1.38	1.2	115%	OK
1,3-Dichloropropane	1.33	1.2	110%	OK
Tetrachloroethene	1.29	1.2	108%	OK
Dibromochloromethane	1.22	1.2	102%	OK
1,2-Dibromoethane	1.35	1.2	113%	OK
Chlorobenzene	1.20	1.2	100%	OK
1,1,1,2-Tetrachloroethane	1.25	1.2	104%	OK
Ethylbenzene	1.15	1.2	96%	OK
m,p-Xylene	2.35	2.4	98%	OK
o-Xylene	1.18	1.2	98%	OK
Styrene	1.20	1.2	100%	OK

6.6.03

VMC 6/6/03

Bromoform	1.15	1.2	96%	OK
Isopropylbenzene	1.08	1.2	90%	OK
1,1,2,2-Tetrachloroethane	1.24	1.2	103%	OK
1,2,3-Trichloropropane	1.26	1.2	105%	OK
-Propylbenzene	1.13	1.2	94%	OK
ɔromobenzene	1.24	1.2	103%	OK
1,3,5-Trimethylbenzene	1.14	1.2	95%	OK
2-Chlorotoluene	1.19	1.2	99%	OK
4-Chlorotoluene	1.15	1.2	96%	OK
tert-butylbenzene	1.13	1.2	94%	OK
1,2,4-Trimethylbenzene	1.18	1.2	99%	OK
sec-butylbenzene	1.14	1.2	95%	OK
p-isopropyltoluene	1.08	1.2	90%	OK
1,3-Dichlorobenzene	1.22	1.2	101%	OK
1,4-Dichlorobenzene	1.18	1.2	98%	OK
n-butylbenzene	1.08	1.2	90%	OK
1,2-Dichlorobenzene	1.22	1.2	101%	OK
1,2-Dibromo-3-chloropropane	1.21	1.2	101%	OK
1,2,4-Trichlorobenzene	1.22	1.2	102%	OK
Hexachlorobutadiene	1.22	1.2	101%	OK
Naphthalene	1.20	1.2	100%	OK
1,2,3-Trichlorobenzene	1.23	1.2	102%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B16015Q.D Vial: 22
Acq On : 5 Jun 2003 11:15 pm Operator: JR
Sample : L506053B3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

6.6.03
VMT 6/6/03

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	102	0.00	
2	TM	Dichlorodifluoromethane	0.721	0.571	20.8#	81	0.00	
3	TMP	Chloromethane	0.610	0.627	-2.8	101	0.00	
4	TMC	Vinyl Chloride	0.369	0.421	-14.1	98	0.00	
5	TM	Bromomethane	0.170	0.118	30.6#	81	0.00	
6	TM	Chloroethane	0.249	0.231	7.2	92	0.00	
7	TM	t-Butyl alcohol (TBA)	0.009	0.010#	-11.1	106	0.02	
8	TM	Trichlorofluoromethane	0.589	0.540	8.3	93	0.00	
9	TM	Diethyl ether	0.105	0.109	-3.8	105	0.00	
10	T	1,1,2-Trichlorotrifluoroeth	0.371	0.350	5.7	94	0.00	
11	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.10~~	5/6/03
12	TM	Acetone	0.038	0.012# Area Out	68.4#	33#	0.01	
13	TMC	1,1-Dichloroethene	0.321	0.304	5.3	95	0.00	
14	T	Methyl iodide	0.444	0.297	33.1#	79	0.00	
15	TM	Di-isopropyl ether (DIPE)	1.137	1.144	-0.6	101	0.01	
16	TM	Methylene Chloride	0.508	0.566	-11.4	105	0.00	
17	TM	Carbon Disulfide	0.999	0.817	18.2	85	0.00	
18	T	Acrylonitrile	~~0.042~~	~~0.053#~~	~~-26.2#~~	~~129~~	~~0.00~~	NT
19	TM	Methyl-tert-butyl ether (MT	0.495	1.068	-115.8#	222#	0.00	
20	TM	trans-1,2-Dichloroethene	0.354	0.352	0.6	100	0.00	
21	TMP	1,1-Dichloroethane	0.681	0.675	0.9	98	0.00	
22	T	Vinyl acetate	~~0.014~~	~~0.025#~~	~~78.6#~~	~~201#~~	~~0.00~~	NT
23	TM	Methyl ethyl ketone	0.071	0.015# Area Out	78.9#	22#	0.01	
24	TM	Ethyl t-butyl ether (ETBE)	0.920	0.894	2.8	108	0.00	
25	TM	2,2-Dichloropropane	0.508	0.372	26.8#	67#	0.00	
26	TM	cis-1,2-Dichloroethene	0.451	0.400	11.3	76	0.00	
27	TM	t-Amyl methyl ether (TAME)	0.845	0.886	-4.9	108	0.00	
28	T	No Compound	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.50~~	5/6/03
29	TMC	Chloroform	0.835	0.917	-9.8	103	0.00	
30	TM	Bromochloromethane	0.180	0.191	-6.1	106	0.00	
31	TM	Tetrahydrofuran	0.016	0.020#	-25.0#	126	0.00	
32	TM	1,1,1-Trichloroethane	0.679	0.660	2.8	98	0.00	
33	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	5/6/03
34	TM	1,1-Dichloropropene	0.785	0.769	2.0	97	0.00	
35	TM	Carbon Tetrachloride	0.523	0.500	4.4	99	0.00	
36	S	1,4-Difluorobenzene	1.813	1.781	1.8	99	0.00	
37	TM	1,2-Dichloroethane	0.440	0.479	-8.9	107	0.00	
38	TM	Benzene	2.275	2.263	0.5	98	0.00	
39	I	Fluorobenzene	1.000	1.000	0.0	98	0.00	
40	TM	Trichloroethene	0.247	0.275	-11.3	106	0.00	

(#) = Out of Range

000165

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B16015Q.D Vial: 22
Acq On : 5 Jun 2003 11:15 pm Operator: JR
Sample : L506053B3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
41	TMC	1,2-Dichloropropane	0.254	0.272	-7.1	101	0.00	
42	T	Methylmethacrylate	~~0.072~~	~~0.077#~~	~~6.9~~	~~107~~	~~0.00~~	NT
43	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	MC 6219
44	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	MC 6219
45	TM	Bromodichloromethane	0.219	0.236	-7.8	106	0.00	
46	TM	Dibromomethane	0.092	0.100	-8.7	108	0.00	
47	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~-0.43~~	
48	T	NO COMPOUND	0.000	0.000#	MC 6219 0.0	0#	-0.43	
49	T	NO COMPOUND	~~0.000~~	~~0.000#~~	0.0	0#	-0.43	
50	T	2-Chloroethylvinyl ether	~~0.001~~	~~0.000#~~	~~100.0#~~	~~0#~~	~~-10.16#~~	NT
51	TM	2-Hexanone	0.037	0.007#	81.1#	20#	0.00	
52	TM	Methyl isobutyl ketone	0.039	0.008#	79.5#	19#	0.00	
53	TM	cis-1,3-Dichloropropene	0.289	0.304	-5.2	105	0.00	
54	S	Bromofluorobenzene	0.314	0.332	-5.7	104	0.00	
	TMC	Toluene	0.589	0.605	-2.7	97	0.00	
56	TM	trans-1,3-Dichloropropene	0.184	0.185	-0.5	106	0.00	
57	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.43~~	MC 213
58	TM	1,1,2-Trichloroethane	0.105	0.120	-14.3	109	0.00	
59	TM	1,3-Dichloropropane	0.225	0.249	-10.7	107	0.00	
60	TM	Tetrachloroethene	0.221	0.238	-7.7	104	0.00	
61	TM	Dibromochloromethane	0.116	0.119	-2.6	109	0.00	
62	TM	1,2-Dibromoethane	0.107	0.121	-13.1	109	0.00	
63	I	d5-Chlorobenzene	1.000	1.000	0.0	105 ✓	0.00	
64	TMP	Chlorobenzene	0.906	0.907	-0.1	103	0.00	
65	TM	1,1,1,2-Tetrachloroethane	0.245	0.255	-4.1	112	0.00	
66	TMC	Ethylbenzene	1.801	1.733	3.8	97	0.00	
67	TM	m,p-Xylene	0.631	0.619	1.9	99	0.00	
68	TM	o-Xylene	0.586	0.575	1.9	102	0.00	
69	TM	Styrene	0.943	0.946	-0.3	104	0.00	
70	TMP	Bromoform	0.074	0.072#	2.7	113	0.00	
71	TM	Isopropylbenzene	1.632	1.463	10.4	91	0.00	
72	TMP	1,1,2,2-Tetrachloroethane	0.194	0.200	-3.1	106	0.00	
73	S	1,2-Dichlorobenzene-d4	0.338	0.349	-3.3	109	0.00	
74	TM	1,2,3-Trichloropropane	0.143	0.150	-4.9	107	0.00	
75	T	trans-1,4-Dichloro-2-butene	0.060	0.055#	8.3	96	0.00	
76	TM	n-Propylbenzene	2.164	2.037	5.9	96	0.00	
77	TM	Bromobenzene	0.294	0.304	-3.4	106	0.00	
78	TM	1,3,5-Trimethylbenzene	1.269	1.203	5.2	97	0.00	
	TM	2-Chlorotoluene	1.347	1.334	1.0	100	0.01	
	TM	4-Chlorotoluene	1.181	1.128	4.5	98	0.00	

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-B\B16015Q.D Vial: 22
Acq On : 5 Jun 2003 11:15 pm Operator: JR
Sample : L506053B3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V505283B.M (RTE Integrator)
Title : 524 Purgable Organics
Last Update : Thu May 29 12:59:24 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 70% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	1.079	1.011	6.3	97	0.01
82	TM	1,2,4-Trimethylbenzene	1.290	1.273	1.3	101	0.00
83	TM	Pentachloroethane	0.139	0.137	1.4	112	0.00
84	TM	sec-butylbenzene	1.706	1.621	5.0	97	0.00
85	TM	p-isopropyltoluene	1.329	1.200	9.7	95	0.00
86	TM	1,3-Dichlorobenzene	0.626	0.634	-1.3	105	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	108 ✓	0.00
88	TM	1,4-Dichlorobenzene	1.387	1.364	1.7	103	0.00
89	TM	n-butylbenzene	3.259	2.933	10.0	94	0.00
90	TM	1,2-Dichlorobenzene	1.118	1.134	-1.4	107	0.00
91	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.43~~ 0620
92	TM	1,2-Dibromo-3-chloropropane	0.046	0.046#	0.0	118	0.00
93	T	NO COMPOUND	~~0.000~~	~~0.000#~~	~~0.0~~	~~0#~~	~~0.43~~ 0623
	TM	1,2,4-Trichlorobenzene	0.667	0.680	-1.9	109	0.00
95	TM	Hexachlorobutadiene	0.256	0.259	-1.2	109	0.00
96	TM	Naphthalene	1.035	1.033	0.2	109	0.00
97	TM	1,2,3-Trichlorobenzene	0.510	0.522	-2.4	109	0.00
98	TM	1,3,5-Trichlorobenzene	0.957	0.861	10.0	95	0.00

(#) = Out of Range SPCC's out = 1 CCC's out = 0

000167

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B15940T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 5/28/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1649

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	216173	6.95	491181	8.34	315461	13.16	138403	17.00
	UPPER LIMIT	281025	7.37	638535	8.84	410099	13.95	179924	18.02
	LOWER LIMIT	151321	6.53	343827	7.84	220823	12.37	96882	15.98
	SAMPLE NO.								
01	0.1PPB STD	216477	6.95	494297	8.35	315487	13.16	137666	17.00
02	0.5PPB STD	216437	6.95	491779	8.35	317353	13.16	140136	16.99
03	1.2PPB STD	216173	6.95	491181	8.34	315461	13.16	138403	17.00
04	4.8PPB STD	217614	6.94	491924	8.34	317920	13.16	141911	17.00
05	8PPB STD	217260	6.95	490391	8.34	317213	13.16	142411	17.00
06	16PPB STD	221466	6.94	499090	8.34	325937	13.16	147595	17.00
07									
08									
09									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B15995T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0848

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	231606	6.94	514186	8.34	340917	13.16	149482	17.00
	UPPER LIMIT	301088	7.36	668442	8.84	443192	13.95	194327	18.02
	LOWER LIMIT	162124	6.52	359930	7.84	238642	12.37	104637	15.98
	SAMPLE NO.								
01	L506053B	231606	6.94	514186	8.34	340917	13.16	149482	17.00
02	B506053B	229768	6.95	506156	8.34	338054	13.16	146321	17.00
03	49794-43	224719	6.95	506947	8.35	332461	13.16	141956	17.00
04	49794-10	227432	6.95	504901	8.35	330863	13.16	143786	17.00
05	49794-10,MS	223709	6.94	502291	8.34	330392	13.16	146879	17.00
06	49794-10,MSD	223255	6.95	503527	8.35	331933	13.16	147121	17.00
07	49794-14	225505	6.95	497712	8.35	334708	13.16	145436	17.00
08	49794-15	223841	6.95	490241	8.35	333924	13.16	146602	17.00
09	49794-16	222608	6.95	488246	8.35	332072	13.16	146106	17.00
10	49794-17	220802	6.95	480387	8.34	329717	13.16	146097	17.00
11	49794-20	220619	6.95	482893	8.35	331004	13.16	144989	17.00
12	49794-21	218373	6.94	479592	8.34	328673	13.16	146938	17.00
13	49794-22	216186	6.95	479748	8.34	330584	13.15	146751	17.00
14	ZZZZZ	210796	6.95	449086	8.35	327995	13.16	150420	17.00
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: B16013T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1954

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	221295		6.94		477976		8.34		328852		13.16		148769		17.00	
	UPPER LIMIT	287684		7.36		621369		8.84		427508		13.95		193400		18.02	
	LOWER LIMIT	154907		6.52		334583		7.84		230196		12.37		104138		15.98	
	SAMPLE NO.																
01	L506053B2	221295		6.94		477976		8.34		328852		13.16		148769		17.00	
02	L506053B3	219767		6.95		479080		8.34		330478		13.16		148846		17.00	
03	B506053B2	220566		6.95		478837		8.35		329237		13.16		146833		17.00	
04	49794-35	219064		6.94		476596		8.34		330010		13.16		146715		17.00	
05	49794-36	219758		6.95		476847		8.34		328299		13.16		147056		17.00	
06	49794-37	215119		6.94		478187		8.34		331073		13.16		148305		17.00	
07	49794-38	193585		6.95		468390		8.35		328512		13.16		149011		17.00	
08	49794-39	214439		6.95		466080		8.34		325721		13.16		147187		17.00	
09	49794-40	211090		6.95		466848		8.35		327145		13.16		147149		16.99	
10	49794-41	213098		6.95		469063		8.35		325361		13.16		145580		17.00	
11	49794-42	193973		6.95		466957		8.34		327053		13.16		146078		17.00	
12	ZZZZZ	196200		6.95		460975		8.35		322807		13.16		145899		17.00	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11533T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/4/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0959

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	0.1PPB STD	121	81	79	0
02	0.5PPB STD	119	82	75	0
03	1.2PPB STD	99	102	89	0
04	4.8PPB STD	98	101	115	0
05	8PPB STD	98	101	121	0
06	16PPB STD	100	98	115	0
07	32PPB STD	103	97	112	0
08	ZZZZZ	101	90	96	0
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11545T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0902

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L506053I	95	101	98	0
02	B506053I	101	100	94	0
03	49794-30	99	99	94	0
04	49794-30,MS	100	99	106	0
05	49794-30,MSD	92	109	101	0
06	ZZZZZ	95	106	101	0
07	49794-1	100	109	105	0
08	49794-2	98	104	106	0
09	49794-3	102	106	104	0
10	49794-4	101	110	103	0
11	49794-5	102	111	104	0
12	49794-6	104	107	98	0
13	49794-7	103	109	101	0
14	49794-8	101	110	107	0
15	49794-9	102	117	109	0
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11566T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2209

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L50605312	102	112	112	0
02	L50605313	100	108	109	0
03	B50605312	101	106	101	0
04	49794-24	98	112	104	0
05	49794-25	100	100	108	0
06	49794-26	103	110	103	0
07	49794-31	102	113	109	0
08	49794-32	103	114	106	0
09	49794-33	103	112	106	0
10	49794-34	103	107	101	0
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11578T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0853

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L506063I	98	103	98	0
02	B506063I	98	103	100	0
03	49794-11	101	100	101	0
04	49794-11,MS	99	102	104	0
05	49794-11,MSD	99	103	104	0
06	49794-12	97	114	104	0
07	49794-13	100	102	99	0
08	49794-18	100	103	96	0
09	49794-19	101	102	91	0
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11588T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L50606312	105	91	98	0
02	L50606313	93	101	100	0
03	B50606312	106	90	99	0
04	49794-23	96	96	96	0
05	49794-27	104	95	100	0
06	49794-28	103	95	99	0
07	49794-29	102	92	99	0
08	ZZZZZ	98	97	95	0
09	ZZZZZ	103	86	94	0
10	49794-42,DL	105	104	91	0
11	49794-24,DL	101	89	98	0
12	49794-25,DL	102	88	97	0
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11545T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0902

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053I

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.0	84		70-130
Chloromethane	1.2	1.2	98		70-130
Vinyl Chloride	1.2	1.3	107		70-130
Bromomethane	1.2	1.3	104		70-130
Chloroethane	1.2	1.1	92		70-130
t-Butyl alcohol (TBA)	6.0	5.5	92		70-130
Trichlorofluoromethane	1.2	1.1	93		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.3	104		70-130
Acetone	1.2	1.5	127		70-130
1,1-Dichloroethene	1.2	1.2	100		70-130
Di-isopropyl ether (DIPE)	1.2	1.2	99		70-130
Methylene Chloride	1.2	0.9	71		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.2	93		70-130
trans-1,2-Dichloroethene	1.2	1.2	98		70-130
1,1-Dichloroethane	1.2	1.2	100		70-130
Methyl ethyl ketone	1.2	1.6	130		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.2	99		70-130
2,2-Dichloropropane	1.2	1.2	102		70-130
cis-1,2-Dichloroethene	1.2	1.2	102		70-130
t-Amyl methyl ether (TAME)	1.2	1.1	93		70-130
Chloroform	1.2	1.2	100		70-130
Bromochloromethane	1.2	1.3	106		70-130
Tetrahydrofuran	1.2	1.5	126		70-130
1,1,1-Trichloroethane	1.2	1.2	98		70-130
1,1-Dichloropropene	1.2	1.2	98		70-130
Carbon Tetrachloride	1.2	1.2	100		70-130
1,2-Dichloroethane	1.2	1.2	103		70-130
Benzene	1.2	1.2	103		70-130
Trichloroethene	1.2	1.4	113		70-130
1,2-Dichloropropane	1.2	1.3	108		70-130
Bromodichloromethane	1.2	1.2	103		70-130
Dibromomethane	1.2	1.2	99		70-130
2-Hexanone	1.2	1.2	102		70-130
Methyl isobutyl ketone	1.2	1.3	108		70-130
cis-1,3-Dichloropropene	1.2	1.3	109		70-130
Toluene	1.2	1.3	105		70-130
trans-1,3-Dichloropropene	1.2	1.3	107		70-130
1,1,2-Trichloroethane	1.2	1.4	113		70-130
1,3-Dichloropropane	1.2	1.3	104		70-130
Tetrachloroethene	1.2	1.4	118		70-130
Dibromochloromethane	1.2	1.2	102		70-130
1,2-Dibromoethane	1.2	1.3	109		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 | Quote #: | SDG: 49794

BFB File ID: I11545T | Site ID: Bucks Harbor | Location: Maine

Instrument ID: I | BFB Injection Date: 6/5/03

GC Column: RTX-502.2 | ID: 0.25 (mm) | BFB Injection Time: 0902

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053I

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	104		70-130
1,1,1,2-Tetrachloroethane	1.2	1.3	107		70-130
Ethylbenzene	1.2	1.3	107		70-130
m,p-Xylene	2.4	2.6	106		70-130
o-Xylene	1.2	1.3	104		70-130
Styrene	1.2	1.1	93		70-130
Bromoform	1.2	1.3	104		70-130
Isopropylbenzene	1.2	1.2	102		70-130
1,1,2,2-Tetrachloroethane	1.2	1.2	103		70-130
1,2,3-Trichloropropane	1.2	1.2	101		70-130
n-Propylbenzene	1.2	1.2	103		70-130
Bromobenzene	1.2	1.2	101		70-130
1,3,5-Trimethylbenzene	1.2	1.3	105		70-130
2-Chlorotoluene	1.2	1.3	109		70-130
4-Chlorotoluene	1.2	1.3	106		70-130
tert-butylbenzene	1.2	1.3	105		70-130
1,2,4-Trimethylbenzene	1.2	1.2	101		70-130
sec-butylbenzene	1.2	1.3	106		70-130
p-isopropyltoluene	1.2	1.2	98		70-130
1,3-Dichlorobenzene	1.2	1.2	102		70-130
1,4-Dichlorobenzene	1.2	1.2	101		70-130
n-butylbenzene	1.2	1.2	100		70-130
1,2-Dichlorobenzene	1.2	1.2	103		70-130
1,2-Dibromo-3-chloropropane	1.2	1.1	92		70-130
1,2,4-Trichlorobenzene	1.2	1.0	86		70-130
Hexachlorobutadiene	1.2	1.3	109		70-130
Naphthalene	1.2	1.1	90		70-130
1,2,3-Trichlorobenzene	1.2	1.1	88		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 0 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49794

BFB File ID: I11545T Site ID: Buck Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0902

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49794-30

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	4.8	U	4.8	101		5.0	105		4		15	70-130
Chloromethane	4.8	U	5.6	116		5.6	116		1		15	70-130
Vinyl Chloride	4.8	U	5.2	108		5.0	103		4		15	70-130
Bromomethane	4.8	U	5.2	109		5.2	109		0		15	70-130
Chloroethane	4.8	U	5.5	114		5.4	112		1		15	70-130
t-Butyl alcohol (TBA)	24.0	U	23.8	99		27.8	116		16	*	15	70-130
Trichlorofluoromethane	4.8	U	5.7	118		5.6	116		1		15	70-130
1,1,2-Trichlorotrifluoroethane	4.8	U	6.0	125		5.8	121		3		15	70-130
Acetone	4.8	U	5.8	121		6.2	129		6		15	70-130
1,1-Dichloroethene	4.8	U	5.8	120		5.7	119		1		15	70-130
Di-isopropyl ether (DIPE)	4.8	U	5.55	116		5.7	119		2		15	70-130
Methylene Chloride	4.8	U	3.9	76		4.0	78		3		15	70-130
Methyl-tert-butyl ether (MTBE)	9.6	U	10.1	105		10.8	112		6		15	70-130
trans-1,2-Dichloroethene	4.8	U	5.8	121		5.7	119		1		15	70-130
1,1-Dichloroethane	4.8	U	5.8	121		5.8	120		1		15	70-130
Methyl ethyl ketone	4.8	U	5.8	120		5.3	109		9		15	70-130
Ethyl t-butyl ether (ETBE)	4.8	U	5.4	113		5.6	116		3		15	70-130
2,2-Dichloropropane	4.8	U	6.2	129		6.1	128		1		15	70-130
cis-1,2-Dichloroethene	4.8	U	5.7	119		5.8	120		1		15	70-130
t-Amyl methyl ether (TAME)	4.8	U	5.1	107		4.7	98		9		15	70-130
Chloroform	4.8	U	5.3	110		5.2	108		2		15	70-130
Bromochloromethane	4.8	U	5.4	111		5.4	113		2		15	70-130
Tetrahydrofuran	4.8	U	5.5	115		5.9	124		8		15	70-130
1,1,1-Trichloroethane	4.8	U	5.6	116		5.2	108		8		15	70-130
1,1-Dichloropropene	4.8	U	6.0	124		5.1	106		15		15	70-130
Carbon Tetrachloride	4.8	U	5.8	120		5.4	111		7		15	70-130
1,2-Dichloroethane	4.8	U	5.4	112		4.9	102		9		15	70-130
Benzene	4.8	U	5.5	115		5.0	105		9		15	70-130
Trichloroethene	4.8	U	5.8	122		5.9	124		2		15	70-130
1,2-Dichloropropane	4.8	U	5.2	109		5.7	119		9		15	70-130
Bromodichloromethane	4.8	U	5.4	113		5.6	116		3		15	70-130
Dibromomethane	4.8	U	5.0	104		5.3	111		6		15	70-130
2-Hexanone	4.8	U	5.1	107		5.7	119		11		15	70-130
Methyl isobutyl ketone	4.8	U	4.9	103		5.5	115		11		15	70-130
cis-1,3-Dichloropropene	4.8	U	5.6	118		6.1	128		8		15	70-130
Toluene	4.8	U	5.2	108		5.7	118		9		15	70-130
trans-1,3-Dichloropropene	4.8	U	5.4	113		6.0	125		10		15	70-130
1,1,2-Trichloroethane	4.8	U	5.1	107		5.8	121		12		15	70-130
1,3-Dichloropropane	4.8	U	5.0	105		5.7	119		12		15	70-130
Tetrachloroethene	4.8	U	5.7	119		6.1	128		7		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49794

BFB File ID: I11545T Site ID: Buck Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0902

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49794-30

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dibromochloromethane	4.8	U	5.2	107		5.9	123		14		15	70-130
1,2-Dibromoethane	4.8	U	5.3	111		5.8	121		9		15	70-130
Chlorobenzene	4.8	U	5.3	110		5.4	113		2		15	70-130
1,1,1,2-Tetrachloroethane	4.8	U	5.6	116		5.8	121		4		15	70-130
Ethylbenzene	4.8	U	5.4	112		5.4	113		1		15	70-130
m,p-Xylene	9.6	U	11.0	115		11.1	116		1		15	70-130
o-Xylene	4.8	U	5.6	116		5.6	116		0		15	70-130
Styrene	4.8	U	5.4	113		5.6	116		3		15	70-130
Bromoform	4.8	U	5.4	112		5.6	117		5		15	70-130
Isopropylbenzene	4.8	U	5.4	113		5.4	112		1		15	70-130
1,1,2,2-Tetrachloroethane	4.8	U	5.1	107		5.2	108		1		15	70-130
1,2,3-Trichloropropane	4.8	U	5.0	105		5.2	108		3		15	70-130
n-Propylbenzene	4.8	U	5.6	117		5.6	117		0		15	70-130
Bromobenzene	4.8	U	5.3	110		5.4	111		2		15	70-130
1,3,5-Trimethylbenzene	4.8	U	5.8	120		5.7	118		2		15	70-130
2-Chlorotoluene	4.8	U	5.7	119		5.7	118		1		15	70-130
4-Chlorotoluene	4.8	U	5.5	115		5.5	114		1		15	70-130
tert-butylbenzene	4.8	U	5.9	122		5.6	116		5		15	70-130
1,2,4-Trimethylbenzene	4.8	U	5.8	120		5.6	118		2		15	70-130
sec-butylbenzene	4.8	U	5.9	124		5.9	122		1		15	70-130
p-isopropyltoluene	4.8	U	5.7	118		5.4	113		4		15	70-130
1,3-Dichlorobenzene	4.8	U	5.6	116		5.5	114		2		15	70-130
1,4-Dichlorobenzene	4.8	U	5.2	109		5.4	112		3		15	70-130
n-butylbenzene	4.8	U	5.7	118		5.8	121		2		15	70-130
1,2-Dichlorobenzene	4.8	U	5.3	111		5.4	112		1		15	70-130
1,2-Dibromo-3-chloropropane	4.8	U	4.9	102		5.1	106		4		15	70-130
1,2,4-Trichlorobenzene	4.8	U	5.1	107		5.3	111		4		15	70-130
Hexachlorobutadiene	4.8	U	6.2	129		6.0	125		4		15	70-130
Naphthalene	4.8	U	4.6	96		4.9	101		5		15	70-130
1,2,3-Trichlorobenzene	4.7	U	5.1	110		5.2	111		1		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 1 out of 70 outside limits
Spike Recovery: 0 out of 140 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11566T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2209

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053I2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.0	83		70-130
Chloromethane	1.2	1.2	98		70-130
Vinyl Chloride	1.2	1.2	103		70-130
Bromomethane	1.2	1.3	106		70-130
Chloroethane	1.2	1.2	96		70-130
t-Butyl alcohol (TBA)	6.0	7.8	130		70-130
Trichlorofluoromethane	1.2	1.2	98		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.2	98		70-130
Acetone	1.2	2.5	208	*	70-130
1,1-Dichloroethene	1.2	1.2	98		70-130
Di-isopropyl ether (DIPE)	1.2	1.4	113		70-130
Methylene Chloride	1.2	1.5	123		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.6	108		70-130
trans-1,2-Dichloroethene	1.2	1.2	103		70-130
1,1-Dichloroethane	1.2	1.3	106		70-130
Methyl ethyl ketone	1.2	1.6	132	*	70-130
Ethyl t-butyl ether (ETBE)	1.2	1.3	110		70-130
2,2-Dichloropropane	1.2	1.0	85		70-130
cis-1,2-Dichloroethene	1.2	1.3	110		70-130
t-Amyl methyl ether (TAME)	1.2	1.3	111		70-130
Chloroform	1.2	1.3	108		70-130
Bromochloromethane	1.2	1.3	112		70-130
Tetrahydrofuran	1.2	2.2	182	*	70-130
1,1,1-Trichloroethane	1.2	1.2	102		70-130
1,1-Dichloropropene	1.2	1.3	106		70-130
Carbon Tetrachloride	1.2	1.2	103		70-130
1,2-Dichloroethane	1.2	1.4	115		70-130
Benzene	1.2	1.3	109		70-130
Trichloroethene	1.2	1.4	113		70-130
1,2-Dichloropropane	1.2	1.4	116		70-130
Bromodichloromethane	1.2	1.3	112		70-130
Dibromomethane	1.2	1.5	128		70-130
2-Hexanone	1.2	1.5	121		70-130
Methyl isobutyl ketone	1.2	1.5	123		70-130
cis-1,3-Dichloropropene	1.2	1.5	122		70-130
Toluene	1.2	1.3	108		70-130
trans-1,3-Dichloropropene	1.2	1.3	112		70-130
1,1,2-Trichloroethane	1.2	1.5	123		70-130
1,3-Dichloropropane	1.2	1.5	124		70-130
Tetrachloroethene	1.2	1.4	114		70-130
Dibromochloromethane	1.2	1.4	118		70-130
1,2-Dibromoethane	1.2	1.5	121		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11566T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2209

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053I2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	108		70-130
1,1,1,2-Tetrachloroethane	1.2	1.4	113		70-130
Ethylbenzene	1.2	1.2	103		70-130
m,p-Xylene	2.4	2.5	105		70-130
o-Xylene	1.2	1.3	108		70-130
Styrene	1.2	1.3	105		70-130
Bromoform	1.2	1.5	123		70-130
Isopropylbenzene	1.2	1.2	102		70-130
1,1,2,2-Tetrachloroethane	1.2	1.4	116		70-130
1,2,3-Trichloropropane	1.2	1.4	113		70-130
n-Propylbenzene	1.2	1.3	106		70-130
Bromobenzene	1.2	1.3	110		70-130
1,3,5-Trimethylbenzene	1.2	1.3	105		70-130
2-Chlorotoluene	1.2	1.3	111		70-130
4-Chlorotoluene	1.2	1.3	110		70-130
tert-butylbenzene	1.2	1.3	109		70-130
1,2,4-Trimethylbenzene	1.2	1.3	108		70-130
sec-butylbenzene	1.2	1.3	108		70-130
p-isopropyltoluene	1.2	1.2	103		70-130
1,3-Dichlorobenzene	1.2	1.4	113		70-130
1,4-Dichlorobenzene	1.2	1.3	105		70-130
n-butylbenzene	1.2	1.2	98		70-130
1,2-Dichlorobenzene	1.2	1.3	109		70-130
1,2-Dibromo-3-chloropropane	1.2	1.3	108		70-130
1,2,4-Trichlorobenzene	1.2	1.2	98		70-130
Hexachlorobutadiene	1.2	1.3	106		70-130
Naphthalene	1.2	1.2	102		70-130
1,2,3-Trichlorobenzene	1.2	1.2	98		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 3 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11566T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2209

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053I3

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.0	83		70-130
Chloromethane	1.2	1.2	98		70-130
Vinyl Chloride	1.2	1.2	101		70-130
Bromomethane	1.2	1.2	100		70-130
Chloroethane	1.2	1.1	92		70-130
t-Butyl alcohol (TBA)	6.0	8.9	149	*	70-130
Trichlorofluoromethane	1.2	1.1	95		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.2	98		70-130
Acetone	1.2	2.8	233	*	70-130
1,1-Dichloroethene	1.2	1.2	97		70-130
Di-isopropyl ether (DIPE)	1.2	1.3	108		70-130
Methylene Chloride	1.2	0.9	77		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.5	106		70-130
trans-1,2-Dichloroethene	1.2	1.2	101		70-130
1,1-Dichloroethane	1.2	1.2	102		70-130
Methyl ethyl ketone	1.2	1.5	127		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.3	108		70-130
2,2-Dichloropropane	1.2	0.9	77		70-130
cis-1,2-Dichloroethene	1.2	1.3	110		70-130
t-Amyl methyl ether (TAME)	1.2	1.3	105		70-130
Chloroform	1.2	1.2	103		70-130
Bromochloromethane	1.2	1.4	114		70-130
Tetrahydrofuran	1.2	1.9	159	*	70-130
1,1,1-Trichloroethane	1.2	1.2	97		70-130
1,1-Dichloropropene	1.2	1.2	98		70-130
Carbon Tetrachloride	1.2	1.2	98		70-130
1,2-Dichloroethane	1.2	1.3	112		70-130
Benzene	1.2	1.3	105		70-130
Trichloroethene	1.2	1.3	105		70-130
1,2-Dichloropropane	1.2	1.3	107		70-130
Bromodichloromethane	1.2	1.4	113		70-130
Dibromomethane	1.2	1.5	122		70-130
2-Hexanone	1.2	1.5	122		70-130
Methyl isobutyl ketone	1.2	1.5	121		70-130
cis-1,3-Dichloropropene	1.2	1.4	117		70-130
Toluene	1.2	1.3	104		70-130
trans-1,3-Dichloropropene	1.2	1.3	110		70-130
1,1,2-Trichloroethane	1.2	1.5	123		70-130
1,3-Dichloropropane	1.2	1.4	118		70-130
Tetrachloroethene	1.2	1.3	109		70-130
Dibromochloromethane	1.2	1.4	119		70-130
1,2-Dibromoethane	1.2	1.5	128		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 | Quote #: | SDG: 49794

BFB File ID: I11566T | Site ID: Bucks Harbor | Location: Maine

Instrument ID: I | BFB Injection Date: 6/5/03

GC Column: RTX-502.2 | ID: 0.25 (mm) | BFB Injection Time: 2209

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506053I3

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.2	103		70-130
1,1,1,2-Tetrachloroethane	1.2	1.3	109		70-130
Ethylbenzene	1.2	1.2	97		70-130
m,p-Xylene	2.4	2.5	105		70-130
o-Xylene	1.2	1.3	107		70-130
Styrene	1.2	1.3	107		70-130
Bromoform	1.2	1.5	123		70-130
Isopropylbenzene	1.2	1.2	98		70-130
1,1,2,2-Tetrachloroethane	1.2	1.4	118		70-130
1,2,3-Trichloropropane	1.2	1.4	118		70-130
n-Propylbenzene	1.2	1.2	99		70-130
Bromobenzene	1.2	1.3	108		70-130
1,3,5-Trimethylbenzene	1.2	1.2	103		70-130
2-Chlorotoluene	1.2	1.3	107		70-130
4-Chlorotoluene	1.2	1.3	106		70-130
tert-butylbenzene	1.2	1.2	103		70-130
1,2,4-Trimethylbenzene	1.2	1.3	108		70-130
sec-butylbenzene	1.2	1.3	105		70-130
p-isopropyltoluene	1.2	1.2	98		70-130
1,3-Dichlorobenzene	1.2	1.3	110		70-130
1,4-Dichlorobenzene	1.2	1.2	101		70-130
n-butylbenzene	1.2	1.1	93		70-130
1,2-Dichlorobenzene	1.2	1.3	105		70-130
1,2-Dibromo-3-chloropropane	1.2	1.4	113		70-130
1,2,4-Trichlorobenzene	1.2	1.2	101		70-130
Hexachlorobutadiene	1.2	1.3	106		70-130
Naphthalene	1.2	1.2	103		70-130
1,2,3-Trichlorobenzene	1.2	1.2	102		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 3 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11578T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0853

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506063I

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.0	86		70-130
Chloromethane	1.2	1.3	106		70-130
Vinyl Chloride	1.2	1.3	108		70-130
Bromomethane	1.2	1.2	96		70-130
Chloroethane	1.2	1.2	103		70-130
t-Butyl alcohol (TBA)	6.0	6.3	105		70-130
Trichlorofluoromethane	1.2	1.2	98		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.2	103		70-130
Acetone	1.2	2.2	183	*	70-130
1,1-Dichloroethene	1.2	1.2	101		70-130
Di-isopropyl ether (DIPE)	1.2	1.3	108		70-130
Methylene Chloride	1.2	1.8	147	*	70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.3	95		70-130
trans-1,2-Dichloroethene	1.2	1.3	106		70-130
1,1-Dichloroethane	1.2	1.3	105		70-130
Methyl ethyl ketone	1.2	1.7	138	*	70-130
Ethyl t-butyl ether (ETBE)	1.2	1.2	98		70-130
2,2-Dichloropropane	1.2	1.3	108		70-130
cis-1,2-Dichloroethene	1.2	1.3	112		70-130
t-Amyl methyl ether (TAME)	1.2	1.2	96		70-130
Chloroform	1.2	1.3	104		70-130
Bromochloromethane	1.2	1.3	108		70-130
Tetrahydrofuran	1.2	1.4	113		70-130
1,1,1-Trichloroethane	1.2	1.3	104		70-130
1,1-Dichloropropene	1.2	1.3	105		70-130
Carbon Tetrachloride	1.2	1.3	108		70-130
1,2-Dichloroethane	1.2	1.3	112		70-130
Benzene	1.2	1.3	110		70-130
Trichloroethene	1.2	1.4	115		70-130
1,2-Dichloropropane	1.2	1.4	114		70-130
Bromodichloromethane	1.2	1.3	110		70-130
Dibromomethane	1.2	1.3	107		70-130
2-Hexanone	1.2	1.3	109		70-130
Methyl isobutyl ketone	1.2	1.4	114		70-130
cis-1,3-Dichloropropene	1.2	1.4	118		70-130
Toluene	1.2	1.3	111		70-130
trans-1,3-Dichloropropene	1.2	1.3	112		70-130
1,1,2-Trichloroethane	1.2	1.4	118		70-130
1,3-Dichloropropane	1.2	1.4	117		70-130
Tetrachloroethene	1.2	1.4	118		70-130
Dibromochloromethane	1.2	1.3	109		70-130
1,2-Dibromoethane	1.2	1.4	116		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11578T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0853

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506063I

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	111		70-130
1,1,1,2-Tetrachloroethane	1.2	1.4	114		70-130
Ethylbenzene	1.2	1.3	110		70-130
m,p-Xylene	2.4	2.7	110		70-130
o-Xylene	1.2	1.3	109		70-130
Styrene	1.2	1.2	97		70-130
Bromoform	1.2	1.3	112		70-130
Isopropylbenzene	1.2	1.3	104		70-130
1,1,2,2-Tetrachloroethane	1.2	1.3	106		70-130
1,2,3-Trichloropropane	1.2	1.2	103		70-130
n-Propylbenzene	1.2	1.3	108		70-130
Bromobenzene	1.2	1.3	105		70-130
1,3,5-Trimethylbenzene	1.2	1.3	104		70-130
2-Chlorotoluene	1.2	1.4	113		70-130
4-Chlorotoluene	1.2	1.3	111		70-130
tert-butylbenzene	1.2	1.3	110		70-130
1,2,4-Trimethylbenzene	1.2	1.3	107		70-130
sec-butylbenzene	1.2	1.3	111		70-130
p-isopropyltoluene	1.2	1.3	105		70-130
1,3-Dichlorobenzene	1.2	1.3	110		70-130
1,4-Dichlorobenzene	1.2	1.3	109		70-130
n-butylbenzene	1.2	1.3	109		70-130
1,2-Dichlorobenzene	1.2	1.4	113		70-130
1,2-Dibromo-3-chloropropane	1.2	1.2	98		70-130
1,2,4-Trichlorobenzene	1.2	1.0	87		70-130
Hexachlorobutadiene	1.2	1.4	113		70-130
Naphthalene	1.2	1.0	83		70-130
1,2,3-Trichlorobenzene	1.2	1.0	83		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 3 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11588T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506063I2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.0	86		70-130
Chloromethane	1.2	1.3	106		70-130
Vinyl Chloride	1.2	1.3	108		70-130
Bromomethane	1.2	1.2	98		70-130
Chloroethane	1.2	1.2	99		70-130
t-Butyl alcohol (TBA)	6.0	6.3	105		70-130
Trichlorofluoromethane	1.2	1.2	98		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.3	104		70-130
Acetone	1.2	2.9	242	*	70-130
1,1-Dichloroethene	1.2	1.2	103		70-130
Di-isopropyl ether (DIPE)	1.2	1.3	111		70-130
Methylene Chloride	1.2	2.3	195	*	70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.4	100		70-130
trans-1,2-Dichloroethene	1.2	1.3	109		70-130
1,1-Dichloroethane	1.2	1.3	110		70-130
Methyl ethyl ketone	1.2	1.3	108		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.3	104		70-130
2,2-Dichloropropane	1.2	1.3	112		70-130
cis-1,2-Dichloroethene	1.2	1.4	113		70-130
t-Amyl methyl ether (TAME)	1.2	1.2	101		70-130
Chloroform	1.2	1.5	124		70-130
Bromochloromethane	1.2	1.3	107		70-130
Tetrahydrofuran	1.2	1.6	135	*	70-130
1,1,1-Trichloroethane	1.2	1.3	106		70-130
1,1-Dichloropropene	1.2	1.4	114		70-130
Carbon Tetrachloride	1.2	1.3	112		70-130
1,2-Dichloroethane	1.2	1.4	116		70-130
Benzene	1.2	1.4	115		70-130
Trichloroethene	1.2	1.4	116		70-130
1,2-Dichloropropane	1.2	1.4	116		70-130
Bromodichloromethane	1.2	1.4	113		70-130
Dibromomethane	1.2	1.3	108		70-130
2-Hexanone	1.2	1.1	93		70-130
Methyl isobutyl ketone	1.2	1.5	126		70-130
cis-1,3-Dichloropropene	1.2	1.4	115		70-130
Toluene	1.2	1.2	103		70-130
trans-1,3-Dichloropropene	1.2	1.2	100		70-130
1,1,2-Trichloroethane	1.2	1.2	101		70-130
1,3-Dichloropropane	1.2	1.2	103		70-130
Tetrachloroethene	1.2	1.2	103		70-130
Dibromochloromethane	1.2	1.2	103		70-130
1,2-Dibromoethane	1.2	1.2	100		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11588T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506063I2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	107		70-130
1,1,1,2-Tetrachloroethane	1.2	1.3	112		70-130
Ethylbenzene	1.2	1.3	110		70-130
m,p-Xylene	2.4	2.7	114		70-130
o-Xylene	1.2	1.3	111		70-130
Styrene	1.2	1.3	107		70-130
Bromoform	1.2	1.4	113		70-130
Isopropylbenzene	1.2	1.3	106		70-130
1,1,2,2-Tetrachloroethane	1.2	1.3	111		70-130
1,2,3-Trichloropropane	1.2	1.3	105		70-130
n-Propylbenzene	1.2	1.3	109		70-130
Bromobenzene	1.2	1.3	107		70-130
1,3,5-Trimethylbenzene	1.2	1.3	108		70-130
2-Chlorotoluene	1.2	1.4	113		70-130
4-Chlorotoluene	1.2	1.3	109		70-130
tert-butylbenzene	1.2	1.3	108		70-130
1,2,4-Trimethylbenzene	1.2	1.4	113		70-130
sec-butylbenzene	1.2	1.3	112		70-130
p-isopropyltoluene	1.2	1.2	103		70-130
1,3-Dichlorobenzene	1.2	1.3	107		70-130
1,4-Dichlorobenzene	1.2	1.3	110		70-130
n-butylbenzene	1.2	1.3	110		70-130
1,2-Dichlorobenzene	1.2	1.3	110		70-130
1,2-Dibromo-3-chloropropane	1.2	1.3	111		70-130
1,2,4-Trichlorobenzene	1.2	1.0	84		70-130
Hexachlorobutadiene	1.2	1.3	109		70-130
Naphthalene	1.2	1.0	81		70-130
1,2,3-Trichlorobenzene	1.2	0.9	77		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 3 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49794

BFB File ID: I11578T Site ID: Buck Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0853

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49794-11

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	4.8	U	4.2	88		4.2	88		0		15	70-130
Chloromethane	4.8	U	4.8	100		4.7	98		2		15	70-130
Vinyl Chloride	4.8	U	4.4	91		4.4	91		1		15	70-130
Bromomethane	4.8	U	4.1	84		4.1	85		0		15	70-130
Chloroethane	4.8	U	4.7	98		4.6	95		2		15	70-130
t-Butyl alcohol (TBA)	24.0	U	23.4	97		25.0	104		7		15	70-130
Trichlorofluoromethane	4.8	U	4.8	100		4.8	101		1		15	70-130
1,1,2-Trichlorotrifluoroethane	4.8	U	5.0	105		5.1	107		2		15	70-130
Acetone	4.8	U	6.0	124		5.4	113		9		15	70-130
1,1-Dichloroethene	4.8	U	4.8	100		5.0	105		4		15	70-130
Di-isopropyl ether (DIPE)	4.8	U	5.02	105		5.1	107		2		15	70-130
Methylene Chloride	4.8	U	3.4	65	*	3.5	67	*	2		15	70-130
Methyl-tert-butyl ether (MTBE)	9.6	U	9.1	95		9.2	96		1		15	70-130
trans-1,2-Dichloroethene	4.8	U	5.1	106		5.2	108		2		15	70-130
1,1-Dichloroethane	4.8	U	5.1	105		5.2	107		2		15	70-130
Methyl ethyl ketone	4.8	U	5.1	106		5.4	112		5		15	70-130
Ethyl t-butyl ether (ETBE)	4.8	U	4.7	98		4.9	103		5		15	70-130
2,2-Dichloropropane	4.8	U	5.4	113		5.5	115		2		15	70-130
cis-1,2-Dichloroethene	4.8	U	5.2	109		5.3	109		0		15	70-130
t-Amyl methyl ether (TAME)	4.8	U	4.6	96		4.7	98		2		15	70-130
Chloroform	4.8	U	4.8	101		5.0	104		3		15	70-130
Bromochloromethane	4.8	U	5.1	106		5.2	108		2		15	70-130
Tetrahydrofuran	4.8	U	5.2	107		6.0	124		14		15	70-130
1,1,1-Trichloroethane	4.8	U	5.0	104		5.3	109		5		15	70-130
1,1-Dichloropropene	4.8	U	5.2	108		5.4	113		4		15	70-130
Carbon Tetrachloride	4.8	U	5.4	111		5.5	114		3		15	70-130
1,2-Dichloroethane	4.8	U	5.0	105		5.2	109		4		15	70-130
Benzene	4.8	U	5.1	106		5.2	109		3		15	70-130
Trichloroethene	4.8	U	5.6	116		5.7	120		3		15	70-130
1,2-Dichloropropane	4.8	U	5.5	114		5.5	115		1		15	70-130
Bromodichloromethane	4.8	U	5.4	113		5.6	116		2		15	70-130
Dibromomethane	4.8	U	5.1	106		5.1	107		1		15	70-130
2-Hexanone	4.8	U	5.5	114		5.5	115		1		15	70-130
Methyl isobutyl ketone	4.8	U	5.6	116		5.6	116		0		15	70-130
cis-1,3-Dichloropropene	4.8	U	5.9	124		6.1	126		2		15	70-130
Toluene	4.8	U	5.4	112		5.4	113		1		15	70-130
trans-1,3-Dichloropropene	4.8	U	5.7	119		5.9	122		2		15	70-130
1,1,2-Trichloroethane	4.8	U	5.5	115		5.6	116		1		15	70-130
1,3-Dichloropropane	4.8	U	5.4	113		5.6	116		3		15	70-130
Tetrachloroethene	4.8	U	5.7	119		5.8	121		2		15	70-130
Dibromochloromethane	4.8	U	5.5	115		5.6	117		2		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49794

BFB File ID: I11578T Site ID: Buck Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0853

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49794-11

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	4.8	U	5.5	115		5.7	119		4		15	70-130
Chlorobenzene	4.8	U	5.2	108		5.3	111		2		15	70-130
1,1,1,2-Tetrachloroethane	4.8	U	5.3	110		5.6	117		6		15	70-130
Ethylbenzene	4.8	U	5.2	107		5.3	111		3		15	70-130
m,p-Xylene	9.6	U	10.5	110		10.8	112		2		15	70-130
o-Xylene	4.8	U	5.2	109		5.4	113		3		15	70-130
Styrene	4.8	U	5.3	110		5.4	113		2		15	70-130
Bromoform	4.8	U	5.5	114		5.7	118		3		15	70-130
Isopropylbenzene	4.8	U	5.1	106		5.2	109		3		15	70-130
1,1,2,2-Tetrachloroethane	4.8	U	5.1	107		5.3	110		3		15	70-130
1,2,3-Trichloropropane	4.8	U	5.0	104		5.0	104		1		15	70-130
n-Propylbenzene	4.8	U	5.2	108		5.4	112		3		15	70-130
Bromobenzene	4.8	U	5.0	105		5.2	109		4		15	70-130
1,3,5-Trimethylbenzene	4.8	U	5.4	112		5.5	115		3		15	70-130
2-Chlorotoluene	4.8	U	5.3	110		5.5	115		4		15	70-130
4-Chlorotoluene	4.8	U	5.2	109		5.3	111		2		15	70-130
tert-butylbenzene	4.8	U	5.3	110		5.5	115		4		15	70-130
1,2,4-Trimethylbenzene	4.8	U	5.4	112		5.5	115		3		15	70-130
sec-butylbenzene	4.8	U	5.4	113		5.6	117		3		15	70-130
p-isopropyltoluene	4.8	U	5.1	107		5.4	111		4		15	70-130
1,3-Dichlorobenzene	4.8	U	5.2	108		5.3	111		3		15	70-130
1,4-Dichlorobenzene	4.8	U	4.9	103		5.3	110		7		15	70-130
n-butylbenzene	4.8	U	5.3	110		5.6	117		7		15	70-130
1,2-Dichlorobenzene	4.8	U	5.0	104		5.3	111		7		15	70-130
1,2-Dibromo-3-chloropropane	4.8	U	4.7	97		5.4	112		14		15	70-130
1,2,4-Trichlorobenzene	4.8	U	4.8	99		5.2	107		8		15	70-130
Hexachlorobutadiene	4.8	U	5.2	108		5.8	121		12		15	70-130
Naphthalene	4.8	U	4.2	87		4.5	94		8		15	70-130
1,2,3-Trichlorobenzene	4.7	U	4.5	98		5.0	107		9		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 0 out of 70 outside limits
Spike Recovery: 2 out of 140 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11588T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506063I3

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.1	92		70-130
Chloromethane	1.2	1.4	116		70-130
Vinyl Chloride	1.2	1.4	118		70-130
Bromomethane	1.2	1.3	104		70-130
Chloroethane	1.2	1.3	108		70-130
t-Butyl alcohol (TBA)	6.0	7.7	128		70-130
Trichlorofluoromethane	1.2	1.3	108		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.4	117		70-130
Acetone	1.2	3.0	251	*	70-130
1,1-Dichloroethene	1.2	1.3	112		70-130
Di-isopropyl ether (DIPE)	1.2	1.4	120		70-130
Methylene Chloride	1.2	2.5	207	*	70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.6	108		70-130
trans-1,2-Dichloroethene	1.2	1.4	119		70-130
1,1-Dichloroethane	1.2	1.4	115		70-130
Methyl ethyl ketone	1.2	1.7	139	*	70-130
Ethyl t-butyl ether (ETBE)	1.2	1.3	108		70-130
2,2-Dichloropropane	1.2	1.4	113		70-130
cis-1,2-Dichloroethene	1.2	1.3	111		70-130
t-Amyl methyl ether (TAME)	1.2	1.1	93		70-130
Chloroform	1.2	1.4	118		70-130
Bromochloromethane	1.2	1.3	111		70-130
Tetrahydrofuran	1.2	1.6	133	*	70-130
1,1,1-Trichloroethane	1.2	1.2	103		70-130
1,1-Dichloropropene	1.2	1.3	105		70-130
Carbon Tetrachloride	1.2	1.3	106		70-130
1,2-Dichloroethane	1.2	1.3	105		70-130
Benzene	1.2	1.3	105		70-130
Trichloroethene	1.2	1.4	119		70-130
1,2-Dichloropropane	1.2	1.4	113		70-130
Bromodichloromethane	1.2	1.4	113		70-130
Dibromomethane	1.2	1.3	108		70-130
2-Hexanone	1.2	1.3	106		70-130
Methyl isobutyl ketone	1.2	1.5	125		70-130
cis-1,3-Dichloropropene	1.2	1.4	119		70-130
Toluene	1.2	1.4	115		70-130
trans-1,3-Dichloropropene	1.2	1.3	111		70-130
1,1,2-Trichloroethane	1.2	1.4	117		70-130
1,3-Dichloropropane	1.2	1.4	114		70-130
Tetrachloroethene	1.2	1.4	118		70-130
Dibromochloromethane	1.2	1.4	118		70-130
1,2-Dibromoethane	1.2	1.3	110		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49794

BFB File ID: I11588T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506063I3

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	110		70-130
1,1,1,2-Tetrachloroethane	1.2	1.4	118		70-130
Ethylbenzene	1.2	1.4	113		70-130
m,p-Xylene	2.4	2.8	118		70-130
o-Xylene	1.2	1.4	116		70-130
Styrene	1.2	1.3	109		70-130
Bromoform	1.2	1.4	119		70-130
Isopropylbenzene	1.2	1.3	108		70-130
1,1,2,2-Tetrachloroethane	1.2	1.3	108		70-130
1,2,3-Trichloropropane	1.2	1.3	108		70-130
n-Propylbenzene	1.2	1.3	112		70-130
Bromobenzene	1.2	1.4	113		70-130
1,3,5-Trimethylbenzene	1.2	1.3	112		70-130
2-Chlorotoluene	1.2	1.4	116		70-130
4-Chlorotoluene	1.2	1.3	112		70-130
tert-butylbenzene	1.2	1.4	113		70-130
1,2,4-Trimethylbenzene	1.2	1.4	117		70-130
sec-butylbenzene	1.2	1.4	115		70-130
p-isopropyltoluene	1.2	1.3	107		70-130
1,3-Dichlorobenzene	1.2	1.3	111		70-130
1,4-Dichlorobenzene	1.2	1.3	108		70-130
n-butylbenzene	1.2	1.3	110		70-130
1,2-Dichlorobenzene	1.2	1.3	109		70-130
1,2-Dibromo-3-chloropropane	1.2	1.1	95		70-130
1,2,4-Trichlorobenzene	1.2	1.0	86		70-130
Hexachlorobutadiene	1.2	1.3	110		70-130
Naphthalene	1.2	0.9	78		70-130
1,2,3-Trichlorobenzene	1.2	1.0	80		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 4 out of 70 outside limits

Comments: _____

_____

[045]

GC/MS Volatiles Instrument: I

IS only# SS + IS# V4486 Exp: Exp: 6.1403

Voltage 1706

Threshold 100

Sun 060403-I

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-I-	060403-1-JR						
1	VS060403I	Blank	25mL			I11531	Sun	
2		Blank				32		
3		BFB 25ng/mL V4487		✓		33	T	
4		0.1PPB 0.125mL V4484 V4479		✓		34	S1	
5		0.5PPB 0.625mL V		✓		35	S1	
6		1.2PPB 1.5mL V		✓		36	S1	
7		4.8PPB 6mL V		✓		37	S1	
8		8PPB 10mL V		✓		38	S1	
9		16PPB 20mL V		✓		39	S1	
10		32PPB 40mL V		✓		40	S1	
11		Blank				41		
12		Blank				42		
13		VS060403I V4485 V4481			Acetone & MEK↑	43	Q	
14								

6.5.07

Revision: 11/01/97

[046]

GC/MS Volatiles Instrument: I

IS only# SS + IS# V4486 Exp: Exp: 6-14-03

Voltage 1706
Threshold 100

Seq 060503-I

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	VI-I-	060503-1-JA						
1	V50604 3I	Blank	25mL			I11544	Seq	
2		BFB 25ng/uL V4487		✓		45	T	902
3		LS060503I V4485 V4493		✓	All ON	46	Q	
4		BS060503I		✓		47	B	
5		49794-30	25mL	✓		48		L2
6		-30, MS		✓	TBA RRF @16%	49	SP	L2
7		-30, MSD		✓		50	SP	L2
8		Blank			CO Check.	51		
9		49794-1		✓		52		L2
10		-2		✓		53		L2
11		-3		✓		54		L2
12		-4		✓		55		L2
13		-5		✓		56		L2
14		-6		✓		57		L2
15		-7		✓		58		L2
16		-8		✓		59		L2
17		-9		✓		60		L2
18		-11		RR	error - Run Stopped	61		
19		-12				62		
20		-13				63		
21		-18				64		
22		-19				65		
23		BFB 25ng/uL V4487	25mL	✓		66	T	
24		LS060503I2 V4485 V4493			Acetone, MeCl, THF ✓ Tank	67	Q	
25		LS060503I3				68	Q	
26		BS060503I		✓		69	B	
27		49794-24	25mL	✓	RR ~~Soil/Bowl~~ 2.5mL Seq	70		L2
28		-25		✓	RR ~~Soil/Bowl~~ 2.5mL 6-6-03	71		L2
29		-26		✓		72		L2
30		-31		✓		77		L2

Revision: 11/01/97

[047]

GC/MS Volatiles Instrument: I

IS only#
SS + IS# V4486 Exp:
Exp: 6.14.07

Voltage 1706
Threshold 100

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
31	V5060431	49794-32	25 mL	✓		I11574	SW	<2
32	↓	-33	↓	✓		75	↓	<2
33	↓	-34	↓	✓		76	↓	<2

MT 6/6/03

Revision: 11/01/97

GC/MS Volatiles Instrument: I

IS only# —— SS + IS# V4486 Exp: —— Exp: 6/14/03

060603-I

Voltage 1706

Threshold 100

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		IW-I-060603-1-MT						
1	VS060643I	Blank	25mL			I11577	MT	
2		BFB 25ng 1ul V4487		✓		78T		0853
3		LS060603I 1.5ml V4485 V4493		✓	Acetone, MeCl2, MEK↑	79Q		
4		BS060603I		✓		80B		
5		49794-11		✓		81		<2
6		-11, MS		✓	All ok	82	SP	<2
7		-11, MSD		✓		83	SP	<2
8		-12		✓		84		<2
9		-13		✓		85		<2
10		-18		✓	Syringe error - Restarted after sample analyzed 2nd run 6-9-03	1930 86		<2
11		-19		✓		87		<2
12		-23				88		
13		-27				89		
14		-28				90		
15		-29			SVL 6/6/03	91		
16		49799-1				92		
17		49800-1				93		
18		49794-42, DL	5mL			94		
19		-24, DL	2.5mL			95		
20		-25, DL				96		
8	VS060643I	BFB 25ng 1ul V4487	25mL	✓		88T	MM	0853
9		LS060603I 2			Acetone, MEK, MeCl2↑	89Q		
10		LS060603I 2				90Q		
11		BS060603I 2			MeCl2 @ 1.1 - run if MeCl2 hits.	91B		
12		49794-23		✓		92		<2
13		-27		✓		93		<2
14		-28		✓		94		<2
15		-29		✓		95		<2
16		49799-1		✓		96		<2
17		49800-1		✓		97		<2

Cont. RJ-49

GC/MS Volatiles Instrument: I

IS only# ____ Exp: ____
SS + IS# V44586 Exp: 6/14/03

060603-I Cont.

Voltage 1706
Threshold 100

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
18	VSOWB	99794-42,DL	5 ml	✓		I11598	AVR	<2
19	↓	-24,DL	2.5 ml	✓		99	↓	<2
20	↓	-25,DL	↓	✓		I11600	↓	<2

6.9.03

Revision: 11/01/97

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11533T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/4/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0959

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	23.5
75	30.0 - 60.0% of mass 95	54.6
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.9
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	73.7
175	5.0 - 9.0% of mass 174	5.1 (7.0)1
176	>95.0 - <101.0% of mass 174	71.6 (97.2)1
177	5.0 - 9.0% of mass 176	4.6 (6.4)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	0.1PPB STD	0.1PPB STD	I11534SI.D	06/04/03	10:31
02	0.5PPB STD	0.5PPB STD	I11535SI.D	06/04/03	11:09
03	1.2PPB STD	1.2PPB STD	I11536SI.D	06/04/03	11:44
04	4.8PPB STD	4.8PPB STD	I11537SI.D	06/04/03	12:18
05	8PPB STD	8PPB STD	I11538SI.D	06/04/03	12:53
06	16PPB STD	16PPB STD	I11539SI.D	06/04/03	13:28
07	32PPB STD	32PPB STD	I11540SI.D	06/04/03	14:03
08	ZZZZZ	ZZZZZ	I11543Q.D	06/04/03	15:48
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11545T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0902

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	25.2
75	30.0 - 60.0% of mass 95	59.3
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.0
173	Less than 2.0% of mass 174	0.6 (0.7)1
174	Greater than 50% of mass 95	78.6
175	5.0 - 9.0% of mass 174	5.6 (7.2)1
176	>95.0 - <101.0% of mass 174	75.5 (96.1)1
177	5.0 - 9.0% of mass 176	4.9 (6.5)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L506053I	L506053I	I11546Q.D	06/05/03	9:37
02	B506053I	B506053I	I11547B.D	06/05/03	10:12
03	49794-30	49794-30	I11548.D	06/05/03	10:47
04	49794-30,MS	49794-30,MS	I11549SP.D	06/05/03	11:22
05	49794-30,MSD	49794-30,MSD	I11550SP.D	06/05/03	11:57
06	ZZZZZ	ZZZZZ	I11551.D	06/05/03	12:32
07	49794-1	49794-1	I11552.D	06/05/03	13:06
08	49794-2	49794-2	I11553.D	06/05/03	13:42
09	49794-3	49794-3	I11554.D	06/05/03	14:17
10	49794-4	49794-4	I11555.D	06/05/03	14:52
11	49794-5	49794-5	I11556.D	06/05/03	15:28
12	49794-6	49794-6	I11557.D	06/05/03	16:17
13	49794-7	49794-7	I11558.D	06/05/03	16:52
14	49794-8	49794-8	I11559.D	06/05/03	17:28
15	49794-9	49794-9	I11560.D	06/05/03	18:03
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11566T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2209

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	24.1
75	30.0 - 60.0% of mass 95	56.2
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.1
173	Less than 2.0% of mass 174	0.6 (0.8)1
174	Greater than 50% of mass 95	81.6
175	5.0 - 9.0% of mass 174	5.5 (6.7)1
176	>95.0 - <101.0% of mass 174	78.9 (96.7)1
177	5.0 - 9.0% of mass 176	4.6 (5.9)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L506053I2	L506053I2	I11567Q.D	06/05/03	22:45
02	L506053I3	L506053I3	I11568Q.D	06/05/03	23:20
03	B506053I2	B506053I2	I11569B.D	06/05/03	23:55
04	49794-24	49794-24	I11570.D	06/06/03	0:30
05	49794-25	49794-25	I11571.D	06/06/03	1:06
06	49794-26	49794-26	I11572.D	06/06/03	1:41
07	49794-31	49794-31	I11573.D	06/06/03	2:17
08	49794-32	49794-32	I11574.D	06/06/03	2:53
09	49794-33	49794-33	I11575.D	06/06/03	3:29
10	49794-34	49794-34	I11576.D	06/06/03	4:04
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11578T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0853

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	26.2
75	30.0 - 60.0% of mass 95	59.9
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.9
173	Less than 2.0% of mass 174	0.7 (1.0)1
174	Greater than 50% of mass 95	73.4
175	5.0 - 9.0% of mass 174	5.2 (7.0)1
176	>95.0 - <101.0% of mass 174	72.2 (98.4)1
177	5.0 - 9.0% of mass 176	4.9 (6.8)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L506063I	L506063I	I11579Q.D	06/06/03	9:28
02	B506063I	B506063I	I11580B.D	06/06/03	10:12
03	49794-11	49794-11	I11581.D	06/06/03	10:47
04	49794-11,MS	49794-11,MS	I11582SP.D	06/06/03	11:22
05	49794-11,MSD	49794-11,MSD	I11583SP.D	06/06/03	11:57
06	49794-12	49794-12	I11584.D	06/06/03	12:32
07	49794-13	49794-13	I11585.D	06/06/03	13:07
08	49794-18	49794-18	I11586.D	06/06/03	13:42
09	49794-19	49794-19	I11587.D	06/06/03	19:49
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11588T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	27.6
75	30.0 - 60.0% of mass 95	59.2
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.4
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	75.6
175	5.0 - 9.0% of mass 174	5.2 (6.9)1
176	>95.0 - <101.0% of mass 174	72.7 (96.2)1
177	5.0 - 9.0% of mass 176	5.2 (7.2)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L506063I2	L506063I2	I11589Q.D	06/06/03	21:28
02	L506063I3	L506063I3	I11590Q.D	06/06/03	22:03
03	B506063I2	B506063I2	I11591B.D	06/06/03	22:38
04	49794-23	49794-23	I11592.D	06/06/03	23:13
05	49794-27	49794-27	I11593.D	06/06/03	23:47
06	49794-28	49794-28	I11594.D	06/07/03	0:22
07	49794-29	49794-29	I11595.D	06/07/03	0:57
08	ZZZZZ	ZZZZZ	I11596.D	06/07/03	1:32
09	ZZZZZ	ZZZZZ	I11597.D	06/07/03	2:06
10	49794-42,DL	49794-42,DL	I11598.D	06/07/03	2:41
11	49794-24,DL	49794-24,DL	I11599.D	06/07/03	3:16
12	49794-25,DL	49794-25,DL	I11600.D	06/07/03	3:51
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration

JW 6.5.03
VMT 6/5/03

Calibration Files
0.1 =I11534SI.D 0.5 =I11535SI.D 1.2 =I11536SI.D
4.8 =I11537SI.D 8 =I11538SI.D 16 =I11539SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
1)	I	Pentafluorobenzene	ISTD							
2)	TM	Dichlorodifluoromet	0.993	0.951	0.982	0.941	1.006	0.924	0.955	4.4
3)	TMP	Chloromethane	0.864	0.639	0.645	0.577	0.624	0.561	0.639	16.4
4)	TMC	Vinyl Chloride	0.545	0.543	0.494	0.391	0.396	0.340	0.451	19.3
5)	TM	Bromomethane	0.429	0.339	0.355	0.295	0.330	0.320	0.342	12.3
6)	TM	Chloroethane	0.408	0.334	0.310	0.289	0.321	0.293	0.320	13.4
7)	TM	t-Butyl alcohol		0.011	0.010	0.009	0.010	0.011	0.010	7.7
8)	TM	Trichlorofluorometh	0.834	0.844	0.852	0.823	0.875	0.834	0.839	2.4
9)	TM	Diethyl ether		0.128	0.143	0.125	0.134	0.133	0.133	4.6
10)	TM	1,1,2-Trichlorotrif	0.449	0.448	0.477	0.435	0.457	0.431	0.446	3.8
11)	T	Acrolein		0.024	0.023	0.021	0.023	0.023	0.023	3.7
12)	TM	Acetone		0.050	0.043	0.038	0.038	0.040	0.042	11.1
13)	TMC	1,1-Dichloroethene	0.374	0.376	0.405	0.359	0.381	0.364	0.374	4.2
14)	T	Methyl iodide		0.314	0.378	0.396	0.638	0.704	0.526	34.7 NT
15)	TM	Di-isopropyl ether	1.526	1.671	1.766	1.712	1.828	1.761	1.711	5.6
16)	TM	Methylene Chloride		1.732	1.066	0.674	0.649	0.569	0.871	53.1 limit
17)	TM	Carbon Disulfide		0.981	1.022	1.026	1.132	1.013	1.024	5.6
18)	T	Acrylonitrile	0.083	0.070	0.074	0.073	0.068	0.070	0.074	6.8
19)	TM	Methyl-tert-butyl e	0.812	0.778	0.797	0.770	0.814	0.810	0.800	2.3
20)	TM	trans-1,2-Dichloroe	0.499	0.580	0.573	0.539	0.573	0.540	0.547	5.5
21)	TMP	1,1-Dichloroethane	0.943	1.083	1.133	1.065	1.139	1.074	1.069	6.1
22)	T	Vinyl acetate		0.026	0.024	0.024	0.024	0.025	0.025	4.1
23)	TM	Methyl ethyl ketone	0.017	0.018	0.016	0.017	0.017	0.018	0.017	5.3
24)	TM	Ethyl t-butyl ether	0.971	1.181	1.203	1.191	1.231	1.248	1.180	8.0
25)	TM	2,2-Dichloropropane	0.630	0.758	0.827	0.788	0.828	0.790	0.771	8.7
26)	TM	cis-1,2-Dichloroeth	0.528	0.575	0.557	0.535	0.565	0.541	0.547	3.3
27)	TM	t-Amyl methyl ether	0.688	0.771	0.817	0.790	0.834	0.849	0.801	7.3
28)	T	NO COUMPOUND							0.000	-1.0
29)	TMC	Chloroform		1.271	1.185	1.080	1.115	1.077	1.131	7.2
30)	TM	Bromochloromethane	0.192	0.191	0.197	0.194	0.198	0.194	0.194	1.5
31)	TM	Tetrahydrofuran		0.018	0.016	0.017	0.016	0.018	0.017	7.4
32)	TM	1,1,1-Trichloroetha	0.904	0.980	0.969	0.930	0.996	0.970	0.960	3.2
33)	T	NO COMPOUND							0.000	-1.0
34)	TM	1,1-Dichloropropene	0.820	0.875	0.897	0.845	0.878	0.836	0.854	3.4
35)	TM	Carbon Tetrachlorid	0.694	0.766	0.805	0.806	0.826	0.814	0.789	5.8
36)	S	1,4-Difluorobenzene	1.592	1.624	1.578	1.561	1.564	1.585	1.590	1.6
37)	TM	1,2-Dichloroethane	0.572	0.591	0.629	0.584	0.600	0.593	0.591	3.3
38)	TM	Benzene	2.014	2.249	2.230	2.071	2.096	2.033	2.092	5.3
39)	I	Fluorobenzene	ISTD							
40)	TM	Trichloroethene	0.305	0.323	0.329	0.316	0.311	0.302	0.311	3.9
41)	TMC	1,2-Dichloropropane	0.226	0.246	0.255	0.258	0.234	0.249	0.245	4.5
42)	T	Methylmethacrylate	0.071	0.068	0.077	0.079	0.073	0.083	0.077	8.1

(#) = Out of Range ### Number of calibration levels exceeded format ###

090201

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration

Calibration Files
0.1 =I11534SI.D 0.5 =I11535SI.D 1.2 =I11536SI.D
4.8 =I11537SI.D 8 =I11538SI.D 16 =I11539SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
43)	T	NO COMPOUND							0.000	-1.0
44)	T	NO COMPOUND							0.000	-1.0
45)	TM	Bromodichloromethan	0.311	0.316	0.331	0.336	0.320	0.329	0.325	2.8
46)	TM	Dibromomethane	0.101	0.112	0.118	0.113	0.108	0.109	0.110	4.8
47)	T	NO COMPOUND							0.000	-1.0
48)	T	NO COMPOUND							0.000	-1.0
49)	T	NO COMPOUND							0.000	-1.0
50)	T	No Compound							0.000	-1.0
51)	TM	2-Hexanone	0.025	0.030	0.032	0.032	0.031	0.030	0.031	9.3
52)	TM	Methyl isobutyl ket	0.029	0.030	0.036	0.037	0.034	0.035	0.034	10.9
53)	TM	cis-1,3-Dichloropro	0.244	0.308	0.327	0.338	0.316	0.305	0.311	10.6
54)	S	Bromofluorobenzene	0.286	0.283	0.293	0.290	0.292	0.283	0.287	1.7
55)	TMC	Toluene	0.607	0.639	0.671	0.647	0.597	0.541	0.612	7.1
56)	TM	trans-1,3-Dichlorop	0.174	0.198	0.236	0.240	0.228	0.220	0.221	12.0
57)	T	NO COMPOUND							0.000	-1.0
58)	TM	1,1,2-Trichloroetha	0.108	0.110	0.120	0.115	0.105	0.097	0.109	6.5
59)	TM	1,3-Dichloropropane	0.205	0.228	0.248	0.236	0.222	0.214	0.227	6.4
60)	TM	Tetrachloroethene	0.271	0.274	0.292	0.289	0.270	0.242	0.270	6.8
61)	TM	Dibromochloromethan	0.142	0.142	0.175	0.170	0.166	0.158	0.159	8.0
62)	TM	1,2-Dibromoethane	0.096	0.102	0.119	0.123	0.117	0.114	0.113	8.7
63)	I	d5-Chlorobenzene	----------ISTD----------							
64)	TMP	Chlorobenzene	0.905	0.979	1.054	1.008	1.002	0.951	0.976	5.1
65)	TM	1,1,1,2-Tetrachloro	0.298	0.316	0.346	0.346	0.349	0.334	0.333	5.7
66)	TMC	Ethylbenzene	1.821	2.050	2.141	1.985	2.002	1.828	1.955	6.2
67)	TM	m,p-Xylene	0.612	0.680	0.726	0.683	0.683	0.629	0.655	8.0
68)	TM	o-Xylene	0.525	0.613	0.654	0.654	0.665	0.632	0.620	7.7
69)	TM	Styrene	0.744	0.923	1.012	1.010	1.050	1.006	0.957	10.7
70)	TMP	Bromoform	0.108	0.099	0.104	0.121	0.130	0.127	0.115	10.2
71)	TM	Isopropylbenzene	1.485	1.791	1.910	1.845	1.901	1.755	1.761	8.7
72)	TMP	1,1,2,2-Tetrachloro	0.158	0.209	0.210	0.203	0.214	0.214	0.203	9.9
73)	S	1,2-Dichlorobenzene	0.322	0.292	0.307	0.352	0.385	0.380	0.345	11.1
74)	TM	1,2,3-Trichloroprop	0.157	0.145	0.148	0.150	0.159	0.158	0.154	3.9
75)	T	trans-1,4-Dichloro-	0.062	0.057	0.067	0.069	0.071	0.070	0.066	7.8
76)	TM	n-Propylbenzene	2.067	2.276	2.333	2.289	2.358	2.187	2.215	6.2
77)	TM	Bromobenzene	0.335	0.329	0.342	0.358	0.371	0.360	0.348	4.3
78)	TM	1,3,5-Trimethylbenz	1.175	1.446	1.351	1.549	1.577	1.474	1.415	9.8
79)	TM	2-Chlorotoluene	1.355	1.508	1.359	1.502	1.549	1.433	1.430	6.5
80)	TM	4-Chlorotoluene	1.119	1.283	1.182	1.346	1.379	1.315	1.267	7.2
81)	TM	tert-butylbenzene	1.024	1.153	1.128	1.257	1.320	1.247	1.187	8.2
82)	TM	1,2,4-Trimethylbenz	1.254	1.453	1.416	1.522	1.628	1.507	1.450	8.2
83)	T	No Compound							0.000	-1.0
84)	TM	sec-butylbenzene	1.480	1.753	1.650	1.836	1.939	1.814	1.738	8.5
85)	TM	p-isopropyltoluene	1.197	1.362	1.320	1.512	1.597	1.506	1.416	9.5


(#) = Out of Range ### Number of calibration levels exceeded format ###

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration

Calibration Files
0.1 =I11534SI.D 0.5 =I11535SI.D 1.2 =I11536SI.D
4.8 =I11537SI.D 8 =I11538SI.D 16 =I11539SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
86)	TM	1,3-Dichlorobenzene	0.599	0.675	0.620	0.723	0.751	0.733	0.685	8.3
87)	I	1,4-Dichlorobenzene-d	ISTD							
88)	TM	1,4-Dichlorobenzene	1.311	1.464	1.551	1.507	1.475	1.453	1.449	5.5
89)	TM	n-butylbenzene	2.741	2.874	3.229	3.264	3.230	3.040	3.030	7.1
90)	TM	1,2-Dichlorobenzene	1.112	1.061	1.238	1.238	1.203	1.196	1.171	5.7
91)	T	NO COMPOUND							0.000	-1.0
92)	TM	1,2-Dibromo-3-chlor		0.047	0.062	0.065	0.066	0.070	0.063	13.2
93)	T	NO COMPOUND							0.000	-1.0
94)	TM	1,2,4-Trichlorobenz		0.550	0.667	0.749	0.786	0.793	0.721	13.3
95)	TM	Hexachlorobutadiene	0.378	0.357	0.405	0.404	0.426	0.397	0.393	5.5
96)	TM	Naphthalene	0.367	0.503	0.739	0.910	0.998	1.066	0.764	36.7
97)	TM	1,2,3-Trichlorobenz		0.383	0.491	0.558	0.604	0.616	0.545	17.0
98)	TM	1,3,5-Trichlorobenz		0.975	1.115	1.149	1.160	1.141	1.104	6.2


(#) = Out of Range ### Number of calibration levels exceeded format ###



6-5-03

VMT 6/5/03

Method Name: C:\HPCHEM\1\METHODS\V506043I.M
Calibration Table Last Updated: Thu Jun 05 10:02:28 2003



6-5-03

VMT 6/5/03

Method Name: C:\HPCHEM\1\METHODS\V506043I.M
Calibration Table Last Updated: Wed Jun 04 15:17:51 2003

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11534SI.D Vial: 4
Acq On : 4 Jun 2003 10:34 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:17 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Mar 12 08:12:09 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

6.5.03
JMR 6/5/03

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	777931	4.00 ug/L	0.00
39) Fluorobenzene	9.12	96	1502062	4.00 ug/L	0.00
63) d5-Chlorobenzene	13.91	117	936037	4.00 ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.76	152	399237	4.00 ug/L	0.02
System Monitoring Compounds					
36) 1,4-Difluorobenzene	9.25	114	1238548	4.83 ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 120.75%		
54) Bromofluorobenzene	15.84	95	428933	3.22 ug/L	0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 80.50%		
73) 1,2-Dichlorobenzene-d4	18.36	152	301631	3.17 ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 79.25%		
Target Compounds					Qvalue
2) Dichlorodifluoromethane	1.97	85	19318	0.15 ug/L	97
3) Chloromethane	2.25	50	16798	0.19 ug/L	98
4) Vinyl Chloride	2.38	62	10591	0.20 ug/L	93
5) Bromomethane	2.92	94	8334	0.22 ug/L	99
6) Chloroethane	3.02	64	7939	0.20 ug/L	88
7) t-Butyl alcohol	4.55	59	538	0.45 ug/L #	1
8) Trichlorofluoromethane	3.38	101	16213	0.19 ug/L	96
9) Diethyl ether	3.84	74	3639	0.17 ug/L #	76
10) 1,1,2-Trichlorotrifluoroet	4.06	101	8732	0.17 ug/L #	69
12) Acetone	4.14	43	8398	1.11 ug/L #	82
13) 1,1-Dichloroethene	4.31	96	7279	0.17 ug/L #	76
14) Methyl iodide	4.78	142	4259	0.08 ug/L #	29
15) Di-isopropyl ether	6.19	45	29678	0.11 ug/L	98
16) Methylene Chloride	5.11	84	125087	1.61 ug/L	97
17) Carbon Disulfide	5.09	76	35239	0.60 ug/L	100
18) Acrylonitrile	5.34	53	1610	0.19 ug/L #	73
19) Methyl-tert-butyl ether	5.43	73	15788	0.18 ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	9700	0.12 ug/L	93
21) 1,1-Dichloroethane	6.30	63	18331	0.12 ug/L	93
22) Vinyl acetate	6.33	86	659	0.24 ug/L #	1
23) Methyl ethyl ketone	7.04	72	1629	0.56 ug/L	97
24) Ethyl t-butyl ether	6.86	59	18885	0.12 ug/L	95
25) 2,2-Dichloropropane	7.19	77	12255	0.12 ug/L	81
26) cis-1,2-Dichloroethene	7.27	96	10265	0.13 ug/L #	73
27) t-Amyl methyl ether	8.63	73	13382	0.14 ug/L #	19
29) Chloroform	7.51	83	38580	0.25 ug/L	90
30) Bromochloromethane	7.75	128	3742	0.11 ug/L #	75

(#) = qualifier out of range (m) = manual integration

009206

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11534SI.D Vial: 4
Acq On : 4 Jun 2003 10:34 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:17 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Mar 12 08:12:09 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
31)	Tetrahydrofuran	7.86	71	193	0.06 ug/L	#	3
32)	1,1,1-Trichloroethane	8.15	97	17582	0.14 ug/L		86
34)	1,1-Dichloropropene	8.39	75	15952	0.13 ug/L		79
35)	Carbon Tetrachloride	8.53	119	13492	0.12 ug/L		94
37)	1,2-Dichloroethane	8.77	62	11117	0.14 ug/L		98
38)	Benzene	8.79	78	39172	0.12 ug/L		97
40)	Trichloroethene	9.73	95	11439	0.10 ug/L		86
41)	1,2-Dichloropropane	10.00	63	8495	0.08 ug/L		83
42)	Methylmethacrylate	10.14	69	2666	0.08 ug/L	#	89
45)	Bromodichloromethane	10.35	83	11687	0.11 ug/L		89
46)	Dibromomethane	10.42	93	3781	0.09 ug/L		82
51)	2-Hexanone	12.25	58	4706	0.34 ug/L		98
52)	Methyl isobutyl ketone	10.91	58	5395	0.36 ug/L	#	76
53)	cis-1,3-Dichloropropene	11.19	75	9152	0.09 ug/L		97
55)	Toluene	11.68	92	22790	0.09 ug/L		96
56)	trans-1,3-Dichloropropene	11.97	75	6543	0.09 ug/L		97
58)	1,1,2-Trichloroethane	12.21	83	4054	0.10 ug/L		88
59)	1,3-Dichloropropane	12.59	76	7681	0.08 ug/L		89
60)	Tetrachloroethene	12.70	166	10172	0.07 ug/L		88
61)	Dibromochloromethane	12.98	129	5334	0.09 ug/L		83
62)	1,2-Dibromoethane	13.31	107	3603	0.07 ug/L		82
64)	Chlorobenzene	13.96	112	21189	0.08 ug/L		94
65)	1,1,1,2-Tetrachloroethane	14.04	131	6976	0.08 ug/L		89
66)	Ethylbenzene	14.06	91	42621	0.10 ug/L		93
67)	m,p-Xylene	14.19	106	28664	0.18 ug/L		89
68)	o-Xylene	14.87	106	12281	0.08 ug/L	#	87
69)	Styrene	14.93	104	17399	0.07 ug/L		95
70)	Bromoform	15.44	173	2519	0.11 ug/L		80
71)	Isopropylbenzene	15.45	105	34746	0.08 ug/L		95
72)	1,1,2,2-Tetrachloroethane	15.72	83	3702	0.08 ug/L	#	60
74)	1,2,3-Trichloropropane	15.95	75	3668m	0.11 ug/L		
75)	trans-1,4-Dichloro-2-buten	16.06	53	1451	0.10 ug/L		96
76)	n-Propylbenzene	16.09	91	48368	0.10 ug/L		94
77)	Bromobenzene	16.14	156	7829	0.08 ug/L	#	74
78)	1,3,5-Trimethylbenzene	16.36	105	27492	0.08 ug/L		98
79)	2-Chlorotoluene	16.37	91	31700	0.09 ug/L		90
80)	4-Chlorotoluene	16.44	91	26190	0.08 ug/L		96
81)	tert-butylbenzene	16.92	119	23951	0.08 ug/L		91
82)	1,2,4-Trimethylbenzene	16.98	105	29344	0.08 ug/L		88
84)	sec-butylbenzene	17.27	105	34636	0.08 ug/L		90
85)	p-isopropyltoluene	17.49	119	28020	0.08 ug/L		95

(#) = qualifier out of range (m) = manual integration

000207

Data File : C:\HPCHEM\1\DATA\060403-I\I11534SI.D Vial: 4
Acq On : 4 Jun 2003 10:34 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:17 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Mar 12 08:12:09 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
86) 1,3-Dichlorobenzene	17.64	146	14019	0.07 ug/L	89
88) 1,4-Dichlorobenzene	17.81	146	13084	0.08 ug/L	97
89) n-butylbenzene	18.17	91	27356	0.10 ug/L	97
90) 1,2-Dichlorobenzene	18.40	146	11100	0.09 ug/L	96
92) 1,2-Dibromo-3-chloropropan	19.69	75	459	0.09 ug/L #	74
94) 1,2,4-Trichlorobenzene	21.15	180	3601	0.04 ug/L #	68
95) Hexachlorobutadiene	21.39	225	3770	0.05 ug/L	72
96) Naphthalene	21.56	128	3660	0.03 ug/L	100
97) 1,2,3-Trichlorobenzene	22.00	180	2917	0.04 ug/L	94
98) 1,3,5-Trichlorobenzene	20.09	180	8248	0.06 ug/L	99


(#) = qualifier out of range (m) = manual integration

000208

Quantitation Report

Data File : C:\HPCHEM\1\DATA\060403-I\I11534SI.D Vial: 4
Acq On : 4 Jun 2003 10:34 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:17 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000209

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11535SI.D Vial: 5
Acq On : 4 Jun 2003 11:09 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:19 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Mar 12 08:12:09 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

6.5.03 VMT 6/5/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.71	168	767610	4.00	ug/L	0.00
39) Fluorobenzene	9.12	96	1505251	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.91	117	936200	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.76	152	400883	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	1246394	4.76	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 119.00%			
54) Bromofluorobenzene	15.84	95	426224	3.28	ug/L	0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 82.00%			
73) 1,2-Dichlorobenzene-d4	18.36	152	273277	2.98	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 74.50%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	91270	0.66	ug/L	91
3) Chloromethane	2.26	50	61316	0.62	ug/L	98
4) Vinyl Chloride	2.38	62	52132	0.88	ug/L	98
5) Bromomethane	2.92	94	32492	0.74	ug/L	96
6) Chloroethane	3.02	64	32076	0.70	ug/L	86
7) t-Butyl alcohol	4.53	59	5205m	4.52	ug/L	
8) Trichlorofluoromethane	3.38	101	81024	0.82	ug/L	95
9) Diethyl ether	3.84	74	12329	0.53	ug/L #	76
10) 1,1,2-Trichlorotrifluoroet	4.04	101	42952	0.75	ug/L #	78
11) Acrolein	4.02	56	11353	18.68	ug/L #	75
12) Acetone	4.14	43	24199	2.70	ug/L	99
13) 1,1-Dichloroethene	4.32	96	36067	0.76	ug/L	96
14) Methyl iodide	4.79	142	30168	0.56	ug/L	91
15) Di-isopropyl ether	6.19	45	160336	0.59	ug/L	96
16) Methylene Chloride	5.11	84	166224	0.62	ug/L	99
17) Carbon Disulfide	5.09	76	94106	0.89	ug/L	100
18) Acrylonitrile	5.35	53	6729	0.68	ug/L #	88
19) Methyl-tert-butyl ether	5.41	73	74661	0.75	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	55692	0.65	ug/L	97
21) 1,1-Dichloroethane	6.29	63	103871	0.64	ug/L	95
22) Vinyl acetate	6.33	86	2489	0.75	ug/L #	43
23) Methyl ethyl ketone	7.02	72	8730	2.98	ug/L	82
24) Ethyl t-butyl ether	6.84	59	113341	0.72	ug/L	97
25) 2,2-Dichloropropane	7.20	77	72767	0.73	ug/L	83
26) cis-1,2-Dichloroethene	7.27	96	55160	0.65	ug/L #	85
27) t-Amyl methyl ether	8.62	73	74012	0.73	ug/L #	48
29) Chloroform	7.51	83	121938	0.65	ug/L	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11535SI.D Vial: 5
Acq On : 4 Jun 2003 11:09 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:19 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Mar 12 08:12:09 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.75	128	18357	0.55 ug/L #	67
31) Tetrahydrofuran	7.87	71	1768m	0.63 ug/L	
32) 1,1,1-Trichloroethane	8.14	97	93990	0.72 ug/L	93
34) 1,1-Dichloropropene	8.38	75	83950	0.67 ug/L	95
35) Carbon Tetrachloride	8.53	119	73484	0.67 ug/L	84
37) 1,2-Dichloroethane	8.77	62	56717	0.66 ug/L	93
38) Benzene	8.79	78	215836	0.64 ug/L	97
40) Trichloroethene	9.73	95	60754	0.51 ug/L	80
41) 1,2-Dichloropropane	10.00	63	46346	0.47 ug/L	91
42) Methylmethacrylate	10.13	69	12886	0.42 ug/L	93
45) Bromodichloromethane	10.34	83	59386	0.56 ug/L	98
46) Dibromomethane	10.42	93	21164	0.52 ug/L	96
50) 2-Chloroethylvinyl ether	10.90	63	76	0.10 ug/L #	54
51) 2-Hexanone	12.25	58	28265	2.15 ug/L	98
52) Methyl isobutyl ketone	10.91	58	28099	1.98 ug/L	98
53) cis-1,3-Dichloropropene	11.19	75	57883	0.55 ug/L	93
55) Toluene	11.68	92	120293	0.48 ug/L	93
56) trans-1,3-Dichloropropene	11.97	75	37341	0.51 ug/L	99
58) 1,1,2-Trichloroethane	12.20	83	20752	0.49 ug/L	93
59) 1,3-Dichloropropane	12.59	76	42897	0.47 ug/L	89
60) Tetrachloroethene	12.70	166	51525	0.34 ug/L	95
61) Dibromochloromethane	12.98	129	26805	0.48 ug/L	96
62) 1,2-Dibromoethane	13.30	107	19210	0.40 ug/L #	70
64) Chlorobenzene	13.97	112	114541	0.47 ug/L	91
65) 1,1,1,2-Tetrachloroethane	14.04	131	36968	0.47 ug/L	92
66) Ethylbenzene	14.06	91	239869	0.55 ug/L	95
67) m,p-Xylene	14.19	106	159062	1.01 ug/L	93
68) o-Xylene	14.87	106	71709	0.49 ug/L #	76
69) Styrene	14.93	104	108056	0.46 ug/L	89
70) Bromoform	15.44	173	11590	0.47 ug/L	75
71) Isopropylbenzene	15.45	105	209647	0.51 ug/L	100
72) 1,1,2,2-Tetrachloroethane	15.73	83	24433	0.54 ug/L #	87
74) 1,2,3-Trichloropropane	15.95	75	16937	0.49 ug/L	93
75) trans-1,4-Dichloro-2-buten	16.06	53	6618	0.46 ug/L #	86
76) n-Propylbenzene	16.09	91	266386	0.53 ug/L	98
77) Bromobenzene	16.14	156	38465	0.40 ug/L #	76
78) 1,3,5-Trimethylbenzene	16.36	105	169210	0.49 ug/L	97
79) 2-Chlorotoluene	16.37	91	176446	0.53 ug/L	95
80) 4-Chlorotoluene	16.44	91	150097	0.49 ug/L	89
81) tert-butylbenzene	16.92	119	134902	0.46 ug/L	91
82) 1,2,4-Trimethylbenzene	16.99	105	170076	0.49 ug/L	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11535SI.D Vial: 5
Acq On : 4 Jun 2003 11:09 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:19 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Mar 12 08:12:09 2003
Response via : Initial Calibration
DataAcq Meth : V506043I


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
84)	sec-butylbenzene	17.27	105	205091	0.50	ug/L		99
85)	p-isopropyltoluene	17.50	119	159379	0.46	ug/L		98
86)	1,3-Dichlorobenzene	17.63	146	78953	0.42	ug/L		98
88)	1,4-Dichlorobenzene	17.80	146	73354	0.48	ug/L		94
89)	n-butylbenzene	18.16	91	144042	0.53	ug/L		94
90)	1,2-Dichlorobenzene	18.40	146	53163	0.43	ug/L		99
92)	1,2-Dibromo-3-chloropropan	19.68	75	2380	0.43	ug/L	#	70
94)	1,2,4-Trichlorobenzene	21.14	180	27536	0.31	ug/L		88
95)	Hexachlorobutadiene	21.39	225	17889	0.28	ug/L		71
96)	Naphthalene	21.56	128	25203	0.26	ug/L		100
97)	1,2,3-Trichlorobenzene	22.00	180	19179	0.28	ug/L		96
98)	1,3,5-Trichlorobenzene	20.09	180	48864	0.36	ug/L		86

(#) = qualifier out of range (m) = manual integration

000212

Data File : C:\HPCHEM\1\DATA\060403-I\I11535SI.D Vial: 5
Acq On : 4 Jun 2003 11:09 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:19 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000213

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11536SI.D Vial: 6
Acq On : 4 Jun 2003 11:44 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:36 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 14:35:58 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

6.5.03
VMT 6/5/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	783774	4.00	ug/L	0.00
39) Fluorobenzene	9.13	96	1510559	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.91	117	948084	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	383976	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.25	114	1236893	3.97	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.25%			
54) Bromofluorobenzene	15.84	95	442590	4.09	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 102.25%			
73) 1,2-Dichlorobenzene-d4	18.36	152	290598	3.55	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 88.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	230912	1.23	ug/L	100
3) Chloromethane	2.25	50	151731	1.21	ug/L	100
4) Vinyl Chloride	2.38	62	116086	1.31	ug/L	100
5) Bromomethane	2.92	94	83379	1.25	ug/L	100
6) Chloroethane	3.02	64	72926	1.16	ug/L	100
7) t-Butyl alcohol	4.54	59	12265	6.08	ug/L	100
8) Trichlorofluoromethane	3.38	101	200345	1.22	ug/L	100
9) Diethyl ether	3.83	74	33678	1.29	ug/L	100
10) 1,1,2-Trichlorotrifluoroet	4.05	101	112127	1.28	ug/L	100
11) Acrolein	4.02	56	26825	6.06	ug/L	100
12) Acetone	4.14	43	50037	6.14	ug/L	100
14) Methyl iodide	4.79	142	88811	0.86	ug/L	100
15) Di-isopropyl ether	6.19	45	415134	1.24	ug/L	100
16) Methylene Chloride	5.12	84	250604	1.00	ug/L	100
17) Carbon Disulfide	5.09	76	240417	1.20	ug/L	100
18) Acrylonitrile	5.33	53	17366	1.20	ug/L	100
19) Methyl-tert-butyl ether	5.42	73	187392	1.20	ug/L	100
20) trans-1,2-Dichloroethene	5.61	96	134654	1.26	ug/L	100
21) 1,1-Dichloroethane	6.30	63	266363	1.27	ug/L	100
22) Vinyl acetate	6.34	86	5730	1.18	ug/L	100
23) Methyl ethyl ketone	7.02	72	18989	5.60	ug/L	100
24) Ethyl t-butyl ether	6.85	59	282967	1.22	ug/L	100
25) 2,2-Dichloropropane	7.21	77	194423	1.29	ug/L	100
26) cis-1,2-Dichloroethene	7.27	96	130943	1.22	ug/L	100
27) t-Amyl methyl ether	8.62	73	192032	1.22	ug/L	100
29) Chloroform	7.51	83	278604	1.26	ug/L	100
30) Bromochloromethane	7.77	128	46231	1.22	ug/L	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11536SI.D Vial: 6
Acq On : 4 Jun 2003 11:44 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:36 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 14:35:58 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
31) Tetrahydrofuran	7.87	71	3756	1.10 ug/L	100
32) 1,1,1-Trichloroethane	8.13	97	227842	1.21 ug/L	100
34) 1,1-Dichloropropene	8.39	75	211001	1.26 ug/L	100
35) Carbon Tetrachloride	8.53	119	189397	1.23 ug/L	100
37) 1,2-Dichloroethane	8.77	62	147962	1.28 ug/L	100
41) 1,2-Dichloropropane	10.01	63	115608	1.25 ug/L	100
42) Methylmethacrylate	10.13	69	34776	1.20 ug/L	100
45) Bromodichloromethane	10.35	83	149821	1.22 ug/L	100
46) Dibromomethane	10.42	93	53686	1.29 ug/L	100
51) 2-Hexanone	12.24	58	72989	6.32 ug/L	100
52) Methyl isobutyl ketone	10.91	58	81835	6.32 ug/L	100
53) cis-1,3-Dichloropropene	11.20	75	148219	1.26 ug/L	100
56) trans-1,3-Dichloropropene	11.97	75	107009	1.28 ug/L	100
58) 1,1,2-Trichloroethane	12.21	83	54206	1.32 ug/L	100
59) 1,3-Dichloropropane	12.60	76	112256	1.31 ug/L	100
60) Tetrachloroethene	12.70	166	132317	1.30 ug/L	100
61) Dibromochloromethane	12.99	129	79168	1.32 ug/L	100
62) 1,2-Dibromoethane	13.31	107	53928	1.27 ug/L	100
65) 1,1,1,2-Tetrachloroethane	14.04	131	98370	1.25 ug/L	100
66) Ethylbenzene	14.06	91	608967	1.31 ug/L	100
67) m,p-Xylene	14.19	106	412826	2.66 ug/L	100
68) o-Xylene	14.88	106	185874	1.26 ug/L	100
69) Styrene	14.93	104	287934	1.27 ug/L	100
70) Bromoform	15.44	173	29574	1.08 ug/L	100
71) Isopropylbenzene	15.45	105	543150	1.30 ug/L	100
72) 1,1,2,2-Tetrachloroethane	15.71	83	59735	1.24 ug/L	100
74) 1,2,3-Trichloropropane	15.95	75	41997	1.15 ug/L	100
75) trans-1,4-Dichloro-2-buten	16.07	53	18959	1.21 ug/L	100
76) n-Propylbenzene	16.09	91	663427	1.26 ug/L	100
77) Bromobenzene	16.14	156	97178	1.18 ug/L	100
78) 1,3,5-Trimethylbenzene	16.36	105	384400	1.15 ug/L	100
79) 2-Chlorotoluene	16.37	91	386587	1.14 ug/L	100
80) 4-Chlorotoluene	16.44	91	336179	1.12 ug/L	100
81) tert-butylbenzene	16.93	119	320811	1.14 ug/L	100
82) 1,2,4-Trimethylbenzene	16.99	105	402876	1.17 ug/L	100
84) sec-butylbenzene	17.27	105	469441	1.14 ug/L	100
85) p-isopropyltoluene	17.50	119	375426	1.12 ug/L	100
86) 1,3-Dichlorobenzene	17.64	146	176406	1.09 ug/L	100
88) 1,4-Dichlorobenzene	17.80	146	178648	1.28 ug/L	100
89) n-butylbenzene	18.17	91	371909	1.28 ug/L	100
90) 1,2-Dichlorobenzene	18.40	146	142643	1.27 ug/L	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11536SI.D Vial: 6
Acq On : 4 Jun 2003 11:44 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:36 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 14:35:58 2003
Response via : Initial Calibration
DataAcq Meth : V506043I


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
92)	1,2-Dibromo-3-chloropropan	19.68	75	7112	1.17 ug/L	100
94)	1,2,4-Trichlorobenzene	21.14	180	76787	1.11 ug/L	100
95)	Hexachlorobutadiene	21.39	225	46664	1.24 ug/L	100
96)	Naphthalene	21.56	128	85115	1.13 ug/L	72
97)	1,2,3-Trichlorobenzene	22.01	180	56585	1.08 ug/L	100
98)	1,3,5-Trichlorobenzene	20.09	180	128433	1.21 ug/L	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\060403-I\I11536SI.D Vial: 6
Acq On : 4 Jun 2003 11:44 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:36 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000217

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11537SI.D Vial: 7
Acq On : 4 Jun 2003 12:18 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:51 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:29:01 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

6.5.03 VMT 6/5/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	759258	4.00	ug/L	0.00
39) Fluorobenzene	9.11	96	1434718	4.00	ug/L	-0.01
63) d5-Chlorobenzene	13.91	117	896144	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	411297	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.23	114	1185389	3.91	ug/L	-0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 97.75%			
54) Bromofluorobenzene	15.84	95	415715	4.04	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.00%			
73) 1,2-Dichlorobenzene-d4	18.35	152	315440	4.59	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 114.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	857562	4.63	ug/L	98
3) Chloromethane	2.25	50	526163	3.87	ug/L	94
4) Vinyl Chloride	2.36	62	356320	3.56	ug/L	97
5) Bromomethane	2.91	94	269173	3.79	ug/L	97
6) Chloroethane	3.01	64	263556	3.96	ug/L	96
7) t-Butyl alcohol	4.51	59	40202	19.90	ug/L	100
8) Trichlorofluoromethane	3.37	101	750133	4.69	ug/L	91
9) Diethyl ether	3.82	74	114055	4.42	ug/L	98
10) 1,1,2-Trichlorotrifluoroet	4.04	101	396274	4.56	ug/L	95
11) Acrolein	4.02	56	96420	21.86	ug/L	99
12) Acetone	4.13	43	173200	19.62	ug/L	94
13) 1,1-Dichloroethene	4.30	96	327283	4.48	ug/L	94
14) Methyl iodide	4.79	142	360915	5.49	ug/L	95
15) Di-isopropyl ether	6.18	45	1559498	4.97	ug/L	100
16) Methylene Chloride	5.10	84	613952	4.52	ug/L	93
17) Carbon Disulfide	5.08	76	934468	4.92	ug/L	100
18) Acrylonitrile	5.33	53	66177	4.61	ug/L #	91
19) Methyl-tert-butyl ether	5.42	73	701898	4.65	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	491466	4.70	ug/L	93
21) 1,1-Dichloroethane	6.30	63	970123	4.86	ug/L	98
22) Vinyl acetate	6.35	86	21504	4.50	ug/L	94
23) Methyl ethyl ketone	7.02	72	75923	23.48	ug/L	87
24) Ethyl t-butyl ether	6.84	59	1084820	5.11	ug/L	99
25) 2,2-Dichloropropane	7.19	77	718171	5.12	ug/L	96
26) cis-1,2-Dichloroethene	7.26	96	487594	4.64	ug/L	98
27) t-Amyl methyl ether	8.60	73	719629	5.00	ug/L	100
29) Chloroform	7.51	83	984050	4.22	ug/L	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11537SI.D Vial: 7
Acq On : 4 Jun 2003 12:18 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:51 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:29:01 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
30)	Bromochloromethane	7.75	128	176361	4.80	ug/L		99
31)	Tetrahydrofuran	7.86	71	15822	4.85	ug/L	#	70
32)	1,1,1-Trichloroethane	8.13	97	847751	4.70	ug/L		98
34)	1,1-Dichloropropene	8.38	75	770223	4.70	ug/L		97
35)	Carbon Tetrachloride	8.52	119	734331	5.12	ug/L		94
37)	1,2-Dichloroethane	8.76	62	531731	4.69	ug/L		98
38)	Benzene	8.78	78	1887360	4.59	ug/L		99
40)	Trichloroethene	9.73	95	544596	4.76	ug/L		94
41)	1,2-Dichloropropane	9.99	63	443345	5.10	ug/L		97
42)	Methylmethacrylate	10.12	69	135828	5.25	ug/L		94
45)	Bromodichloromethane	10.35	83	578089	5.05	ug/L		100
46)	Dibromomethane	10.42	93	193723	4.89	ug/L		95
51)	2-Hexanone	12.24	58	274744	26.32	ug/L		93
52)	Methyl isobutyl ketone	10.90	58	316034	27.91	ug/L		98
53)	cis-1,3-Dichloropropene	11.18	75	581845	5.54	ug/L		93
55)	Toluene	11.68	92	1113055	4.85	ug/L		97
56)	trans-1,3-Dichloropropene	11.96	75	412710	5.67	ug/L		93
58)	1,1,2-Trichloroethane	12.20	83	197430	4.89	ug/L		92
59)	1,3-Dichloropropane	12.58	76	407143	5.01	ug/L		93
60)	Tetrachloroethene	12.69	166	497522	4.97	ug/L		95
61)	Dibromochloromethane	12.99	129	292605	5.33	ug/L		99
62)	1,2-Dibromoethane	13.29	107	210958	5.57	ug/L		89
64)	Chlorobenzene	13.96	112	1083578	4.94	ug/L		97
65)	1,1,1,2-Tetrachloroethane	14.03	131	371806	5.19	ug/L		98
66)	Ethylbenzene	14.05	91	2135029	4.76	ug/L		100
67)	m,p-Xylene	14.18	106	1468088	9.74	ug/L		94
68)	o-Xylene	14.86	106	703483	5.26	ug/L		96
69)	Styrene	14.92	104	1085923	5.43	ug/L		95
70)	Bromoform	15.43	173	130563	5.63	ug/L		96
71)	Isopropylbenzene	15.44	105	1984480	5.12	ug/L		99
72)	1,1,2,2-Tetrachloroethane	15.72	83	218340	5.07	ug/L		92
74)	1,2,3-Trichloropropane	15.95	75	161402	4.81	ug/L		94
75)	trans-1,4-Dichloro-2-buten	16.06	53	74034	5.35	ug/L	#	84
76)	n-Propylbenzene	16.08	91	2461397	4.94	ug/L		100
77)	Bromobenzene	16.13	156	385036	5.13	ug/L		94
78)	1,3,5-Trimethylbenzene	16.35	105	1665482	5.61	ug/L		100
79)	2-Chlorotoluene	16.36	91	1615575	5.12	ug/L		93
80)	4-Chlorotoluene	16.44	91	1447979	5.41	ug/L		100
81)	tert-butylbenzene	16.92	119	1351918	5.48	ug/L		98
82)	1,2,4-Trimethylbenzene	16.98	105	1636783	5.31	ug/L		99
84)	sec-butylbenzene	17.27	105	1974048	5.41	ug/L		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11537SI.D Vial: 7
Acq On : 4 Jun 2003 12:18 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:51 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:29:01 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
85) p-isopropyltoluene	17.49	119	1626133	5.61 ug/L	98
86) 1,3-Dichlorobenzene	17.62	146	777113	5.49 ug/L	100
88) 1,4-Dichlorobenzene	17.80	146	743830	5.02 ug/L	98
89) n-butylbenzene	18.15	91	1611085	5.31 ug/L	96
90) 1,2-Dichlorobenzene	18.39	146	611042	5.23 ug/L	98
92) 1,2-Dibromo-3-chloropropan	19.67	75	32071	5.71 ug/L	87
94) 1,2,4-Trichlorobenzene	21.14	180	369824	5.92 ug/L	96
95) Hexachlorobutadiene	21.39	225	199227	5.10 ug/L	98
96) Naphthalene	21.54	128	449199	7.04 ug/L	100
97) 1,2,3-Trichlorobenzene	22.01	180	275436	6.13 ug/L	89
98) 1,3,5-Trichlorobenzene	20.09	180	567164	5.28 ug/L	89


(#) = qualifier out of range (m) = manual integration

000220

Quantitation Report

Data File : C:\HPCHEM\1\DATA\060403-I\I11537SI.D Vial: 7
Acq On : 4 Jun 2003 12:18 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 12:51 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000221

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11538SI.D Vial: 8
Acq On : 4 Jun 2003 12:53 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 13:22 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

6.5.03 JMT 6/5/03

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Pentafluorobenzene	7.71	168	797882	4.00	ug/L		0.00
39) Fluorobenzene	9.12	96	1485335	4.00	ug/L		0.00
63) d5-Chlorobenzene	13.91	117	889536	4.00	ug/L		0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	443367	4.00	ug/L		0.00
System Monitoring Compounds							
36) 1,4-Difluorobenzene	9.24	114	1248108	3.94	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 98.50%				
54) Bromofluorobenzene	15.83	95	433116	4.05	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.25%				
73) 1,2-Dichlorobenzene-d4	18.36	152	342876	4.85	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 121.25%				
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.97	85	1604649	8.32	ug/L		99
3) Chloromethane	2.25	50	995427	7.32	ug/L		99
4) Vinyl Chloride	2.37	62	631683	6.42	ug/L		97
5) Bromomethane	2.91	94	527373	7.46	ug/L		97
6) Chloroethane	3.02	64	511815	7.65	ug/L		94
7) t-Butyl alcohol	4.52	59	79742	39.84	ug/L	#	91
8) Trichlorofluoromethane	3.37	101	1396624	8.35	ug/L		91
9) Diethyl ether	3.83	74	214399	8.12	ug/L		95
10) 1,1,2-Trichlorotrifluoroet	4.03	101	729558	8.09	ug/L		96
11) Acrolein	4.01	56	181674	40.39	ug/L		98
12) Acetone	4.13	43	304543	34.96	ug/L		98
13) 1,1-Dichloroethene	4.31	96	607207	8.04	ug/L		99
14) Methyl iodide	4.79	142	1017822	14.07	ug/L		99
15) Di-isopropyl ether	6.18	45	2917029	8.76	ug/L		99
16) Methylene Chloride	5.11	84	1035067	8.36	ug/L		98
17) Carbon Disulfide	5.08	76	1806819	8.97	ug/L		100
18) Acrylonitrile	5.33	53	109115	7.31	ug/L	#	82
19) Methyl-tert-butyl ether	5.41	73	1299312	8.25	ug/L		100
20) trans-1,2-Dichloroethene	5.60	96	914880	8.37	ug/L		93
21) 1,1-Dichloroethane	6.30	63	1817685	8.63	ug/L		97
22) Vinyl acetate	6.34	86	38097	7.75	ug/L		77
23) Methyl ethyl ketone	7.01	72	134205	39.71	ug/L		96
24) Ethyl t-butyl ether	6.84	59	1964668	8.67	ug/L		99
25) 2,2-Dichloropropane	7.19	77	1321337	8.82	ug/L		98
26) cis-1,2-Dichloroethene	7.27	96	902233	8.24	ug/L		97
27) t-Amyl methyl ether	8.61	73	1331410	8.71	ug/L		99
29) Chloroform	7.51	83	1778681	7.57	ug/L		91

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11538SI.D Vial: 8
Acq On : 4 Jun 2003 12:53 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 13:22 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.76	128	315417	8.17 ug/L	95
31) Tetrahydrofuran	7.86	71	24969	7.25 ug/L	97
32) 1,1,1-Trichloroethane	8.13	97	1588834	8.42 ug/L	98
34) 1,1-Dichloropropene	8.38	75	1401696	8.18 ug/L	98
35) Carbon Tetrachloride	8.52	119	1318308	8.61 ug/L	94
37) 1,2-Dichloroethane	8.77	62	957552	8.08 ug/L	99
38) Benzene	8.78	78	3345384	7.83 ug/L	99
40) Trichloroethene	9.73	95	923795	7.82 ug/L	96
41) 1,2-Dichloropropane	10.00	63	696176	7.61 ug/L	97
42) Methylmethacrylate	10.12	69	216162	7.89 ug/L	98
45) Bromodichloromethane	10.35	83	951645	7.93 ug/L	98
46) Dibromomethane	10.42	93	321199	7.79 ug/L	89
51) 2-Hexanone	12.23	58	458172	41.39 ug/L	98
52) Methyl isobutyl ketone	10.90	58	506148	41.48 ug/L	98
53) cis-1,3-Dichloropropene	11.19	75	937784	8.30 ug/L	90
55) Toluene	11.68	92	1773805	7.45 ug/L	100
56) trans-1,3-Dichloropropene	11.97	75	676758	8.59 ug/L	93
58) 1,1,2-Trichloroethane	12.20	83	310515	7.39 ug/L	96
59) 1,3-Dichloropropane	12.59	76	660461	7.76 ug/L	95
60) Tetrachloroethene	12.70	166	802883	7.68 ug/L	99
61) Dibromochloromethane	12.98	129	493160	8.44 ug/L	99
62) 1,2-Dibromoethane	13.30	107	346821	8.50 ug/L	94
64) Chlorobenzene	13.97	112	1782005	8.12 ug/L	93
65) 1,1,1,2-Tetrachloroethane	14.04	131	621038	8.56 ug/L	98
66) Ethylbenzene	14.06	91	3562142	8.01 ug/L	99
67) m,p-Xylene	14.19	106	2430635	16.19 ug/L	94
68) o-Xylene	14.87	106	1182227	8.70 ug/L	97
69) Styrene	14.93	104	1868754	9.11 ug/L	99
70) Bromoform	15.44	173	230923	9.61 ug/L	98
71) Isopropylbenzene	15.45	105	3381791	8.65 ug/L	98
72) 1,1,2,2-Tetrachloroethane	15.71	83	380316	8.77 ug/L #	88
74) 1,2,3-Trichloropropane	15.95	75	282762	8.49 ug/L	100
75) trans-1,4-Dichloro-2-buten	16.07	53	125430	8.88 ug/L #	81
76) n-Propylbenzene	16.09	91	4194784	8.42 ug/L	98
77) Bromobenzene	16.14	156	659319	8.70 ug/L	92
78) 1,3,5-Trimethylbenzene	16.36	105	2806037	9.14 ug/L	100
79) 2-Chlorotoluene	16.37	91	2755095	8.66 ug/L	96
80) 4-Chlorotoluene	16.44	91	2453059	8.95 ug/L	97
81) tert-butylbenzene	16.92	119	2348368	9.26 ug/L	97
82) 1,2,4-Trimethylbenzene	16.99	105	2896106	9.23 ug/L	99
84) sec-butylbenzene	17.26	105	3449846	9.24 ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\060403-I\I11538SI.D Vial: 8
Acq On : 4 Jun 2003 12:53 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 13:22 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85) p-isopropyltoluene	17.50	119	2842032	9.48	ug/L		97
86) 1,3-Dichlorobenzene	17.63	146	1335954	9.18	ug/L		97
88) 1,4-Dichlorobenzene	17.80	146	1307606	8.09	ug/L		97
89) n-butylbenzene	18.16	91	2864402	8.54	ug/L		99
90) 1,2-Dichlorobenzene	18.40	146	1067127	8.28	ug/L		99
92) 1,2-Dibromo-3-chloropropan	19.68	75	58511	9.09	ug/L	#	74
94) 1,2,4-Trichlorobenzene	21.14	180	696826	9.60	ug/L		98
95) Hexachlorobutadiene	21.39	225	377315	8.82	ug/L		95
96) Naphthalene	21.55	128	884607	11.13	ug/L		100
97) 1,2,3-Trichlorobenzene	22.00	180	535444	10.12	ug/L		91
98) 1,3,5-Trichlorobenzene	20.09	180	1028935	8.60	ug/L		92

(#) = qualifier out of range (m) = manual integration

000224

Data File : C:\HPCHEM\1\DATA\060403-I\I11538SI.D Vial: 8
Acq On : 4 Jun 2003 12:53 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 13:22 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000225

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11539SI.D Vial: 9
Acq On : 4 Jun 2003 1:28 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:04 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

6.5.03 VMT 6/5/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.71	168	835806	4.00	ug/L	0.00
39) Fluorobenzene	9.12	96	1605242	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.90	117	925498	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	457190	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	1324692	4.00	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.00%			
54) Bromofluorobenzene	15.84	95	454975	3.93	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 98.25%			
73) 1,2-Dichlorobenzene-d4	18.35	152	351585	4.58	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 114.50%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	3089804	15.17	ug/L	100
3) Chloromethane	2.25	50	1876204	13.40	ug/L	94
4) Vinyl Chloride	2.36	62	1135529	11.47	ug/L	98
5) Bromomethane	2.90	94	1069464	14.64	ug/L	98
6) Chloroethane	3.01	64	980301	14.11	ug/L	93
7) t-Butyl alcohol	4.51	59	181909	86.84	ug/L #	91
8) Trichlorofluoromethane	3.37	101	2789413	15.78	ug/L	92
9) Diethyl ether	3.83	74	444798	16.03	ug/L	95
10) 1,1,2-Trichlorotrifluoroet	4.05	101	1441686	15.23	ug/L	96
11) Acrolein	4.01	56	383674	81.23	ug/L	98
12) Acetone	4.14	43	669142	75.71	ug/L	93
13) 1,1-Dichloroethene	4.30	96	1216650	15.36	ug/L	98
14) Methyl iodide	4.79	142	2353896	26.11	ug/L	99
15) Di-isopropyl ether	6.19	45	5888309	16.57	ug/L	100
16) Methylene Chloride	5.10	84	1901748	14.91	ug/L	98
17) Carbon Disulfide	5.08	76	3386402	15.58	ug/L	100
18) Acrylonitrile	5.33	53	234541	15.26	ug/L #	80
19) Methyl-tert-butyl ether	5.41	73	2707630	16.31	ug/L	100
20) trans-1,2-Dichloroethene	5.59	96	1806551	15.64	ug/L	88
21) 1,1-Dichloroethane	6.29	63	3591403	16.03	ug/L	97
22) Vinyl acetate	6.33	86	84217	16.49	ug/L	92
23) Methyl ethyl ketone	7.00	72	302021	85.44	ug/L	90
24) Ethyl t-butyl ether	6.84	59	4173754	17.29	ug/L	99
25) 2,2-Dichloropropane	7.19	77	2641059	16.49	ug/L	100
26) cis-1,2-Dichloroethene	7.26	96	1808153	15.68	ug/L	95
27) t-Amyl methyl ether	8.60	73	2837721	17.41	ug/L	99
29) Chloroform	7.52	83	3601975	14.83	ug/L	93

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\060403-I\I11539SI.D Vial: 9
Acq On : 4 Jun 2003 1:28 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:04 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.76	128	648862	15.98 ug/L	97
31) Tetrahydrofuran	7.85	71	61811	17.55 ug/L	78
32) 1,1,1-Trichloroethane	8.14	97	3243778	16.24 ug/L	98
34) 1,1-Dichloropropene	8.38	75	2794534	15.49 ug/L	97
35) Carbon Tetrachloride	8.52	119	2721829	16.71 ug/L	94
37) 1,2-Dichloroethane	8.77	62	1980884	15.93 ug/L	99
38) Benzene	8.78	78	6796991	15.26 ug/L	98
40) Trichloroethene	9.72	95	1942207	15.28 ug/L	98
41) 1,2-Dichloropropane	9.99	63	1601735	16.36 ug/L	96
42) Methylmethacrylate	10.12	69	533950	18.08 ug/L	97
45) Bromodichloromethane	10.35	83	2109478	16.29 ug/L	97
46) Dibromomethane	10.42	93	702445	15.85 ug/L	96
51) 2-Hexanone	12.24	58	953502	79.15 ug/L	97
52) Methyl isobutyl ketone	10.90	58	1131309	85.16 ug/L	98
53) cis-1,3-Dichloropropene	11.19	75	1960914	15.95 ug/L	91
55) Toluene	11.69	92	3474016	13.69 ug/L	98
56) trans-1,3-Dichloropropene	11.96	75	1409630	16.32 ug/L	93
58) 1,1,2-Trichloroethane	12.20	83	625738	14.00 ug/L	95
59) 1,3-Dichloropropane	12.59	76	1374251	15.03 ug/L	95
60) Tetrachloroethene	12.69	166	1553917	13.87 ug/L	99
61) Dibromochloromethane	12.99	129	1014840	15.90 ug/L	98
62) 1,2-Dibromoethane	13.30	107	729255	16.33 ug/L	89
64) Chlorobenzene	13.96	112	3521975	15.38 ug/L	97
65) 1,1,1,2-Tetrachloroethane	14.04	131	1235583	16.14 ug/L	99
66) Ethylbenzene	14.06	91	6768756	14.63 ug/L	98
67) m,p-Xylene	14.19	106	4657088	29.74 ug/L	98
68) o-Xylene	14.87	106	2341227	16.27 ug/L	91
69) Styrene	14.93	104	3722814	16.97 ug/L	100
70) Bromoform	15.44	173	469520	18.06 ug/L	95
71) Isopropylbenzene	15.45	105	6497205	15.72 ug/L	96
72) 1,1,2,2-Tetrachloroethane	15.72	83	794030	17.27 ug/L	89
74) 1,2,3-Trichloropropane	15.94	75	586573	16.72 ug/L	98
75) trans-1,4-Dichloro-2-buten	16.07	53	260880	17.37 ug/L #	80
76) n-Propylbenzene	16.09	91	8098053	15.46 ug/L	97
77) Bromobenzene	16.14	156	1332095	16.61 ug/L	91
78) 1,3,5-Trimethylbenzene	16.36	105	5455658	16.61 ug/L	99
79) 2-Chlorotoluene	16.37	91	5305626	15.77 ug/L	91
80) 4-Chlorotoluene	16.45	91	4866587	16.67 ug/L	98
81) tert-butylbenzene	16.92	119	4615073	16.96 ug/L	99
82) 1,2,4-Trimethylbenzene	16.98	105	5580122	16.58 ug/L	98
84) sec-butylbenzene	17.27	105	6715422	16.76 ug/L	100

(#) = qualifier out of range (m) = manual integration

000227

Data File : C:\HPCHEM\1\DATA\060403-I\I11539SI.D Vial: 9
Acq On : 4 Jun 2003 1:28 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:04 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85) p-isopropyltoluene	17.49	119	5573630	17.23	ug/L		98
86) 1,3-Dichlorobenzene	17.63	146	2712156	17.40	ug/L		99
88) 1,4-Dichlorobenzene	17.80	146	2657411	15.91	ug/L		99
89) n-butylbenzene	18.16	91	5559297	15.86	ug/L		99
90) 1,2-Dichlorobenzene	18.40	146	2186526	16.34	ug/L		95
92) 1,2-Dibromo-3-chloropropan	19.68	75	127156	18.53	ug/L	#	78
94) 1,2,4-Trichlorobenzene	21.14	180	1450978	18.46	ug/L		100
95) Hexachlorobutadiene	21.39	225	725735	16.12	ug/L		99
96) Naphthalene	21.55	128	1949346	21.66	ug/L		100
97) 1,2,3-Trichlorobenzene	22.01	180	1126006	19.36	ug/L		91
98) 1,3,5-Trichlorobenzene	20.09	180	2086227	16.59	ug/L		91

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\060403-I\I11539SI.D Vial: 9
Acq On : 4 Jun 2003 1:28 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:04 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



000229

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11540SI.D Vial: 10
Acq On : 4 Jun 2003 2:03 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:27 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

6.5.03
VMT 6/5/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	841150	4.00	ug/L	0.00
39) Fluorobenzene	9.12	96	1649443	4.00	ug/L	-0.01
63) d5-Chlorobenzene	13.91	117	918453	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	450934	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.23	114	1366026	4.10	ug/L	-0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 102.50%			
54) Bromofluorobenzene	15.84	95	460474	3.88	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 97.00%			
73) 1,2-Dichlorobenzene-d4	18.35	152	348053	4.46	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 111.50%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.97	85	5965189	29.36	ug/L	99
3) Chloromethane	2.25	50	3790221	27.65	ug/L	94
4) Vinyl Chloride	2.35	62	1999328	21.06	ug/L	97
5) Bromomethane	2.90	94	2183898	30.14	ug/L	96
6) Chloroethane	2.99	64	1906184	27.81	ug/L	96
7) t-Butyl alcohol	4.52	59	363639	169.59	ug/L #	90
8) Trichlorofluoromethane	3.35	101	5453115	30.73	ug/L	94
9) Diethyl ether	3.82	74	889012	31.82	ug/L	94
10) 1,1,2-Trichlorotrifluoroet	4.04	101	2877507	30.44	ug/L	96
11) Acrolein	4.01	56	747869	156.85	ug/L	98
12) Acetone	4.14	43	1359811	154.54	ug/L	92
13) 1,1-Dichloroethene	4.31	96	2417952	30.54	ug/L	98
14) Methyl iodide	4.79	142	4868208	47.63	ug/L	98
15) Di-isopropyl ether	6.18	45	11553732	32.12	ug/L	99
16) Methylene Chloride	5.10	84	3610779	30.92	ug/L	97
17) Carbon Disulfide	5.07	76	6537414	30.04	ug/L	100
18) Acrylonitrile	5.33	53	522307	34.03	ug/L	95
19) Methyl-tert-butyl ether	5.41	73	5513782	32.90	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	3518958	30.38	ug/L	93
21) 1,1-Dichloroethane	6.30	63	7037849	31.20	ug/L	98
22) Vinyl acetate	6.34	86	174511	33.74	ug/L	97
23) Methyl ethyl ketone	7.01	72	623739	173.37	ug/L	87
24) Ethyl t-butyl ether	6.83	59	8305789	33.73	ug/L	99
25) 2,2-Dichloropropane	7.19	77	5231893	32.30	ug/L	97
26) cis-1,2-Dichloroethene	7.26	96	3562619	30.79	ug/L	91
27) t-Amyl methyl ether	8.60	73	5766975	34.65	ug/L	97
29) Chloroform	7.51	83	7130524	29.60	ug/L	94

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\060403-I\I11540SI.D Vial: 10
Acq On : 4 Jun 2003 2:03 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:27 2003 Quant Results File: V506043I.

Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
30)	Bromochloromethane	7.76	128	1271993	31.14	ug/L		98
31)	Tetrahydrofuran	7.84	71	123736	34.25	ug/L		81
32)	1,1,1-Trichloroethane	8.13	97	6528111	32.40	ug/L		97
34)	1,1-Dichloropropene	8.39	75	5570559	30.85	ug/L		97
35)	Carbon Tetrachloride	8.52	119	5453410	33.03	ug/L		94
37)	1,2-Dichloroethane	8.76	62	3840006	30.71	ug/L		98
38)	Benzene	8.78	78	13125547	29.50	ug/L		98
40)	Trichloroethene	9.73	95	3877059	29.91	ug/L		98
41)	1,2-Dichloropropane	9.99	63	3226597	31.96	ug/L		97
42)	Methylmethacrylate	10.12	69	1124849	36.29	ug/L		96
45)	Bromodichloromethane	10.35	83	4372845	32.76	ug/L		99
46)	Dibromomethane	10.42	93	1458778	32.08	ug/L		94
51)	2-Hexanone	12.24	58	2257356	182.69	ug/L		94
52)	Methyl isobutyl ketone	10.90	58	2582133	187.16	ug/L		98
53)	cis-1,3-Dichloropropene	11.20	75	4512034	35.73	ug/L		93
55)	Toluene	11.69	92	7686799	30.21	ug/L		95
56)	trans-1,3-Dichloropropene	11.96	75	3327132	37.36	ug/L		95
58)	1,1,2-Trichloroethane	12.20	83	1425938	31.70	ug/L		93
59)	1,3-Dichloropropane	12.60	76	3116128	33.51	ug/L		93
60)	Tetrachloroethene	12.69	166	3302821	29.34	ug/L		97
61)	Dibromochloromethane	12.99	129	2136912	32.62	ug/L		100
62)	1,2-Dibromoethane	13.31	107	1557408	33.83	ug/L		92
64)	Chlorobenzene	13.97	112	6852919	30.36	ug/L		97
65)	1,1,1,2-Tetrachloroethane	14.04	131	2521305	33.13	ug/L		96
66)	Ethylbenzene	14.06	91	13627648	30.11	ug/L		95
67)	m,p-Xylene	14.19	106	8380719	54.58	ug/L		87
68)	o-Xylene	14.87	106	4405850	30.77	ug/L		90
69)	Styrene	14.93	104	6984892	31.77	ug/L		97
70)	Bromoform	15.43	173	873658	33.15	ug/L		95
71)	Isopropylbenzene	15.45	105	12036638	29.43	ug/L		96
72)	1,1,2,2-Tetrachloroethane	15.72	83	1566835	33.88	ug/L		90
74)	1,2,3-Trichloropropane	15.95	75	1166566	33.26	ug/L		99
75)	trans-1,4-Dichloro-2-buten	16.07	53	503689	33.32	ug/L	#	78
76)	n-Propylbenzene	16.10	91	14636023	28.31	ug/L		94
77)	Bromobenzene	16.14	156	2515325	31.40	ug/L		89
78)	1,3,5-Trimethylbenzene	16.36	105	9815334	29.92	ug/L		98
79)	2-Chlorotoluene	16.37	91	9581103	28.76	ug/L		91
80)	4-Chlorotoluene	16.45	91	9152933	31.37	ug/L		97
81)	tert-butylbenzene	16.92	119	8688632	31.85	ug/L		99
82)	1,2,4-Trimethylbenzene	16.98	105	10060249	29.94	ug/L		97
84)	sec-butylbenzene	17.27	105	12430475	31.02	ug/L		97

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\060403-I\I11540SI.D Vial: 10
Acq On : 4 Jun 2003 2:03 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:27 2003 Quant Results File: V506043I.


Quant Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 12:52:52 2003
Response via : Initial Calibration
DataAcq Meth : V506043I

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85) p-isopropyltoluene	17.50	119	10420193	32.05	ug/L		98
86) 1,3-Dichlorobenzene	17.63	146	5084807	32.41	ug/L		99
88) 1,4-Dichlorobenzene	17.81	146	4989798	30.31	ug/L		99
89) n-butylbenzene	18.17	91	10212138	29.57	ug/L		99
90) 1,2-Dichlorobenzene	18.40	146	4131025	31.19	ug/L		98
92) 1,2-Dibromo-3-chloropropan	19.68	75	254130	36.39	ug/L	#	74
94) 1,2,4-Trichlorobenzene	21.14	180	2813437	35.20	ug/L		98
95) Hexachlorobutadiene	21.39	225	1399611	31.49	ug/L		98
96) Naphthalene	21.56	128	3884909	40.87	ug/L		100
97) 1,2,3-Trichlorobenzene	22.01	180	2221524	37.16	ug/L		89
98) 1,3,5-Trichlorobenzene	20.10	180	3908518	31.29	ug/L		92

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\060403-I\I11540SI.D Vial: 10
Acq On : 4 Jun 2003 2:03 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 4 14:27 2003 Quant Results File: V506043I.

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Initial Calibration



090233

524 RECOVERY

Data File Name **I11546Q.D**
Sample Name **L506053I**
Date **5 Jun 2003 9:37 am**

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.01	1.2	85%	OK
Chloromethane	1.17	1.2	98%	OK
Vinyl Chloride	1.28	1.2	107%	OK
Bromomethane	1.25	1.2	104%	OK
Chloroethane	1.10	1.2	92%	OK
t-Butyl alcohol	5.51	6.0	92%	OK
Trichlorofluoromethane	1.12	1.2	93%	OK
1,1,2-Trichlorotrifluoroethane	1.25	1.2	104%	OK
Acetone	1.52	1.2	126%	OK
1,1-Dichloroethene	1.20	1.2	100%	OK
Di-isopropyl ether	1.19	1.2	99%	OK
Methylene Chloride	0.85	1.2	71%	OK
Methyl-tert-butyl ether	2.24	2.4	93%	OK
trans-1,2-Dichloroethene	1.18	1.2	99%	OK
1,1-Dichloroethane	1.20	1.2	100%	OK
Methyl ethyl ketone	1.56	1.2	130%	OK
Ethyl t-butyl ether	1.19	1.2	99%	OK
2,2-Dichloropropane	1.22	1.2	102%	OK
cis-1,2-Dichloroethene	1.22	1.2	102%	OK
t-Amyl methyl ether	1.12	1.2	93%	OK
Chloroform	1.20	1.2	100%	OK
Bromochloromethane	1.27	1.2	105%	OK
Tetrahydrofuran	1.51	1.2	126%	OK
1,1,1-Trichloroethane	1.18	1.2	99%	OK
1,1-Dichloropropene	1.17	1.2	98%	OK
Carbon Tetrachloride	1.20	1.2	100%	OK
1,2-Dichloroethane	1.23	1.2	103%	OK
Benzene	1.23	1.2	102%	OK
Trichloroethene	1.35	1.2	112%	OK
1,2-Dichloropropane	1.29	1.2	107%	OK
Bromodichloromethane	1.24	1.2	103%	OK
Dibromomethane	1.19	1.2	99%	OK
2-Hexanone	1.22	1.2	102%	OK
Methyl isobutyl ketone	1.29	1.2	108%	OK
cis-1,3-Dichloropropene	1.31	1.2	109%	OK
Toluene	1.26	1.2	105%	OK
trans-1,3-Dichloropropene	1.28	1.2	107%	OK
1,1,2-Trichloroethane	1.36	1.2	113%	OK
1,3-Dichloropropane	1.25	1.2	104%	OK
Tetrachloroethene	1.41	1.2	118%	OK
Dibromochloromethane	1.22	1.2	102%	OK
1,2-Dibromoethane	1.31	1.2	109%	OK
Chlorobenzene	1.25	1.2	104%	OK
1,1,1,2-Tetrachloroethane	1.28	1.2	107%	OK
Ethylbenzene	1.28	1.2	107%	OK
m,p-Xylene	2.55	2.4	106%	OK
o-Xylene	1.25	1.2	104%	OK
Styrene	1.12	1.2	94%	OK

6-6-03
VMT 6/6/03

Bromoform	1.25	1.2	104%	OK
Isopropylbenzene	1.22	1.2	101%	OK
1,1,2,2-Tetrachloroethane	1.23	1.2	103%	OK
1,2,3-Trichloropropane	1.21	1.2	101%	OK
-Propylbenzene	1.23	1.2	103%	OK
Bromobenzene	1.21	1.2	100%	OK
1,3,5-Trimethylbenzene	1.26	1.2	105%	OK
2-Chlorotoluene	1.31	1.2	109%	OK
4-Chlorotoluene	1.27	1.2	106%	OK
tert-butylbenzene	1.26	1.2	105%	OK
1,2,4-Trimethylbenzene	1.21	1.2	101%	OK
sec-butylbenzene	1.27	1.2	106%	OK
p-isopropyltoluene	1.18	1.2	99%	OK
1,3-Dichlorobenzene	1.22	1.2	102%	OK
1,4-Dichlorobenzene	1.21	1.2	101%	OK
n-butylbenzene	1.20	1.2	100%	OK
1,2-Dichlorobenzene	1.23	1.2	103%	OK
1,2-Dibromo-3-chloropropane	1.10	1.2	92%	OK
1,2,4-Trichlorobenzene	1.03	1.2	86%	OK
Hexachlorobutadiene	1.31	1.2	109%	OK
Naphthalene	1.08	1.2	90%	OK
1,2,3-Trichlorobenzene	1.05	1.2	88%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11546Q.D Vial: 3
Acq On : 5 Jun 2003 9:37 am Operator: JMR
Sample : L506053I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

VMT 6/16/03

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	101	0.02	
2	TM	Dichlorodifluoromethane	0.955	0.807	15.5	83	0.00	
3	TMP	Chloromethane	0.639	0.626	2.0	97	0.02	
4	TMC	Vinyl Chloride	0.451	0.482	-6.9	98	0.00	
5	TM	Bromomethane	0.342	0.356	-4.1	101	0.02	
6	TM	Chloroethane	0.320	0.293	8.4	95	0.02	
7	TM	t-Butyl alcohol	0.010	0.009	10.0	91	0.00	
8	TM	Trichlorofluoromethane	0.839	0.784	6.6	92	0.00	
9	TM	Diethyl ether	0.133	0.131	1.5	92	0.03	
10	TM	1,1,2-Trichlorotrifluoroeth	0.446	0.464	-4.0	98	0.00	
11	T	Acrolein	~~0.023~~	~~0.017~~	~~26.1~~	~~73~~	~~0.02~~	NT
12	TM	Acetone	0.042	0.011 RERUN	73.8#	25#	0.02	
13	TMC	1,1-Dichloroethene	0.374	0.374	0.0	93	0.02	
14	T	Methyl iodide	0.526	0.238	54.8#	63	0.03	
15	TM	Di-isopropyl ether	1.711	1.693	1.1	96	0.02	
16	TM	Methylene Chloride	0.938	0.943	-0.5	89	0.02	
17	TM	Carbon Disulfide	1.024	1.007	1.7	99	0.02	
18	T	Acrylonitrile	~~0.074~~	~~0.081~~	~~-9.5~~	~~110~~	~~0.02~~	NT
19	TM	Methyl-tert-butyl ether	0.800	1.493 RERUN	-86.6#	188	0.00	
20	TM	trans-1,2-Dichloroethene	0.547	0.540	1.3	95	0.02	
21	TMP	1,1-Dichloroethane	1.069	1.070	-0.1	95	0.02	
22	T	Vinyl acetate	~~0.025~~	~~0.041~~	~~-64.0#~~	~~171~~	~~0.02~~	NT
23	TM	Methyl ethyl ketone	0.017	0.004	76.5#	28#	0.02	
24	TM	Ethyl t-butyl ether	1.180	1.170	0.8	98	0.00	
25	TM	2,2-Dichloropropane	0.771	0.785	-1.8	95	0.00	
26	TM	cis-1,2-Dichloroethene	0.547	0.555	-1.5	100	0.02	
27	TM	t-Amyl methyl ether	0.801	0.746	6.9	92	0.00	
28	T	NO COUMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.24~~	6/20
29	TMC	Chloroform	1.131	1.131	0.0	96	0.03	
30	TM	Bromochloromethane	0.194	0.204	-5.2	104	0.00	
31	TM	Tetrahydrofuran	0.017	0.022	-29.4	138	0.03	
32	TM	1,1,1-Trichloroethane	0.960	0.946	1.5	98	0.03	
33	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~	6/20
34	TM	1,1-Dichloropropene	0.854	0.836	2.1	94	0.02	
35	TM	Carbon Tetrachloride	0.789	0.791	-0.3	99	0.02	
36	S	1,4-Difluorobenzene	1.590	1.518	4.5	97	0.00	
37	TM	1,2-Dichloroethane	0.591	0.607	-2.7	97	0.02	
38	TM	Benzene	2.092	2.144	-2.5	97	0.02	
39	I	Fluorobenzene	1.000	1.000	0.0	98	0.00	
40	TM	Trichloroethene	0.311	0.350	-12.5	104	0.02	

(#) = Out of Range

000236

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11546Q.D Vial: 3
Acq On : 5 Jun 2003 9:37 am Operator: JMR
Sample : L506053I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.245	0.262	-6.9	100	0.00
42	T	Methylmethacrylate	0.077	0.077	0.0	97	0.02
43	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~ 06213
44	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~ 06213
45	TM	Bromodichloromethane	0.325	0.336	-3.4	99	0.02
46	TM	Dibromomethane	0.110	0.109	0.9	90	0.02
47	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
49	T	NO COMPOUND	0.000	0.000 06213	0.0	0#	-0.06
50	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.50~~
51	TM	2-Hexanone	0.031	0.006 see RPT	80.6#	19#	0.03
52	TM	Methyl isobutyl ketone	0.034	0.007 see RPT	79.4#	20#	0.02
53	TM	cis-1,3-Dichloropropene	0.311	0.340	-9.3	102	0.00
54	S	Bromofluorobenzene	0.287	0.288	-0.3	96	0.00
55	TMC	Toluene	0.612	0.644	-5.2	93	0.02
56	TM	trans-1,3-Dichloropropene	0.221	0.236	-6.8	97	0.02
57	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~ 06213
58	TM	1,1,2-Trichloroethane	0.109	0.124	-13.8	101	0.02
59	TM	1,3-Dichloropropane	0.227	0.236	-4.0	93	0.00
60	TM	Tetrachloroethene	0.270	0.317	-17.4	106	0.00
61	TM	Dibromochloromethane	0.159	0.162	-1.9	91	0.00
62	TM	1,2-Dibromoethane	0.113	0.123	-8.8	100	0.00
63	I	d5-Chlorobenzene	1.000	1.000	0.0	97	0.00
64	TMP	Chlorobenzene	0.976	1.018	-4.3	94	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.333	0.356	-6.9	100	0.02
66	TMC	Ethylbenzene	1.955	2.083	-6.5	95	0.02
67	TM	m,p-Xylene	0.655	0.695	-6.1	93	0.02
68	TM	o-Xylene	0.620	0.646	-4.2	96	0.00
69	TM	Styrene	0.957	0.895	6.5	86	0.02
70	TMP	Bromoform	0.115	0.120	-4.3	112	0.02
71	TM	Isopropylbenzene	1.761	1.787	-1.5	91	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.203	0.209	-3.0	97	0.02
73	S	1,2-Dichlorobenzene-d4	0.345	0.338	2.0	107	0.02
74	TM	1,2,3-Trichloropropane	0.154	0.155	-0.6	102	0.02
75	T	trans-1,4-Dichloro-2-butene	0.066	0.066	0.0	96	0.02
76	TM	n-Propylbenzene	2.215	2.279	-2.9	95	0.02
77	TM	Bromobenzene	0.348	0.349	-0.3	99	0.02
78	TM	1,3,5-Trimethylbenzene	1.415	1.488	-5.2	107	0.00
79	TM	2-Chlorotoluene	1.430	1.557	-8.9	111	0.02
80	TM	4-Chlorotoluene	1.267	1.345	-6.2	111	0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11546Q.D Vial: 3
Acq On : 5 Jun 2003 9:37 am Operator: JMR
Sample : L506053I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 04 15:17:51 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	1.187	1.248	-5.1	107	0.00
82	TM	1,2,4-Trimethylbenzene	1.450	1.468	-1.2	101	0.02
83	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.50~~ b 6/25
84	TM	sec-butylbenzene	1.738	1.836	-5.6	108	0.00
85	TM	p-isopropyltoluene	1.416	1.397	1.3	103	0.02
86	TM	1,3-Dichlorobenzene	0.685	0.697	-1.8	109	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	108 ✓	0.00
88	TM	1,4-Dichlorobenzene	1.449	1.465	-1.1	102	0.02
89	TM	n-butylbenzene	3.030	3.028	0.1	101	0.00
90	TM	1,2-Dichlorobenzene	1.171	1.202	-2.6	105	0.02
91	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~ b 6/25
92	TM	1,2-Dibromo-3-chloropropane	0.063	0.058	7.9	102	0.02
93	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~ b 6/25
94	TM	1,2,4-Trichlorobenzene	0.721	0.620	14.0	100	0.02
95	TM	Hexachlorobutadiene	0.393	0.431	-9.7	115	0.02
96	TM	Naphthalene	0.764	0.694	9.2	101	0.00
97	TM	1,2,3-Trichlorobenzene	0.545	0.479	12.1	105	0.00
98	TM	1,3,5-Trichlorobenzene	1.104	1.016	8.0	98	0.02

524 RECOVERY

Data File Name **I11567Q.D**
Sample Name **L506053I2**
Date **5 Jun 2003 10:45 pm**

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.00	1.2	84%	OK
Chloromethane	1.17	1.2	98%	OK
Vinyl Chloride	1.23	1.2	103%	OK
Bromomethane	1.27	1.2	106%	OK
Chloroethane	1.15	1.2	95%	OK
t-Butyl alcohol	7.79	6.0	130%	OK
Trichlorofluoromethane	1.18	1.2	99%	OK
1,1,2-Trichlorotrifluoroethane	1.17	1.2	97%	OK
Acetone	2.50	1.2	209%	*
1,1-Dichloroethene	1.17	1.2	98%	OK
Di-isopropyl ether	1.36	1.2	113%	OK
Methylene Chloride	1.48	1.2	124%	OK
Methyl-tert-butyl ether	2.58	2.4	108%	OK
trans-1,2-Dichloroethene	1.24	1.2	104%	OK
1,1-Dichloroethane	1.27	1.2	106%	OK
Methyl ethyl ketone	1.58	1.2	132%	*
Ethyl t-butyl ether	1.32	1.2	110%	OK
2,2-Dichloropropane	1.02	1.2	85%	OK
cis-1,2-Dichloroethene	1.32	1.2	110%	OK
t-Amyl methyl ether	1.33	1.2	110%	OK
Chloroform	1.30	1.2	108%	OK
Bromochloromethane	1.34	1.2	112%	OK
Tetrahydrofuran	2.18	1.2	182%	*
1,1,1-Trichloroethane	1.22	1.2	102%	OK
1,1-Dichloropropene	1.27	1.2	106%	OK
Carbon Tetrachloride	1.24	1.2	103%	OK
1,2-Dichloroethane	1.38	1.2	115%	OK
Benzene	1.31	1.2	109%	OK
Trichloroethene	1.36	1.2	113%	OK
1,2-Dichloropropane	1.39	1.2	116%	OK
Bromodichloromethane	1.34	1.2	112%	OK
Dibromomethane	1.53	1.2	128%	OK
2-Hexanone	1.45	1.2	121%	OK
Methyl isobutyl ketone	1.48	1.2	123%	OK
cis-1,3-Dichloropropene	1.46	1.2	122%	OK
Toluene	1.29	1.2	108%	OK
trans-1,3-Dichloropropene	1.34	1.2	112%	OK
1,1,2-Trichloroethane	1.48	1.2	123%	OK
1,3-Dichloropropane	1.49	1.2	125%	OK
Tetrachloroethene	1.37	1.2	114%	OK
Dibromochloromethane	1.41	1.2	117%	OK
1,2-Dibromoethane	1.45	1.2	121%	OK
Chlorobenzene	1.30	1.2	109%	OK
1,1,1,2-Tetrachloroethane	1.35	1.2	112%	OK
Ethylbenzene	1.24	1.2	104%	OK
m,p-Xylene	2.53	2.4	105%	OK
o-Xylene	1.29	1.2	107%	OK
Styrene	1.26	1.2	105%	OK

6.6.03

VMI 6/6/03

Bromoform	1.47	1.2	122%	OK
Isopropylbenzene	1.22	1.2	102%	OK
1,1,2,2-Tetrachloroethane	1.39	1.2	116%	OK
1,2,3-Trichloropropane	1.36	1.2	113%	OK
n-Propylbenzene	1.27	1.2	106%	OK
Bromobenzene	1.32	1.2	110%	OK
1,3,5-Trimethylbenzene	1.26	1.2	105%	OK
2-Chlorotoluene	1.33	1.2	111%	OK
4-Chlorotoluene	1.32	1.2	110%	OK
tert-butylbenzene	1.31	1.2	109%	OK
1,2,4-Trimethylbenzene	1.30	1.2	108%	OK
sec-butylbenzene	1.30	1.2	108%	OK
p-isopropyltoluene	1.23	1.2	102%	OK
1,3-Dichlorobenzene	1.36	1.2	113%	OK
1,4-Dichlorobenzene	1.26	1.2	105%	OK
n-butylbenzene	1.17	1.2	97%	OK
1,2-Dichlorobenzene	1.31	1.2	109%	OK
1,2-Dibromo-3-chloropropane	1.30	1.2	109%	OK
1,2,4-Trichlorobenzene	1.18	1.2	98%	OK
Hexachlorobutadiene	1.27	1.2	106%	OK
Naphthalene	1.22	1.2	102%	OK
1,2,3-Trichlorobenzene	1.18	1.2	99%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11567Q.D Vial: 24
Acq On : 5 Jun 2003 10:45 pm Operator: JMR
Sample : L506053I2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

6.6.03

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

VMC 6/6/03

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	107	0.01	
2	TM	Dichlorodifluoromethane	0.955	0.798	16.4	87	0.01	
3	TMP	Chloromethane	0.639	0.625	2.2	103	0.02	
4	TMC	Vinyl Chloride	0.451	0.463	-2.7	100	0.01	
5	TM	Bromomethane	0.342	0.361	-5.6	109	0.01	
6	TM	Chloroethane	0.320	0.305	4.7	105	0.02	
7	TM	t-Butyl alcohol	0.010	0.013	-30.0	137	0.00	
8	TM	Trichlorofluoromethane	0.839	0.827	1.4	104	0.01	
9	TM	Diethyl ether	0.133	0.153	-15.0	114	0.02	
10	TM	1,1,2-Trichlorotrifluoroeth	0.446	0.434	2.7	97	0.01	
11	T	Acrolein	~~0.023~~	~~0.018~~	~~21.7~~	~~83~~	~~0.00~~	NT
12	TM	Acetone	0.042	0.017 RERPT	59.5#	44#	0.01	
13	TMC	1,1-Dichloroethene	0.374	0.366	2.1	97	0.02	
14	T	Methyl iodide	~~0.526~~	~~0.217~~	~~58.7#~~	~~61~~	~~0.01~~	NT
	TM	Di-isopropyl ether	1.711	1.933	-13.0	117	0.01	
16	TM	Methylene Chloride	0.938	1.227	-30.8#	123	0.01	
17	TM	Carbon Disulfide	1.024	1.001	2.2	105	0.01	
18	T	Acrylonitrile	~~0.074~~	~~0.082~~	~~-10.8~~	~~118~~	~~0.02~~	NT
19	TM	Methyl-tert-butyl ether	0.800	1.723 RERPT	-115.4#	231#	0.01	
20	TM	trans-1,2-Dichloroethene	0.547	0.566	-3.5	106	0.01	
21	TMP	1,1-Dichloroethane	1.069	1.133	-6.0	107	0.01	
22	T	Vinyl acetate	~~0.025~~	~~0.049~~	~~96.0#~~	~~214#~~	~~0.01~~	NT
23	TM	Methyl ethyl ketone	0.017	0.005 RERPT	70.6#	30#	0.01	
24	TM	Ethyl t-butyl ether	1.180	1.303	-10.4	116	0.00	
25	TM	2,2-Dichloropropane	0.771	0.653	15.3	84	0.01	
26	TM	cis-1,2-Dichloroethene	0.547	0.601	-9.9	115	0.01	
27	TM	t-Amyl methyl ether	0.801	0.885	-10.5	116	0.00	
28	T	NO COUMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.24~~	NT
29	TMC	Chloroform	1.131	1.224	-8.2	110	0.02	
30	TM	Bromochloromethane	0.194	0.216	-11.3	117	0.01	
31	TM	Tetrahydrofuran	0.017	0.032 RERPT	-88.2#	212#	0.01	
32	TM	1,1,1-Trichloroethane	0.960	0.975	-1.6	107	0.02	
33	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~	NT
34	TM	1,1-Dichloropropene	0.854	0.902	-5.6	107	0.01	
35	TM	Carbon Tetrachloride	0.789	0.813	-3.0	108	0.01	
36	S	1,4-Difluorobenzene	1.590	1.624	-2.1	110	0.01	
37	TM	1,2-Dichloroethane	0.591	0.681	-15.2	116	0.01	
38	TM	Benzene	2.092	2.288	-9.4	110	0.01	
	I	Fluorobenzene	1.000	1.000	0.0	111	0.00	
	TM	Trichloroethene	0.311	0.352	-13.2	119	0.01	

(#) = Out of Range

000241

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11567Q.D Vial: 24
Acq On : 5 Jun 2003 10:45 pm Operator: JMR
Sample : L506053I2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.245	0.284	-15.9	124	0.01
42	T	Methylmethacrylate	0.077	0.094	-22.1	137	0.01
43	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06 NT
44	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06 NT
45	TM	Bromodichloromethane	0.325	0.364	-12.0	122	0.01
46	TM	Dibromomethane	0.110	0.141	-28.2	132	0.01
47	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
50	T	No Compound	0.000	0.000	0.0	0#	-0.50
51	TM	2-Hexanone	0.031	0.007 per RPT	77.4#	26#	0.01
52	TM	Methyl isobutyl ketone	0.034	0.008 per RPT	76.5#	26#	0.01
53	TM	cis-1,3-Dichloropropene	0.311	0.379	-21.9	129	0.00
54	S	Bromofluorobenzene	0.287	0.320	-11.5	122	0.01
	TMC	Toluene	0.612	0.660	-7.8	109	0.01
56	TM	trans-1,3-Dichloropropene	0.221	0.248	-12.2	117	0.01
57	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06 NT
58	TM	1,1,2-Trichloroethane	0.109	0.134	-22.9	125	0.01
59	TM	1,3-Dichloropropane	0.227	0.283	-24.7	127	0.00
60	TM	Tetrachloroethene	0.270	0.308	-14.1	117	0.01
61	TM	Dibromochloromethane	0.159	0.187	-17.6	119	0.01
62	TM	1,2-Dibromoethane	0.113	0.136	-20.4	127	0.00
63	I	d5-Chlorobenzene	1.000	1.000	0.0	118	0.01
64	TMP	Chlorobenzene	0.976	1.061	-8.7	118	0.01
65	TM	1,1,1,2-Tetrachloroethane	0.333	0.374	-12.3	127	0.01
66	TMC	Ethylbenzene	1.955	2.028	-3.7	111	0.01
67	TM	m,p-Xylene	0.655	0.689	-5.2	112	0.01
68	TM	o-Xylene	0.620	0.666	-7.4	120	0.01
69	TM	Styrene	0.957	1.004	-4.9	117	0.01
70	TMP	Bromoform	0.115	0.141	-22.6	160	0.01
71	TM	Isopropylbenzene	1.761	1.789	-1.6	110	0.01
72	TMP	1,1,2,2-Tetrachloroethane	0.203	0.236	-16.3	132	0.02
73	S	1,2-Dichlorobenzene-d4	0.345	0.385	-11.6	148	0.01
74	TM	1,2,3-Trichloropropane	0.154	0.174	-13.0	138	0.00
75	T	trans-1,4-Dichloro-2-butene	0.066	0.084	-27.3	147	0.01
76	TM	n-Propylbenzene	2.215	2.338	-5.6	118	0.01
77	TM	Bromobenzene	0.348	0.383	-10.1	132	0.01
78	TM	1,3,5-Trimethylbenzene	1.415	1.482	-4.7	129	0.01
	TM	2-Chlorotoluene	1.430	1.590	-11.2	137	0.01
80	TM	4-Chlorotoluene	1.267	1.395	-10.1	139	0.01

(#) = Out of Range

000242

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11567Q.D Vial: 24
Acq On : 5 Jun 2003 10:45 pm Operator: JMR
Sample : L506053I2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.187	1.292	-8.8	135	0.00	
82	TM	1,2,4-Trimethylbenzene	1.450	1.571	-8.3	130	0.01	
83	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.50~~	NT
84	TM	sec-butylbenzene	1.738	1.878	-8.1	134	0.01	
85	TM	p-isopropyltoluene	1.416	1.446	-2.1	129	0.01	
86	TM	1,3-Dichlorobenzene	0.685	0.776	-13.3	147	0.00	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	143	0.00	
88	TM	1,4-Dichlorobenzene	1.449	1.516	-4.6	140	0.01	
89	TM	n-butylbenzene	3.030	2.952	2.6	131	0.00	
90	TM	1,2-Dichlorobenzene	1.171	1.279	-9.2	148	0.01	
91	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~	NT
92	TM	1,2-Dibromo-3-chloropropane	0.063	0.069	-9.5	159	0.01	
93	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~	NT
	TM	1,2,4-Trichlorobenzene	0.721	0.707	1.9	152	0.01	
95	TM	Hexachlorobutadiene	0.393	0.418	-6.4	148	0.01	
96	TM	Naphthalene	0.764	0.810	-6.0	157	0.00	
97	TM	1,2,3-Trichlorobenzene	0.545	0.537	1.5	157	0.00	
98	TM	1,3,5-Trichlorobenzene	1.104	1.043	5.5	134	0.01	

000243

524 RECOVERY

Data File Name **I11568Q.D**
Sample Name **L506053I3**
Date **5 Jun 2003 11:20 pm**

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.00	1.2	84%	OK
Chloromethane	1.17	1.2	98%	OK
Vinyl Chloride	1.21	1.2	101%	OK
Bromomethane	1.20	1.2	100%	OK
Chloroethane	1.10	1.2	92%	OK
t-Butyl alcohol	8.92	6.0	149%	*
Trichlorofluoromethane	1.14	1.2	95%	OK
1,1,2-Trichlorotrifluoroethane	1.18	1.2	99%	OK
Acetone	2.80	1.2	233%	*
1,1-Dichloroethene	1.16	1.2	97%	OK
Di-isopropyl ether	1.30	1.2	108%	OK
Methylene Chloride	0.92	1.2	77%	OK
Methyl-tert-butyl ether	2.54	2.4	106%	OK
trans-1,2-Dichloroethene	1.21	1.2	101%	OK
1,1-Dichloroethane	1.22	1.2	102%	OK
Methyl ethyl ketone	1.52	1.2	127%	OK
Ethyl t-butyl ether	1.29	1.2	107%	OK
2,2-Dichloropropane	0.92	1.2	77%	OK
cis-1,2-Dichloroethene	1.32	1.2	110%	OK
t-Amyl methyl ether	1.26	1.2	105%	OK
Chloroform	1.24	1.2	103%	OK
Bromochloromethane	1.37	1.2	114%	OK
Tetrahydrofuran	1.91	1.2	159%	*
1,1,1-Trichloroethane	1.16	1.2	97%	OK
1,1-Dichloropropene	1.18	1.2	98%	OK
Carbon Tetrachloride	1.18	1.2	98%	OK
1,2-Dichloroethane	1.34	1.2	111%	OK
Benzene	1.26	1.2	105%	OK
Trichloroethene	1.26	1.2	105%	OK
1,2-Dichloropropane	1.28	1.2	107%	OK
Bromodichloromethane	1.35	1.2	113%	OK
Dibromomethane	1.46	1.2	121%	OK
2-Hexanone	1.46	1.2	121%	OK
Methyl isobutyl ketone	1.45	1.2	121%	OK
cis-1,3-Dichloropropene	1.40	1.2	117%	OK
Toluene	1.25	1.2	104%	OK
trans-1,3-Dichloropropene	1.32	1.2	110%	OK
1,1,2-Trichloroethane	1.47	1.2	122%	OK
1,3-Dichloropropane	1.42	1.2	119%	OK
Tetrachloroethene	1.31	1.2	109%	OK
Dibromochloromethane	1.43	1.2	119%	OK
1,2-Dibromoethane	1.53	1.2	128%	OK
Chlorobenzene	1.24	1.2	103%	OK
1,1,1,2-Tetrachloroethane	1.31	1.2	109%	OK
Ethylbenzene	1.16	1.2	97%	OK
m,p-Xylene	2.52	2.4	105%	OK
o-Xylene	1.28	1.2	107%	OK
Styrene	1.28	1.2	107%	OK

6.6.03
JMT 6/6/03

Bromoform	1.48	1.2	124%	OK
Isopropylbenzene	1.17	1.2	97%	OK
1,1,2,2-Tetrachloroethane	1.42	1.2	118%	OK
1,2,3-Trichloropropane	1.42	1.2	119%	OK
-Propylbenzene	1.19	1.2	99%	OK
romobenzene	1.30	1.2	108%	OK
1,3,5-Trimethylbenzene	1.24	1.2	103%	OK
2-Chlorotoluene	1.28	1.2	107%	OK
4-Chlorotoluene	1.27	1.2	106%	OK
tert-butylbenzene	1.23	1.2	103%	OK
1,2,4-Trimethylbenzene	1.29	1.2	107%	OK
sec-butylbenzene	1.26	1.2	105%	OK
p-isopropyltoluene	1.18	1.2	98%	OK
1,3-Dichlorobenzene	1.32	1.2	110%	OK
1,4-Dichlorobenzene	1.21	1.2	101%	OK
n-butylbenzene	1.12	1.2	94%	OK
1,2-Dichlorobenzene	1.26	1.2	105%	OK
1,2-Dibromo-3-chloropropane	1.35	1.2	113%	OK
1,2,4-Trichlorobenzene	1.21	1.2	101%	OK
Hexachlorobutadiene	1.27	1.2	106%	OK
Naphthalene	1.24	1.2	103%	OK
1,2,3-Trichlorobenzene	1.22	1.2	101%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11568Q.D Vial: 25
Acq On : 5 Jun 2003 11:20 pm Operator: JMR
Sample : L506053I3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

6.6.03

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

VMT 6/6/03

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	109	0.01	
2	TM	Dichlorodifluoromethane	0.955	0.798	16.4	89	0.01	
3	TMP	Chloromethane	0.639	0.626	2.0	106	0.02	
4	TMC	Vinyl Chloride	0.451	0.455	-0.9	101	0.01	
5	TM	Bromomethane	0.342	0.341	0.3	105	0.01	
6	TM	Chloroethane	0.320	0.293	8.4	103	0.02	
7	TM	t-Butyl alcohol	0.010	0.015	-50.0#	160	0.00	
8	TM	Trichlorofluoromethane	0.839	0.797	5.0	102	0.01	
9	TM	Diethyl ether	0.133	0.148	-11.3	113	0.02	
10	TM	1,1,2-Trichlorotrifluoroeth	0.446	0.440	1.3	101	0.01	
11	T	Acrolein	~~0.023~~	~~0.018~~	~~21.7~~	~~84~~	~~0.01~~	NT
12	TM	Acetone	0.042	0.019 see RPT	54.8#	50#	0.02	
13	TMC	1,1-Dichloroethene	0.374	0.361	3.5	97	0.01	
14	T	Methyl iodide	~~0.526~~	~~0.215~~	~~59.1#~~	~~62~~	~~0.01~~	NT
15	TM	Di-isopropyl ether	1.711	1.856	-8.5	115	0.01	
16	TM	Methylene Chloride	0.938	0.977	-4.2	100	0.01	
17	TM	Carbon Disulfide	1.024	0.673	34.3#	72	0.01	
18	T	Acrylonitrile	0.074	0.081	-9.5	120	0.01	
19	TM	Methyl-tert-butyl ether	0.800	1.696 see RPT	-112.0#	232#	0.01	
20	TM	trans-1,2-Dichloroethene	0.547	0.552	-0.9	105	0.01	
21	TMP	1,1-Dichloroethane	1.069	1.085	-1.5	105	0.02	
22	T	Vinyl acetate	~~0.025~~	~~0.037~~	~~-48.0#~~	~~167~~	~~0.01~~	NT
23	TM	Methyl ethyl ketone	0.017	0.004 see RPT	76.5#	30#	0.02	
24	TM	Ethyl t-butyl ether	1.180	1.268	-7.5	115	0.00	
25	TM	2,2-Dichloropropane	0.771	0.594	23.0	78	0.00	
26	TM	cis-1,2-Dichloroethene	0.547	0.602	-10.1	118	0.01	
27	TM	t-Amyl methyl ether	0.801	0.840	-4.9	112	0.01	
28	T	NO COUMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.24~~	NT
29	TMC	Chloroform	1.131	1.165	-3.0	107	0.02	
30	TM	Bromochloromethane	0.194	0.221	-13.9	122	0.01	
31	TM	Tetrahydrofuran	0.017	0.028	-64.7#	189	0.01	
32	TM	1,1,1-Trichloroethane	0.960	0.929	3.2	105	0.01	
33	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~	NT
34	TM	1,1-Dichloropropene	0.854	0.840	1.6	102	0.00	
35	TM	Carbon Tetrachloride	0.789	0.776	1.6	105	0.01	
36	S	1,4-Difluorobenzene	1.590	1.598	-0.5	110	0.01	
37	TM	1,2-Dichloroethane	0.591	0.659	-11.5	114	0.01	
38	TM	Benzene	2.092	2.192	-4.8	107	0.01	
39	I	Fluorobenzene	1.000	1.000	0.0	110	0.00	
40	TM	Trichloroethene	0.311	0.328	-5.5	109	0.01	

(#) = Out of Range

000246

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11568Q.D Vial: 25
Acq On : 5 Jun 2003 11:20 pm Operator: JMR
Sample : L506053I3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
41	TMC	1,2-Dichloropropane	0.245	0.261	-6.5	112	0.00	
42	T	Methylmethacrylate	0.077	0.084	-9.1	120	0.00	
43	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~	NT
44	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~	NT
45	TM	Bromodichloromethane	0.325	0.366	-12.6	121	0.01	
46	TM	Dibromomethane	0.110	0.134	-21.8	124	0.01	
47	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~	
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	
50	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.50~~	
51	TM	2-Hexanone	0.031	0.007 see RPT	77.4#	25#	0.02	
52	TM	Methyl isobutyl ketone	0.034	0.008 see RPT	76.5#	25#	0.00	
53	TM	cis-1,3-Dichloropropene	0.311	0.363	-16.7	122	0.00	
54	S	Bromofluorobenzene	0.287	0.309	-7.7	116	0.00	
55	TMC	Toluene	0.612	0.636	-3.9	104	0.01	
56	TM	trans-1,3-Dichloropropene	0.221	0.243	-10.0	113	0.01	
57	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~	NT
58	TM	1,1,2-Trichloroethane	0.109	0.133	-22.0	122	0.01	
59	TM	1,3-Dichloropropane	0.227	0.269	-18.5	119	0.01	
60	TM	Tetrachloroethene	0.270	0.294	-8.9	111	0.01	
61	TM	Dibromochloromethane	0.159	0.189	-18.9	119	0.01	
62	TM	1,2-Dibromoethane	0.113	0.144	-27.4	132	0.00	
63	I	d5-Chlorobenzene	1.000	1.000	0.0	116	0.01	
64	TMP	Chlorobenzene	0.976	1.008	-3.3	111	0.01	
65	TM	1,1,1,2-Tetrachloroethane	0.333	0.364	-9.3	122	0.01	
66	TMC	Ethylbenzene	1.955	1.896	3.0	103	0.01	
67	TM	m,p-Xylene	0.655	0.688	-5.0	110	0.01	
68	TM	o-Xylene	0.620	0.662	-6.8	117	0.00	
69	TM	Styrene	0.957	1.024	-7.0	117	0.01	
70	TMP	Bromoform	0.115	0.143	-24.3	159	0.01	
71	TM	Isopropylbenzene	1.761	1.716	2.6	104	0.01	
72	TMP	1,1,2,2-Tetrachloroethane	0.203	0.240	-18.2	132	0.01	
73	S	1,2-Dichlorobenzene-d4	0.345	0.376	-9.0	142	0.01	
74	TM	1,2,3-Trichloropropane	0.154	0.182	-18.2	143	0.01	
75	T	trans-1,4-Dichloro-2-butene	0.066	0.075	-13.6	130	0.01	
76	TM	n-Propylbenzene	2.215	2.195	0.9	109	0.01	
77	TM	Bromobenzene	0.348	0.377	-8.3	128	0.01	
78	TM	1,3,5-Trimethylbenzene	1.415	1.462	-3.3	125	0.01	
79	TM	2-Chlorotoluene	1.430	1.527	-6.8	130	0.01	
80	TM	4-Chlorotoluene	1.267	1.346	-6.2	132	0.01	

(#) = Out of Range

000247

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060503-I\I11568Q.D Vial: 25
Acq On : 5 Jun 2003 11:20 pm Operator: JMR
Sample : L506053I3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.187	1.220	-2.8	125	0.00	
82	TM	1,2,4-Trimethylbenzene	1.450	1.555	-7.2	127	0.01	
83	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.50~~	NT
84	TM	sec-butylbenzene	1.738	1.825	-5.0	128	0.01	
85	TM	p-isopropyltoluene	1.416	1.391	1.8	122	0.01	
86	TM	1,3-Dichlorobenzene	0.685	0.755	-10.2	141	0.00	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	140	0.01	
88	TM	1,4-Dichlorobenzene	1.449	1.467	-1.2	132	0.01	
89	TM	n-butylbenzene	3.030	2.835	6.4	123	0.00	
90	TM	1,2-Dichlorobenzene	1.171	1.232	-5.2	139	0.01	
91	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~	NT
92	TM	1,2-Dibromo-3-chloropropane	0.063	0.072	-14.3	162	0.01	
93	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~	NT
94	TM	1,2,4-Trichlorobenzene	0.721	0.729	-1.1	153	0.01	
95	TM	Hexachlorobutadiene	0.393	0.418	-6.4	144	0.01	
96	TM	Naphthalene	0.764	0.825	-8.0	156	0.00	
97	TM	1,2,3-Trichlorobenzene	0.545	0.552	-1.3	157	0.01	
98	TM	1,3,5-Trichlorobenzene	1.104	1.064	3.6	134	0.01	

524 RECOVERY

Data File Name	I11579Q.D
Sample Name	L506063I
Date	6 Jun 2003 9:28 am

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.03	1.2	86%	OK
Chloromethane	1.27	1.2	106%	OK
Vinyl Chloride	1.30	1.2	109%	OK
Bromomethane	1.15	1.2	96%	OK
Chloroethane	1.24	1.2	103%	OK
t-Butyl alcohol	6.27	6.0	104%	OK
Trichlorofluoromethane	1.17	1.2	97%	OK
1,1,2-Trichlorotrifluoroethane	1.23	1.2	102%	OK
Acetone	2.20	1.2	184%	(*)
1,1-Dichloroethene	1.21	1.2	101%	OK
Di-isopropyl ether	1.29	1.2	108%	OK
Methylene Chloride	1.76	1.2	147%	(*)
Methyl-tert-butyl ether	2.28	2.4	95%	OK
trans-1,2-Dichloroethene	1.27	1.2	106%	OK
1,1-Dichloroethane	1.26	1.2	105%	OK
Methyl ethyl ketone	1.65	1.2	138%	(*)
Ethyl t-butyl ether	1.17	1.2	97%	OK
2,2-Dichloropropane	1.29	1.2	107%	OK
cis-1,2-Dichloroethene	1.34	1.2	111%	OK
t-Amyl methyl ether	1.15	1.2	96%	OK
Chloroform	1.25	1.2	104%	OK
romochloromethane	1.29	1.2	108%	OK
etrahydrofuran	1.36	1.2	114%	OK
1,1,1-Trichloroethane	1.25	1.2	104%	OK
1,1-Dichloropropene	1.26	1.2	105%	OK
Carbon Tetrachloride	1.29	1.2	108%	OK
1,2-Dichloroethane	1.34	1.2	112%	OK
Benzene	1.32	1.2	110%	OK
Trichloroethene	1.38	1.2	115%	OK
1,2-Dichloropropane	1.37	1.2	114%	OK
Bromodichloromethane	1.32	1.2	110%	OK
Dibromomethane	1.28	1.2	107%	OK
2-Hexanone	1.31	1.2	109%	OK
Methyl isobutyl ketone	1.37	1.2	114%	OK
cis-1,3-Dichloropropene	1.41	1.2	117%	OK
Toluene	1.33	1.2	111%	OK
trans-1,3-Dichloropropene	1.34	1.2	112%	OK
1,1,2-Trichloroethane	1.41	1.2	117%	OK
1,3-Dichloropropane	1.40	1.2	117%	OK
Tetrachloroethene	1.41	1.2	117%	OK
Dibromochloromethane	1.31	1.2	109%	OK
1,2-Dibromoethane	1.39	1.2	116%	OK
Chlorobenzene	1.33	1.2	111%	OK
1,1,1,2-Tetrachloroethane	1.37	1.2	114%	OK
Ethylbenzene	1.32	1.2	110%	OK
,p-Xylene	2.65	2.4	110%	OK
-Xylene	1.31	1.2	109%	OK
Styrene	1.16	1.2	97%	OK

6-9-03

VMT 6/9/03

Bromoform	1.34	1.2	112%	OK
Isopropylbenzene	1.25	1.2	104%	OK
1,1,2,2-Tetrachloroethane	1.27	1.2	106%	OK
1,2,3-Trichloropropane	1.24	1.2	103%	OK
-Propylbenzene	1.30	1.2	108%	OK
Bromobenzene	1.26	1.2	105%	OK
1,3,5-Trimethylbenzene	1.25	1.2	104%	OK
2-Chlorotoluene	1.35	1.2	112%	OK
4-Chlorotoluene	1.33	1.2	111%	OK
tert-butylbenzene	1.32	1.2	110%	OK
1,2,4-Trimethylbenzene	1.28	1.2	107%	OK
sec-butylbenzene	1.33	1.2	111%	OK
p-isopropyltoluene	1.26	1.2	105%	OK
1,3-Dichlorobenzene	1.32	1.2	110%	OK
1,4-Dichlorobenzene	1.31	1.2	109%	OK
n-butylbenzene	1.31	1.2	109%	OK
1,2-Dichlorobenzene	1.36	1.2	113%	OK
1,2-Dibromo-3-chloropropane	1.17	1.2	97%	OK
1,2,4-Trichlorobenzene	1.04	1.2	87%	OK
Hexachlorobutadiene	1.35	1.2	113%	OK
Naphthalene	0.99	1.2	82%	OK
1,2,3-Trichlorobenzene	1.00	1.2	83%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11579Q.D Vial: 3
Acq On : 6 Jun 2003 9:28 am Operator: JMR
Sample : L506063I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

6-9-03 VMT 6/9/03

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	96	0.01
2	TM	Dichlorodifluoromethane	0.955	0.823	13.8	80	0.00
3	TMP	Chloromethane	0.639	0.677	-5.9	101	0.01
4	TMC	Vinyl Chloride	0.451	0.491	-8.9	95	0.01
5	TM	Bromomethane	0.342	0.329	3.8	89	0.01
6	TM	Chloroethane	0.320	0.329	-2.8	102	0.01
7	TM	t-Butyl alcohol	0.010	0.011	-10.0	99	0.00
8	TM	Trichlorofluoromethane	0.839	0.815	2.9	92	0.00
9	TM	Diethyl ether	0.133	0.150	-12.8	100	0.02
10	TM	1,1,2-Trichlorotrifluoroeth	0.446	0.457	-2.5	92	0.00
11	T	Acrolein	~~0.023~~	~~0.016~~	~~30.4#~~	~~69~~	~~0.01~~ NT
12	TM	Acetone	0.042	0.015 Dec RPT	64.3#	34#	0.00
13	TMC	1,1-Dichloroethene	0.374	0.379	-1.3	90	0.01
14	T	Methyl iodide	~~0.526~~	~~0.290~~	~~44.9#~~	~~74~~	~~0.03~~ NT
15	TM	Di-isopropyl ether	1.711	1.840	-7.5	100	0.01
16	TM	Methylene Chloride	0.938	1.349	-43.8#	122	0.01
17	TM	Carbon Disulfide	1.024	1.048	-2.3	98	0.01
18	T	Acrylonitrile	~~0.074~~	~~0.075~~	~~-1.4~~	~~97~~	~~0.01~~ NT
19	TM	Methyl-tert-butyl ether	0.800	1.519 Dec RPT	-89.9#	183	0.01
20	TM	trans-1,2-Dichloroethene	0.547	0.580	-6.0	97	0.01
21	TMP	1,1-Dichloroethane	1.069	1.125	-5.2	95	0.01
22	T	Vinyl acetate	~~0.025~~	~~0.045~~	~~80.0#~~	~~178~~	~~0.02~~ NT
23	TM	Methyl ethyl ketone	0.017	0.005 Dec RPT	70.6#	28#	0.00
24	TM	Ethyl t-butyl ether	1.180	1.149	2.6	92	0.01
25	TM	2,2-Dichloropropane	0.771	0.826	-7.1	96	0.01
26	TM	cis-1,2-Dichloroethene	0.547	0.610	-11.5	105	0.02
27	TM	t-Amyl methyl ether	0.801	0.766	4.4	90	0.01
28	T	NO COUMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.24~~ NT
29	TMC	Chloroform	1.131	1.179	-4.2	95	0.02
30	TM	Bromochloromethane	0.194	0.209	-7.7	102	0.01
31	TM	Tetrahydrofuran	0.017	0.020	-17.6	119	0.00
32	TM	1,1,1-Trichloroethane	0.960	1.002	-4.4	99	0.02
33	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~ NT
34	TM	1,1-Dichloropropene	0.854	0.899	-5.3	96	0.01
35	TM	Carbon Tetrachloride	0.789	0.851	-7.9	101	0.01
36	S	1,4-Difluorobenzene	1.590	1.561	1.8	95	0.01
37	TM	1,2-Dichloroethane	0.591	0.661	-11.8	101	0.02
38	TM	Benzene	2.092	2.301	-10.0	99	0.01
9	I	Fluorobenzene	1.000	1.000	0.0	95	0.01
0	TM	Trichloroethene	0.311	0.358	-15.1	103	0.02

(#) = Out of Range

000251

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11579Q.D Vial: 3
Acq On : 6 Jun 2003 9:28 am Operator: JMR
Sample : L506063I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.245	0.279	-13.9	103	0.00
42	T	Methylmethacrylate	0.077	0.078	-1.3	96	0.01
43	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~ NT
44	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~ NT
45	TM	Bromodichloromethane	0.325	0.357	-9.8	102	0.01
46	TM	Dibromomethane	0.110	0.118	-7.3	94	0.01
47	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
50	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.50~~
51	TM	2-Hexanone	0.031	0.007 per RDT	77.4#	20#	0.01
52	TM	Methyl isobutyl ketone	0.034	0.008 per RDT	76.5#	20#	0.02
53	TM	cis-1,3-Dichloropropene	0.311	0.365	-17.4	106	0.01
54	S	Bromofluorobenzene	0.287	0.294	-2.4	95	0.01
55	TMC	Toluene	0.612	0.677	-10.6	95	0.01
56	TM	trans-1,3-Dichloropropene	0.221	0.247	-11.8	99	0.01
57	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~ NT
58	TM	1,1,2-Trichloroethane	0.109	0.128	-17.4	101	0.01
59	TM	1,3-Dichloropropane	0.227	0.266	-17.2	101	0.01
60	TM	Tetrachloroethene	0.270	0.317	-17.4	103	0.01
61	TM	Dibromochloromethane	0.159	0.173	-8.8	94	0.01
62	TM	1,2-Dibromoethane	0.113	0.131	-15.9	104	0.00
63	I	d5-Chlorobenzene	1.000	1.000	0.0	95	0.01
64	TMP	Chlorobenzene	0.976	1.081	-10.8	97	0.01
65	TM	1,1,1,2-Tetrachloroethane	0.333	0.381	-14.4	105	0.02
66	TMC	Ethylbenzene	1.955	2.154	-10.2	96	0.01
67	TM	m,p-Xylene	0.655	0.723	-10.4	95	0.01
68	TM	o-Xylene	0.620	0.676	-9.0	98	0.01
69	TM	Styrene	0.957	0.925	3.3	87	0.01
70	TMP	Bromoform	0.115	0.129	-12.2	118	0.01
71	TM	Isopropylbenzene	1.761	1.837	-4.3	91	0.01
72	TMP	1,1,2,2-Tetrachloroethane	0.203	0.216	-6.4	98	0.01
73	S	1,2-Dichlorobenzene-d4	0.345	0.339	1.7	105	0.01
74	TM	1,2,3-Trichloropropane	0.154	0.159	-3.2	102	0.01
75	T	trans-1,4-Dichloro-2-butene	0.066	0.079	-19.7	112	0.02
76	TM	n-Propylbenzene	2.215	2.401	-8.4	98	0.02
77	TM	Bromobenzene	0.348	0.366	-5.2	102	0.01
78	TM	1,3,5-Trimethylbenzene	1.415	1.473	-4.1	104	0.01
79	TM	2-Chlorotoluene	1.430	1.604	-12.2	112	0.01
80	TM	4-Chlorotoluene	1.267	1.402	-10.7	113	0.01

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11579Q.D Vial: 3
Acq On : 6 Jun 2003 9:28 am Operator: JMR
Sample : L506063I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.187	1.306	-10.0	110	0.01	
82	TM	1,2,4-Trimethylbenzene	1.450	1.544	-6.5	104	0.01	
83	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.50~~	NT
84	TM	sec-butylbenzene	1.738	1.923	-10.6	111	0.01	
85	TM	p-isopropyltoluene	1.416	1.483	-4.7	107	0.01	
86	TM	1,3-Dichlorobenzene	0.685	0.755	-10.2	116	0.01	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.01	
88	TM	1,4-Dichlorobenzene	1.449	1.585	-9.4	107	0.01	
89	TM	n-butylbenzene	3.030	3.303	-9.0	107	0.01	
90	TM	1,2-Dichlorobenzene	1.171	1.325	-13.2	112	0.01	
91	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~	NT
92	TM	1,2-Dibromo-3-chloropropane	0.063	0.062	1.6	104	0.01	
93	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~	NT
	TM	1,2,4-Trichlorobenzene	0.721	0.625	13.3	98	0.01	
95	TM	Hexachlorobutadiene	0.393	0.444	-13.0	115	0.01	
96	TM	Naphthalene	0.764	0.623	18.5	88	0.01	
97	TM	1,2,3-Trichlorobenzene	0.545	0.453	16.9	96	0.01	
98	TM	1,3,5-Trichlorobenzene	1.104	1.068	3.3	100	0.01	

(#) = Out of Range SPCC's out = 0 CCC's out = 0

524 RECOVERY

Data File Name I11589Q.D
Sample Name L506063I2
Date 6 Jun 2003 9:28 pm

6.9.03
VMC 6/9/03

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.03	1.2	86%	OK
Chloromethane	1.27	1.2	106%	OK
Vinyl Chloride	1.30	1.2	108%	OK
Bromomethane	1.17	1.2	97%	OK
Chloroethane	1.19	1.2	99%	OK
t-Butyl alcohol	6.32	6.0	105%	OK
Trichlorofluoromethane	1.17	1.2	98%	OK
1,1,2-Trichlorotrifluoroethane	1.25	1.2	104%	OK
Acetone	2.90	1.2	242%	*
1,1-Dichloroethene	1.23	1.2	102%	OK
Di-isopropyl ether	1.33	1.2	111%	OK
Methylene Chloride	2.34	1.2	195%	*
Methyl-tert-butyl ether	2.41	2.4	101%	OK
trans-1,2-Dichloroethene	1.31	1.2	109%	OK
1,1-Dichloroethane	1.32	1.2	110%	OK
Methyl ethyl ketone	1.29	1.2	108%	OK
Ethyl t-butyl ether	1.25	1.2	104%	OK
2,2-Dichloropropane	1.34	1.2	112%	OK
cis-1,2-Dichloroethene	1.35	1.2	112%	OK
t-Amyl methyl ether	1.21	1.2	101%	OK
Chloroform	1.49	1.2	124%	OK
romochloromethane	1.28	1.2	107%	OK
etrahydrofuran	1.62	1.2	135%	*
1,1,1-Trichloroethane	1.27	1.2	106%	OK
1,1-Dichloropropene	1.37	1.2	114%	OK
Carbon Tetrachloride	1.34	1.2	111%	OK
1,2-Dichloroethane	1.39	1.2	115%	OK
Benzene	1.38	1.2	115%	OK
Trichloroethene	1.39	1.2	116%	OK
1,2-Dichloropropane	1.39	1.2	116%	OK
Bromodichloromethane	1.35	1.2	112%	OK
Dibromomethane	1.30	1.2	109%	OK
2-Hexanone	1.11	1.2	93%	OK
Methyl isobutyl ketone	1.51	1.2	126%	OK
cis-1,3-Dichloropropene	1.38	1.2	115%	OK
Toluene	1.24	1.2	103%	OK
trans-1,3-Dichloropropene	1.20	1.2	100%	OK
1,1,2-Trichloroethane	1.21	1.2	101%	OK
1,3-Dichloropropane	1.24	1.2	103%	OK
Tetrachloroethene	1.24	1.2	103%	OK
Dibromochloromethane	1.23	1.2	102%	OK
1,2-Dibromoethane	1.20	1.2	100%	OK
Chlorobenzene	1.28	1.2	107%	OK
1,1,1,2-Tetrachloroethane	1.34	1.2	112%	OK
Ethylbenzene	1.32	1.2	110%	OK
,p-Xylene	2.73	2.4	114%	OK
-Xylene	1.33	1.2	111%	OK
Styrene	1.28	1.2	107%	OK

Bromoform	1.36	1.2	114%	OK
Isopropylbenzene	1.27	1.2	106%	OK
1,1,2,2-Tetrachloroethane	1.33	1.2	111%	OK
1,2,3-Trichloropropane	1.26	1.2	105%	OK
-Propylbenzene	1.31	1.2	109%	OK
Bromobenzene	1.28	1.2	106%	OK
1,3,5-Trimethylbenzene	1.30	1.2	108%	OK
2-Chlorotoluene	1.35	1.2	113%	OK
4-Chlorotoluene	1.31	1.2	110%	OK
tert-butylbenzene	1.30	1.2	109%	OK
1,2,4-Trimethylbenzene	1.35	1.2	113%	OK
sec-butylbenzene	1.34	1.2	112%	OK
p-isopropyltoluene	1.24	1.2	104%	OK
1,3-Dichlorobenzene	1.28	1.2	106%	OK
1,4-Dichlorobenzene	1.32	1.2	110%	OK
n-butylbenzene	1.32	1.2	110%	OK
1,2-Dichlorobenzene	1.32	1.2	110%	OK
1,2-Dibromo-3-chloropropane	1.33	1.2	111%	OK
1,2,4-Trichlorobenzene	1.01	1.2	84%	OK
Hexachlorobutadiene	1.31	1.2	109%	OK
Naphthalene	0.97	1.2	80%	OK
1,2,3-Trichlorobenzene	0.92	1.2	76%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11589Q.D Vial: 9
Acq On : 6 Jun 2003 9:28 pm Operator: JMR
Sample : L506063I2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

6.9.03 VMT 6/9/03

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	96	0.00
2	TM	Dichlorodifluoromethane	0.955	0.819	14.2	80	0.00
3	TMP	Chloromethane	0.639	0.679	-6.3	101	0.01
4	TMC	Vinyl Chloride	0.451	0.488	-8.2	95	0.00
5	TM	Bromomethane	0.342	0.333	2.6	90	0.00
6	TM	Chloroethane	0.320	0.318	0.6	99	0.01
7	TM	t-Butyl alcohol	0.010	0.011	-10.0	100	-0.02
8	TM	Trichlorofluoromethane	0.839	0.821	2.1	93	0.00
9	TM	Diethyl ether	0.133	0.156	-17.3	105	0.01
10	TM	1,1,2-Trichlorotrifluoroeth	0.446	0.465	-4.3	94	0.00
11	T	Acrolein	0.023	0.018	21.7	78	0.01
12	TM	Acetone	0.042	0.020	52.4#	46#	0.00
13	TMC	1,1-Dichloroethene	0.374	0.383	-2.4	91	0.00
14	T	Methyl iodide	0.526	0.418	20.5	106	0.01
15	TM	Di-isopropyl ether	1.711	1.904	-11.3	104	0.00
16	TM	Methylene Chloride	0.938	1.607	-71.3#	145	0.00
17	TM	Carbon Disulfide	1.024	1.147	-12.0	108	0.01
18	T	Acrylonitrile	0.074	0.072	2.7	94	0.00
19	TM	Methyl-tert-butyl ether	0.800	1.610	-101.3#	195	0.00
20	TM	trans-1,2-Dichloroethene	0.547	0.595	-8.8	100	0.00
21	TMP	1,1-Dichloroethane	1.069	1.175	-9.9	100	0.01
22	T	Vinyl acetate	0.025	0.051	-104.0#	201#	0.01
23	TM	Methyl ethyl ketone	0.017	0.004	76.5#	22#	0.00
24	TM	Ethyl t-butyl ether	1.180	1.229	-4.2	98	0.00
25	TM	2,2-Dichloropropane	0.771	0.861	-11.7	100	0.00
26	TM	cis-1,2-Dichloroethene	0.547	0.615	-12.4	106	0.01
27	TM	t-Amyl methyl ether	0.801	0.807	-0.7	95	0.00
28	T	NO COUMPOUND	0.000	0.000	0.0	0#	-0.24
29	TMC	Chloroform	1.131	1.401	-23.9#	114	0.01
30	TM	Bromochloromethane	0.194	0.207	-6.7	101	0.00
31	TM	Tetrahydrofuran	0.017	0.023	-35.3#	141	0.01
32	TM	1,1,1-Trichloroethane	0.960	1.016	-5.8	101	0.01
33	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
34	TM	1,1-Dichloropropene	0.854	0.973	-13.9	104	0.00
35	TM	Carbon Tetrachloride	0.789	0.878	-11.3	105	0.00
36	S	1,4-Difluorobenzene	1.590	1.671	-5.1	102	0.00
37	TM	1,2-Dichloroethane	0.591	0.683	-15.6	104	0.01
38	TM	Benzene	2.092	2.411	-15.2	104	0.00
39	I	Fluorobenzene	1.000	1.000	0.0	101	0.00
40	TM	Trichloroethene	0.311	0.362	-16.4	111	0.01

(#) = Out of Range

000256

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11589Q.D Vial: 9
Acq On : 6 Jun 2003 9:28 pm Operator: JMR
Sample : L506063I2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.245	0.284	-15.9	112	0.00
42	T	Methylmethacrylate	0.077	0.082	-6.5	107	0.01
43	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
44	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
45	TM	Bromodichloromethane	0.325	0.364	-12.0	111	0.01
46	TM	Dibromomethane	0.110	0.120	-9.1	102	0.01
47	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
50	T	No Compound	0.000	0.000	0.0	0#	-0.50
51	TM	2-Hexanone	0.031	0.006	80.6#	18#	0.01
52	TM	Methyl isobutyl ketone	0.034	0.009	73.5#	24#	0.00
53	TM	cis-1,3-Dichloropropene	0.311	0.358	-15.1	110	0.00
54	S	Bromofluorobenzene	0.287	0.262	8.7	90	0.00
55	TMC	Toluene	0.612	0.631	-3.1	94	0.01
56	TM	trans-1,3-Dichloropropene	0.221	0.221	0.0	94	0.01
57	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
58	TM	1,1,2-Trichloroethane	0.109	0.110	-0.9	92	0.00
59	TM	1,3-Dichloropropane	0.227	0.235	-3.5	95	0.00
60	TM	Tetrachloroethene	0.270	0.278	-3.0	96	0.00
61	TM	Dibromochloromethane	0.159	0.163	-2.5	94	0.00
62	TM	1,2-Dibromoethane	0.113	0.113	0.0	95	0.00
63	I	d5-Chlorobenzene	1.000	1.000	0.0	91	0.00
64	TMP	Chlorobenzene	0.976	1.041	-6.7	90	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.333	0.373	-12.0	98	0.01
66	TMC	Ethylbenzene	1.955	2.153	-10.1	91	0.01
67	TM	m,p-Xylene	0.655	0.745	-13.7	93	0.00
68	TM	o-Xylene	0.620	0.687	-10.8	95	0.00
69	TM	Styrene	0.957	1.023	-6.9	92	0.01
70	TMP	Bromoform	0.115	0.131	-13.9	115	0.01
71	TM	Isopropylbenzene	1.761	1.862	-5.7	88	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.203	0.225	-10.8	97	0.01
73	S	1,2-Dichlorobenzene-d4	0.345	0.338	2.0	100	0.01
74	TM	1,2,3-Trichloropropane	0.154	0.161	-4.5	99	0.00
75	T	trans-1,4-Dichloro-2-butene	0.066	0.076	-15.2	104	0.01
76	TM	n-Propylbenzene	2.215	2.410	-8.8	94	0.01
77	TM	Bromobenzene	0.348	0.371	-6.6	98	0.01
78	TM	1,3,5-Trimethylbenzene	1.415	1.529	-8.1	103	0.00
79	TM	2-Chlorotoluene	1.430	1.614	-12.9	108	0.01
80	TM	4-Chlorotoluene	1.267	1.387	-9.5	107	0.01

(#) = Out of Range

000257

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11589Q.D Vial: 9
Acq On : 6 Jun 2003 9:28 pm Operator: JMR
Sample : L506063I2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	1.187	1.289	-8.6	104	0.00
82	TM	1,2,4-Trimethylbenzene	1.450	1.631	-12.5	105	0.00
83	T	No Compound	0.000	0.000	0.0	0#	-0.50
84	TM	sec-butylbenzene	1.738	1.938	-11.5	107	0.00
85	TM	p-isopropyltoluene	1.416	1.466	-3.5	101	0.00
86	TM	1,3-Dichlorobenzene	0.685	0.729	-6.4	107	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
88	TM	1,4-Dichlorobenzene	1.449	1.590	-9.7	102	0.00
89	TM	n-butylbenzene	3.030	3.333	-10.0	103	0.00
90	TM	1,2-Dichlorobenzene	1.171	1.285	-9.7	103	0.01
91	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
92	TM	1,2-Dibromo-3-chloropropane	0.063	0.070	-11.1	114	0.01
93	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
94	TM	1,2,4-Trichlorobenzene	0.721	0.606	16.0	91	0.01
95	TM	Hexachlorobutadiene	0.393	0.430	-9.4	106	0.00
96	TM	Naphthalene	0.764	0.606	20.7	82	0.00
97	TM	1,2,3-Trichlorobenzene	0.545	0.416	23.7	84	0.00
98	TM	1,3,5-Trichlorobenzene	1.104	1.048	5.1	94	0.01

524 RECOVERY

Data File Name **I11590Q.D**
Sample Name **L5060631 3**
Date **6 Jun 2003 10:03 pm**

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.10	1.2	92%	OK
Chloromethane	1.39	1.2	116%	OK
Vinyl Chloride	1.41	1.2	117%	OK
Bromomethane	1.25	1.2	104%	OK
Chloroethane	1.30	1.2	109%	OK
t-Butyl alcohol	7.66	6.0	128%	OK
Trichlorofluoromethane	1.29	1.2	107%	OK
1,1,2-Trichlorotrifluoroethane	1.40	1.2	117%	OK
Acetone	3.01	1.2	251%	*
1,1-Dichloroethene	1.34	1.2	111%	OK
Di-isopropyl ether	1.44	1.2	120%	OK
Methylene Chloride	2.48	1.2	206%	*
Methyl-tert-butyl ether	2.58	2.4	107%	OK
trans-1,2-Dichloroethene	1.43	1.2	119%	OK
1,1-Dichloroethane	1.38	1.2	115%	OK
Methyl ethyl ketone	1.67	1.2	139%	*
Ethyl t-butyl ether	1.30	1.2	108%	OK
2,2-Dichloropropane	1.35	1.2	113%	OK
cis-1,2-Dichloroethene	1.33	1.2	111%	OK
t-Amyl methyl ether	1.11	1.2	93%	OK
Chloroform	1.42	1.2	119%	OK
Bromochloromethane	1.33	1.2	111%	OK
Tetrahydrofuran	1.60	1.2	133%	*
1,1,1-Trichloroethane	1.24	1.2	104%	OK
1,1-Dichloropropene	1.26	1.2	105%	OK
Carbon Tetrachloride	1.27	1.2	106%	OK
1,2-Dichloroethane	1.26	1.2	105%	OK
Benzene	1.26	1.2	105%	OK
Trichloroethene	1.43	1.2	119%	OK
1,2-Dichloropropane	1.35	1.2	112%	OK
Bromodichloromethane	1.35	1.2	112%	OK
Dibromomethane	1.29	1.2	108%	OK
2-Hexanone	1.27	1.2	106%	OK
Methyl isobutyl ketone	1.50	1.2	125%	OK
cis-1,3-Dichloropropene	1.43	1.2	119%	OK
Toluene	1.38	1.2	115%	OK
trans-1,3-Dichloropropene	1.33	1.2	111%	OK
1,1,2-Trichloroethane	1.40	1.2	117%	OK
1,3-Dichloropropane	1.37	1.2	114%	OK
Tetrachloroethene	1.42	1.2	118%	OK
Dibromochloromethane	1.42	1.2	119%	OK
1,2-Dibromoethane	1.32	1.2	110%	OK
Chlorobenzene	1.32	1.2	110%	OK
1,1,1,2-Tetrachloroethane	1.42	1.2	118%	OK
Ethylbenzene	1.36	1.2	113%	OK
m,p-Xylene	2.84	2.4	119%	OK
o-Xylene	1.39	1.2	116%	OK
Styrene	1.31	1.2	109%	OK

6-9-03
VMT 6/9/03

Bromoform	1.43	1.2	119%	OK
Isopropylbenzene	1.30	1.2	108%	OK
1,1,2,2-Tetrachloroethane	1.30	1.2	108%	OK
1,2,3-Trichloropropane	1.29	1.2	108%	OK
-Propylbenzene	1.34	1.2	112%	OK
Bromobenzene	1.35	1.2	112%	OK
1,3,5-Trimethylbenzene	1.34	1.2	112%	OK
2-Chlorotoluene	1.39	1.2	115%	OK
4-Chlorotoluene	1.34	1.2	112%	OK
tert-butylbenzene	1.36	1.2	113%	OK
1,2,4-Trimethylbenzene	1.40	1.2	117%	OK
sec-butylbenzene	1.38	1.2	115%	OK
p-isopropyltoluene	1.28	1.2	107%	OK
1,3-Dichlorobenzene	1.33	1.2	111%	OK
1,4-Dichlorobenzene	1.30	1.2	108%	OK
n-butylbenzene	1.32	1.2	110%	OK
1,2-Dichlorobenzene	1.31	1.2	109%	OK
1,2-Dibromo-3-chloropropane	1.14	1.2	95%	OK
1,2,4-Trichlorobenzene	1.03	1.2	86%	OK
Hexachlorobutadiene	1.32	1.2	110%	OK
Naphthalene	0.94	1.2	78%	OK
1,2,3-Trichlorobenzene	0.96	1.2	80%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11590Q.D Vial: 10
Acq On : 6 Jun 2003 10:03 pm Operator: JMR
Sample : L506063I3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

6.9.03
VMT 6/9/03

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	96	0.00
2	TM	Dichlorodifluoromethane	0.955	0.876	8.3	86	0.00
3	TMP	Chloromethane	0.639	0.742	-16.1	110	0.00
4	TMC	Vinyl Chloride	0.451	0.530	-17.5	103	0.00
5	TM	Bromomethane	0.342	0.356	-4.1	96	0.00
6	TM	Chloroethane	0.320	0.348	-8.7	108	0.00
7	TM	t-Butyl alcohol	0.010	0.013	-30.0	121	-0.02
8	TM	Trichlorofluoromethane	0.839	0.898	-7.0	101	0.00
9	TM	Diethyl ether	0.133	0.158	-18.8	106	0.00
10	TM	1,1,2-Trichlorotrifluoroeth	0.446	0.522	-17.0	105	0.00
11	T	Acrolein	0.023	0.021	8.7	90	0.00
12	TM	Acetone	0.042	0.021	50.0#	47#	0.00
13	TMC	1,1-Dichloroethene	0.374	0.416	-11.2	99	0.00
14	T	Methyl iodide	0.526	0.462	12.2	117	0.00
15	TM	Di-isopropyl ether	1.711	2.048	-19.7	111	0.00
16	TM	Methylene Chloride	0.938	1.667	-77.7#	150	0.00
17	TM	Carbon Disulfide	1.024	1.212	-18.4	114	0.00
18	T	Acrylonitrile	0.074	0.079	-6.8	103	0.00
19	TM	Methyl-tert-butyl ether	0.800	1.717	-114.6#	207#	0.00
20	TM	trans-1,2-Dichloroethene	0.547	0.652	-19.2	109	0.00
21	TMP	1,1-Dichloroethane	1.069	1.230	-15.1	104	0.00
22	T	Vinyl acetate	0.025	0.050	-100.0#	197	0.01
23	TM	Methyl ethyl ketone	0.017	0.005	70.6#	29#	0.00
24	TM	Ethyl t-butyl ether	1.180	1.275	-8.1	102	0.00
25	TM	2,2-Dichloropropane	0.771	0.870	-12.8	101	0.00
26	TM	cis-1,2-Dichloroethene	0.547	0.606	-10.8	105	0.01
27	TM	t-Amyl methyl ether	0.801	0.743	7.2	87	0.00
28	T	NO COUMPOUND	0.000	0.000	0.0	0#	-0.24
29	TMC	Chloroform	1.131	1.342	-18.7	109	0.00
30	TM	Bromochloromethane	0.194	0.214	-10.3	105	0.00
31	TM	Tetrahydrofuran	0.017	0.023	-35.3#	139	0.01
32	TM	1,1,1-Trichloroethane	0.960	0.994	-3.5	99	0.01
33	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
34	TM	1,1-Dichloropropene	0.854	0.900	-5.4	96	0.00
35	TM	Carbon Tetrachloride	0.789	0.834	-5.7	99	0.00
36	S	1,4-Difluorobenzene	1.590	1.478	7.0	90	0.00
37	TM	1,2-Dichloroethane	0.591	0.622	-5.2	95	0.00
38	TM	Benzene	2.092	2.199	-5.1	95	0.00
39	I	Fluorobenzene	1.000	1.000	0.0	90	0.00
40	TM	Trichloroethene	0.311	0.371	-19.3	102	0.00

(#) = Out of Range

000261

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11590Q.D Vial: 10
Acq On : 6 Jun 2003 10:03 pm Operator: JMR
Sample : L506063I3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.245	0.275	-12.2	97	0.00
42	T	Methylmethacrylate	0.077	0.078	-1.3	92	0.00
43	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
44	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
45	TM	Bromodichloromethane	0.325	0.364	-12.0	100	0.00
46	TM	Dibromomethane	0.110	0.119	-8.2	91	0.00
47	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
50	T	No Compound	0.000	0.000	0.0	0#	-0.50
51	TM	2-Hexanone	0.031	0.006	80.6#	18#	0.00
52	TM	Methyl isobutyl ketone	0.034	0.009	73.5#	22#	0.00
53	TM	cis-1,3-Dichloropropene	0.311	0.370	-19.0	102	0.00
54	S	Bromofluorobenzene	0.287	0.289	-0.7	89	0.00
55	TMC	Toluene	0.612	0.702	-14.7	95	0.00
56	TM	trans-1,3-Dichloropropene	0.221	0.245	-10.9	94	0.00
57	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
58	TM	1,1,2-Trichloroethane	0.109	0.127	-16.5	96	0.00
59	TM	1,3-Dichloropropane	0.227	0.259	-14.1	95	0.00
60	TM	Tetrachloroethene	0.270	0.320	-18.5	99	0.00
61	TM	Dibromochloromethane	0.159	0.189	-18.9	98	0.00
62	TM	1,2-Dibromoethane	0.113	0.124	-9.7	94	0.00
63	I	d5-Chlorobenzene	1.000	1.000	0.0	90	0.00
64	TMP	Chlorobenzene	0.976	1.075	-10.1	92	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.333	0.394	-18.3	103	0.00
66	TMC	Ethylbenzene	1.955	2.213	-13.2	93	0.00
67	TM	m,p-Xylene	0.655	0.776	-18.5	97	0.00
68	TM	o-Xylene	0.620	0.717	-15.6	99	0.00
69	TM	Styrene	0.957	1.043	-9.0	93	0.00
70	TMP	Bromoform	0.115	0.137	-19.1	119	0.00
71	TM	Isopropylbenzene	1.761	1.903	-8.1	90	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.203	0.220	-8.4	94	0.00
73	S	1,2-Dichlorobenzene-d4	0.345	0.345	0.0	102	0.00
74	TM	1,2,3-Trichloropropane	0.154	0.165	-7.1	101	0.00
75	T	trans-1,4-Dichloro-2-butene	0.066	0.080	-21.2	108	0.00
76	TM	n-Propylbenzene	2.215	2.474	-11.7	96	0.00
77	TM	Bromobenzene	0.348	0.390	-12.1	103	0.00
78	TM	1,3,5-Trimethylbenzene	1.415	1.586	-12.1	106	0.00
79	TM	2-Chlorotoluene	1.430	1.651	-15.5	110	0.00
80	TM	4-Chlorotoluene	1.267	1.420	-12.1	108	0.00

(#) = Out of Range

000262

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\060603-I\I11590Q.D Vial: 10
Acq On : 6 Jun 2003 10:03 pm Operator: JMR
Sample : L506063I3 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506043I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 05 10:02:28 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	1.187	1.346	-13.4	108	0.00
82	TM	1,2,4-Trimethylbenzene	1.450	1.695	-16.9	108	0.00
83	T	No Compound	0.000	0.000	0.0	0#	-0.50
84	TM	sec-butylbenzene	1.738	2.000	-15.1	109	0.00
85	TM	p-isopropyltoluene	1.416	1.510	-6.6	103	0.00
86	TM	1,3-Dichlorobenzene	0.685	0.761	-11.1	111	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
88	TM	1,4-Dichlorobenzene	1.449	1.566	-8.1	103	0.00
89	TM	n-butylbenzene	3.030	3.345	-10.4	106	0.00
90	TM	1,2-Dichlorobenzene	1.171	1.276	-9.0	105	0.00
91	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
92	TM	1,2-Dibromo-3-chloropropane	0.063	0.060	4.8	100	0.00
93	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
94	TM	1,2,4-Trichlorobenzene	0.721	0.617	14.4	95	0.00
95	TM	Hexachlorobutadiene	0.393	0.433	-10.2	109	0.00
96	TM	Naphthalene	0.764	0.582	23.8	81	0.00
97	TM	1,2,3-Trichlorobenzene	0.545	0.434	20.4	90	0.00
98	TM	1,3,5-Trichlorobenzene	1.104	1.030	6.7	95	0.00

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I15533T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/4/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0959

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	783774		7.72		1510559		9.13		948084		13.91		383976		17.75	
	UPPER LIMIT	1018906		8.18		1963727		9.68		1232509		14.74		499169		18.82	
	LOWER LIMIT	548642		7.26		1057391		8.58		663659		13.08		268783		16.69	
	SAMPLE NO.																
01	0.1PPB STD	777931		7.72		1502062		9.12		936037		13.91		399237		17.76	
02	0.5PPB STD	767610		7.71		1505251		9.12		936200		13.91		400883		17.76	
03	1.2PPB STD	783774		7.72		1510559		9.13		948084		13.91		383976		17.75	
04	4.8PPB STD	759258		7.72		1434718		9.11		896144		13.91		411297		17.75	
05	8PPB STD	797882		7.71		1485335		9.12		889536		13.91		443367		17.75	
06	16PPB STD	835806		7.71		1605242		9.12		925498		13.90		457190		17.75	
07	32PPB STD	841150		7.72		1649443		9.12		918453		13.91		450934		17.75	
08	ZZZZZ	826028		7.72		1623759		9.12		996001		13.91		420551		17.76	
09																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I15545T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0902

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	787913		7.74		1473207		9.14		921003		13.92		414209		17.76	
	UPPER LIMIT	1024287		8.20		1915169		9.69		1197304		14.76		538472		18.83	
	LOWER LIMIT	551539		7.28		1031245		8.59		644702		13.08		289946		16.69	
	SAMPLE NO.																
01	L506053I	787913		7.74		1473207		9.14		921003		13.92		414209		17.76	
02	B506053I	803809		7.73		1562373		9.14		990200		13.92		435245		17.76	
03	49794-30	766393		7.73		1459108		9.14		922343		13.92		393580		17.77	
04	49794-30,MS	775998		7.73		1451721		9.14		881400		13.92		421975		17.77	
05	49794-30,MSD	786545		7.73		1410475		9.14		925292		13.92		421576		17.77	
06	ZZZZZ	776881		7.73		1390246		9.14		921940		13.92		420588		17.77	
07	49794-1	765103		7.74		1470034		9.14		985308		13.92		451014		17.76	
08	49794-2	837683		7.73		1586006		9.13		997739		13.92		470833		17.76	
09	49794-3	903651		7.72		1766214		9.13		1181027		13.91		546206	*	17.76	
10	49794-4	919958		7.73		1762129		9.13		1207508	*	13.91		554269	*	17.76	
11	49794-5	910960		7.73		1780075		9.13		1246840	*	13.92		562060	*	17.76	
12	49794-6	882657		7.73		1731145		9.14		1170390		13.92		525310		17.76	
13	49794-7	903660		7.73		1757013		9.13		1193878		13.91		546550	*	17.76	
14	49794-8	890688		7.73		1705230		9.14		1167378		13.92		557227	*	17.76	
15	49794-9	853799		7.73		1648997		9.14		1144793		13.92		565775	*	17.76	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside the 30% limit but within the 50 % limit to the initial calibration.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I15566T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/5/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2209

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	837322		7.73		1680349		9.13		1114224		13.92		549656		17.76	
	UPPER LIMIT	1088519		8.19		2184454		9.68		1448491		14.76		714553		18.83	
	LOWER LIMIT	586125		7.27		1176244		8.58		779957		13.08		384759		16.69	
	SAMPLE NO.																
01	L506053I2	837322		7.73		1680349		9.13		1114224		13.92		549656		17.76	
02	L506053I3	855189		7.73		1657499		9.13		1097851		13.92		537093		17.77	
03	B506053I2	932144		7.73		1812975		9.14		1206006		13.92		527604		17.76	
04	49794-24	902556		7.73		1707342		9.13		1158640		13.92		540494		17.76	
05	49794-25	925307		7.73		1773798		9.13		1108723		13.92		519529		17.76	
06	49794-26	954972		7.73		1886183		9.14		1279349		13.92		581744		17.76	
07	49794-31	888747		7.73		1716590		9.14		1200960		13.92		563189		17.76	
08	49794-32	949528		7.73		1850990		9.14		1261490		13.92		586290		17.75	
09	49794-33	891553		7.73		1760114		9.14		1197307		13.92		560946		17.76	
10	49794-34	976185		7.73		1904864		9.13		1284332		13.91		557720		17.76	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11578T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0853

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	752483		7.73		1428211		9.14		900742		13.92		401346		17.77	
	UPPER LIMIT	978228		8.19		1856674		9.69		1170965		14.76		521750		18.84	
	LOWER LIMIT	526738		7.27		999748		8.59		630519		13.08		280942		16.70	
	SAMPLE NO.																
01	L506063I	752483		7.73		1428211		9.14		900742		13.92		401346		17.77	
02	B506063I	727021		7.74		1356111		9.14		863074		13.93		397997		17.77	
03	49794-11	710043		7.74		1360470		9.15		861106		13.93		390404		17.77	
04	49794-11,MS	768764		7.73		1468683		9.13		939732		13.92		441956		17.77	
05	49794-11,MSD	776143		7.73		1475017		9.14		940916		13.92		427227		17.76	
06	49794-12	737667		7.74		1372454		9.14		957102		13.93		447898		17.76	
07	49794-13	735560		7.73		1414206		9.14		910947		13.92		405467		17.76	
08	49794-18	737266		7.74		1426870		9.14		935959		13.93		401959		17.76	
09	49794-19	776667		7.73		1515723		9.13		987592		13.92		405924		17.77	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

BFB File ID: I11588T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/6/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	754668		7.72		1518381		9.13		860472		13.91		382650		17.76	
	UPPER LIMIT	981068		8.18		1973895		9.68		1118614		14.74		497445		18.83	
	LOWER LIMIT	528268		7.26		1062867		8.58		602330		13.08		267855		16.69	
	SAMPLE NO.																
01	L50606312	754668		7.72		1518381		9.13		860472		13.91		382650		17.76	
02	L50606313	752987		7.72		1366318		9.12		855927		13.92		392946		17.75	
03	B50606312	741313		7.73		1482033		9.13		863529		13.91		373125		17.75	
04	49794-23	754008		7.72		1403505		9.13		852056		13.91		362720		17.76	
05	49794-27	749288		7.72		1465598		9.13		842365		13.91		380188		17.76	
06	49794-28	752215		7.72		1451668		9.13		869917		13.91		395674		17.76	
07	49794-29	759442		7.72		1505557		9.13		879302		13.91		383275		17.75	
08	ZZZZZ	761617		7.72		1406998		9.13		862875		13.91		367865		17.75	
09	ZZZZZ	767184		7.72		1521867		9.12		886357		13.91		366594		17.76	
10	49794-42,DL	745676		7.72		1503097		9.13		960461		13.91		402338		17.75	
11	49794-24,DL	782448		7.72		1537394		9.13		859901		13.91		381565		17.76	
12	49794-25,DL	810901		7.73		1547429		9.13		878604		13.92		384709		17.75	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: B06063M
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	102	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5906B.D Vial: 100
Acq On : 6 Jun 2003 9:38 pm Operator:
Sample : B06063M,N,QA060603,IB Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 6 21:48 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000270

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 11, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: B06063M2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	78	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Valli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5919B.D Vial: 100
Acq On : 7 Jun 2003 12:48 am Operator:
Sample : B06063M2,N,QA060603,IB Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 22:48 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000272

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: B06093M
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	86	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5932B.D Vial: 100
Acq On : 9 Jun 2003 8:23 pm Operator:
Sample : B060803M,N,QA060803,IB Inst : Instr. A
Misc : 15000 MY 6/19/03 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 20:30 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



090274

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: B06093M2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	87	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melinda Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5945B.D Vial: 100
Acq On : 9 Jun 2003 10:49 pm Operator:
Sample : B060303M2,N,QA060803,IB Inst : Instr. A
Misc : 15000 5G19B Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 22:53 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000276

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW32-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-1
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	80	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5908.D Vial: 100
Acq On : 6 Jun 2003 11:12 pm Operator:
Sample : 49794-1D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 6 23:20 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000278

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW12-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	76	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Kelly

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5909.D Vial: 100
Acq On : 6 Jun 2003 11:16 pm Operator:
Sample : 49794-2D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 6 23:20 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000280

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW40-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-3
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	74	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Mall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5910.D Vial: 100
Acq On : 6 Jun 2003 11:21 pm Operator:
Sample : 49794-3D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 6 23:26 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000282

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW33-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-4
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	67	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Nolle

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5911.D Vial: 100
Acq On : 6 Jun 2003 11:26 pm Operator:
Sample : 49794-4D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 6 23:29 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000284

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW28-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-5
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	66	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5912.D Vial: 100
Acq On : 6 Jun 2003 11:39 pm Operator:
Sample : 49794-5D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 6 23:44 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000286

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW25-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-6
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	66	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melena A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5913.D Vial: 100
Acq On : 6 Jun 2003 11:45 pm Operator:
Sample : 49794-6D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 6 23:54 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000288

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW31-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-7
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	93	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5914.D Vial: 100
Acq On : 6 Jun 2003 11:55 pm Operator:
Sample : 49794-7D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 6 23:59 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000290

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW29-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-8
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	63	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5915.D Vial: 100
Acq On : 7 Jun 2003 12:15 am Operator:
Sample : 49794-8D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 0:20 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000292

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW36-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-9
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	67	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melena A Kuhl

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5916.D Vial: 100
Acq On : 7 Jun 2003 12:21 am Operator:
Sample : 49794-9D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 0:23 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000294

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW39-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-10
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	85	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5917.D Vial: 100
Acq On : 7 Jun 2003 12:35 am Operator:
Sample : 49794-10D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 0:37 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000296

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW06-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-11
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/02/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	72	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Valli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5920.D Vial: 100
Acq On : 7 Jun 2003 12:53 am Operator:
Sample : 49794-11E,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 0:59 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000298

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW01-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-14
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	73	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Mallk

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5921.D Vial: 100
Acq On : 7 Jun 2003 12:59 am Operator:
Sample : 49794-14D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 1:02 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000300

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: WY03-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-15
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	69	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5922.D Vial: 100
Acq On : 7 Jun 2003 1:09 am Operator:
Sample : 49794-15D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 1:16 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW13-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-16
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	71	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa G. Kalb

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5923.D Vial: 100
Acq On : 7 Jun 2003 1:16 am Operator:
Sample : 49794-16D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 1:20 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000304

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW22-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-17
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	69	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5924.D Vial: 100
Acq On : 7 Jun 2003 1:22 am Operator:
Sample : 49794-17D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 1:29 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000306

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW23-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-18
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	70	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5925.D Vial: 100
Acq On : 7 Jun 2003 1:30 am Operator:
Sample : 49794-18D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 1:37 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000308

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW23-0603-01-B
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-19
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	79	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelly

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5926.D Vial: 100
Acq On : 7 Jun 2003 1:38 am Operator:
Sample : 49794-19D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 1:40 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000310

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW24-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-21
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	77	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melinda A Kulli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060603-A\A5927.D Vial: 100
Acq On : 7 Jun 2003 1:44 am Operator:
Sample : 49794-21D,N,QA060603,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 7 1:47 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000312

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW30-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-22
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	80	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5934.D Vial: 100
Acq On : 9 Jun 2003 9:35 pm Operator:
Sample : 49794-22D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 21:39 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000314

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2161
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW09-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-23
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	78	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5935.D Vial: 100
Acq On : 9 Jun 2003 9:39 pm Operator:
Sample : 49794-23D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 21:48 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000316

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW04-0603-01-A

SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-24
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	72	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5936.D Vial: 100
Acq On : 9 Jun 2003 9:49 pm Operator:
Sample : 49794-24D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 21:52 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000318

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: DW04-0603-01-B

SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-25
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	68	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Nulli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5937.D Vial: 100
Acq On : 9 Jun 2003 9:53 pm Operator:
Sample : 49794-25D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 21:59 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000340

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW08-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-27
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	70	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5938.D Vial: 100
Acq On : 9 Jun 2003 9:59 pm Operator:
Sample : 49794-27D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 22:03 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000322

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW07-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-28
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	66	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa Hale

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5939.D Vial: 100
Acq On : 9 Jun 2003 10:04 pm Operator:
Sample : 49794-28D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 22:08 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW34-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-29
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	70	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5940.D Vial: 100
Acq On : 9 Jun 2003 10:08 pm Operator:
Sample : 49794-29D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 22:13 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000326

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW05-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-30
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	67	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5941.D Vial: 100
Acq On : 9 Jun 2003 10:13 pm Operator:
Sample : 49794-30D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 22:16 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW03-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-31
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	68	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5942.D Vial: 100
Acq On : 9 Jun 2003 10:21 pm Operator:
Sample : 49794-31D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 22:41 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000330

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW03-0603-01-B
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-32
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	86	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5943.D Vial: 100
Acq On : 9 Jun 2003 10:36 pm Operator:
Sample : 49794-32D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 22:41 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000332

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW13-0603-02-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-35
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	68	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5946.D Vial: 100
Acq On : 9 Jun 2003 11:00 pm Operator:
Sample : 49794-35D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 23:04 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



090334

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW38-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-36
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	70	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060903-A\A5947.D Vial: 100
Acq On : 9 Jun 2003 11:05 pm Operator:
Sample : 49794-36D,N,QA060803,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 9 23:07 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000336

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
SYSTEM MONITORING COMPOUND
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

Site ID: Bucks Harbor Location: Maine

Instrument ID: A

GC Column: Carboxen 1006 ID: 0.53(mm)

	SAMPLE ID	SMC1 #	TOTAL OUT
01	B06063M	102	0
02	L06063M	78	0
03	49794-1	80	0
04	49794-2	76	0
05	49794-3	74	0
06	49794-4	67	0
07	49794-5	66	0
08	49794-6	66	0
09	49794-7	93	0
10	49794-8	63	0
11	49794-9	67	0
12	49794-10	85	0
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

QC LIMITS

SMC1 = Acetylene 60-140%

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
SYSTEM MONITORING COMPOUND
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

Site ID: Bucks Harbor Location: Maine

Instrument ID: A

GC Column: Carboxen 1006 ID: 0.53(mm)

	SAMPLE ID	SMC1 #	TOTAL OUT
01	B06063M2	102	0
02	49794-11	72	0
03	49794-14	73	0
04	49794-15	69	0
05	49794-16	71	0
06	49794-17	69	0
07	49794-18	70	0
08	49794-19	79	0
09	49794-21	77	0
10	49794-21, MS	73	0
11	49794-21, MSD	70	0
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

	QC LIMITS
SMC1 = Acetylene	60-140%

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS SYSTEM MONITORING COMPOUND SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

Site ID: Bucks Harbor Location: Maine

Instrument ID: A

GC Column: Carboxen 1006 ID: 0.53(mm)

	SAMPLE ID	SMC1 #	TOTAL OUT
01	B06093M	86	0
02	L06093M	74	0
03	49794-22	80	0
04	49794-23	78	0
05	49794-24	72	0
06	49794-25	68	0
07	49794-27	70	0
08	49794-28	66	0
09	49794-29	70	0
10	49794-30	67	0
11	49794-31	68	0
12	49794-32	86	0
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

QC LIMITS

SMC1 = Acetylene 60-140%

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS SYSTEM MONITORING COMPOUND SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49794

Site ID: Bucks Harbor Location: Maine

Instrument ID: A

GC Column: Carboxen 1006 ID: 0.53(mm)

	SAMPLE ID	SMC1 #	TOTAL OUT
01	B06093M2	86	0
02	49794-35	68	0
03	49794-36	70	0
04	49794-30, MS	62	0
05	49794-30, MSD	62	0
06			
07			
08			
09			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

SMC1 = Acetylene

QC LIMITS
60-140%

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 11, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LABQC

SDG Number: 49794

SAMPLE DATA

Lab Sample ID: L06063M
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/06/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Result %
Ethene	000-12-0	**94**
Ethane	74-84-0	**98**

Surrogate Standard Recovery

Acetylene 78 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:

Authorized signature Melissa A Hall

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 11, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW24-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-21
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/03/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/07/03

ETHENE, ETHANE MATRIX SPIKE RESULTS

Compound	Sample Concentration (µg/L)	Spike Added (µg/L)	Matrix Spike Concentration (µg/L)	Matrix Spike Percent Recovery	#	QC Limits Percent Recovery
Ethene	U	134	115	86		**60-140**
Ethane	U	143	132	92		**60-140**

Compound	Matrix Spike Duplicate Concentration (µg/L)	Matrix Spike Duplicate Percent Recovery	#	Relative Percent Difference	#	QC Limits RPD	QC Limits % Rec
Ethene	124	93		8		**30**	**60-140**
Ethane	140	98		6		**30**	**60-140**

Authorized signature Melanie A Kelly

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: L06093M
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/09/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Result %
Ethene	000-12-0	**98**
Ethane	74-84-0	**106**

Surrogate Standard Recovery

Acetylene 74 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:

Authorized signature Melissa A Kalli

analytics environmental laboratory LLC

196 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 11, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: DW05-0603-01-A
SDG Number: 49794

SAMPLE DATA

Lab Sample ID: 49794-30
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/04/03
Lab Receipt Date: 06/04/03
Analysis Date: 06/09/03

ETHENE, ETHANE MATRIX SPIKE RESULTS

Compound	Sample Concentration (µg/L)	Spike Added (µg/L)	Matrix Spike Concentration (µg/L)	Matrix Spike Percent Recovery	#	QC Limits Percent Recovery
Ethene	U	134	116	87		**60-140**
Ethane	U	143	136	95		**60-140**

Compound	Matrix Spike Duplicate Concentration (µg/L)	Matrix Spike Duplicate Percent Recovery	#	Relative Percent Difference	#	QC Limits RPD	QC Limits % Rec
Ethene	106	79		9		**30**	**60-140**
Ethane	128	90		6		**30**	**60-140**

Authorized signature Melissa A Stull

analytics environmental laboratory LLC

Instrument A Sequence Logbook:
Methane/Ethene/Ethane

Std M027 x 6/11/03
SS M026 x 6/11/03
Spike M028 x 9/28/03

Date: 6/2/03

W-A-060203-1-AUR

Method	Sample	DF	File#	Comments	pH	Analyst
MEE04173	Std #4	—	A5883SC	↑CH4 ~~6/2/03~~	N/A	AUR
↓	Std #4	—	84SC	✓ Changed Lines	↓	↓
	B06023M	—	85B	↑SS RR		
↓	B06023M	—	86B	↑SS re-cal		
MEE06023	Std #1	—	87SI	✓		
	Std #2	—	88SI	✓		
	Std #3	—	89SI	✓		
	Std #4	—	90SI	✓		
	Std #5	—	91SI	Not used		
	Std #6	—	92SI	✓		
	Std #7	—	93SI	✓		
	B06023M	—	94B	✓		
	L06023M	—	95Q	✓	↓	
	49719-1D	—	96	✓	<2	
	-2D	—	97	✓ RR SS=60%	<2	
	-3D	—	98	✓ RR SS=65%	<2	
	-1 ~~3~~ EMS	—	99SP	✓	<2	
	-1 ~~3~~ EMSD	—	A5900SP	✓	<2	
	-2E	—	01	SS=66% Confirms	<2	
	-3E	—	02	SS=65% ↓	<2	
↓	Std #4	—	03SC	✓ SS=96%	N/A	↓
			AUR			
			6/3/03			

Standard Dilutions: 1:2- 7.5mL sample +7.5mL D.I. H2O
1:5- 3mL sample +12mL D.I. H2O
1:10- 1.5mL sample +13.5mL D.I. H2O
1:20- 750uL sample +14.25mL D.I. H2O
1:50- 300uL sample +14.7mL D.I. H2O

analytics environmental laboratory LLC

Instrument A Sequence Logbook:
Methane/Ethene/Ethane

Std M027 x 6/11/03
SS M026 x 6/11/03
Spike M028 x 9/28/03

Date: 6/06/03

W-A-060603-1-AER

Method	Sample	DF	File#	Comments	pH	Analyst
RSK026023	Std #4		A59045C	RP	N/A	AER
	Std #4		05C	✓		
	B0606M3 3M		06B	✓		
	060603M3 3M		07Q	✓ OK Ethene/Ethane		
	49794-1D		08	✓	<2	
	-2D		09	✓	<2	
	-3D		10	✓	<2	
	-4D		11	✓	<2	
	-5D		12	✓	<2	
	-6D		13	✓	<2	
	-7D		14	✓	<2	
	-8D		15	✓	<2	
	-9D		16	✓	<2	
	-10D		17	✓	<2	
	Std #4		18SC	✓ OK Ethene/Ethane	N/A	
	B0606MS 3M2		19B	✓		
	49794-11E		20	✓	<2	
	-14D		21	✓	<2	
	-15D		22	✓	<2	
	-16D		23	✓	<2	
	-17D		24	✓	<2	
	-18D		25	✓	<2	
	-19D		26	✓	<2	
	-21D		27	✓	<2	
	-21EMS		28SP	✓	<2	
	-21EMSD		29SP	✓	<2	
✓	Std #4		30SC	OK Ethene/Ethane	N/A	✓

Standard Dilutions: 1:2- 7.5mL sample +7.5mL D.I. H2O
1:5- 3mL sample +12mL D.I. H2O
1:10- 1.5mL sample +13.5mL D.I. H2O
1:20- 750uL sample +14.25mL D.I. H2O
1:50- 300uL sample +14.7mL D.I. H2O

analytics environmental laboratory LLC

Instrument A Sequence Logbook:
Methane/Ethene/Ethane

Std. MO27 x 6/11/03
SS MO26 x 6/11/03
Spike MO28 x 9/28/03

9 MR 6/9/03

Date: 6/8/03

W-A-060803-1AR

Method	Sample	DF	File#	Comments	pH	Analyst
MEE06023	Std #4	—	A5931SC	✓ ok Ethene/Ethane	N/A	AR
	B06093M	—	32B	✓	↓	
	L06093M	—	33Q	✓ ok Ethene/Ethane	↓	
	49794-22D	—	34	✓	<2	
	-23D	—	35	✓	<2	
	-24D	—	36	✓	<2	
	-25D	—	37	✓	<2	
	-27D	—	38	✓	<2	
	-28D	—	39	✓	<2	
	-29D	—	40	✓	<2	
	-30D	—	41	✓	<2	
	-31D	—	42	✓	<2	
	-32D	—	43	✓	<2	
	Std #4	—	44SC	✓	N/A	
	B06093M2	—	45B	✓	↓	
	49794-35D	—	46	✓	<2	
	-36D	—	47	✓	<2	
	-30EMS	—	48SP	✓	<2	
	-30EMSD	—	49SP	✓	<2	
↓	Std #4	—	50SC	✓	N/A	✓

AR 6/9/03

Standard Dilutions: 1:2- 7.5mL sample +7.5mL D.I. H2O
1:5- 3mL sample +12mL D.I. H2O
1:10- 1.5mL sample +13.5mL D.I. H2O
1:20- 750uL sample +14.25mL D.I. H2O
1:50- 300uL sample +14.7mL D.I. H2O

analytics environmental laboratory LLC

ETHANE, ETHENE
INITIAL CALIBRATION DATA

Project #: 10971.217.002 Quote #: NA SDG#: 49794

Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Dates: 6/2/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Times: 2219

COMPOUND	RRF= 15.5	RRF= 31	RRF= 97	RRF= 135	RRF= 290	RRF= 387	AVG RF	RSD %
ACETYLENE	3.72E+02	3.53E+02	4.22E+02	3.85E+02	3.28E+02	3.54E+02	3.69E+02	8.80
ACETYLENE AREA	5764	10932	40979	51994	95229	136954		

COMPOUND	RRF= 15.5	RRF= 31	RRF= 95	RRF= 134	RRF= 287	RRF= 382	AVG RF	RSD %
ETHENE	4.39E+02	4.03E+02	4.70E+02	4.40E+02	3.95E+02	4.09E+02	4.26E+02	6.68
ETHENE AREA	6798	12489	44637	58931	113472	156121		

COMPOUND	RRF= 16.5	RRF= 33	RRF= 102	RRF= 143	RRF= 308	RRF= 410	AVG RF	RSD %
ETHANE	4.20E+02	4.10E+02	4.48E+02	4.25E+02	3.82E+02	3.91E+02	4.13E+02	5.84
ETHANE AREA	6931	13518	45721	60770	117553	160356		
FILE #	A5887SI.D	A5888SI.D	A5889SI.D	A5890SI.D	A5892SI.D	A5893SI.D		

*Compounds must have a %RSD of ≤30% or correlation coefficient of 0.995 or greater.

Comments: _____

Response Factor Report Instr. A

Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:21:46 2003

6-3-03


6/3/03

Calibration Files
1 =A5887SI.D 2 =A5888SI.D 3 =A5889SI.D
4 =A5890SI.D 5 =A5891SI.D 6 =A5892SI.D

		Compound	1	2	3	4	5	6	Avg		%R
1)	TM	Methane linear	7.372	8.018	5.215	4.542	4.219	5.572	E2		30.
2)	S	Acetylene	3.719	3.526	4.225	3.851	3.284	3.691	E2		8.
3)	TM	Ethene	4.386	4.029	4.699	4.398	3.954	4.259	E2		6.
4)	TM	Ethane	4.201	4.096	4.482	4.250	3.817	4.126	E2		5.

(#) = Out of Range ### Number of calibration levels exceeded format ###

000349



Method Name: C:\HPCHEM\1\METHODS\MEE06023.M
Calibration Table Last Updated: Mon Jun 02 23:21:02 2003

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5887SI.D Vial: 100
Acq On : 2 Jun 2003 10:19 pm Operator:
Sample : STD #1,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 22:38 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Fri Apr 18 00:17:21 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6.7.07

6/3/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.66	5764	26.677 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery = 19.76%#	
Target Compounds			
1) TM Methane	0.12	7004	N.D. UG/L
3) TM Ethene	0.82	6798	17.477 UG/L
4) TM Ethane	0.97	6931	17.129 UG/L

090351


(f)=RT Delta > 1/2 Window (m)=manual int.

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5887SI.D Vial: 100
Acq On : 2 Jun 2003 10:19 pm Operator:
Sample : STD #1,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 22:38 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Fri Apr 18 00:17:21 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000352

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5888SI.D Vial: 100
Acq On : 2 Jun 2003 10:27 pm Operator:
Sample : STD #2,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 22:38 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Fri Apr 18 00:17:21 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :

6.7.07

6/3/03

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.66	10932	50.591 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery = 37.47%#	
Target Compounds			
1) TM Methane	0.12	15235	17.789 UG/L
3) TM Ethene	0.82	12489	32.108 UG/L
4) TM Ethane	0.97	13518	33.407 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


000353

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5888SI.D Vial: 100
Acq On : 2 Jun 2003 10:27 pm Operator:
Sample : STD #2,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 22:38 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Fri Apr 18 00:17:21 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000354

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5889SI.D Vial: 100
Acq On : 2 Jun 2003 10:35 pm Operator:
Sample : STD #3,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 23:19 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:13:33 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6-3-03

6/3/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.66	40979	111.524 UG/L
Spiked Amount 135.000	Range 60 - 140	Recovery =	82.61%
Target Compounds			
1) TM Methane	0.12	31289	65.140 UG/L
3) TM Ethene	0.82	44637	105.949 UG/L
4) TM Ethane	0.97	45721	111.804 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


000355

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5889SI.D Vial: 100
Acq On : 2 Jun 2003 10:35 pm Operator:
Sample : STD #3,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 23:19 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:13:33 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000356

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5890SI.D Vial: 100
Acq On : 2 Jun 2003 10:42 pm Operator:
Sample : STD #4,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 23:19 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:13:33 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6-3-03 6/3/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.66	51994	141.500 UG/L
Spiked Amount 135.000	Range 60 - 140	Recovery = 104.81%	
Target Compounds			
1) TM Methane	0.12	37701	81.869 UG/L
3) TM Ethene	0.82	58931	139.877 UG/L
4) TM Ethane	0.98	60770	148.604 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


000357

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5890SI.D Vial: 100
Acq On : 2 Jun 2003 10:42 pm Operator:
Sample : STD #4,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 23:19 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:13:33 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000358

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5892SI.D Vial: 100
Acq On : 2 Jun 2003 11:02 pm Operator:
Sample : STD #6,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 23:19 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:13:33 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :

6.2.03

6/3/03

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.66	95229	259.163 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery = 191.97%#	
Target Compounds			
1) TM Methane	0.12	75523	180.539 UG/L
3) TM Ethene	0.83	113472	269.335 UG/L
4) TM Ethane	0.98	117553	287.455 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


000359

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5892SI.D Vial: 100
Acq On : 2 Jun 2003 11:02 pm Operator:
Sample : STD #6,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 23:19 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:13:33 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000360

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5893SI.D Vial: 100
Acq On : 2 Jun 2003 11:10 pm Operator:
Sample : STD #7,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 23:19 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:13:33 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6-3-03 6/3/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.66	136954	372.718 UG/L
Spiked Amount 135.000	Range 60 - 140	Recovery = 276.09%#	
Target Compounds			
1) TM Methane	0.12	96747	235.909 UG/L
3) TM Ethene	0.83	156121	370.565 UG/L
4) TM Ethane	0.98	160356	392.123 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


000361

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\060203-A\A5893SI.D Vial: 100
Acq On : 2 Jun 2003 11:10 pm Operator:
Sample : STD #7,N,QA060203,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 2 23:19 2003 Quant Results File: MEE06023.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06023.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 02 23:13:33 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



990362

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49794

Lab File ID: A5905SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/6/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 2129

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY % #	QC LIMITS % REC	Total Out
Acetylene	135	120	89	60-140	0
Ethene	134	136	102	70-130	0
Ethane	143	146	102	70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49794

Lab File ID: A5918SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/7/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 0040

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY % #	QC LIMITS % REC	Total Out
Acetylene	135	104	77	60-140	0
Ethene	134	134	100	70-130	0
Ethane	143	149	104	70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49794

Lab File ID: A5930SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/7/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 0239

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY % #	QC LIMITS % REC	Total Out
Acetylene	135	90	67	60-140	0
Ethene	134	127	95	70-130	0
Ethane	143	147	103	70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49794

Lab File ID: A5931SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/9/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 1946

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY %	#	QC LIMITS % REC	Total Out
Acetylene	135	113	83		60-140	0
Ethene	134	112	84		70-130	0
Ethane	143	119	83		70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49794

Lab File ID: A5944SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/9/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 2242

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY %	#	QC LIMITS % REC	Total Out
Acetylene	135	107	79		60-140	0
Ethene	134	135	101		70-130	0
Ethane	143	158	110		70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49794

Lab File ID: A5950SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/9/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 2321

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY % #	QC LIMITS % REC	Total Out
Acetylene	135	88	65	60-140	0
Ethene	134	120	90	70-130	0
Ethane	143	145	101	70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHANE, ETHENE
RETENTION TIME SUMMARY

Project #: 10971.217.002 Quote #: NA SDG#: 49794

Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Dates: 6/2/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Times: 2321

Lab File IDs (Standards): A5889SI Date Analyzed: 6/2/03
A5903SC 6/3/03
A5905SC 6/6/03

		ETHENE RT	#	ETHANE RT	#
		0.82		0.97	
		0.84		1.00	
		0.85		1.01	
	UPPER LIMIT	0.87		1.04	
	LOWER LIMIT	0.80		0.94	
	SAMPLE NO.				
01	L06063M	0.86		1.01	
02	49794-21, MS	0.87		1.03	
03	49794-21, MSD	0.87		1.03	
04					
05					
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

RT UPPER LIMIT = + 3 std. dev. above the avg. RT
RT LOWER LIMIT = - 3 std. dev. below the avg. RT
Note: If std. dev. = 0.00 then a default window of 0.03 minutes is used

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

Comments: _____

analytics environmental laboratory LLC

ETHANE, ETHENE
RETENTION TIME SUMMARY

Project #: 10971.217.002 Quote #: NA SDG#: 49794

Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Dates: 6/2/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Times: 2321

Lab File IDs (Standards): A5631SC Date Analyzed: 6/9/03
A5903SC 6/3/03
A5905SC 6/6/03

		ETHENE RT	#	ETHANE RT	#
		0.87		1.03	
		0.84		1.00	
		0.85		1.01	
	UPPER LIMIT	0.89		1.05	
	LOWER LIMIT	0.82		0.98	
	SAMPLE NO.				
01	L06093M	0.86		1.03	
02	49794-30, MS	0.87		1.04	
03	49794-30, MSD	0.87		1.04	
04					
05					
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

RT UPPER LIMIT = + 3 std. dev. above the avg. RT
RT LOWER LIMIT = - 3 std. dev. below the avg. RT
Note: If std. dev. = 0.00 then a default window of 0.03 minutes is used

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

Comments: _____

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 6 C
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: MV 6/4/03

Project#: 10971.217.002 Project: Bucks Hcenber

Company: **Weston Solutions**

Contact: Kathleen Sonkup

Address: **1 Wall Street**

Manchester, NH 03101-1501

Phone: 668-5574 PO# 0037759 Quote #

Sampler (Signature): KTSonkup

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
F=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4°C	HNO3	H2SO4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
DW32-0603-01-A	6/2/03	0705	VOCS24.2 + Ethane					X			GW	7	G		49794-1
DW12-0603-01-A		0820						X				7			-2
DW40-0603-01-A		0900						X				7			-3
DW33-0603-01-A		0920						X				7			-4
DW28-0603-01-A		1000						X				7			-5
DW25-0603-01-A		0950						X				7			-6
DW31-0603-01-A		1035						X				7			-7
DW29-0603-01-A		1100						X				7			-8
DW36-0603-01-A		1245						X				7			-9
DW39-0603-01-A		1315						X				9			-10
DW06-0603-01-A		1215						X				7			-11
TB-060203-01	6/2/03	0700	VOCS24.2					X			W	2	G		-12 -13

SB 6/4/03

FAX RESULTS? YES NO
Fax # x5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
VOCs via 524.2
Ethane via 8015 modified
Sample Dup 0603-01-A w/ MS/MSD for VOCs only

Client Code: WESTONM

Page 1 of 4

Received By: / Time: 1650 / Date: 6/4/03
Received By: / Time: / Date:
Received By: / Time: / Date:

Relinquished By: Sampler:
Relinquished By:
Relinquished By:

12500

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 6.0 6.6
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: MN 6/4/03

Project#: 10971.217.002 Project: Bucks Harbor
Company: Weston Solutions
Contact: Kathleen Sorkeup
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 624-5574 PO# 0037759 Quote #
Sampler (Signature): KT Sorkeup

Matrix Key: WW=Wastewater, SW=Surfacewater, GW=Groundwater, DW=Drinkingwater, S=Soil/Sludge, O=Oil, E=Extract, X=Other

Container Key: P=plastic G=glass

Preservation: Unpres, 4° C, HNO_3, H_2SO_4, HCl, Methanol, Other

Station Identification	Sample Date	Sample Time	Analysis	Matrix	Container number/type		pH	Analytics Sample #
DW12-0603-01-B	6/2/03	0820	VOCs S24.2	GW	4	G		49794-T312
DW12-0603-02-A	6/2/03	0825	VOCs S24.2	GW	4	G		-14T13
DW01-0603-01-A	6/3/03	0820	VOCs + ethane	GW	7	G		-15T9
DW03-0603-01-A	6/3/03	0800			7			-16T15
DW13-0603-01-A		1330			7		SB 6/4/03	-17T16
DW22-0603-01-A		0845			7			-18T17
DW23-0603-01-A		0850			7			-19T18
DW23-0603-01-B		0850	VOCs + ethane		7			-20T19
DW23-0603-02-A		0900	VOCs S24.2		4			-21T20
DW24-0603-01-A		1015	VOCs + ethane		7			-22T21
DW30-0603-01-A		1000			7			-23T22
DW09-0603-01-A		1140			7			-24T23

FAX RESULTS? YES NO
Fax # 5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
VOCs via S24.2
ethane via 8015 Modified

Client Code: WESTONM

Page 2 of 4

Received By: Time: 1650 Date: 6/4/03
Relinquished By Sampler:
Received By:
Relinquished By:
Received By:
Relinquished By:

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 6°C
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: 6/4/03

Project#: 10971.217.002 Project: Bucks Harbor
Company: Weston Solutions
Contact: Kathleen Soukup
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 656-5574 PO# 0037759 Quote #
Sampler (Signature): CTSmith

Matrix Key: WW=Wastewater, SW=Surfacewater, GW=Groundwater, DW=Drinkingwater, S=Soil/Sludge, O=Oil, E=Extract, X=Other

Container Key: P=plastic G=glass

Preservation: Unpres, 4°C, HNO_3, H_2SO_4, HCl, Methanol, Other

Station Identification	Sample Date	Sample Time	Analysis	Matrix	Container number/type	pH	Analytics Sample #
DW04-0603-01-A	6/3/03	1055	VOCs + ethane		7		49794 - 25 24
DW04-0603-01-B		1055	VOCs + ethane		7		- 26 25
DW04-0603-02-A		1100	VOCs S24.2		4		- 27 26
DW08-0603-01-A		1315	VOCs + ethane		7		- 28 27
DW07-0603-01-A		1210			7		- 29 28
~~DW38-0603-01-A~~					7	(A)	SB
DW34-0603-01-A	6/4/03	0915			7		6/4/03 - 30 29
DW05-0603-01-A		0940			9		- 31 30
DW03-0603-01-A		0850			7		- 32 31
DW03-0603-01-B		0850			7		- 33 32
DW03-0603-02-A		0855	VOCs S24.2		4		- 34 33
DW03-0603-03-A		0900	VOCs S24.2		4		- 35 34

Received By: Time: 1650 Date: 6/4/03
Relinquished By Samples:

FAX RESULTS? (YES) NO
Fax # 5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
VOCs via S24.2
ethane via 8015 modified
Simple DW05-0603-01-A w/ MS/MSD for VOCs only

Client Code: WESTONM

Analytics\AEL Documents\AEL COC

02003

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 6°C
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: 6/4/03

Project#: 10471.217.002 Project: Bucks

Company: Weston Solutions

Contact: Kathleen Sawicki

Address: 1 Wall Street
Manchester, NH 03101-1501

Phone: 603 656-5574 PO# 0037759 Quote #

Sampler (Signature):

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
F=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4°C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
DW13-0603-02-A	6/3/03	1325	VOC + ethane					X			GW	7	G		497941-3736
DW38-0603-01-A	6/4/03	1025	↓					X			GW	7	G		-3736
DW15-0603-01-A	6/2/03	1155	VOC only per Kathleen @Weston amb 6.5.03												-3737
DW16-0603-01-A	6/2/03	0745													JB -3738
DW17-0603-01-A	6/2/03	1200													6/4/03 -4039
DW19-0603-01-A	6/2/03	1140													-4140
DW20-0603-01-A	6/2/03	1135													-4241
DW21-0603-01-A	6/2/03	1120													-4342

Received By: Time: 1055 Date: 6/4/03
Received By: Time: Date:
Received By: Time: Date:

Relinquished By Sampler:
Relinquished By:
Relinquished By:

FAX RESULTS? YES NO
Fax # x5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
VOCs via SW4.2
ethane via 8015 Modified

Client Code: WESTONM

003774

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 49794 | COOLER NUMBER: —

CLIENT: Weston | NUMBER OF COOLERS: 1

PROJECT: Bucks | DATE RECEIVED: 6/4/03

A: PRELIMINARY EXAMINATION: | DATE COOLER OPENED: 6/4/03

1. Cooler received by(initials) JB | Date Received: 6/4/03
2. Did cooler come with a shipping slip? Y (N)

If YES, enter carrier name and airbill number here: _____

3. Were custody seals on the outside of cooler? Y (N)
How many & where: _____ Seal Date: _____ Seal Name: _____
4. Did the custody seals arrive unbroken and intact upon arrival? Y (N/A)
5. COC#: _____
6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N
7. Were custody papers sealed in a plastic bag? Y (N)
8. Did you sign the COC in the appropriate place? (Y) N
9. Was the project identifiable from the COC papers? (Y) N
10. Was enough ice used to chill the cooler? (Y) N Temp. of cooler: 6°C

B. Log-In: Date samples were logged in: 6/4/03 By: JB

11. Type of packing in cooler(bubble wrap, popcorn) Y (N/A)
12. Were all bottles sealed in separate plastic bags? (Y) N
13. Did all bottles arrive unbroken and were labels in good condition? (Y) N
14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N
15. Did all bottle labels agree with custody papers? (Y) N
16. Were the correct containers used for the tests indicated: (Y) N
17. Were samples received at the correct pH? Y (N/A)
18. Was sufficient amount of sample sent for the tests indicated? (Y) N
19. Were bubbles absent in VOA samples? Y (N)

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): [signature] Date: 6/4/03

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

June 30, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49855

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for the target volatile organic compounds by EPA Method 8260B and for Total Organic Carbon (TOC). TOC was subcontracted to STL Chicago.
Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, surrogate recovery, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
VOA Form 1 Sample Data Results
Chromatograms
VOA Form 2 Surrogate Recoveries
VOA Form 3 MS/MSD and LCS Recoveries
VOA Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
VOA Form 5 BFB Tune Summaries
VOA Form 6 Initial Calibration Data (equiv..) Response Factor Report
VOA Form 7 Continuing Calibration Check (equiv.)
VOA Form 8 Int. Standard and RT Summary
STL Chicago TOC Data Package
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Aqueous Volatile Organics:
Two compounds t-Butyl alcohol and Tetrahydrofuran had high recoveries in the Laboratory control spike (LCS) analyzed 06/16/03 (L806163B). (See Form III).). Methyl ethyl ketone and Ethyl t-butyl ether had high recoveries in the matrix spike duplicate 49855-5 (ECOSW4-0603). These compounds also had RPD above the limit of 15%. (See Form III). These analytes were not detected in this SDG and results were reported without qualification.

Sediment Volatile Organics:
Two samples, 49855-11 (ECOSED2-0603) and 49855-14 (ECOSED2-0603-E), had low recoveries for all three surrogates due to high moisture content and matrix affect. The samples were reanalyzed with similar results. Only the results for 49855-14 reanalysis were reported due to potential instrument carryover on the original analysis.

Bromomethane had low recovery in the Laboratory control spike (LCS) analyzed 06/18/03 (LS06183B2) The LCS (LS06183C,RR) was reanalyzed for Bromomethane and the recovery was still low but within the marginal limits of 60-140%. Bromomethane was not detected in any of the sediment samples.

Multiple analytes had low recoveries for the matrix spike/matrix spike duplicate (MS/MSD) analyzed on 49855-13 (ECOSED4-0603) due to a combination of moisture content and matrix affect. (See Form III). The MS/MSD was reanalyzed and confirmed results.

Bromomethane had low recovery in the Laboratory control spike (LCS) analyzed 06/19/03 (L806193C) The LCS (L806193C4) was reanalyzed with all analytes in control

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49855

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002.2010**

Enclosed are the results of the analyses on your sample(s). Samples were received on 13 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49855-1	06/12/03	TB-061203-01	EPA 8260 Volatile Organics	
49855-2	06/12/03	ECOSW1-0603	EPA 8260 Volatile Organics	
49855-3	06/12/03	ECOSW2-0603	EPA 8260 Volatile Organics	
49855-4	06/12/03	ECOSW3-0603	EPA 8260 Volatile Organics	
49855-5	06/12/03	ECOSW4-0603	EPA 8260 Volatile Organics	
49855-6	06/12/03	ECOSW2-0603-E	EPA 8260 Volatile Organics	
49855-7	06/12/03	RB-061203-01	EPA 8260 Volatile Organics	
49855-8	06/04/03	TB-061203-02	EPA 8260 Volatile Organics	
49855-9	06/12/03	RB-061203-02	EPA 8260 Volatile Organics	
49855-10	06/12/03	ECOSED1-0603	EPA 8260 Volatile Organics	
	06/12/03	ECOSED1-0603	Total Organic Carbon in Solid Matrices	
49855-11	06/12/03	ECOSED2-0603	EPA 8260 Volatile Organics	
	06/12/03	ECOSED2-0603	Total Organic Carbon in Solid Matrices	
49855-12	06/12/03	ECOSED3-0603	EPA 8260 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49855

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002.2010**

Enclosed are the results of the analyses on your sample(s). Samples were received on 13 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/12/03	ECOSED3-0603	Total Organic Carbon in Solid Matrices	
49855-13	06/12/03	ECOSED4-0603	EPA 8260 Volatile Organics	
	06/12/03	ECOSED4-0603	Total Organic Carbon in Solid Matrices	
49855-14	06/12/03	ECOSED2-0603-E	Electronic Data Deliverable	
	06/12/03	ECOSED2-0603-E	EPA 8260 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B806163B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	101 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16221B.D Vial: 6
Acq On : 16 Jun 2003 10:56 am Operator: JR
Sample : B806163B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 16 11:18 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: MB06183B
Matrix: Solid
Percent Solid: 100
Dilution Factor: 100
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/18/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	100	U	1,3-Dichloropropane	100	U
Bromobenzene	100	U	cis-1,3-Dichloropropene	100	U
Bromochloromethane	100	U	trans-1,3-Dichloropropene	100	U
Bromodichloromethane	75	U	2,2-Dichloropropane	100	U
Bromoform	75	U	1,1-Dichloropropene	100	U
Bromomethane	100	U	Ethylbenzene	100	U
n-butylbenzene	100	U	Hexachlorobutadiene	100	U
sec-butylbenzene	100	U	Isopropylbenzene	100	U
tert-butylbenzene	100	U	p-isopropyltoluene	100	U
Carbon Tetrachloride	100	U	Methylene Chloride	500	U
Chlorobenzene	100	U	Methyl-tert-butyl ether (MTBE)	100	U
Chloroethane	100	U	Naphthalene	100	U
Chloroform	75	U	n-Propylbenzene	100	U
Chloromethane	100	U	Styrene	100	U
2-Chlorotoluene	100	U	1,1,1,2-Tetrachloroethane	100	U
4-Chlorotoluene	100	U	1,1,2,2-Tetrachloroethane	75	U
Dibromochloromethane	75	U	Tetrachloroethene	100	U
1,2-Dibromo-3-chloropropane	100	U	Toluene	100	U
1,2-Dibromoethane	75	U	1,2,3-Trichlorobenzene	100	U
Dibromomethane	100	U	1,2,4-Trichlorobenzene	100	U
1,2-Dichlorobenzene	100	U	1,1,1-Trichloroethane	100	U
1,3-Dichlorobenzene	100	U	1,1,2-Trichloroethane	75	U
1,4-Dichlorobenzene	100	U	Trichloroethene	100	U
Dichlorodifluoromethane	100	U	Trichlorofluoromethane	100	U
1,1-Dichloroethane	100	U	1,2,3-Trichloropropane	100	U
1,2-Dichloroethane	75	U	1,2,4-Trimethylbenzene	100	U
1,1-Dichloroethene	75	U	1,3,5-Trimethylbenzene	100	U
cis-1,2-Dichloroethene	100	U	Vinyl Chloride	100	U
trans-1,2-Dichloroethene	100	U	o-Xylene	100	U
1,2-Dichloropropane	75	U	m,p-Xylene	100	U
Acetone	1000	U	Diethyl ether	100	U
Carbon Disulfide	100	U	2-Hexanone	1000	U
Tetrahydrofuran	500	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether (DIPE)	100	U
t-Butyl alcohol (TBA)	2000	U	Ethyl t-butyl ether (ETBE)	100	U
t-Amyl methyl ether (TAME)	100	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	105 %	d8-Toluene	103 %	Bromofluorobenzene	108 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803C\C43642B.D Vial: 4
Acq On : 18 Jun 2003 11:52 pm Operator: JMR
Sample : MB06183B Inst : Instr_C
Misc : 50,10,SOIL Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 9:17 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 16:28:10 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B806193C
Matrix: Solid
Percent Solid: 100
Dilution Factor: 100
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	100	U	1,3-Dichloropropane	100	U
Bromobenzene	100	U	cis-1,3-Dichloropropene	100	U
Bromochloromethane	100	U	trans-1,3-Dichloropropene	100	U
Bromodichloromethane	75	U	2,2-Dichloropropane	100	U
Bromoform	75	U	1,1-Dichloropropene	100	U
Bromomethane	100	U	Ethylbenzene	100	U
n-butylbenzene	100	U	Hexachlorobutadiene	100	U
sec-butylbenzene	100	U	Isopropylbenzene	100	U
tert-butylbenzene	100	U	p-isopropyltoluene	100	U
Carbon Tetrachloride	100	U	Methylene Chloride	500	U
Chlorobenzene	100	U	Methyl-tert-butyl ether (MTBE)	100	U
Chloroethane	100	U	Naphthalene	100	U
Chloroform	75	U	n-Propylbenzene	100	U
Chloromethane	100	U	Styrene	100	U
2-Chlorotoluene	100	U	1,1,1,2-Tetrachloroethane	100	U
4-Chlorotoluene	100	U	1,1,2,2-Tetrachloroethane	75	U
Dibromochloromethane	75	U	Tetrachloroethene	100	U
1,2-Dibromo-3-chloropropane	100	U	Toluene	100	U
1,2-Dibromoethane	75	U	1,2,3-Trichlorobenzene	100	U
Dibromomethane	100	U	1,2,4-Trichlorobenzene	100	U
1,2-Dichlorobenzene	100	U	1,1,1-Trichloroethane	100	U
1,3-Dichlorobenzene	100	U	1,1,2-Trichloroethane	75	U
1,4-Dichlorobenzene	100	U	Trichloroethene	100	U
Dichlorodifluoromethane	100	U	Trichlorofluoromethane	100	U
1,1-Dichloroethane	100	U	1,2,3-Trichloropropane	100	U
1,2-Dichloroethane	75	U	1,2,4-Trimethylbenzene	100	U
1,1-Dichloroethene	75	U	1,3,5-Trimethylbenzene	100	U
cis-1,2-Dichloroethene	100	U	Vinyl Chloride	100	U
trans-1,2-Dichloroethene	100	U	o-Xylene	100	U
1,2-Dichloropropane	75	U	m,p-Xylene	100	U
Acetone	1000	U	Diethyl ether	100	U
Carbon Disulfide	100	U	2-Hexanone	1000	U
Tetrahydrofuran	500	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether (DIPE)	100	U
t-Butyl alcohol (TBA)	2000	U	Ethyl t-butyl ether (ETBE)	100	U
t-Amyl methyl ether (TAME)	100	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	88 %	d8-Toluene	96 %	Bromofluorobenzene	94 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903C\C43663B.D Vial: 14
Acq On : 19 Jun 2003 1:39 pm Operator: JMR
Sample : B806193C Inst : Instr_C
Misc : 5000,,W/ 50UL MEOH Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 14:02 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 17, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: TB-061203-01

SAMPLE DATA

Lab Sample ID: 49855-1
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	99 %	d8-Toluene	99 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16225.D Vial: 10
Acq On : 16 Jun 2003 1:02 pm Operator: JR
Sample : 49855-1 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 16 13:24 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 17, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSW1-0603

SAMPLE DATA

Lab Sample ID: 49855-2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16226.D Vial: 11
Acq On : 16 Jun 2003 1:33 pm Operator: JR
Sample : 49855-2 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 16 13:55 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 17, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSW2-0603

SAMPLE DATA

Lab Sample ID: 49855-3
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	103 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Valli

Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16227.D Vial: 12
Acq On : 16 Jun 2003 2:04 pm Operator: JR
Sample : 49855-3 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 16 14:26 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 17, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSW3-0603

SAMPLE DATA

Lab Sample ID: 49855-4
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	99 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16228.D Vial: 13
Acq On : 16 Jun 2003 2:34 pm Operator: JR
Sample : 49855-4 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 16 14:56 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 17, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSW4-0603

SAMPLE DATA

Lab Sample ID: 49855-5
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16229.D Vial: 14
Acq On : 16 Jun 2003 3:05 pm Operator: JR
Sample : 49855-5 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 16 15:27 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 17, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSW2-0603-E

SAMPLE DATA

Lab Sample ID: 49855-6
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	101 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A. Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16232.D Vial: 17
Acq On : 16 Jun 2003 4:37 pm Operator: JR
Sample : 49855-6 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 16 16:59 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 17, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: RB-061203-01

SAMPLE DATA

Lab Sample ID: 49855-7
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	100 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

8260 full

Authorized signature


Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16233.D
Acq On : 16 Jun 2003 5:07 pm
Sample : 49855-7
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 16 17:29 2003

Vial: 18
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: TB-061203-02

SAMPLE DATA

Lab Sample ID: 49855-8
Matrix: Solid
Percent Solid: 100
Dilution Factor: 100
Collection Date: 06/04/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	100	U	1,3-Dichloropropane	100	U
Bromobenzene	100	U	cis-1,3-Dichloropropene	100	U
Bromochloromethane	100	U	trans-1,3-Dichloropropene	100	U
Bromodichloromethane	75	U	2,2-Dichloropropane	100	U
Bromoform	75	U	1,1-Dichloropropene	100	U
Bromomethane	100	U	Ethylbenzene	100	U
n-butylbenzene	100	U	Hexachlorobutadiene	100	U
sec-butylbenzene	100	U	Isopropylbenzene	100	U
tert-butylbenzene	100	U	p-isopropyltoluene	100	U
Carbon Tetrachloride	100	U	Methylene Chloride	500	U
Chlorobenzene	100	U	Methyl-tert-butyl ether (MTBE)	100	U
Chloroethane	100	U	Naphthalene	100	U
Chloroform	75	U	n-Propylbenzene	100	U
Chloromethane	100	U	Styrene	100	U
2-Chlorotoluene	100	U	1,1,1,2-Tetrachloroethane	100	U
4-Chlorotoluene	100	U	1,1,2,2-Tetrachloroethane	75	U
Dibromochloromethane	75	U	Tetrachloroethene	100	U
1,2-Dibromo-3-chloropropane	100	U	Toluene	100	U
1,2-Dibromoethane	75	U	1,2,3-Trichlorobenzene	100	U
Dibromomethane	100	U	1,2,4-Trichlorobenzene	100	U
1,2-Dichlorobenzene	100	U	1,1,1-Trichloroethane	100	U
1,3-Dichlorobenzene	100	U	1,1,2-Trichloroethane	75	U
1,4-Dichlorobenzene	100	U	Trichloroethene	100	U
Dichlorodifluoromethane	100	U	Trichlorofluoromethane	100	U
1,1-Dichloroethane	100	U	1,2,3-Trichloropropane	100	U
1,2-Dichloroethane	75	U	1,2,4-Trimethylbenzene	100	U
1,1-Dichloroethene	75	U	1,3,5-Trimethylbenzene	100	U
cis-1,2-Dichloroethene	100	U	Vinyl Chloride	100	U
trans-1,2-Dichloroethene	100	U	o-Xylene	100	U
1,2-Dichloropropane	75	U	m,p-Xylene	100	U
Acetone	1000	U	Diethyl ether	100	U
Carbon Disulfide	100	U	2-Hexanone	1000	U
Tetrahydrofuran	500	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether (DIPE)	100	U
t-Butyl alcohol (TBA)	2000	U	Ethyl t-butyl ether (ETBE)	100	U
t-Amyl methyl ether (TAME)	100	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	95 %	d8-Toluene	103 %	Bromofluorobenzene	104 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903C\C43668.D Vial: 7
Acq On : 19 Jun 2003 4:18 pm Operator: JMR
Sample : 49855-8 Inst : Instr_C
Misc : 50,10.00,SOIL,,TRIP BLANK Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 16:40 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 17, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: RB-061203-02

SAMPLE DATA

Lab Sample ID: 49855-9
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/16/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	101 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\061603-B\B16234.D Vial: 19
Acq On : 16 Jun 2003 5:38 pm Operator: JR
Sample : 49855-9 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 16 18:00 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSED1-0603

SAMPLE DATA

Lab Sample ID: 49855-10
Matrix: Solid
Percent Solid: 77
Dilution Factor: 152
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	150	U	1,3-Dichloropropane	150	U
Bromobenzene	150	U	cis-1,3-Dichloropropene	150	U
Bromochloromethane	150	U	trans-1,3-Dichloropropene	150	U
Bromodichloromethane	110	U	2,2-Dichloropropane	150	U
Bromoform	110	U	1,1-Dichloropropene	150	U
Bromomethane	150	U	Ethylbenzene	150	U
n-butylbenzene	150	U	Hexachlorobutadiene	150	U
sec-butylbenzene	150	U	Isopropylbenzene	150	U
tert-butylbenzene	150	U	p-isopropyltoluene	150	U
Carbon Tetrachloride	150	U	Methylene Chloride	760	U
Chlorobenzene	150	U	Methyl-tert-butyl ether (MTBE)	150	U
Chloroethane	150	U	Naphthalene	150	U
Chloroform	110	U	n-Propylbenzene	150	U
Chloromethane	150	U	Styrene	150	U
2-Chlorotoluene	150	U	1,1,1,2-Tetrachloroethane	150	U
4-Chlorotoluene	150	U	1,1,2,2-Tetrachloroethane	110	U
Dibromochloromethane	110	U	Tetrachloroethene	150	U
1,2-Dibromo-3-chloropropane	150	U	Toluene	150	U
1,2-Dibromoethane	110	U	1,2,3-Trichlorobenzene	150	U
Dibromomethane	150	U	1,2,4-Trichlorobenzene	150	U
1,2-Dichlorobenzene	150	U	1,1,1-Trichloroethane	150	U
1,3-Dichlorobenzene	150	U	1,1,2-Trichloroethane	110	U
1,4-Dichlorobenzene	150	U	Trichloroethene	150	U
Dichlorodifluoromethane	150	U	Trichlorofluoromethane	150	U
1,1-Dichloroethane	150	U	1,2,3-Trichloropropane	150	U
1,2-Dichloroethane	110	U	1,2,4-Trimethylbenzene	150	U
1,1-Dichloroethene	110	U	1,3,5-Trimethylbenzene	150	U
cis-1,2-Dichloroethene	150	U	Vinyl Chloride	150	U
trans-1,2-Dichloroethene	150	U	o-Xylene	150	U
1,2-Dichloropropane	110	U	m,p-Xylene	150	U
Acetone	1500	U	Diethyl ether	150	U
Carbon Disulfide	150	U	2-Hexanone	1500	U
Tetrahydrofuran	760	U	Methyl isobutyl ketone	1500	U
Methyl ethyl ketone	1500	U	Di-isopropyl ether (DIPE)	150	U
t-Butyl alcohol (TBA)	3000	U	Ethyl t-butyl ether (ETBE)	150	U
t-Amyl methyl ether (TAME)	150	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	92 %	d8-Toluene	89 %	Bromofluorobenzene	88 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.

8260 full

Authorized signature Melissa A. Kelly


Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803C\C43646.D
Acq On : 19 Jun 2003 2:06 am
Sample : 49855-10
Misc : 50,8.56,SOIL
MS Integration Params: rteint.p
Quant Time: Jun 19 7:44 2003

Vial: 8
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSED2-0603

SAMPLE DATA

Lab Sample ID: 49855-11
Matrix: Solid
Percent Solid: 35
Dilution Factor: 224
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	220	U J	1,3-Dichloropropane	220	U J
Bromobenzene	220	U	cis-1,3-Dichloropropene	220	U
Bromochloromethane	220	U	trans-1,3-Dichloropropene	220	U
Bromodichloromethane	170	U	2,2-Dichloropropane	220	U
Bromoform	170	U	1,1-Dichloropropene	220	U
Bromomethane	220	U	Ethylbenzene	220	U
n-butylbenzene	220	U	Hexachlorobutadiene	220	U
sec-butylbenzene	220	U	Isopropylbenzene	220	U
tert-butylbenzene	220	U	p-isopropyltoluene	220	U
Carbon Tetrachloride	220	U	Methylene Chloride	1100	U
Chlorobenzene	220	U	Methyl-tert-butyl ether (MTBE)	220	U
Chloroethane	220	U	Naphthalene	220	U
Chloroform	170	U	n-Propylbenzene	220	U
Chloromethane	220	U	Styrene	220	U
2-Chlorotoluene	220	U	1,1,1,2-Tetrachloroethane	220	U
4-Chlorotoluene	220	U	1,1,2,2-Tetrachloroethane	170	U
Dibromochloromethane	170	U	Tetrachloroethene	220	U
1,2-Dibromo-3-chloropropane	220	U	Toluene	220	U
1,2-Dibromoethane	170	U	1,2,3-Trichlorobenzene	220	U
Dibromomethane	220	U	1,2,4-Trichlorobenzene	220	U
1,2-Dichlorobenzene	220	U	1,1,1-Trichloroethane	220	U
1,3-Dichlorobenzene	220	U	1,1,2-Trichloroethane	170	U
1,4-Dichlorobenzene	220	U	Trichloroethene	220	U
Dichlorodifluoromethane	220	U	Trichlorofluoromethane	220	U
1,1-Dichloroethane	220	U	1,2,3-Trichloropropane	220	U
1,2-Dichloroethane	170	U	1,2,4-Trimethylbenzene	220	U
1,1-Dichloroethene	170	U	1,3,5-Trimethylbenzene	220	U
cis-1,2-Dichloroethene	220	U	Vinyl Chloride	220	U
trans-1,2-Dichloroethene	220	U	o-Xylene	220	U
1,2-Dichloropropane	170	U	m,p-Xylene	220	U
Acetone	2200	U	Diethyl ether	220	U
Carbon Disulfide	220	U	2-Hexanone	2200	U
Tetrahydrofuran	1100	U	Methyl isobutyl ketone	2200	U
Methyl ethyl ketone	2200	U	Di-isopropyl ether (DIPE)	220	U
t-Butyl alcohol (TBA)	4500	U	Ethyl t-butyl ether (ETBE)	220	U
t-Amyl methyl ether (TAME)	220	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	59 * %	d8-Toluene	53 * %	Bromofluorobenzene	49 * %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis. Sample collection and analysis in accordance with SW-846 method 5035. Sample did not meet method acceptance criteria for 1:1 soil to methanol ratio.
*Surrogate recoveries were outside laboratory acceptance criteria due to high moisture content. Sample was reanalyzed with similar results.

8260 full


Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803C\C43647.D
Acq On : 19 Jun 2003 2:35 am
Sample : 49855-11
Misc : 50,12.81,SOIL
MS Integration Params: rteint.p
Quant Time: Jun 19 7:45 2003

Vial: 9
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSED2-0603

SAMPLE DATA

Lab Sample ID: 49855-11 RR
Matrix: Solid
Percent Solid: 35
Dilution Factor: 224
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	220	U	1,3-Dichloropropane	220	U
Bromobenzene	220	U	cis-1,3-Dichloropropene	220	U
Bromochloromethane	220	U	trans-1,3-Dichloropropene	220	U
Bromodichloromethane	170	U	2,2-Dichloropropane	220	U
Bromoform	170	U	1,1-Dichloropropene	220	U
Bromomethane	220	U	Ethylbenzene	220	U
n-butylbenzene	220	U	Hexachlorobutadiene	220	U
sec-butylbenzene	220	U	Isopropylbenzene	220	U
tert-butylbenzene	220	U	p-isopropyltoluene	220	U
Carbon Tetrachloride	220	U	Methylene Chloride	1100	U
Chlorobenzene	220	U	Methyl-tert-butyl ether (MTBE)	220	U
Chloroethane	220	U	Naphthalene	220	U
Chloroform	170	U	n-Propylbenzene	220	U
Chloromethane	220	U	Styrene	220	U
2-Chlorotoluene	220	U	1,1,1,2-Tetrachloroethane	220	U
4-Chlorotoluene	220	U	1,1,2,2-Tetrachloroethane	170	U
Dibromochloromethane	170	U	Tetrachloroethene	220	U
1,2-Dibromo-3-chloropropane	220	U	Toluene	220	U
1,2-Dibromoethane	170	U	1,2,3-Trichlorobenzene	220	U
Dibromomethane	220	U	1,2,4-Trichlorobenzene	220	U
1,2-Dichlorobenzene	220	U	1,1,1-Trichloroethane	220	U
1,3-Dichlorobenzene	220	U	1,1,2-Trichloroethane	170	U
1,4-Dichlorobenzene	220	U	Trichloroethene	220	U
Dichlorodifluoromethane	220	U	Trichlorofluoromethane	220	U
1,1-Dichloroethane	220	U	1,2,3-Trichloropropane	220	U
1,2-Dichloroethane	170	U	1,2,4-Trimethylbenzene	220	U
1,1-Dichloroethene	170	U	1,3,5-Trimethylbenzene	220	U
cis-1,2-Dichloroethene	220	U	Vinyl Chloride	220	U
trans-1,2-Dichloroethene	220	U	o-Xylene	220	U
1,2-Dichloropropane	170	U	m,p-Xylene	220	U
Acetone	2200	U	Diethyl ether	220	U
Carbon Disulfide	220	U	2-Hexanone	2200	U
Tetrahydrofuran	1100	U	Methyl isobutyl ketone	2200	U
Methyl ethyl ketone	2200	U	Di-isopropyl ether (DIPE)	220	U
t-Butyl alcohol (TBA)	4500	U	Ethyl t-butyl ether (ETBE)	220	U
t-Amyl methyl ether (TAME)	220	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	45 * %	d8-Toluene	42 * %	Bromofluorobenzene	40 * %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis. Sample collection and analysis in accordance with SW-846 method 5035. Sample did not meet method acceptance criteria for 1:1 soil to methanol ratio.
*Surrogate recoveries were outside laboratory acceptance criteria due to high moisture content. Sample was analyzed previously with similar results.


8260 full

Authorized signature Melena A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903C\C43671.D Vial: 10
Acq On : 19 Jun 2003 5:44 pm Operator: JMR
Sample : 49855-11,RR Inst : Instr_C
Misc : 50,12.81,SOIL Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 18:06 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSED3-0603

SAMPLE DATA

Lab Sample ID: 49855-12
Matrix: Solid
Percent Solid: 78
Dilution Factor: 128
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	130	U	1,3-Dichloropropane	130	U
Bromobenzene	130	U	cis-1,3-Dichloropropene	130	U
Bromochloromethane	130	U	trans-1,3-Dichloropropene	130	U
Bromodichloromethane	96	U	2,2-Dichloropropane	130	U
Bromoform	96	U	1,1-Dichloropropene	130	U
Bromomethane	130	U	Ethylbenzene	130	U
n-butylbenzene	130	U	Hexachlorobutadiene	130	U
sec-butylbenzene	130	U	Isopropylbenzene	130	U
tert-butylbenzene	130	U	p-isopropyltoluene	130	U
Carbon Tetrachloride	130	U	Methylene Chloride	640	U
Chlorobenzene	130	U	Methyl-tert-butyl ether (MTBE)	130	U
Chloroethane	130	U	Naphthalene	130	U
Chloroform	96	U	n-Propylbenzene	130	U
Chloromethane	130	U	Styrene	130	U
2-Chlorotoluene	130	U	1,1,1,2-Tetrachloroethane	130	U
4-Chlorotoluene	130	U	1,1,2,2-Tetrachloroethane	96	U
Dibromochloromethane	96	U	Tetrachloroethene	130	U
1,2-Dibromo-3-chloropropane	130	U	Toluene	130	U
1,2-Dibromoethane	96	U	1,2,3-Trichlorobenzene	130	U
Dibromomethane	130	U	1,2,4-Trichlorobenzene	130	U
1,2-Dichlorobenzene	130	U	1,1,1-Trichloroethane	130	U
1,3-Dichlorobenzene	130	U	1,1,2-Trichloroethane	96	U
1,4-Dichlorobenzene	130	U	Trichloroethene	130	U
Dichlorodifluoromethane	130	U	Trichlorofluoromethane	130	U
1,1-Dichloroethane	130	U	1,2,3-Trichloropropane	130	U
1,2-Dichloroethane	96	U	1,2,4-Trimethylbenzene	130	U
1,1-Dichloroethene	96	U	1,3,5-Trimethylbenzene	130	U
cis-1,2-Dichloroethene	130	U	Vinyl Chloride	130	U
trans-1,2-Dichloroethene	130	U	o-Xylene	130	U
1,2-Dichloropropane	96	U	m,p-Xylene	130	U
Acetone	1300	U	Diethyl ether	130	U
Carbon Disulfide	130	U	2-Hexanone	1300	U
Tetrahydrofuran	640	U	Methyl isobutyl ketone	1300	U
Methyl ethyl ketone	1300	U	Di-isopropyl ether (DIPE)	130	U
t-Butyl alcohol (TBA)	2600	U	Ethyl t-butyl ether (ETBE)	130	U
t-Amyl methyl ether (TAME)	130	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	83 %	d8-Toluene	81 %	Bromofluorobenzene	83 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis.

Sample collection and analysis in accordance with SW-846 method 5035.


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803C\C43648.D Vial: 10
Acq On : 19 Jun 2003 3:04 am Operator: JMR
Sample : 49855-12 Inst : Instr_C
Misc : 50,10.00,SOIL Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 7:46 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 20, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSED4-0603

SAMPLE DATA

Lab Sample ID: 49855-13
Matrix: Solid
Percent Solid: 54
Dilution Factor: 302
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	300	U	1,3-Dichloropropane	300	U
Bromobenzene	300	U	cis-1,3-Dichloropropene	300	U
Bromochloromethane	300	U	trans-1,3-Dichloropropene	300	U
Bromodichloromethane	230	U	2,2-Dichloropropane	300	U
Bromoform	230	U	1,1-Dichloropropene	300	U
Bromomethane	300	U	Ethylbenzene	300	U
n-butylbenzene	300	U	Hexachlorobutadiene	300	U
sec-butylbenzene	300	U	Isopropylbenzene	300	U
tert-butylbenzene	300	U	p-isopropyltoluene	300	U
Carbon Tetrachloride	300	U	Methylene Chloride	1500	U
Chlorobenzene	300	U	Methyl-tert-butyl ether (MTBE)	300	U
Chloroethane	300	U	Naphthalene	300	U
Chloroform	230	U	n-Propylbenzene	300	U
Chloromethane	300	U	Styrene	300	U
2-Chlorotoluene	300	U	1,1,1,2-Tetrachloroethane	300	U
4-Chlorotoluene	300	U	1,1,2,2-Tetrachloroethane	230	U
Dibromochloromethane	230	U	Tetrachloroethene	300	U
1,2-Dibromo-3-chloropropane	300	U	Toluene	300	U
1,2-Dibromoethane	230	U	1,2,3-Trichlorobenzene	300	U
Dibromomethane	300	U	1,2,4-Trichlorobenzene	300	U
1,2-Dichlorobenzene	300	U	1,1,1-Trichloroethane	300	U
1,3-Dichlorobenzene	300	U	1,1,2-Trichloroethane	230	U
1,4-Dichlorobenzene	300	U	Trichloroethene	300	U
Dichlorodifluoromethane	300	U	Trichlorofluoromethane	300	U
1,1-Dichloroethane	300	U	1,2,3-Trichloropropane	300	U
1,2-Dichloroethane	230	U	1,2,4-Trimethylbenzene	300	U
1,1-Dichloroethene	230	U	1,3,5-Trimethylbenzene	300	U
cis-1,2-Dichloroethene	300	U	Vinyl Chloride	300	U
trans-1,2-Dichloroethene	300	U	o-Xylene	300	U
1,2-Dichloropropane	230	U	m,p-Xylene	300	U
Acetone	3000	U	Diethyl ether	300	U
Carbon Disulfide	300	U	2-Hexanone	3000	U
Tetrahydrofuran	1500	U	Methyl isobutyl ketone	3000	U
Methyl ethyl ketone	3000	U	Di-isopropyl ether (DIPE)	300	U
t-Butyl alcohol (TBA)	6000	U	Ethyl t-butyl ether (ETBE)	300	U
t-Amyl methyl ether (TAME)	300	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	84 %	d8-Toluene	82 %	Bromofluorobenzene	84 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis. Sample collection and analysis in accordance with SW-846 method 5035. Sample did not meet method acceptance criteria for 1:1 soil to methanol ratio.


8260 full

Authorized signature Melissa G Kelli

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803C\C43649.D Vial: 11
Acq On : 19 Jun 2003 3:33 am Operator: JMR
Sample : 49855-13 Inst : Instr_C
Misc : 50,6.12,SOIL Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 7:47 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration



Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002.2010

Field Sample ID: ECOSED2-0603-E

SAMPLE DATA

Lab Sample ID: 49855-14
Matrix: Solid
Percent Solid: 30
Dilution Factor: 404
Collection Date: 06/12/03
Lab Receipt Date: 06/13/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/kg	Result µg/kg	COMPOUND	Quantitation Limit µg/kg	Result µg/kg
Benzene	400	U J	1,3-Dichloropropane	400	U J
Bromobenzene	400	U	cis-1,3-Dichloropropene	400	U
Bromochloromethane	400	U	trans-1,3-Dichloropropene	400	U
Bromodichloromethane	300	U	2,2-Dichloropropane	400	U
Bromoform	300	U	1,1-Dichloropropene	400	U
Bromomethane	400	U	Ethylbenzene	400	U
n-butylbenzene	400	U	Hexachlorobutadiene	400	U
sec-butylbenzene	400	U	Isopropylbenzene	400	U
tert-butylbenzene	400	U	p-isopropyltoluene	400	U
Carbon Tetrachloride	400	U	Methylene Chloride	2000	U
Chlorobenzene	400	U	Methyl-tert-butyl ether (MTBE)	400	U
Chloroethane	400	U	Naphthalene	400	U
Chloroform	300	U	n-Propylbenzene	400	U
Chloromethane	400	U	Styrene	400	U
2-Chlorotoluene	400	U	1,1,1,2-Tetrachloroethane	400	U
4-Chlorotoluene	400	U	1,1,2,2-Tetrachloroethane	300	U
Dibromochloromethane	300	U	Tetrachloroethene	400	U
1,2-Dibromo-3-chloropropane	400	U	Toluene	400	U
1,2-Dibromoethane	300	U	1,2,3-Trichlorobenzene	400	U
Dibromomethane	400	U	1,2,4-Trichlorobenzene	400	U
1,2-Dichlorobenzene	400	U	1,1,1-Trichloroethane	400	U
1,3-Dichlorobenzene	400	U	1,1,2-Trichloroethane	300	U
1,4-Dichlorobenzene	400	U	Trichloroethene	400	U
Dichlorodifluoromethane	400	U	Trichlorofluoromethane	400	U
1,1-Dichloroethane	400	U	1,2,3-Trichloropropane	400	U
1,2-Dichloroethane	300	U	1,2,4-Trimethylbenzene	400	U
1,1-Dichloroethene	300	U	1,3,5-Trimethylbenzene	400	U
cis-1,2-Dichloroethene	400	U	Vinyl Chloride	400	U
trans-1,2-Dichloroethene	400	U	o-Xylene	400	U
1,2-Dichloropropane	300	U	m,p-Xylene	400	U
Acetone	4000	U	Diethyl ether	400	U
Carbon Disulfide	400	U	2-Hexanone	4000	U
Tetrahydrofuran	2000	U	Methyl isobutyl ketone	4000	U
Methyl ethyl ketone	4000	U	Di-isopropyl ether (DIPE)	400	U
t-Butyl alcohol (TBA)	8100	U	Ethyl t-butyl ether (ETBE)	400	U
t-Amyl methyl ether (TAME)	400	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	59 * %	d8-Toluene	60 * %	Bromofluorobenzene	60 * %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS: Results are expressed on a dry weight basis. Sample collection and analysis in accordance with SW-846 method 5035.

*Surrogate recoveries were outside laboratory acceptance criteria due to high moisture content. Sample was reanalyzed with similar results.


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903C\C43672.D Vial: 11
Acq On : 19 Jun 2003 6:12 pm Operator: JMR
Sample : 49855-14 Inst : Instr_C
Misc : 50,8.14,SOIL Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 18:34 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

VOLATILE ORGANIC
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: B16118T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/12/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0928

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	1PPB STD	92	98	98	0
02	2PPB STD	92	99	98	0
03	5PPB STD	92	99	99	0
04	20PPB STD	94	99	98	0
05	50PPB STD	101	100	100	0
06	100PPB STD	102	102	101	0
07	ZZZZZ	92	98	101	0
08	ZZZZZ	96	99	101	0
09	ZZZZZ	97	99	100	0
10	ZZZZZ	97	99	101	0
11	ZZZZZ	95	99	100	0
12	ZZZZZ	97	99	101	0
13	ZZZZZ	94	100	101	0
14	ZZZZZ	98	98	99	0
15	ZZZZZ	102	99	98	0
16	ZZZZZ	103	100	99	0
17	ZZZZZ	102	100	100	0
18	ZZZZZ	98	99	98	0
19	ZZZZZ	99	98	97	0
20	ZZZZZ	98	100	98	0
21	ZZZZZ	99	99	99	0
22	ZZZZZ	98	98	98	0
23	ZZZZZ	102	99	97	0
24	ZZZZZ	101	100	98	0

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: B16217T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/16/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0849

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	20PPB STD	96	99	99	0
02	L806163B	98	101	98	0
03	ZZZZZ	101	101	98	0
04	B806163B	101	100	97	0
05	ZZZZZ	100	100	97	0
06	ZZZZZ	100	100	97	0
07	ZZZZZ	98	99	98	0
08	49855-1	99	99	99	0
09	49855-2	102	99	97	0
10	49855-3	103	100	97	0
11	49855-4	99	99	98	0
12	49855-5	102	100	97	0
13	49855-5,MS	103	101	99	0
14	49855-5,MSD	105	101	98	0
15	49855-6	104	101	96	0
16	49855-7	102	100	96	0
17	49855-9	101	99	97	0
18	ZZZZZ	103	100	96	0
19	ZZZZZ	102	100	98	0
20	ZZZZZ	101	98	98	0
21	ZZZZZ	103	100	97	0
22	ZZZZZ	105	100	96	0
23					
24					

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806163B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	20	16.7	84		70-130
Chloromethane	20	21.6	108		70-130
Vinyl Chloride	20	18.6	93		70-130
Bromomethane	20	16.6	83		70-130
Chloroethane	20	18.8	94		70-130
t-Butyl alcohol	100	134.3	134	*	70-130
Trichlorofluoromethane	20	20.2	101		70-130
Diethyl ether	20	20.3	102		70-130
Acetone	20	24.8	124		70-130
1,1-Dichloroethene	20	20.1	101		70-130
Di-isopropyl ether	20	20.4	102		70-130
Methylene Chloride	20	17.0	85		70-130
Carbon Disulfide	20	18.8	94		70-130
Methyl-tert-butyl ether	40	43.4	109		70-130
Trans-1,2-Dichloroethene	20	20.7	103		70-130
1,1-Dichloroethane	20	20.5	102		70-130
Methyl ethyl ketone	20	24.1	120		70-130
Ethyl t-butyl ether	20	21.0	105		70-130
2,2-Dichloropropane	20	18.5	92		70-130
Cis-1,2-Dichloroethene	20	15.7	78		70-130
t-Amyl methyl ether	20	21.6	108		70-130
Chloroform	20	20.7	104		70-130
Bromochloromethane	20	21.0	105		70-130
Tetrahydrofuran	20	27.7	139	*	70-130
1,1,1-Trichloroethane	20	22.0	110		70-130
1,1-Dichloropropene	20	20.9	104		70-130
Carbon Tetrachloride	20	22.2	111		70-130
1,2-Dichloroethane	20	21.4	107		70-130
Benzene	20	19.9	100		70-130
Trichloroethene	20	22.6	113		70-130
1,2-Dichloropropane	20	21.6	108		70-130
Bromodichloromethane	20	23.1	115		70-130
Dibromomethane	20	21.8	109		70-130
2-Hexanone	20	25.4	127		70-130
Methyl isobutyl ketone	20	25.5	127		70-130
Cis-1,3-Dichloropropene	20	23.6	118		70-130
Toluene	20	20.6	103		70-130
Trans-1,3-Dichloropropene	20	24.0	120		70-130
1,1,2-Trichloroethane	20	22.6	113		70-130
1,3-Dichloropropane	20	21.8	109		70-130
Tetrachloroethene	20	21.8	109		70-130
Dibromochloromethane	20	22.9	115		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806163B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	20	23.0	115		70-130
Chlorobenzene	20	20.3	101		70-130
1,1,1,2-Tetrachloroethane	20	23.1	115		70-130
Ethylbenzene	20	20.1	100		70-130
M-,P-Xylene	40	40.3	101		70-130
O-Xylene	20	20.3	101		70-130
Styrene	20	20.7	104		70-130
Bromoform	20	24.8	124		70-130
Isopropylbenzene	20	19.3	97		70-130
1,1,2,2-Tetrachloroethane	20	22.2	111		70-130
1,2,3-Trichloropropane	20	22.1	111		70-130
N-Propylbenzene	20	20.2	101		70-130
Bromobenzene	20	20.5	103		70-130
1,3,5-Trimethylbenzene	20	20.2	101		70-130
2-Chlorotoluene	20	20.2	101		70-130
4-Chlorotoluene	20	20.3	101		70-130
Tert-Butylbenzene	20	20.3	101		70-130
1,2,4-Trimethylbenzene	20	20.4	102		70-130
Sec-Butylbenzene	20	20.6	103		70-130
P-Isopropyltoluene	20	19.7	99		70-130
1,3-Dichlorobenzene	20	20.3	101		70-130
1,4-Dichlorobenzene	20	19.8	99		70-130
N-Butylbenzene	20	19.6	98		70-130
1,2-Dichlorobenzene	20	20.2	101		70-130
1,2-Dibromo-3-chloropropane	20	25.6	128		70-130
1,2,4-Trichlorobenzene	20	20.5	102		70-130
Hexachlorobutadiene	20	21.0	105		70-130
Naphthalene	20	22.1	111		70-130
1,2,3-Trichlorobenzene	20	20.9	105		70-130
1,3,5-Trichlorobenzene	20	18.9	95		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 2 out of 71 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49855-5

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	MS CONC. ug/L	MS REC %	#	MSD CONC. ug/L	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	16.3	82		16.0	80		2		15	70-130
Chloromethane	20	U	22.6	113		22.5	113		0		15	70-130
Vinyl Chloride	20	U	19.2	96		19.9	100		4		15	70-130
Bromomethane	20	U	18.1	91		20.8	104		14		15	70-130
Chloroethane	20	U	20.0	100		20.0	100		0		15	70-130
t-Butyl alcohol	100	U	115.2	115		106.7	107		8		15	70-130
Trichlorofluoromethane	20	U	21.4	107		21.6	108		1		15	70-130
Diethyl ether	20	U	20.5	103		20.8	104		1		15	70-130
Acetone	20	U	24.2	121		23.0	115		5		15	70-130
1,1-Dichloroethene	20	U	21.2	106		21.5	107		2		15	70-130
Di-isopropyl ether	20	U	20.4	102		20.0	100		2		15	70-130
Methylene Chloride	20	U	16.4	82		15.8	79		4		15	70-130
Carbon Disulfide	20	U	19.3	97		19.4	97		0		15	70-130
Methyl-tert-butyl ether	40	U	42.4	106		41.8	105		1		15	70-130
Trans-1,2-Dichloroethene	20	U	21.5	108		22.0	110		2		15	70-130
1,1-Dichloroethane	20	U	21.2	106		21.1	105		1		15	70-130
Methyl ethyl ketone	20	U	22.9	114		30.3	152	*	28	*	15	70-130
Ethyl t-butyl ether	20	U	20.8	104		28.4	142	*	31	*	15	70-130
2,2-Dichloropropane	20	U	22.0	110		22.6	113		3		15	70-130
Cis-1,2-Dichloroethene	20	U	21.5	108		22.4	112		4		15	70-130
t-Amyl methyl ether	20	U	20.0	100		20.1	100		0		15	70-130
Chloroform	20	U	21.2	106		21.9	109		3		15	70-130
Bromochloromethane	20	U	20.6	103		21.0	105		2		15	70-130
Tetrahydrofuran	20	U	23.6	118		23.5	117		1		15	70-130
1,1,1-Trichloroethane	20	U	22.1	111		22.7	114		3		15	70-130
1,1-Dichloropropene	20	U	21.4	107		21.8	109		2		15	70-130
Carbon Tetrachloride	20	U	22.5	113		23.2	116		3		15	70-130
1,2-Dichloroethane	20	U	21.4	107		21.9	110		2		15	70-130
Benzene	20	U	20.2	101		20.4	102		1		15	70-130
Trichloroethene	20	U	22.6	113		22.8	114		1		15	70-130
1,2-Dichloropropane	20	U	21.5	108		21.8	109		1		15	70-130
Bromodichloromethane	20	U	22.2	111		22.7	114		2		15	70-130
Dibromomethane	20	U	20.8	104		20.9	105		1		15	70-130
2-Hexanone	20	U	21.5	108		20.8	104		3		15	70-130
Methyl isobutyl ketone	20	U	21.4	107		20.8	104		3		15	70-130
Cis-1,3-Dichloropropene	20	U	22.5	112		22.8	114		1		15	70-130
Toluene	20	U	20.0	100		20.2	101		1		15	70-130
Trans-1,3-Dichloropropene	20	U	22.1	111		22.3	111		1		15	70-130
1,1,2-Trichloroethane	20	U	21.1	105		21.1	105		0		15	70-130
1,3-Dichloropropane	20	U	20.7	103		20.7	104		0		15	70-130
Tetrachloroethene	20	U	20.8	104		21.0	105		1		15	70-130
Dibromochloromethane	20	U	21.1	105		21.4	107		2		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49855-5

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	MS CONC. ug/L	MS REC %	#	MSD CONC. ug/L	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	20.9	105		20.9	104		0		15	70-130
Chlorobenzene	20	U	19.7	98		19.5	98		1		15	70-130
1,1,1,2-Tetrachloroethane	20	U	21.5	108		21.7	108		1		15	70-130
Ethylbenzene	20	U	19.7	99		19.7	98		0		15	70-130
M-,P-Xylene	40	U	39.0	97		38.4	96		1		15	70-130
O-Xylene	20	U	19.5	98		19.4	97		1		15	70-130
Styrene	20	U	19.9	100		19.8	99		1		15	70-130
Bromoform	20	U	21.3	107		20.7	103		3		15	70-130
Isopropylbenzene	20	U	18.7	94		18.8	94		1		15	70-130
1,1,2,2-Tetrachloroethane	20	U	19.4	97		18.8	94		3		15	70-130
1,2,3-Trichloropropane	20	U	19.5	98		18.7	94		4		15	70-130
N-Propylbenzene	20	U	19.5	98		19.3	97		1		15	70-130
Bromobenzene	20	U	19.1	96		19.3	96		1		15	70-130
1,3,5-Trimethylbenzene	20	U	19.4	97		19.4	97		0		15	70-130
2-Chlorotoluene	20	U	19.3	96		19.6	98		2		15	70-130
4-Chlorotoluene	20	U	19.2	96		18.7	93		3		15	70-130
Tert-Butylbenzene	20	U	19.7	99		19.2	96		3		15	70-130
1,2,4-Trimethylbenzene	20	U	19.5	98		19.7	98		1		15	70-130
Sec-Butylbenzene	20	U	19.8	99		19.7	99		0		15	70-130
P-Isopropyltoluene	20	U	18.9	95		18.9	94		0		15	70-130
1,3-Dichlorobenzene	20	U	19.2	96		18.9	95		1		15	70-130
1,4-Dichlorobenzene	20	U	18.7	93		19.1	96		2		15	70-130
N-Butylbenzene	20	U	19.2	96		19.5	98		2		15	70-130
1,2-Dichlorobenzene	20	U	18.8	94		19.1	95		1		15	70-130
1,2-Dibromo-3-chloropropane	20	U	20.5	102		20.8	104		2		15	70-130
1,2,4-Trichlorobenzene	20	U	18.6	93		19.0	95		2		15	70-130
Hexachlorobutadiene	20	U	20.1	100		20.9	105		4		15	70-130
Naphthalene	20	U	18.4	92		18.9	94		2		15	70-130
1,2,3-Trichlorobenzene	20	U	18.2	91		19.0	95		4		15	70-130
1,3,5-Trichlorobenzene	20	U	17.6	88		18.1	91		3		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 2 out of 71 outside limits

Spike Recovery: 2 out of 142 outside limits

Comments: _____

_____

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4495 Exp: 6.2003

Voltage 1918

Threshold 100

GSM 061203-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-B+061203-1-JR							
1	V8061230	Blank	5mL		System Cond.	B16116	GSM	
1		Blank			↓	17		
2		BFB 50ng/mL V4487		✓		18	T	
3		1PPB 0.25mL V4496 V4492		✓		19	SI	
4		2PPB 0.5mL		✓		20	SI	
5		5PPB 1.25mL		✓		21	SI	
6		20PPB 5mL		✓		22	SI	
7		50PPB 12.5mL		✓		23	SI	
8		100PPB 25mL		✓		24	ST	
9		Blank				25		
10		L806123B V4497 V4493		✓	All ON	26	Q	
11		L806123B2			MEOH 1487.	27	Q	
12		B806123B		✓		28	B	
13		49819-4	5mL	✓		29		<2
14		49830-2		✓		30		<2
15		49801-5		✓		31		<2
16		49786-3		✓		32		<2
17		49824-1		✓	MM 2.5mL	33		<2
18		-1 MS		✓	All ON	34	SP	<2
19		-1 MSD		✓		35	SP	<2
20		-2	25mL	✓		36		<2
21		-3	25mL	✓		37		<2
22		-4	5mL	✓		38		<2
23		-5	100mL	✓		39		<2
24		49830-1	5mL	✓		40		<2
25		49832-1		✓		41		<2
26		-2			*Out of Hdw. MM 5mL	42		<2
27		Blank	5mL	✓	Clean	43		
28		BFB 50ng/mL V4487		✓		44	T	1044
29		20PPB 5mL V4496 V4492		✓		45	SC	

(CONT.)

Revision: 04/30/02

DB

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4495 Exp: 6-20-03

Voltage 1918

Threshold 100

061603-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		W-VS-061603-1-DB						
1	1806123B	Blank	5mL			B162216		
2		50ng 2uL V4487		✓		17	T	
3		20PPB 5mL V4496 V4492		✓		18	SC	
4		L806163B V4497 V4493			TBA 134%. TFF 139%.	19	Q	
5		Bromoform		✓		20		
6		B806163B	↓	✓		21	B	
7		49838-5	5mL	✓		22		<2
8		49843-8	↓	✓		23		<2
9		49829-8	5mL	✓		24		<2
10		49855-1		✓		25		<2
11		-2		✓		26		<2
12		-3		✓		27		<2
13		-4		✓		28		<2
14		-5		✓		29		<2
15		-5MS			2MeV, Edge ↑	30sp		<2
16		-5MSD			5	31sp		<2
17		-6		✓		32		<2
18		-7		✓		33		<2
19		-9		✓		34		<2
20		~~49838-1~~ 49824-9		✓		35		<2
21		~~-2~~ ↓ -12	↓	✓		36		<2
22		~~-3~~ 49840-3	250uL	✓		37		<2
23		~~-4~~ ↓ -11	5mL	✓		38		<2
24		49848-1	500uL		MS 5mL - CV potential.	39		<2
25		50ng 2uL V4487	5mL	✓		40	T	
26		20PPB 5mL V4496 V4492		✓		41	SC	
27		L806163B2 V4497 V4493			2MeV, Edge ↑	42	Q	
28		L806163B3 ↓			5	43	Q	
29		B806163B2	↓	✓		44	B	
30	↓	49843-2	1mL	✓		45	↓	<2

941

Revision: 04/30/02

[0261]

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: B16118T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/12/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0928

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.3
75	30.0 - 60.0% of mass 95	42.9
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.2 (0.3)1
174	Greater than 50% of mass 95	67.9
175	5.0 - 9.0% of mass 174	4.8 (7.0)1
176	>95.0 - <101.0% of mass 174	65.1 (96.0)1
177	5.0 - 9.0% of mass 176	4.5 (6.9)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	1PPB STD	1PPB STD	B16119SI.D	06/12/03	9:59
02	2PPB STD	2PPB STD	B16120SI.D	06/12/03	10:30
03	5PPB STD	5PPB STD	B16121SI.D	06/12/03	11:01
04	20PPB STD	20PPB STD	B16122SI.D	06/12/03	11:31
05	50PPB STD	50PPB STD	B16123SI.D	06/12/03	12:02
06	100PPB STD	100PPB STD	B16124SI.D	06/12/03	12:33
07	ZZZZZ	ZZZZZ	B16125.D	06/12/03	13:03
08	ZZZZZ	ZZZZZ	B16126Q.D	06/12/03	13:34
09	ZZZZZ	ZZZZZ	B16127Q.D	06/12/03	14:05
10	ZZZZZ	ZZZZZ	B16128B.D	06/12/03	14:35
11	ZZZZZ	ZZZZZ	B16129.D	06/12/03	15:06
12	ZZZZZ	ZZZZZ	B16130.D	06/12/03	15:37
13	ZZZZZ	ZZZZZ	B16131.D	06/12/03	16:07
14	ZZZZZ	ZZZZZ	B16132.D	06/12/03	16:38
15	ZZZZZ	ZZZZZ	B16133.D	06/12/03	17:08
16	ZZZZZ	ZZZZZ	B16134SP.D	06/12/03	17:39
17	ZZZZZ	ZZZZZ	B16135SP.D	06/12/03	18:09
18	ZZZZZ	ZZZZZ	B16136.D	06/12/03	18:40
19	ZZZZZ	ZZZZZ	B16137.D	06/12/03	19:10
20	ZZZZZ	ZZZZZ	B16138.D	06/12/03	19:41
21	ZZZZZ	ZZZZZ	B16139.D	06/12/03	20:11
22	ZZZZZ	ZZZZZ	B16140.D	06/12/03	20:42
23	ZZZZZ	ZZZZZ	B16141.D	06/12/03	21:12

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: B16217T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/16/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0849

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	20.1
75	30.0 - 60.0% of mass 95	43.9
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	68.0
175	5.0 - 9.0% of mass 174	4.8 (7.1)1
176	>95.0 - <101.0% of mass 174	65.3 (95.9)1
177	5.0 - 9.0% of mass 176	4.7 (6.4)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B16218SC.D	06/16/03	9:20
02	L806163B	L806163B	B16219Q.D	06/16/03	9:51
03	ZZZZZ	ZZZZZ	B16220.D	06/16/03	10:23
04	B806163B	B806163B	B16221B.D	06/16/03	10:56
05	ZZZZZ	ZZZZZ	B16222.D	06/16/03	11:31
06	ZZZZZ	ZZZZZ	B16223.D	06/16/03	12:01
07	ZZZZZ	ZZZZZ	B16224.D	06/16/03	12:32
08	49855-1	49855-1	B16225.D	06/16/03	13:02
09	49855-2	49855-2	B16226.D	06/16/03	13:33
10	49855-3	49855-3	B16227.D	06/16/03	14:04
11	49855-4	49855-4	B16228.D	06/16/03	14:34
12	49855-5	49855-5	B16229.D	06/16/03	15:05
13	49855-5,MS	49855-5,MS	B16230.D	06/16/03	15:36
14	49855-5,MSD	49855-5,MSD	B16231.D	06/16/03	16:06
15	49855-6	49855-6	B16232.D	06/16/03	16:37
16	49855-7	49855-7	B16233.D	06/16/03	17:07
17	49855-9	49855-9	B16234.D	06/16/03	17:38
18	ZZZZZ	ZZZZZ	B16235.D	06/16/03	18:08
19	ZZZZZ	ZZZZZ	B16236.D	06/16/03	18:39
20	ZZZZZ	ZZZZZ	B16237.D	06/16/03	19:10
21	ZZZZZ	ZZZZZ	B16238.D	06/16/03	19:40
22	ZZZZZ	ZZZZZ	B16239.D	06/16/03	20:11
23					

C:\HPCHEM\1\DATA\061203-B\B16125.D
Method File **V806123B**
Level 1 File Name **B16119SI.D**
Level 2 File Name **B16120SI.D**
Level 3 File Name **B16121SI.D**
Level 4 File Name **B16122SI.D**
Level 5 File Name **B16123SI.D**
Level 6 File Name **B16124SI.D**

Name	LEVEL 1 RF	LEVEL 2 RF	LEVEL 3 RF	LEVEL 4 RF	LEVEL 5 RF	LEVEL 6 RF	AVG RF
Dichlorodifluoromethane	0.693	0.715	0.724	0.750	0.735	0.683	3.5%
Chloromethane	0.555	0.571	0.555	0.577	0.562	0.547	2.0%
Vinyl Chloride	0.397	0.384	0.338	0.282	0.273	0.237	20.3%
Bromomethane	0.168	0.185	0.198	0.230	0.251	0.240	15.6%
Chloroethane	0.285	0.295	0.252	0.261	0.250	0.222	10.1%
t-Butyl alcohol (TBA)	0.027	0.027	0.027	0.033	0.034	0.035	12.1%
Trichlorofluoromethane	0.489	0.527	0.533	0.578	0.556	0.541	5.6%
Diethyl ether	0.189	0.175	0.172	0.187	0.178	0.175	3.9%
1,1,2-Trichlorotrifluoroethane	0.337	0.323	0.306	0.343	0.322	0.305	4.9%
Acrolein	0.076	0.074	0.075	0.085	0.081	0.079	5.2%
Acetone	0.127	0.118	0.111	0.124	0.118	0.116	4.9%
1,1-Dichloroethene	0.319	0.300	0.288	0.318	0.308	0.300	3.9%
Methyl iodide	0.381	0.394	0.442	0.564	0.604	0.562	19.7%
Di-isopropyl ether (DIPE)	1.476	1.312	1.263	1.383	1.331	1.284	5.8%
Methylene Chloride	0.530	0.415	0.417	0.391	0.384	0.000	13.8%
Carbon Disulfide	0.806	0.813	0.827	0.966	0.957	0.955	8.9%
Acrylonitrile	0.126	0.127	0.121	0.140	0.138	0.138	6.1%
Methyl-tert-butyl ether (MTBE	0.945	0.870	0.861	0.952	0.916	0.903	4.1%
trans-1,2-Dichloroethene	0.324	0.307	0.306	0.333	0.321	0.315	3.3%
1,1-Dichloroethane	0.648	0.612	0.592	0.645	0.628	0.614	3.4%
Vinyl acetate	0.028	0.029	0.034	0.041	0.039	0.040	15.8%
Methyl ethyl ketone	0.038	0.037	0.037	0.043	0.045	0.043	8.9%
Ethyl t-butyl ether (ETBE)	1.296	1.178	1.158	1.267	1.236	1.196	4.7%
2,2-Dichloropropane	0.524	0.490	0.493	0.487	0.578	0.569	7.9%
cis-1,2-Dichloroethene	0.540	0.493	0.487	0.497	0.527	0.524	4.3%
t-Amyl methyl ether (TAME)	1.490	1.405	1.404	1.541	1.505	1.471	3.7%
Chloroform	0.874	0.818	0.792	0.870	0.853	0.842	3.8%
Bromochloromethane	0.286	0.264	0.267	0.295	0.287	0.283	4.4%
Tetrahydrofuran	0.054	0.047	0.053	0.064	0.062	0.063	11.9%
1,1,1-Trichloroethane	0.592	0.583	0.580	0.649	0.653	0.649	5.8%
1,1-Dichloropropene	0.760	0.726	0.696	0.784	0.762	0.742	4.1%
Carbon Tetrachloride	0.448	0.446	0.442	0.517	0.532	0.526	9.0%
1,2-Dichloroethane	0.706	0.689	0.663	0.721	0.701	0.694	2.8%
Benzene	2.421	2.272	2.180	2.341	2.248	2.140	4.6%
Trichloroethene	0.310	0.290	0.285	0.314	0.303	0.299	3.7%
1,2-Dichloropropane	0.357	0.343	0.333	0.371	0.359	0.353	3.8%
Methylmethacrylate	0.243	0.236	0.238	0.276	0.266	0.265	6.6%
Bromodichloromethane	0.305	0.306	0.313	0.365	0.369	0.377	10.1%
Dibromomethane	0.209	0.208	0.203	0.226	0.218	0.220	4.1%
2-Chloroethylvinyl ether	0.001	0.002	0.002	0.002	-1.000	0.000	29.8%
2-Hexanone	0.149	0.143	0.146	0.166	0.153	0.146	5.6%
Methyl isobutyl ketone	0.143	0.139	0.141	0.159	0.150	0.143	5.2%
cis-1,3-Dichloropropene	0.443	0.437	0.452	0.528	0.531	0.531	9.7%
Toluene	0.764	0.719	0.699	0.763	0.736	0.725	3.5%
trans-1,3-Dichloropropene	0.345	0.350	0.367	0.447	0.456	0.454	13.5%
1,1,2-Trichloroethane	0.266	0.260	0.251	0.274	0.262	0.251	3.3%
1,3-Dichloropropane	0.567	0.532	0.528	0.580	0.557	0.546	3.7%
Tetrachloroethene	0.301	0.284	0.268	0.293	0.287	0.286	3.8%
Dibromochloromethane	0.244	0.235	0.250	0.309	0.311	0.318	13.8%
1,2-Dibromoethane	0.299	0.307	0.298	0.339	0.332	0.327	5.7%
Chlorobenzene	0.937	0.867	0.857	0.927	0.899	0.874	3.7%
1,1,1,2-Tetrachloroethane	0.255	0.250	0.257	0.294	0.296	0.292	8.0%
Ethylbenzene	1.624	1.533	1.488	1.603	1.547	1.480	3.8%
m,p-Xylene	0.577	0.562	0.535	0.579	0.568	0.540	3.4%
o-Xylene	0.546	0.531	0.526	0.570	0.561	0.545	3.1%
Styrene	0.946	0.927	0.937	1.021	1.008	0.971	4.0%
Bromoform	0.143	0.147	0.159	0.210	0.219	0.220	20.3%
Isopropylbenzene	1.395	1.322	1.306	1.428	1.400	1.342	3.6%
1,1,2,2-Tetrachloroethane	0.498	0.472	0.472	0.513	0.490	0.474	3.5%
1,2,3-Trichloropropane	0.398	0.373	0.371	0.388	0.365	0.355	4.2%
trans-1,4-Dichloro-2-butene	0.136	0.129	0.134	0.163	0.157	0.150	9.3%
n-Propylbenzene	1.764	1.715	1.689	1.844	1.811	1.749	3.3%
Bromobenzene	0.374	0.358	0.349	0.375	0.372	0.363	2.9%
1,3,5-Trimethylbenzene	1.047	1.036	1.017	1.105	1.082	1.050	3.1%
2-Chlorotoluene	1.225	1.140	1.133	1.201	1.164	1.142	3.2%
4-Chlorotoluene	1.112	1.084	1.058	1.148	1.136	1.070	3.3%
tert-butylbenzene	0.888	0.843	0.842	0.916	0.910	0.882	3.6%
1,2,4-Trimethylbenzene	1.173	1.107	1.090	1.172	1.145	1.110	3.2%
sec-butylbenzene	1.277	1.221	1.214	1.334	1.325	1.303	4.0%
p-isopropyltoluene	0.987	0.975	0.984	1.083	1.074	1.062	4.9%
1,3-Dichlorobenzene	0.680	0.636	0.626	0.676	0.675	0.667	3.5%
1,4-Dichlorobenzene	1.411	1.309	1.303	1.399	1.369	1.350	3.3%
n-butylbenzene	1.971	1.900	1.898	2.088	2.053	2.017	4.0%
1,2-Dichlorobenzene	1.300	1.212	1.206	1.299	1.278	1.256	3.3%
1,2-Dibromo-3-chloropropane	0.118	0.108	0.116	0.143	0.141	0.146	13.0%
1,2,4-Trichlorobenzene	0.704	0.641	0.652	0.714	0.710	0.725	5.1%
Hexachlorobutadiene	0.180	0.173	0.169	0.179	0.179	0.182	2.9%
Naphthalene	2.162	2.041	2.094	2.337	2.243	2.296	5.3%
1,2,3-Trichlorobenzene	0.624	0.612	0.610	0.666	0.652	0.672	4.3%
1,3,5-Trichlorobenzene	0.710	0.711	0.691	0.765	0.765	0.775	4.9%

CURVE AVG RF **6.5%**

6.13.03

VMK 6/13/03

Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:29 2003
Response via : Initial Calibration

6.13.03

VMT 6/13/03

Calibration Files
1 =B16119SI.D 2 =B16120SI.D 5 =B16121SI.D
20 =B16122SI.D 50 =B16123SI.D 100 =B16124SI.D

		Compound	1	2	5	20	50	100	Avg	%R
1)	I	Pentafluorobenzene	ISTD							
2)	TM	Dichlorodifluoromet	0.693	0.715	0.724	0.750	0.735	0.683	0.716	3.5
3)	TMP	Chloromethane	0.555	0.571	0.555	0.577	0.562	0.547	0.561	1.9
4)	TMC	Vinyl Chloride	0.397	0.384	0.338	0.282	0.273	0.237	0.319	20.3
5)	TM	Bromomethane	0.168	0.185	0.198	0.230	0.251	0.240	0.212	15.5
6)	TM	Chloroethane	0.285	0.295	0.252	0.261	0.250	0.222	0.261	10.0
7)	TM	t-Butyl alcohol (TB	0.027	0.027	0.027	0.033	0.034	0.035	0.031#	12.0
8)	TM	Trichlorofluorometh	0.489	0.527	0.533	0.578	0.556	0.541	0.537	5.5
9)	TM	Diethyl ether	0.189	0.175	0.172	0.187	0.178	0.175	0.179	3.9
10)	T	1,1,2-Trichlorotrif	0.337	0.323	0.306	0.343	0.322	0.305	0.323	4.8
11)	T	Acrolein	0.076	0.074	0.075	0.085	0.081	0.079	0.078#	5.2
12)	TM	Acetone	0.127	0.118	0.111	0.124	0.118	0.116	0.119	4.9
13)	TMC	1,1-Dichloroethene	0.319	0.300	0.288	0.318	0.308	0.300	0.306	3.9
14)	T	Methyl iodide	0.381	0.394	0.442	0.564	0.604	0.562	0.491	19.7
15)	TM	Di-isopropyl ether	1.476	1.312	1.263	1.383	1.331	1.284	1.342	5.8
16)	TM	Methylene Chloride		0.530	0.415	0.417	0.391	0.384	0.427	13.8
17)	TM	Carbon Disulfide	0.806	0.813	0.827	0.966	0.957	0.955	0.887	8.9
18)	T	Acrylonitrile	0.126	0.127	0.121	0.140	0.138	0.138	0.132	6.1
19)	TM	Methyl-tert-butyl e	0.945	0.870	0.861	0.952	0.916	0.903	0.908	4.1
20)	TM	trans-1,2-Dichloroe	0.324	0.307	0.306	0.333	0.321	0.315	0.317	3.2
21)	TMP	1,1-Dichloroethane	0.648	0.612	0.592	0.645	0.628	0.614	0.623	3.4
22)	T	Vinyl acetate	0.028	0.029	0.034	0.041	0.039	0.040	0.035#	15.7
23)	TM	Methyl ethyl ketone	0.038	0.037	0.037	0.043	0.045	0.043	0.040#	8.8
24)	TM	Ethyl t-butyl ether	1.296	1.178	1.158	1.287	1.236	1.196	1.225	4.6
25)	TM	2,2-Dichloropropane	0.524	0.490	0.493	0.487	0.578	0.569	0.524	7.8
26)	TM	cis-1,2-Dichloroeth	0.540	0.493	0.487	0.497	0.527	0.524	0.511	4.2
27)	TM	t-Amyl methyl ether	1.490	1.405	1.404	1.541	1.505	1.471	1.469	3.7
28)	T	NO COUMPOUND							0.000#	-1.0
29)	TMC	Chloroform	0.874	0.818	0.792	0.870	0.853	0.842	0.841	3.7
30)	TM	Bromochloromethane	0.286	0.264	0.267	0.295	0.287	0.283	0.280	4.3
31)	TM	Tetrahydrofuran	0.054	0.047	0.053	0.064	0.062	0.063	0.057#	11.9
32)	TM	1,1,1-Trichloroetha	0.592	0.583	0.580	0.649	0.653	0.649	0.618	5.8
33)	T	NO COMPOUND							0.000#	-1.0
34)	TM	1,1-Dichloropropene	0.760	0.726	0.696	0.784	0.762	0.742	0.745	4.1
35)	TM	Carbon Tetrachlorid	0.448	0.446	0.442	0.517	0.532	0.526	0.485	9.0
36)	S	d4-1,2-Dichloroetha	0.595	0.598	0.597	0.606	0.603	0.614	0.602	1.1
37)	TM	1,2-Dichloroethane	0.706	0.689	0.663	0.721	0.701	0.694	0.696	2.8
38)	TM	Benzene	2.421	2.272	2.180	2.341	2.248	2.140	2.267	4.5
39)	I	1,4-Difluorobenzene	ISTD							
40)	TM	Trichloroethene	0.310	0.290	0.285	0.314	0.303	0.299	0.300	3.6
41)	TMC	1,2-Dichloropropane	0.357	0.343	0.333	0.371	0.359	0.353	0.353	3.7
42)	T	Methylmethacrylate	0.243	0.236	0.238	0.276	0.266	0.265	0.254	6.6

(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:29 2003
Response via : Initial Calibration

Calibration Files
1 =B16119SI.D 2 =B16120SI.D 5 =B16121SI.D
20 =B16122SI.D 50 =B16123SI.D 100 =B16124SI.D

		Compound	1	2	5	20	50	100	Avg	%R
43)	T	NO COMPOUND							0.000#	-1.0
44)	T	NO COMPOUND							0.000#	-1.0
45)	TM	Bromodichloromethan	0.305	0.306	0.313	0.365	0.369	0.377	0.339	10.1
46)	TM	Dibromomethane	0.209	0.208	0.203	0.226	0.218	0.220	0.214	4.1
47)	T	NO COMPOUND							0.000#	-1.0
48)	T	NO COMPOUND							0.000#	-1.0
49)	T	NO COMPOUND							0.000#	-1.0
50)	T	2-Chloroethylvinyl			0.001	0.002	0.002	0.002	0.002#	29.8
51)	TM	2-Hexanone	0.149	0.143	0.146	0.166	0.153	0.146	0.151	5.5
52)	TM	Methyl isobutyl ket	0.143	0.139	0.141	0.159	0.150	0.143	0.146	5.2
53)	TM	cis-1,3-Dichloropro	0.443	0.437	0.452	0.528	0.531	0.531	0.487	9.7
54)	S	d8-Toluene	1.167	1.180	1.177	1.179	1.182	1.202	1.181	0.9
55)	TMC	Toluene	0.764	0.719	0.699	0.763	0.736	0.725	0.734	3.4
56)	TM	trans-1,3-Dichlorop	0.345	0.350	0.367	0.447	0.456	0.454	0.403	13.5
57)	T	NO COMPOUND							0.000#	-1.0
58)	TM	1,1,2-Trichloroetha	0.266	0.260	0.251	0.274	0.262	0.251	0.261	3.3
59)	TM	1,3-Dichloropropane	0.567	0.532	0.528	0.580	0.557	0.546	0.552	3.7
60)	TM	Tetrachloroethene	0.301	0.284	0.268	0.293	0.287	0.286	0.286	3.8
61)	TM	Dibromochloromethan	0.244	0.235	0.250	0.309	0.311	0.318	0.278	13.7
62)	TM	1,2-Dibromoethane	0.299	0.307	0.298	0.339	0.332	0.327	0.317	5.6
63)	I	*d5-Chlorobenzene	ISTD							
64)	TMP	Chlorobenzene	0.937	0.867	0.857	0.927	0.899	0.874	0.894	3.7
65)	TM	1,1,1,2-Tetrachloro	0.255	0.250	0.257	0.294	0.296	0.292	0.274	7.9
66)	TMC	Ethylbenzene	1.624	1.533	1.488	1.603	1.547	1.480	1.546	3.8
67)	TM	m,p-Xylene	0.577	0.562	0.535	0.579	0.568	0.540	0.560	3.3
68)	TM	o-Xylene	0.546	0.531	0.526	0.570	0.561	0.545	0.546	3.1
69)	TM	Styrene	0.946	0.927	0.937	1.021	1.008	0.971	0.968	4.0
70)	TMP	Bromoform	0.143	0.147	0.159	0.210	0.219	0.220	0.183	20.2
71)	TM	Isopropylbenzene	1.395	1.322	1.306	1.428	1.400	1.342	1.365	3.5
72)	TMP	1,1,2,2-Tetrachloro	0.498	0.472	0.472	0.513	0.490	0.474	0.486	3.4
73)	S	Bromofluorobenzene	0.542	0.542	0.546	0.541	0.544	0.549	0.544	0.5
74)	TM	1,2,3-Trichloroprop	0.398	0.373	0.371	0.388	0.365	0.355	0.375	4.1
75)	T	trans-1,4-Dichloro-	0.138	0.129	0.134	0.163	0.157	0.150	0.145	9.3
76)	TM	n-Propylbenzene	1.764	1.715	1.689	1.844	1.811	1.749	1.762	3.2
77)	TM	Bromobenzene	0.374	0.358	0.349	0.375	0.372	0.363	0.365	2.9
78)	TM	1,3,5-Trimethylbenz	1.047	1.036	1.017	1.105	1.082	1.050	1.056	3.0
79)	TM	2-Chlorotoluene	1.225	1.140	1.133	1.201	1.164	1.142	1.167	3.2
80)	TM	4-Chlorotoluene	1.112	1.084	1.058	1.148	1.136	1.070	1.101	3.3
81)	TM	tert-butylbenzene	0.888	0.843	0.842	0.916	0.910	0.882	0.880	3.6
82)	TM	1,2,4-Trimethylbenz	1.173	1.107	1.090	1.172	1.145	1.110	1.133	3.1
83)	T	NO COMPOUND							0.000#	-1.0
84)	TM	sec-butylbenzene	1.277	1.221	1.214	1.334	1.325	1.303	1.279	4.0
85)	TM	p-isopropyltoluene	0.987	0.975	0.984	1.083	1.074	1.062	1.028	4.9

(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:29 2003
Response via : Initial Calibration

Calibration Files
1 =B16119SI.D 2 =B16120SI.D 5 =B16121SI.D
20 =B16122SI.D 50 =B16123SI.D 100 =B16124SI.D

		Compound	1	2	5	20	50	100	Avg	%R
86)	TM	1,3-Dichlorobenzene	0.680	0.636	0.626	0.676	0.675	0.667	0.660	3.4
87)	I	1,4-Dichlorobenzene-d	ISTD							
88)	TM	1,4-Dichlorobenzene	1.411	1.309	1.303	1.399	1.369	1.350	1.357	3.3
89)	TM	n-butylbenzene	1.971	1.900	1.898	2.088	2.053	2.017	1.988	3.9
90)	TM	1,2-Dichlorobenzene	1.300	1.212	1.206	1.299	1.278	1.256	1.259	3.3
91)	T	NO COMPOUND							0.000#	-1.0
92)	TM	1,2-Dibromo-3-chlor	0.118	0.108	0.116	0.143	0.141	0.146	0.129	13.0
93)	T	NO COMPOUND							0.000#	-1.0
94)	TM	1,2,4-Trichlorobenz	0.704	0.641	0.652	0.714	0.710	0.725	0.691	5.1
95)	TM	Hexachlorobutadiene	0.180	0.173	0.169	0.179	0.179	0.182	0.177	2.8
96)	TM	Naphthalene	2.162	2.041	2.094	2.337	2.243	2.296	2.196	5.2
97)	TM	1,2,3-Trichlorobenz	0.624	0.612	0.610	0.666	0.652	0.672	0.639	4.3
98)	TM	1,3,5-Trichlorobenz	0.710	0.711	0.691	0.765	0.765	0.775	0.736	4.9

(#) = Out of Range

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16119SI.D Vial: 3
Acq On : 12 Jun 2003 9:59 am Operator: JR
Sample : 1PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:10 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

6-13-03
VMT 6/13/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	346057	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	635616	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	582868	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	291752	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.85	65	206062	18.37	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 91.85%			
54) d8-Toluene	10.81	98	742077	19.57	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 97.85%			
73) Bromofluorobenzene	15.09	95	316142	19.64	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.20%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	11985	1.01	ug/L	97
3) Chloromethane	1.83	50	9602	0.96	ug/L	85
4) Vinyl Chloride	1.94	62	6876	1.40	ug/L	97
5) Bromomethane	2.39	94	2903	0.94	ug/L	100
6) Chloroethane	2.48	64	4935	1.23	ug/L	85
7) t-Butyl alcohol (TBA)	3.77	59	2363	3.35	ug/L #	73
8) Trichlorofluoromethane	2.78	101	8465	0.92	ug/L	96
9) Diethyl ether	3.16	74	3267	1.06	ug/L #	86
10) 1,1,2-Trichlorotrifluoroet	3.35	101	5838	1.06	ug/L	99
11) Acrolein	3.32	56	6586	4.71	ug/L	88
12) Acetone	3.43	43	11009	4.71	ug/L	99
13) 1,1-Dichloroethene	3.59	96	5521	1.07	ug/L	98
14) Methyl iodide	4.02	142	6592	0.76	ug/L #	91
15) Di-isopropyl ether (DIPE)	5.41	45	25545	1.12	ug/L	99
16) Methylene Chloride	4.34	84	12584	1.74	ug/L	96
17) Carbon Disulfide	4.31	76	13950	0.93	ug/L	100
18) Acrylonitrile	4.55	53	2186	0.87	ug/L #	89
19) Methyl-tert-butyl ether (M	4.65	73	16347	1.01	ug/L	100
20) trans-1,2-Dichloroethene	4.81	96	5604	1.03	ug/L	95
21) 1,1-Dichloroethane	5.51	63	11206	1.02	ug/L	95
22) Vinyl acetate	5.56	86	482	0.79	ug/L #	1
23) Methyl ethyl ketone	6.24	72	3312	4.39	ug/L	85
24) Ethyl t-butyl ether (ETBE)	6.07	59	22423	1.07	ug/L	99
25) 2,2-Dichloropropane	6.40	77	9062	1.10	ug/L	99
26) cis-1,2-Dichloroethene	6.48	96	9345	1.40	ug/L	97
27) t-Amyl methyl ether (TAME)	7.84	73	25778	0.99	ug/L	97
29) Chloroform	6.73	83	15121	1.11	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16119SI.D Vial: 3
Acq On : 12 Jun 2003 9:59 am Operator: JR
Sample : 1PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:10 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
30)	Bromochloromethane	6.97	128	4947	1.03 ug/L	#	83
31)	Tetrahydrofuran	7.07	71	940	0.78 ug/L		81
32)	1,1,1-Trichloroethane	7.35	97	10251	0.94 ug/L		89
34)	1,1-Dichloropropene	7.60	75	13151	1.04 ug/L		94
35)	Carbon Tetrachloride	7.74	119	7747	0.93 ug/L		93
37)	1,2-Dichloroethane	8.00	62	12221	0.99 ug/L		99
38)	Benzene	8.00	78	41889	1.08 ug/L		98
40)	Trichloroethene	8.96	95	9850	1.06 ug/L		95
41)	1,2-Dichloropropane	9.23	63	11357	1.00 ug/L		98
42)	Methylmethacrylate	9.38	69	7709	0.89 ug/L		96
45)	Bromodichloromethane	9.58	83	9686	0.88 ug/L		100
46)	Dibromomethane	9.65	93	6644	0.97 ug/L		95
51)	2-Hexanone	11.51	58	23745	4.32 ug/L		99
52)	Methyl isobutyl ketone	10.16	58	22765	4.35 ug/L	#	74
53)	cis-1,3-Dichloropropene	10.44	75	14079	0.91 ug/L		98
55)	Toluene	10.93	92	24270	1.06 ug/L		99
56)	trans-1,3-Dichloropropene	11.22	75	10974	0.85 ug/L		96
58)	1,1,2-Trichloroethane	11.46	83	8464	1.00 ug/L		95
59)	1,3-Dichloropropane	11.85	76	18031	1.02 ug/L		93
60)	Tetrachloroethene	11.94	166	9551	1.10 ug/L		95
61)	Dibromochloromethane	12.25	129	7760	0.90 ug/L		100
62)	1,2-Dibromoethane	12.55	107	9493	0.94 ug/L		94
64)	Chlorobenzene	13.22	112	27315	1.07 ug/L		93
65)	1,1,1,2-Tetrachloroethane	13.29	131	7438	0.96 ug/L		94
66)	Ethylbenzene	13.31	91	47336	1.06 ug/L		100
67)	m,p-Xylene	13.44	106	33643	2.09 ug/L		99
68)	o-Xylene	14.12	106	15924	1.02 ug/L		98
69)	Styrene	14.18	104	27583	1.00 ug/L		94
70)	Bromoform	14.69	173	4179	0.74 ug/L		94
71)	Isopropylbenzene	14.70	105	40660	1.05 ug/L		98
72)	1,1,2,2-Tetrachloroethane	14.97	83	14522	0.97 ug/L		95
74)	1,2,3-Trichloropropane	15.19	75	11598	1.01 ug/L	#	90
75)	trans-1,4-Dichloro-2-buten	15.32	53	4028	0.87 ug/L	#	84
76)	n-Propylbenzene	15.34	91	51413	1.01 ug/L		98
77)	Bromobenzene	15.39	156	10914	1.07 ug/L		90
78)	1,3,5-Trimethylbenzene	15.60	105	30527	1.01 ug/L		97
79)	2-Chlorotoluene	15.62	91	35695	1.04 ug/L		97
80)	4-Chlorotoluene	15.70	91	32406	1.04 ug/L		96
81)	tert-butylbenzene	16.17	119	25880	1.05 ug/L		99
82)	1,2,4-Trimethylbenzene	16.23	105	34182	1.07 ug/L		98
84)	sec-butylbenzene	16.52	105	37214	0.98 ug/L		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16119SI.D Vial: 3
Acq On : 12 Jun 2003 9:59 am Operator: JR
Sample : 1PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:10 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B


Compound	R.T.	QIon	Response	Conc Unit	Qvalue
85) p-isopropyltoluene	16.74	119	28757	0.98 ug/L	98
86) 1,3-Dichlorobenzene	16.88	146	19822	1.08 ug/L	98
88) 1,4-Dichlorobenzene	17.05	146	20582	1.06 ug/L	99
89) n-butylbenzene	17.40	91	28750	0.98 ug/L	96
90) 1,2-Dichlorobenzene	17.65	146	18963	1.05 ug/L	98
92) 1,2-Dibromo-3-chloropropan	18.92	75	1718	0.80 ug/L	89
94) 1,2,4-Trichlorobenzene	20.38	180	10263	1.05 ug/L	94
95) Hexachlorobutadiene	20.63	225	2631	1.07 ug/L	95
96) Naphthalene	20.80	128	31543	0.94 ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	9099	0.97 ug/L	98
98) 1,3,5-Trichlorobenzene	19.34	180	10358	0.99 ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061203-B\B16119SI.D Vial: 3
Acq On : 12 Jun 2003 9:59 am Operator: JR
Sample : 1PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:10 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16120SI.D Vial: 4
Acq On : 12 Jun 2003 10:30 am Operator: JR
Sample : 2PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:10 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

6-13-03
JMK 6/13/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	347936	20.00	ug/L	0.01
39) 1,4-Difluorobenzene	8.47	114	629844	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	576895	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	16.99	152	291630	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	208145	18.45	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 92.25%			
54) d8-Toluene	10.81	98	743273	19.78	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.90%			
73) Bromofluorobenzene	15.09	95	312571	19.62	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.10%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	24862	2.08	ug/L	95
3) Chloromethane	1.84	50	19855	1.98	ug/L	95
4) Vinyl Chloride	1.94	62	13361	2.70	ug/L	99
5) Bromomethane	2.39	94	6446	2.08	ug/L	93
6) Chloroethane	2.48	64	10263	2.53	ug/L	99
8) Trichlorofluoromethane	2.78	101	18328	1.98	ug/L	90
9) Diethyl ether	3.17	74	6087	1.97	ug/L	94
10) 1,1,2-Trichlorotrifluoroet	3.37	101	11251	2.02	ug/L	98
12) Acetone	3.42	43	20495	8.71	ug/L	99
13) 1,1-Dichloroethene	3.58	96	10445	2.02	ug/L	97
14) Methyl iodide	4.02	142	13704	1.57	ug/L	98
15) Di-isopropyl ether (DIPE)	5.41	45	45634	1.98	ug/L	99
16) Methylene Chloride	4.34	84	18429	2.53	ug/L	95
17) Carbon Disulfide	4.30	76	28280	1.87	ug/L	100
18) Acrylonitrile	4.55	53	4430	1.76	ug/L	91
19) Methyl-tert-butyl ether (M	4.64	73	30255	1.86	ug/L	100
20) trans-1,2-Dichloroethene	4.82	96	10676	1.94	ug/L	97
21) 1,1-Dichloroethane	5.51	63	21279	1.93	ug/L	97
23) Methyl ethyl ketone	6.23	72	6390	8.43	ug/L	96
24) Ethyl t-butyl ether (ETBE)	6.07	59	40977	1.95	ug/L	98
25) 2,2-Dichloropropane	6.40	77	17052	2.05	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	17144	2.56	ug/L	91
27) t-Amyl methyl ether (TAME)	7.84	73	48868	1.86	ug/L	97
29) Chloroform	6.73	83	28461	2.07	ug/L	97
30) Bromochloromethane	6.97	128	9184	1.90	ug/L	92
32) 1,1,1-Trichloroethane	7.35	97	20299	1.86	ug/L	96
34) 1,1-Dichloropropene	7.61	75	25269	1.98	ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16120SI.D Vial: 4
Acq On : 12 Jun 2003 10:30 am Operator: JR
Sample : 2PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:10 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
35) Carbon Tetrachloride	7.74	119	15527	1.85 ug/L	95
37) 1,2-Dichloroethane	7.99	62	23985	1.94 ug/L	98
38) Benzene	8.00	78	79041	2.02 ug/L	99
40) Trichloroethene	8.96	95	18293	1.99 ug/L	97
41) 1,2-Dichloropropane	9.23	63	21623	1.93 ug/L	97
42) Methylmethacrylate	9.37	69	14854	1.73 ug/L	98
45) Bromodichloromethane	9.59	83	19298	1.78 ug/L	95
46) Dibromomethane	9.66	93	13071	1.94 ug/L	98
51) 2-Hexanone	11.51	58	44911	8.25 ug/L	98
52) Methyl isobutyl ketone	10.16	58	43682	8.42 ug/L #	75
53) cis-1,3-Dichloropropene	10.45	75	27510	1.80 ug/L	99
55) Toluene	10.93	92	45291	1.99 ug/L	97
56) trans-1,3-Dichloropropene	11.22	75	22030	1.72 ug/L	100
58) 1,1,2-Trichloroethane	11.45	83	16404	1.96 ug/L	100
59) 1,3-Dichloropropane	11.85	76	33483	1.92 ug/L	99
60) Tetrachloroethene	11.94	166	17916	2.08 ug/L	97
61) Dibromochloromethane	12.24	129	14830	1.74 ug/L	93
62) 1,2-Dibromoethane	12.55	107	19363	1.93 ug/L	98
64) Chlorobenzene	13.22	112	49994	1.99 ug/L	96
65) 1,1,1,2-Tetrachloroethane	13.30	131	14448	1.88 ug/L	99
66) Ethylbenzene	13.32	91	88450	2.00 ug/L	98
67) m,p-Xylene	13.43	106	64870	4.07 ug/L	94
68) o-Xylene	14.12	106	30613	1.99 ug/L	96
69) Styrene	14.18	104	53474	1.97 ug/L	98
70) Bromoform	14.70	173	8475	1.52 ug/L	99
71) Isopropylbenzene	14.70	105	76270	1.99 ug/L	98
72) 1,1,2,2-Tetrachloroethane	14.97	83	27208	1.83 ug/L	96
74) 1,2,3-Trichloropropane	15.20	75	21516	1.89 ug/L	99
75) trans-1,4-Dichloro-2-buten	15.32	53	7439	1.62 ug/L #	86
76) n-Propylbenzene	15.34	91	98953	1.96 ug/L	99
77) Bromobenzene	15.40	156	20639	2.04 ug/L	91
78) 1,3,5-Trimethylbenzene	15.60	105	59770	2.00 ug/L	97
79) 2-Chlorotoluene	15.61	91	65758	1.94 ug/L	97
80) 4-Chlorotoluene	15.69	91	62523	2.02 ug/L	96
81) tert-butylbenzene	16.17	119	48636	1.99 ug/L	98
82) 1,2,4-Trimethylbenzene	16.23	105	63839	2.02 ug/L	98
84) sec-butylbenzene	16.51	105	70454	1.87 ug/L	100
85) p-isopropyltoluene	16.74	119	56275	1.95 ug/L	98
86) 1,3-Dichlorobenzene	16.88	146	36706	2.02 ug/L	97
88) 1,4-Dichlorobenzene	17.05	146	38176	1.97 ug/L	98
89) n-butylbenzene	17.40	91	55413	1.88 ug/L	100

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061203-B\B16120SI.D
Acq On : 12 Jun 2003 10:30 am
Sample : 2PPB STD
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 12 12:10 2003

Vial: 4
Operator: JR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B


Compound	R.T.	QIon	Response	Conc Unit	Qvalue
90) 1,2-Dichlorobenzene	17.65	146	35342	1.96 ug/L	99
92) 1,2-Dibromo-3-chloropropan	18.93	75	3138	1.47 ug/L	96
94) 1,2,4-Trichlorobenzene	20.38	180	18679	1.90 ug/L	93
95) Hexachlorobutadiene	20.61	225	5040	2.05 ug/L	98
96) Naphthalene	20.80	128	59536	1.78 ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	17851	1.90 ug/L	100
98) 1,3,5-Trichlorobenzene	19.33	180	20748	1.98 ug/L	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061203-B\B16120SI.D Vial: 4
Acq On : 12 Jun 2003 10:30 am Operator: JR
Sample : 2PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:10 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16121SI.D
Acq On : 12 Jun 2003 11:01 am
Sample : 5PPB STD
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 12 12:11 2003

Vial: 5
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

6.13.03 VMT 6/13/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	347975	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.47	114	631829	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	576701	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	16.99	152	291366	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	207725	18.41	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 92.05%			
54) d8-Toluene	10.81	98	743635	19.73	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.65%			
73) Bromofluorobenzene	15.09	95	314862	19.77	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.85%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	62944	5.27	ug/L	100
3) Chloromethane	1.83	50	48268	4.81	ug/L	94
4) Vinyl Chloride	1.93	62	29412	5.94	ug/L	96
5) Bromomethane	2.39	94	17255	5.55	ug/L	99
6) Chloroethane	2.48	64	21928	5.41	ug/L	89
7) t-Butyl alcohol (TBA)	3.76	59	11921	16.80	ug/L	97
8) Trichlorofluoromethane	2.78	101	46410	5.01	ug/L	94
9) Diethyl ether	3.16	74	14956	4.83	ug/L	99
10) 1,1,2-Trichlorotrifluoroet	3.35	101	26589	4.78	ug/L	98
12) Acetone	3.43	43	48262	20.52	ug/L	98
13) 1,1-Dichloroethene	3.57	96	25060	4.85	ug/L	100
14) Methyl iodide	4.02	142	38471	4.41	ug/L	98
15) Di-isopropyl ether (DIPE)	5.42	45	109854	4.77	ug/L	100
16) Methylene Chloride	4.33	84	36062	4.95	ug/L	98
17) Carbon Disulfide	4.30	76	71966	4.75	ug/L	100
18) Acrylonitrile	4.56	53	10496	4.17	ug/L	99
19) Methyl-tert-butyl ether (M	4.64	73	74927	4.62	ug/L	100
20) trans-1,2-Dichloroethene	4.82	96	26595	4.84	ug/L	99
21) 1,1-Dichloroethane	5.51	63	51539	4.67	ug/L	100
23) Methyl ethyl ketone	6.24	72	15900	20.97	ug/L	99
24) Ethyl t-butyl ether (ETBE)	6.07	59	100782	4.80	ug/L	98
25) 2,2-Dichloropropane	6.40	77	42846	5.15	ug/L	100
26) cis-1,2-Dichloroethene	6.47	96	42328	6.31	ug/L	98
27) t-Amyl methyl ether (TAME)	7.84	73	122171	4.65	ug/L	98
29) Chloroform	6.73	83	68876	5.01	ug/L	100
30) Bromochloromethane	6.97	128	23220	4.81	ug/L	97
31) Tetrahydrofuran	7.08	71	4621	3.80	ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16121SI.D Vial: 5
Acq On : 12 Jun 2003 11:01 am Operator: JR
Sample : 5PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:11 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
32) 1,1,1-Trichloroethane	7.34	97	50444	4.61 ug/L	96
34) 1,1-Dichloropropene	7.60	75	60589	4.75 ug/L	97
35) Carbon Tetrachloride	7.75	119	38428	4.59 ug/L	95
37) 1,2-Dichloroethane	7.99	62	57645	4.66 ug/L	100
38) Benzene	8.00	78	189607	4.85 ug/L	100
40) Trichloroethene	8.96	95	45071	4.89 ug/L	96
41) 1,2-Dichloropropane	9.23	63	52526	4.67 ug/L	99
42) Methylmethacrylate	9.38	69	37663	4.38 ug/L	99
45) Bromodichloromethane	9.59	83	49453	4.54 ug/L	99
46) Dibromomethane	9.65	93	32068	4.73 ug/L	97
51) 2-Hexanone	11.50	58	115458	21.13 ug/L	100
52) Methyl isobutyl ketone	10.16	58	111590	21.43 ug/L	99
53) cis-1,3-Dichloropropene	10.44	75	71368	4.66 ug/L	97
55) Toluene	10.93	92	110365	4.83 ug/L	96
56) trans-1,3-Dichloropropene	11.23	75	57990	4.51 ug/L	100
58) 1,1,2-Trichloroethane	11.45	83	39719	4.73 ug/L	99
59) 1,3-Dichloropropane	11.85	76	83328	4.76 ug/L	100
60) Tetrachloroethene	11.95	166	42294	4.89 ug/L	99
61) Dibromochloromethane	12.24	129	39535	4.62 ug/L	96
62) 1,2-Dibromoethane	12.55	107	47064	4.67 ug/L	95
64) Chlorobenzene	13.22	112	123574	4.91 ug/L	99
65) 1,1,1,2-Tetrachloroethane	13.30	131	37101	4.82 ug/L	97
66) Ethylbenzene	13.32	91	214469	4.85 ug/L	99
67) m,p-Xylene	13.44	106	154186	9.67 ug/L	97
68) o-Xylene	14.13	106	75825	4.93 ug/L	94
69) Styrene	14.17	104	135147	4.97 ug/L	99
70) Bromoform	14.70	173	22869	4.10 ug/L	95
71) Isopropylbenzene	14.70	105	188244	4.91 ug/L	98
72) 1,1,2,2-Tetrachloroethane	14.96	83	68104	4.59 ug/L	99
74) 1,2,3-Trichloropropane	15.20	75	53506	4.69 ug/L	100
75) trans-1,4-Dichloro-2-buten	15.32	53	19298	4.21 ug/L	95
76) n-Propylbenzene	15.34	91	243548	4.84 ug/L	99
77) Bromobenzene	15.39	156	50263	4.98 ug/L	99
78) 1,3,5-Trimethylbenzene	15.60	105	146555	4.90 ug/L	98
79) 2-Chlorotoluene	15.61	91	163281	4.81 ug/L	97
80) 4-Chlorotoluene	15.69	91	152585	4.93 ug/L	99
81) tert-butylbenzene	16.17	119	121382	4.97 ug/L	100
82) 1,2,4-Trimethylbenzene	16.24	105	157151	4.97 ug/L	100
84) sec-butylbenzene	16.51	105	175045	4.64 ug/L	100
85) p-isopropyltoluene	16.74	119	141897	4.91 ug/L	99
86) 1,3-Dichlorobenzene	16.88	146	90284	4.97 ug/L	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16121SI.D Vial: 5
Acq On : 12 Jun 2003 11:01 am Operator: JR
Sample : 5PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:11 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B


Compound	R.T.	QIon	Response	Conc Unit	Qvalue
88) 1,4-Dichlorobenzene	17.05	146	94893	4.89 ug/L	97
89) n-butylbenzene	17.40	91	138237	4.70 ug/L	100
90) 1,2-Dichlorobenzene	17.65	146	87851	4.89 ug/L	99
92) 1,2-Dibromo-3-chloropropan	18.92	75	8424	3.94 ug/L	93
94) 1,2,4-Trichlorobenzene	20.38	180	47476	4.84 ug/L	99
95) Hexachlorobutadiene	20.62	225	12304	5.01 ug/L	97
96) Naphthalene	20.80	128	152545	4.56 ug/L	100
97) 1,2,3-Trichlorobenzene	21.25	180	44420	4.74 ug/L	100
98) 1,3,5-Trichlorobenzene	19.33	180	50299	4.79 ug/L	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061203-B\B16121SI.D Vial: 5
Acq On : 12 Jun 2003 11:01 am Operator: JR
Sample : 5PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:11 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16122SI.D Vial: 6
Acq On : 12 Jun 2003 11:31 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:11 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

6-13-03
VMT 6/13/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	349767	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.47	114	634190	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	582473	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	293861	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	212068	18.70	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 93.50%			
54) d8-Toluene	10.81	98	747623	19.76	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.80%			
73) Bromofluorobenzene	15.09	95	315368	19.61	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.05%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	262243	21.86	ug/L	99
3) Chloromethane	1.83	50	201839	19.99	ug/L	96
4) Vinyl Chloride	1.93	62	98498	19.80	ug/L	99
5) Bromomethane	2.39	94	80282	25.71	ug/L	99
6) Chloroethane	2.48	64	91287	22.42	ug/L	99
7) t-Butyl alcohol (TBA)	3.77	59	58473	81.98	ug/L	99
8) Trichlorofluoromethane	2.78	101	202226	21.70	ug/L	99
9) Diethyl ether	3.16	74	65553	21.06	ug/L	98
10) 1,1,2-Trichlorotrifluoroet	3.35	101	120005	21.47	ug/L	99
11) Acrolein	3.32	56	148772	105.25	ug/L	99
12) Acetone	3.43	43	217029	91.80	ug/L	98
13) 1,1-Dichloroethene	3.58	96	111256	21.41	ug/L	97
14) Methyl iodide	4.03	142	197419	22.53	ug/L	98
15) Di-isopropyl ether (DIPE)	5.41	45	483820	20.91	ug/L	100
16) Methylene Chloride	4.33	84	145729	19.89	ug/L	99
17) Carbon Disulfide	4.30	76	337921	22.17	ug/L	100
18) Acrylonitrile	4.56	53	49087	19.39	ug/L	100
19) Methyl-tert-butyl ether (M	4.64	73	332827	20.40	ug/L	100
20) trans-1,2-Dichloroethene	4.82	96	116378	21.06	ug/L	97
21) 1,1-Dichloroethane	5.51	63	225567	20.35	ug/L	99
22) Vinyl acetate	5.56	86	14264	23.03	ug/L	94
23) Methyl ethyl ketone	6.24	72	74337	97.54	ug/L	94
24) Ethyl t-butyl ether (ETBE)	6.07	59	450108	21.31	ug/L	99
25) 2,2-Dichloropropane	6.40	77	170464	20.39	ug/L	98
26) cis-1,2-Dichloroethene	6.47	96	173961	25.80	ug/L	93
27) t-Amyl methyl ether (TAME)	7.83	73	538824	20.40	ug/L	98
29) Chloroform	6.73	83	304232	22.03	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16122SI.D Vial: 6
Acq On : 12 Jun 2003 11:31 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:11 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	6.98	128	103275	21.30 ug/L #	89
31) Tetrahydrofuran	7.07	71	22349	18.27 ug/L	97
32) 1,1,1-Trichloroethane	7.35	97	226982	20.65 ug/L	95
34) 1,1-Dichloropropene	7.60	75	274167	21.37 ug/L	99
35) Carbon Tetrachloride	7.73	119	180660	21.46 ug/L	99
37) 1,2-Dichloroethane	7.99	62	252223	20.30 ug/L	100
38) Benzene	8.00	78	818958	20.82 ug/L	100
40) Trichloroethene	8.96	95	199168	21.52 ug/L	97
41) 1,2-Dichloropropane	9.23	63	235195	20.85 ug/L	100
42) Methylmethacrylate	9.37	69	174727	20.22 ug/L	98
45) Bromodichloromethane	9.59	83	231466	21.19 ug/L	99
46) Dibromomethane	9.65	93	143372	21.08 ug/L	97
50) 2-Chloroethylvinyl ether	10.17	63	1246	16.67 ug/L #	1
51) 2-Hexanone	11.50	58	526803	96.07 ug/L	99
52) Methyl isobutyl ketone	10.16	58	505504	96.73 ug/L	99
53) cis-1,3-Dichloropropene	10.44	75	334672	21.76 ug/L	99
55) Toluene	10.93	92	483829	21.09 ug/L	98
56) trans-1,3-Dichloropropene	11.23	75	283729	22.00 ug/L	97
58) 1,1,2-Trichloroethane	11.45	83	173632	20.59 ug/L	99
59) 1,3-Dichloropropane	11.85	76	367844	20.94 ug/L	99
60) Tetrachloroethene	11.95	166	185587	21.38 ug/L	98
61) Dibromochloromethane	12.24	129	196014	22.81 ug/L	100
62) 1,2-Dibromoethane	12.55	107	215016	21.25 ug/L	99
64) Chlorobenzene	13.22	112	539961	21.26 ug/L	99
65) 1,1,1,2-Tetrachloroethane	13.30	131	171077	21.99 ug/L	98
66) Ethylbenzene	13.32	91	933439	20.91 ug/L	99
67) m,p-Xylene	13.43	106	674518	41.88 ug/L	99
68) o-Xylene	14.12	106	331933	21.35 ug/L	99
69) Styrene	14.18	104	594570	21.67 ug/L	98
70) Bromoform	14.70	173	122328	21.71 ug/L	99
71) Isopropylbenzene	14.70	105	831505	21.49 ug/L	99
72) 1,1,2,2-Tetrachloroethane	14.97	83	298805	19.94 ug/L	99
74) 1,2,3-Trichloropropane	15.20	75	225908	19.62 ug/L	99
75) trans-1,4-Dichloro-2-buten	15.32	53	95005	20.51 ug/L	99
76) n-Propylbenzene	15.34	91	1074043	21.12 ug/L	99
77) Bromobenzene	15.40	156	218712	21.46 ug/L	92
78) 1,3,5-Trimethylbenzene	15.60	105	643840	21.33 ug/L	98
79) 2-Chlorotoluene	15.61	91	699347	20.39 ug/L	97
80) 4-Chlorotoluene	15.69	91	668845	21.38 ug/L	100
81) tert-butylbenzene	16.17	119	533491	21.64 ug/L	100
82) 1,2,4-Trimethylbenzene	16.23	105	682884	21.37 ug/L	98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061203-B\B16122SI.D Vial: 6
Acq On : 12 Jun 2003 11:31 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:11 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Mon Jun 09 14:56:44 2003
Response via : Initial Calibration
DataAcq Meth : V806123B


Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
84) sec-butylbenzene	16.51	105	777026	20.39	ug/L	99
85) p-isopropyltoluene	16.74	119	631069	21.62	ug/L	98
86) 1,3-Dichlorobenzene	16.88	146	393542	21.45	ug/L	98
88) 1,4-Dichlorobenzene	17.05	146	411228	21.03	ug/L	98
89) n-butylbenzene	17.40	91	613644	20.68	ug/L	99
90) 1,2-Dichlorobenzene	17.65	146	381681	21.06	ug/L	100
92) 1,2-Dibromo-3-chloropropan	18.92	75	42167	19.57	ug/L	97
94) 1,2,4-Trichlorobenzene	20.38	180	209722	21.21	ug/L	98
95) Hexachlorobutadiene	20.61	225	52743	21.31	ug/L	100
96) Naphthalene	20.80	128	686826	20.35	ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	195714	20.72	ug/L	99
98) 1,3,5-Trichlorobenzene	19.33	180	224829	21.24	ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061203-B\B16122SI.D Vial: 6
Acq On : 12 Jun 2003 11:31 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:11 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16123SI.D Vial: 7
Acq On : 12 Jun 2003 12:02 pm Operator: JR
Sample : 50PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:46 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 12:12:54 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

6-13-03
VMT 6/13/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.94	168	342884	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.47	114	627699	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	576874	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	295575	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	206759	20.13	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.65%			
54) d8-Toluene	10.81	98	741770	20.10	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.50%			
73) Bromofluorobenzene	15.09	95	314095	20.06	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.30%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	629664	51.00	ug/L	100
3) Chloromethane	1.83	50	482146	49.83	ug/L	97
4) Vinyl Chloride	1.92	62	234415	39.04	ug/L	99
5) Bromomethane	2.38	94	214952	64.22	ug/L	100
6) Chloroethane	2.47	64	214077	45.69	ug/L	98
7) t-Butyl alcohol (TBA)	3.78	59	144584	292.34	ug/L	99
8) Trichlorofluoromethane	2.77	101	476892	52.30	ug/L	99
9) Diethyl ether	3.16	74	152255	49.13	ug/L	98
10) 1,1,2-Trichlorotrifluoroet	3.34	101	276144	49.20	ug/L	100
11) Acrolein	3.32	56	345179	259.42	ug/L	99
12) Acetone	3.42	43	505448	245.63	ug/L	98
13) 1,1-Dichloroethene	3.57	96	263598	50.19	ug/L	96
14) Methyl iodide	4.02	142	517483	67.77	ug/L	98
15) Di-isopropyl ether (DIPE)	5.41	45	1141261	49.00	ug/L	100
16) Methylene Chloride	4.33	84	335192	47.86	ug/L	97
17) Carbon Disulfide	4.29	76	820027	56.07	ug/L	100
18) Acrylonitrile	4.56	53	118582	53.76	ug/L	99
19) Methyl-tert-butyl ether (M	4.63	73	785040	50.50	ug/L	100
20) trans-1,2-Dichloroethene	4.80	96	274980	50.55	ug/L	98
21) 1,1-Dichloroethane	5.49	63	538040	50.28	ug/L	100
22) Vinyl acetate	5.56	86	33621	59.28	ug/L	94
23) Methyl ethyl ketone	6.23	72	191784	290.42	ug/L	94
24) Ethyl t-butyl ether (ETBE)	6.07	59	1059254	50.24	ug/L	99
25) 2,2-Dichloropropane	6.40	77	495812	58.02	ug/L	97
26) cis-1,2-Dichloroethene	6.47	96	451869	52.28	ug/L	95
27) t-Amyl methyl ether (TAME)	7.83	73	1289864	51.54	ug/L	99
29) Chloroform	6.73	83	731127	50.87	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16123SI.D Vial: 7
Acq On : 12 Jun 2003 12:02 pm Operator: JR
Sample : 50PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:46 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 12:12:54 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
30) Bromochloromethane	6.96	128	245606	51.53	ug/L		95
31) Tetrahydrofuran	7.07	71	53531	57.20	ug/L		93
32) 1,1,1-Trichloroethane	7.35	97	559348	54.27	ug/L		98
34) 1,1-Dichloropropene	7.60	75	652928	51.35	ug/L		100
35) Carbon Tetrachloride	7.73	119	455706	57.40	ug/L		98
37) 1,2-Dichloroethane	7.99	62	601258	50.47	ug/L		99
38) Benzene	8.00	78	1927063	48.80	ug/L		99
40) Trichloroethene	8.96	95	475387	50.50	ug/L		95
41) 1,2-Dichloropropane	9.23	63	562737	51.08	ug/L		99
42) Methylmethacrylate	9.37	69	417333	53.60	ug/L		99
45) Bromodichloromethane	9.59	83	578618	57.20	ug/L		98
46) Dibromomethane	9.66	93	342560	51.63	ug/L		96
50) 2-Chloroethylvinyl ether	10.16	63	3197	69.91	ug/L	#	1
51) 2-Hexanone	11.50	58	1203449	253.79	ug/L		98
52) Methyl isobutyl ketone	10.16	58	1174153	256.82	ug/L		98
53) cis-1,3-Dichloropropene	10.44	75	833982	57.17	ug/L		99
55) Toluene	10.93	92	1155685	50.02	ug/L		97
56) trans-1,3-Dichloropropene	11.22	75	715619	60.42	ug/L		97
58) 1,1,2-Trichloroethane	11.45	83	411212	49.82	ug/L		100
59) 1,3-Dichloropropane	11.85	76	874621	50.52	ug/L		99
60) Tetrachloroethene	11.94	166	450412	50.12	ug/L		98
61) Dibromochloromethane	12.24	129	488066	59.87	ug/L		99
62) 1,2-Dibromoethane	12.56	107	521522	53.47	ug/L		99
64) Chlorobenzene	13.22	112	1297160	50.14	ug/L		100
65) 1,1,1,2-Tetrachloroethane	13.29	131	426321	55.95	ug/L		98
66) Ethylbenzene	13.31	91	2231733	49.54	ug/L		100
67) m,p-Xylene	13.44	106	1639032	100.88	ug/L		97
68) o-Xylene	14.12	106	809239	51.65	ug/L		98
69) Styrene	14.18	104	1453830	52.62	ug/L		98
70) Bromoform	14.70	173	315767	66.46	ug/L		99
71) Isopropylbenzene	14.70	105	2019778	51.39	ug/L		100
72) 1,1,2,2-Tetrachloroethane	14.97	83	706092	50.08	ug/L		99
74) 1,2,3-Trichloropropane	15.20	75	525872	47.67	ug/L		98
75) trans-1,4-Dichloro-2-buten	15.32	53	225917	55.54	ug/L		96
76) n-Propylbenzene	15.35	91	2611556	51.65	ug/L		96
77) Bromobenzene	15.40	156	536121	51.05	ug/L	#	85
78) 1,3,5-Trimethylbenzene	15.60	105	1560935	51.47	ug/L		98
79) 2-Chlorotoluene	15.61	91	1679016	49.56	ug/L		98
80) 4-Chlorotoluene	15.69	91	1638534	51.62	ug/L		100
81) tert-butylbenzene	16.16	119	1312653	52.18	ug/L		99
82) 1,2,4-Trimethylbenzene	16.23	105	1651116	50.41	ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16123SI.D Vial: 7
Acq On : 12 Jun 2003 12:02 pm Operator: JR
Sample : 50PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:46 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 12:12:54 2003
Response via : Initial Calibration
DataAcq Meth : V806123B


Compound	R.T.	QIon	Response	Conc Unit	Qvalue
84) sec-butylbenzene	16.51	105	1910682	52.51 ug/L	100
85) p-isopropyltoluene	16.74	119	1549406	53.32 ug/L	99
86) 1,3-Dichlorobenzene	16.87	146	974000	51.59 ug/L	99
88) 1,4-Dichlorobenzene	17.05	146	1011306	50.48 ug/L	99
89) n-butylbenzene	17.40	91	1516879	52.25 ug/L	99
90) 1,2-Dichlorobenzene	17.65	146	944662	50.97 ug/L	99
92) 1,2-Dibromo-3-chloropropan	18.92	75	104307	58.27 ug/L	96
94) 1,2,4-Trichlorobenzene	20.38	180	524970	52.44 ug/L	98
95) Hexachlorobutadiene	20.62	225	132259	51.02 ug/L	98
96) Naphthalene	20.80	128	1657269	51.94 ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	481831	51.92 ug/L	100
98) 1,3,5-Trichlorobenzene	19.33	180	564967	53.15 ug/L	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061203-B\B16123SI.D Vial: 7
Acq On : 12 Jun 2003 12:02 pm Operator: JR
Sample : 50PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 12:46 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16124SI.D
Acq On : 12 Jun 2003 12:33 pm
Sample : 100PPB STD
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 12 13:37 2003

Vial: 8
Operator: JR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 12:47:20 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

6.13.03
VMT 6/13/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.94	168	342193	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.47	114	618576	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.15	117	573513	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	294934	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	209980	20.45	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.25%			
54) d8-Toluene	10.81	98	743247	20.42	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.10%			
73) Bromofluorobenzene	15.09	95	314913	20.22	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.10%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	1168739	94.48	ug/L	99
3) Chloromethane	1.82	50	936088	97.01	ug/L	96
4) Vinyl Chloride	1.92	62	405668	70.79	ug/L	99
5) Bromomethane	2.36	94	410406	116.25	ug/L	99
6) Chloroethane	2.45	64	380145	82.72	ug/L	100
7) t-Butyl alcohol (TBA)	3.83	59	298285	584.54	ug/L	99
8) Trichlorofluoromethane	2.75	101	925599	100.78	ug/L	98
9) Diethyl ether	3.16	74	299595	97.20	ug/L	97
10) 1,1,2-Trichlorotrifluoroet	3.32	101	521721	93.44	ug/L	99
11) Acrolein	3.32	56	675338	504.77	ug/L	99
12) Acetone	3.43	43	992960	485.21	ug/L	97
13) 1,1-Dichloroethene	3.56	96	513411	97.87	ug/L	99
14) Methyl iodide	4.01	142	961506	117.80	ug/L	98
15) Di-isopropyl ether (DIPE)	5.41	45	2196992	94.90	ug/L	100
16) Methylene Chloride	4.33	84	656978	87.67	ug/L	98
17) Carbon Disulfide	4.28	76	1634441	109.32	ug/L	100
18) Acrylonitrile	4.56	53	235826	105.54	ug/L	98
19) Methyl-tert-butyl ether (M	4.63	73	1544940	99.38	ug/L	100
20) trans-1,2-Dichloroethene	4.80	96	538788	99.03	ug/L	99
21) 1,1-Dichloroethane	5.49	63	1049994	98.21	ug/L	99
22) Vinyl acetate	5.55	86	67588	115.14	ug/L	98
23) Methyl ethyl ketone	6.24	72	369805	543.55	ug/L	94
24) Ethyl t-butyl ether (ETBE)	6.06	59	2046110	97.15	ug/L	99
25) 2,2-Dichloropropane	6.40	77	973395	110.59	ug/L	97
26) cis-1,2-Dichloroethene	6.47	96	896062	102.94	ug/L	96
27) t-Amyl methyl ether (TAME)	7.84	73	2516609	100.14	ug/L	98
29) Chloroform	6.72	83	1440833	100.10	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061203-B\B16124SI.D Vial: 8
Acq On : 12 Jun 2003 12:33 pm Operator: JR
Sample : 100PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 13:37 2003 Quant Results File: V806123B.

Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 12:47:20 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
30) Bromochloromethane	6.96	128	483496	101.03	ug/L		93
31) Tetrahydrofuran	7.07	71	107373	111.75	ug/L		95
32) 1,1,1-Trichloroethane	7.35	97	1110436	106.15	ug/L		100
34) 1,1-Dichloropropene	7.59	75	1269621	99.52	ug/L		99
35) Carbon Tetrachloride	7.73	119	900401	110.38	ug/L		100
37) 1,2-Dichloroethane	7.99	62	1186755	99.63	ug/L		99
38) Benzene	8.00	78	3661329	93.35	ug/L		100
40) Trichloroethene	8.95	95	924161	99.42	ug/L		96
41) 1,2-Dichloropropane	9.23	63	1092082	100.16	ug/L		100
42) Methylmethacrylate	9.38	69	818335	105.14	ug/L		98
45) Bromodichloromethane	9.58	83	1166605	113.75	ug/L		100
46) Dibromomethane	9.65	93	680309	103.37	ug/L		96
50) 2-Chloroethylvinyl ether	10.16	63	5777	113.17	ug/L	#	1
51) 2-Hexanone	11.51	58	2257461	481.62	ug/L		98
52) Methyl isobutyl ketone	10.17	58	2203796	486.49	ug/L		96
53) cis-1,3-Dichloropropene	10.44	75	1641780	111.02	ug/L		99
55) Toluene	10.93	92	2242681	98.50	ug/L		98
56) trans-1,3-Dichloropropene	11.22	75	1404608	115.52	ug/L		98
58) 1,1,2-Trichloroethane	11.46	83	777811	95.69	ug/L		98
59) 1,3-Dichloropropane	11.84	76	1689112	98.80	ug/L		99
60) Tetrachloroethene	11.94	166	884050	99.77	ug/L		97
61) Dibromochloromethane	12.24	129	982223	117.62	ug/L		100
62) 1,2-Dibromoethane	12.55	107	1012694	103.91	ug/L		98
64) Chlorobenzene	13.22	112	2506054	97.38	ug/L		99
65) 1,1,1,2-Tetrachloroethane	13.29	131	838464	108.11	ug/L		99
66) Ethylbenzene	13.31	91	4244086	94.93	ug/L		100
67) m,p-Xylene	13.44	106	3097384	191.42	ug/L		96
68) o-Xylene	14.12	106	1562864	99.67	ug/L		98
69) Styrene	14.18	104	2783586	100.29	ug/L		98
70) Bromoform	14.69	173	631996	125.53	ug/L		100
71) Isopropylbenzene	14.70	105	3848259	97.94	ug/L		99
72) 1,1,2,2-Tetrachloroethane	14.97	83	1358695	96.90	ug/L		98
74) 1,2,3-Trichloropropane	15.20	75	1017233	93.62	ug/L		98
75) trans-1,4-Dichloro-2-buten	15.31	53	430572	104.16	ug/L		94
76) n-Propylbenzene	15.34	91	5015460	99.11	ug/L		97
77) Bromobenzene	15.39	156	1041549	99.34	ug/L	#	87
78) 1,3,5-Trimethylbenzene	15.60	105	3011741	99.31	ug/L		98
79) 2-Chlorotoluene	15.62	91	3275721	97.43	ug/L		98
80) 4-Chlorotoluene	15.70	91	3067687	96.58	ug/L		98
81) tert-butylbenzene	16.17	119	2527916	100.20	ug/L		96
82) 1,2,4-Trimethylbenzene	16.23	105	3182387	97.58	ug/L		95

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061203-B\B16124SI.D Vial: 8
Acq On : 12 Jun 2003 12:33 pm Operator: JR
Sample : 100PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 13:37 2003 Quant Results File: V806123B.


Quant Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 12:47:20 2003
Response via : Initial Calibration
DataAcq Meth : V806123B

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
84)	sec-butylbenzene	16.52	105	3736968	102.27	ug/L	98
85)	p-isopropyltoluene	16.74	119	3045229	104.03	ug/L	99
86)	1,3-Dichlorobenzene	16.88	146	1912645	101.25	ug/L	98
88)	1,4-Dichlorobenzene	17.05	146	1990229	99.37	ug/L	98
89)	n-butylbenzene	17.40	91	2974308	101.77	ug/L	97
90)	1,2-Dichlorobenzene	17.65	146	1852672	99.79	ug/L	99
92)	1,2-Dibromo-3-chloropropan	18.92	75	215149	116.59	ug/L	96
94)	1,2,4-Trichlorobenzene	20.37	180	1069744	106.06	ug/L	97
95)	Hexachlorobutadiene	20.62	225	268699	103.46	ug/L	96
96)	Naphthalene	20.80	128	3386256	105.55	ug/L	100
97)	1,2,3-Trichlorobenzene	21.24	180	991604	106.27	ug/L	99
98)	1,3,5-Trichlorobenzene	19.33	180	1143301	106.45	ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061203-B\B16124SI.D Vial: 8
Acq On : 12 Jun 2003 12:33 pm Operator: JR
Sample : 100PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 12 13:37 2003 Quant Results File: V806123B.

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061603-B\B16218SC.D
Acq On : 16 Jun 2003 9:20 am
Sample : 20PPB STD
Misc : 5000
MS Integration Params: rteint.p

Vial: 3
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Multiple Level Calibration

6-17-03
VMT 6/17/03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2	TM	Dichlorodifluoromethane	0.716	0.709	1.0	90	0.00
3	TMP	Chloromethane	0.561	0.616	-9.8	102	0.00
4	TMC	Vinyl Chloride	0.319	0.287	10.0	97	0.00
5	TM	Bromomethane	0.212	0.168	20.8#	70	0.00
6	TM	Chloroethane	0.261	0.245	6.1	89	0.00
7	TM	t-Butyl alcohol (TBA)	0.031	0.038#	-22.6#	108	0.00
8	TM	Trichlorofluoromethane	0.537	0.553	-3.0	91	0.00
9	TM	Diethyl ether	0.179	0.168	6.1	85	0.00
10	T	1,1,2-Trichlorotrifluoroeth	0.323	0.295	8.7	82	0.00
11	T	Acrolein	0.078	0.073#	6.4	81	0.00
12	TM	Acetone	0.119	0.121	-1.7	93	0.00
13	TMC	1,1-Dichloroethene	0.306	0.280	8.5	84	0.00
14	T	Methyl iodide	0.491	0.451	8.1	76	0.00
15	TM	Di-isopropyl ether (DIPE)	1.342	1.276	4.9	88	0.00
16	TM	Methylene Chloride	0.427	0.373	12.6	85	0.00
17	TM	Carbon Disulfide	0.887	0.819	7.7	81	0.00
18	T	Acrylonitrile	0.132	0.133	-0.8	90	0.00
19	TM	Methyl-tert-butyl ether (MT	0.908	0.878	3.3	88	0.00
20	TM	trans-1,2-Dichloroethene	0.317	0.296	6.6	85	0.00
21	TMP	1,1-Dichloroethane	0.623	0.591	5.1	87	0.00
22	T	Vinyl acetate	0.035	0.036#	-2.9	84	0.00
23	TM	Methyl ethyl ketone	0.040	0.049#	-22.5#	110	0.00
24	TM	Ethyl t-butyl ether (ETBE)	1.225	1.189	2.9	88	0.00
25	TM	2,2-Dichloropropane	0.524	0.572	-9.2	112	0.00
26	TM	cis-1,2-Dichloroethene	0.511	0.499	2.3	96	0.00
27	TM	t-Amyl methyl ether (TAME)	1.469	1.496	-1.8	93	0.00
28	T	NO COUMPOUND	0.000	0.000#	0.0	0#	-0.42
29	TMC	Chloroform	0.841	0.813	3.3	89	0.00
30	TM	Bromochloromethane	0.280	0.277	1.1	89	0.00
31	TM	Tetrahydrofuran	0.057	0.065#	-14.0	97	0.00
32	TM	1,1,1-Trichloroethane	0.618	0.617	0.2	91	0.00
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.745	0.716	3.9	87	0.00
35	TM	Carbon Tetrachloride	0.485	0.496	-2.3	92	0.00
36	S	d4-1,2-Dichloroethane	0.602	0.581	3.5	91	0.00
37	TM	1,2-Dichloroethane	0.696	0.677	2.7	90	0.00
38	TM	Benzene	2.267	2.187	3.5	89	0.00
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
40	TM	Trichloroethene	0.300	0.294	2.0	89	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061603-B\B16218SC.D
Acq On : 16 Jun 2003 9:20 am
Sample : 20PPB STD
Misc : 5000
MS Integration Params: rteint.p

Vial: 3
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.353	0.345	-2.3	88	0.00
42	T	Methylmethacrylate	0.254	0.275	-8.3	95	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.339	0.349	-2.9	91	0.00
46	TM	Dibromomethane	0.214	0.213	0.5	90	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	104	-0.02
51	TM	2-Hexanone	0.151	0.171	-13.2	98	0.00
52	TM	Methyl isobutyl ketone	0.146	0.165	-13.0	98	0.00
53	TM	cis-1,3-Dichloropropene	0.487	0.505	-3.7	91	0.00
54	S	d8-Toluene	1.181	1.169	1.0	94	0.00
55	TMC	Toluene	0.734	0.717	2.3	89	0.00
56	TM	trans-1,3-Dichloropropene	0.403	0.443	-9.9	94	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.261	0.263	-0.8	91	0.00
59	TM	1,3-Dichloropropane	0.552	0.549	0.5	90	0.00
60	TM	Tetrachloroethene	0.286	0.289	-1.0	94	0.00
61	TM	Dibromochloromethane	0.278	0.302	-8.6	93	0.00
62	TM	1,2-Dibromoethane	0.317	0.329	-3.8	92	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	96	0.00
64	TMP	Chlorobenzene	0.894	0.867	3.0	90	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.274	0.291	-6.2	95	0.00
66	TMC	Ethylbenzene	1.546	1.491	3.6	89	0.00
67	TM	m,p-Xylene	0.560	0.544	2.9	90	0.00
68	TM	o-Xylene	0.546	0.530	2.9	89	0.00
69	TM	Styrene	0.968	0.956	1.2	90	0.00
70	TMP	Bromoform	0.183	0.218	-19.1	100	0.00
71	TM	Isopropylbenzene	1.365	1.325	2.9	89	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.486	0.501	-3.1	94	0.00
73	S	Bromofluorobenzene	0.544	0.537	1.3	95	0.00
74	TM	1,2,3-Trichloropropane	0.375	0.382	-1.9	95	0.00
75	T	trans-1,4-Dichloro-2-butene	0.145	0.164	-13.1	96	0.00
76	TM	n-Propylbenzene	1.762	1.720	2.4	90	0.00
77	TM	Bromobenzene	0.365	0.360	1.4	92	0.00
78	TM	1,3,5-Trimethylbenzene	1.056	1.026	2.8	89	0.00
79	TM	2-Chlorotoluene	1.167	1.154	1.1	92	0.00
80	TM	4-Chlorotoluene	1.101	1.043	5.3	87	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061603-B\B16218SC.D Vial: 3
Acq On : 16 Jun 2003 9:20 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806123B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.880	0.850	3.4	89	0.00
82	TM	1,2,4-Trimethylbenzene	1.133	1.086	4.1	89	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.279	1.244	2.7	90	0.00
85	TM	p-isopropyltoluene	1.028	1.008	1.9	89	0.00
86	TM	1,3-Dichlorobenzene	0.660	0.649	1.7	92	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
88	TM	1,4-Dichlorobenzene	1.357	1.290	4.9	92	0.00
89	TM	n-butylbenzene	1.988	1.881	5.4	90	0.00
90	TM	1,2-Dichlorobenzene	1.259	1.198	4.8	92	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.129	0.146	-13.2	102	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.691	0.665	3.8	93	0.00
95	TM	Hexachlorobutadiene	0.177	0.168	5.1	94	0.00
96	TM	Naphthalene	2.196	2.243	-2.1	96	0.00
97	TM	1,2,3-Trichlorobenzene	0.639	0.622	2.7	94	0.00
98	TM	1,3,5-Trichlorobenzene	0.736	0.712	3.3	93	0.00

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: B16118T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/12/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0928

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	349767	6.95	634190	8.47	582473	13.16	293861	17.00
	UPPER LIMIT	699534	7.37	1268380	8.98	1164946	13.95	587722	18.02
	LOWER LIMIT	174884	6.53	317095	7.96	291237	12.37	146931	15.98
	SAMPLE NO.								
01	1PPB STD	346057	6.95	635616	8.48	582868	13.16	291752	17.00
02	2PPB STD	347936	6.95	629844	8.47	576895	13.16	291630	16.99
03	5PPB STD	347975	6.95	631829	8.47	576701	13.16	291366	16.99
04	20PPB STD	349767	6.95	634190	8.47	582473	13.16	293861	17.00
05	50PPB STD	342884	6.94	627699	8.47	576874	13.16	295575	17.00
06	100PPB STD	342193	6.94	618576	8.47	573513	13.15	294934	17.00
07	ZZZZZ	338622	6.95	623639	8.48	576162	13.16	294501	17.00
08	ZZZZZ	349270	6.95	637245	8.47	581312	13.16	296793	17.00
09	ZZZZZ	349632	6.95	638727	8.48	583487	13.16	295150	17.00
10	ZZZZZ	331682	6.95	610273	8.48	567917	13.16	289434	17.00
11	ZZZZZ	327989	6.94	605013	8.47	564926	13.16	289342	17.00
12	ZZZZZ	325818	6.95	606564	8.47	559713	13.16	287099	17.00
13	ZZZZZ	317908	6.95	589865	8.48	552170	13.15	284603	17.00
14	ZZZZZ	330962	6.95	608339	8.47	559482	13.16	283549	17.00
15	ZZZZZ	337556	6.95	619180	8.47	566685	13.16	281582	17.00
16	ZZZZZ	342304	6.95	625040	8.47	570768	13.16	284849	17.00
17	ZZZZZ	348811	6.95	625842	8.47	575059	13.16	289444	17.00
18	ZZZZZ	338421	6.95	620827	8.48	567750	13.16	282718	17.00
19	ZZZZZ	338019	6.95	618138	8.48	566169	13.16	280068	17.00
20	ZZZZZ	330703	6.95	609296	8.47	559791	13.16	279342	17.00
21	ZZZZZ	327619	6.95	602678	8.47	558796	13.16	280473	16.99
22	ZZZZZ	324055	6.96	600964	8.47	555469	13.16	276060	17.00
23	ZZZZZ	344284	6.95	620087	8.47	568569	13.16	278086	17.00
24	ZZZZZ	338840	6.96	609077	8.48	558226	13.16	278539	17.00

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: B16217T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/16/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0849

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	333755		6.95		603437		8.48		560175		13.16		294223		17.00	
	UPPER LIMIT	667510		7.37		1206874		8.99		1120350		13.95		588446		18.02	
	LOWER LIMIT	166878		6.53		301719		7.97		280088		12.37		147112		15.98	
	SAMPLE NO.																
01	20PPB STD	333755		6.95		603437		8.48		560175		13.16		294223		17.00	
02	L806163B	334741		6.95		593451		8.47		561128		13.16		290907		16.99	
03	ZZZZZ	339978		6.95		598037		8.47		562166		13.16		287386		16.99	
04	B806163B	330852		6.95		582082		8.48		553239		13.16		281394		17.00	
05	ZZZZZ	328258		6.95		578962		8.47		550905		13.16		278756		16.99	
06	ZZZZZ	323857		6.95		577875		8.48		545976		13.16		274254		17.00	
07	ZZZZZ	315203		6.95		578252		8.47		543789		13.16		275814		17.00	
08	49855-1	315814		6.95		580191		8.48		543332		13.16		275526		17.00	
09	49855-2	316875		6.96		582495		8.47		547888		13.16		272172		16.99	
10	49855-3	317823		6.96		576617		8.47		542383		13.16		268972		16.99	
11	49855-4	306543		6.95		563437		8.48		533140		13.16		268845		17.00	
12	49855-5	312127		6.95		568277		8.48		537571		13.15		268013		17.00	
13	49855-5.MS	317760		6.95		573674		8.47		541036		13.16		277230		16.99	
14	49855-5.MSD	317966		6.95		575552		8.48		549111		13.16		273731		17.00	
15	49855-6	320246		6.96		572842		8.48		546980		13.16		269998		17.00	
16	49855-7	313230		6.95		567996		8.48		536701		13.16		267089		17.00	
17	49855-9	302669		6.95		561311		8.48		529781		13.16		264729		17.00	
18	ZZZZZ	305162		6.96		558212		8.47		532028		13.16		262606		16.99	
19	ZZZZZ	304157		6.96		553682		8.47		525603		13.16		264293		16.99	
20	ZZZZZ	296230		6.95		550270		8.47		519009		13.16		262132		17.00	
21	ZZZZZ	297539		6.95		547783		8.48		516621		13.15		259996		17.00	
22	ZZZZZ	298618		6.95		550359		8.48		524473		13.16		263036		17.00	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43580T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/17/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1051

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	ZZZZZ	100	101	100	0
02	ZZZZZ	105	103	103	0
03	ZZZZZ	103	100	101	0
04	ZZZZZ	96	101	100	0
05	1 PPB	114	106	105	0
06	2 PPB	110	109	107	0
07	5 PPB	110	106	105	0
08	20 PPB	110	104	103	0
09	50 PPB	109	105	104	0
10	100 PPB	117	104	105	0
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43640T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2152

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	20PPB	101	100	98	0
02	MB06183B	105	103	108	0
03	LS06183B	76	113	114	0
04	ZZZZZ	106	106	105	0
05	ZZZZZ	113	113	117	0
06	49855-10	92	89	88	0
07	49855-11	59 *	53 *	49 *	3
08	49855-12	83	81	83	0
09	49855-13	84	82	84	0
10	49855-13.MS	81	81	84	0
11	ZZZZZ	NA	NA	NA	0
12	49855-13.MSD	78	79	81	0
13	ZZZZZ	67 *	66 *	65 *	3
14	ZZZZZ	86	83	83	0
15	ZZZZZ	65 *	61 *	59 *	3
16	ZZZZZ	84	88	86	0
17	ZZZZZ	44 *	43 *	40 *	3
18	LS06183C.RR	97	103	100	0
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43659T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1133

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	20PPB	90	97	97	0
02	L806193C	87	97	95	0
03	ZZZZZ	88	94	96	0
04	B806193C	88	96	94	0
05	ZZZZZ	67 *	100	92	1
06	ZZZZZ	92	98	96	0
07	ZZZZZ	67 *	94	94	1
08	ZZZZZ	65 *	99	93	1
09	49855-8	95	103	104	0
10	ZZZZZ	53 *	49 *	46 *	3
11	ZZZZZ	76	79	78	0
12	49855-11,RR	45 *	42 *	40 *	3
13	49855-14	59 *	60 *	60 *	3
14	49855-13,MS,RR	72	74	76	0
15	49855-13,MSD,RR	71	76	77	0
16	L806193C4	88	93	88	0
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: C

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: LS06183B2

COMPOUND	SPIKE ADDED (ug/kg)	LCS CONC. (ug/kg)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	2000	1183.0	59		49-82
Chloromethane	2000	1884.0	94		75-125
Vinyl Chloride	2000	1691.0	85		75-125
Bromomethane	2000	1112.0	56	*	75-125
Chloroethane	2000	1867.0	93		75-125
t-Butyl alcohol	10000	10144.0	101		60-140
Trichlorofluoromethane	2000	1804.0	90		75-125
Diethyl ether	2000	1934.0	97		75-125
Acetone	5000	4921.0	98		75-125
1,1-Dichloroethene	2000	1867.0	93		75-125
Di-isopropyl ether	2000	2015.0	101		75-125
Methylene Chloride	2000	1730.0	87		75-125
Carbon Disulfide	2000	1788.0	89		75-125
Methyl-tert-butyl ether	2000	1982.0	99		75-125
Trans-1,2-Dichloroethene	2000	1915.0	96		75-125
1,1-Dichloroethane	2000	1988.0	99		75-125
Methyl ethyl ketone	5000	4855.0	97		60-140
Ethyl t-butyl ether	2000	1980.0	99		75-125
2,2-Dichloropropane	2000	1965.0	98		75-125
Cis-1,2-Dichloroethene	2000	1905.0	95		75-125
t-Amyl methyl ether	2000	2047.0	102		75-125
Chloroform	2000	2018.0	101		75-125
Bromochloromethane	2000	2012.0	101		75-125
Tetrahydrofuran	2000	1940.0	97		60-140
1,1,1-Trichloroethane	2000	2062.0	103		75-125
1,1-Dichloropropene	2000	1992.0	100		75-125
Carbon Tetrachloride	2000	2077.0	104		75-125
1,2-Dichloroethane	2000	2045.0	102		75-125
Benzene	2000	1988.0	99		75-125
Trichloroethene	2000	1942.0	97		75-125
1,2-Dichloropropane	2000	2074.0	104		75-125
Bromodichloromethane	2000	2148.0	107		75-125
Dibromomethane	2000	2064.0	103		75-125
2-Hexanone	5000	4759.0	95		75-125
Methyl isobutyl ketone	5000	5096.0	102		75-125
Cis-1,3-Dichloropropene	2000	2086.0	104		75-125
Toluene	2000	2063.0	103		75-125
Trans-1,3-Dichloropropene	2000	2130.0	107		75-125
1,1,2-Trichloroethane	2000	2045.0	102		75-125
1,3-Dichloropropane	2000	2047.0	102		75-125
Tetrachloroethene	2000	2176.0	109		75-125
Dibromochloromethane	2000	2127.0	106		75-125

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: C

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: LS06183B2

COMPOUND	SPIKE ADDED (ug/kg)	LCS CONC. (ug/kg)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	2000	2076.0	104		75-125
Chlorobenzene	2000	2080.0	104		75-125
1,1,1,2-Tetrachloroethane	2000	2105.0	105		75-125
Ethylbenzene	2000	2082.0	104		75-125
M-,P-Xylene	4000	4170.0	104		75-125
O-Xylene	2000	2081.0	104		75-125
Styrene	2000	2095.0	105		75-125
Bromoform	2000	2123.0	106		75-125
Isopropylbenzene	2000	2094.0	105		75-125
1,1,2,2-Tetrachloroethane	2000	1971.0	99		75-125
1,2,3-Trichloropropane	2000	1923.0	96		75-125
N-Propylbenzene	2000	2133.0	107		75-125
Bromobenzene	2000	2100.0	105		75-125
1,3,5-Trimethylbenzene	2000	2113.0	106		75-125
2-Chlorotoluene	2000	2113.0	106		75-125
4-Chlorotoluene	2000	2064.0	103		75-125
Tert-Butylbenzene	2000	2104.0	105		75-125
1,2,4-Trimethylbenzene	2000	2114.0	106		75-125
Sec-Butylbenzene	2000	2106.0	105		75-125
P-Isopropyltoluene	2000	2124.0	106		75-125
1,3-Dichlorobenzene	2000	2116.0	106		75-125
1,4-Dichlorobenzene	2000	2104.0	105		75-125
N-Butylbenzene	2000	2187.0	109		75-125
1,2-Dichlorobenzene	2000	2111.0	106		75-125
1,2-Dibromo-3-chloropropane	2000	2183.0	109		75-125
1,2,4-Trichlorobenzene	2000	2125.0	106		75-125
Hexachlorobutadiene	2000	2295.0	115		75-125
Naphthalene	2000	2226.0	111		75-125
1,2,3-Trichlorobenzene	2000	2157.0	108		75-125

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 1 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: C

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49855-13

COMPOUND	SPIKE ADDED ug/kg	SAMPLE AMT ug/kg	MS CONC. ug/kg	MS REC %	#	SPIKE ADDED ug/kg	MSD CONC. ug/kg	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	4840	U	1295	27	*	5080	1275	26	*	2		15	49-82
Chloromethane	4840	U	2439	50	*	5080	2581	53	*	6		15	75-125
Vinyl Chloride	4840	U	2597	54	*	5080	2708	56	*	4		15	75-125
Bromomethane	4840	U	2166	45	*	5080	2418	50	*	11		15	75-125
Chloroethane	4840	U	3156	65	*	5080	3241	67	*	3		15	75-125
t-Butyl alcohol	24200	U	19503	81		25400	18740	77		4		15	60-140
Trichlorofluoromethane	4840	U	2889	60	*	5080	2954	61	*	2		15	75-125
Diethyl ether	4840	U	3625	75		5080	3686	76		2		15	75-125
Acetone	12100	U	9290	77		12700	10033	83		8		15	75-125
1,1-Dichloroethene	4840	U	3086	64	*	5080	3180	66	*	3		15	75-125
Di-isopropyl ether	4840	U	3700	76		5080	3642	75		2		15	75-125
Methylene Chloride	4840	U	3211	66	*	5080	3299	68	*	3		15	75-125
Carbon Disulfide	4840	U	2856	59	*	5080	2982	62	*	4		15	75-125
Methyl-tert-butyl ether	4840	U	3683	76		5080	3820	79		4		15	75-125
Trans-1,2-Dichloroethene	4840	U	3296	68	*	5080	3454	71	*	5		15	75-125
1,1-Dichloroethane	4840	U	3611	75		5080	3231	67	*	11		15	75-125
Methyl ethyl ketone	12100	U	8250	68		12700	9268	77		12		15	60-140
Ethyl t-butyl ether	4840	U	3661	76		5080	3680	76		1		15	75-125
2,2-Dichloropropane	4840	U	3451	71	*	5080	3477	72	*	1		15	75-125
Cis-1,2-Dichloroethene	4840	U	3444	71	*	5080	3551	73	*	3		15	75-125
t-Amyl methyl ether	4840	U	3809	79		5080	3807	79		0		15	75-125
Chloroform	4840	U	3596	74	*	5080	3650	75		1		15	75-125
Bromochloromethane	4840	U	3741	77		5080	3861	80		3		15	75-125
Tetrahydrofuran	4840	U	3841	79		5080	3586	74		7		15	60-140
1,1,1-Trichloroethane	4840	U	3707	77		5080	3830	79		3		15	75-125
1,1-Dichloropropene	4840	U	3507	72	*	5080	3620	75		3		15	75-125
Carbon Tetrachloride	4840	U	3666	76		5080	3767	78		3		15	75-125
1,2-Dichloroethane	4840	U	3807	79		5080	3800	79		0		15	75-125
Benzene	4840	U	3543	73	*	5080	3691	76		4		15	75-125
Trichloroethene	4840	U	4027	83		5080	4054	84		1		15	75-125
1,2-Dichloropropane	4840	U	3710	77		5080	3863	80		4		15	75-125
Bromodichloromethane	4840	U	3896	81		5080	3919	81		1		15	75-125
Dibromomethane	4840	U	3724	77		5080	3912	81		5		15	75-125
2-Hexanone	12100	U	6667	55	*	12700	9141	76		31	*	15	75-125
Methyl isobutyl ketone	12100	U	8540	71	*	12700	9622	80		12		15	75-125
Cis-1,3-Dichloropropene	4840	U	3749	77		5080	3787	78		1		15	75-125
Toluene	4840	U	3637	75		5080	3741	77		3		15	75-125
Trans-1,3-Dichloropropene	4840	U	3749	77		5080	3805	79		1		15	75-125
1,1,2-Trichloroethane	4840	U	3901	81		5080	3884	80		0		15	75-125
1,3-Dichloropropane	4840	U	3768	78		5080	3825	79		2		15	75-125
Tetrachloroethene	4840	U	3557	74	*	5080	3663	76		3		15	75-125
Dibromochloromethane	4840	U	3843	79		5080	3912	81		2		15	75-125
1,2-Dibromoethane	4840	U	3804	79		5080	3848	80		1		15	75-125
Chlorobenzene	4840	U	3693	76		5080	3830	79		4		15	75-125
1,1,1,2-Tetrachloroethane	4840	U	3775	78		5080	3907	81		3		15	75-125
Ethylbenzene	4840	U	3761	78		5080	3800	79		1		15	75-125

analytics environmental laboratory LLC

VOLATILE ORGANIC
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: C
GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49855-13

COMPOUND	SPIKE ADDED ug/kg	SAMPLE AMT ug/kg	MS CONC. ug/kg	MS REC %	#	SPIKE ADDED ug/kg	MSD CONC. ug/kg	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC
M-,P-Xylene	9680	U	7350	76		10160	7457	77		1		15	75-125
O-Xylene	4840	U	3746	77		5080	3848	80		3		15	75-125
Styrene	4840	U	3792	78		5080	3777	78		0		15	75-125
Bromoform	4840	U	3896	81		5080	3780	78		3		15	75-125
Isopropylbenzene	4840	U	3812	79		5080	3866	80		1		15	75-125
1,1,2,2-Tetrachloroethane	4840	U	3782	78		5080	3721	77		2		15	75-125
1,2,3-Trichloropropane	4840	U	3732	77		5080	3678	76		1		15	75-125
N-Propylbenzene	4840	U	3729	77		5080	3813	79		2		15	75-125
Bromobenzene	4840	U	3812	79		5080	3785	78		1		15	75-125
1,3,5-Trimethylbenzene	4840	U	3782	78		5080	3777	78		0		15	75-125
2-Chlorotoluene	4840	U	3778	78		5080	3823	79		1		15	75-125
4-Chlorotoluene	4840	U	3792	78		5080	3767	78		1		15	75-125
Tert-Butylbenzene	4840	U	3879	80		5080	3881	80		0		15	75-125
1,2,4-Trimethylbenzene	4840	U	3770	78		5080	3759	78		0		15	75-125
Sec-Butylbenzene	4840	U	3804	79		5080	3782	78		1		15	75-125
P-Isopropyltoluene	4840	U	3768	78		5080	3823	79		1		15	75-125
1,3-Dichlorobenzene	4840	U	3753	78		5080	3780	78		1		15	75-125
1,4-Dichlorobenzene	4840	U	3705	77		5080	3810	79		3		15	75-125
N-Butylbenzene	4840	U	3877	80		5080	3912	81		1		15	75-125
1,2-Dichlorobenzene	4840	U	3795	78		5080	3777	78		0		15	75-125
1,2-Dibromo-3-chloropropane	4840	U	3882	80		5080	3752	78		3		15	75-125
1,2,4-Trichlorobenzene	4840	U	3599	74	*	5080	3584	74		0		15	75-125
Hexachlorobutadiene	4840	U	4233	87		5080	4150	86		2		15	75-125
Naphthalene	4840	U	3705	77		5080	3647	75		2		15	75-125
1,2,3-Trichlorobenzene	4840	U	3700	76		5080	3574	74	*	3		15	75-125

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 1 out of 70 outside limits
Spike Recovery: 33 out of 140 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: C

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: LS06183C,RR

COMPOUND	SPIKE ADDED (ug/kg)	LCS CONC. (ug/kg)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	2000	832	42	*	49-82
Chloromethane	2000	1173	59	*	75-125
Vinyl Chloride	2000	1330	67	*	75-125
Bromomethane	2000	1242	62	*	75-125
Chloroethane	2000	1575	79		75-125
t-Butyl alcohol	10000	8295	83		60-140
Trichlorofluoromethane	2000	1576	79		75-125
Diethyl ether	2000	1706	85		75-125
Acetone	5000	4141	83		75-125
1,1-Dichloroethene	2000	1676	84		75-125
Di-isopropyl ether	2000	1820	91		75-125
Methylene Chloride	2000	1541	77		75-125
Carbon Disulfide	2000	1571	79		75-125
Methyl-tert-butyl ether	2000	1783	89		75-125
Trans-1,2-Dichloroethene	2000	1775	89		75-125
1,1-Dichloroethane	2000	1820	91		75-125
Methyl ethyl ketone	5000	5352	107		60-140
Ethyl t-butyl ether	2000	2009	100		75-125
2,2-Dichloropropane	2000	2083	104		75-125
Cis-1,2-Dichloroethene	2000	2310	116		75-125
t-Amyl methyl ether	2000	1938	97		75-125
Chloroform	2000	2134	107		75-125
Bromochloromethane	2000	1913	96		75-125
Tetrahydrofuran	2000	1762	88		60-140
1,1,1-Trichloroethane	2000	1894	95		75-125
1,1-Dichloropropene	2000	1937	97		75-125
Carbon Tetrachloride	2000	1919	96		75-125
1,2-Dichloroethane	2000	1880	94		75-125
Benzene	2000	1927	96		75-125
Trichloroethene	2000	1840	92		75-125
1,2-Dichloropropane	2000	1961	98		75-125
Bromodichloromethane	2000	1990	100		75-125
Dibromomethane	2000	1907	95		75-125
2-Hexanone	5000	4412	88		75-125
Methyl isobutyl ketone	5000	4635	93		75-125
Cis-1,3-Dichloropropene	2000	2008	100		75-125
Toluene	2000	2007	100		75-125
Trans-1,3-Dichloropropene	2000	1947	97		75-125
1,1,2-Trichloroethane	2000	1926	96		75-125
1,3-Dichloropropane	2000	1900	95		75-125
Tetrachloroethene	2000	2115	106		75-125
Dibromochloromethane	2000	1990	100		75-125

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: C

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: LS06183C,RR

COMPOUND	SPIKE ADDED (ug/kg)	LCS CONC. (ug/kg)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	2000	1923	96		75-125
Chlorobenzene	2000	2002	100		75-125
1,1,1,2-Tetrachloroethane	2000	2074	104		75-125
Ethylbenzene	2000	1959	98		75-125
M-,P-Xylene	4000	3949	99		75-125
O-Xylene	2000	2021	101		75-125
Styrene	2000	2073	104		75-125
Bromoform	2000	1882	94		75-125
Isopropylbenzene	2000	2059	103		75-125
1,1,2,2-Tetrachloroethane	2000	1745	87		75-125
1,2,3-Trichloropropane	2000	1622	81		75-125
N-Propylbenzene	2000	1958	98		75-125
Bromobenzene	2000	1951	98		75-125
1,3,5-Trimethylbenzene	2000	2104	105		75-125
2-Chlorotoluene	2000	1969	98		75-125
4-Chlorotoluene	2000	1939	97		75-125
Tert-Butylbenzene	2000	2073	104		75-125
1,2,4-Trimethylbenzene	2000	2029	101		75-125
Sec-Butylbenzene	2000	2028	101		75-125
P-Isopropyltoluene	2000	2046	102		75-125
1,3-Dichlorobenzene	2000	2004	100		75-125
1,4-Dichlorobenzene	2000	2016	101		75-125
N-Butylbenzene	2000	2116	106		75-125
1,2-Dichlorobenzene	2000	1963	98		75-125
1,2-Dibromo-3-chloropropane	2000	1643	82		75-125
1,2,4-Trichlorobenzene	2000	2058	103		75-125
Hexachlorobutadiene	2000	2319	116		75-125
Naphthalene	2000	1990	100		75-125
1,2,3-Trichlorobenzene	2000	2018	101		75-125

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 4 out of 70 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806193C

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	20	17.4	87		70-130
Chloromethane	20	22.3	111		70-130
Vinyl Chloride	20	18.4	92		70-130
Bromomethane	20	11.8	59	*	70-130
Chloroethane	20	18.5	92		70-130
t-Butyl alcohol	100	75.7	76		70-130
Trichlorofluoromethane	20	18.6	93		70-130
Diethyl ether	20	17.2	86		70-130
Acetone	20	19.1	95		70-130
1,1-Dichloroethene	20	18.5	93		70-130
Di-isopropyl ether	20	18.8	94		70-130
Methylene Chloride	20	16.6	83		70-130
Carbon Disulfide	20	18.5	93		70-130
Methyl-tert-butyl ether	40	36.5	91		70-130
Trans-1,2-Dichloroethene	20	18.5	93		70-130
1,1-Dichloroethane	20	18.7	94		70-130
Methyl ethyl ketone	20	23.6	118		70-130
Ethyl t-butyl ether	20	21.0	105		70-130
2,2-Dichloropropane	20	21.5	108		70-130
Cis-1,2-Dichloroethene	20	24.0	120		70-130
t-Amyl methyl ether	20	19.4	97		70-130
Chloroform	20	19.6	98		70-130
Bromochloromethane	20	19.9	99		70-130
Tetrahydrofuran	20	20.2	101		70-130
1,1,1-Trichloroethane	20	20.0	100		70-130
1,1-Dichloropropene	20	20.6	103		70-130
Carbon Tetrachloride	20	19.8	99		70-130
1,2-Dichloroethane	20	19.8	99		70-130
Benzene	20	20.0	100		70-130
Trichloroethene	20	21.5	108		70-130
1,2-Dichloropropane	20	20.8	104		70-130
Bromodichloromethane	20	21.5	107		70-130
Dibromomethane	20	19.3	97		70-130
2-Hexanone	20	20.6	103		70-130
Methyl isobutyl ketone	20	19.1	95		70-130
Cis-1,3-Dichloropropene	20	22.0	110		70-130
Toluene	20	20.6	103		70-130
Trans-1,3-Dichloropropene	20	20.8	104		70-130
1,1,2-Trichloroethane	20	20.8	104		70-130
1,3-Dichloropropane	20	20.3	102		70-130
Tetrachloroethene	20	22.5	113		70-130
Dibromochloromethane	20	20.0	100		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806193C

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	20	20.7	103		70-130
Chlorobenzene	20	20.9	104		70-130
1,1,1,2-Tetrachloroethane	20	21.6	108		70-130
Ethylbenzene	20	20.5	102		70-130
M-,P-Xylene	40	41.1	103		70-130
O-Xylene	20	21.1	105		70-130
Styrene	20	21.4	107		70-130
Bromoform	20	20.5	102		70-130
Isopropylbenzene	20	20.2	101		70-130
1,1,2,2-Tetrachloroethane	20	19.0	95		70-130
1,2,3-Trichloropropane	20	18.2	91		70-130
N-Propylbenzene	20	20.8	104		70-130
Bromobenzene	20	20.8	104		70-130
1,3,5-Trimethylbenzene	20	20.8	104		70-130
2-Chlorotoluene	20	20.5	102		70-130
4-Chlorotoluene	20	20.8	104		70-130
Tert-Butylbenzene	20	21.2	106		70-130
1,2,4-Trimethylbenzene	20	21.2	106		70-130
Sec-Butylbenzene	20	21.1	105		70-130
P-Isopropyltoluene	20	20.4	102		70-130
1,3-Dichlorobenzene	20	20.9	105		70-130
1,4-Dichlorobenzene	20	20.8	104		70-130
N-Butylbenzene	20	21.7	108		70-130
1,2-Dichlorobenzene	20	20.7	104		70-130
1,2-Dibromo-3-chloropropane	20	19.4	97		70-130
1,2,4-Trichlorobenzene	20	21.8	109		70-130
Hexachlorobutadiene	20	25.7	128		70-130
Naphthalene	20	20.5	102		70-130
1,2,3-Trichlorobenzene	20	21.2	106		70-130
1,3,5-Trichlorobenzene	20	20.3	102		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 1 out of 71 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: C

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49855-13,RR

COMPOUND	SPIKE ADDED ug/kg	SAMPLE AMT ug/kg	MS CONC. ug/kg	MS REC %	#	SPIKE ADDED ug/kg	MSD CONC. ug/kg	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	4840	U	1208	25	*	5080	1212	25	*	0		15	49-82
Chloromethane	4840	U	2144	44	*	5080	2385	49	*	11		15	75-125
Vinyl Chloride	4840	U	2301	48	*	5080	2446	51	*	6		15	75-125
Bromomethane	4840	U	2183	45	*	5080	2428	50	*	11		15	75-125
Chloroethane	4840	U	2877	59	*	5080	2873	59	*	0		15	75-125
t-Butyl alcohol	24200	U	16020	66	*	25400	17455	72	*	9		15	60-140
Trichlorofluoromethane	4840	U	2519	52	*	5080	2677	55	*	6		15	75-125
Diethyl ether	4840	U	3291	68	*	5080	3452	71	*	5		15	75-125
Acetone	12100	U	8076	67	*	12700	8270	68	*	2		15	75-125
1,1-Dichloroethene	4840	U	2841	59	*	5080	3040	63		7		15	75-125
Di-isopropyl ether	4840	U	3296	68	*	5080	3510	73	*	6		15	75-125
Methylene Chloride	4840	U	2715	56	*	5080	2926	60	*	7		15	75-125
Carbon Disulfide	4840	U	2526	52	*	5080	2812	58	*	11		15	75-125
Methyl-tert-butyl ether	4840	U	3349	69	*	5080	3447	71	*	3		15	75-125
Trans-1,2-Dichloroethene	4840	U	2969	61	*	5080	3203	66	*	8		15	75-125
1,1-Dichloroethane	4840	U	3204	66	*	5080	3391	70	*	6		15	75-125
Methyl ethyl ketone	12100	U	7565	63		12700	8349	69		10		15	60-140
Ethyl t-butyl ether	4840	U	3306	68	*	5080	3533	73	*	7		15	75-125
2,2-Dichloropropane	4840	U	3144	65	*	5080	3363	69	*	7		15	75-125
Cis-1,2-Dichloroethene	4840	U	3170	66	*	5080	3332	69	*	5		15	75-125
t-Amyl methyl ether	4840	U	3482	72	*	5080	3655	76		5		15	75-125
Chloroform	4840	U	3175	66	*	5080	3462	72	*	9		15	75-125
Bromochloromethane	4840	U	3611	75		5080	3673	76		2		15	75-125
Tetrahydrofuran	4840	U	3182	66		5080	3465	72		8		15	60-140
1,1,1-Trichloroethane	4840	U	3272	68	*	5080	3490	72	*	6		15	75-125
1,1-Dichloropropene	4840	U	3202	66	*	5080	3452	71	*	8		15	75-125
Carbon Tetrachloride	4840	U	3238	67	*	5080	3442	71	*	6		15	75-125
1,2-Dichloroethane	4840	U	3330	69	*	5080	3475	72	*	4		15	75-125
Benzene	4840	U	3318	69	*	5080	3531	73	*	6		15	75-125
Trichloroethene	4840	U	3277	68	*	5080	3475	72	*	6		15	75-125
1,2-Dichloropropane	4840	U	3424	71	*	5080	3683	76		7		15	75-125
Bromodichloromethane	4840	U	3482	72	*	5080	3658	76		5		15	75-125
Dibromomethane	4840	U	3361	69	*	5080	3617	75		7		15	75-125
2-Hexanone	12100	U	7095	59	*	12700	8588	71	*	19	*	15	75-125
Methyl isobutyl ketone	12100	U	8020	66	*	12700	9119	75		13		15	75-125
Cis-1,3-Dichloropropene	4840	U	3429	71	*	5080	3668	76		7		15	75-125
Toluene	4840	U	3301	68	*	5080	3571	74	*	8		15	75-125
Trans-1,3-Dichloropropene	4840	U	3400	70	*	5080	3604	74	*	6		15	75-125
1,1,2-Trichloroethane	4840	U	3429	71	*	5080	3625	75		6		15	75-125
1,3-Dichloropropane	4840	U	3378	70	*	5080	3642	75		8		15	75-125
Tetrachloroethene	4840	U	3325	69	*	5080	3589	74	*	8		15	75-125
Dibromochloromethane	4840	U	3480	72	*	5080	3688	76		6		15	75-125
1,2-Dibromoethane	4840	U	3449	71	*	5080	3579	74	*	4		15	75-125
Chlorobenzene	4840	U	3553	73	*	5080	3807	79		7		15	75-125
1,1,1,2-Tetrachloroethane	4840	U	3519	73	*	5080	3797	78		8		15	75-125
Ethylbenzene	4840	U	3422	71	*	5080	3719	77		8		15	75-125

analytics environmental laboratory LLC

VOLATILE ORGANIC
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: C
GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49855-13,RR

COMPOUND	SPIKE ADDED ug/kg	SAMPLE AMT ug/kg	MS CONC. ug/kg	MS REC %	#	SPIKE ADDED ug/kg	MSD CONC. ug/kg	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
M-,P-Xylene	9680	U	6882	71	*	10160	7435	77		8		15	75-125
O-Xylene	4840	U	3502	72	*	5080	3716	77		6		15	75-125
Styrene	4840	U	3439	71	*	5080	3754	78		9		15	75-125
Bromoform	4840	U	3594	74	*	5080	3744	77		4		15	75-125
Isopropylbenzene	4840	U	3482	72	*	5080	3744	77		7		15	75-125
1,1,2,2-Tetrachloroethane	4840	U	3485	72	*	5080	3647	75		5		15	75-125
1,2,3-Trichloropropane	4840	U	3315	69	*	5080	3548	73	*	7		15	75-125
N-Propylbenzene	4840	U	3429	71	*	5080	3716	77		8		15	75-125
Bromobenzene	4840	U	3497	72	*	5080	3774	78		8		15	75-125
1,3,5-Trimethylbenzene	4840	U	3427	71	*	5080	3696	76		8		15	75-125
2-Chlorotoluene	4840	U	3468	72	*	5080	3663	76		5		15	75-125
4-Chlorotoluene	4840	U	3398	70	*	5080	3739	77		10		15	75-125
Tert-Butylbenzene	4840	U	3502	72	*	5080	3853	80		10		15	75-125
1,2,4-Trimethylbenzene	4840	U	3407	70	*	5080	3706	77		8		15	75-125
Sec-Butylbenzene	4840	U	3468	72	*	5080	3736	77		7		15	75-125
P-Isopropyltoluene	4840	U	3478	72	*	5080	3774	78		8		15	75-125
1,3-Dichlorobenzene	4840	U	3480	72	*	5080	3769	78		8		15	75-125
1,4-Dichlorobenzene	4840	U	3509	73	*	5080	3711	77		6		15	75-125
N-Butylbenzene	4840	U	3526	73	*	5080	3757	78		6		15	75-125
1,2-Dichlorobenzene	4840	U	3548	73	*	5080	3782	78		6		15	75-125
1,2-Dibromo-3-chloropropane	4840	U	3400	70	*	5080	3708	77		9		15	75-125
1,2,4-Trichlorobenzene	4840	U	3444	71	*	5080	3708	77		7		15	75-125
Hexachlorobutadiene	4840	U	4012	83		5080	4166	86		4		15	75-125
Naphthalene	4840	U	3548	73	*	5080	3754	78		6		15	75-125
1,2,3-Trichlorobenzene	4840	U	3480	72	*	5080	3665	76		5		15	75-125

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 1 out of 70 outside limits
Spike Recovery: 98 out of 140 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806193C4

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	20	18.3	91		70-130
Chloromethane	20	19.9	99		70-130
Vinyl Chloride	20	19.1	96		70-130
Bromomethane	20	15.6	78		70-130
Chloroethane	20	19.2	96		70-130
t-Butyl alcohol	100	81.7	82		70-130
Trichlorofluoromethane	20	18.3	92		70-130
Diethyl ether	20	18.5	93		70-130
Acetone	20	19.8	99		70-130
1,1-Dichloroethene	20	18.2	91		70-130
Di-isopropyl ether	20	19.3	96		70-130
Methylene Chloride	20	17.0	85		70-130
Carbon Disulfide	20	18.0	90		70-130
Methyl-tert-butyl ether	40	37.0	93		70-130
Trans-1,2-Dichloroethene	20	18.4	92		70-130
1,1-Dichloroethane	20	18.7	94		70-130
Methyl ethyl ketone	20	18.6	93		70-130
Ethyl t-butyl ether	20	18.8	94		70-130
2,2-Dichloropropane	20	18.1	90		70-130
Cis-1,2-Dichloroethene	20	19.5	98		70-130
t-Amyl methyl ether	20	19.3	96		70-130
Chloroform	20	19.1	96		70-130
Bromochloromethane	20	21.0	105		70-130
Tetrahydrofuran	20	19.6	98		70-130
1,1,1-Trichloroethane	20	19.7	99		70-130
1,1-Dichloropropene	20	19.7	99		70-130
Carbon Tetrachloride	20	20.3	101		70-130
1,2-Dichloroethane	20	19.6	98		70-130
Benzene	20	19.7	98		70-130
Trichloroethene	20	20.5	103		70-130
1,2-Dichloropropane	20	20.3	101		70-130
Bromodichloromethane	20	20.3	101		70-130
Dibromomethane	20	18.6	93		70-130
2-Hexanone	20	16.9	85		70-130
Methyl isobutyl ketone	20	18.4	92		70-130
Cis-1,3-Dichloropropene	20	20.6	103		70-130
Toluene	20	19.0	95		70-130
Trans-1,3-Dichloropropene	20	19.3	97		70-130
1,1,2-Trichloroethane	20	19.6	98		70-130
1,3-Dichloropropane	20	19.4	97		70-130
Tetrachloroethene	20	21.4	107		70-130
Dibromochloromethane	20	19.2	96		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002.2010 Quote #: SDG# 49855

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806193C4

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	20	19.9	100		70-130
Chlorobenzene	20	19.8	99		70-130
1,1,1,2-Tetrachloroethane	20	20.5	102		70-130
Ethylbenzene	20	19.2	96		70-130
M-,P-Xylene	40	39.3	98		70-130
O-Xylene	20	19.9	99		70-130
Styrene	20	19.8	99		70-130
Bromoform	20	18.8	94		70-130
Isopropylbenzene	20	18.7	93		70-130
1,1,2,2-Tetrachloroethane	20	17.5	88		70-130
1,2,3-Trichloropropane	20	17.8	89		70-130
N-Propylbenzene	20	19.3	96		70-130
Bromobenzene	20	19.3	97		70-130
1,3,5-Trimethylbenzene	20	19.5	97		70-130
2-Chlorotoluene	20	19.5	98		70-130
4-Chlorotoluene	20	18.7	93		70-130
Tert-Butylbenzene	20	19.9	99		70-130
1,2,4-Trimethylbenzene	20	20.2	101		70-130
Sec-Butylbenzene	20	19.8	99		70-130
P-Isopropyltoluene	20	19.3	97		70-130
1,3-Dichlorobenzene	20	19.3	96		70-130
1,4-Dichlorobenzene	20	20.1	101		70-130
N-Butylbenzene	20	20.2	101		70-130
1,2-Dichlorobenzene	20	20.3	101		70-130
1,2-Dibromo-3-chloropropane	20	19.1	96		70-130
1,2,4-Trichlorobenzene	20	20.5	103		70-130
Hexachlorobutadiene	20	24.1	121		70-130
Naphthalene	20	20.1	100		70-130
1,2,3-Trichlorobenzene	20	20.3	101		70-130
1,3,5-Trichlorobenzene	20	19.3	97		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 0 out of 71 outside limits

Comments: _____

_____

GC/MS Volatiles Instrument: C

IS only V4489 Exp: 6/18/03
SS+IS V4490 Exp: 6/18/03
Voltage 2059
Threshold 100

061703-C

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		W-C-061703-1-MT						
12	V8061230	BFB 50ng 2ul V4487	5mL		✓	C43580T	MT	NA
2		20 ppb 5ul V4504 V4512			✓	81SC		
3		1806173C 5ul V4506 V4517			Many ↑ failures - Recal	82Q		
4		Bromoform V4488			Not used	83		
5		B806173C			Not used	84B		
6	V8061730	1 ppb .25ml V4504 V4512				85SI		
7		2 ppb .5ml			Curve Avg RF 10.7%	86SI		
8		5 ppb 1.25ml				87SI		
9		20 ppb 5ml				88SI		
10		50 ppb 12.5ml				89SI		
11		100ppb 25ml				90SI		
12		Blank			Cont call	91		
9					Cont call	92		
10					Cont call	93		
11					Cont call	94		
1		BFB 50ng 2ml V4487	5mL		✓	95T	MM	NA 1500
2		20ppb 5ml V4504 V4512			✓	96SC		
3		L806173C 5ml V4506 V4517			TBA, ↓SS, RR	97Q		
4		Bromoform V4488			✓	98		
5		B806173C2	↓		✓	99B		
3		L806173C2	5mL		SS, ↓ again, Spike Compounds OK	C43600Q		
4		L806173C2	↓		SS, ↓	01Q		
5		49863-25 Air	5mL		✓SS, OK	02		
6		-26			✓	03		
7		-27			✓	04		
8		-28	↓		MM 5mL	05		
9		-29	100mL		MM 5mL	06		
10		-30	5mL		✓	07		
11		-31	5mL		✓	08		
12		-33	↓		MM 250mL	09		

Cont pg. 17

Revision: 04/30/02

GC/MS Volatiles Instrument: C

IS only Exp:

SS+IS V4490 Exp: 6-18-03

Voltage 2059

Threshold 100

061803-C

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		W-C-061803-1-JR						
13	V8260_3C	BFB 50ng 2uL V4497	5mL		√ 1383	C436187	JR	NA 9:45
14		20ppb 5mL V4504 V4512 V4506			√	19	SC	
15		1806183C V4517			√ All OK	202		
12		Bromoform V4488			√	21		
13		B806183C			√	22B		
14		49838-3	5mL		√	23	MT	<2
15		49872-1			√	24		<2
16		-2			√	25		<2
1		49836-88	2.5mL		√	26		<2
3		-89	50uL		√	27		<2
4		-90	5mL		√	28		<2
5		49837-4	2.5mL		√	29		<2
6		-5	5mL		√	30		<2
7		-5MS			√ All OK	31SP		<2
8		-5MSD			√	32SP		<2
9		49863-28			√ AIR	33		NA
10		-29			√	34		
11		~~32~~ 39			√	35		
12		-33	25uL		√	36		
13		-34	500uL		√	37		
14		-36	1mL		√	38		
15		-40	5mL		√	39		
16	W-C-061803-2-AIR	BFB 50ng 2uL V4487	5mL		✓	40T	AIR	NA 2152
1		20ppb 5mL V4504 V4512			√	41SC		
4		MB806183B 5mL V4503	50mL		√	42B		
5		LSD6183B			√ BM	43B		
6		LSD6183B2			✱ Int. Abnormality, ↑, RR	44B		
7		49885-8			RR 50uL CO T.M.	45		
8		-10			√ 9.56	46		
9		-11			✓ RR 50uL bss 12.81	47		

Revision: 04/30/02

GC/MS Volatiles Instrument: C

IS only V4489 Exp: 6/18/03
SS+IS — Exp: —
Voltage 2059
Threshold 100

Cont. 061803-C

Tube	Method	Sample	Vol	DF	Comments		File #	LB	pH
10	V8260C	49855-12	~~5000~~ 5mL		✓	10.00	C43648	MW	NA
11		-13			✓	6.12	49		
12		-13 MS			Many ↓ features	7.62	50SP		
13		~~Blank -13 MSD~~			~~Spike Added RR~~ not to confirm.	7.27	51SP		
14		~~BLK~~ -13MSD					52		
15		49855-14			RR SOWL	8.14	53		
16		49820-1			✓	11.18	54		
1		49853-1			RR SOWL ↓55	10.48	55		
2		49821-1	↓		RR SOWL PCEG	10.19	56	↓	↓
3		49842-1	~~25mL~~ 5mL		✓	25.45	57		
4		LS061803C) RR ~~LS061803A RR~~ 061703	50mL 5mL		✓ some ↓ qualifiers	10.00	58	MT	NA

MT 6/19/03

Revision: 04/30/02

GC/MS Volatiles Instrument: C

IS only Exp:

SS+IS Exp:

061903-C

Voltage 2059

Threshold 100

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		BLW-C-061903-1-MT						
3	V80v73C	BFB 50ng 2ul V4487	5mL	✓		C4365ST	MT	MA 11/7/7
4		20ppb 5ul V4504 V4512		✓		60SC		
12		L80v193C 5ul V4506 V4517			BMB 59% w/50ul MeOH	61Q		
13		Bromoform		✓		62		
14		B80v193C		✓	w/50ul MeOH	63B		
12		L80v193C 2			bss. MA w/50ul MeOH Abnormality in IS causing ↓ ss.	64Q		
13		Blank				65		
2		L80v193C3			bss. MA	66		
3		Blank				67		
7		49855-8		✓	TB.	68		
8		49853-1			Conf. bss. 10.48	69		
9		49821-1		✓	10.19	70		
10		49855-11		✓	Confirmed failures. 12.81	71		
11		-14		✓	8.14	72		
12		-13MS		✓	7.62	73 SP		
13		-13MSD		✓	7.27	74 SP		
14		L80v193C4			All ok	75 SP		

6-20-03

Revision: 04/30/02

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43580T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/17/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1051

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.9
75	30.0 - 60.0% of mass 95	38.6
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	5.9
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	64.3
175	5.0 - 9.0% of mass 174	4.8 (7.5)1
176	>95.0 - <101.0% of mass 174	62.2 (96.7)1
177	5.0 - 9.0% of mass 176	4.5 (7.3)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	ZZZZZ	ZZZZZ	C43581SC.D	06/17/03	11:20
02	ZZZZZ	ZZZZZ	C43582Q.D	06/17/03	11:53
03	ZZZZZ	ZZZZZ	C43583.D	06/17/03	12:22
04	ZZZZZ	ZZZZZ	C43584B.D	06/17/03	12:50
05	1 PPB	1 PPB	C43585SI.D	06/17/03	13:23
06	2 PPB	2 PPB	C43586SI.D	06/17/03	13:51
07	5 PPB	5 PPB	C43587SI.D	06/17/03	14:19
08	20 PPB	20 PPB	C43588SI.D	06/17/03	14:48
09	50 PPB	50 PPB	C43589SI.D	06/17/03	15:16
10	100 PPB	100 PPB	C43590SI.D	06/17/03	15:45
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43640T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2152

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.1
75	30.0 - 60.0% of mass 95	42.5
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.4
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	63.1
175	5.0 - 9.0% of mass 174	4.4 (7.0)1
176	>95.0 - <101.0% of mass 174	62.5 (99.0)1
177	5.0 - 9.0% of mass 176	4.3 (6.9)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB	20PPB	C43641SC.D	06/18/03	22:21
02	MB06183B	MB06183B	C43642B.D	06/18/03	23:52
03	ZZZZZ	ZZZZZ	C43643Q.D	06/19/03	0:35
04	LS06183B2	LS06183B2	C43644Q.D	06/19/03	1:03
05	ZZZZZ	ZZZZZ	C43645.D	06/19/03	1:37
06	49855-10	49855-10	C43646.D	06/19/03	2:06
07	49855-11	49855-11	C43647.D	06/19/03	2:35
08	49855-12	49855-12	C43648.D	06/19/03	3:04
09	49855-13	49855-13	C43649.D	06/19/03	3:33
10	49855-13,MS	49855-13,MS	C43650.D	06/19/03	4:01
11	ZZZZZ	ZZZZZ	C43651.D	06/19/03	4:30
12	49855-13,MSD	49855-13,MSD	C43652.D	06/19/03	4:59
13	ZZZZZ	ZZZZZ	C43653.D	06/19/03	5:28
14	ZZZZZ	ZZZZZ	C43654.D	06/19/03	5:57
15	ZZZZZ	ZZZZZ	C43655.D	06/19/03	6:26
16	ZZZZZ	ZZZZZ	C43656.D	06/19/03	6:55
17	ZZZZZ	ZZZZZ	C43657.D	06/19/03	7:24
18	LS06183C,RR	LS06183C,RR	C43658Q.D	06/19/03	8:00
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43659T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1133

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.2
75	30.0 - 60.0% of mass 95	36.3
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.0
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	70.8
175	5.0 - 9.0% of mass 174	5.4 (7.6)1
176	>95.0 - <101.0% of mass 174	69.6 (98.4)1
177	5.0 - 9.0% of mass 176	4.6 (6.6)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB	20PPB	C43660SC.D	06/19/03	12:01
02	L806193C	L806193C	C43661Q.D	06/19/03	12:41
03	ZZZZZ	ZZZZZ	C43662.D	06/19/03	13:09
04	B806193C	B806193C	C43663B.D	06/19/03	13:39
05	ZZZZZ	ZZZZZ	C43664Q.D	06/19/03	14:16
06	ZZZZZ	ZZZZZ	C43665.D	06/19/03	14:45
07	ZZZZZ	ZZZZZ	C43666Q.D	06/19/03	15:14
08	ZZZZZ	ZZZZZ	C43667.D	06/19/03	15:49
09	49855-8	49855-8	C43668.D	06/19/03	16:18
10	ZZZZZ	ZZZZZ	C43669.D	06/19/03	16:46
11	ZZZZZ	ZZZZZ	C43670.D	06/19/03	17:15
12	49855-11,RR	49855-11,RR	C43671.D	06/19/03	17:44
13	49855-14	49855-14	C43672.D	06/19/03	18:12
14	49855-13,MS,RR	49855-13,MS,RR	C43673SP.D	06/19/03	18:41
15	49855-13,MSD,RR	49855-13,MSD,RR	C43674SP.D	06/19/03	19:09
16	L806193C4	L806193C4	C43675Q.D	06/19/03	19:38
17					
18					
19					
20					
21					
22					
23					

C:\HPCHEM\1\DATA\061703C\C43584B.D
Method File **V806123C**
10.7% **C43585SI.D**
Level 2 File Name **C43586SI.D**
Level 3 File Name **C43587SI.D**
Level 4 File Name **C43588SI.D**
Level 5 File Name **C43589SI.D**
Level 6 File Name **C43590SI.D**

Name	LEVEL 1 RF	LEVEL 2 RF	LEVEL 3 RF	LEVEL 4 RF	LEVEL 5 RF	LEVEL 6 RF	AVG RF
Dichlorodifluoromethane	1.151	1.058	1.085	1.153	1.150	1.055	4.3%
Chloromethane	1.144	0.897	0.946	1.017	1.006	0.962	8.5%
Vinyl Chloride	0.963	0.895	0.923	0.988	0.972	0.898	4.2%
Bromomethane	1.130	0.879	0.927	0.912	0.863	0.845	11.3%
Chloroethane	0.587	0.498	0.514	0.541	0.555	0.531	5.8%
t-Butyl alcohol (TBA)	0.059	0.057	0.055	0.055	0.052	0.057	4.5%
Trichlorofluoromethane	1.718	1.428	1.527	1.640	1.611	1.469	7.0%
Diethyl ether	0.361	0.322	0.379	0.389	0.379	0.418	8.5%
1,1,2-Trichlorotrifluoroethane	1.002	0.945	1.014	1.049	1.040	0.988	3.7%
Acrolein	0.120	0.084	0.086	0.158	0.153	0.062	34.8%
Acetone	0.243	0.218	0.214	0.221	0.213	0.245	6.6%
1,1-Dichloroethene	0.898	0.827	0.844	0.859	0.854	0.822	3.2%
Methyl iodide	0.579	0.594	0.783	1.070	1.060	0.989	26.7%
Di-isopropyl ether (DIPE)	2.754	2.497	2.719	2.932	2.868	2.972	6.2%
Methylene Chloride	1.686	1.240	1.057	1.015	0.963	0.994	23.8%
Carbon Disulfide	2.296	2.154	2.393	2.695	2.682	2.630	9.2%
Acrylonitrile	0.304	0.243	0.259	0.272	0.262	0.300	8.8%
Methyl-tert-butyl ether (MTBE	1.838	1.651	1.730	1.825	1.833	2.054	7.4%
trans-1,2-Dichloroethene	1.000	0.899	0.967	0.994	0.983	0.973	3.8%
1,1-Dichloroethane	1.261	1.225	1.270	1.383	1.332	1.299	4.4%
Vinyl acetate	1.373	0.936	1.103	1.594	1.626	0.489	36.7%
Methyl ethyl ketone	0.067	0.046	0.050	0.054	0.054	0.061	13.9%
Ethyl t-butyl ether (ETBE)	2.052	1.871	1.824	1.945	1.934	2.086	5.3%
2,2-Dichloropropane	1.309	0.966	1.053	1.134	1.130	1.083	10.2%
cis-1,2-Dichloroethene	1.081	0.717	0.794	0.846	0.863	0.863	14.1%
t-Amyl methyl ether (TAME)	1.417	1.337	1.436	1.563	1.555	1.685	8.4%
Chloroform	1.596	1.221	1.330	1.423	1.395	1.397	8.8%
Bromochloromethane	0.258	0.265	0.285	0.310	0.303	0.324	9.0%
Tetrahydrofuran	0.061	0.043	0.052	0.052	0.050	0.058	12.0%
1,1,1-Trichloroethane	1.258	1.241	1.364	1.469	1.467	1.421	7.4%
1,1-Dichloropropene	0.854	0.767	0.876	0.913	0.902	0.875	6.0%
Carbon Tetrachloride	0.975	0.903	1.075	1.183	1.173	1.147	10.7%
1,2-Dichloroethane	0.870	0.788	0.903	0.979	0.973	1.022	9.3%
Benzene	2.180	2.077	2.253	2.382	2.374	2.359	5.5%
Trichloroethene	0.412	0.409	0.470	0.481	0.518	0.511	10.1%
1,2-Dichloropropane	0.293	0.277	0.313	0.317	0.330	0.332	7.0%
Methylmethacrylate	0.202	0.197	0.212	0.203	0.204	0.329	23.0%
Bromodichloromethane	0.429	0.450	0.522	0.553	0.575	0.595	13.0%
Dibromomethane	0.315	0.301	0.332	0.362	0.360	0.391	9.7%
2-Chloroethylvinyl ether	0.109	0.088	0.103	0.124	0.154	0.175	26.3%
2-Hexanone	0.087	0.091	0.102	0.112	0.113	0.118	12.4%
Methyl isobutyl ketone	0.094	0.098	0.109	0.118	0.117	0.128	11.8%
cis-1,3-Dichloropropene	0.453	0.453	0.510	0.555	0.583	0.607	12.5%
Toluene	0.894	0.847	0.914	0.951	0.980	0.971	5.5%
trans-1,3-Dichloropropene	0.379	0.383	0.451	0.499	0.520	0.549	15.4%
1,1,2-Trichloroethane	0.239	0.236	0.259	0.273	0.278	0.295	8.8%
1,3-Dichloropropane	0.492	0.462	0.503	0.534	0.536	0.577	7.8%
Tetrachloroethene	0.334	0.340	0.366	0.377	0.398	0.389	7.1%
Dibromochloromethane	0.295	0.321	0.372	0.418	0.438	0.462	17.3%
1,2-Dibromoethane	0.375	0.351	0.404	0.440	0.444	0.490	12.2%
Chlorobenzene	0.967	0.993	1.099	1.168	1.203	1.209	9.6%
1,1,1,2-Tetrachloroethane	0.351	0.343	0.389	0.430	0.441	0.449	11.6%
Ethylbenzene	1.900	1.934	2.155	2.274	2.316	2.257	8.4%
m,p-Xylene	0.693	0.698	0.759	0.793	0.833	0.829	8.1%
o-Xylene	0.655	0.649	0.705	0.761	0.774	0.784	8.4%
Styrene	1.097	1.127	1.240	1.385	1.428	1.406	11.4%
Bromoform	0.223	0.223	0.255	0.318	0.333	0.361	20.9%
Isopropylbenzene	1.838	1.893	2.073	2.253	2.285	2.230	9.2%
1,1,2,2-Tetrachloroethane	0.446	0.422	0.462	0.501	0.484	0.505	7.0%
1,2,3-Trichloropropane	0.344	0.319	0.313	0.336	0.315	0.341	4.2%
trans-1,4-Dichloro-2-butene	0.112	0.136	0.138	0.160	0.158	0.168	14.3%
n-Propylbenzene	2.268	2.261	2.489	2.613	2.713	2.647	7.8%
Bromobenzene	0.375	0.366	0.409	0.446	0.465	0.473	10.9%
1,3,5-Trimethylbenzene	1.463	1.464	1.566	1.740	1.795	1.780	9.5%
2-Chlorotoluene	1.452	1.439	1.582	1.715	1.771	1.720	9.0%
4-Chlorotoluene	1.301	1.369	1.406	1.493	1.512	1.503	6.0%
tert-butylbenzene	1.026	1.045	1.133	1.238	1.247	1.208	8.5%
1,2,4-Trimethylbenzene	1.537	1.484	1.569	1.729	1.796	1.783	8.2%
sec-butylbenzene	1.969	1.954	2.146	2.326	2.357	2.300	8.3%
p-isopropyltoluene	1.258	1.271	1.382	1.494	1.555	1.547	9.5%
1,3-Dichlorobenzene	0.627	0.662	0.693	0.754	0.783	0.785	9.3%
1,4-Dichlorobenzene	1.482	1.403	1.527	1.614	1.639	1.623	6.1%
n-butylbenzene	3.217	3.200	3.487	3.831	3.767	3.565	7.6%
1,2-Dichlorobenzene	1.330	1.228	1.359	1.486	1.476	1.472	7.5%
1,2-Dibromo-3-chloropropane	0.119	0.114	0.129	0.152	0.141	0.149	11.7%
1,2,4-Trichlorobenzene	0.795	0.758	0.828	0.933	0.961	0.975	10.6%
Hexachlorobutadiene	0.187	0.397	0.446	0.510	0.512	0.486	29.3%
Naphthalene	1.538	1.352	1.537	1.729	1.782	1.951	13.0%
1,2,3-Trichlorobenzene	0.717	0.649	0.710	0.827	0.845	0.886	12.1%
1,3,5-Trichlorobenzene	1.038	0.903	1.038	1.150	1.184	1.183	10.2%

CURVE AVG RF **10.7%**

MT 6/18/03

6-20-03

Response Factor Report Instr_C

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration

MT 6/18/03

Calibration Files
1 =C43585SI.D 2 =C43586SI.D 5 =C43587SI.D
20 =C43588SI.D 50 =C43589SI.D 100 =C43590SI.D

6.20.03

		Compound	1	2	5	20	50	100	Avg	%R
1)	I	Pentafluorobenzene	ISTD							
2)	TM	Dichlorodifluoromet	1.151	1.058	1.085	1.153	1.150	1.055	1.109	4.3
3)	TMP	Chloromethane	1.144	0.897	0.946	1.017	1.006	0.962	0.995✓	8.5
4)	TMC	Vinyl Chloride	0.963	0.895	0.923	0.988	0.972	0.898	0.940	✓4.2
5)	TM	Bromomethane	1.130	0.879	0.927	0.912	0.863	0.845	0.926	11.2
6)	TM	Chloroethane	0.587	0.498	0.514	0.541	0.555	0.531	0.538	5.8
7)	TM	t-Butyl alcohol (TB	0.059	0.057	0.055	0.055	0.052	0.057	0.056#	4.5
8)	TM	Trichlorofluorometh	1.718	1.428	1.527	1.640	1.611	1.469	1.565	7.0
9)	TM	Diethyl ether	0.361	0.322	0.379	0.389	0.379	0.418	0.375	8.5
10)	T	1,1,2-Trichlorotrif	1.002	0.945	1.014	1.049	1.040	0.988	1.006	3.7
11)	T	Acrolein	0.120	0.084	0.086	0.153	0.153	0.062	0.110	34.8
12)	TM	Acetone	0.243	0.218	0.214	0.221	0.213	0.245	0.226	6.5
13)	TMC	1,1-Dichloroethene	0.898	0.827	0.844	0.859	0.854	0.822	0.851	✓3.2
14)	T	Methyl iodide	0.579	0.594	0.783	1.070	1.060	0.989	0.846	26.7
15)	TM	Di-isopropyl ether	2.754	2.497	2.719	2.932	2.868	2.972	2.790	6.2
16)	TM	Methylene Chloride	1.686	1.240	1.057	1.015	0.963	0.994	1.159	23.8
17)	TM	Carbon Disulfide	2.296	2.154	2.393	2.695	2.682	2.630	2.475	9.1
18)	T	Acrylonitrile	0.304	0.243	0.259	0.272	0.262	0.300	0.273	8.8
19)	TM	Methyl-tert-butyl e	1.838	1.651	1.730	1.825	1.833	2.054	1.822	7.4
20)	TM	trans-1,2-Dichloroe	1.000	0.899	0.967	0.994	0.983	0.973	0.969	3.7
21)	TMP	1,1-Dichloroethane	1.261	1.225	1.270	1.383	1.332	1.299	1.295✓	4.3
22)	T	Vinyl acetate	1.373	0.936	1.103	1.594	1.626	0.489	1.187	36.7
23)	TM	Methyl ethyl ketone	0.067	0.046	0.050	0.054	0.054	0.061	0.055#	13.8
24)	TM	Ethyl t-butyl ether	2.062	1.871	1.824	1.945	1.934	2.086	1.954	5.2
25)	TM	2,2-Dichloropropane	1.309	0.966	1.053	1.134	1.130	1.083	1.113	10.2
26)	TM	cis-1,2-Dichloroeth	1.081	0.717	0.794	0.846	0.863	0.863	0.861	14.1
27)	TM	t-Amyl methyl ether	1.417	1.337	1.436	1.563	1.555	1.685	1.499	8.3
28)	T	NO COUMPOUND							0.000#	-1.0
29)	TMC	Chloroform	1.596	1.221	1.330	1.423	1.395	1.397	1.394	✓8.8
30)	TM	Bromochloromethane	0.258	0.265	0.285	0.310	0.303	0.324	0.291	8.9
31)	TM	Tetrahydrofuran	0.061	0.043	0.052	0.052	0.050	0.058	0.053#	11.9
32)	TM	1,1,1-Trichloroetha	1.258	1.241	1.364	1.469	1.467	1.421	1.370	7.3
33)	T	NO COMPOUND							0.000#	-1.0
34)	TM	1,1-Dichloropropene	0.854	0.767	0.876	0.913	0.902	0.875	0.864	6.0
35)	TM	Carbon Tetrachlorid	0.975	0.903	1.075	1.183	1.173	1.147	1.076	10.6
36)	S	d4-1,2-Dichloroetha	0.790	0.763	0.762	0.762	0.754	0.806	0.773	2.6
37)	TM	1,2-Dichloroethane	0.870	0.788	0.903	0.979	0.973	1.022	0.923	9.2
38)	TM	Benzene	2.180	2.077	2.253	2.382	2.374	2.359	2.271	5.4
39)	I	1,4-Difluorobenzene	ISTD							
40)	TM	Trichloroethene	0.412	0.409	0.470	0.481	0.518	0.511	0.467	10.0
41)	TMC	1,2-Dichloropropane	0.293	0.277	0.313	0.317	0.330	0.332	0.310	✓6.9
42)	T	Methylmethacrylate	0.202	0.197	0.212	0.203	0.204	0.329	0.225	22.9

(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration

Calibration Files
1 =C43585SI.D 2 =C43586SI.D 5 =C43587SI.D
20 =C43588SI.D 50 =C43589SI.D 100 =C43590SI.D

		Compound	1	2	5	20	50	100	Avg	%R
43)	T	NO COMPOUND							0.000#	-1.0
44)	T	NO COMPOUND							0.000#	-1.0
45)	TM	Bromodichloromethan	0.429	0.450	0.522	0.553	0.575	0.595	0.521	13.0
46)	TM	Dibromomethane	0.315	0.301	0.332	0.362	0.360	0.391	0.344	9.7
47)	T	NO COMPOUND							0.000#	-1.0
48)	T	NO COMPOUND							0.000#	-1.0
49)	T	NO COMPOUND							0.000#	-1.0
50)	T	2-Chloroethylvinyl	0.109	0.088	0.103	0.124	0.154	0.175	0.125	26.2
51)	TM	2-Hexanone	0.087	0.091	0.102	0.112	0.113	0.118	0.104	12.3
52)	TM	Methyl isobutyl ket	0.094	0.098	0.109	0.118	0.117	0.128	0.111	11.7
53)	TM	cis-1,3-Dichloropro	0.453	0.453	0.510	0.555	0.583	0.607	0.527	12.4
54)	S	d8-Toluene	1.393	1.435	1.394	1.377	1.378	1.365	1.390	1.7
55)	TMC	Toluene	0.894	0.847	0.914	0.951	0.980	0.971	0.926	✓5.4
56)	TM	trans-1,3-Dichlorop	0.379	0.383	0.451	0.499	0.520	0.549	0.464	15.4
57)	T	NO COMPOUND							0.000#	-1.0
58)	TM	1,1,2-Trichloroetha	0.239	0.236	0.259	0.273	0.278	0.295	0.263	8.7
59)	TM	1,3-Dichloropropane	0.492	0.462	0.503	0.534	0.536	0.577	0.517	7.8
60)	TM	Tetrachloroethene	0.334	0.340	0.366	0.377	0.398	0.389	0.367	7.0
61)	TM	Dibromochloromethan	0.295	0.321	0.372	0.418	0.438	0.462	0.384	17.3
62)	TM	1,2-Dibromoethane	0.375	0.351	0.404	0.440	0.444	0.490	0.417	12.1
63)	I	*d5-Chlorobenzene	ISTD							
64)	TMP	Chlorobenzene	0.967	0.993	1.099	1.168	1.203	1.209	1.107✓	9.5
65)	TM	1,1,1,2-Tetrachloro	0.351	0.343	0.389	0.430	0.441	0.449	0.400	11.5
66)	TMC	Ethylbenzene	1.900	1.934	2.155	2.274	2.316	2.257	2.139	✓8.4
67)	TM	m,p-Xylene	0.693	0.698	0.759	0.793	0.833	0.829	0.768	8.1
68)	TM	o-Xylene	0.655	0.649	0.705	0.761	0.774	0.784	0.721	8.3
69)	TM	Styrene	1.097	1.127	1.240	1.385	1.428	1.406	1.281	11.4
70)	TMP	Bromoform	0.223	0.223	0.255	0.318	0.333	0.361	0.285✓	20.8
71)	TM	Isopropylbenzene	1.838	1.893	2.073	2.253	2.285	2.230	2.095	9.2
72)	TMP	1,1,2,2-Tetrachloro	0.446	0.422	0.462	0.501	0.484	0.505	0.470✓	6.9
73)	S	Bromofluorobenzene	0.625	0.633	0.624	0.613	0.617	0.622	0.622	1.1
74)	TM	1,2,3-Trichloroprop	0.344	0.319	0.313	0.336	0.315	0.341	0.328	4.2
75)	TM	trans-1,4-Dichloro-	0.112	0.136	0.138	0.160	0.158	0.168	0.145	14.2
76)	TM	n-Propylbenzene	2.268	2.261	2.489	2.613	2.713	2.647	2.498	7.8
77)	TM	Bromobenzene	0.375	0.366	0.409	0.446	0.465	0.473	0.422	10.8
78)	TM	1,3,5-Trimethylbenz	1.463	1.464	1.566	1.740	1.795	1.780	1.635	9.5
79)	TM	2-Chlorotoluene	1.452	1.439	1.582	1.715	1.771	1.720	1.613	8.9
80)	TM	4-Chlorotoluene	1.301	1.369	1.406	1.493	1.512	1.503	1.431	6.0
81)	TM	tert-butylbenzene	1.026	1.045	1.133	1.238	1.247	1.208	1.149	8.4
82)	TM	1,2,4-Trimethylbenz	1.537	1.484	1.569	1.729	1.796	1.783	1.650	8.2
83)	T	Pentachloroethane	0.221	0.224	0.254	0.292	0.306	0.310	0.268	15.0
84)	TM	sec-butylbenzene	1.969	1.954	2.146	2.326	2.357	2.300	2.175	8.3
85)	TM	p-isopropyltoluene	1.258	1.271	1.382	1.494	1.555	1.547	1.418	9.4


(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration

Calibration Files
1 =C43585SI.D 2 =C43586SI.D 5 =C43587SI.D
20 =C43588SI.D 50 =C43589SI.D 100 =C43590SI.D

		Compound	1	2	5	20	50	100	Avg	%R
86)	TM	1,3-Dichlorobenzene	0.627	0.662	0.693	0.754	0.783	0.785	0.717	9.2
87)	I	1,4-Dichlorobenzene-d	----------	----------	----------	ISTD	----------	----------		
88)	TM	1,4-Dichlorobenzene	1.482	1.403	1.527	1.614	1.639	1.623	1.548	6.0
89)	TM	n-butylbenzene	3.217	3.200	3.487	3.831	3.767	3.565	3.511	7.5
90)	TM	1,2-Dichlorobenzene	1.330	1.228	1.359	1.486	1.476	1.472	1.392	7.4
91)	T	NO COMPOUND							0.000#	-1.0
92)	TM	1,2-Dibromo-3-chlor	0.119	0.114	0.129	0.152	0.141	0.149	0.134	11.6
93)	T	NO COMPOUND							0.000#	-1.0
94)	TM	1,2,4-Trichlorobenz	0.795	0.758	0.828	0.933	0.961	0.975	0.875	10.6
95)	TM	Hexachlorobutadiene	0.187	0.397	0.446	0.510	0.512	0.486	0.423	29.2
96)	TM	Naphthalene	1.538	1.352	1.537	1.729	1.782	1.951	1.648	12.9
97)	TM	1,2,3-Trichlorobenz	0.717	0.649	0.710	0.827	0.845	0.886	0.772	12.0
98)	T	1,3,5-Trichlorobenz	1.038	0.903	1.038	1.150	1.184	1.183	1.083	10.2

(#) = Out of Range



MTC 6/18/03

6-20-03

Method Name: C:\HPCHEM\1\METHODS\V806173C.M
Calibration Table Last Updated: Tue Jun 17 16:26:53 2003

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43585SI.D
Acq On : 17 Jun 2003 1:23 pm
Sample : 1 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 6
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

MT 6/18/03

6-20-03


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.00	168	290110	20.00	ug/L	-0.02
39) 1,4-Difluorobenzene	8.54	114	523449	20.00	ug/L	-0.02
63) *d5-Chlorobenzene	13.20	117	450029	20.00	ug/L	-0.02
87) 1,4-Dichlorobenzene-d4	17.04	152	208932	20.00	ug/L	-0.02
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.90	65	229102	22.84	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 114.20%			
54) d8-Toluene	10.86	98	729393	21.15	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 105.75%			
73) Bromofluorobenzene	15.14	95	281273	21.08	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 105.40%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	16695	1.17	ug/L	96
3) Chloromethane	1.81	50	16592	1.33	ug/L	95
4) Vinyl Chloride	1.92	62	13972	1.08	ug/L	89
5) Bromomethane	2.38	94	16393	1.17	ug/L	91
6) Chloroethane	2.46	64	8511	1.19	ug/L	99
8) Trichlorofluoromethane	2.77	101	24919	1.14	ug/L	92
12) Acetone	3.45	43	17660	6.10	ug/L	95
13) 1,1-Dichloroethene	3.57	96	13022	1.10	ug/L	99
15) Di-isopropyl ether (DIPE)	5.45	45	39941	1.16	ug/L	98
17) Carbon Disulfide	4.30	76	33306	1.05	ug/L	100
18) Acrylonitrile	4.59	53	4403	1.19	ug/L	98
19) Methyl-tert-butyl ether (M	4.66	73	26655	1.04	ug/L	100
20) trans-1,2-Dichloroethene	4.84	96	14504	1.14	ug/L #	84
21) 1,1-Dichloroethane	5.53	63	18287	1.18	ug/L	88
23) Methyl ethyl ketone	6.31	72	4883	7.34	ug/L #	91
24) Ethyl t-butyl ether (ETBE)	6.12	59	29909	1.13	ug/L	99
25) 2,2-Dichloropropane	6.45	77	18985	1.22	ug/L	100
26) cis-1,2-Dichloroethene	6.53	96	15687	1.32	ug/L #	82
29) Chloroform	6.77	83	23156	1.22	ug/L	91
34) 1,1-Dichloropropene	7.64	75	12388	1.00	ug/L	94
67) m,p-Xylene	13.49	106	31168	1.71	ug/L	94
74) 1,2,3-Trichloropropane	15.27	75	7732	1.08	ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43585SI.D
Acq On : 17 Jun 2003 1:23 pm
Sample : 1 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 6
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 16:28:10 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43586SI.D
Acq On : 17 Jun 2003 1:51 pm
Sample : 2 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 7
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

MTC 6/18/03

6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.01	168	298213	20.00	ug/L	-0.01
39) 1,4-Difluorobenzene	8.53	114	519417	20.00	ug/L	-0.02
63) *d5-Chlorobenzene	13.21	117	446212	20.00	ug/L	-0.01
87) 1,4-Dichlorobenzene-d4	17.04	152	209966	20.00	ug/L	-0.01
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.90	65	227515	22.07	ug/L	-0.01
Spiked Amount 20.000	Range 70 - 130		Recovery = 110.35%			
54) d8-Toluene	10.86	98	745353	21.78	ug/L	-0.01
Spiked Amount 20.000	Range 70 - 130		Recovery = 108.90%			
73) Bromofluorobenzene	15.14	95	282526	21.35	ug/L	-0.01
Spiked Amount 20.000	Range 70 - 130		Recovery = 106.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.58	85	31558	2.15	ug/L	96
3) Chloromethane	1.82	50	26750	2.09	ug/L	94
4) Vinyl Chloride	1.92	62	26693	2.01	ug/L	99
5) Bromomethane	2.38	94	26209	1.81	ug/L	94
6) Chloroethane	2.47	64	14861	2.02	ug/L	92
7) t-Butyl alcohol (TBA)	3.79	59	8426	10.82	ug/L	95
8) Trichlorofluoromethane	2.78	101	42588	1.90	ug/L	94
9) Diethyl ether	3.17	74	9600	1.74	ug/L #	81
10) 1,1,2-Trichlorotrifluoroet	3.35	101	28178	1.88	ug/L	96
12) Acetone	3.44	43	32454	10.90	ug/L	94
13) 1,1-Dichloroethene	3.57	96	24648	2.02	ug/L	98
14) Methyl iodide	4.02	142	17700	1.83	ug/L	100
15) Di-isopropyl ether (DIPE)	5.46	45	74467	2.11	ug/L	100
17) Carbon Disulfide	4.30	76	64245	1.98	ug/L	100
18) Acrylonitrile	4.58	53	7261	1.91	ug/L #	90
19) Methyl-tert-butyl ether (M	4.68	73	49225	1.86	ug/L	100
20) trans-1,2-Dichloroethene	4.83	96	26820	2.05	ug/L	88
21) 1,1-Dichloroethane	5.54	63	36522	2.30	ug/L	97
23) Methyl ethyl ketone	6.33	72	6882	10.07	ug/L #	71
24) Ethyl t-butyl ether (ETBE)	6.12	59	55782	2.05	ug/L	97
25) 2,2-Dichloropropane	6.44	77	28822	1.79	ug/L	96
26) cis-1,2-Dichloroethene	6.52	96	21391	1.76	ug/L	98
27) t-Amyl methyl ether (TAME)	7.91	73	39871	1.82	ug/L	92
29) Chloroform	6.77	83	36416	1.86	ug/L	100
30) Bromochloromethane	7.02	128	7899	1.90	ug/L #	83
32) 1,1,1-Trichloroethane	7.40	97	37010	1.79	ug/L	99
34) 1,1-Dichloropropene	7.65	75	22876	1.80	ug/L	94

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43586SI.D Vial: 7
Acq On : 17 Jun 2003 1:51 pm Operator: JMR
Sample : 2 PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003 Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
35)	Carbon Tetrachloride	7.77	119	26930	1.62	ug/L		98
37)	1,2-Dichloroethane	8.05	62	23512	1.77	ug/L		100
38)	Benzene	8.05	78	61932	1.83	ug/L		98
40)	Trichloroethene	9.01	95	21248	1.78	ug/L		95
41)	1,2-Dichloropropane	9.29	63	14398	1.77	ug/L		90
42)	Methylmethacrylate	9.45	69	10224	1.74	ug/L		92
45)	Bromodichloromethane	9.64	83	23378	1.67	ug/L		97
46)	Dibromomethane	9.71	93	15640	1.83	ug/L		94
51)	2-Hexanone	11.59	58	23506	9.99	ug/L		94
52)	Methyl isobutyl ketone	10.25	58	25524	9.65	ug/L		100
53)	cis-1,3-Dichloropropene	10.51	75	23543	1.68	ug/L		100
55)	Toluene	10.98	92	44010	1.83	ug/L		96
56)	trans-1,3-Dichloropropene	11.29	75	19906	1.65	ug/L		95
58)	1,1,2-Trichloroethane	11.52	83	12235	1.80	ug/L		97
59)	1,3-Dichloropropane	11.92	76	23977	1.83	ug/L		97
60)	Tetrachloroethene	11.99	166	17660	1.76	ug/L		97
61)	Dibromochloromethane	12.29	129	16673	1.64	ug/L		89
62)	1,2-Dibromoethane	12.60	107	18253	1.70	ug/L		90
64)	Chlorobenzene	13.26	112	44314	1.69	ug/L		96
65)	1,1,1,2-Tetrachloroethane	13.35	131	15293	1.63	ug/L		97
66)	Ethylbenzene	13.37	91	86294	1.75	ug/L		99
67)	m,p-Xylene	13.48	106	62276	3.44	ug/L		100
68)	o-Xylene	14.17	106	28968	1.73	ug/L		99
69)	Styrene	14.22	104	50296	1.69	ug/L		99
70)	Bromoform	14.74	173	9955	1.51	ug/L		100
71)	Isopropylbenzene	14.76	105	84449	1.71	ug/L		100
72)	1,1,2,2-Tetrachloroethane	15.03	83	18809	1.82	ug/L		94
74)	1,2,3-Trichloropropane	15.26	75	14246	2.01	ug/L		99
75)	trans-1,4-Dichloro-2-buten	15.41	53	6072	1.89	ug/L	#	81
76)	n-Propylbenzene	15.40	91	100901	1.77	ug/L		97
77)	Bromobenzene	15.43	156	16333	1.64	ug/L		94
78)	1,3,5-Trimethylbenzene	15.66	105	65333	1.71	ug/L		99
79)	2-Chlorotoluene	15.65	91	64193	1.73	ug/L		96
80)	4-Chlorotoluene	15.74	91	61070	1.86	ug/L		97
81)	tert-butylbenzene	16.23	119	46620	1.76	ug/L		93
82)	1,2,4-Trimethylbenzene	16.28	105	66223	1.74	ug/L		99
83)	Pentachloroethane	16.29	167	9989	1.54	ug/L	#	88
84)	sec-butylbenzene	16.57	105	87206	1.69	ug/L		99
85)	p-isopropyltoluene	16.81	119	56708	1.72	ug/L		97
86)	1,3-Dichlorobenzene	16.92	146	29556	1.75	ug/L		95
88)	1,4-Dichlorobenzene	17.09	146	29451	1.66	ug/L		94

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43586SI.D
Acq On : 17 Jun 2003 1:51 pm
Sample : 2 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 7
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
89) n-butylbenzene	17.47	91	67183	1.72	ug/L		95
90) 1,2-Dichlorobenzene	17.67	146	25781	1.60	ug/L		95
92) 1,2-Dibromo-3-chloropropan	18.97	75	2401	1.60	ug/L	#	73
94) 1,2,4-Trichlorobenzene	20.42	180	15905	1.60	ug/L		91
95) Hexachlorobutadiene	20.67	225	8332	1.59	ug/L		97
96) Naphthalene	20.81	128	28391	1.60	ug/L		100
97) 1,2,3-Trichlorobenzene	21.23	180	13617	1.57	ug/L		98
98) 1,3,5-Trichlorobenzene	19.37	180	18951	1.53	ug/L		94

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061703C\C43586SI.D Vial: 7
Acq On : 17 Jun 2003 1:51 pm Operator: JMR
Sample : 2 PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 16:28:10 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43587SI.D
Acq On : 17 Jun 2003 2:19 pm
Sample : 5 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 8
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

MT 6/18/03 6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.01	168	306740	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.54	114	533812	20.00	ug/L	-0.02
63) *d5-Chlorobenzene	13.21	117	452809	20.00	ug/L	-0.02
87) 1,4-Dichlorobenzene-d4	17.04	152	211891	20.00	ug/L	-0.02
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.91	65	233858	22.05	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 110.25%			
54) d8-Toluene	10.86	98	744024	21.16	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 105.80%			
73) Bromofluorobenzene	15.14	95	282610	21.05	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 105.25%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	83184	5.51	ug/L	98
3) Chloromethane	1.82	50	72556	5.52	ug/L	100
4) Vinyl Chloride	1.92	62	70791	5.19	ug/L	99
5) Bromomethane	2.39	94	71098	4.78	ug/L	100
6) Chloroethane	2.48	64	39421	5.21	ug/L	96
7) t-Butyl alcohol (TBA)	3.80	59	20952	26.15	ug/L #	93
8) Trichlorofluoromethane	2.77	101	117089	5.08	ug/L	96
9) Diethyl ether	3.18	74	29026	5.13	ug/L	97
10) 1,1,2-Trichlorotrifluoroet	3.35	101	77775	5.03	ug/L	98
12) Acetone	3.45	43	81912	26.74	ug/L	96
13) 1,1-Dichloroethene	3.58	96	64758	5.17	ug/L	95
14) Methyl iodide	4.03	142	60036	6.04	ug/L	98
15) Di-isopropyl ether (DIPE)	5.46	45	208474	5.74	ug/L	98
16) Methylene Chloride	4.35	84	81019	4.99	ug/L	98
17) Carbon Disulfide	4.31	76	183526	5.50	ug/L	100
18) Acrylonitrile	4.60	53	19825	5.06	ug/L	96
19) Methyl-tert-butyl ether (M	4.68	73	132687	4.88	ug/L	100
20) trans-1,2-Dichloroethene	4.83	96	74148	5.51	ug/L	92
21) 1,1-Dichloroethane	5.54	63	97373	5.95	ug/L	99
22) Vinyl acetate	5.60	43	84605	11.42	ug/L #	94
23) Methyl ethyl ketone	6.31	72	19236	27.36	ug/L	85
24) Ethyl t-butyl ether (ETBE)	6.13	59	139876	5.01	ug/L	98
25) 2,2-Dichloropropane	6.45	77	80776	4.89	ug/L	97
26) cis-1,2-Dichloroethene	6.53	96	60902	4.86	ug/L	99
27) t-Amyl methyl ether (TAME)	7.91	73	110117	4.88	ug/L	98
29) Chloroform	6.78	83	102029	5.07	ug/L	92
30) Bromochloromethane	7.02	128	21890	5.12	ug/L #	86

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43587SI.D Vial: 8
Acq On : 17 Jun 2003 2:19 pm Operator: JMR
Sample : 5 PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003 Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
31) Tetrahydrofuran	7.15	71	4020	5.54 ug/L	93
32) 1,1,1-Trichloroethane	7.39	97	104600	4.91 ug/L	97
34) 1,1-Dichloropropene	7.64	75	67138	5.13 ug/L	96
35) Carbon Tetrachloride	7.78	119	82433	4.82 ug/L	94
37) 1,2-Dichloroethane	8.06	62	69243	5.06 ug/L	99
38) Benzene	8.05	78	172791	4.95 ug/L	100
40) Trichloroethene	9.01	95	62683	5.10 ug/L	95
41) 1,2-Dichloropropane	9.29	63	41747	4.99 ug/L	94
42) Methylmethacrylate	9.46	69	28348	4.70 ug/L	98
45) Bromodichloromethane	9.65	83	69630	4.83 ug/L	96
46) Dibromomethane	9.70	93	44338	5.05 ug/L	88
51) 2-Hexanone	11.59	58	67840	28.05 ug/L	94
52) Methyl isobutyl ketone	10.25	58	72955	26.85 ug/L	98
53) cis-1,3-Dichloropropene	10.50	75	68012	4.73 ug/L	95
55) Toluene	10.98	92	121936	4.93 ug/L	99
56) trans-1,3-Dichloropropene	11.29	75	60170	4.85 ug/L	97
58) 1,1,2-Trichloroethane	11.52	83	34527	4.93 ug/L	97
59) 1,3-Dichloropropane	11.91	76	67077	4.98 ug/L	95
60) Tetrachloroethene	11.98	166	48798	4.74 ug/L	93
61) Dibromochloromethane	12.29	129	49683	4.75 ug/L	97
62) 1,2-Dibromoethane	12.60	107	53925	4.87 ug/L	94
64) Chlorobenzene	13.26	112	124449	4.68 ug/L	98
65) 1,1,1,2-Tetrachloroethane	13.34	131	44043	4.63 ug/L	99
66) Ethylbenzene	13.36	91	243922	4.87 ug/L	98
67) m,p-Xylene	13.49	106	171855	9.36 ug/L	94
68) o-Xylene	14.17	106	79778	4.69 ug/L	94
69) Styrene	14.23	104	140387	4.65 ug/L	96
70) Bromoform	14.73	173	28833	4.30 ug/L	100
71) Isopropylbenzene	14.75	105	234719	4.68 ug/L	97
72) 1,1,2,2-Tetrachloroethane	15.04	83	52303	5.00 ug/L	94
74) 1,2,3-Trichloropropane	15.27	75	35451	4.92 ug/L	96
75) trans-1,4-Dichloro-2-buten	15.39	53	15618	4.79 ug/L	94
76) n-Propylbenzene	15.39	91	281808	4.87 ug/L	98
77) Bromobenzene	15.42	156	46259	4.58 ug/L	96
78) 1,3,5-Trimethylbenzene	15.66	105	177233	4.57 ug/L	99
79) 2-Chlorotoluene	15.66	91	179066	4.75 ug/L	99
80) 4-Chlorotoluene	15.74	91	159197	4.79 ug/L	100
81) tert-butylbenzene	16.22	119	128205	4.77 ug/L	99
82) 1,2,4-Trimethylbenzene	16.28	105	177622	4.61 ug/L	97
83) Pentachloroethane	16.29	167	28789	4.37 ug/L	92
84) sec-butylbenzene	16.58	105	242939	4.63 ug/L	98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43587SI.D
Acq On : 17 Jun 2003 2:19 pm
Sample : 5 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 8
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.


Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
85) p-isopropyltoluene	16.80	119	156495	4.66 ug/L	98
86) 1,3-Dichlorobenzene	16.91	146	78398	4.57 ug/L	97
88) 1,4-Dichlorobenzene	17.09	146	80898	4.53 ug/L	96
89) n-butylbenzene	17.47	91	184714	4.69 ug/L	97
90) 1,2-Dichlorobenzene	17.68	146	71999	4.43 ug/L	95
92) 1,2-Dibromo-3-chloropropan	18.97	75	6851	4.53 ug/L	96
94) 1,2,4-Trichlorobenzene	20.41	180	43865	4.36 ug/L	92
95) Hexachlorobutadiene	20.67	225	23605	4.45 ug/L	96
96) Naphthalene	20.82	128	81405	4.56 ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	37585	4.29 ug/L	100
98) 1,3,5-Trichlorobenzene	19.37	180	54984	4.39 ug/L	98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43587SI.D Vial: 8
Acq On : 17 Jun 2003 2:19 pm Operator: JMR
Sample : 5 PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 16:28:10 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43588SI.D
Acq On : 17 Jun 2003 2:48 pm
Sample : 20 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 9
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

MT 6/18/03

6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.00	168	311894	20.00	ug/L	-0.02
39) 1,4-Difluorobenzene	8.54	114	561702	20.00	ug/L	-0.02
63) *d5-Chlorobenzene	13.20	117	465449	20.00	ug/L	-0.02
87) 1,4-Dichlorobenzene-d4	17.05	152	218831	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.90	65	237556	22.03	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 110.15%			
54) d8-Toluene	10.86	98	773231	20.90	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 104.50%			
73) Bromofluorobenzene	15.14	95	285223	20.67	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.35%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	359726	23.44	ug/L	100
3) Chloromethane	1.81	50	317123	23.73	ug/L	96
4) Vinyl Chloride	1.91	62	308213	22.22	ug/L	99
5) Bromomethane	2.38	94	284439	18.82	ug/L	100
6) Chloroethane	2.46	64	168619	21.92	ug/L	98
7) t-Butyl alcohol (TBA)	3.80	59	86089	105.69	ug/L	100
8) Trichlorofluoromethane	2.77	101	511371	21.80	ug/L	100
9) Diethyl ether	3.16	74	121359	21.09	ug/L	96
10) 1,1,2-Trichlorotrifluoroet	3.34	101	327152	20.83	ug/L	98
11) Acrolein	3.33	56	238714	165.01	ug/L	94
12) Acetone	3.44	43	344533	110.63	ug/L	98
13) 1,1-Dichloroethene	3.57	96	267974	21.05	ug/L	92
14) Methyl iodide	4.02	142	333784	33.04	ug/L	100
15) Di-isopropyl ether (DIPE)	5.45	45	914581	24.77	ug/L	97
16) Methylene Chloride	4.35	84	316526	21.98	ug/L	100
17) Carbon Disulfide	4.30	76	840589	24.76	ug/L	100
18) Acrylonitrile	4.58	53	84957	21.33	ug/L	97
19) Methyl-tert-butyl ether (M	4.66	73	569330	20.61	ug/L	100
20) trans-1,2-Dichloroethene	4.83	96	309972	22.65	ug/L	94
21) 1,1-Dichloroethane	5.54	63	431376	25.93	ug/L	100
22) Vinyl acetate	5.61	43	497314	66.02	ug/L	96
23) Methyl ethyl ketone	6.31	72	83972	117.45	ug/L	85
24) Ethyl t-butyl ether (ETBE)	6.12	59	606723	21.36	ug/L	99
25) 2,2-Dichloropropane	6.45	77	353692	21.06	ug/L	99
26) cis-1,2-Dichloroethene	6.53	96	263809	20.71	ug/L	98
27) t-Amyl methyl ether (TAME)	7.90	73	487501	21.27	ug/L	98
29) Chloroform	6.77	83	443938	21.71	ug/L	100

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43588SI.D
Acq On : 17 Jun 2003 2:48 pm
Sample : 20 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 9
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.03	128	96737	22.25 ug/L	94
31) Tetrahydrofuran	7.16	71	16173	21.92 ug/L	98
32) 1,1,1-Trichloroethane	7.39	97	458057	21.13 ug/L	97
34) 1,1-Dichloropropene	7.64	75	284770	21.42 ug/L	97
35) Carbon Tetrachloride	7.78	119	368938	21.24 ug/L	98
37) 1,2-Dichloroethane	8.05	62	305401	21.95 ug/L	97
38) Benzene	8.05	78	742867	20.94 ug/L	99
40) Trichloroethene	9.01	95	270304	20.91 ug/L	95
41) 1,2-Dichloropropane	9.29	63	178082	20.21 ug/L	96
42) Methylmethacrylate	9.46	69	114117	17.99 ug/L	97
45) Bromodichloromethane	9.64	83	310628	20.48 ug/L	97
46) Dibromomethane	9.71	93	203191	21.99 ug/L	92
50) 2-Chloroethylvinyl ether	10.18	63	69443	42.28 ug/L #	99
51) 2-Hexanone	11.59	58	314232	123.48 ug/L	96
52) Methyl isobutyl ketone	10.24	58	332407	116.27 ug/L	99
53) cis-1,3-Dichloropropene	10.50	75	311860	20.61 ug/L	95
55) Toluene	10.98	92	534265	20.52 ug/L	98
56) trans-1,3-Dichloropropene	11.29	75	280509	21.47 ug/L	96
58) 1,1,2-Trichloroethane	11.52	83	153282	20.81 ug/L	98
59) 1,3-Dichloropropane	11.91	76	299853	21.17 ug/L	99
60) Tetrachloroethene	11.98	166	211800	19.57 ug/L	97
61) Dibromochloromethane	12.29	129	234721	21.32 ug/L	99
62) 1,2-Dibromoethane	12.60	107	247232	21.24 ug/L	100
64) Chlorobenzene	13.26	112	543711	19.90 ug/L	95
65) 1,1,1,2-Tetrachloroethane	13.34	131	199928	20.44 ug/L	99
66) Ethylbenzene	13.37	91	1058296	20.56 ug/L	99
67) m,p-Xylene	13.49	106	738335	39.14 ug/L	95
68) o-Xylene	14.17	106	354353	20.28 ug/L	98
69) Styrene	14.23	104	644482	20.76 ug/L	98
70) Bromoform	14.73	173	147951	21.48 ug/L	100
71) Isopropylbenzene	14.76	105	1048571	20.32 ug/L	99
72) 1,1,2,2-Tetrachloroethane	15.04	83	233311	21.68 ug/L	100
74) 1,2,3-Trichloropropane	15.26	75	156233	21.09 ug/L	100
75) trans-1,4-Dichloro-2-buten	15.39	53	74665	22.28 ug/L	95
76) n-Propylbenzene	15.40	91	1216368	20.46 ug/L	100
77) Bromobenzene	15.43	156	207373	19.97 ug/L	95
78) 1,3,5-Trimethylbenzene	15.66	105	809681	20.33 ug/L	99
79) 2-Chlorotoluene	15.66	91	798157	20.58 ug/L	100
80) 4-Chlorotoluene	15.74	91	694781	20.33 ug/L	99
81) tert-butylbenzene	16.23	119	576437	20.84 ug/L	97
82) 1,2,4-Trimethylbenzene	16.29	105	804735	20.31 ug/L	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43588SI.D Vial: 9
Acq On : 17 Jun 2003 2:48 pm Operator: JMR
Sample : 20 PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003 Quant Results File: V806173C.


Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
83) Pentachloroethane	16.30	167	135725	20.05	ug/L	95
84) sec-butylbenzene	16.58	105	1082532	20.08	ug/L	100
85) p-isopropyltoluene	16.80	119	695414	20.17	ug/L	97
86) 1,3-Dichlorobenzene	16.92	146	350919	19.91	ug/L	99
88) 1,4-Dichlorobenzene	17.10	146	353191	19.15	ug/L	98
89) n-butylbenzene	17.47	91	838246	20.59	ug/L	100
90) 1,2-Dichlorobenzene	17.68	146	325190	19.39	ug/L	98
92) 1,2-Dibromo-3-chloropropan	18.97	75	33271	21.32	ug/L	93
94) 1,2,4-Trichlorobenzene	20.41	180	204104	19.65	ug/L	99
95) Hexachlorobutadiene	20.67	225	111708	20.40	ug/L	93
96) Naphthalene	20.82	128	378329	20.52	ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	180876	20.00	ug/L	98
98) 1,3,5-Trichlorobenzene	19.37	180	251718	19.46	ug/L	98

(#) = qualifier out of range (m) = manual integration
C43588SI.D V806173C.M Tue Jun 17 16:29:42 2003 Page 3

Data File : C:\HPCHEM\1\DATA\061703C\C43588SI.D Vial: 9
Acq On : 17 Jun 2003 2:48 pm Operator: JMR
Sample : 20 PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003 Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 16:28:10 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43589SI.D
Acq On : 17 Jun 2003 3:16 pm
Sample : 50 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 10
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

MT 6/18/03

6.20.07

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.00	168	311564	20.00	ug/L	-0.02
39) 1,4-Difluorobenzene	8.54	114	543662	20.00	ug/L	-0.02
63) *d5-Chlorobenzene	13.20	117	454746	20.00	ug/L	-0.02
87) 1,4-Dichlorobenzene-d4	17.05	152	222033	20.00	ug/L	-0.01
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.91	65	234848	21.80	ug/L	-0.01
Spiked Amount 20.000	Range 70 - 130		Recovery = 109.00%			
54) d8-Toluene	10.86	98	749268	20.92	ug/L	-0.02
Spiked Amount 20.000	Range 70 - 130		Recovery = 104.60%			
73) Bromofluorobenzene	15.14	95	280594	20.81	ug/L	-0.01
Spiked Amount 20.000	Range 70 - 130		Recovery = 104.05%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	896112	58.45	ug/L	99
3) Chloromethane	1.81	50	783897	58.71	ug/L	94
4) Vinyl Chloride	1.91	62	757341	54.65	ug/L	100
5) Bromomethane	2.36	94	672196	44.52	ug/L	98
6) Chloroethane	2.44	64	432300	56.25	ug/L	99
7) t-Butyl alcohol (TBA)	3.83	59	202202	248.51	ug/L	96
8) Trichlorofluoromethane	2.75	101	1254527	53.55	ug/L	99
9) Diethyl ether	3.16	74	295212	51.35	ug/L	95
10) 1,1,2-Trichlorotrifluoroet	3.32	101	809841	51.61	ug/L	99
11) Acrolein	3.33	56	594036	411.06	ug/L	95
12) Acetone	3.45	43	828796	266.41	ug/L	99
13) 1,1-Dichloroethene	3.57	96	664815	52.27	ug/L	96
14) Methyl iodide	4.01	142	825300	81.78	ug/L	100
15) Di-isopropyl ether (DIPE)	5.45	45	2233562	60.55	ug/L	98
16) Methylene Chloride	4.34	84	749717	53.47	ug/L	100
17) Carbon Disulfide	4.29	76	2088980	61.59	ug/L	100
18) Acrylonitrile	4.59	53	203776	51.22	ug/L	98
19) Methyl-tert-butyl ether (M	4.66	73	1427637	51.73	ug/L	100
20) trans-1,2-Dichloroethene	4.82	96	765565	55.99	ug/L	95
21) 1,1-Dichloroethane	5.54	63	1037522	62.43	ug/L	99
22) Vinyl acetate	5.61	43	1266563	168.31	ug/L	95
23) Methyl ethyl ketone	6.31	72	208893	292.48	ug/L	88
24) Ethyl t-butyl ether (ETBE)	6.12	59	1506068	53.07	ug/L	98
25) 2,2-Dichloropropane	6.45	77	880211	52.47	ug/L	99
26) cis-1,2-Dichloroethene	6.52	96	672402	52.83	ug/L	97
27) t-Amyl methyl ether (TAME)	7.90	73	1211013	52.89	ug/L	98
29) Chloroform	6.77	83	1086385	53.18	ug/L	96

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43589SI.D
Acq On : 17 Jun 2003 3:16 pm
Sample : 50 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 10
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.02	128	236336	54.41 ug/L	97
31) Tetrahydrofuran	7.15	71	38834	52.69 ug/L	98
32) 1,1,1-Trichloroethane	7.39	97	1143031	52.79 ug/L	98
34) 1,1-Dichloropropene	7.64	75	702529	52.89 ug/L	98
35) Carbon Tetrachloride	7.78	119	913816	52.66 ug/L	99
37) 1,2-Dichloroethane	8.05	62	757689	54.52 ug/L	98
38) Benzene	8.05	78	1848903	52.16 ug/L	99
40) Trichloroethene	9.01	95	703585	56.23 ug/L	98
41) 1,2-Dichloropropane	9.29	63	448436	52.58 ug/L	99
42) Methylmethacrylate	9.46	69	276659	45.07 ug/L	97
45) Bromodichloromethane	9.64	83	782164	53.28 ug/L	99
46) Dibromomethane	9.71	93	489395	54.72 ug/L	94
50) 2-Chloroethylvinyl ether	10.18	63	209122	131.55 ug/L #	99
51) 2-Hexanone	11.59	58	768430	311.99 ug/L	99
52) Methyl isobutyl ketone	10.24	58	794287	287.03 ug/L	99
53) cis-1,3-Dichloropropene	10.50	75	792746	54.13 ug/L	99
55) Toluene	10.98	92	1331632	52.85 ug/L	100
56) trans-1,3-Dichloropropene	11.29	75	707003	55.92 ug/L	95
58) 1,1,2-Trichloroethane	11.52	83	377297	52.92 ug/L	97
59) 1,3-Dichloropropane	11.91	76	728530	53.13 ug/L	99
60) Tetrachloroethene	11.98	166	540536	51.60 ug/L	97
61) Dibromochloromethane	12.29	129	595702	55.90 ug/L	97
62) 1,2-Dibromoethane	12.60	107	603678	53.57 ug/L	100
64) Chlorobenzene	13.26	112	1367713	51.25 ug/L	94
65) 1,1,1,2-Tetrachloroethane	13.35	131	501503	52.47 ug/L	98
66) Ethylbenzene	13.37	91	2632787	52.35 ug/L	100
67) m,p-Xylene	13.49	106	1894774	102.80 ug/L	96
68) o-Xylene	14.17	106	879516	51.52 ug/L	98
69) Styrene	14.23	104	1623810	53.53 ug/L	98
70) Bromoform	14.73	173	378780	56.29 ug/L	100
71) Isopropylbenzene	14.76	105	2597449	51.53 ug/L	100
72) 1,1,2,2-Tetrachloroethane	15.04	83	550384	52.34 ug/L	99
74) 1,2,3-Trichloropropane	15.26	75	357657	49.41 ug/L	97
75) trans-1,4-Dichloro-2-buten	15.40	53	179253	54.75 ug/L	98
76) n-Propylbenzene	15.40	91	3083979	53.10 ug/L	100
77) Bromobenzene	15.43	156	528822	52.12 ug/L	95
78) 1,3,5-Trimethylbenzene	15.67	105	2040713	52.45 ug/L	99
79) 2-Chlorotoluene	15.66	91	2013703	53.14 ug/L	99
80) 4-Chlorotoluene	15.75	91	1718453	51.47 ug/L	99
81) tert-butylbenzene	16.23	119	1417221	52.45 ug/L	97
82) 1,2,4-Trimethylbenzene	16.29	105	2041494	52.74 ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43589SI.D
Acq On : 17 Jun 2003 3:16 pm
Sample : 50 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 10
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
83) Pentachloroethane	16.30	167	348174	52.65	ug/L	99
84) sec-butylbenzene	16.57	105	2679592	50.88	ug/L	100
85) p-isopropyltoluene	16.81	119	1768336	52.48	ug/L	100
86) 1,3-Dichlorobenzene	16.92	146	890649	51.73	ug/L	99
88) 1,4-Dichlorobenzene	17.10	146	909817	48.61	ug/L	99
89) n-butylbenzene	17.47	91	2091225	50.62	ug/L	100
90) 1,2-Dichlorobenzene	17.68	146	819225	48.14	ug/L	99
92) 1,2-Dibromo-3-chloropropan	18.97	75	78165	49.35	ug/L	97
94) 1,2,4-Trichlorobenzene	20.42	180	533174	50.60	ug/L	99
95) Hexachlorobutadiene	20.68	225	283972	51.11	ug/L	97
96) Naphthalene	20.81	128	989294	52.89	ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	468969	51.11	ug/L	98
98) 1,3,5-Trichlorobenzene	19.38	180	657451	50.10	ug/L	98


(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43589SI.D
Acq On : 17 Jun 2003 3:16 pm
Sample : 50 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:22 2003

Vial: 10
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 16:28:10 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061703C\C43590SI.D Vial: 11
Acq On : 17 Jun 2003 3:45 pm Operator: JMR
Sample : 100 PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 17 16:23 2003 Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

MT 6/18/03

6-20-03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.00	168	251974	20.00	ug/L	-0.02
39) 1,4-Difluorobenzene	8.54	114	443071	20.00	ug/L	-0.02
63) *d5-Chlorobenzene	13.20	117	372709	20.00	ug/L	-0.02
87) 1,4-Dichlorobenzene-d4	17.05	152	185681	20.00	ug/L	-0.01
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.91	65	203061	23.31	ug/L	-0.01
Spiked Amount 20.000	Range 70 - 130		Recovery = 116.55%			
54) d8-Toluene	10.86	98	604718	20.72	ug/L	-0.01
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.60%			
73) Bromofluorobenzene	15.14	95	231935	20.99	ug/L	-0.01
Spiked Amount 20.000	Range 70 - 130		Recovery = 104.95%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.58	85	1329657	107.24	ug/L	99
3) Chloromethane	1.81	50	1211490	112.19	ug/L	98
4) Vinyl Chloride	1.91	62	1131871	100.99	ug/L	99
5) Bromomethane	2.33	94	1064667	87.18	ug/L	97
6) Chloroethane	2.42	64	668961	107.63	ug/L	100
7) t-Butyl alcohol (TBA)	3.87	59	361070	548.70	ug/L	98
8) Trichlorofluoromethane	2.73	101	1850248	97.65	ug/L	100
9) Diethyl ether	3.17	74	527160	113.38	ug/L	96
10) 1,1,2-Trichlorotrifluoroet	3.31	101	1245351	98.13	ug/L	99
11) Acrolein	3.33	56	393282	336.50	ug/L	97
12) Acetone	3.47	43	1544059	613.70	ug/L	100
13) 1,1-Dichloroethene	3.55	96	1035330	100.66	ug/L	95
14) Methyl iodide	4.00	142	1245942	152.66	ug/L	98
15) Di-isopropyl ether (DIPE)	5.45	45	3744809	125.54	ug/L	97
16) Methylene Chloride	4.34	84	1252617	111.52	ug/L	98
17) Carbon Disulfide	4.28	76	3313080	120.78	ug/L	100
18) Acrylonitrile	4.59	53	378521	117.64	ug/L	99
19) Methyl-tert-butyl ether (M	4.66	73	2587775	115.94	ug/L	100
20) trans-1,2-Dichloroethene	4.82	96	1226121	110.89	ug/L	93
21) 1,1-Dichloroethane	5.53	63	1636571	121.76	ug/L	99
22) Vinyl acetate	5.61	43	615659	101.16	ug/L	98
23) Methyl ethyl ketone	6.32	72	386002	668.27	ug/L	91
24) Ethyl t-butyl ether (ETBE)	6.12	59	2628433	114.52	ug/L	98
25) 2,2-Dichloropropane	6.45	77	1364803	100.59	ug/L	100
26) cis-1,2-Dichloroethene	6.52	96	1087566	105.66	ug/L	97
27) t-Amyl methyl ether (TAME)	7.91	73	2122997	114.64	ug/L	99
29) Chloroform	6.77	83	1760578	106.56	ug/L	96

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43590SI.D Vial: 11
Acq On : 17 Jun 2003 3:45 pm Operator: JMR
Sample : 100 PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 17 16:23 2003 Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
30) Bromochloromethane	7.02	128	408598	116.32 ug/L		96
31) Tetrahydrofuran	7.15	71	73466	123.26 ug/L		99
32) 1,1,1-Trichloroethane	7.39	97	1789652	102.20 ug/L		99
34) 1,1-Dichloropropene	7.64	75	1102149	102.60 ug/L		98
35) Carbon Tetrachloride	7.78	119	1445423	102.98 ug/L		98
37) 1,2-Dichloroethane	8.04	62	1287467	114.54 ug/L		99
38) Benzene	8.04	78	2972071	103.68 ug/L		99
40) Trichloroethene	9.01	95	1132759	111.08 ug/L		98
41) 1,2-Dichloropropane	9.29	63	736534	105.97 ug/L		98
42) Methylmethacrylate	9.45	69	729625	145.83 ug/L		98
45) Bromodichloromethane	9.64	83	1318180	110.18 ug/L		99
46) Dibromomethane	9.71	93	865310	118.71 ug/L		96
50) 2-Chloroethylvinyl ether	10.17	63	387011	298.72 ug/L	#	97
51) 2-Hexanone	11.59	58	1311030	653.13 ug/L		99
52) Methyl isobutyl ketone	10.24	58	1419608	629.48 ug/L		99
53) cis-1,3-Dichloropropene	10.51	75	1345032	112.69 ug/L		100
55) Toluene	10.98	92	2151213	104.76 ug/L		100
56) trans-1,3-Dichloropropene	11.30	75	1215740	117.99 ug/L		98
58) 1,1,2-Trichloroethane	11.53	83	652710	112.33 ug/L		99
59) 1,3-Dichloropropane	11.92	76	1278517	114.41 ug/L		100
60) Tetrachloroethene	11.99	166	861888	100.96 ug/L		100
61) Dibromochloromethane	12.29	129	1022496	117.73 ug/L		100
62) 1,2-Dibromoethane	12.60	107	1085734	118.23 ug/L		97
64) Chlorobenzene	13.26	112	2253116	103.01 ug/L		95
65) 1,1,1,2-Tetrachloroethane	13.35	131	836416	106.78 ug/L		98
66) Ethylbenzene	13.37	91	4205173	102.01 ug/L		100
67) m,p-Xylene	13.50	106	3090022	204.54 ug/L		98
68) o-Xylene	14.18	106	1460752	104.41 ug/L		97
69) Styrene	14.24	104	2620864	105.41 ug/L		100
70) Bromoform	14.73	173	672764	121.99 ug/L		100
71) Isopropylbenzene	14.76	105	4155837	100.59 ug/L		99
72) 1,1,2,2-Tetrachloroethane	15.04	83	940862	109.17 ug/L		98
74) 1,2,3-Trichloropropane	15.27	75	635705	107.16 ug/L		97
75) trans-1,4-Dichloro-2-buten	15.40	53	313640	116.87 ug/L		100
76) n-Propylbenzene	15.40	91	4932001	103.61 ug/L		100
77) Bromobenzene	15.43	156	881693	106.02 ug/L		96
78) 1,3,5-Trimethylbenzene	15.67	105	3317139	104.03 ug/L		98
79) 2-Chlorotoluene	15.66	91	3204692	103.19 ug/L		99
80) 4-Chlorotoluene	15.75	91	2801498	102.37 ug/L		98
81) tert-butylbenzene	16.23	119	2252012	101.69 ug/L		97
82) 1,2,4-Trimethylbenzene	16.29	105	3323285	104.76 ug/L		98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43590SI.D
Acq On : 17 Jun 2003 3:45 pm
Sample : 100 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:23 2003

Vial: 11
Operator: JMR
Inst : Instr_C
Multiplr: 1.00
Quant Results File: V806173C.

Quant Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Initial Calibration
DataAcq Meth : V806173C

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
83) Pentachloroethane	16.30	167	578627	106.75	ug/L	97
84) sec-butylbenzene	16.57	105	4285369	99.29	ug/L	99
85) p-isopropyltoluene	16.81	119	2883212	104.41	ug/L	99
86) 1,3-Dichlorobenzene	16.92	146	1462057	103.61	ug/L	100
88) 1,4-Dichlorobenzene	17.10	146	1506832	96.26	ug/L	99
89) n-butylbenzene	17.47	91	3309676	95.79	ug/L	99
90) 1,2-Dichlorobenzene	17.69	146	1366269	96.01	ug/L	99
92) 1,2-Dibromo-3-chloropropan	18.97	75	138301	104.42	ug/L	98
94) 1,2,4-Trichlorobenzene	20.42	180	904998	102.70	ug/L	99
95) Hexachlorobutadiene	20.68	225	451447	97.16	ug/L	99
96) Naphthalene	20.81	128	1811056	115.77	ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	822345	107.17	ug/L	99
98) 1,3,5-Trichlorobenzene	19.37	180	1098165	100.07	ug/L	99


(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061703C\C43590SI.D
Acq On : 17 Jun 2003 3:45 pm
Sample : 100 PPB
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 17 16:23 2003

Vial: 11
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Quant Results File: V806173C.

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 16:28:10 2003
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061803C\C43641SC.D
Acq On : 18 Jun 2003 10:21 pm
Sample : 20PPB
Misc : 5000
MS Integration Params: rteint.p

Vial: 1
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Multiple Level Calibration

JMR 6/18/03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

VMT 6/19/03

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	95	0.02
2	TM	Dichlorodifluoromethane	1.109	1.094	1.4	90	0.00
3	TMP	Chloromethane	0.995	0.930	6.5	87	0.01
4	TMC	Vinyl Chloride	0.940	0.936	0.4	90	0.01
5	TM	Bromomethane	0.926	0.760	17.9	79	0.00
6	TM	Chloroethane	0.538	0.531	1.3	94	0.01
7	TM	t-Butyl alcohol (TBA)	0.056	0.066#	-17.9	114	0.02
8	TM	Trichlorofluoromethane	1.565	1.564	0.1	91	0.01
9	TM	Diethyl ether	0.375	0.390	-4.0	96	0.02
10	T	1,1,2-Trichlorotrifluoroeth	1.006	1.032	-2.6	94	0.01
11	T	Acrolein	0.110	0.124	-12.7	77	0.01
12	TM	Acetone	0.226	0.242	-7.1	105	0.02
13	TMC	1,1-Dichloroethene	0.851	0.812	4.6	90	0.02
4	T	Methyl iodide	0.846	0.775	8.4	69	0.02
5	TM	Di-isopropyl ether (DIPE)	2.790	2.861	-2.5	93	0.02
16	TM	Methylene Chloride	1.159	1.138	1.8	107	0.02
17	TM	Carbon Disulfide	2.475	2.536	-2.5	90	0.02
18	T	Acrylonitrile	0.273	0.281	-2.9	98	0.03
19	TM	Methyl-tert-butyl ether (MT	1.822	1.844	-1.2	96	0.03
20	TM	trans-1,2-Dichloroethene	0.969	0.959	1.0	92	0.02
21	TMP	1,1-Dichloroethane	1.295	1.260	2.7	87	0.02
22	T	Vinyl acetate	1.187	1.229	-3.5	73	0.02
23	TM	Methyl ethyl ketone	0.055	0.058#	-5.5	103	0.02
24	TM	Ethyl t-butyl ether (ETBE)	1.954	2.134	-9.2	105	0.02
25	TM	2,2-Dichloropropane	1.113	1.059	4.9	89	0.02
26	TM	cis-1,2-Dichloroethene	0.861	0.808	6.2	91	0.02
27	TM	t-Amyl methyl ether (TAME)	1.499	1.522	-1.5	93	0.03
28	T	NO COUMPOUND	0.000	0.000#	0.0	0#	-0.29
29	TMC	Chloroform	1.394	1.368	1.9	92	0.03
30	TM	Bromochloromethane	0.291	0.290	0.3	89	0.01
31	TM	Tetrahydrofuran	0.053	0.059#	-11.3	109	0.02
32	TM	1,1,1-Trichloroethane	1.370	1.377	-0.5	89	0.02
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
34	TM	1,1-Dichloropropene	0.864	0.874	-1.2	91	0.02
35	TM	Carbon Tetrachloride	1.076	1.093	-1.6	88	0.02
36	S	d4-1,2-Dichloroethane	0.773	0.780	-0.9	98	0.03
37	TM	1,2-Dichloroethane	0.923	0.951	-3.0	93	0.02
38	TM	Benzene	2.271	2.246	1.1	90	0.02
9	I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.02
40	TM	Trichloroethene	0.467	0.445	4.7	87	0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061803C\C43641SC.D
Acq On : 18 Jun 2003 10:21 pm
Sample : 20PPB
Misc : 5000
MS Integration Params: rteint.p

Vial: 1
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.310	0.309	0.3	92	0.02
42	T	Methylmethacrylate	0.225	0.233	-3.6	108	0.02
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
45	TM	Bromodichloromethane	0.521	0.539	-3.5	92	0.02
46	TM	Dibromomethane	0.344	0.352	-2.3	92	0.02
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
50	T	2-Chloroethylvinyl ether	0.125	0.136	-8.8	103	0.02
51	TM	2-Hexanone	0.104	0.123	-18.3	103	0.02
52	TM	Methyl isobutyl ketone	0.111	0.127	-14.4	101	0.02
53	TM	cis-1,3-Dichloropropene	0.527	0.545	-3.4	92	0.02
54	S	d8-Toluene	1.390	1.384	0.4	95	0.02
55	TMC	Toluene	0.926	0.910	1.7	90	0.02
56	TM	trans-1,3-Dichloropropene	0.464	0.483	-4.1	91	0.02
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
58	TM	1,1,2-Trichloroethane	0.263	0.276	-4.9	95	0.02
59	TM	1,3-Dichloropropane	0.517	0.527	-1.9	93	0.02
60	TM	Tetrachloroethene	0.367	0.363	1.1	91	0.03
61	TM	Dibromochloromethane	0.384	0.415	-8.1	93	0.02
62	TM	1,2-Dibromoethane	0.417	0.432	-3.6	92	0.02
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	97	0.02
64	TMP	Chlorobenzene	1.107	1.109	-0.2	92	0.02
65	TM	1,1,1,2-Tetrachloroethane	0.400	0.400	0.0	90	0.02
66	TMC	Ethylbenzene	2.139	2.131	0.4	91	0.01
67	TM	m,p-Xylene	0.768	0.739	3.8	90	0.02
68	TM	o-Xylene	0.721	0.703	2.5	89	0.02
69	TM	Styrene	1.281	1.273	0.6	89	0.02
70	TMP	Bromoform	0.285	0.307	-7.7	93	0.02
71	TM	Isopropylbenzene	2.095	2.094	0.0	90	0.01
72	TMP	1,1,2,2-Tetrachloroethane	0.470	0.510	-8.5	98	0.01
73	S	Bromofluorobenzene	0.622	0.612	1.6	96	0.03
74	TM	1,2,3-Trichloropropane	0.328	0.336	-2.4	97	0.02
75	TM	trans-1,4-Dichloro-2-butene	0.145	0.157	-8.3	94	0.02
76	TM	n-Propylbenzene	2.498	2.485	0.5	92	0.02
77	TM	Bromobenzene	0.422	0.414	1.9	90	0.01
78	TM	1,3,5-Trimethylbenzene	1.635	1.615	1.2	90	0.02
79	TM	2-Chlorotoluene	1.613	1.602	0.7	90	0.02
80	TM	4-Chlorotoluene	1.431	1.402	2.0	91	0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061803C\C43641SC.D Vial: 1
Acq On : 18 Jun 2003 10:21 pm Operator: JMR
Sample : 20PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	1.149	1.162	-1.1	91	0.02
82	TM	1,2,4-Trimethylbenzene	1.650	1.633	1.0	91	0.01
83	T	Pentachloroethane	0.268	0.265	1.1	88	0.02
84	TM	sec-butylbenzene	2.175	2.167	0.4	90	0.02
85	TM	p-isopropyltoluene	1.418	1.393	1.8	90	0.02
86	TM	1,3-Dichlorobenzene	0.717	0.715	0.3	92	0.02
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.01
88	TM	1,4-Dichlorobenzene	1.548	1.531	1.1	92	0.02
89	TM	n-butylbenzene	3.511	3.606	-2.7	91	0.02
90	TM	1,2-Dichlorobenzene	1.392	1.406	-1.0	92	0.02
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
92	TM	1,2-Dibromo-3-chloropropane	0.134	0.155	-15.7	99	0.02
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
94	TM	1,2,4-Trichlorobenzene	0.875	0.885	-1.1	92	0.02
95	TM	Hexachlorobutadiene	0.423	0.459	-8.5	87	0.02
96	TM	Naphthalene	1.648	1.771	-7.5	99	0.02
97	TM	1,2,3-Trichlorobenzene	0.772	0.798	-3.4	94	0.02
98	T	1,3,5-Trichlorobenzene	1.083	1.067	1.5	90	0.02

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061903C\C43660SC.D
Acq On : 19 Jun 2003 12:01 pm
Sample : 20PPB
Misc : 5000
MS Integration Params: rteint.p

Vial: 4
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Multiple Level Calibration

MT 6/19/03 6.20.03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	✓112	0.03
2	TM	Dichlorodifluoromethane	1.109	0.938	15.4	91	0.00
3	TMP	Chloromethane	0.995	0.950✓	4.5	104	0.02
4	TMC	Vinyl Chloride	0.940	0.831	✓11.6	94	0.02
5	TM	Bromomethane	0.926	0.579	37.5#	71	0.02
6	TM	Chloroethane	0.538	0.502	6.7	104	0.02
7	TM	t-Butyl alcohol (TBA)	0.056	0.054#	3.6	109	0.03
8	TM	Trichlorofluoromethane	1.565	1.430	8.6	97	0.02
9	TM	Diethyl ether	0.375	0.358	4.5	103	0.03
10	T	1,1,2-Trichlorotrifluoroeth	1.006	0.963	4.3	102	0.00
11	T	Acrolein	0.110	0.132	-20.0#	96	0.03
12	TM	Acetone	0.226	0.196	13.3	99	0.03
13	TMC	1,1-Dichloroethene	0.851	0.801	✓5.9	104	0.03
14	T	Methyl iodide	0.846	0.859	-1.5	90	0.03
15	TM	Di-isopropyl ether (DIPE)	2.790	2.694	3.4	103	0.03
16	TM	Methylene Chloride	1.159	0.925	20.2#	102	0.03
17	TM	Carbon Disulfide	2.475	2.397	3.2	99	0.03
18	T	Acrylonitrile	0.273	0.249	8.8	102	0.04
19	TM	Methyl-tert-butyl ether (MT	1.822	1.718	5.7	105	0.04
20	TM	trans-1,2-Dichloroethene	0.969	0.916	5.5	103	0.04
21	TMP	1,1-Dichloroethane	1.295	1.242✓	4.1	100	0.03
22	T	Vinyl acetate	1.187	1.442	-21.5#	101	0.03
23	TM	Methyl ethyl ketone	0.055	0.055#	0.0	113	0.03
24	TM	Ethyl t-butyl ether (ETBE)	1.954	2.061	-5.5	118	0.03
25	TM	2,2-Dichloropropane	1.113	1.085	2.5	107	0.04
26	TM	cis-1,2-Dichloroethene	0.861	0.819	4.9	108	0.03
27	TM	t-Amyl methyl ether (TAME)	1.499	1.503	-0.3	107	0.04
28	T	NO COUMPOUND	0.000	0.000#	0.0	0#	-0.29
29	TMC	Chloroform	1.394	1.350	✓3.2	106	0.04
30	TM	Bromochloromethane	0.291	0.290	0.3	104	0.03
31	TM	Tetrahydrofuran	0.053	0.050#	5.7	107	0.02
32	TM	1,1,1-Trichloroethane	1.370	1.380	-0.7	105	0.03
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
34	TM	1,1-Dichloropropene	0.864	0.872	-0.9	107	0.04
35	TM	Carbon Tetrachloride	1.076	1.073	0.3	101	0.03
36	S	d4-1,2-Dichloroethane	0.773	0.699	9.6	102	0.04
37	TM	1,2-Dichloroethane	0.923	0.894	3.1	102	0.04
38	TM	Benzene	2.271	2.287	-0.7	107	0.04
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	✓110	0.03
40	TM	Trichloroethene	0.467	0.433	7.3	99	0.03

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061903C\C43660SC.D Vial: 4
Acq On : 19 Jun 2003 12:01 pm Operator: JMR
Sample : 20PPB Inst : Instr_C
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.310	0.307	1.0	106	0.03
42	T	Methylmethacrylate	0.225	0.195	13.3	105	0.03
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
45	TM	Bromodichloromethane	0.521	0.527	-1.2	104	0.03
46	TM	Dibromomethane	0.344	0.333	3.2	101	0.03
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
50	T	2-Chloroethylvinyl ether	0.125	0.135	-8.0	120	0.03
51	TM	2-Hexanone	0.104	0.108	-3.8	106	0.03
52	TM	Methyl isobutyl ketone	0.111	0.115	-3.6	106	0.03
53	TM	cis-1,3-Dichloropropene	0.527	0.535	-1.5	106	0.04
54	S	d8-Toluene	1.390	1.352	2.7	108	0.04
55	TMC	Toluene	0.926	0.946	-2.2	109	0.03
56	TM	trans-1,3-Dichloropropene	0.464	0.475	-2.4	104	0.03
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
58	TM	1,1,2-Trichloroethane	0.263	0.261	0.8	105	0.03
59	TM	1,3-Dichloropropane	0.517	0.499	3.5	102	0.03
60	TM	Tetrachloroethene	0.367	0.381	-3.8	111	0.04
61	TM	Dibromochloromethane	0.384	0.391	-1.8	103	0.03
62	TM	1,2-Dibromoethane	0.417	0.416	0.2	104	0.03
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	109	0.03
64	TMP	Chlorobenzene	1.107	1.167	-5.4	109	0.03
65	TM	1,1,1,2-Tetrachloroethane	0.400	0.412	-3.0	104	0.03
66	TMC	Ethylbenzene	2.139	2.198	-2.8	105	0.03
67	TM	m,p-Xylene	0.768	0.797	-3.8	109	0.03
68	TM	o-Xylene	0.721	0.761	-5.5	109	0.03
69	TM	Styrene	1.281	1.356	-5.9	106	0.03
70	TMP	Bromoform	0.285	0.305	-7.0	104	0.03
71	TM	Isopropylbenzene	2.095	2.187	-4.4	105	0.03
72	TMP	1,1,2,2-Tetrachloroethane	0.470	0.457	2.8	99	0.03
73	S	Bromofluorobenzene	0.622	0.603	3.1	107	0.04
74	TM	1,2,3-Trichloropropane	0.328	0.306	6.7	99	0.03
75	TM	trans-1,4-Dichloro-2-butene	0.145	0.151	-4.1	102	0.03
76	TM	n-Propylbenzene	2.498	2.565	-2.7	107	0.03
77	TM	Bromobenzene	0.422	0.431	-2.1	105	0.03
78	TM	1,3,5-Trimethylbenzene	1.635	1.724	-5.4	108	0.03
79	TM	2-Chlorotoluene	1.613	1.637	-1.5	104	0.03
80	TM	4-Chlorotoluene	1.431	1.455	-1.7	106	0.03

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061903C\C43660SC.D
Acq On : 19 Jun 2003 12:01 pm
Sample : 20PPB
Misc : 5000
MS Integration Params: rteint.p

Vial: 4
Operator: JMR
Inst : Instr_C
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V806173C.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:34:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	1.149	1.203	-4.7	106	0.03
82	TM	1,2,4-Trimethylbenzene	1.650	1.709	-3.6	107	0.03
83	T	Pentachloroethane	0.268	0.277	-3.4	103	0.03
84	TM	sec-butylbenzene	2.175	2.238	-2.9	105	0.03
85	TM	p-isopropyltoluene	1.418	1.447	-2.0	105	0.03
86	TM	1,3-Dichlorobenzene	0.717	0.726	-1.3	105	0.03
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	108	0.02
88	TM	1,4-Dichlorobenzene	1.548	1.558	-0.6	104	0.03
89	TM	n-butylbenzene	3.511	3.693	-5.2	104	0.03
90	TM	1,2-Dichlorobenzene	1.392	1.437	-3.2	104	0.03
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
92	TM	1,2-Dibromo-3-chloropropane	0.134	0.136	-1.5	96	0.03
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.11
94	TM	1,2,4-Trichlorobenzene	0.875	0.896	-2.4	104	0.03
95	TM	Hexachlorobutadiene	0.423	0.491	-16.1	104	0.03
96	TM	Naphthalene	1.648	1.627	1.3	101	0.03
97	TM	1,2,3-Trichlorobenzene	0.772	0.794	-2.8	104	0.03
98	T	1,3,5-Trichlorobenzene	1.083	1.122	-3.6	105	0.03

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43580T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/17/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1051

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	311894		7.00		561702		8.54		465449		13.20		218831		17.05	
	UPPER LIMIT	623788		7.42		1123404		9.05		930898		13.99		437662		18.07	
	LOWER LIMIT	155947		6.58		280851		8.03		232725		12.41		109416		16.03	
	SAMPLE NO.																
01	ZZZZZ	301823		7.00		536296		8.53		457325		13.20		217261		17.04	
02	ZZZZZ	287264		6.99		536441		8.54		468731		13.20		226342		17.04	
03	ZZZZZ	292931		7.00		527679		8.54		443084		13.20		211447		17.04	
04	ZZZZZ	309753		7.01		532411		8.54		460768		13.20		216646		17.04	
05	1 PPB	290110		7.00		523449		8.54		450029		13.20		208932		17.04	
06	2 PPB	298213		7.01		519417		8.53		446212		13.21		209966		17.04	
07	5 PPB	306740		7.01		533812		8.54		452809		13.21		211891		17.04	
08	20 PPB	311894		7.00		561702		8.54		465449		13.20		218831		17.05	
09	50 PPB	311564		7.00		543662		8.54		454746		13.20		222033		17.05	
10	100 PPB	251974		7.00		443071		8.54		372709		13.20		185681		17.05	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43640T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2152

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	297343		7.02		528728		8.56		449711		13.23		212327		17.06	
	UPPER LIMIT	594686		7.44		1057456		9.07		899422		14.02		424654		18.08	
	LOWER LIMIT	148672		6.60		264364		8.05		224856		12.44		106164		16.04	
	SAMPLE NO.																
01	20PPB	297343		7.02		528728		8.56		449711		13.23		212327		17.06	
02	MB06183B	300221		7.02		538380		8.56		441110		13.23		216449		17.07	
03	ZZZZZ	427559		7.01		496164		8.55		433823		13.23		213442		17.06	
04	LS06183B2	305289		7.03		534726		8.56		449243		13.23		211101		17.07	
05	ZZZZZ	295576		7.02		518952		8.56		424759		13.23		196687		17.07	
06	49855-10	288910		7.03		517535		8.57		431873		13.23		201507		17.07	
07	49855-11	301234		7.03		518645		8.57		445426		13.23		208740		17.07	
08	49855-12	299835		7.03		529871		8.57		442563		13.23		205539		17.07	
09	49855-13	293925		7.03		517051		8.57		430003		13.23		203233		17.07	
10	49855-13,MS	302388		7.03		520114		8.57		434882		13.23		206536		17.07	
11	ZZZZZ	297189		7.04		526094		8.58		428482		13.23		197783		17.07	
12	49855-13,MSD	303505		7.03		524365		8.57		437300		13.23		205532		17.07	
13	ZZZZZ	297656		7.03		511810		8.57		430194		13.23		203131		17.07	
14	ZZZZZ	280738		7.03		497868		8.57		419174		13.23		190051		17.07	
15	ZZZZZ	347958		7.02		609352		8.57		494006		13.24		224057		17.07	
16	ZZZZZ	334853		7.02		576289		8.56		480260		13.23		218518		17.07	
17	ZZZZZ	327456		7.03		570235		8.57		460968		13.24		223997		17.07	
18	LS06183C,RR	338969		7.02		600926		8.56		501931		13.23		232918		17.07	
19																	
20																	
21																	
22																	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002.2010 Quote #: SDG#: 49855

BFB File ID: C43659T Site ID: Bucks Harbor Location: Maine

Instrument ID: C BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1133

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	348093		7.03		616220		8.57		505757		13.23		235828		17.07	
	UPPER LIMIT	696186		7.45		1232440		9.08		1011514		14.02		471656		18.09	
	LOWER LIMIT	174047		6.61		308110		8.06		252879		12.44		117914		16.05	
	SAMPLE NO.																
01	20PPB	348093		7.03		616220		8.57		505757		13.23		235828		17.07	
02	L806193C	349473		7.03		608574		8.57		508236		13.23		235838		17.07	
03	ZZZZZ	370759		7.04		641359		8.57		517466		13.24		242176		17.07	
04	B806193C	350559		7.04		603365		8.58		498996		13.23		237917		17.08	
05	ZZZZZ	491309		7.02		593932		8.56		522778		13.24		242979		17.07	
06	ZZZZZ	358754		7.04		611167		8.58		518349		13.24		243484		17.08	
07	ZZZZZ	456754		7.03		581831		8.57		491303		13.23		233885		17.08	
08	ZZZZZ	522437		7.04		621879		8.57		531959		13.24		238132		17.08	
09	49855-8	341292		7.03		573339		8.57		479477		13.24		222877		17.08	
10	ZZZZZ	352129		7.03		614887		8.57		505891		13.23		233231		17.07	
11	ZZZZZ	361595		7.03		625307		8.57		509584		13.23		240136		17.08	
12	49855-11,RR	374812		7.03		640695		8.57		527568		13.24		244123		17.07	
13	49855-14	364456		7.03		624441		8.57		520996		13.24		238537		17.07	
14	49855-13,MS,RR	359471		7.04		630483		8.57		512945		13.23		238443		17.08	
15	49855-13,MSD,RR	358916		7.03		617234		8.57		505297		13.23		241179		17.08	
16	L806193C4	344599		7.04		612989		8.58		509726		13.24		227997		17.08	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

SEVERN TRENT STL

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 218290

Prepared For:

Analytics Environmental Laboratory, LLC
195 Commerce Way
Suite E
Portsmouth, NH 03801

Project: Bucks Harbor Air Force Tracking Station

Attention: Steve Knollmeyer

Date: 06/24/2003

Bonnie Stadelmann
Signature

06/24/03
Date

Name: Bonnie M. Stadelmann

Title: Project Manager

E-Mail: bstadelmann@stl-inc.com

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

STL Chicago
Wet Chemistry Case Narrative

Client: Analytics Environmental Laboratory
Job #: 218290 Date Rec'd: 06/14/03

1. This narrative covers the analysis of the soil samples in the above Job # for **Total Organic Carbon** by the Lloyd Kahn Method. The sample was analyzed by furnace combustion and non-dispersive infrared detection on a Dohrmann Phoenix 8000 TOC analyzer, after acidification to remove inorganic carbon, and low-temperature drying. All analysis was done in duplicate with the average reported. Since the samples were dried prior to analysis, no correction was made for moisture content.

2. The method-recommended holding time of 2 weeks from collection was met.

3. The standard curve for this test is run monthly or more frequently if necessary. The initial and continuing calibration verification standards were all within acceptance limits. The blanks were less than the reporting limit.

4. The LCS recoveries were within the statistical control limits of 53-140% recovery.

5. The matrix QC done on sample 218290-1 was within acceptance limits.

Diane L. Harper
Wet Chemistry Section Manager

6-24-03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 06/24/2003

Job Number.: 218290
Customer...: Analytics Environmental Laboratory, LLC
Attn.....: Steve Knollmeyer

Project Number.....: 20002349
Customer Project ID....: BUCKS HARBOR 49855
Project Description....: Bucks Harbor Air Force Tracking Station

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
218290-1	ECOSED1-0603	Sediment	06/12/2003	08:05	06/14/2003	09:20
218290-2	ECOSED2-0603	Sediment	06/12/2003	08:35	06/14/2003	09:20
218290-3	ECOSED3-0603	Sediment	06/12/2003	09:05	06/14/2003	09:20
218290-4	ECOSED4-0603	Sediment	06/12/2003	09:35	06/14/2003	09:20

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218290

Date:06/24/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49855 ATTN: Steve Knollmeyer

Customer Sample ID: ECOSED1-0603
Date Sampled.....: 06/12/2003
Time Sampled.....: 08:05
Sample Matrix.....: Sediment

Laboratory Sample ID: 218290-1
Date Received.....: 06/14/2003
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
9060M	Total Organic Carbon (Soils) TOC Average Duplicates, Solid	2900			200	390	1	mg/Kg	87814		06/19/03 0922	cls

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218290

Date:06/24/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49855

ATTN: Steve Knollmeyer

Customer Sample ID: ECOSED2-0603
Date Sampled.....: 06/12/2003
Time Sampled.....: 08:35
Sample Matrix.....: Sediment

Laboratory Sample ID: 218290-2
Date Received.....: 06/14/2003
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
9060M	Total Organic Carbon (Soils) TOC Average Duplicates, Solid	48000			2800	5600	1	mg/Kg	87814		06/19/03 1001	cls

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218290

Date:06/24/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49855

ATTN: Steve Knollmeyer

Customer Sample ID: ECOSED3-0603
Date Sampled.....: 06/12/2003
Time Sampled.....: 09:05
Sample Matrix.....: Sediment

Laboratory Sample ID: 218290-3
Date Received.....: 06/14/2003
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
9060M	Total Organic Carbon (Soils) TOC Average Duplicates, Solid	3100			250	490	1	mg/Kg	87814		06/19/03 1026	cls

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218290

Date:06/24/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49855 ATTN: Steve Knollmeyer

Customer Sample ID: ECOSED4-0603
Date Sampled.....: 06/12/2003
Time Sampled.....: 09:35
Sample Matrix.....: Sediment

Laboratory Sample ID: 218290-4
Date Received.....: 06/14/2003
Time Received.....: 09:20

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
9060M	Total Organic Carbon (Soils) TOC Average Duplicates, Solid	13000			850	1700	1	mg/Kg	87814		06/19/03 1040	cls

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218290

Date: 06/24/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49855 ATTN: Steve Knollmeyer

Lab ID: 218290-1 Client ID: ECOSED1-0603
Date Recvd: 06/14/2003 Sample Date: 06/12/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
EDD	Electronic Data Deliverable	1				
9060M	Total Organic Carbon (Soils)	1	87814	87814	06/19/2003 0922	

Lab ID: 218290-2 Client ID: ECOSED2-0603
Date Recvd: 06/14/2003 Sample Date: 06/12/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
9060M	Total Organic Carbon (Soils)	1	87814	87814	06/19/2003 1001	

Lab ID: 218290-3 Client ID: ECOSED3-0603
Date Recvd: 06/14/2003 Sample Date: 06/12/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
9060M	Total Organic Carbon (Soils)	1	87814	87814	06/19/2003 1026	

Lab ID: 218290-4 Client ID: ECOSED4-0603
Date Recvd: 06/14/2003 Sample Date: 06/12/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
9060M	Total Organic Carbon (Soils)	1	87814	87814	06/19/2003 1040	

QUALITY CONTROL RESULTS

Job Number.: 218290

Report Date.: 06/24/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49855

ATTN: Steve Knollmeyer

Test Method.....: 9060M
Method Description.: Total Organic Carbon (Soils)
Parameter.....: Organic Carbon, Tot. (TOC)

Batch.....: 87814
Equipment Code....: TOC4

Analyst...: cls
Test Code.: TOC

QC	Lab ID	Reagent	Units	QC Result		QC Result	True Value	Orig. Value		QC Calc.	F	*	Limits	Date	Time
ICV	87814 -002	I03FSTTC2	mg/Kg	1781.36			2000.00			89		%	85-115	06/19/2003	0805
MB	87814 -003		mg/Kg	64.00	U									06/19/2003	0812
LCS	87814 -004	I00FSTLK3	mg/Kg	5526.52			4780.00	353.10	U	116		%	53-140	06/19/2003	0821
LCD	87814 -005	I00FSTLK3	mg/Kg	4182.84		5526.52	4780.00	359.30	U	88		%	53-140	06/19/2003	0838
										28		R	30		
CCV	87814 -014	I03FSTTC2	mg/Kg	1734.70			2000.00			87		%	85-115	06/19/2003	1105
CCB	87814 -015		mg/Kg	64.00	U									06/19/2003	1108

Test Method.....: 9060M
Method Description.: Total Organic Carbon (Soils)
Parameter.....: TOC Average Duplicates

Batch.....: 87814
Equipment Code....: TOC4

Analyst...: cls
Test Code.: TOCAV2

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MS	218290-1	I03FSTTC2	mg/Kg	7702.53		2000.00	2946.82	106		%	53-140	06/19/2003	0939
MSD	218290-1	I03FSTTC2	mg/Kg	6924.33	7702.53	2000.00	2946.82	110		%	53-140	06/19/2003	0947
								18		R	30		

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) Arizona Environmental Laboratory License number AZ0603.
6) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U	Analyte was not detected at or above the stated limit.
<	Not detected at or above the reporting limit.
J	Result is less than the RL, but greater than or equal to the method detection limit.
B	Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S	Result was determined by the Method of Standard Additions.
F	AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

^	ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
*	LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+	MSA correlation coefficient is less than 0.995.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E	SD: Serial dilution exceeds the control limits.
H	MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N	MS, MSD: Spike recovery exceeds the upper or lower control limits.
W	AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U	Analyte was not detected at or above the stated limit.
ND	Compound not detected.
J	Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q	Result was qualitatively confirmed, but not quantified.
C	Pesticide identification was confirmed by GC/MS.
Y	The chromatographic response resembles a typical fuel pattern.
Z	The chromatographic response does not resemble a typical fuel pattern.
E	Result exceeded calibration range, secondary dilution required.
F	AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B	MB: Batch QC is greater than reporting limit.
*	LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
^	EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A	Concentration exceeds the instrument calibration range
a	Concentration is below the method Reporting Limit (RL)
B	Compound was found in the blank and sample.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H	Alternate peak selection upon analytical review
I	Indicates the presence of an interfence, recovery is not calculated.
M	Manually integrated compound.

P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
Lab ID	An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor

RT	Retention Time
RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)
Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

STL CHICAGO

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 2/00

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 4.4
3) Received in good condition Y or N
4) pH checked by:
5) Labels checked by: JAT

Project#: 10971.217.002 Proj. Name: BUCKS HARBOR
Company: ANALYTICS
Contact: Stephen Knollmeyer
Address: 195 COMMERCE WAY
PORTSMOUTH, NH 03801
Phone: 603-436-5111 PO# Quote #
Sampler (Signature): K. SOUKUP

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwate
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

	Station Identification	Sample Date	Sample Time	Analysis	Unpres	4o C	HNO3	H2SO4	HCL	Other	Matrix	Container number/type		pH	Analytics Sample #
1	ECOSED1-0603	6.12.03	0805	TOC		✓					S	1	G		49555-10
2	ECOSED2-0603	6.12.03	0835	↓		✓					↓	↓	↓		-11
3	ECOSED3-0603	6.12.03	0905			✓									-12
4	ECOSED4-0603	6.12.03	0935			✓									-13

Received By: | Time: | Date:
Received By: UPS | Time: 1620 | Date: 6.13.03
Received By: | Time: 0920 | Date: 6-14-03
Relinquished By Sampler:
Relinquished By:
Relinquished By: UPS

FAX RESULTS? (YES) NO
Fax #: 603-430-2151

Turnaround Request
Standard ☑ Due Date 6.25.03
Priority ☐ Due Date

Comments / Instructions:
Please reference Station ID number and AEL Lab number on report(s).
TOC BY 9060
LEVEL II QC

Page 1 of 1

Analytics\AEL Documents\AEL COC

154/157

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped ~~or~~ hand-delivered
2) Temp blank °C 6
3) Received in good condition (Y) or N
4) pH checked by: n/a
5) Labels checked by: VC 6/13/03

Project#: 10471.217.002 Project: Bucks Harbor
Company: Weston Solutions
Contact: Kathleen Sullivan
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: (603 315-4913 PO# Quote #
Sampler (Signature):

Matrix Key: WW=Wastewater, SW=Surfacewater, GW=Groundwater, DW=Drinkingwater, S=Soil/Sludge, O=Oil, E=Extract, X=Other

Container Key: P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4°C	HNO3	H2SO4	HCl	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
TB-061203-01	6/12/03	0700	VOC 8260B					X			W	2	V		4985-1
ECOSW1-0603	6/12/03	0800						X			SW	3	V		2
ECOSW2-0603		0830						X			SW	3	V		3
ECOSW3-0603		0900						X			SW	3	V		4
ECOSW4-0603		0930	(ms/msd)					X			SW	5	V		5
ECOSW2-0603-E		0830						X			SW	3	V		6
RB-061203-01		0915						X			W	3	V		7
TB-061203-02	6/4/03	0700	VOC 8260B						X		—	1	V		8
RB-061203-02	6/12/03	0915	VOC 8260B					X	X		W	3	V		9
ECOSED1-0603		0805	VOC, % Solids, TOC	X					X		S	2/1	V/G		10
ECOSED2-0603		0835		X					X		S	2/1	V/G		11
ECOSED3-0603		0905		X					X		S	2/1	V/G		12

FAX RESULTS? (YES) NO
Fax # (603 436-5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
VOCs by 8260B
TOC by 9060

Client Code: WESTONM

Page 1 of 2

Received By:	Received By:	Received By:
Time: 1305	Time:	Time:
Date: 6/13/03	Date:	Date:
Relinquished By Sampler:	Relinquished By:	Relinquished By:

155/157

Analytics\AEL Documents\AEL COC

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 6
3) Received in good condition (Y) or N
4) pH checked by: n/a
5) Labels checked by: _____

Project#: 10971-217002 Project: Bucks
Company: Weston Solutions
Contact: Kathleen Sankup
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: (603) 315-4563 PO# Quote #
Sampler (Signature): [signature]

Matrix Key: WW=Wastewater, SW=Surfacewater, GW=Groundwater, DW=Drinkingwater, S=Soil/Sludge, O=Oil, E=Extract, X=Other

Container Key: P=plastic G=glass

Preservation: Unpres, 4° C, HNO3, H2SO4, HCL, Methanol, Other

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO3	H2SO4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
ECOSED4-0603	6/12/03	0935	VOC, % solids, TOC	X					X		S	2/1	V/G		49855-13
ECOSED2-0603-E	6/12/03	0935	VOC, % solids	X					X		S	2	V		-14

Comments / Instructions:
ECOSED4-0603 IS an MS/MSD for VOC, only
VOC, 8260B method
TOC 9060 method

FAX RESULTS? YES NO
Fax # x5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Client Code: WESTONM

Page 2 of 2

Received By:	Received By:	Received By:
Time: 1305	Time:	Time:
Date: 6/13/03	Date:	Date:
Relinquished By Sampler:	Relinquished By:	Relinquished By:

Analytics\AEL Documents\AEL COC

156/157

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 49855-1

CLIENT: WESTON

PROJECT: BUCKS HARBOR

COOLER NUMBER: n/a

NUMBER OF COOLERS: 1

DATE RECEIVED: 6.13.03

A: PRELIMINARY EXAMINATION:

DATE COOLER OPENED: 6.13.03

Date Received: 6.13.03

1. Cooler received by(initials)
2. Did cooler come with a shipping slip? Y (N)

If YES, enter carrier name and airbill number here: n/a

3. Were custody seals on the outside of cooler? Y N/a
How many & where: n/a ~~Seal Date:~~ ~~Seal Name:~~

4. Did the custody seals arrive unbroken and intact upon arrival? Y N/a

5. COC#: n/a

6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N

7. Were custody papers sealed in a plastic bag? (Y) N

8. Did you sign the COC in the appropriate place? (Y) N

9. Was the project identifiable from the COC papers? (Y) N

10. Was enough ice used to chill the cooler? (Y) N Temp. of cooler: 6°C

B. Log-In: Date samples were logged in: 6.13.03 By: amb

11. Type of packing in cooler(bubble wrap, popcorn) Y N/a

12. Were all bottles sealed in separate plastic bags? (Y) N

13. Did all bottles arrive unbroken and were labels in good condition? (Y) N

14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N

15. Did all bottle labels agree with custody papers? (Y) N

16. Were the correct containers used for the tests indicated: (Y) N

17. Were samples received at the correct pH? Y N/a

18. Was sufficient amount of sample sent for the tests indicated? (Y) N

19. Were bubbles absent in VOA samples? (Y) N

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): VC Date: 6.13.03

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

June 24, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49866

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for Ferrous Iron using Standard Methods, EPA Method 3500D. Inorganic analyses were subcontracted to Severn Trent-Chicago.

Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
FE Results Summary Form Sample Data Results
FE Worksheet Summary Form
FE Bench Sheets
FE Form 3 MS/MSD and LCS Recoveries
FE Form 6 Initial Calibration Data (equiv.) Linear Plot plus bench sheets
Inorganics Data Package from Severn Trent-Chicago
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Ferrous Iron
No QC deviations.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49866

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 17 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49866-1	06/16/03	MW12-0603	Alkalinity	
	06/16/03	MW12-0603	Chemical Oxygen Demand	
	06/16/03	MW12-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	MW12-0603	Metals	
	06/16/03	MW12-0603	Metals Digestion	
	06/16/03	MW12-0603	Nitrate	
	06/16/03	MW12-0603	Sulfate	
	06/16/03	MW12-0603	Total Organic Carbon in Aqueous Matrices	
49866-2	06/16/03	MW11-0603	Alkalinity	
	06/16/03	MW11-0603	Chemical Oxygen Demand	
	06/16/03	MW11-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	MW11-0603	Metals	
	06/16/03	MW11-0603	Metals Digestion	
	06/16/03	MW11-0603	Nitrate	
	06/16/03	MW11-0603	Sulfate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 7/3/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49866

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 17 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/16/03	MW11-0603	Total Organic Carbon in Aqueous Matrices	
49866-3	06/16/03	MW13-0603	Alkalinity	
	06/16/03	MW13-0603	Chemical Oxygen Demand	
	06/16/03	MW13-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	MW13-0603	Metals	
	06/16/03	MW13-0603	Metals Digestion	
	06/16/03	MW13-0603	Nitrate	
	06/16/03	MW13-0603	Sulfate	
	06/16/03	MW13-0603	Total Organic Carbon in Aqueous Matrices	
49866-4	06/16/03	GAMW001-0603	Alkalinity	
	06/16/03	GAMW001-0603	Chemical Oxygen Demand	
	06/16/03	GAMW001-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	GAMW001-0603	Metals	
	06/16/03	GAMW001-0603	Metals Digestion	
	06/16/03	GAMW001-0603	Nitrate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 7/3/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49866

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 17 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/16/03	GAMW001-0603	Sulfate	
	06/16/03	GAMW001-0603	Total Organic Carbon in Aqueous Matrices	
49866-5	06/16/03	MW14-0603	Alkalinity	
	06/16/03	MW14-0603	Chemical Oxygen Demand	
	06/16/03	MW14-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	MW14-0603	Metals	
	06/16/03	MW14-0603	Metals Digestion	
	06/16/03	MW14-0603	Nitrate	
	06/16/03	MW14-0603	Sulfate	
	06/16/03	MW14-0603	Total Organic Carbon in Aqueous Matrices	
49866-6	06/16/03	STMW001-0603	Alkalinity	
	06/16/03	STMW001-0603	Chemical Oxygen Demand	
	06/16/03	STMW001-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	STMW001-0603	Metals	
	06/16/03	STMW001-0603	Metals Digestion	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 7/3/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49866

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 17 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/16/03	STMW001-0603	Nitrate	
	06/16/03	STMW001-0603	Sulfate	
	06/16/03	STMW001-0603	Total Organic Carbon in Aqueous Matrices	
49866-7	06/16/03	MW9-0603	Alkalinity	
	06/16/03	MW9-0603	Chemical Oxygen Demand	
	06/16/03	MW9-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	MW9-0603	Metals	
	06/16/03	MW9-0603	Metals Digestion	
	06/16/03	MW9-0603	Nitrate	
	06/16/03	MW9-0603	Sulfate	
	06/16/03	MW9-0603	Total Organic Carbon in Aqueous Matrices	
49866-8	06/16/03	MW105-0603	Alkalinity	
	06/16/03	MW105-0603	Chemical Oxygen Demand	
	06/16/03	MW105-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	MW105-0603	Metals	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 7/3/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49866

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 17 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/16/03	MW105-0603	Metals Digestion	
	06/16/03	MW105-0603	Nitrate	
	06/16/03	MW105-0603	Sulfate	
	06/16/03	MW105-0603	Total Organic Carbon in Aqueous Matrices	
49866-9	06/16/03	MW140-0603	Alkalinity	
	06/16/03	MW140-0603	Chemical Oxygen Demand	
	06/16/03	MW140-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	MW140-0603	Metals	
	06/16/03	MW140-0603	Metals Digestion	
	06/16/03	MW140-0603	Nitrate	
	06/16/03	MW140-0603	Sulfate	
	06/16/03	MW140-0603	Total Organic Carbon in Aqueous Matrices	
49866-10	06/16/03	MW101-0603	Alkalinity	
	06/16/03	MW101-0603	Chemical Oxygen Demand	
	06/16/03	MW101-0603	Ferrous Iron in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 7/3/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49866

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 17 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/16/03	MW101-0603	Metals	
	06/16/03	MW101-0603	Metals Digestion	
	06/16/03	MW101-0603	Nitrate	
	06/16/03	MW101-0603	Sulfate	
	06/16/03	MW101-0603	Total Organic Carbon in Aqueous Matrices	
49866-11	06/16/03	STMW002-0603	Alkalinity	
	06/16/03	STMW002-0603	Chemical Oxygen Demand	
	06/16/03	STM002-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	STMW002-0603	Metals	
	06/16/03	STMW002-0603	Metals Digestion	
	06/16/03	STMW002-0603	Nitrate	
	06/16/03	STMW002-0603	Sulfate	
	06/16/03	STMW002-0603	Total Organic Carbon in Aqueous Matrices	
49866-12	06/16/03	STMW003-0603	Alkalinity	
	06/16/03	STMW003-0603	Chemical Oxygen Demand	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 7/3/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49866

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 17 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/16/03	STM003-0603	Electronic Data Deliverable	
	06/16/03	STM003-0603	Ferrous Iron in Aqueous Matrices	
	06/16/03	STMW003-0603	Metals	
	06/16/03	STMW003-0603	Metals Digestion	
	06/16/03	STMW003-0603	Nitrate	
	06/16/03	STMW003-0603	Sulfate	
	06/16/03	STMW003-0603	Total Organic Carbon in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature Stephen L. Knollmeyer Lab. Director

Date 7/3/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

Project Name: Bucks Harbor

Project Number: 10971.217.002

ANALYTICAL RESULTS FERROUS IRON
CAS Number: 000-09-2

Lab Sample ID	Field Sample ID	Collection Date	Lab Receipt Date	Analysis Date	Matrix	Dilution Factor	Detection Limit mg/L	Result mg/L
L061703F	LABQC	N/A	N/A	06/17/03	Aqueous	1	0.1	99
B061703F	LABQC	N/A	N/A	06/17/03	Aqueous	1	0.1	U
49866-1	MW12-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**0.17**
49866-2	MW11-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**0.32**
49866-3	MW13-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**0.58**
49866-4	GAMW001-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**0.12**
49866-5	MW14-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	U
49866-6	STMW001-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**0.12**
49866-7	MW9-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**0.12**
49866-9	MW140-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**0.32**
49866-10	MW101-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**0.11**
49866-11	STM002-0603	06/16/03	06/17/03	06/17/03	Aqueous	1	0.1	**1.2**
49866-8	MW105-0603	06/16/03	06/17/03	06/17/03	Aqueous	10	1	**8.9**
49866-12	STM003-0603	06/16/03	06/17/03	06/17/03	Aqueous	5	0.5	**6.4**
LD061703F	LABQC	N/A	N/A	06/17/03	Aqueous	1	0.1	**97**
BD061703F	LABQC	N/A	N/A	06/17/03	Aqueous	1	0.1	U

METHODOLOGY: Sample analysis conducted according to: "Standard Methods, EPA Method 3500D."

COMMENTS: U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

Authorized signature

FERROUS IRON DATA SUMMARY

Date Analyzed: 6/17/03
Analyst: AMB
Reviewed: MJ 6/24/03

Conc. mg/L	Absorbance
0	0
0.1	0.01
0.2	0.024
0.2	0.055
1	0.099
2	0.222

Curve Date: 6/2/03
Corr Coef. ('r) 0.9985
Y-int 0.000976
slope 0.109

Enter Data Below ⇩ Enter Data Below ⇩

	Sample ID	Abs	Calculated Value Conc. mg/L	DF	Sample Conc. mg/L
1	L061703F/CC 1MG/L	0.107	0.991	1	99%
2	B061703F/METH.BL.	0.000	0.009	1	U
3	49866-1	0.018	0.174	1	**0.17**
4	49866-2	0.034	0.321	1	**0.32**
5	49866-3	0.062	0.578	1	**0.58**
6	49866-4	0.012	0.119	1	**0.12**
7	49866-5	0.008	0.082	1	U
8	49866-6	0.012	0.119	1	**0.12**
9	49866-7	0.012	0.119	1	**0.12**
10	49866-8	0.831	7.633	1	**7.63E**
11	49866-9	0.034	0.321	1	**0.32**
12	49866-10	0.011	0.110	1	**0.11**
13	49866-11	0.129	1.192	1	**1.2**
14	49866-12	0.560	5.147	1	**5.13E**
15	49866-2ms	0.151	1.394	1	107%
16	49866-2msd	0.159	1.468	1	115%
17	49866-8 DL 10X	0.096	0.890	10	**8.90**
18	49866-12 DL1 5x	0.138	1.275	5	**6.38**
19	49866-12 DL2 10x	0.066	0.614	10	**6.14**
20	LD061703F/CC1MG/L	0.105	0.972	1	97%
21	BD061703F/METH BL	0.000	0.009	1	U
22					
23					
24					
25					

011/067

Q-P-060703-1-AB

060.17.03 Ferrous Iron PP-060703-2-AB

F037
200mg/ml
AB
06.17.03

0.1506(g) $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2ml Conc H_2SO_4 032815
5ml DiH_2O → Diluted to 100ml
= 200mg/ml Fe^{3+}

F038
1mg/ml
AB
06.17.03

0.25ml F037 → 50ml DiH_2O

BD06173F - 12.5ml DiH_2O + 5ml O-Ph + 2ml Amm. Acetate
LD06173F(C) - 12.5ml F038 + 5ml O-Ph + 2ml Amm Acetate
LD06173F(C) - 12.5ml F038 + 5ml O-Ph + 2ml Amm. Acetate
BD06173F - 12.5ml DiH_2O + 5ml O-Ph + 2ml Amm. Acetate

SAMPLE #	Absorbance =
LD06173F(C)	.107
BD06173F	.000
498666-1	.018
-2	.034
-3	.062
-4	.012
-5	.008
-6	.012
-7	.012
-8	.881
-9	.034
-10	.011
-11	.129
-12	.560
~~-13~~ 2 ABMS06	~~.202~~ .151 AB06170303
~~-13~~ 2 ABMS06	.159
LD06173F	.1045 AB 06.17.03
BD06173F	.000

Dilutions	Absorbance =
498666-8 10x	.0960
-12 5x	.138
-12 10x	.0660

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 24, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: L061703F
Matrix: Aqueous
Field Sample ID: LABQC
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/17/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery	#	QC Limits Percent Recovery
1.0	U	0.991	99.1		70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery	#	Relative Percent Difference	#	QC Limits RPD	QC Limits % Rec
1.0	0.972	97.2		2		30	70-130

Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature

Form III

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

June 24, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: 49866-2
Matrix: Aqueous
Field Sample ID: MW11-0603
Collection Date: 06/16/03
Lab Receipt Date: 06/17/03
Analysis Date: 06/17/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery	#	QC Limits Percent Recovery
1.0	0.32	1.39	107		70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery	#	Relative Percent Difference	#	QC Limits RPD	QC Limits % Rec
1.0	1.47	115		7		30	70-130


Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature

Form III



$r = 0.998$

Method Name: C:\HPCHEM\1\METHODS\F06023.M
Calibration Table Last Updated: Wed Jun 04 09:46:55 2003

6-2-03 mg/AB Ferrous Iron

FO20
200 mg/L
MG 6-2-03
STOCK MG 6-2-03

0.144g $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2mL Conc H_2SO_4
5mL DI H_2O
diluted to 100mL F.V. with DI H_2O

FO26
5 mg/L
2.5mL FO20 → 100mL DI H_2O

FO21
2mg/L
1mL FO20 → 100mL DH_2O

FO22
1mg/L
0.25mL FO20 → 50mL DI H_2O

FO23
0.5mg/L
0.125mL FO20 → 50mL DI H_2O

FO24
0.20mg/L
0.025mL FO20 → 25mL DI H_2O

FO25
0.1mg/L
0.0125mL FO20 → 25mL DI H_2O

Method Blank Absorbance = 0.000

0.1mg/L = 0.01

0.2mg/L = 0.024

0.5mg/L = 0.055

1mg/L. = 0.099 AB 6-02-03

2mg/L = 0.222

Reagents

Ferrous Ammonium Sulfate - EM Science Lot # 42207238
$Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$

Conc H_2SO_4 ~~J.T. Baker~~ Fisher Lot # 032815
3612-03

Ammonium Acetate Buffer VWR Lot # 2231

O-phenonanthroline VWR Lot # 2343
0.1% w/v

SEVERN TRENT STL

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 218316

Prepared For:

Analytics Environmental Laboratory, LLC
195 Commerce Way
Suite E
Portsmouth, NH 03801

Project: Bucks Harbor Air Force Tracking Station

Attention: Steve Knollmeyer

Date: 07/01/2003

Bonnie Stadelmann
Signature

07/01/03
Date

Name: Bonnie M. Stadelmann

Title: Project Manager

E-Mail: bstadelmann@stl-inc.com

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: Analytics Environmental Laboratory, LLC
Project ID: Bucks Harbor 49866
STL Job #: 218316

Date Recd: 06/17/03

1. This narrative covers the Metals analysis of sample in the above Job # 218316.

   Method Ref: USEPA, SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below the Reporting Limits.

6. All ICP Interference Check Samples were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

8. Matrix QC was performed on sample 1.

   Matrix spike recoveries were within the 75-125%.

   Duplicate RPD's were within the 20% control limits.

Jodi L. Wojcik
Metals Unit Leader

6-26-03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 07/01/2003

Job Number.: 218316
Customer...: Analytics Environmental Laboratory, LLC
Attn.....: Steve Knollmeyer

Project Number.....: 20002349
Customer Project ID....: BUCKS HARBOR 49866
Project Description....: Bucks Harbor Air Force Tracking Station

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
218316-1	MW12-0603	Water	06/16/2003	07:00	06/17/2003	09:40
218316-2	MW11-0603	Water	06/16/2003	08:00	06/17/2003	09:40
218316-3	MW13-0603	Water	06/16/2003	10:10	06/17/2003	09:40
218316-4	GAMW001-0603	Water	06/16/2003	10:50	06/17/2003	09:40
218316-5	MW14-0603	Water	06/16/2003	12:00	06/17/2003	09:40
218316-6	MW9-0603	Water	06/16/2003	13:00	06/17/2003	09:40
218316-7	STMW001-0603	Water	06/16/2003	13:50	06/17/2003	09:40
218316-8	MW105-0603	Water	06/16/2003	08:45	06/17/2003	09:40
218316-9	MW140-0603	Water	06/16/2003	10:15	06/17/2003	09:40
218316-10	MW101-0603	Water	06/16/2003	12:00	06/17/2003	09:40
218316-11	STMW002-0603	Water	06/16/2003	13:05	06/17/2003	09:40
218316-12	STMW003-0603	Water	06/16/2003	14:10	06/17/2003	09:40

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49866

ATTN: Steve Knollmeyer

Customer Sample ID: MW12-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 07:00
Sample Matrix.....: Water

Laboratory Sample ID: 218316-1
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	110			4.7	5.0	1	mg/L	88215		06/26/03 1044	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	8.2			3.4	5.0	1	mg/L	88291		06/26/03 1514	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.21			0.035	0.10	1	mg/L	88428		06/27/03 0933	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	20			2.1	5.0	1	mg/L	88133		06/25/03 1337	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.48	B		0.15	1.0	1	mg/L	88421		06/27/03 1049	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0021	B		0.00071	0.010	1	mg/L	88079		06/24/03 2324	lmr

021/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49866 | ATTN: Steve Knollmeyer

Customer Sample ID: MW11-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 08:00
Sample Matrix.....: Water

Laboratory Sample ID: 218316-2
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	29			4.7	5.0	1	mg/L	88215		06/26/03 1049	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	23			3.4	5.0	1	mg/L	88291		06/26/03 1516	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88428		06/27/03 0935	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	120			10	25	5	mg/L	88133		06/25/03 1350	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.61	B		0.15	1.0	1	mg/L	88421		06/27/03 1121	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0014	B		0.00071	0.010	1	mg/L	88079		06/24/03 2349	lmr

022/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Customer Sample ID: MW13-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 10:10
Sample Matrix.....: Water

Laboratory Sample ID: 218316-3
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	88			4.7	5.0	1	mg/L	88215		06/26/03 1055	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	15			3.4	5.0	1	mg/L	88291		06/26/03 1519	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.083	B		0.035	0.10	1	mg/L	88428		06/27/03 0936	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	4.5	B		2.1	5.0	1	mg/L	88133		06/25/03 1350	cls
415.1	Organic Carbon											
	TOC Average Duplicates	2.4			0.15	1.0	1	mg/L	88421		06/27/03 1137	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0072	B		0.00071	0.010	1	mg/L	88079		06/24/03 2355	lmr

023/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Customer Sample ID: GAMW001-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 10:50
Sample Matrix.....: Water

Laboratory Sample ID: 218316-4
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	19			4.7	5.0	1	mg/L	88215		06/26/03 1105	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	7.6			3.4	5.0	1	mg/L	88291		06/26/03 1521	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.061	B		0.035	0.10	1	mg/L	88428		06/27/03 0937	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	5.0	U		2.1	5.0	1	mg/L	88133		06/25/03 1351	cls
415.1	Organic Carbon											
	TOC Average Duplicates	2.8			0.15	1.0	1	mg/L	88421		06/27/03 1152	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0031	B		0.00071	0.010	1	mg/L	88079		06/25/03 0001	lmr

024/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49866

ATTN: Steve Knollmeyer

Customer Sample ID: MW14-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 12:00
Sample Matrix.....: Water

Laboratory Sample ID: 218316-5
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	67			4.7	5.0	1	mg/L	88215		06/26/03 1111	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	9.7			3.4	5.0	1	mg/L	88291		06/26/03 1523	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88428		06/27/03 0937	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	6.3			2.1	5.0	1	mg/L	88133		06/25/03 1351	cls
415.1	Organic Carbon											
	TOC Average Duplicates	1.1			0.15	1.0	1	mg/L	88421		06/27/03 1206	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.51			0.00071	0.010	1	mg/L	88079		06/25/03 0008	lmr

025/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49866 | ATTN: Steve Knollmeyer

Customer Sample ID: MW9-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 13:00
Sample Matrix.....: Water

Laboratory Sample ID: 218316-6
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	24			4.7	5.0	1	mg/L	88215		06/26/03 1116	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	13			3.4	5.0	1	mg/L	88291		06/26/03 1525	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.12			0.035	0.10	1	mg/L	88428		06/27/03 0938	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	8.0			2.1	5.0	1	mg/L	88133		06/25/03 1351	cls
415.1	Organic Carbon											
	TOC Average Duplicates	1.3			0.15	1.0	1	mg/L	88421		06/27/03 1220	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.050			0.00071	0.010	1	mg/L	88079		06/25/03 0014	lmr

026/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Customer Sample ID: STMW001-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 13:50
Sample Matrix.....: Water

Laboratory Sample ID: 218316-7
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	15			4.7	5.0	1	mg/L	88215		06/26/03 1127	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	12			3.4	5.0	1	mg/L	88291		06/26/03 1527	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	2.5			0.18	0.50	5	mg/L	88428		06/27/03 0952	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	17			2.1	5.0	1	mg/L	88133		06/25/03 1352	cls
415.1	Organic Carbon											
	TOC Average Duplicates	1.1			0.15	1.0	1	mg/L	88421		06/27/03 1234	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.32			0.00071	0.010	1	mg/L	88079		06/25/03 0020	lmr

027/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Customer Sample ID: MW105-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 08:45
Sample Matrix.....: Water

Laboratory Sample ID: 218316-8
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	67			4.7	5.0	1	mg/L	88215		06/26/03 1133	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	78			3.4	5.0	1	mg/L	88291		06/26/03 1529	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.46			0.035	0.10	1	mg/L	88428		06/27/03 0941	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	5.1			2.1	5.0	1	mg/L	88133		06/25/03 1352	cls
415.1	Organic Carbon											
	TOC Average Duplicates	19			0.15	1.0	1	mg/L	88421		06/27/03 1251	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	1.5			0.00071	0.010	1	mg/L	88079		06/25/03 0130	lmr

028/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Customer Sample ID: MW140-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 10:15
Sample Matrix.....: Water

Laboratory Sample ID: 218316-9
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	60			4.7	5.0	1	mg/L	88215		06/26/03 1138	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	23			3.4	5.0	1	mg/L	88741		07/01/03 1603	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.43			0.035	0.10	1	mg/L	88428		06/27/03 0942	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	19			2.1	5.0	1	mg/L	88133		06/25/03 1353	cls
415.1	Organic Carbon											
	TOC Average Duplicates	9.5			0.15	1.0	1	mg/L	88421		06/27/03 1308	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.026			0.00071	0.010	1	mg/L	88079		06/25/03 0136	lmr

029/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Customer Sample ID: MW101-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 12:00
Sample Matrix.....: Water

Laboratory Sample ID: 218316-10
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	34			4.7	5.0	1	mg/L	88215		06/26/03 1144	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	6.2			3.4	5.0	1	mg/L	88741		07/01/03 1604	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.22			0.035	0.10	1	mg/L	88428		06/27/03 0942	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	20			2.1	5.0	1	mg/L	88133		06/25/03 1353	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.81	B		0.15	1.0	1	mg/L	88421		06/27/03 1338	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.014			0.00071	0.010	1	mg/L	88079		06/25/03 0142	lmr

030/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Customer Sample ID: STMW002-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 13:05
Sample Matrix.....: Water

Laboratory Sample ID: 218316-11
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	23			4.7	5.0	1	mg/L	88215		06/26/03 1149	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	30			3.4	5.0	1	mg/L	88741		07/01/03 1605	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.079	B		0.035	0.10	1	mg/L	88428		06/27/03 0943	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	11			2.1	5.0	1	mg/L	88133		06/25/03 1355	cls
415.1	Organic Carbon											
	TOC Average Duplicates	10			0.15	1.0	1	mg/L	88421		06/27/03 1354	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.29			0.00071	0.010	1	mg/L	88079		06/25/03 0148	lmr

031/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218316

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Customer Sample ID: STMW003-0603
Date Sampled.....: 06/16/2003
Time Sampled.....: 14:10
Sample Matrix.....: Water

Laboratory Sample ID: 218316-12
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	27			4.7	5.0	1	mg/L	88215		06/26/03 1155	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	38			3.4	5.0	1	mg/L	88741		07/01/03 1606	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88428		06/27/03 0944	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	13			2.1	5.0	1	mg/L	88133		06/25/03 1356	cls
415.1	Organic Carbon											
	TOC Average Duplicates	9.5			0.15	1.0	1	mg/L	88421		06/27/03 1411	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.22			0.00071	0.010	1	mg/L	88079		06/25/03 0154	lmr

032/057

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218316 Date: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Lab ID: 218316-1 Client ID: MW12-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1044	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88291	88291	06/26/2003	1514	
EDD	Electronic Data Deliverable	1					
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/24/2003	2324	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1704	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0933	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1049	
PKG INO (WC)	PKG INO (WET CHEMISTRY)	1					
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1337	

Lab ID: 218316-2 Client ID: MW11-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1049	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88291	88291	06/26/2003	1516	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/24/2003	2349	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1705	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0935	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1121	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1350	5

Lab ID: 218316-3 Client ID: MW13-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1055	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88291	88291	06/26/2003	1519	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/24/2003	2355	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1706	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0936	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1137	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1350	

Lab ID: 218316-4 Client ID: GAMW001-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1105	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88291	88291	06/26/2003	1521	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0001	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1706	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0937	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1152	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1351	

Lab ID: 218316-5 Client ID: MW14-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1111	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88291	88291	06/26/2003	1523	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0008	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1707	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0937	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1206	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1351	

Lab ID: 218316-6 Client ID: MW9-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1116	

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218316 Date: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Lab ID: 218316-6 Client ID: MW9-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	88291	88291	06/26/2003	1525	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0014	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1707	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0938	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1220	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1351	

Lab ID: 218316-7 Client ID: STMW001-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1127	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88291	88291	06/26/2003	1527	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0020	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1709	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0952	5
415.1	Organic Carbon	1	88421	88421	06/27/2003	1234	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1352	

Lab ID: 218316-8 Client ID: MW105-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1133	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88291	88291	06/26/2003	1529	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0130	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1709	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0941	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1251	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1352	

Lab ID: 218316-9 Client ID: MW140-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1138	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1603	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0136	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1710	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0942	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1308	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1353	

Lab ID: 218316-10 Client ID: MW101-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1144	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1604	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0142	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1710	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0942	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1338	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1353	

Lab ID: 218316-11 Client ID: STMW002-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1149	

STL Chicago is part of Severn Trent Laboratories, Inc.

L A B O R A T O R Y C H R O N I C L E

Job Number: 218316 Date: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Lab ID: 218316-11 Client ID: STMW002-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1605	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0148	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1711	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0943	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1354	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1355	

Lab ID: 218316-12 Client ID: STMW003-0603 Date Recvd: 06/17/2003 Sample Date: 06/16/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88215	88215	06/26/2003	1155	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1606	
6010B	Metals Analysis (ICAP Trace)	1	88079	87551	06/25/2003	0154	
354.1	Nitrite, Spectrophotometric	1	87818	87818	06/17/2003	1711	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88428	88428	06/27/2003	0944	1
415.1	Organic Carbon	1	88421	88421	06/27/2003	1411	
Method	Soluble Non-Digestion Batch	1	87551		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88133	88133	06/25/2003	1356	

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 218316 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88079

CCB	Continuing Calibration Blank		88079-016		06/24/2003	2150

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		88079-028		06/24/2003	2318

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00088 B							

CCB	Continuing Calibration Blank		88079-040		06/25/2003	0041

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		88079-045		06/25/2003	0124

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		88079-057		06/25/2003	0300

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00202 B							

CCB	Continuing Calibration Blank		88079-069		06/25/2003	0426

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00223 B							

CCB	Continuing Calibration Blank		88079-076		06/25/2003	0525

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00080 B							

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

CCV	Continuing Calibration Verification	M03FCCV005	88079-015		06/24/2003	2135

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.87671		5.00000		98	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV005	88079-027		06/24/2003	2305

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.98299		5.00000		100	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV005	88079-039		06/25/2003	0028

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.01167		5.00000		100	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV005	88079-044		06/25/2003	0108

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	5.01187		5.00000		100	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV005	88079-056		06/25/2003	0247

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.96499		5.00000		99	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV005	88079-068		06/25/2003	0413

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.86395		5.00000		97	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV005	88079-075		06/25/2003	0510

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.89284		5.00000		98	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 218316 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88079

CRI	Contract Required Detection Limits	M03FCRI002	88079-012		06/24/2003	2114

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02113		0.02000		106	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI002	88079-041		06/25/2003	0047

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02033		0.02000		102	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI002	88079-072		06/25/2003	0449

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02044		0.02000		102	%	50-150	

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		88079-011		06/24/2003	2108

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00161 B							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICV	Initial Calibration Verification	M03FICV001	88079-010		06/24/2003	2058

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	3.97964		4.00000		99	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

ISB	Interference Check Sample B	M03FISB002	88079-014		06/24/2003	2127

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48867		0.50000		98	%	80-120	

ISB	Interference Check Sample B	M03FISB002	88079-043		06/25/2003	0100

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48636		0.50000		97	%	80-120	

ISB	Interference Check Sample B	M03FISB002	88079-074		06/25/2003	0501

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48800		0.50000		98	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
LCS	Laboratory Control Sample	M03ESPK002	87551 -002		06/24/2003	2203

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.48519		0.50000	0.00071 U	97	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MB	Method Blank	87551	87551 -001		06/24/2003	2157

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MD	Method Duplicate		218316-1		06/24/2003	2337

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00169 B			0.00208 B	0.00039	A	0.01000	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MS	Matrix Spike	M03ESPK002	218316-1		06/24/2003	2343

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.48693		0.50000	0.00208 B	97	%	75-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
S2	Standard 2	M03DINT002	88079-009		06/24/2003	2047

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	9.66036		10.00000		97	%	95-105	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
SD	Serial Dilution		218316-1		06/24/2003	2330

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88079

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U			0.00208 B				

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218316 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Test Method.....: 310.1 Batch.....: 88215 Analyst...: jmk
Method Description.: Alkalinity Equipment Code....: Test Code.: ALK
Parameter.....: Alkalinity, Total as CaCO3

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88215 -002		mg/L	4.70000 U								06/26/2003	1005
LCS	88215 -003	I03ASTAK2	mg/L	103.20000		100.00000	7.04000	103		%	80-120	06/26/2003	1011
MD	218316-6		mg/L	23.80000			23.60000	0.20000		A	5.00000	06/26/2003	1122

Test Method.....: HACH 8000 Batch.....: 88291 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: COD
Parameter.....: Chemical Oxygen Demand (COD)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88291 -003		mg/L	3.40000 U								06/26/2003	1510
LCS	88291 -004	I03FSTCD1	mg/L	50.51000		50.00000		101		%	80-120	06/26/2003	1512
MS	218316-5	I03FSTCD1	mg/L	59.69000		50.00000	9.69000	100		%	75-125	06/26/2003	1531
MSD	218316-5	I03FSTCD1	mg/L	58.16000	59.69000	50.00000	9.69000	97		%	75-125	06/26/2003	1534
								3.0		R	20		

Test Method.....: HACH 8000 Batch.....: 88741 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: COD
Parameter.....: Chemical Oxygen Demand (COD)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88741 -001		mg/L	3.40000 U								07/01/2003	1600
LCS	88741 -002	I03FSTCD1	mg/L	52.99000		50.00000		106		%	80-120	07/01/2003	1601

Test Method.....: HACH 8000 Batch.....: 88291 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: CODH
Parameter.....: Chemical Oxygen Demand (COD-High)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
LCS	88291 -015	I03FSTCD2	mg/L	398.77000		500.00000		80		%	80-120	06/26/2003	1536

Test Method.....: 354.1 Batch.....: 87818 Analyst...: jaa
Method Description.: Nitrite, Spectrophotometric Equipment Code....: SPEC4 Test Code.: NO2
Parameter.....: Nitrite as N (NO2-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICB	87818 -003		mg/L	0.00520 U								06/17/2003	1702
ICV	87818 -002	I03DSTNI2	mg/L	0.09810		0.10000		98		%	90-110	06/17/2003	1702
MB	87818 -004		mg/L	0.00520 U								06/17/2003	1703
LCS	87818 -005	I03DSTNI2	mg/L	0.09410		0.10000	0.00520 U	94		%	80-120	06/17/2003	1703
MS	218316-1	I03DSTNI2	mg/L	0.09570		0.10000	0.00520 U	96		%	75-125	06/17/2003	1704
MSD	218316-1	I03DSTNI2	mg/L	0.09420	0.09570	0.10000	0.00520 U	94		%	75-125	06/17/2003	1705
								2.1		R	20		
CCB	87818 -015		mg/L	0.00520 U								06/17/2003	1708
CCV	87818 -014	I03DSTNI2	mg/L	0.09820		0.10000		98		%	90-110	06/17/2003	1708
CCB	87818 -015		mg/L	0.00520 U								06/17/2003	1712

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

Q U A L I T Y C O N T R O L R E S U L T S

Job Number.: 218316 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866 ATTN: Steve Knollmeyer

Test Method.....: 354.1 Batch.....: 87818 Analyst...: jaa
Method Description.: Nitrite, Spectrophotometric Equipment Code....: SPEC4 Test Code.: NO2
Parameter.....: Nitrite as N (NO2-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
CCV	87818 -014	I03DSTNI2	mg/L	0.09810		0.10000		98		%	90-110	06/17/2003	1712

Test Method.....: 353.2 Batch.....: 88428 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3NO2
Parameter.....: Nitrate + Nitrite as N

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88428 -002	I02GSTIC31	mg/L	1.03600		1.00000		104		%	90-110	06/27/2003	0930
ICB	88428 -003		mg/L	0.03500 U								06/27/2003	0931
MB	88428 -004		mg/L	0.03500 U								06/27/2003	0931
LCS	88428 -005	I02GSTIC31	mg/L	1.00600		1.00000		101		%	80-120	06/27/2003	0932
CCV	88428 -014	I02GSTIC31	mg/L	1.09200		1.00000		109		%	90-110	06/27/2003	0939
CCB	88428 -015		mg/L	0.03500 U								06/27/2003	0939
CCV	88428 -014	I02GSTIC31	mg/L	1.04500		1.00000		104		%	90-110	06/27/2003	0947
CCB	88428 -015		mg/L	0.03500 U								06/27/2003	0948
CCV	88428 -014	I02GSTIC31	mg/L	1.00400		1.00000		100		%	90-110	06/27/2003	0950
CCB	88428 -015		mg/L	0.03500 U								06/27/2003	0951
CCV	88428 -014	I02GSTIC31	mg/L	1.05600		1.00000		106		%	90-110	06/27/2003	0953
CCB	88428 -015		mg/L	0.03500 U								06/27/2003	0954

Test Method.....: 353.2 Batch.....: 88428 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3
Parameter.....: Nitrate as N (NO3-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MS	218316-1	I02GSTIC31	mg/L	1.19100		1.00000	0.21200	98		%	75-125	06/27/2003	0934
MSD	218316-1	I02GSTIC31	mg/L	1.19900	1.19100	1.00000	0.21200	99		%	75-125	06/27/2003	0934
								1.0		R	20		

Test Method.....: 375.4 Batch.....: 88133 Analyst...: cls
Method Description.: Sulfate, Turbidimetric Equipment Code....: Test Code.: SO4
Parameter.....: Sulfate

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88133 -002	I03FSTSA2B	mg/L	20.75000		20.00000		104		%	90-110	06/25/2003	1324
MB	88133 -004		mg/L	2.10000 U								06/25/2003	1328
ICB	88133 -003		mg/L	2.10000 U								06/25/2003	1328
LCS	88133 -005	I03FSTSA2B	mg/L	20.44000		20.00000	2.10000 U	102		%	80-120	06/25/2003	1329
CCV	88133 -014	I03FSTSA2B	mg/L	9.70300		10.00000		97		%	90-110	06/25/2003	1338
CCB	88133 -015		mg/L	2.10000 U								06/25/2003	1339
CCV	88133 -014	I03FSTSA2B	mg/L	18.79000		20.00000		94		%	90-110	06/25/2003	1349
CCB	88133 -015		mg/L	2.10000 U								06/25/2003	1349
CCV	88133 -014	I03FSTSA2B	mg/L	9.39300		10.00000		94		%	90-110	06/25/2003	1354
CCB	88133 -015		mg/L	2.10000 U								06/25/2003	1355
CCV	88133 -014	I03FSTSA2B	mg/L	19.10000		20.00000		96		%	90-110	06/25/2003	1359
CCB	88133 -015		mg/L	2.10000 U								06/25/2003	1400

QUALITY CONTROL RESULTS

Job Number.: 218316

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49866

ATTN: Steve Knollmeyer

Test Method.....: 415.1
Method Description.: Organic Carbon
Parameter.....: Organic Carbon, Tot. (TOC)

Batch.....: 88421
Equipment Code....: TOC3

Analyst...: kd
Test Code.: TOC

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88421 -002	I03ESTTC2	mg/L	20.89080		20.00000		104		%	85-115	06/27/2003	0754
ICB	88421 -003		mg/L	0.36820 B								06/27/2003	0801
CCV	88421 -013	I03ESTTC2	mg/L	9.81900		10.00000		98		%	85-115	06/27/2003	1036
CCB	88421 -014		mg/L	0.30590 B								06/27/2003	1043
CCV	88421 -013	I03ESTTC2	mg/L	20.63190		20.00000		103		%	85-115	06/27/2003	1325
CCB	88421 -014		mg/L	0.49140 B								06/27/2003	1332
CCV	88421 -013	I03ESTTC2	mg/L	9.83200		10.00000		98		%	85-115	06/27/2003	1427
CCB	88421 -014		mg/L	0.39140 B								06/27/2003	1434

Test Method.....: 415.1
Method Description.: Organic Carbon
Parameter.....: TOC Average Duplicates

Batch.....: 88421
Equipment Code....: TOC3

Analyst...: kd
Test Code.: TOCAV2

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88421 -004		mg/L	0.17700 B								06/27/2003	0814
LCS	88421 -005	I03ESTTC2	mg/L	10.13200		10.00000		101		%	80-120	06/27/2003	0829
MS	218316-1	I03ESTTC2	mg/L	10.67670		10.00000	0.47700 B	107		%	75-125	06/27/2003	1104
MSD	218316-1	I03ESTTC2	mg/L	10.80620	10.67670	10.00000	0.47700 B	108		%	75-125	06/27/2003	1111
								0.9		R	20		

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor

RT	Retention Time
RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)
Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT SERVICES

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Steve Knalmeyer
Company: Analytics
Address: 195 Commerce Way
Portsmouth, NH 03801
Phone: 603 436-5111
Fax: 603 430-2151
E-Mail:

Bill To:
Contact:
Company:
Address:
Phone: Analytics
Fax:
PO#: Quote:

Shaded Areas For Internal Use Only 1 of 1

Lab Lot# 218316

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	**Samples Intact**
Yes No	Yes No

Temperature °C of Cooler 4.3 2.0

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA	Yes No NA

Sample Labels and COC Agree
Yes No COC not present

Sampler Name: Kathleen Sullivan
Signature:
Project Name: Bucks
Project Number: 104717.017.002
Project Location: Maine
Lab PM:
Date Required
Hard Copy: / /
Fax: 7/2/2003

Refrg #					
# / Cont.	1P	1P	1P	2V	
Volume	1L	1L	1L	40ml	
Preserv	HNO_3	—	H_2SO_4	H_2SO_4	

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	Dissolved Manganese	Sulfate Alkalinity Nitrate	COD + nitrate	TOC							Additional Analyses / Remarks
1		MW12-0603	6/16/03	0700	W	G	X	X	X	X							Dissolved Manganese: 6010B
2		MW11-0603		0800	W	G	X	X	X	X							Sulfate: 375.1
3		MW13-0603		1010	W	G	X	X	X	X							Alkalinity 310.1
4		GAMW001-0603		1050	W	G	X	X	X	X							Nitrite/Nitrate: 352.1
5		MW14-0603		1200	W	G	X	X	X	X							COD HACH 8000
6		MW9-0603		1300	W	G	X	X	X	X							TOC 415.1 or 9060
7		STMW001-0603		1350	W	G	X	X	X	X							
8		MW105-0603		0845	W	G	X	X	X	X							Metals were field
9		MW140-0603		1015	W	G	X	X	X	X							Filtered
10		MW101-0603		1200	W	G	X	X	X	X							
11		STMW002-0603		1305	W	G	X	X	X	X							
12		STMW003-0603		1410	W	G	X	X	X	X							

Methods for Silvicide

053/057

RELINQUISHED BY	COMPANY	DATE	TIME
	Weston	6/16/03	1830
RELINQUISHED BY	COMPANY	DATE	TIME

RECEIVED BY	COMPANY	DATE	TIME
FedEx		6/14/03	1830
RECEIVED BY	COMPANY	DATE	TIME
		6-17-03	0940

Matrix Key
WW = Wastewater, W = Water, S = Soil, SL = Sludge, MS = Miscellaneous, OL = Oil, A = Air, SE = Sediment, SO = Solid, DS = Drum Solid, DL = Drum Liquid, L = Leachate, WI = Wipe, O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS: 2 coolers

Note Short HT Metals

Date Received 6/17/03
Courier: FX **Hand Delivered**
Bill of Lading

SEVERN TRENT SERVICES

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Steve Kmiecyk
Company: Analytics
Address: 195 Commerce Way
Portsmouth, NH 03801
Phone: (603) 436-5111
Fax: (603) 430-2151
E-Mail:

Bill To:
Contact:
Company:
Address:
Phone: Analytics
Fax:
PO#: Quote:

Shaded Areas For Internal Use Only 1 of 1

Lab Lot# 218316

Package Sealed Yes No	Samples Sealed Yes No
Received on Ice Yes No	Samples Intact Yes No
Temperature °C of Cooler: 4.3 2.0	
Within Hold Time Yes No	Preserv. Indicated Yes No NA
pH Check OK Yes No NA	Res Cl_2 Check OK Yes No NA
Sample Labels and COC Agree Yes No COC not present	

Sampler Name: Kathleen Sinicrope
Signature:
Project Name: Bucks
Project Number: 10471.717.002
Project Location: Maine
Lab PM:
Date Required
Hard Copy: / /
Fax: 7 12 2003

Refrg #													
# / Cont.	1 P	1 P	1 P	2 V									
Volume	1 L	1 L	1 L	40 ml									
Preserv	HNO_3	—	H_2SO_4	H_2SO_4									

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	Dissolved Manganese	Sulfate Alkalinity Calcium	COD Nitrate	TOC						Additional Analyses / Remarks
1		MW12-0603	6/16/03	0700	W	G	X	X	X	X						Dissolved Manganese: 6010B
2		MW11-0603		0800	W	G	X	X	X	X						Sulfate: 375.1
3		MW13-0603		1010	W	G	X	X	X	X						Alkalinity 310.1
4		GAMW001-0603		1050	W	G	X	X	X	X						Nitrite/Nitrate: 352.1
5		MW14-0603		1200	W	G	X	X	X	X						COD HACH 8000
6		MW9-0603		1300	W	G	X	X	X	X						TOC 415.1 or 9060
7		STMW001-0603		1350	W	G	X	X	X	X						
8		MW105-0603		0845	W	G	X	X	X	X						metals were field
9		MW140-0603		1015	W	G	X	X	X	X						filtered
10		MW101-0603		1200	W	G	X	X	X	X						
11		STMW002-0603		1305	W	G	X	X	X	X						
12		STMW003-0603		1410	W	G	X	X	X	X						

Methods for Calculations

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
	Weston	6/16/03	1630	FedEx		6/14/03	0930
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
						6/17/03	0940

Matrix Key
WW = Wastewater, W = Water, S = So, SL = Sludge, MS = Miscellaneous, OL = Oil, A = Air, SE = Sediment, SO = Solid, DS = Drum Solid, DL = Drum Liquid, L = Leachate, WI = Wipe, O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H_2SO_4, Cool to 4°
3. HNO_3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS: 2 coolers Take Short HT Please

Date Received 6/17/03
Courier: FX Hand Delivered
Bill of Lading

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 6
3) Received in good condition (Y) or N
4) pH checked by: amb 6.17.03
5) Labels checked by: ✓ 6.17.03

Project#: 10971.217.002 Project: Bucks
Company: **Weston Solutions**
Contact: Kathleen Soukup
Address: **1 Wall Street**
Manchester, NH 03101-1501
Phone: 603 315-4513 PO# 0037759 Quote #
Sampler (Signature):

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Station Identification	Sample Date	Sample Time	Analysis	Preservation: Unpres	4° C	HNO_3	H_2SO_4	HCl	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
MW12-0603	6/16/03	0700	Ferrous Iron					X			GW	1	P	2.5	49866-1
MW11-0603		0800						X						2	2
~~FD~~ MW13-0603		1010						X						2	3
GAMW001-0603		1050						X						2	4
MW14-0603		1200						X						2	5
STMW001-0603		1350						X						2	6
MW9-0603		1300						X						2	7
MW105-0603		0945						X						1.5	8
MW140-0603		1015						X						3	9
MW~~103~~ 101 (C) -0603		1200						X						25	10
STMW002-0603		1305						X						1.5	11
STMW003-0603		1410						X						2	12

Comments / Instructions:
Ferrous Iron by SM3500D

FAX RESULTS? (YES) NO
Fax # ~~603-626-5401~~

Turnaround Request
Standard ☐ Priority ☐
Due Date 7/2/03 Due Date

Client Code: WESTONM

Page 1 of 1

Received By: FED EX Time: 1930 Date: 6/16/03
Received By: Time: 1000 Date: 6.17.03
Received By: Time: Date:
Relinquished By Sampler: Date:
Relinquished By: Date:
Relinquished By: Date:

Analytics\AEL Documents\AEL COC

056/057

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 49866 — COOLER NUMBER: n/a

CLIENT: WESTPAC — NUMBER OF COOLERS: 1

PROJECT: Bucks Harbor — DATE RECEIVED: 6.17.03

A: PRELIMINARY EXAMINATION: — DATE COOLER OPENED: 6.17.03

1. Cooler received by(initials) — Date Received: 6.17.03
2. Did cooler come with a shipping slip? (Y) N

If YES, enter carrier name and airbill number here: FedEx 886892593457

3. Were custody seals on the outside of cooler? (Y) N
How many & where: 1 on front lid Seal Date: 6.16.03 Seal Name: K. Soukup
4. Did the custody seals arrive unbroken and intact upon arrival? (Y) N
5. COC#: n/a
6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N
7. Were custody papers sealed in a plastic bag? (Y) N
8. Did you sign the COC in the appropriate place? (Y) N
9. Was the project identifiable from the COC papers? (Y) N
10. Was enough ice used to chill the cooler? (Y) N — Temp. of cooler: 6°C

B. Log-In: Date samples were logged in: 6.17.03 — By: amb

11. Type of packing in cooler(bubble wrap, popcorn) Y (N)
12. Were all bottles sealed in separate plastic bags? Y (N)
13. Did all bottles arrive unbroken and were labels in good condition? (Y) N
14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N
15. Did all bottle labels agree with custody papers? (Y) N
16. Were the correct containers used for the tests indicated: (Y) N
17. Were samples received at the correct pH? Y N
18. Was sufficient amount of sample sent for the tests indicated? (Y) N
19. Were bubbles absent in VOA samples? Y N/a

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): K Date: 6.17.03

CUSTODY SEAL
DATE
SIGNATURE
Quality Environmental Containers
800-255-3950 • 304-255-3900

analytics environmental laboratory llc

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

July 10, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49874

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for Ferrous Iron using Standard Methods, EPA Method 3500D. Inorganic analyses were subcontracted to Severn Trent-Chicago.

Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
FE Results Summary Form Sample Data Results
FE Worksheet Summary Form
FE Bench Sheets
FE Form 3 MS/MSD and LCS Recoveries
FE Form 6 Initial Calibration Data (equiv.) Linear Plot plus bench sheets
Inorganics Data Package from Severn Trent-Chicago
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Ferrous Iron
No QC deviations.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Melissa A. Gulli
Assistant Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49874-1	06/17/03	STMW004-0603	Alkalinity	
	06/17/03	STMW004-0603	Chemical Oxygen Demand	
	06/17/03	STMW004-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	STMW004-0603	Metals	
	06/17/03	STMW004-0603	Metals Digestion	
	06/17/03	STMW004-0603	Nitrate	
	06/17/03	STMW004-0603	Sulfate	
	06/17/03	STMW004-0603	Total Organic Carbon in Aqueous Matrices	
49874-2	06/17/03	MW102-0603	Alkalinity	
	06/17/03	MW102-0603	Chemical Oxygen Demand	
	06/17/03	MW102-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW102-0603	Metals	
	06/17/03	MW102-0603	Metals Digestion	
	06/17/03	MW102-0603	Nitrate	
	06/17/03	MW102-0603	Sulfate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature Melissa A. Mullikin for
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	MW102-0603	Total Organic Carbon in Aqueous Matrices	
49874-3	06/17/03	MW103-0603	Alkalinity	
	06/17/03	MW103-0603	Chemical Oxygen Demand	
	06/17/03	MW103-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW103-0603	Metals	
	06/17/03	MW103-0603	Metals Digestion	
	06/17/03	MW103-0603	Nitrate	
	06/17/03	MW103-0603	Sulfate	
	06/17/03	MW103-0603	Total Organic Carbon in Aqueous Matrices	
49874-4	06/17/03	MW8-0603	Alkalinity	
	06/17/03	MW8-0603	Chemical Oxygen Demand	
	06/17/03	MW8-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW8-0603	Metals	
	06/17/03	MW8-0603	Metals Digestion	
	06/17/03	MW8-0603	Nitrate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature Melissa A. Mullin

Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	MW8-0603	Sulfate	
	06/17/03	MW8-0603	Total Organic Carbon in Aqueous Matrices	
49874-5	06/17/03	MW5-0603	Alkalinity	
	06/17/03	MW5-0603	Chemical Oxygen Demand	
	06/17/03	MW5-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW5-0603	Metals	
	06/17/03	MW5-0603	Metals Digestion	
	06/17/03	MW5-0603	Nitrate	
	06/17/03	MW5-0603	Sulfate	
	06/17/03	MW5-0603	Total Organic Carbon in Aqueous Matrices	
49874-6	06/17/03	MW5-0603-E	Alkalinity	
	06/17/03	MW5-0603-E	Chemical Oxygen Demand	
	06/17/03	MW5-0603-E	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW5-0603-E	Metals	
	06/17/03	MW5-0603-E	Metals Digestion	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	MW5-0603-E	Nitrate	
	06/17/03	MW5-0603-E	Sulfate	
	06/17/03	MW5-0603-E	Total Organic Carbon in Aqueous Matrices	
49874-7	06/17/03	MW1-0603	Alkalinity	
	06/17/03	MW1-0603	Chemical Oxygen Demand	
	06/17/03	MW1-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW1-0603	Metals	
	06/17/03	MW1-0603	Metals Digestion	
	06/17/03	MW1-0603	Nitrate	
	06/17/03	MW1-0603	Sulfate	
	06/17/03	MW1-0603	Total Organic Carbon in Aqueous Matrices	
49874-8	06/17/03	MW6-0603	Alkalinity	
	06/17/03	MW6-0603	Chemical Oxygen Demand	
	06/17/03	MW6-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW6-0603	Metals	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	MW6-0603	Metals Digestion	
	06/17/03	MW6-0603	Nitrate	
	06/17/03	MW6-0603	Sulfate	
	06/17/03	MW6-0603	Total Organic Carbon in Aqueous Matrices	
49874-9	06/17/03	FAMW001-0603	Alkalinity	
	06/17/03	FAMW001-0603	Chemical Oxygen Demand	
	06/17/03	FAMW001-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	FAMW001-0603	Metals	
	06/17/03	FAMW001-0603	Metals Digestion	
	06/17/03	FAMW001-0603	Nitrate	
	06/17/03	FAMW001-0603	Sulfate	
	06/17/03	FAMW001-0603	Total Organic Carbon in Aqueous Matrices	
49874-10	06/17/03	FAMW002-0603	Alkalinity	
	06/17/03	FAMW002-0603	Chemical Oxygen Demand	
	06/17/03	FAMW002-0603	Ferrous Iron in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	FAMW002-0603	Metals	
	06/17/03	FAMW002-0603	Metals Digestion	
	06/17/03	FAMW002-0603	Nitrate	
	06/17/03	FAMW002-0603	Sulfate	
	06/17/03	FAMW002-0603	Total Organic Carbon in Aqueous Matrices	
49874-11	06/17/03	BPMW001-0603	Alkalinity	
	06/17/03	BPMW001-0603	Chemical Oxygen Demand	
	06/17/03	BPMW001-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	BPMW001-0603	Metals	
	06/17/03	BPMW001-0603	Metals Digestion	
	06/17/03	BPMW001-0603	Nitrate	
	06/17/03	BPMW001-0603	Sulfate	
	06/17/03	BPMW001-0603	Total Organic Carbon in Aqueous Matrices	
49874-12	06/17/03	GTMW001-0603	Alkalinity	
	06/17/03	GTMW001-0603	Chemical Oxygen Demand	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	GTMW001-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	GTMW001-0603	Metals	
	06/17/03	GTMW001-0603	Metals Digestion	
	06/17/03	GTMW001-0603	Nitrate	
	06/17/03	GTMW001-0603	Sulfate	
	06/17/03	GTMW001-0603	Total Organic Carbon in Aqueous Matrices	
49874-13	06/17/03	TSMW001-0603	Alkalinity	
	06/17/03	TSMW001-0603	Chemical Oxygen Demand	
	06/17/03	TSMW001-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	TSMW001-0603	Metals	
	06/17/03	TSMW001-0603	Metals Digestion	
	06/17/03	TSMW001-0603	Nitrate	
	06/17/03	TSMW001-0603	Sulfate	
	06/17/03	TSMW001-0603	Total Organic Carbon in Aqueous Matrices	
49874-14	06/17/03	TSMW002-0603	Alkalinity	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	TSMW002-0603	Chemical Oxygen Demand	
	06/17/03	TSMW002-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	TSMW002-0603	Metals	
	06/17/03	TSMW002-0603	Metals Digestion	
	06/17/03	TSMW002-0603	Nitrate	
	06/17/03	TSMW002-0603	Sulfate	
	06/17/03	TSMW002-0603	Total Organic Carbon in Aqueous Matrices	
49874-15	06/17/03	TSMW003-0603	Alkalinity	
	06/17/03	TSMW003-0603	Chemical Oxygen Demand	
	06/17/03	TSMW003-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	TSMW003-0603	Metals	
	06/17/03	TSMW003-0603	Metals Digestion	
	06/17/03	TSMW003-0603	Nitrate	
	06/17/03	TSMW003-0603	Sulfate	
	06/17/03	TSMW003-0603	Total Organic Carbon in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49874-16	06/17/03	MW3-0603	Alkalinity	
	06/17/03	MW3-0603	Chemical Oxygen Demand	
	06/17/03	MW3-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW3-0603	Metals	
	06/17/03	MW3-0603	Metals Digestion	
	06/17/03	MW3-0603	Nitrate	
	06/17/03	MW3-0603	Sulfate	
	06/17/03	MW3-0603	Total Organic Carbon in Aqueous Matrices	
49874-17	06/17/03	MW2-0603	Alkalinity	
	06/17/03	MW2-0603	Chemical Oxygen Demand	
	06/17/03	MW2-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW2-0603	Metals	
	06/17/03	MW2-0603	Metals Digestion	
	06/17/03	MW2-0603	Nitrate	
	06/17/03	MW2-0603	Sulfate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature Melissa A Nulk

Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	MW2-0603	Total Organic Carbon in Aqueous Matrices	
49874-18	06/17/03	MW7-0603	Alkalinity	
	06/17/03	MW7-0603	Chemical Oxygen Demand	
	06/17/03	MW7-0603	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW7-0603	Metals	
	06/17/03	MW7-0603	Metals Digestion	
	06/17/03	MW7-0603	Nitrate	
	06/17/03	MW7-0603	Sulfate	
	06/17/03	MW7-0603	Total Organic Carbon in Aqueous Matrices	
49874-19	06/17/03	MW7-0603-E	Alkalinity	
	06/17/03	MW7-0603-E	Chemical Oxygen Demand	
	06/17/03	MW7-0603-E	Electronic Data Deliverable	
	06/17/03	MW7-0603-E	Ferrous Iron in Aqueous Matrices	
	06/17/03	MW7-0603-E	Metals	
	06/17/03	MW7-0603-E	Metals Digestion	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49874

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	MW7-0603-E	Nitrate	
	06/17/03	MW7-0603-E	Sulfate	
	06/17/03	MW7-0603-E	Total Organic Carbon in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

July 10, 2003

Project Name: Bucks Harbor

Project Number: 10971.217.002

ANALYTICAL RESULTS FERROUS IRON
CAS Number: 000-09-2

Lab Sample ID	Field Sample ID	Collection Date	Lab Receipt Date	Analysis Date	Matrix	Dilution Factor	Detection Limit mg/L	Result mg/L
B061803F	LABQC	N/A	N/A	06/18/03	Aqueous	1	0.1	U
BD061803	LABQC	N/A	N/A	06/18/03	Aqueous	1	0.1	U
L061803F	LABQC	N/A	N/A	06/18/03	Aqueous	1	0.1	**95**
LD061803F	LABQC	N/A	N/A	06/18/03	Aqueous	1	0.1	**93**
49874-1	STMW004-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**0.15**
49874-2, DL	MW102-0603	06/17/03	06/18/03	06/18/03	Aqueous	20	0.1	**14**
49874-3	MW103-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**0.16**
49874-4	MW8-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**0.89**
49874-5	MW5-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**0.17**
49874-6	MW5-0603-E	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**0.17**
49874-7	MW1-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	U
49874-8	MW6-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**0.35**
49874-9	FAMW001-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**1.8**
49874-10	FAMW002-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**0.15**
49874-11, DL	BPMW001-0603	06/17/03	06/18/03	06/18/03	Aqueous	10	0.1	**8.6**
49874-12	GTMW001-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	U
49874-13	TSMW001-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	U
49874-14	TSMW002-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	U
49874-15	TSMW003-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	U
49874-16	MW3-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	U
49874-17	MW2-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	U
49874-18, DL	MW7-0603	06/17/03	06/18/03	06/18/03	Aqueous	5	0.1	**3.5**
49874-19, DL	MW7-0603-E	06/17/03	06/18/03	06/18/03	Aqueous	5	0.1	**3.6**
49874-10,DUP	FAMW002-0603	06/17/03	06/18/03	06/18/03	Aqueous	1	0.1	**0.15**

METHODOLOGY: Sample analysis conducted according to: "Standard Methods, EPA Method 3500D."

COMMENTS: U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

Authorized signature

FERROUS IRON DATA SUMMARY

Date Analyzed: 6/18/03
Analyst: AB
Reviewed: MJ 7-10-03

Conc. mg/L	Absorbance
0	0
0.1	0.01
0.2	0.024
0.2	0.055
1	0.099
2	0.222

Curve Date:	6/2/03
Corr Coef. ('r)	0.9985
Y-int	0.000976
slope	0.109

Enter Data Below ⇩ Enter Data Below ⇩

	Sample ID	Abs	Calculated Value Conc. mg/L	DF	Sample Conc. mg/L
1	L061803F/CC 1MG/L	0.102	0.945	1	95%
2	B061803F/METH.BL.	0.000	0.009	1	U
3	49874-1	0.015	0.147	1	**0.15**
4	49874-2	1.200	11.018	1	**11 E**
5	49874-3	0.016	0.156	1	**0.16**
6	49874-4	0.096	0.890	1	**0.89**
7	49874-5	0.018	0.174	1	**0.17**
8	49874-5 ms	0.135	1.247	1	107%
9	49874-5msd	0.134	1.238	1	106%
10	49874-6	0.018	0.174	1	**0.17**
11	49874-7	0.002	0.027	1	U
12	49874-8	0.037	0.348	1	**0.35**
13	49874-9	0.190	1.752	1	**1.8**
14	49874-10	0.015	0.147	1	**0.15**
15	49874-10 dup	0.015	0.147	1	**0.15**
16	49874-11	0.788	7.238	1	**7.2 E**
17	49874-12	0.009	0.092	1	U
18	49874-13	0.005	0.055	1	U
19	49874-14	0.000	0.009	1	U
20	49874-15	0.007	0.073	1	U
21	49874-16	0.005	0.055	1	U
22	49874-17	0.004	0.046	1	U
23	49874-18	0.319	2.936	1	**2.9 E**
24	49874-19	0.342	3.147	1	**3.1 E**
25	49874-2 DL	0.078	0.725	20	**14.00**
26	49874-11 DL	0.093	0.862	10	**8.60**
27	49874-18 DL	0.076	0.706	5	**3.5**
28	49874-19 DL	0.078	0.725	5	**3.6**
29	BD061803F METH BL	0.000	0.009	1	U
30	LD061803F/CC 1MG/L	0.100	0.926	1	93%

6.18.03 Ferrous Iron Q-P-C061803-2-AB
P-P-C061803-2-AB

SAMPLE #	ABSORBANCE =	Dilution	Absor. Act Dil.
LC061833F	.102	1	—
BC061833F	.000	1	—
498744-1	.015	1	—
-2	1.200	20x Dilution →	.078
-3	.0116	1	—
-4	.1096	1	—
-5	~~.021~~ .018	1	—
-6	.018	1	—
-7	.002	1	—
-8	.057	1	—
-9	.190	1	—
-10	.015	1	—
-11	.788	10x →	.093
-12	.009	1	—
-13	.005	1	—
-14	.000	1	—
-15	.007	1	—
-16	.005	1	—
-17	.004	1	—
-18	.319	5x →	.076
-19	.342 .000	5x →	.078
LD061833F	~~.135~~ .100	1	—
BD061833F	~~.134~~ .100	1	—
498745MS	.135	1	—
↓ 5MSD	.134	1	—
498741-1DUP	.015	1	—

AB C061803

F039
200 mg/L

0.1445 (g) $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2ml Conc H_2SO_4 (Off 03/28/15
5ml $DI H_2O$ → Diluted to 100ml
= 200mg/ml Fe^{3+}

F040
1mg/L

0.25 ml F039 in 50ml $DI H_2O$
= 1mg/L

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

July 10, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: B061803F
Matrix: Aqueous
Field Sample ID: LABQC
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/18/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	U	0.95	95	70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	0.93	93	2	30	70-130

Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature

Form III

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

July 10, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: Bucks Harbor

Project Number: 10971.217.002

Lab Sample ID: 49874-5
Matrix: Aqueous
Field Sample ID: MW5-0603
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/18/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	0.17	1.25	108	70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	1.24	107	1	30	70-130


Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature Melissa A Hull

Form III



$r = 0.998$

Method Name: C:\HPCHEM\1\METHODS\F06023.M
Calibration Table Last Updated: Wed Jun 04 09:46:55 2003

6.2.03 mg/AB Ferrous Iron

F020
200 mg/L
mg 2.03
STOCK mg 6.2.03

0.144g $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2mL Conc H_2SO_4
5mL DI H_2O
diluted to 100mL F.V. with DI H_2O

F026 5mg/L — 2.5mL F020 → 100mL DI H_2O

F021 2mg/L — 1mL F020 → 100mL DI H_2O

F022 1mg/L — 0.25mL F020 → 50mL DI H_2O

F023 0.5mg/L — 0.125mL F020 → 50mL DI H_2O

F024 0.20mg/L — 0.025mL F020 → 25mL DI H_2O

F025 0.1mg/L — 0.0125mL F020 → 25mL DI H_2O

Method Blank Absorbance = 0.000

0.1mg/L = 0.011

0.2mg/L = 0.024

0.5mg/L = 0.055

1mg/L = 0.094 (99 AB 6.02.03)

2mg/L = 0.222

Reagents

Ferrous Ammonium Sulfate - EM Science Lot # 42207238
$Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$

Conc H_2SO_4 ~~J.T. Baker~~ Fisher Lot # 032815
~~10-2-03~~

Ammonium Acetate Buffer VWR Lot # 2231

O-phenonanthroline VWR ~~Lot #~~ 2343
0.1% w/v

SEVERN TRENT STL

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 218342

Prepared For:

Analytics Environmental Laboratory, LLC
195 Commerce Way
Suite E
Portsmouth, NH 03801

Project: Bucks Harbor Air Force Tracking Station

Attention: Steve Knollmeyer

Date: 07/01/2003

Bonnie S Stadelmann
Signature

07/01/03
Date

Name: Bonnie M. Stadelmann

Title: Project Manager

E-Mail: bstadelmann@stl-inc.com

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: Analytics Environmental Laboratory, LLC
Project ID: Bucks Harbor 49874
STL Job #: 218342

Date Recd: 06/17/03

1. This narrative covers the Metals analysis of sample in the above Job # 218342.

   Method Ref: USEPA, SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below the Reporting Limits.

6. All ICP Interference Check Samples were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

8. Matrix QC was performed on sample 1.

   Matrix spike recoveries were within the 75-125%.

   Duplicate RPD's were within the 20% control limits.

Jodi L. Wojcik
Metals Unit Leader

6-24-03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

SAMPLE INFORMATION
Date: 07/01/2003

Job Number.: 218342
Customer...: Analytics Environmental Laboratory, LLC
Attn.....: Steve Knollmeyer

Project Number.....: 20002349
Customer Project ID....: BUCKS HARBOR 49874
Project Description....: Bucks Harbor Air Force Tracking Station

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
218342-1	STMW004-0603	Water	06/17/2003	06:00	06/17/2003	09:40
218342-2	MW102-0603	Water	06/17/2003	05:15	06/17/2003	09:40
218342-3	MW103-0603	Water	06/17/2003	05:00	06/17/2003	09:40
218342-4	MW8-0603	Water	06/17/2003	07:00	06/17/2003	09:40
218342-5	MW5-0603	Water	06/17/2003	08:00	06/17/2003	09:40
218342-6	MW5-0603-E	Water	06/17/2003	08:00	06/17/2003	09:40
218342-7	MW1-0603	Water	06/17/2003	10:00	06/17/2003	09:40
218342-8	MW6-0603	Water	06/17/2003	10:50	06/17/2003	09:40
218342-9	FAMW001-0603	Water	06/17/2003	07:00	06/17/2003	09:40
218342-10	FAMW002-0603	Water	06/17/2003	07:50	06/17/2003	09:40
218342-11	BPMW001-0603	Water	06/17/2003	09:35	06/17/2003	09:40
218342-12	GTMW001-0603	Water	06/17/2003	10:30	06/17/2003	09:40
218342-13	TSMW001-0603	Water	06/17/2003	13:15	06/17/2003	09:40
218342-14	TSMW002-0603	Water	06/17/2003	11:20	06/17/2003	09:40
218342-15	TSMW003-0603	Water	06/17/2003	12:15	06/17/2003	09:40
218342-16	MW3-0603	Water	06/17/2003	11:45	06/17/2003	09:40
218342-17	MW2-0603	Water	06/17/2003	12:45	06/17/2003	09:40
218342-18	MW7-0603	Water	06/17/2003	14:00	06/17/2003	09:40
218342-19	MW7-0603-E	Water	06/17/2003	14:00	06/17/2003	09:40

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: STMW004-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 06:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-1
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	97			4.7	5.0	1	mg/L	88245		06/26/03 1329	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	16			3.4	5.0	1	mg/L	88741		07/01/03 1608	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	1.8			0.035	0.10	1	mg/L	88130		06/25/03 1303	kd
375.4	Sulfate, Turbidimetric Sulfate	16			2.1	5.0	1	mg/L	88204		06/25/03 1429	cls
415.1	Organic Carbon TOC Average Duplicates	0.64	B		0.15	1.0	1	mg/L	88644		06/27/03 1544	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	87815		06/20/03 2007	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: MW102-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 05:15
Sample Matrix.....: Water

Laboratory Sample ID: 218342-2
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	170			4.7	5.0	1	mg/L	88245		06/26/03 1335	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	69			3.4	5.0	1	mg/L	88741		07/01/03 1609	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88130		06/25/03 1304	kd
375.4	Sulfate, Turbidimetric Sulfate	13			2.1	5.0	1	mg/L	88204		06/25/03 1430	cls
415.1	Organic Carbon TOC Average Duplicates	14			0.15	1.0	1	mg/L	88644		06/27/03 1615	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	9.4			0.00071	0.010	1	mg/L	87815		06/20/03 2031	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: MW103-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 05:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-3
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	43			4.7	5.0	1	mg/L	88245		06/26/03 1340	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	22			3.4	5.0	1	mg/L	88741		07/01/03 1610	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.32			0.035	0.10	1	mg/L	88130		06/25/03 1305	kd
375.4	Sulfate, Turbidimetric Sulfate	11			2.1	5.0	1	mg/L	88204		06/25/03 1431	cls
415.1	Organic Carbon TOC Average Duplicates	2.0			0.15	1.0	1	mg/L	88644		06/27/03 1631	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.0092	B		0.00071	0.010	1	mg/L	87815		06/20/03 2037	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49874 | ATTN: Steve Knollmeyer

Customer Sample ID: MW8-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 07:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-4
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	8.3			4.7	5.0	1	mg/L	88343		06/27/03 0722	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	5.2			3.4	5.0	1	mg/L	88741		07/01/03 1611	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.058	B		0.035	0.10	1	mg/L	88130		06/25/03 1305	kd
375.4	Sulfate, Turbidimetric Sulfate	9.1			2.1	5.0	1	mg/L	88204		06/25/03 1432	cls
415.1	Organic Carbon TOC Average Duplicates	1.4			0.15	1.0	1	mg/L	88644		06/27/03 1646	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.050			0.00071	0.010	1	mg/L	87815		06/20/03 2044	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: MW5-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 08:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-5
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	9.8			4.7	5.0	1	mg/L	88343		06/27/03 0726	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	6.8			3.4	5.0	1	mg/L	88741		07/01/03 1613	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.12			0.035	0.10	1	mg/L	88130		06/25/03 1306	kd
375.4	Sulfate, Turbidimetric Sulfate	8.8			2.1	5.0	1	mg/L	88204		06/25/03 1433	cls
415.1	Organic Carbon TOC Average Duplicates	1.6			0.15	1.0	1	mg/L	88644		06/27/03 1700	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.018			0.00071	0.010	1	mg/L	87815		06/20/03 2050	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: MW5-0603-E
Date Sampled.....: 06/17/2003
Time Sampled.....: 08:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-6
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	8.9			4.7	5.0	1	mg/L	88343		06/27/03 0730	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	11			3.4	5.0	1	mg/L	88741		07/01/03 1614	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.10			0.035	0.10	1	mg/L	88130		06/25/03 1307	kd
375.4	Sulfate, Turbidimetric Sulfate	8.8			2.1	5.0	1	mg/L	88204		06/25/03 1434	cls
415.1	Organic Carbon TOC Average Duplicates	1.6			0.15	1.0	1	mg/L	88644		06/27/03 1714	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.018			0.00071	0.010	1	mg/L	87815		06/20/03 2117	tds

* In Description = Dry Wgt.

30/78

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: MW1-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 10:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-7
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	5.0	U		4.7	5.0	1	mg/L	88343		06/27/03 0734	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	5.0	U		3.4	5.0	1	mg/L	88741		07/01/03 1615	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88130		06/25/03 1308	kd
375.4	Sulfate, Turbidimetric Sulfate	9.5			2.1	5.0	1	mg/L	88204		06/25/03 1435	cls
415.1	Organic Carbon TOC Average Duplicates	1.6			0.15	1.0	1	mg/L	88644		06/27/03 1742	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.013			0.00071	0.010	1	mg/L	87815		06/20/03 2124	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: MW6-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 10:50
Sample Matrix.....: Water

Laboratory Sample ID: 218342-8
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	5.8			4.7	5.0	1	mg/L	88343		06/27/03 0738	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	4.7	B		3.4	5.0	1	mg/L	88741		07/01/03 1616	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.036	B		0.035	0.10	1	mg/L	88130		06/25/03 1308	kd
375.4	Sulfate, Turbidimetric Sulfate	8.4			2.1	5.0	1	mg/L	88204		06/25/03 1436	cls
415.1	Organic Carbon TOC Average Duplicates	0.66	B		0.15	1.0	1	mg/L	88644		06/27/03 1756	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.0066	B		0.00071	0.010	1	mg/L	87815		06/20/03 2130	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: FAMW001-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 07:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-9
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	7.9			4.7	5.0	1	mg/L	88343		06/27/03 0742	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	20			3.4	5.0	1	mg/L	88741		07/01/03 1618	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88130		06/25/03 1309	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	11			2.1	5.0	1	mg/L	88204		06/25/03 1439	cls
415.1	Organic Carbon											
	TOC Average Duplicates	4.1			0.15	1.0	1	mg/L	88644		06/27/03 1811	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.21			0.00071	0.010	1	mg/L	87815		06/20/03 2136	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Customer Sample ID: FAMW002-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 07:50
Sample Matrix.....: Water

Laboratory Sample ID: 218342-10
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	5.0	U		4.7	5.0	1	mg/L	88343		06/27/03 0746	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	28			3.4	5.0	1	mg/L	88741		07/01/03 1619	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.050	B		0.035	0.10	1	mg/L	88130		06/25/03 1309	kd
375.4	Sulfate, Turbidimetric Sulfate	5.0	U		2.1	5.0	1	mg/L	88204		06/25/03 1440	cls
415.1	Organic Carbon TOC Average Duplicates	3.9			0.15	1.0	1	mg/L	88644		06/27/03 1826	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.012			0.00071	0.010	1	mg/L	87815		06/20/03 2142	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Customer Sample ID: BPMW001-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 09:35
Sample Matrix.....: Water

Laboratory Sample ID: 218342-11
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	9.3			4.7	5.0	1	mg/L	88343		06/27/03 0750	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	94			3.4	5.0	1	mg/L	88741		07/01/03 1620	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.37			0.035	0.10	1	mg/L	88130		06/25/03 1310	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	14			2.1	5.0	1	mg/L	88204		06/25/03 1441	cls
415.1	Organic Carbon											
	TOC Average Duplicates	15			0.15	1.0	1	mg/L	88644		06/27/03 1842	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.21			0.00071	0.010	1	mg/L	87815		06/20/03 2148	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Customer Sample ID: GTMW001-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 10:30
Sample Matrix.....: Water

Laboratory Sample ID: 218342-12
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	62			4.7	5.0	1	mg/L	88343		06/27/03 0759	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	46			3.4	5.0	1	mg/L	88741		07/01/03 1621	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	1.1			0.035	0.10	1	mg/L	88130		06/25/03 1310	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	12			2.1	5.0	1	mg/L	88204		06/25/03 1442	cls
415.1	Organic Carbon											
	TOC Average Duplicates	18			0.15	1.0	1	mg/L	88644		06/27/03 1859	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.55			0.00071	0.010	1	mg/L	87815		06/20/03 2154	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Customer Sample ID: TSMW001-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 13:15
Sample Matrix.....: Water

Laboratory Sample ID: 218342-13
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	8.4			4.7	5.0	1	mg/L	88343		06/27/03 0803	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	7.3			3.4	5.0	1	mg/L	88741		07/01/03 1623	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.20			0.035	0.10	1	mg/L	88130		06/25/03 1311	kd
375.4	Sulfate, Turbidimetric Sulfate	16			2.1	5.0	1	mg/L	88204		06/25/03 1443	cls
415.1	Organic Carbon TOC Average Duplicates	5.4			0.15	1.0	1	mg/L	88644		06/27/03 1915	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.082			0.00071	0.010	1	mg/L	87815		06/20/03 2201	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342 Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Customer Sample ID: TSMW002-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 11:20
Sample Matrix.....: Water

Laboratory Sample ID: 218342-14
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	5.0	U		4.7	5.0	1	mg/L	88343		06/27/03 0807	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	8.8			3.4	5.0	1	mg/L	88741		07/01/03 1624	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88130		06/25/03 1311	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	5.2			2.1	5.0	1	mg/L	88204		06/25/03 1444	cls
415.1	Organic Carbon											
	TOC Average Duplicates	1.7			0.15	1.0	1	mg/L	88644		06/27/03 1930	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0059	B		0.00071	0.010	1	mg/L	87815		06/20/03 2207	tds

38/73

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49874 | ATTN: Steve Knollmeyer

Customer Sample ID: TSMW003-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 12:15
Sample Matrix.....: Water

Laboratory Sample ID: 218342-15
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	13			4.7	5.0	1	mg/L	88343		06/27/03 0811	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	18			3.4	5.0	1	mg/L	88741		07/01/03 1625	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.22			0.035	0.10	1	mg/L	88130		06/25/03 1312	kd
375.4	Sulfate, Turbidimetric Sulfate	8.5			2.1	5.0	1	mg/L	88204		06/25/03 1445	cls
415.1	Organic Carbon TOC Average Duplicates	2.4			0.15	1.0	1	mg/L	88644		06/27/03 1944	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.019			0.00071	0.010	1	mg/L	87815		06/20/03 2213	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Customer Sample ID: MW3-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 11:45
Sample Matrix.....: Water

Laboratory Sample ID: 218342-16
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	12			4.7	5.0	1	mg/L	88343		06/27/03 0815	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	11			3.4	5.0	1	mg/L	88741		07/01/03 1626	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	1.4			0.035	0.10	1	mg/L	88130		06/25/03 1313	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	15			2.1	5.0	1	mg/L	88204		06/25/03 1446	cls
415.1	Organic Carbon											
	TOC Average Duplicates	2.5			0.15	1.0	1	mg/L	88644		06/27/03 1958	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0032	B		0.00071	0.010	1	mg/L	87815		06/20/03 2241	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Customer Sample ID: MW2-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 12:45
Sample Matrix.....: Water

Laboratory Sample ID: 218342-17
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	29			4.7	5.0	1	mg/L	88343		06/27/03 0819	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	7.3			3.4	5.0	1	mg/L	88741		07/01/03 1628	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.45			0.035	0.10	1	mg/L	88130		06/25/03 1314	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	20			2.1	5.0	1	mg/L	88204		06/25/03 1447	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.85	B		0.15	1.0	1	mg/L	88644		06/27/03 2028	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.0061	B		0.00071	0.010	1	mg/L	87815		06/20/03 2247	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Customer Sample ID: MW7-0603
Date Sampled.....: 06/17/2003
Time Sampled.....: 14:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-18
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	17			4.7	5.0	1	mg/L	88343		06/27/03 0823	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	4.2	B		3.4	5.0	1	mg/L	88745		07/01/03 1629	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88130		06/25/03 1314	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	11			2.1	5.0	1	mg/L	88204		06/25/03 1452	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.94	B		0.15	1.0	1	mg/L	88644		06/27/03 2042	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.25			0.00071	0.010	1	mg/L	87815		06/20/03 2253	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218342

Date:07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC

PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Customer Sample ID: MW7-0603-E
Date Sampled.....: 06/17/2003
Time Sampled.....: 14:00
Sample Matrix.....: Water

Laboratory Sample ID: 218342-19
Date Received.....: 06/17/2003
Time Received.....: 09:40

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	21			4.7	5.0	1	mg/L	88343		06/27/03 0827	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	9.9			3.4	5.0	1	mg/L	88745		07/01/03 1630	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88130		06/25/03 1315	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	9.6			2.1	5.0	1	mg/L	88204		06/25/03 1453	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.90	B		0.15	1.0	1	mg/L	88644		06/27/03 2056	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.25			0.00071	0.010	1	mg/L	87815		06/20/03 2259	tds

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218342 Date: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Lab ID: 218342-1 Client ID: STMW004-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88245	88245	06/26/2003	1329	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1608	
EDD	Electronic Data Deliverable	1					
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2007	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2038	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1303	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1544	
PKG INO (WC)	PKG INO (WET CHEMISTRY)	1					
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1429	

Lab ID: 218342-2 Client ID: MW102-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88245	88245	06/26/2003	1335	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1609	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2031	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2038	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1304	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1615	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1430	

Lab ID: 218342-3 Client ID: MW103-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88245	88245	06/26/2003	1340	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1610	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2037	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2038	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1305	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1631	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1431	

Lab ID: 218342-4 Client ID: MW8-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0722	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1611	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2044	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2039	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1305	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1646	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1432	

Lab ID: 218342-5 Client ID: MW5-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0726	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1613	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2050	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2040	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1306	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1700	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1433	

Lab ID: 218342-6 Client ID: MW5-0603-E Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0730	

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218342 Date: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Lab ID: 218342-6 Client ID: MW5-0603-E Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1614	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2117	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2040	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1307	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1714	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1434	

Lab ID: 218342-7 Client ID: MW1-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0734	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1615	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2124	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2042	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1308	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1742	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1435	

Lab ID: 218342-8 Client ID: MW6-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0738	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1616	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2130	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2042	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1308	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1756	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1436	

Lab ID: 218342-9 Client ID: FAMW001-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0742	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1618	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2136	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2042	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1309	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1811	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1439	

Lab ID: 218342-10 Client ID: FAMW002-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0746	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1619	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2142	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2043	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1309	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1826	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1440	

Lab ID: 218342-11 Client ID: BPMW001-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0750	

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218342 Date: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Lab ID: 218342-11 Client ID: BPMW001-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1620	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2148	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2043	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1310	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1842	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1441	

Lab ID: 218342-12 Client ID: GTMW001-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0759	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1621	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2154	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2044	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1310	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1859	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1442	

Lab ID: 218342-13 Client ID: TSMW001-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0803	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1623	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2201	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2044	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1311	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1915	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1443	

Lab ID: 218342-14 Client ID: TSMW002-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0807	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1624	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2207	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2044	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1311	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1930	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1444	

Lab ID: 218342-15 Client ID: TSMW003-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0811	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1625	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2213	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2045	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1312	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1944	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1445	

Lab ID: 218342-16 Client ID: MW3-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0815	

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218342 Date: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Lab ID: 218342-16 Client ID: MW3-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1626	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2241	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2045	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1313	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	1958	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1446	

Lab ID: 218342-17 Client ID: MW2-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0819	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88741	88741	07/01/2003	1628	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2247	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2046	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1314	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	2028	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1447	

Lab ID: 218342-18 Client ID: MW7-0603 Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0823	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88745	88745	07/01/2003	1629	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2253	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2047	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1314	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	2042	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1452	

Lab ID: 218342-19 Client ID: MW7-0603-E Date Recvd: 06/17/2003 Sample Date: 06/17/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED		DILUTION
310.1	Alkalinity	1	88343	88343	06/27/2003	0827	
HACH 8000	Chemical Oxygen Demand (HACH)	1	88745	88745	07/01/2003	1630	
6010B	Metals Analysis (ICAP Trace)	1	87815	87554	06/20/2003	2259	
354.1	Nitrite, Spectrophotometric	1	87819	87819	06/18/2003	2047	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88130	88130	06/25/2003	1315	1
415.1	Organic Carbon	1	88644	88644	06/27/2003	2056	
Method	Soluble Non-Digestion Batch	1	87554		06/19/2003	1430	
375.4	Sulfate, Turbidimetric	1	88204	88204	06/25/2003	1453	

QUALITY CONTROL RESULTS

Job Number.: 218342 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 87815

CCB	Continuing Calibration Blank		87815-016		06/20/2003	1445

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		87815-028		06/20/2003	1630

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00114 B							

CCB	Continuing Calibration Blank		87815-039		06/20/2003	1747

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		87815-050		06/20/2003	1908

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		87815-055		06/20/2003	1948

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		87815-067		06/20/2003	2111

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		87815-079		06/20/2003	2234

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00075 B							

QUALITY CONTROL RESULTS

Job Number.: 218342 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		87815-088		06/20/2003	2343

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

QUALITY CONTROL RESULTS

Job Number.: 218342 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 87815

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV005	87815-015		06/20/2003	1430

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.79234		5.00000		96	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV005	87815-027		06/20/2003	1615

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.77569		5.00000		96	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV005	87815-038		06/20/2003	1734

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.86005		5.00000		97	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV005	87815-049		06/20/2003	1853

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.72348		5.00000		94	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV005	87815-054		06/20/2003	1935

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.81037		5.00000		96	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV005	87815-066		06/20/2003	2058

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.70230		5.00000		94	%	90-110	

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV005	87815-078		06/20/2003	2221

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.74562		5.00000		95	%	90-110	

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV005	87815-087		06/20/2003	2328

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.69082		5.00000		94	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 87815

Analyst...: tds

CRI	Contract Required Detection Limits	M03FCRI002	87815-012		06/20/2003	1409

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02090		0.02000		104	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI002	87815-051		06/20/2003	1914

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.01962		0.02000		98	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI002	87815-084		06/20/2003	2307

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.01974		0.02000		99	%	50-150	

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		87815-011		06/20/2003	1403

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 87815

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00130 B							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICV	Initial Calibration Verification	M03FICV001	87815-010		06/20/2003	1352

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 87815

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	3.88774		4.00000		97	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 87815

Analyst...: tds

ISB	Interference Check Sample B	M03FISB002	87815-014		06/20/2003	1421

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48155		0.50000		96	%	80-120	

ISB	Interference Check Sample B	M03FISB002	87815-053		06/20/2003	1927

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.47307		0.50000		95	%	80-120	

ISB	Interference Check Sample B	M03FISB002	87815-086		06/20/2003	2320

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.46638		0.50000		93	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 87815

Analyst...: tds

LCS	Laboratory Control Sample	M03ESPK002	87568 -002		06/20/2003 1519

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Solid	mg/Kg	47.29		50.00	0.13 U	95	%	80-120	

LCS	Laboratory Control Sample	M03ESPK002	87420 -002		06/20/2003 1642

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.49394		0.50000	0.00115 B	99	%	80-120	

LCS	Laboratory Control Sample	M03ESPK002	87554 -002		06/20/2003 2000

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.46765		0.50000	0.00071 U	94	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 87815

Analyst...: tds

MB	Method Blank	87568	87568 -001		06/20/2003	1513

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Solid	mg/Kg	0.13 U							

MB	Method Blank	87420	87420 -001		06/20/2003	1636

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00115 B							

MB	Method Blank	87554	87554 -001		06/20/2003	1954

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MD	Method Duplicate		218342-1		06/20/2003	2019

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 87815

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U			0.00071 U	0.00009	A	0.01000	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MS	Matrix Spike	M03ESPK002	218342-1		06/20/2003	2025

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 87815

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.45686		0.50000	0.00071 U	91	%	75-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
S2	Standard 2	M03DINT002	87815-009		06/20/2003	1341

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 87815

Analyst...: tds

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	9.63990		10.00000		96	%	95-105	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
SD	Serial Dilution		218342-1		06/20/2003	2013

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: tds
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 87815

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U			0.00071 U				

QUALITY CONTROL RESULTS

Job Number.: 218342

Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874

ATTN: Steve Knollmeyer

Test Method.....: 310.1
Method Description.: Alkalinity
Parameter.....: Alkalinity, Total as CaCO3

Batch.....: 88245
Equipment Code....:

Analyst...: jmk
Test Code.: ALK

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88245 -002		mg/L	4.70000 U								06/26/2003	1205
LCS	88245 -003	I03ASTAK2	mg/L	102.90000		100.00000	7.06000	103		%	80-120	06/26/2003	1211

Test Method.....: 310.1
Method Description.: Alkalinity
Parameter.....: Alkalinity, Total as CaCO3

Batch.....: 88343
Equipment Code....:

Analyst...: jmk
Test Code.: ALK

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88343 -002		mg/L	4.70000 U								06/27/2003	0714
LCS	88343 -003	I03ASTAK2	mg/L	103.00000		100.00000	4.70000 U	103		%	80-120	06/27/2003	0718
MD	218342-13		mg/L	8.30000			8.40000	0.10000		A	5.00000	06/27/2003	0831

Test Method.....: HACH 8000
Method Description.: Chemical Oxygen Demand (HACH)
Parameter.....: Chemical Oxygen Demand (COD)

Batch.....: 88741
Equipment Code....:

Analyst...: cvw
Test Code.: COD

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88741 -001		mg/L	3.40000 U								07/01/2003	1600
LCS	88741 -002	I03FSTCD1	mg/L	52.99000		50.00000		106		%	80-120	07/01/2003	1601
MS	218342-13	I03FSTCD1	mg/L	60.26000		50.00000	7.27000	106		%	75-125	07/01/2003	1634
MSD	218342-13	I03FSTCD1	mg/L	58.70000	60.26000	50.00000	7.27000	103		%	75-125	07/01/2003	1635
								2.9		R	20		

Test Method.....: HACH 8000
Method Description.: Chemical Oxygen Demand (HACH)
Parameter.....: Chemical Oxygen Demand (COD)

Batch.....: 88745
Equipment Code....:

Analyst...: cvw
Test Code.: COD

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88745 -001		mg/L	3.40000 U								07/01/2003	1631
LCS	88745 -002	I03FSTCD1	mg/L	48.83000		50.00000		98		%	80-120	07/01/2003	1633

Test Method.....: 354.1
Method Description.: Nitrite, Spectrophotometric
Parameter.....: Nitrite as N (NO2-N)

Batch.....: 87819
Equipment Code....: SPEC4

Analyst...: jaa
Test Code.: NO2

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	87819 -002	I03DSTNI2	mg/L	0.09680		0.10000		97		%	90-110	06/18/2003	2036
ICB	87819 -003		mg/L	0.00520 U								06/18/2003	2036
MB	87819 -004		mg/L	0.00520 U								06/18/2003	2037
LCS	87819 -005	I03DSTNI2	mg/L	0.09610		0.10000	0.00520 U	96		%	80-120	06/18/2003	2037
MS	218342-4	I03DSTNI2	mg/L	0.09640		0.10000	0.00520 U	96		%	75-125	06/18/2003	2039
MSD	218342-4	I03DSTNI2	mg/L	0.09710	0.09640	0.10000	0.00520 U	97		%	75-125	06/18/2003	2040
								1.0		R	20		
CCB	87819 -015		mg/L	0.00520 U								06/18/2003	2041
CCV	87819 -014	I03DSTNI2	mg/L	0.09620		0.10000		96		%	90-110	06/18/2003	2041

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218342 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Test Method.....: 354.1 Batch.....: 87819 Analyst...: jaa
Method Description.: Nitrite, Spectrophotometric Equipment Code....: SPEC4 Test Code.: NO2
Parameter.....: Nitrite as N (NO2-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
CCV	87819 -014	I03DSTNI2	mg/L	0.09290		0.10000		93		%	90-110	06/18/2003	2046
CCB	87819 -015		mg/L	0.00520 U								06/18/2003	2046
CCV	87819 -014	I03DSTNI2	mg/L	0.09370		0.10000		94		%	90-110	06/18/2003	2048
CCB	87819 -015		mg/L	0.00520 U								06/18/2003	2048

Test Method.....: 353.2 Batch.....: 88130 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3NO2
Parameter.....: Nitrate + Nitrite as N

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88130 -002	I02GSTIC31	mg/L	1.04800		1.00000		105		%	90-110	06/25/2003	1300
MB	88130 -004		mg/L	0.03500 U								06/25/2003	1301
ICB	88130 -003		mg/L	0.03500 U								06/25/2003	1301
LCS	88130 -005	I02GSTIC31	mg/L	1.03600		1.00000		104		%	80-120	06/25/2003	1302
CCV	88130 -014	I02GSTIC31	mg/L	1.01200		1.00000		101		%	90-110	06/25/2003	1306
CCB	88130 -015		mg/L	0.03500 U								06/25/2003	1307
CCV	88130 -014	I02GSTIC31	mg/L	0.96200		1.00000		96		%	90-110	06/25/2003	1312
CCB	88130 -015		mg/L	0.03500 U								06/25/2003	1313
CCV	88130 -014	I02GSTIC31	mg/L	1.03100		1.00000		103		%	90-110	06/25/2003	1315
MS	218342-1	I02GSTIC31	mg/L	2.70400		5.00000	1.83100	87		%	75-125	06/25/2003	1316
CCB	88130 -015		mg/L	0.03500 U								06/25/2003	1316
MSD	218342-1	I02GSTIC31	mg/L	2.79400	2.70400	5.00000	1.83100	96		%	75-125	06/25/2003	1317
								9.8		R	20		
CCV	88130 -014	I02GSTIC31	mg/L	0.95200		1.00000		95		%	90-110	06/25/2003	1317
CCB	88130 -015		mg/L	0.03500 U								06/25/2003	1318

Test Method.....: 375.4 Batch.....: 88204 Analyst...: cls
Method Description.: Sulfate, Turbidimetric Equipment Code....: SPEC3 Test Code.: SO4
Parameter.....: Sulfate

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88204 -002	I03FSTSA2B	mg/L	20.03000		20.00000		100		%	90-110	06/25/2003	1425
ICB	88204 -003		mg/L	2.10000 U								06/25/2003	1426
MB	88204 -004		mg/L	2.10000 U								06/25/2003	1427
LCS	88204 -005	I03FSTSA2B	mg/L	19.92000		20.00000	2.10000 U	100		%	80-120	06/25/2003	1428
CCV	88204 -014	I03FSTSA2B	mg/L	10.32000		10.00000		103		%	90-110	06/25/2003	1437
CCB	88204 -015		mg/L	2.10000 U								06/25/2003	1438
CCV	88204 -014	I03FSTSA2B	mg/L	18.89000		20.00000		94		%	90-110	06/25/2003	1448
CCB	88204 -015		mg/L	2.10000 U								06/25/2003	1449
MS	218342-17	I03FSTSA2B	mg/L	122.85000		500.00000	19.72000	103		%	75-125	06/25/2003	1450
MSD	218342-17	I03FSTSA2B	mg/L	123.40000	122.85000	500.00000	19.72000	104		%	75-125	06/25/2003	1451
								1.0		R	20		
CCV	88204 -014	I03FSTSA2B	mg/L	9.90900		10.00000		99		%	90-110	06/25/2003	1454
CCB	88204 -015		mg/L	2.10000 U								06/25/2003	1455

QUALITY CONTROL RESULTS

Job Number.: 218342 Report Date.: 07/01/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49874 ATTN: Steve Knollmeyer

Test Method.....: 415.1 Batch.....: 88644 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOC
Parameter.....: Organic Carbon, Tot. (TOC)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88644 -002	I03ESTTC2	mg/L	20.75740		20.00000		104		%	85-115	06/27/2003	1454
ICB	88644 -003		mg/L	0.36020 B								06/27/2003	1501
CCV	88644 -014	I03ESTTC2	mg/L	10.09260		10.00000		101		%	85-115	06/27/2003	1729
CCB	88644 -015		mg/L	0.30530 B								06/27/2003	1735
CCV	88644 -014	I03ESTTC2	mg/L	19.21990		20.00000		96		%	85-115	06/27/2003	2014
CCB	88644 -015		mg/L	0.43280 B								06/27/2003	2021
CCV	88644 -014	I03ESTTC2	mg/L	10.53010		10.00000		105		%	85-115	06/27/2003	2111
CCB	88644 -015		mg/L	0.32530 B								06/27/2003	2117

Test Method.....: 415.1 Batch.....: 88644 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOCAV2
Parameter.....: TOC Average Duplicates

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88644 -004		mg/L	0.19500 B								06/27/2003	1514
LCS	88644 -005	I03ESTTC2	mg/L	10.45100		10.00000		105		%	80-120	06/27/2003	1529
MS	218342-1	I03ESTTC2	mg/L	10.82360		10.00000	0.64000 B	108		%	75-125	06/27/2003	1559
MSD	218342-1	I03ESTTC2	mg/L	10.90010	10.82360	10.00000	0.64000 B	109		%	75-125	06/27/2003	1607
								0.9		R	20		

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) Arizona Environmental Laboratory License number AZ0603.
6) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U	Analyte was not detected at or above the stated limit.
<	Not detected at or above the reporting limit.
J	Result is less than the RL, but greater than or equal to the method detection limit.
B	Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S	Result was determined by the Method of Standard Additions.
F	AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

`	ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
*	LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+	MSA correlation coefficient is less than 0.995.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E	SD: Serial dilution exceeds the control limits.
H	MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N	MS, MSD: Spike recovery exceeds the upper or lower control limits.
W	AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U	Analyte was not detected at or above the stated limit.
ND	Compound not detected.
J	Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q	Result was qualitatively confirmed, but not quantified.
C	Pesticide identification was confirmed by GC/MS.
Y	The chromatographic response resembles a typical fuel pattern.
Z	The chromatographic response does not resemble a typical fuel pattern.
E	Result exceeded calibration range, secondary dilution required.
F	AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B	MB: Batch QC is greater than reporting limit.
*	LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
`	EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A	Concentration exceeds the instrument calibration range
a	Concentration is below the method Reporting Limit (RL)
B	Compound was found in the blank and sample.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H	Alternate peak selection upon analytical review
I	Indicates the presence of an interfence, recovery is not calculated.
M	Manually integrated compound.

P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
	Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor

RT	Retention Time
RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)
Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

SEVERN TRENT SERVICES

STL Chicago
2417 Bond Street
University Park, IL 60466
Phone: 708-534-5200
Fax: 708-534-5211

Report To:
Contact: Steve Knollmeyer
Company: Analytics
Address: 185 Commerce Way
Portsmouth, NH 03801
Phone: 603 430-9111
Fax: 603 430-2151
E-Mail:

Bill To:
Contact:
Company:
Address: Analytics
Phone:
Fax:
PO#: Quote:

Shaded Areas For Internal Use Only 1 of 2

Lab Lot# 218342

Package Sealed	Samples Sealed
Yes No	Yes No
Received on Ice	**Samples Intact**
Yes No	Yes No

Temperature °C of Cooler 2.3 2.1 3.2 2.3

Within Hold Time	Preserv. Indicated
Yes No	Yes No NA
pH Check OK	**Res Cl_2 Check OK**
Yes No NA	Yes No NA

Sample Labels and COC Agree
Yes No COC not present

Sampler Name: Kathleen Sarkup
Signature:
Project Name: Bucks
Project Number: 10471.217.002
Project Location: Maine
Lab PM:
Date Required
Hard Copy:
Fax: 7/2/03

Refrg #												
# / Cont.	1P	1P	1P	2V								
Volume	1L	1L	1L	40ml								
Preserv	HNO_3	—	H_2SO_4	H_2SO_4								

Laboratory ID	MS-MSD	Client Sample ID	Sampling Date	Sampling Time	Matrix	Comp/Grab	Dissolved Manganese	Sulfate Alkalinity Nitrate	COD - Nitrate	TOC						Additional Analyses / Remarks
1		STMW004-0603	6/17/03	0600	W	G	X	X	X	X						Dissolved Manganese: 6010B
2		MW102-0603		0515			X	X	X	X						Sulfate: 375.1
3		MW103-0603		0500			X	X	X	X						alkalinity: 310.1
4		MW8-0603		0700			X	X	X	X						Nitrite/Nitrate: 352.1
5		MW5-0603		0800			X	X	X	X						COD HACH 8000
6		MW5-0603-E		0800			X	X	X	X						TOC 415.1 or 9060
7		MW1-0603		1000			X	X	X	X						
8		MW6-0603		1050			X	X	X	X						Metals Lvem Field
9		FAMW001-0603		0700			X	X	X	X						Filtered
10		FAMW002-0603		0750			X	X	X	X						
11		BPMW001-0603	6/17/03	0935			X	X	X	X						
12		GTMW001-0603		1030			X	X	X	X						

Mercuric Nitrate Cl, SO4, NO3

RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
	Weston	6/17/03	1830	FEDEX			
RELINQUISHED BY	COMPANY	DATE	TIME	RECEIVED BY	COMPANY	DATE	TIME
					STL	6-18-03	1005

Matrix Key
WW = Wastewater, W = Water, S = Soil, SL = Sludge, MS = Miscellaneous, OL = Oil, A = Air, SE = Sediment, SO = Solid, DS = Drum Solid, DL = Drum Liquid, L = Leachate, WI = Wipe, O = _____

Container Key
1. Plastic
2. VOA Vial
3. Sterile Plastic
4. Amber Glass
5. Widemouth Glass
6. Other _____

Preservative Key
1. HCl, Cool to 4°
2. H2SO4, Cool to 4°
3. HNO3, Cool to 4°
4. NaOH, Cool to 4°
5. NaOH/Zn, Cool to 4°
6. Cool to 4°
7. None

COMMENTS
@ 4 coolers total
* note 48-hr nitrate/nitrite

Date Received 6/18/03
Courier: FX **Hand Delivered** ☐
Bill of Lading

Chain of Custody Record

(1) Client Analytics — WESTON Contact Name Kathleen Soukup
Site Name Bucks Harbor — Contact Phone No. 603 315-4563
W.O. — WESTON PM John Hagopian
Laboratory STL Chicago — Fax No. 603 6516-5461
Lab Batch Number — Sampler(s) [signature]

WESTON MANAGERS OF BUSINESS/CONSULTANTS

21834.2

(2) Ship To: STL Chicago
Attn:
Phone: 708 534-5200 Fax:

Carrier/Airbill No.
# of coolers: 4

(13). Analysis Requested

| | | |

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were: JB 6/18/03
1) Shipped or hand delivered
2) Temp blank °C 7.7°C
3) Received in good condition (Y) or N
4) pH checked by: JB 6/18/03
5) Labels checked by: AMB 6.18.03

Project#: 104-71.217.002 Project: Bucks Harbor

Company: **Weston Solutions**

Contact: Kathleen Sullivan

Address: **1 Wall Street**

Manchester, NH 03101-1501

Phone: 603 315-4563 PO# 00377759 Quote #

Sampler (Signature):

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
STMW004-0603	6/17/03	0600	Ferrous Iron					X			GW	1	P	2	49874-1
MW102-0603		0515						X						2	-2
MW103-0603		0500						X						2	-3
MW8-0603		0700						X						2	-4
MW5-0603		0800						X						2	-5
MW5-0603-E		0800						X						2	-6
MW1-0603		1000						X						1.5	-7
MW6-0603		1050						X						1.5	-8
FAMW001-0603		0700						X						1.5	-9
FAMW002-0603		0750						X						1.5	-10
BPMW001-0603		0935						X						2	-11
GTMW001-0603		1030						X						2	-12

FAX RESULTS? (YES) NO
Fax # 603 436-5401

Turnaround Request
Standard ☐ Priority ☐
Due Date 7/2/03 Due Date

Comments / Instructions:
Ferrous Iron by SM3500D
~~STMW004-0603~~ received w/ pH of 2.5, added 1 pipette 1:1 HCL, brought it down to 2 ~~30~~ drops
MW102-0603 & GTMW001-0603 received w pHs of 3. added 1 pipette 1:1 HCL to each, brought them both down to 2 JB 6/18/03

Client Code: WESTONM

Page 1 of 2

Received By:	Received By:	Received By:
FedEx		
Time: 1830	Time: 1000	Time:
Date: 6/17/03	Date: 6/18/03	Date:
Relinquished By Sampler:	Relinquished By: FedEx	Relinquished By:

Analytics\AEL_Documents\AEL COC

70/73

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were: JB 6/18/03
1) ~~Shipped or hand-delivered~~
2) Temp blank °C 7.7°C
3) Received in good condition (Y) or N
4) pH checked by: JB 6/18/03
5) Labels checked by: amb 6.18.03

Project#: 10471.217.002 Project: Black Harbor
Company: **Weston Solutions**
Contact: Kathleen Sonicup
Address: **1 Wall Street**
Manchester, NH 03101-1501
Phone: (603) 315-4563 PO# 0037759 Quote #
Sampler (Signature):

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
TSMW001-0603	6/17/03	1315	Ferrous Iron					X			GW	1	P	2	419874-13
TSMW002-0603		1120						X						2	-14
TSMW003-0603		1215						X						2	-15
MW3-0603		1145						X						2	-16
MW2-0603		1245						X						2	-17
MW7-0603		1400						X						2	-18
MW7-0603-E		1400						X						2	-19

Received By:	Received By:	Received By:
FedEx		
Time: 1830	Time: 1000	Time:
Date: 6/17/03	Date: 6/18/03	Date:

Relinquished By Sampler:
Relinquished By: Fed Ex
Relinquished By:

FAX RESULTS? YES NO
Fax # (856) 234-5801

Turnaround Request
Standard ☐ Priority ☐
Due Date 7/2/03 Due Date

Comments / Instructions:
Results by 7/2/03
TSMW003-0603 received w/ pH of 3. Added 1 pipette 1:1 HCl, brought it down to 2 JB 6/18/03
Ferrous Iron by SM3500 D

Client Code: WESTONM

Page 2 of 2

Analytics\AEL Documents\AEL COC

71/73

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 49874 | COOLER NUMBER: —

CLIENT: Weston | NUMBER OF COOLERS: 1

PROJECT: Bucks Harbor | DATE RECEIVED: 6/18/03

A: PRELIMINARY EXAMINATION: | DATE COOLER OPENED: 6/18/03

1. Cooler received by(initials) JB | Date Received: 6/18/03
2. Did cooler come with a shipping slip? (Y) ~~N~~ JB 6/18/03

If YES, enter carrier name and airbill number here: _____

3. Were custody seals on the outside of cooler? (Y) N
How many & where: 2 on lid Seal Date: 6/17/03 Seal Name: AV
4. Did the custody seals arrive unbroken and intact upon arrival? (Y) N
5. COC#: _____
6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N
7. Were custody papers sealed in a plastic bag? (Y) N
8. Did you sign the COC in the appropriate place? (Y) N
9. Was the project identifiable from the COC papers? (Y) N
10. Was enough ice used to chill the cooler? Y (N) Temp. of cooler: 7.7 °C

B. Log-In: Date samples were logged in: 6/18/03 By: JB

11. Type of packing in cooler(bubble wrap, popcorn) Y (N/A)
12. Were all bottles sealed in separate plastic bags? Y (N)
13. Did all bottles arrive unbroken and were labels in good condition? (Y) N
14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N
15. Did all bottle labels agree with custody papers? (Y) N
16. Were the correct containers used for the tests indicated: (Y) N
17. Were samples received at the correct pH? Y (N) See COC for details SLC 6/19/03
18. Was sufficient amount of sample sent for the tests indicated? (Y) N
19. Were bubbles absent in VOA samples? Y (N/A)

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): Date: amb 6.18.03

analytics environmental laboratory LLC

SAMPLE RECEIPT
NON-COMPLIANCE NOTIFICATION
(SENT VIA FACSIMILE)

DATE 6/18/03 FROM Sample Receipt

FAX CONTACT Kathleen Soukup FAX NUMBER 603-656-5401

CLIENT Weston LAB NUMBER 419874

The exceptions noted below were found on the sample(s) received on the attached Chain of Custody (COC) form. These exceptions may render the data results as non-defensible. Analytics will continue to proceed with the analysis of the sample(s) unless notified in writing to stop the analysis. This document may become part of the final report.

Please check the appropriate box and sign below and fax back to "Sample Receipt" at 603-430-2151.

Exceptions:

- [X] Sample(s) not on ice or not at 4°C ± 2°C (7.7°C)
- [ ] Sample(s) received unpreserved or not at the proper pH. (pH was adjusted at the laboratory)
- [ ] Sample(s) received in incorrect containers
- [ ] Insufficient sample volume received (Detection limits may be elevated due to this exception)
- [ ] Trip Blank provided in cooler, but not recorded on the chain of custody
- [ ] Other: _____

Acknowledgment:

- [ ] **Please do not analyze/report Trip Blank, proceed with other analyses**
- [ ] **Proceed with the analysis.**
- [ ] **Please stop the analysis and wait for further instructions.**

KS called 6.18.03 & OK in ME to say to analyze - will be in Maine till next week & can not get to Fax Machine to respond KC 6.18.03 12:35

Signed: _____ **Print Name:** _____

Date: _____

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

July 10, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49877

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for Ferrous Iron using Standard Methods, EPA Method 3500D. Inorganic analyses were subcontracted to Severn Trent-Chicago.

Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
FE Results Summary Form Sample Data Results
FE Worksheet Summary Form
FE Bench Sheets
FE Form 3 MS/MSD and LCS Recoveries
FE Form 6 Initial Calibration Data (equiv.) Linear Plot plus bench sheets
Inorganics Data Package from Severn Trent-Chicago
Chain of Custody (COC) Forms
Sample Receipt Checklist

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

July 10, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49877

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for Ferrous Iron using Standard Methods, EPA Method 3500D. Inorganic analyses were subcontracted to Severn Trent-Chicago.

Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
FE Results Summary Form Sample Data Results
FE Worksheet Summary Form
FE Bench Sheets
FE Form 3 MS/MSD and LCS Recoveries
FE Form 6 Initial Calibration Data (equiv.) Linear Plot plus bench sheets
Inorganics Data Package from Severn Trent-Chicago
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Ferrous Iron
No QC deviations.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Melissa A. Gulli
Assistant Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49877

Revision: Rev. 0

Re: BUCKS

10971.217.002

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49877-1	06/18/03	MW4-0603	Alkalinity	
	06/18/03	MW4-0603	Chemical Oxygen Demand	
	06/18/03	MW4-0603	Ferrous Iron in Aqueous Matrices	
	06/18/03	MW4-0603	Metals	
	06/18/03	MW4-0603	Metals Digestion	
	06/18/03	MW4-0603	Nitrate	
	06/18/03	MW4-0603	Sulfate	
	06/18/03	MW4-0603	Total Organic Carbon in Aqueous Matrices	
49877-2	06/18/03	MW10-0603	Alkalinity	
	06/18/03	MW10-0603	Chemical Oxygen Demand	
	06/18/03	MW10-0603	Ferrous Iron in Aqueous Matrices	
	06/18/03	MW10-0603	Metals	
	06/18/03	MW10-0603	Metals Digestion	
	06/18/03	MW10-0603	Nitrate	
	06/18/03	MW10-0603	Sulfate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature Melissa A Malli for
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49877

Revision: Rev. 0

Re: BUCKS

10971.217.002

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/18/03	MW10-0603	Total Organic Carbon in Aqueous Matrices	
49877-3	06/18/03	MW10-0603-E	Alkalinity	
	06/18/03	MW10-0603-E	Chemical Oxygen Demand	
	06/18/03	MW10-0603-E	Ferrous Iron in Aqueous Matrices	
	06/18/03	MW10-0603-E	Metals	
	06/18/03	MW10-0603-E	Metals Digestion	
	06/18/03	MW10-0603-E	Nitrate	
	06/18/03	MW10-0603-E	Sulfate	
	06/18/03	MW10-0603-E	Total Organic Carbon in Aqueous Matrices	
49877-4	06/18/03	STMW005-0603	Alkalinity	
	06/18/03	STMW005-0603	Chemical Oxygen Demand	
	06/18/03	STMW005-0603	Ferrous Iron in Aqueous Matrices	
	06/18/03	STMW005-0603	Metals	
	06/18/03	STMW005-0603	Metals Digestion	
	06/18/03	STMW005-0603	Nitrate	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call..

Authorized signature Melissa A. Kalb for

Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49877

Revision: Rev. 0

Re: BUCKS

10971.217.002

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/18/03	STMW005-0603	Sulfate	
	06/18/03	STMW005-0603	Total Organic Carbon in Aqueous Matrices	
49877-5	06/18/03	STMW006-0603	Alkalinity	
	06/18/03	STMW006-0603	Chemical Oxygen Demand	
	06/18/03	STMW006-0603	Electronic Data Deliverable	
	06/18/03	STMW006-0603	Ferrous Iron in Aqueous Matrices	
	06/18/03	STMW006-0603	Metals	
	06/18/03	STMW006-0603	Metals Digestion	
	06/18/03	STMW006-0603	Nitrate	
	06/18/03	STMW006-0603	Sulfate	
	06/18/03	STMW006-0603	Total Organic Carbon in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature Melissa A Hull for
Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

July 10, 2003

Project Name: BUCKS

Project Number: 10971.247.002

ANALYTICAL RESULTS FERROUS IRON
CAS Number: 000-09-2

Lab Sample ID	Field Sample ID	Collection Date	Lab Receipt Date	Analysis Date	Matrix	Dilution Factor	Detection Limit mg/L	Result mg/L
B061903F	LABQC	N/A	N/A	06/19/03	Aqueous	1	0.1	U
L061903F	LABQC	N/A	N/A	06/19/03	Aqueous	1	0.1	**95**
LD06193F	LABQC	N/A	N/A	06/19/03	Aqueous	1	0.1	**94**
49877-1	MW4-0603	06/18/03	06/18/03	06/19/03	Aqueous	1	0.1	**0.38**
49877-2	MW10-0603	06/18/03	06/18/03	06/19/03	Aqueous	1	0.1	U
49877-3	MW10-0603-E	06/18/03	06/18/03	06/19/03	Aqueous	1	0.1	**0.11**
49877-4	STMW005-0603	06/18/03	06/18/03	06/19/03	Aqueous	1	0.1	U
49877-5	STMW006-0603	06/18/03	06/18/03	06/19/03	Aqueous	1	0.1	**0.17**

METHODOLOGY: Sample analysis conducted according to: "Standard Methods, EPA Method 3500D."

COMMENTS: U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

Authorized signature

FERROUS IRON DATA SUMMARY

Date Analyzed: 6/19/03
Analyst: AB
Reviewed: mg 7-10-03

Conc. mg/L	Absorbance
0	0
0.1	0.01
0.2	0.024
0.2	0.055
1	0.099
2	0.222

Curve Date:	6/2/03
Corr Coef. ('r)	0.9985
Y-int	0.000976
slope	0.109

Enter Data Below ⇩ Enter Data Below ⇩

	Sample ID	Abs	Calculated Value Conc. mg/L	DF	Sample Conc. mg/L
1	L061903F	0.103	0.954	1	95%
2	B061903F	0.000	0.009	1	U
3	49877-1	0.041	0.385	1	0.38
4	49877-2	0.009	0.092	1	U
5	49877-3	0.011	0.110	1	0.11
6	49877-4	0.008	0.082	1	U
7	49877-5	0.018	0.174	1	0.17
8	49877-3,MS	0.118	1.092	1	98%
9	49877-3,MSD	0.119	1.101	1	99%
10	LD06193F	0.102	0.945	1	95%
11	B06193F2	0.000	0.009	1	U
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					

7/47

Q-P-060903-1-AB
P-P-060903-1-AB

060.19.03 Ferrous Iron in H_2O

SAMPLE #	Absorbance =	Dilution	Abs. AFT. Dil.
L060193F	.003	1	—
B060193F	.000	1	—
49857-1	.041	1	—
-2	.009	1	—
-3	.011	1	—
-4	.008	1	—
-5	.018	1	—
-3 MS	.118	1	—
-3 MSD	.119	1	—
LD060193F	.102	1	—
B060193F	.000	1	—

FOH11 $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2ml Conc H_2SO_4 LOT# 032815
5ml DiltH_2O
= 200 mg/L Fe^{3+}

FOH2 0.25 ml FOH1 → 50ml DiltH_2O
= 1 mg/mL

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

July 10, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: BUCKS

Project Number: 10971.217.002

Lab Sample ID: B061903F
Matrix: Aqueous
Field Sample ID: LABQC
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/19/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery	#	QC Limits Percent Recovery
1.0	U	0.95	95		70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery	#	Relative Percent Difference	#	QC Limits RPD	QC Limits % Rec
1.0	0.94	94		1		30	70-130

Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature Melissa A Hall

Form III

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

July 10, 2003

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Project Name: BUCKS

Project Number: 10971.217.002

Lab Sample ID: 49877-3
Matrix: Aqueous
Field Sample ID: MW10-0603-E
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

FERROUS IRON SPIKE RESULTS
CAS Number: 000-09-2

Spike Added (mg/L)	Sample Concentration (mg/L)	Matrix Spike Concentration (mg/L)	Matrix Spike Percent Recovery #	QC Limits Percent Recovery
1.0	0.11	1.09	98	70-130

Spike Added (mg/L)	Matrix Spike Duplicate Concentration (mg/L)	Matrix Spike Duplicate Percent Recovery #	Relative Percent Difference #	QC Limits RPD	QC Limits % Rec
1.0	1.1	99	1	30	70-130


Comments:

Column to be used to flag recovery and RPD values with an asterisk

* Value outside of QC Limits

Authorized signature Melissa A Kelli

Form III



$r = 0.998$

Method Name: C:\HPCHEM\1\METHODS\F06023.M
Calibration Table Last Updated: Wed Jun 04 09:46:55 2003

6-2-03 mm/AB Ferrous Iron

F020
200 ~~mg/L~~ mg/L
1156-203
STOCK
mm 6-2-03

0.144g $Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$
2mL Conc H_2SO_4
5mL DI H_2O
diluted to 100mL F.V. with DI H_2O

F026 5mg/L — 2.5mL F020 → 100mL DI H_2O

F021 2mg/L — 1mL F020 → 100mL DI H_2O

F022 1mg/L — 0.25mL F020 → 50mL DI H_2O

F023 0.5mg/L — 0.125mL F020 → 50mL DI H_2O

F024 0.20mg/L — 0.025mL F020 → 25mL DI H_2O

F025 0.1mg/L — 0.0125mL F020 → 25mL DI H_2O

Method Blank Absorbance = 0.000

0.1mg/L = 0.011

0.2mg/L = 0.024

0.5mg/L = 0.055

1mg/L = 0.099 AB 6-02-03

2mg/L = 0.222

Reagents

Ferrous Ammonium Sulfate - EM Science Lot # 42207238
$Fe(NH_4)_2(SO_4)_2 \cdot 6H_2O$

Conc H_2SO_4 ~~J.T. Baker~~ Fisher Lot # 032815
06-12-03

Ammonium Acetate Buffer VWR Lot # 2231

O-phenanthroline VWR Lot # 2343
0.1% w/v

SEVERN TRENT STL

SEVERN TRENT LABORATORIES
ANALYTICAL REPORT

JOB NUMBER: 218381

Prepared For:

Analytics Environmental Laboratory, LLC
195 Commerce Way
Suite E
Portsmouth, NH 03801

Project: Bucks Harbor Air Force Tracking Station

Attention: Steve Knollmeyer

Date: 07/03/2003

Bonnie Stadelmann
Signature

07/03/03
Date

Name: Bonnie M. Stadelmann

Title: Project Manager

E-Mail: bstadelmann@stl-inc.com

STL Chicago
2417 Bond Street
University Park, IL 60466

PHONE: (708) 534-5200
FAX..: (708) 534-5211

STL Chicago
Wet Chemistry Case Narrative

Client: **Analytics Environmental Laboratory, LLC**
Job #: **218381** Date Rec'd: 06/19/03

1. This narrative covers the analysis of the samples in the above Job # for alkalinity, COD, nitrite-nitrogen, nitrate-nitrogen, sulfate, and TOC by the methods referenced on the Laboratory Test Results pages.

2. All EPA holding times were met, except for the nitrite analysis of samples 218381-1 and 4. While the color reagent was added within hold time, the sample preparations were read approximately 45 minutes after the expiration of the 48-hour holding time.

3. The initial and continuing calibration verification standards and blanks that bracketed these samples were in control.

4. The method blanks were below the detection limits.

5. The LCS recoveries were within control limits. Please see the Quality Control Results pages of this report for additional details.

6. The matrix QC done on these samples was within acceptance limits. See the Quality Control Results pages of this report for additional details.

Diane L. Harper
Wet Chemistry Section Manager

7-3-03
Date

Severn Trent Laboratories - Chicago
METALS CASE NARRATIVE

Client: Analytics Environmental Laboratory, LLC
Project ID: Bucks Harbor 49877
STL Job #: 218381

Date Recd: 06/19/03

1. This narrative covers the Metals analysis of sample in the above Job # 218381.

   Method Ref: USEPA, SW-846

2. All analyses were performed within the required holding times.

3. All Initial and Continuing Calibration Verification (ICV/CCV's) were within control limits.

4. All Initial and Continuing Calibration Blanks (ICB/CCB's) were within control limits.

5. All Preparation/Method Blanks were below the Reporting Limits.

6. All ICP Interference Check Samples were within control limits.

7. Laboratory Control Sample (LCS) recoveries were within the 80-120% control limits.

8. Matrix QC was performed on sample 1.

   Serial dilution analysis was within control limits.

   Matrix spike recoveries were within the 75-125% control limits.

   Duplicate RPD's were within the 20% control limits.

Jodi L. Wojcik
Metals Unit Leader

6-30-03
Date

STL Chicago is part of Severn Trent Laboratories, Inc.

S A M P L E I N F O R M A T I O N
Date: 07/03/2003

Job Number.: 218381
Customer...: Analytics Environmental Laboratory, LLC
Attn.....: Steve Knollmeyer

Project Number.....: 20002349
Customer Project ID....: BUCKS HARBOR 49877
Project Description....: Bucks Harbor Air Force Tracking Station

Laboratory Sample ID	Customer Sample ID	Sample Matrix	Date Sampled	Time Sampled	Date Received	Time Received
218381-1	MW4-0603	Water	06/18/2003	08:20	06/19/2003	09:50
218381-2	MW10-0603	Water	06/18/2003	09:30	06/19/2003	09:50
218381-3	MW10-0603-E	Water	06/18/2003	09:30	06/19/2003	09:50
218381-4	STMW005-0603	Water	06/18/2003	08:15	06/19/2003	09:50
218381-5	STMW006-0603	Water	06/18/2003	09:10	06/19/2003	09:50

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218381

Date:07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49877 | ATTN: Steve Knollmeyer

Customer Sample ID: MW4-0603
Date Sampled.....: 06/18/2003
Time Sampled.....: 08:20
Sample Matrix.....: Water

Laboratory Sample ID: 218381-1
Date Received.....: 06/19/2003
Time Received.....: 09:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	23			4.7	5.0	1	mg/L	87957		06/23/03 1417	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	11			3.4	5.0	1	mg/L	89021		07/03/03 1530	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.23			0.035	0.10	1	mg/L	88675		06/27/03 1135	kd
375.4	Sulfate, Turbidimetric Sulfate	15			2.1	5.0	1	mg/L	88798		07/02/03 0846	cls
415.1	Organic Carbon TOC Average Duplicates	0.94	B		0.15	1.0	1	mg/L	88831		07/02/03 0957	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.049			0.00071	0.010	1	mg/L	88372		06/26/03 2335	lmr

18/47

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218381

Date:07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49877 | ATTN: Steve Knollmeyer

Customer Sample ID: MW10-0603
Date Sampled.....: 06/18/2003
Time Sampled.....: 09:30
Sample Matrix.....: Water

Laboratory Sample ID: 218381-2
Date Received.....: 06/19/2003
Time Received.....: 09:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity Alkalinity, Total as CaCO3	130			4.7	5.0	1	mg/L	87957		06/23/03 1432	jmk
HACH 8000	Chemical Oxygen Demand (HACH) Chemical Oxygen Demand (COD)	5.0	U		3.4	5.0	1	mg/L	89021		07/03/03 1532	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.) Nitrate as N (NO3-N)	0.82			0.035	0.10	1	mg/L	88675		06/27/03 1140	kd
375.4	Sulfate, Turbidimetric Sulfate	29			4.2	10	2	mg/L	88798		07/02/03 0847	cls
415.1	Organic Carbon TOC Average Duplicates	0.70	B		0.15	1.0	1	mg/L	88831		07/02/03 1011	kd
6010B	Metals Analysis (ICAP Trace) Manganese, Diss.	0.018			0.00071	0.010	1	mg/L	88372		06/27/03 0000	lmr

19/47

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218381

Date:07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49877 | ATTN: Steve Knollmeyer

Customer Sample ID: MW10-0603-E
Date Sampled.....: 06/18/2003
Time Sampled.....: 09:30
Sample Matrix.....: Water

Laboratory Sample ID: 218381-3
Date Received.....: 06/19/2003
Time Received.....: 09:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	110			4.7	5.0	1	mg/L	87957		06/23/03 1440	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	10			3.4	5.0	1	mg/L	89021		07/03/03 1534	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.83			0.035	0.10	1	mg/L	88675		06/27/03 1141	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	32			4.2	10	2	mg/L	88798		07/02/03 0848	cls
415.1	Organic Carbon											
	TOC Average Duplicates	0.69	B		0.15	1.0	1	mg/L	88831		07/02/03 1025	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.018			0.00071	0.010	1	mg/L	88372		06/27/03 0006	lmr

20/47

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218381

Date:07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

Customer Sample ID: STMW005-0603
Date Sampled.....: 06/18/2003
Time Sampled.....: 08:15
Sample Matrix.....: Water

Laboratory Sample ID: 218381-4
Date Received.....: 06/19/2003
Time Received.....: 09:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	11			4.7	5.0	1	mg/L	87957		06/23/03 1448	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	21			3.4	5.0	1	mg/L	89021		07/03/03 1536	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.10	U		0.035	0.10	1	mg/L	88675		06/27/03 1142	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	5.0	U		2.1	5.0	1	mg/L	88798		07/02/03 0849	cls
415.1	Organic Carbon											
	TOC Average Duplicates	2.8			0.15	1.0	1	mg/L	88831		07/02/03 1054	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.022			0.00071	0.010	1	mg/L	88372		06/27/03 0035	lmr

21/47

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY TEST RESULTS

Job Number: 218381

Date:07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC | PROJECT: BUCKS HARBOR 49877 | ATTN: Steve Knollmeyer

Customer Sample ID: STMW006-0603
Date Sampled.....: 06/18/2003
Time Sampled.....: 09:10
Sample Matrix.....: Water

Laboratory Sample ID: 218381-5
Date Received.....: 06/19/2003
Time Received.....: 09:50

TEST METHOD	PARAMETER/TEST DESCRIPTION	SAMPLE RESULT	Q	FLAGS	MDL	RL	DILUTION	UNITS	BATCH	DT	DATE/TIME	TECH
310.1	Alkalinity											
	Alkalinity, Total as CaCO3	45			4.7	5.0	1	mg/L	87957		06/23/03 1456	jmk
HACH 8000	Chemical Oxygen Demand (HACH)											
	Chemical Oxygen Demand (COD)	18			3.4	5.0	1	mg/L	89021		07/03/03 1538	cvw
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)											
	Nitrate as N (NO3-N)	0.50			0.035	0.10	1	mg/L	88675		06/27/03 1144	kd
375.4	Sulfate, Turbidimetric											
	Sulfate	2.7	B		2.1	5.0	1	mg/L	88798		07/02/03 0850	cls
415.1	Organic Carbon											
	TOC Average Duplicates	2.6			0.15	1.0	1	mg/L	88831		07/02/03 1108	kd
6010B	Metals Analysis (ICAP Trace)											
	Manganese, Diss.	0.010	U		0.00071	0.010	1	mg/L	88372		06/27/03 0042	lmr

22/47

* In Description = Dry Wgt.

STL Chicago is part of Severn Trent Laboratories, Inc.

LABORATORY CHRONICLE

Job Number: 218381 — Date: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC — PROJECT: BUCKS HARBOR 49877 — ATTN: Steve Knollmeyer

Lab ID: 218381-1 Client ID: MW4-0603 — Date Recvd: 06/19/2003 Sample Date: 06/18/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87957	87957	06/23/2003 1417	
HACH 8000	Chemical Oxygen Demand (HACH)	1	89021	89021	07/03/2003 1530	
EDD	Electronic Data Deliverable	1				
6010B	Metals Analysis (ICAP Trace)	1	88372	88251	06/26/2003 2335	
354.1	Nitrite, Spectrophotometric	1	87828	87828	06/20/2003 0905	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88675	88675	06/27/2003 1135	1
415.1	Organic Carbon	1	88831	88831	07/02/2003 0957	
PKG INO (WC)	PKG INO (WET CHEMISTRY)	1				
Method	Soluble Non-Digestion Batch	1	88251		06/26/2003 1410	
375.4	Sulfate, Turbidimetric	1	88798	88798	07/02/2003 0846	

Lab ID: 218381-2 Client ID: MW10-0603 — Date Recvd: 06/19/2003 Sample Date: 06/18/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87957	87957	06/23/2003 1432	
HACH 8000	Chemical Oxygen Demand (HACH)	1	89021	89021	07/03/2003 1532	
6010B	Metals Analysis (ICAP Trace)	1	88372	88251	06/27/2003 0000	
354.1	Nitrite, Spectrophotometric	1	87828	87828	06/20/2003 0905	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88675	88675	06/27/2003 1140	1
415.1	Organic Carbon	1	88831	88831	07/02/2003 1011	
Method	Soluble Non-Digestion Batch	1	88251		06/26/2003 1410	
375.4	Sulfate, Turbidimetric	1	88798	88798	07/02/2003 0847	2

Lab ID: 218381-3 Client ID: MW10-0603-E — Date Recvd: 06/19/2003 Sample Date: 06/18/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87957	87957	06/23/2003 1440	
HACH 8000	Chemical Oxygen Demand (HACH)	1	89021	89021	07/03/2003 1534	
6010B	Metals Analysis (ICAP Trace)	1	88372	88251	06/27/2003 0006	
354.1	Nitrite, Spectrophotometric	1	87828	87828	06/20/2003 0906	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88675	88675	06/27/2003 1141	1
415.1	Organic Carbon	1	88831	88831	07/02/2003 1025	
Method	Soluble Non-Digestion Batch	1	88251		06/26/2003 1410	
375.4	Sulfate, Turbidimetric	1	88798	88798	07/02/2003 0848	2

Lab ID: 218381-4 Client ID: STMW005-0603 — Date Recvd: 06/19/2003 Sample Date: 06/18/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87957	87957	06/23/2003 1448	
HACH 8000	Chemical Oxygen Demand (HACH)	1	89021	89021	07/03/2003 1536	
6010B	Metals Analysis (ICAP Trace)	1	88372	88251	06/27/2003 0035	
354.1	Nitrite, Spectrophotometric	1	87828	87828	06/20/2003 0906	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88675	88675	06/27/2003 1142	1
415.1	Organic Carbon	1	88831	88831	07/02/2003 1054	
Method	Soluble Non-Digestion Batch	1	88251		06/26/2003 1410	
375.4	Sulfate, Turbidimetric	1	88798	88798	07/02/2003 0849	

Lab ID: 218381-5 Client ID: STMW006-0603 — Date Recvd: 06/19/2003 Sample Date: 06/18/2003

METHOD	DESCRIPTION	RUN#	BATCH#	PREP BT #(S)	DATE/TIME ANALYZED	DILUTION
310.1	Alkalinity	1	87957	87957	06/23/2003 1456	
HACH 8000	Chemical Oxygen Demand (HACH)	1	89021	89021	07/03/2003 1538	
6010B	Metals Analysis (ICAP Trace)	1	88372	88251	06/27/2003 0042	
354.1	Nitrite, Spectrophotometric	1	87828	87828	06/20/2003 0906	
353.2	Nitrogen, NO2, NO3 (Auto Cd Red.)	1	88675	88675	06/27/2003 1144	1
415.1	Organic Carbon	1	88831	88831	07/02/2003 1108	
Method	Soluble Non-Digestion Batch	1	88251		06/26/2003 1410	
375.4	Sulfate, Turbidimetric	1	88798	88798	07/02/2003 0850	

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88372

CCB	Continuing Calibration Blank		88372-016		06/26/2003	1639

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		88372-026		06/26/2003	1759

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		88372-037		06/26/2003	1920

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00144 B							

CCB	Continuing Calibration Blank		88372-049		06/26/2003	2045

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		88372-054		06/26/2003	2127

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		88372-066		06/26/2003	2253

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

CCB	Continuing Calibration Blank		88372-078		06/27/2003	0029

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00100 B							

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCB	Continuing Calibration Blank		88372-087		06/27/2003	0141

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00071 U							

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88372

CCV	Continuing Calibration Verification	M03FCCV006	88372-015		06/26/2003	1624

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.83988		5.00000		97	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV006	88372-025		06/26/2003	1744

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.86634		5.00000		97	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV006	88372-036		06/26/2003	1907

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.88004		5.00000		98	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV006	88372-048		06/26/2003	2032

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.95835		5.00000		99	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV006	88372-053		06/26/2003	2112

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.89462		5.00000		98	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV006	88372-065		06/26/2003	2240

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.94887		5.00000		99	%	90-110	

CCV	Continuing Calibration Verification	M03FCCV006	88372-077		06/27/2003	0016

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.93923		5.00000		99	%	90-110	

QUALITY CONTROL RESULTS

Job Number.: 218381

Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
CCV	Continuing Calibration Verification	M03FCCV006	88372-086		06/27/2003	0125

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.87915		5.00000		98	%	90-110	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88372

CRI	Contract Required Detection Limits	M03FCRI003	88372-012		06/26/2003 1603

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02125		0.02000		106	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI003	88372-050		06/26/2003 2052

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02068		0.02000		103	%	50-150	

CRI	Contract Required Detection Limits	M03FCRI003	88372-083		06/27/2003 0105

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.02021		0.02000		101	%	50-150	

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
ICB	Initial Calibration Blank		88372-011		06/26/2003	1557

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88372

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00187 B							

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88372

ICV	Initial Calibration Verification	M03FICV001	88372-010		06/26/2003	1547

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	4.04895		4.00000		101	%	90-110	

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88372

ISB	Interference Check Sample B	M03FISB002	88372-014		06/26/2003	1616

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48442		0.50000		97	%	80-120	

ISB	Interference Check Sample B	M03FISB002	88372-052		06/26/2003	2104

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48991		0.50000		98	%	80-120	

ISB	Interference Check Sample B	M03FISB002	88372-085		06/27/2003	0117

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.48297		0.50000		97	%	80-120	

QUALITY CONTROL RESULTS

Job Number.: 218381

Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88372

Analyst...: lmr

LCS	Laboratory Control Sample	MO3ESPK002	88165 -002		06/26/2003	1811

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Solid	mg/Kg	47.12		50.00	0.13 U	94	%	80-120	

LCS	Laboratory Control Sample	MO3ESPK002	88049 -002		06/26/2003	1932

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.50104		0.50000		100	%	80-120	

LCS	Laboratory Control Sample	MO3ESPK002	88251 -002		06/26/2003	2329

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.48335		0.50000	0.00071 U	97	%	80-120	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381

Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88372

Analyst...: lmr

MB	Method Blank	88165	88165 -001		06/26/2003	1805

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Solid	mg/Kg	0.13 U							

MB	Method Blank	88049	88049 -001		06/26/2003	1926

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	0.00091 B							

MB	Method Blank	88251	88251 -001		06/26/2003	2322

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00071 U							

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381

Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MD	Method Duplicate		218381-1		06/26/2003	2347

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88372

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.04916			0.04941	0.00025	A	0.01000	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381

Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49B77 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
MS	Matrix Spike	M03ESPK002	218381-1		06/26/2003	2353

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88372

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.52890		0.50000	0.04941	96	%	75-125	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381

Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
S2	Standard 2	M03DINT002	88372-009		06/26/2003	1536

Test Method.....: 6010B
Method Description.: Metals Analysis (ICAP Trace)

Equipment Code....: ICP4
Batch.....: 88372

Analyst...: lmr

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese	mg/L	9.60387		10.00000		96	%	95-105	

* %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN:

QC Type	Description	Reag. Code	Lab ID	Dilution Factor	Date	Time
SD	Serial Dilution		218381-1		06/26/2003	2341

Test Method.....: 6010B Equipment Code....: ICP4 Analyst...: lmr
Method Description.: Metals Analysis (ICAP Trace) Batch.....: 88372

Parameter/Test Description	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	*	Limits	F
Manganese, Diss.	mg/L	0.00938 B			0.04941	5.1	D	10.0	

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

Test Method.....: 310.1 Batch.....: 87957 Analyst...: jmk
Method Description.: Alkalinity Equipment Code....: Test Code.: ALK
Parameter.....: Alkalinity, Total as CaCO3

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	87957 -002		mg/L	4.70000 U								06/23/2003	1308
LCS	87957 -003	I03ASTAK2	mg/L	102.60000		100.00000	4.70000 U	103		%	80-120	06/23/2003	1315

Test Method.....: HACH 8000 Batch.....: 89021 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: COD
Parameter.....: Chemical Oxygen Demand (COD)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	89021 -003		mg/L	3.40000 U								07/03/2003	1525
LCS	89021 -004	I03FSTCD1	mg/L	52.33000		50.00000	3.40000 U	105		%	80-120	07/03/2003	1527
MS	218381-5	I03FSTCD1	mg/L	66.84000		50.00000	17.62000	98		%	75-125	07/03/2003	1540
MSD	218381-5	I03FSTCD1	mg/L	65.80000	66.84000	50.00000	17.62000	96		%	75-125	07/03/2003	1541
								2.1		R	20		

Test Method.....: HACH 8000 Batch.....: 89021 Analyst...: cvw
Method Description.: Chemical Oxygen Demand (HACH) Equipment Code....: Test Code.: CODH
Parameter.....: Chemical Oxygen Demand (COD-High)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
LCS	89021 -013	I03FSTCD2	mg/L	409.23000		500.00000		82		%	80-120	07/03/2003	1543

Test Method.....: 354.1 Batch.....: 87828 Analyst...: jaa
Method Description.: Nitrite, Spectrophotometric Equipment Code....: SPEC4 Test Code.: NO2
Parameter.....: Nitrite as N (NO2-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICB	87828 -003		mg/L	0.00520 U								06/20/2003	0903
ICV	87828 -002	I03DSTNI2	mg/L	0.09620		0.10000		96		%	90-110	06/20/2003	0903
MB	87828 -004		mg/L	0.00520 U								06/20/2003	0904
LCS	87828 -005	I03DSTNI2	mg/L	0.09490		0.10000	0.00520 U	95		%	80-120	06/20/2003	0904
MSD	218381-5	I03DSTNI2	mg/L	0.09650	0.09500	0.10000	0.00520 U	96		%	75-125	06/20/2003	0907
								1.0		R	20		
MS	218381-5	I03DSTNI2	mg/L	0.09500		0.10000	0.00520 U	95		%	75-125	06/20/2003	0907
CCV	87828 -013	I03DSTNI2	mg/L	0.09440		0.10000		94		%	90-110	06/20/2003	0908
CCB	87828 -014		mg/L	0.00520 U								06/20/2003	0908

Test Method.....: 353.2 Batch.....: 88675 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3NO2
Parameter.....: Nitrate + Nitrite as N

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88675 -002	I02GSTIC31	mg/L	1.04200		1.00000		104		%	90-110	06/27/2003	1130
ICB	88675 -003		mg/L	0.03500 U								06/27/2003	1131
MB	88675 -004		mg/L	0.03500 U								06/27/2003	1133
LCS	88675 -005	I02GSTIC31	mg/L	0.89600		1.00000		90		%	80-120	06/27/2003	1134

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

Test Method.....: 353.2 Batch.....: 88675 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3NO2
Parameter.....: Nitrate + Nitrite as N

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MS	218381-1	I02GSTIC31	mg/L	1.08100		1.00000	0.23100	85		%	75-125	06/27/2003	1137
MSD	218381-1	I02GSTIC31	mg/L	1.06000	1.08100	1.00000	0.23100	83		%	75-125	06/27/2003	1138
								2.4		R	20		
CCV	88675 -014	I02GSTIC31	mg/L	1.00000		1.00000		100		%	90-110	06/27/2003	1146
CCB	88675 -015		mg/L	0.03500 U								06/27/2003	1148
CCV	88675 -014	I02GSTIC31	mg/L	0.99100		1.00000		99		%	90-110	06/27/2003	1203
CCB	88675 -015		mg/L	0.03500 U								06/27/2003	1204
CCV	88675 -014	I02GSTIC31	mg/L	0.97400		1.00000		97		%	90-110	06/27/2003	1207
CCB	88675 -015		mg/L	0.03500 U								06/27/2003	1208

Test Method.....: 353.2 Batch.....: 88675 Analyst...: kd
Method Description.: Nitrogen, NO2, NO3 (Auto Cd Red.) Equipment Code....: LACHAT1 Test Code.: NO3
Parameter.....: Nitrate as N (NO3-N)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MS	218381-1	I02GSTIC31	mg/L	1.08100		1.00000	0.23100	85		%	75-125	06/27/2003	1137
MSD	218381-1	I02GSTIC31	mg/L	1.06000	1.08100	1.00000	0.23100	83		%	75-125	06/27/2003	1138
								2.4		R	20		

Test Method.....: 375.4 Batch.....: 88798 Analyst...: cls
Method Description.: Sulfate, Turbidimetric Equipment Code....: SPEC3 Test Code.: SO4
Parameter.....: Sulfate

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88798 -002	I03FSTSA2B	mg/L	20.65000		20.00000		103		%	90-110	07/02/2003	0842
ICB	88798 -003		mg/L	2.10000 U								07/02/2003	0843
MB	88798 -004		mg/L	2.10000 U								07/02/2003	0844
LCS	88798 -005	I03FSTSA2B	mg/L	20.44000		20.00000	2.10000 U	102		%	80-120	07/02/2003	0845
CCV	88798 -014	I03FSTSA2B	mg/L	10.42000		10.00000		104		%	90-110	07/02/2003	0855
CCB	88798 -015		mg/L	2.10000 U								07/02/2003	0856
CCV	88798 -014	I03FSTSA2B	mg/L	19.61000		20.00000		98		%	90-110	07/02/2003	0901
CCB	88798 -015		mg/L	2.10000 U								07/02/2003	0902

Test Method.....: 415.1 Batch.....: 88831 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOC
Parameter.....: Organic Carbon, Tot. (TOC)

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
ICV	88831 -002	I03FSTTC2	mg/L	18.98160		20.00000		95		%	85-115	07/02/2003	0755
ICB	88831 -003		mg/L	0.32500 B								07/02/2003	0802
CCV	88831 -013	I03FSTTC2	mg/L	9.18890		10.00000		92		%	85-115	07/02/2003	1040
CCB	88831 -014		mg/L	0.29110 B								07/02/2003	1046
CCV	88831 -013	I03FSTTC2	mg/L	18.41090		20.00000		92		%	85-115	07/02/2003	1229
CCB	88831 -014		mg/L	0.34990 B								07/02/2003	1236

QUALITY CONTROL RESULTS

Job Number.: 218381 Report Date.: 07/03/2003

CUSTOMER: Analytics Environmental Laboratory, LLC PROJECT: BUCKS HARBOR 49877 ATTN: Steve Knollmeyer

Test Method.....: 415.1 Batch.....: 88831 Analyst...: kd
Method Description.: Organic Carbon Equipment Code....: TOC3 Test Code.: TOCAV2
Parameter.....: TOC Average Duplicates

QC	Lab ID	Reagent	Units	QC Result	QC Result	True Value	Orig. Value	QC Calc.	F	*	Limits	Date	Time
MB	88831 -004		mg/L	0.15800 B								07/02/2003	0815
LCS	88831 -005	I03FSTTC2	mg/L	9.09500		10.00000		91		%	80-120	07/02/2003	0829

 * %=% REC, R=RPD, A=ABS Diff., D=% Diff.

REPORT COMMENTS

1) All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.
2) Soil, sediment and sludge sample results are reported on a "dry weight" basis except when analyzed for landfill disposal or incineration parameters. All other solid matrix samples are reported on an "as received" basis unless noted differently.
3) Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.
4) The test results for the noted analytical method(s) meet the requirements of NELAC. Lab Cert. ID# 100201
5) Arizona Environmental Laboratory License number AZ0603.
6) According to 40CFR Part 136.3, pH, Chlorine Residual and Dissolved Oxygen analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH Field) they were not analyzed immediately, but as soon as possible on laboratory receipt.

Glossary of flags, qualifiers and abbreviations (any number of which may appear in the report)

Inorganic Qualifiers (Q-Column)

U	Analyte was not detected at or above the stated limit.
<	Not detected at or above the reporting limit.
J	Result is less than the RL, but greater than or equal to the method detection limit.
B	Result is less than the CRDL/RL, but greater than or equal to the IDL/MDL.
S	Result was determined by the Method of Standard Additions.
F	AFCEE: Result is less than the RL, but greater than or equal to the method detection limit.

Inorganic Flags (Flag Column)

'	ICV,CCV,ICB,CCB,ISA,ISB,CRI,CRA,MRL: Instrument related QC exceed the upper or lower control limits.
*	LCS, LCD, MD: Batch QC exceeds the upper or lower control limits.
+	MSA correlation coefficient is less than 0.995.
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
E	SD: Serial dilution exceeds the control limits.
H	MB, EB1, EB2, EB3: Batch QC is greater than reporting limit or had a negative instrument reading lower than the absolute value of the reporting limit.
N	MS, MSD: Spike recovery exceeds the upper or lower control limits.
W	AS(GFAA) Post-digestion spike was outside 85-115% control limits.

Organic Qualifiers (Q - Column)

U	Analyte was not detected at or above the stated limit.
ND	Compound not detected.
J	Result is an estimated value below the reporting limit or a tentatively identified compound (TIC).
Q	Result was qualitatively confirmed, but not quantified.
C	Pesticide identification was confirmed by GC/MS.
Y	The chromatographic response resembles a typical fuel pattern.
Z	The chromatographic response does not resemble a typical fuel pattern.
E	Result exceeded calibration range, secondary dilution required.
F	AFCEE:Result is an estimated value below the reporting limit or a tentatively identified compound (TIC)

Organic Flags (Flags Column)

B	MB: Batch QC is greater than reporting limit.
*	LCS, LCD, ELC, ELD, CV, MS, MSD, Surrogate: Batch QC exceeds the upper or lower control limits.
'	EB1, EB2, EB3, MLE: Batch QC is greater than reporting Limit
A	Concentration exceeds the instrument calibration range
a	Concentration is below the method Reporting Limit (RL)
B	Compound was found in the blank and sample.
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution will be flagged with a D.
H	Alternate peak selection upon analytical review
I	Indicates the presence of an interfence, recovery is not calculated.
M	Manually integrated compound.

P The lower of the two values is reported when the % difference between the results of two GC columns is greater than 25%.

Abbreviations

AS	Post Digestion Spike (GFAA Samples - See Note 1 below)
Batch	Designation given to identify a specific extraction, digestion, preparation set, or analysis set
CAP	Capillary Column CCB Continuing Calibration Blank
CCV	Continuing Calibration Verification
CF	Confirmation analysis of original
C1	Confirmation analysis of A1 or D1
C2	Confirmation analysis of A2 or D2
C3	Confirmation analysis of A3 or D3
CRA	Low Level Standard Check - GFAA; Mercury
CRI	Low Level Standard Check - ICP
CV	Calilbration Verification Standard
Dil Fac	Dilution Factor - Secondary dilution analysis
D1	Dilution 1
D2	Dilution 2
D3	Dilution 3
DLFac	Detection Limit Factor
DSH	Distilled Standard - High Level
DSL	Distilled Standard - Low Level
DSM	Distilled Standard - Medium Level
EB1	Extraction Blank 1
EB2	Extraction Blank 2
EB3	DI Blank
ELC	Method Extracted LCS
ELD	Method Extracted LCD
ICAL	Initial calibration
ICB	Initial Calibration Blank
ICV	Initial Calibration Verification
IDL	Instrument Detection Limit
ISA	Interference Check Sample A - ICAP
ISB	Interference Check Sample B - ICAP
Job No.	The first six digits of the sample ID which refers to a specific client, project and sample group
	Lab ID An 8 number unique laboratory identification
LCD	Laboratory Control Standard Duplicate
LCS	Laboratory Control Standard with reagent grade water or a matrix free from the analyte of interest
MB	Method Blank or (PB) Preparation Blank
MD	Method Duplicate
MDL	Method Detection Limit
MLE	Medium Level Extraction Blank
MRL	Method Reporting Limit Standard
MSA	Method of Standard Additions
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not Detected
PREPF	Preparation factor used by the Laboratory's Information Management System (LIMS)
PDS	Post Digestion Spike (ICAP)
RA	Re-analysis of original
A1	Re-analysis of D1
A2	Re-analysis of D2
A3	Re-analysis of D3
RD	Re-extraction of dilution
RE	Re-extraction of original
RC	Re-extraction Confirmation
RL	Reporting Limit
RPD	Relative Percent Difference of duplicate (unrounded) analyses
RRF	Relative Response Factor

RT	Retention Time
RTW	Retention Time Window Sample ID A 9 digit number unique for each sample, the first six digits are referred as the job number
SCB	Seeded Control Blank
SD	Serial Dilution (Calculated when sample concentration exceeds 50 times the MDL)
UCB	Unseeded Control Blank
SSV	Second Source Verification Standard
SLCS	Solid Laboratory Control Standard(LCS)
PHC	pH Calibration Check LCSP pH Laboratory Control Sample
LCDP	pH Laboratory Control Sample Duplicate
MDPH	pH Sample Duplicate
MDFP	Flashpoint Sample Duplicate
LCFP	Flashpoint LCS
G1	Gelex Check Standard Range 0-1
G2	Gelex Check Standard Range 1-10
G3	Gelex Check Standard Range 10-100
G4	Gelex Check Standard Range 100-1000

Note 1: The Post Spike Designation on Batch QC for GFAA is designated with an "S" added to the current abbreviation used. EX. LCS S=LCS Post Spike (GFAA); MSS=MS Post Spike (GFAA)
Note 2: The MD calculates an absolute difference (A) when the sample concentration is less than 5 times the reporting limit. The control limit is represented as +/- the RL.

Chain of Custody Record

218381

(1) Client Analytics - STL (Kathleen) WESTON Contact Name Kathleen Sullivan

Site Name Burns Harbor Contact Phone No. 603 334-4503

W.O. WESTON PM John Hagopian

Laboratory STL Chicago Fax No. 603 658-5401

Lab Batch Number Sampler(s) [signature]

(2) Ship To: STL Chicago

Attn:

Phone: 708 534-5200 Fax:

Carrier/Airbill No.

# of coolers: 1

(13). Analysis Requested

Type of Container	P	P		P		V			
Volume	1 L	1 L		1 L		2 40 ML			
(3) Turn-Around Time (# of days) ---->	data due by 7/2/03								
(4) Preservative	2	—	—	—	4	4	4		

Matrix Codes (Box 6): SW=Surface Water; GW=Ground Water; SD=Sediment; S=Soil; A=Air; PE=Performance Evaluation; O*=Other (N=explained in comments)

Preservative (Box 4): 1. HCl; 2. HNO_3; 3. NaOH; 4. H_2SO_4; 5. Methanol; 6. Ice; 7. Other ___; 8. Other ___

(5) Lab ID	(6) Sample ID	(7) Matrix	(8) Sample Type: Comp	(8) Sample Type: Grab	(9) MS/MSD	(10) Sampler Initials	(11) Date Collected	(12) Time Collected	Dissolved Manganese	Sulfate	Alkalinity	Nitrate	COD	Nitrate	TOC
1	MW4-0603	GW		X		KB	6/18/03	0820	X	X	X	X	X	X	X
2	MW10-0603			X		KB		0930	X	X	X	X	X	X	X
3	MW10-0603-E			X		KB		0930	X	X	X	X	X	X	X
4	STMW005-0603			X		AV		0815	X	X	X	X	X	X	X
5	STMW006-0603			X		AV		0910	X	X	X	X	X	X	X

(14) Remarks/Comments

See Project Specific Quality Assurance Project Plan

Dissolved Manganese 6010B (Field Filtered), Sulfate 375.1 Alkalinity 310.1, Nitrate/Nitrite 353.1, COD HACH 8000, TOC 415.1 or 9060.

Lab Use Only

Was Temperature Blank Included? Y N

Temp of Cooler when Received, C° _____

Discrepancies Between Sample Labels and COC Record? Y N

Notes:

Custody Seal (CS) Tape was present on outer package Y N

CS Tape was unbroken on outer package Y N

CS Tape was present on sample Y N

CS Tape was unbroken on sample Y N

Received in good condition Y N

Labels Indicate Properly Preserved Y N

Received within Holding Time Y N

(15) Relinquished by (Signature)	Date	Time	Received by (Signature)	Date	Time
[signature]	6/18/03	1700	FEDEX	6/18/03	1700
Relinquished by (Signature)	Date	Time	Received for Laboratory By: (Signature)	Date	Time
			[signature]	6/19/03	0950

See Reverse Side for Standard Instructions

Top two copies of COC to laboratory in cooler (original is returned to WESTON with final data package).

Bottom copy to WESTON PM Project File

44/47

№ 0000322

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 12°C
3) Received in good condition (Y) or N
4) pH checked by: JB 6/18/03
5) Labels checked by: [illegible] 6/18/03

Project#: 10971.217.002 Project: Bucks
Company: Weston Solutions
Contact: Kathleen T. Sullivan
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: (603) 656-5400 PO# 0037759 Quote #
Sampler (Signature): [signature]

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
MW4-0603	6/18/03	0920	Ferrous Iron					X			GW	1	P	2	49877-1
MW10-0603		0930						X				1	P	2	-2
MW10-0603-E		0930						X				1	P	2	-3
STMW005-0603		0915						X				1	P	2	-4
STMW006-0603		0910						X				1	P	1	-5

Received By: Time: | Received By: [signature] Time: 1522 | Received By: Time:
Date: | Date: 6/18/03 | Date:
Relinquished By Sampler: | Relinquished By: [signature] | Relinquished By:

FAX RESULTS? (YES) NO
Fax # (603) 656-5401

Turnaround Request
Standard ☐ Priority ☐
Due Date: | Due Date:

Comments / Instructions:
Ferrous Iron SM3500D
STMW006-0603 arrived w/pH of 3, added 1 pipette 1:1 HCL, brought it down to 1 JB 6/18/03
complete data package by 7/2/03

Client Code: WESTONM

Page 1 of 1

Analytics\AEL Documents\AEL COC

45/47

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 19877 | COOLER NUMBER: 1

CLIENT: Weston | NUMBER OF COOLERS: 1

PROJECT: Bucks | DATE RECEIVED: 6/18/03

A: PRELIMINARY EXAMINATION: | DATE COOLER OPENED: 6/18/03

1. Cooler received by(initials) JB | Date Received: 6/18/03
2. Did cooler come with a shipping slip? Hand delivered — Y (N)

If YES, enter carrier name and airbill number here: _____

3. Were custody seals on the outside of cooler? Y (N)
How many & where: _____ Seal Date: _____ Seal Name: _____
4. Did the custody seals arrive unbroken and intact upon arrival? Y (N/A)
5. COC#: _____
6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N
7. Were custody papers sealed in a plastic bag? Y (N)
8. Did you sign the COC in the appropriate place? (Y) N
9. Was the project identifiable from the COC papers? (Y) N
10. Was enough ice used to chill the cooler? JB 6/18/03 (Y) (N) Temp. of cooler: 12°c

B. Log-In: Date samples were logged in: 6/18/03 By: JB

11. Type of packing in cooler(bubble wrap, popcorn) Y (N/A)
12. Were all bottles sealed in separate plastic bags? Y (N)
13. Did all bottles arrive unbroken and were labels in good condition? (Y) N
14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N
15. Did all bottle labels agree with custody papers? (Y) N
16. Were the correct containers used for the tests indicated: (Y) N
17. Were samples received at the correct pH? Y (N) see COC for details
18. Was sufficient amount of sample sent for the tests indicated? (Y) N SLK 6/19/03
19. Were bubbles absent in VOA samples? Y (N/A)

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): AVK Date: 6/18/03

analytics environmental laboratory LLC

SAMPLE RECEIPT
NON-COMPLIANCE NOTIFICATION
(SENT VIA FACSIMILE)

DATE 6/18/03 FROM Sample Receipt

FAX CONTACT Kathleen Soukup FAX NUMBER 603-656-5401

CLIENT Weston LAB NUMBER ~~49878~~ 49877
JB 6/18/03

The exceptions noted below were found on the sample(s) received on the attached Chain of Custody (COC) form. These exceptions may render the data results as non-defensible. Analytics will continue to proceed with the analysis of the sample(s) unless notified in writing to stop the analysis. This document may become part of the final report.

Please check the appropriate box and sign below and fax back to "Sample Receipt" at 603-430-2151.

Exceptions:

- [X] Sample(s) not on ice or not at 4°C ± 2°C
- [ ] Sample(s) received unpreserved or not at the proper pH. (pH was adjusted at the laboratory)
- [ ] Sample(s) received in incorrect containers
- [ ] Insufficient sample volume received (Detection limits may be elevated due to this exception)
- [ ] Trip Blank provided in cooler, but not recorded on the chain of custody
- [ ] Other: _____

Acknowledgment:

- [ ] **Please do not analyze/report Trip Blank, proceed with other analyses**
- [✓] **Proceed with the analysis.**
- [ ] **Please stop the analysis and wait for further instructions.**

Signed: angela Vautour **Print Name:** Angela Vautour

Date: 6/18/03

DATA REVIEW CHECKLIST

Site: Bucks Harbor

Analytics Lab Number: 49878

NESTON Sample IDs: TB-061603-01, mw12, mw11, mw13, GAmw001, mw2-4, mw7/EMW14, STmw01, mw9, mw105, mw140, mw101, mw10/E, STmw002, TW1, STmw003, RB, STmw004, mw102, mw103, mw108, mw105/E, BPmw001, GTmw001, TSmw001-003

Data Reviewed	Fraction				Comments
	524.2		8260B	8015 ethanol ethanol	mw1, mw10, RB-061703-1, FAmw001, FAmw002
Chain of Custody	✓		✓	✓	STmw005, 006
Log-in Sheet	✓		✓	✓	RB-061803-01
Preservation	✓		✓	✓	
Holding Time	✓		✓	✓	
Trip Blanks	Equip Blank		✓		
Instrument/Method Blanks (soils/solids)					
Instrument/Method Blanks (Aqueous)	✓		✓	✓	
MS/MSD - Soil/Solid					
MS/MSD - Aqueous	Acetone above limits + MeCl2 below = no action		Ethyl+Ethyl above RPD slightly	✓	
LCS/LFB	Acetone above LCS No action		+ Ethyl + butyl either spiked slightly above LCS in one LCS = no action		
Blank Spikes (BS/BSD)					
Lab Duplicates			✓		
Field Duplicates			✓	✓	
Surrogate Recoveries	✓		✓	✓	

Calibration Meets in initial

✓ = Data reviewed

NA = Not Applicable

RPD > 30 = no action

Note: Data reviewed but not commented on is considered acceptable.

Internal Stds ✓

Qualifiers Used:

No qualifications were applied.

Data Reviewer Initials: DFC

Date: 7/8/03

DATA REVIEW CHECKLIST

te: Bucks Harbor

Analytic Lab Number: 49855

/ESTON Sample IDs: TB-061203-01, ECOSW1-0603, ECOSW2-4, 2E, RB-061203-01, TB-061203-02, RB-061203-02, ECOSED1, ECOSED ECOSED3-0603, ECOSE ECOSED2-0603-E

Data Reviewed	Fraction: C(200) Waters	Fraction: B Sediment	Fraction: B TOC	Comments
hain of Custody	✓	✓	✓	
og-in Sheet	✓	✓ ☆	✓	
reservation	✓	✓	✓	
loiding Time	✓	✓	✓	
rip Blanks RB	✓			
nstrument/Method lanks (soils/solids)	✓	✓	✓	
nstrument/Method lanks (Aqueous)	✓			
MS/MSD - Soil/Solid		several compds below QC limits + no action since results met criteria		
MS/MSD - Aqueous	2 samples limits = above QC no action			
CS/LFB	1 compd above QC = no action	Bromomethane below QC limits	✓ ~~J* J² = Estimate all~~ ~~more detected Bromomethane results in all soil samples~~	
Blank Spikes (BS/BSD)				
ab Duplicates				
ield Duplicates				
urrogate Recoveries	✓	J* J² all 3 surrogates low in sample ECOSED2-0603 + -E Estimate all results		
Calibration/IS	✓			

✓ = Data reviewed

NA = Not Applicable

Note: Data reviewed but not commented on is considered acceptable.

Qualifiers Used:

☆ Note = High reporting limits - make sure goals of project were met

Data Reviewer Initials: DKE

Date: 7/9/03

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

July 28, 2003
Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RECEIVED
JUL 31 2003

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49794 Rev 1

Dear Ms. Soukup

Enclosed please find our revised narrative for Bucks Harbor Report 49794 that addresses Methylene chloride detection in the laboratory blank analyzed on 06/06/03. This revised narrative should replace pages 000001 and 000002 of the original report.

If you have any questions or I can be of further assistance please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

Bucks Data

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

July 28, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49794 Rev 1

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for the target volatile organic compounds by EPA Method 524.2, Ethane, Ethene (EE) by EPA Method 8015B.
Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, surrogate recovery, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
VOA Form 1 Sample Data Results
Chromatograms
VOA Form 2 Surrogate Recoveries
VOA Form 3 MS/MSD and LCS Recoveries
VOA Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
VOA Form 5 BFB Tune Summaries
VOA Form 6 Initial Calibration Data (equiv..) Response Factor Report
VOA Form 7 Continuing Calibration Check (equiv.)
VOA Form 8 Int. Standard and RT Summary
EE Form 1 Sample Data Results
Chromatograms
EE Form 2 Surrogate Recoveries
EE Form 3 MS/MSD and LCS Recoveries
EE Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
EE Form 6 Initial Calibration Data (equiv..) Response Factor Report
EE Form 7 Continuing Calibration Check (equiv.)
EE Form 8 Retention Time Summary
Chain of Custody (COC) Forms
Sample Receipt Checklist

000001

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Volatile Organics:
2,2-Dichloropropane was above the 70-130 % R limits in the MS/MSD analyzed on sample 49794-10 (DW-39-0603-01-A) on 06/05/03. This MS/MSD also had two RPDs above the acceptance criteria. (See Form III) These compounds were not detected in any samples associated with this QC.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L506053B2)had high recovery for Acetone and Tetrahydrofuran at 158% and 133% respectively. The LFB/CC (L506053B3) was reanalyzed with Acetone recovery still high at 163%, Tetrahydrofuran was in control. These analytes were not detected in any samples associated with this QC.

The matrix spike/matrix spike duplicate analyzed on sample 49794-30 (DW05-0603-01-A) had an RPD above the acceptance criteria of 15% for t-Butyl alcohol (TBA). (See Form III) t-Butyl alcohol was not detected in this SDG and results were reported without qualification.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L506053I2) had high recovery for three compounds. (See Form III) The LFB/CC (L506053I3) was reanalyzed with similar results. These analytes were not detected in any samples associated with this QC.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L506063I) had high recovery for three compounds. (See Form III). The matrix spike/matrix spike duplicate analyzed on sample 49794-11 (DW06-0603-01-A) had low recoveries for methylene chloride. (See Form III) These analytes were not detected in any samples associated with this QC.

The Method Blank (B506063I2) analyzed 06/06/03 had Methylene chloride detected at 1.1 ug/L. None of the samples in this SDG had Methylene chloride detected and results were reported without qualification.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L506063I2) had high recovery for three compounds. (See Form III) The LFB/CC (L506063I3) was reanalyzed with similar results. These analytes were not detected in any samples associated with this QC.

Ethane and Ethene:
No QC deviations.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

000002

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 4.1
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: _____

Project#: 10976.217.002 Project: Bucks

Company: **Weston Solutions**

Contact: (Catherine Saukup)

Address: **1 Wall Street**

Manchester, NH 03101-1501

Phone: 603 656-5574 PO# Quote #

Sampler (Signature):

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
F=Extract
X=Other

Container Key
P=plastic G=glass

Station Identification	Sample Date	Sample Time	Analysis	Preservation: Unpres	4° C	HNO3	H2SO4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
TB-070103-01	7/1/03	1230	VOC S24.2					X			W	2	V		
WY03-0703-01-A	↓	1235	↓					X			DW	4	V		

FAX RESULTS? YES NO
Fax # 603 656-5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
VOC, S24.2
(1) Part of Residential Program for Bucks

Client Code: WESTONM

Page 1 of 1

Received By:	Time: 1335	Date: 7.2.03	Relinquished By Sampler:
Received By:	Time:	Date:	Relinquished By:
Received By:	Time:	Date:	Relinquished By:

Taylor, Kathleen

From: Stephen Knollmeyer [steveknollmeyer@analyticslab.com]
Sent: Friday, July 18, 2003 12:15 PM
To: Taylor, Kathleen
Subject: RE: Bucks Residential Data

KT,

We got the data off the instrument today. We ran two more vials. The numbers confirm as listed below.

49794-20Rerun1
trans-1,2-DCE 0.36J ug/L
1,1-DCA 0.40J
cis-1,2-DCE 5.1
1,1,1-TCA 0.77
TCE 2.1

49794-20Rerun2
trans-1,2-DCE 0.38J ug/L
1,1-DCA 0.40J
cis-1,2-DCE 5.2
1,1,1-TCA 0.77
TCE 2.3

I was not planning on charging for these reruns, nor was I planning on reporting them if the data confirmed the original run.

Do you want these reported? With a data package?

Steve

At 11:14 AM 7/18/03 -0400, you wrote:

> Bonjourno,
>
> Regarding below...can you please fax the prelim results when they are ready, and then send out the actual data package as per usual. I'm super curious.
>
> Thanks
> KT
>
> > -----Original Message-----
> > From: Stephen Knollmeyer [mailto:steveknollmeyer@analyticslab.com]
> > Sent: Tuesday, July 15, 2003 3:10 PM
> > To: Taylor, Kathleen
> > Subject: RE: Bucks Residential Data
> >
> > KT,
> >
> > Thanks, we will get that sample on and some data back to you in a 1-2 days. We are not running 524's today so it probably will go on tomorrow.
> >
> > Talk to you soon.

Steve

At 02:53 PM 7/15/03 -0400, you wrote:

> Hey Steve,
>
> Welcome back from your sailing adventure!
>
> Yes, please rerun 49794-20. We're changing out all the filters up there anyway, but i'd still like to see the sample rerun. I just don't think we actually had breakthrough...it could have been a sampling error too, but I didn't remember anything odd at the house during sampling.
> Thanks!
> KT
> -----Original Message-----
> From: Stephen Knollmeyer [mailto:steveknollmeyer@analyticslab.com]
> Sent: Tuesday, July 15, 2003 2:50 PM
> To: Taylor, Kathleen
> Cc: melissa
> Subject: Re: Bucks Residential Data
>
> KT,
>
> Everything checks out OK with the results and reporting. I looked at the vials and we took one vial from all three samples for the analysis. The labels on the vials match the sample IDs and the raw data matches the data reported.
>
> We did not have any multiple runs of any of the three samples. We have sample that has been refrigerated; do you want us to rerun 49794-20 (between filter sample) to confirm the data before you switch out the filters??
>
> Steve
>
> At 04:30 PM 7/10/03 -0400, you wrote:
>
> > Hey there,
> > I was taking a quick peak through the residential data for bucks and noticed
> > something that I hope is an error.
> >
> > For Analytics # 49794 lab package, WESTON sample ID DW23-0603-02-A (your
> > 49794-20), the data was very similar to DW23-0603-01-A and DW23-0603-01-B
> > (duplicate of the second sample mentioned). The first sample i mentioned is
> > between the charcoal filters at this house, and therefore ususally clean
> > unless the filters are spent. I'm hoping the results are a mistake, and
> > maybe one of the vials from the second or third sample listed was analyzed
> > by mistake. Can you please take a look and see if anything is out of wack.
> >
> > Thanks!
> > Kathleen

DATA REVIEW CHECKLIST

Site: Bucks Harbor
Analytics Lab Number: 49794
NESTON Sample IDs: DW32-0603-01-A, DW12, DW40, DW33, DW28, DW25, DW31, DW29, DW36, DW06, DW12, DW01, DW03, DW13, DW22, DW23, DW24, DW30, DW09, DW04, DW08, DW07, DW34, DW05, DW02, DW03-B, DW04

Data Reviewed	Fraction: 524.2			8015 ethene/ethane		Comments: DW13, DW38, DW15-17, DW19-21, TB-01
Chain of Custody	✓			✓		
Log-in Sheet	✓			✓		
Preservation	✓			✓		
Holding Time	✓			✓		
Trip Blanks	✓					
Instrument/Method Blanks (soils/solids)						
Instrument/Method Blanks (Aqueous)	B5040432 MeCl2 = 1.1 µg/L			✓		
MS/MSD - Soil/Solid						
MS/MSD - Aqueous	~~MeCl2~~ Methylethylketone RPD > QC limits = no action					
~~LCS/LFB~~	MSD %Rec 2,2-dichloropropane RPD > QC = no action since not detected in sample					
~~Blank Spikes (BS/BSD)~~ LCS/LCSD	Bromomethane, Acetone + Tetrahydrofuran %Rec > QC limits = no action					
Lab Duplicates	t-butyl alcohol					
Field Duplicates	✓			✓		
Surrogate Recoveries	✓			all above 60% ~~(acc - 140% of QC limits)~~ = no action		

Initial Calib = MeCl2 > 30% RSD
CCVs had 2 to 3 cmpds (acetone, tetrahydrofuran) above QC limits = no action since cmpds were not detected in samples

✓ = Data reviewed
NA = Not Applicable
Note: Data reviewed but not commented on is considered acceptable.
Qualifiers Used: Internal Stds

No qualifications were applied.

Data Reviewer Initials: DFC
Date: 7/17 + 7/16/03

- B's are deeps

Bucks

10971.217.002.2012

Residential Data

Thanks! KT

Weston Solutions, Inc.
One Wall Street
Manchester, NH 03101-1501
603-656-5400 • Fax 603-656-5401

DATE:	17-Oct-03	JOB NO.:	10971.217.002.2017
ATT.:	**Mr. Robert Leitch**		
RE:	Bucks Harbor AFRTS Site		
DCN	BUCKS2-101403-AAHW		

LETTER OF TRANSMITTAL

TO:

U.S. Army Corps of Engineers – New England District
696 Virginia Road
Concord, Massachusetts 01742-2751

WE ARE SENDING YOU: [x] **Attached** [ ] **Under Separate Cover** **VIA** FedEx **THE FOLLOWING ITEMS:**

- [ ] Prints
- [ ] Specifications
- [ ] Shop Drawings
- [ ] Plans
- [ ] Copy of Letter
- [x] Other (explain) Former Bucks Harbor AFRTS Draft Remedial Investigation Report
- [ ] Samples
- [ ] Change Order

Copies	Date	No.	Description
2	10/17/03	1	Draft Remedial Investigation Report
1	10/17/03	1	Laboratory Analytical Data Package (Appendix D)

THESE ARE TRANSMITTED as checked below.

- [ ] For Approval
- [ ] For Your Use
- [ ] As Requested
- [x] For Review & Comment
- [ ] For Your Information
- [ ] Approved
- [ ] Approved as Corrected
- [ ] Revise & Resubmit
- [ ] Rejected
- [ ] Returned After Loan to Us
- [ ] Resubmit — Copies for Approval
- [ ] Submit — Copies for Distribution
- [ ] Return — Corrected Prints
- [ ] For BIDS Due _____

REMARKS:

Copies will be sent under separate cover to MEDEP (2), the RAB (Phil Rose), the Town of Machiasport, and Maine Rural Water Associates.

COPIES:

SIGNED: James P. Ricker

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

June 27, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49878

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for Volatile Organic Compounds using EPA Method 8260B and Ethane/Ethene (EE) using a modified EPA Method 8015B.

Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
VOA Form 1 Sample Data Results
Chromatograms
VOA Form 2 Surrogate Recoveries
VOA Form 3 MS/MSD and LCS Recoveries
VOA Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
VOA Form 5 BFB Tune Summaries
VOA Form 6 Initial Calibration Data (equiv..) Response Factor Report
VOA Form 7 Continuing Calibration Check (equiv.)
VOA Form 8 Int. Standard and RT Summary
EE Form 1 Sample Data Results
Chromatograms
EE Form 2 Surrogate Recoveries
EE Form 3 MS/MSD and LCS Recoveries
EE Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
EE Form 6 Initial Calibration Data (equiv..) Response Factor Report
EE Form 7 Continuing Calibration Check (equiv.)
EE Form 8 Retention Time Summary
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

524 Volatile Organics:
Acetone was above the 70-130 % R limits in the LCS analyzed on 6/19/03 (L506193B) at 178% recovery. Acetone had high recovery and Methylene Chloride had low recovery in the MS/MSD analyzed on sample 49878-13 (TW1-0603) (see Form 3). These compounds were not detected in any samples associated with this QC.

8260 Volatile Organics:
Ethyl t-butyl ether had RPD above the 15% limit at 16% in the MS/MSD analyzed on sample 49878-2 (MW012-0603). The % recoveries for Ethyl t-butyl ether in the MS/MSD were in control. The LCS had high recovery at 136% with control limits of 70-130. This compound was not detected in any of the samples associated with this QC.

Ethyl t-butyl ether had recoveries above the 70-130% limits at 131% and 131%.% in the MS/MSD analyzed on sample 49878-22 (MW01-0603). The % recoveries for Ethyl t-butyl ether in the MS/MSD were in control. The LCS had high recovery at 136% with control limits of 70-130. This compound was not detected in any of the samples associated with this QC.

Ethane and Ethene:
No QC deviations.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49878

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49878-1	06/16/03	TB-061603-01	EPA 8260 Volatile Organics	
49878-2	06/16/03	MW12-0603	EPA 8260 Volatile Organics	
	06/16/03	MW12-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-3	06/16/03	MW11-0603	EPA 8260 Volatile Organics	
	06/16/03	MW11-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-4	06/16/03	MW13-0603	EPA 8260 Volatile Organics	
	06/16/03	MW13-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-5	06/16/03	GAMW001-0603	EPA 8260 Volatile Organics	
	06/16/03	GAMW001-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-6	06/16/03	MW14-0603	EPA 8260 Volatile Organics	
	06/16/03	MW14-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-7	06/16/03	STMW001-0603	EPA 8260 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49878

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/16/03	STMW001-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-8	06/16/03	MW9-0603	EPA 8260 Volatile Organics	
	06/16/03	MW9-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-9	06/16/03	MW105-0603	EPA 8260 Volatile Organics	
	06/16/03	MW105-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-10	06/16/03	MW140-0603	EPA 8260 Volatile Organics	
	06/16/03	MW140-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-11	06/16/03	MW101-0603	EPA 8260 Volatile Organics	
	06/16/03	MW101-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-12	06/16/03	STMW002-0603	EPA 8260 Volatile Organics	
	06/16/03	STMW002-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-13	06/16/03	TW1-0603	EPA 524.2 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49878

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49878-14	06/16/03	STMW003-0603	EPA 8260 Volatile Organics	
	06/16/03	STMW003-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-15	06/16/03	RB-061603-01	EPA 8260 Volatile Organics	
49878-16	06/17/03	STMW004-0603	EPA 8260 Volatile Organics	
	06/17/03	STMW004-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-17	06/17/03	MW102-0603	EPA 8260 Volatile Organics	
	06/17/03	MW102-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-18	06/17/03	MW103-0603	EPA 8260 Volatile Organics	
	06/17/03	MW103-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-19	06/17/03	MW8-0603	EPA 8260 Volatile Organics	
	06/17/03	MW8-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-20	06/17/03	MW5-0603	EPA 8260 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49878

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
	06/17/03	MW5-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-21	06/17/03	MW5-0603-E	EPA 8260 Volatile Organics	
	06/17/03	MW5-0603-E	Methane, Ethane and Ethene in Aqueous Matrices	
49878-22	06/17/03	MW1-0603	EPA 8260 Volatile Organics	
	06/17/03	MW1-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-23	06/17/03	MW6-0603	EPA 8260 Volatile Organics	
	06/17/03	MW6-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-24	06/17/03	RB-061703-01	EPA 8260 Volatile Organics	
49878-25	06/17/03	FAMW001-0603	EPA 8260 Volatile Organics	
	06/17/03	FAMW001-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-26	06/17/03	FAMW002-0603	EPA 8260 Volatile Organics	
	06/17/03	FAMW002-0603	Methane, Ethane and Ethene in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49878

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49878-27	06/17/03	BPMW001-0603	EPA 8260 Volatile Organics	
	06/17/03	BPMW001-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-28	06/17/03	GTMW001-0603	EPA 8260 Volatile Organics	
	06/17/03	GTMW001-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-29	06/17/03	TSMW001-0603	EPA 8260 Volatile Organics	
	06/17/03	TSMW001-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-30	06/17/03	TSMW002-0603	EPA 8260 Volatile Organics	
	06/17/03	TSMW002-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-31	06/17/03	TSMW003-0603	EPA 8260 Volatile Organics	
	06/17/03	TSMW003-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-32	06/17/03	MW3-0603	EPA 8260 Volatile Organics	
	06/17/03	MW3-0603	Methane, Ethane and Ethene in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49878

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49878-33	06/17/03	MW2-0603	EPA 8260 Volatile Organics	
	06/17/03	MW2-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-34	06/17/03	MW7-0603	EPA 8260 Volatile Organics	
	06/17/03	MW7-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-35	06/17/03	MW7-0603-E	EPA 8260 Volatile Organics	
	06/17/03	MW7-0603-E	Methane, Ethane and Ethene in Aqueous Matrices	
49878-36	06/18/03	MW4-0603	EPA 8260 Volatile Organics	
	06/18/03	MW4-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-37	06/18/03	MW10-0603	EPA 8260 Volatile Organics	
	06/18/03	MW10-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-38	06/18/03	MW10-0603-E	EPA 8260 Volatile Organics	
	06/18/03	MW10-0603-E	Methane, Ethane and Ethene in Aqueous Matrices	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49878

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 June 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49878-39	06/18/03	STMW005-0603	EPA 8260 Volatile Organics	
	06/18/03	STMW005-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-40	06/18/03	STMW006-0603	EPA 8260 Volatile Organics	
	06/18/03	STMW006-0603	Methane, Ethane and Ethene in Aqueous Matrices	
49878-41	06/18/03	RB-061803-01	Electronic Data Deliverable	
	06/18/03	RB-061803-01	EPA 8260 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 6/27/2003

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LAB QC

SAMPLE DATA

Lab Sample ID: B506193I
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	92 %	1,2-Dichlorobenzene-d4	91 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full

Authorized signature Melissa A Kuller


Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903-I\I11793B.D
Acq On : 19 Jun 2003 1:13 pm
Sample : B506193I
Misc : 25000,,VIAL BLANK JB 6/19/03
MS Integration Params: rteint.p
Quant Time: Jun 19 13:52 2003

Vial: 4
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



000011

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: TW1-0603

SAMPLE DATA

Lab Sample ID: 49878-13
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	**2.4**
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	98 %	Bromofluorobenzene	96 %	1,2-Dichlorobenzene-d4	93 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full

Authorized signature


Quantitation Report

Data File : C:\HPCHEM\1\data\061903-i\I11794.D
Acq On : 19 Jun 2003 2:16 pm
Sample : 49878-13
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 19 14:38 2003

Vial: 5
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: I11756T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/18/2003

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0952

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	0.1PPB STD	98	95	95	0
02	0.5PPB STD	101	99	104	0
03	1.2PPB STD	101	94	100	0
04	4.8PPB STD	102	93	99	0
05	8PPB STD	99	96	104	0
06	16PPB STD	103	109	101	0
07	32PPB STD	99	104	101	0
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: I11791T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/19/2003

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1146

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L506193I	100	96	97	0
02	B506193I	98	92	91	0
03	49878-13	98	96	93	0
04	49878-13,MS	99	104	106	0
05	49878-13,MSD	100	108	108	0
06	ZZZZZ	98	98	94	0
07	ZZZZZ	100	98	97	0
08	ZZZZZ	98	94	94	0
09	ZZZZZ	100	96	95	0
10	ZZZZZ	98	96	94	0
11	ZZZZZ	98	95	93	0
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 | Quote #: | SDG: 49878

BFB File ID: I11791T | Site ID: Bucks Harbor | Location: Maine

Instrument ID: I | BFB Injection Date: 6/19/03

GC Column: RTX-502.2 | ID: 0.25 (mm) | BFB Injection Time: 1146

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506193B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.2	97		70-130
Chloromethane	1.2	1.3	108		70-130
Vinyl Chloride	1.2	1.3	110		70-130
Bromomethane	1.2	1.3	107		70-130
Chloroethane	1.2	1.2	98		70-130
t-Butyl alcohol (TBA)	6.0	7.3	121		70-130
Trichlorofluoromethane	1.2	1.2	101		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.2	99		70-130
Acetone	1.2	2.1	178	*	70-130
1,1-Dichloroethene	1.2	1.2	100		70-130
Di-isopropyl ether (DIPE)	1.2	1.2	101		70-130
Methylene Chloride	1.2	1.0	84		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.3	94		70-130
trans-1,2-Dichloroethene	1.2	1.3	107		70-130
1,1-Dichloroethane	1.2	1.3	105		70-130
Methyl ethyl ketone	1.2	1.2	103		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.2	98		70-130
2,2-Dichloropropane	1.2	1.2	102		70-130
cis-1,2-Dichloroethene	1.2	1.4	113		70-130
t-Amyl methyl ether (TAME)	1.2	1.1	95		70-130
Chloroform	1.2	1.4	115		70-130
Bromochloromethane	1.2	1.2	102		70-130
Tetrahydrofuran	1.2	1.3	108		70-130
1,1,1-Trichloroethane	1.2	1.2	98		70-130
1,1-Dichloropropene	1.2	1.4	113		70-130
Carbon Tetrachloride	1.2	1.2	103		70-130
1,2-Dichloroethane	1.2	1.4	113		70-130
Benzene	1.2	1.3	109		70-130
Trichloroethene	1.2	1.4	118		70-130
1,2-Dichloropropane	1.2	1.3	108		70-130
Bromodichloromethane	1.2	1.3	108		70-130
Dibromomethane	1.2	1.3	104		70-130
2-Hexanone	1.2	1.1	94		70-130
Methyl isobutyl ketone	1.2	1.2	96		70-130
cis-1,3-Dichloropropene	1.2	1.3	109		70-130
Toluene	1.2	1.3	108		70-130
trans-1,3-Dichloropropene	1.2	1.2	103		70-130
1,1,2-Trichloroethane	1.2	1.3	110		70-130
1,3-Dichloropropane	1.2	1.3	108		70-130
Tetrachloroethene	1.2	1.5	122		70-130
Dibromochloromethane	1.2	1.3	104		70-130
1,2-Dibromoethane	1.2	1.2	103		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

BFB File ID: I11791T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 1146

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L506193B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	110		70-130
1,1,1,2-Tetrachloroethane	1.2	1.3	109		70-130
Ethylbenzene	1.2	1.3	112		70-130
m,p-Xylene	2.4	2.7	111		70-130
o-Xylene	1.2	1.3	112		70-130
Styrene	1.2	1.3	104		70-130
Bromoform	1.2	1.3	105		70-130
Isopropylbenzene	1.2	1.2	103		70-130
1,1,2,2-Tetrachloroethane	1.2	1.2	103		70-130
1,2,3-Trichloropropane	1.2	1.3	107		70-130
n-Propylbenzene	1.2	1.3	108		70-130
Bromobenzene	1.2	1.3	109		70-130
1,3,5-Trimethylbenzene	1.2	1.3	110		70-130
2-Chlorotoluene	1.2	1.3	110		70-130
4-Chlorotoluene	1.2	1.3	108		70-130
tert-butylbenzene	1.2	1.3	104		70-130
1,2,4-Trimethylbenzene	1.2	1.3	109		70-130
sec-butylbenzene	1.2	1.3	107		70-130
p-isopropyltoluene	1.2	1.2	101		70-130
1,3-Dichlorobenzene	1.2	1.3	107		70-130
1,4-Dichlorobenzene	1.2	1.3	108		70-130
n-butylbenzene	1.2	1.3	104		70-130
1,2-Dichlorobenzene	1.2	1.3	110		70-130
1,2-Dibromo-3-chloropropane	1.2	1.4	116		70-130
1,2,4-Trichlorobenzene	1.2	1.0	79		70-130
Hexachlorobutadiene	1.2	1.4	118		70-130
Naphthalene	1.2	0.9	74		70-130
1,2,3-Trichlorobenzene	1.2	0.9	77		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 1 out of 70 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49878

BFB File ID: I11791T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1146

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49878-13

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	4.8	U	4.7	98		4.6	96		2		15	70-130
Chloromethane	4.8	U	4.9	101		5.0	105		4		15	70-130
Vinyl Chloride	4.8	U	4.3	89		4.2	86		3		15	70-130
Bromomethane	4.8	U	4.7	97		4.8	101		4		15	70-130
Chloroethane	4.8	U	4.5	94		4.6	96		2		15	70-130
t-Butyl alcohol (TBA)	24.0	U	25.8	108		27.8	116		7		15	70-130
Trichlorofluoromethane	4.8	U	4.8	100		4.9	101		2		15	70-130
1,1,2-Trichlorotrifluoroethane	4.8	U	4.9	102		4.8	101		1		15	70-130
Acetone	4.8	U	6.7	139	*	6.6	137	*	2		15	70-130
1,1-Dichloroethene	4.8	U	4.8	100		4.8	100		0		15	70-130
Di-isopropyl ether (DIPE)	4.8	U	4.85	101		4.9	101		0		15	70-130
Methylene Chloride	4.8	U	2.3	42	*	3.6	69	*	44	*	15	70-130
Methyl-tert-butyl ether (MTBE)	9.6	U	9.1	94		9.4	98		4		15	70-130
trans-1,2-Dichloroethene	4.8	U	4.9	103		5.0	104		1		15	70-130
1,1-Dichloroethane	4.8	U	5.0	103		5.0	104		0		15	70-130
Methyl ethyl ketone	4.8	U	5.6	117		5.4	112		4		15	70-130
Ethyl t-butyl ether (ETBE)	4.8	U	4.8	99		4.7	99		1		15	70-130
2,2-Dichloropropane	4.8	U	5.4	113		5.4	113		0		15	70-130
cis-1,2-Dichloroethene	4.8	U	5.2	108		5.3	110		2		15	70-130
t-Amyl methyl ether (TAME)	4.8	U	4.6	96		4.7	98		3		15	70-130
Chloroform	4.8	U	5.0	105		5.1	107		2		15	70-130
Bromochloromethane	4.8	U	5.2	107		5.1	106		1		15	70-130
Tetrahydrofuran	4.8	U	5.7	120		5.8	121		1		15	70-130
1,1,1-Trichloroethane	4.8	U	4.9	102		4.9	103		1		15	70-130
1,1-Dichloropropene	4.8	U	5.2	107		5.2	108		1		15	70-130
Carbon Tetrachloride	4.8	U	5.2	109		5.3	110		1		15	70-130
1,2-Dichloroethane	4.8	U	5.2	108		5.2	109		0		15	70-130
Benzene	4.8	U	5.1	105		5.0	105		0		15	70-130
Trichloroethene	4.8	U	5.7	120		5.6	117		2		15	70-130
1,2-Dichloropropane	4.8	U	5.2	108		5.3	109		1		15	70-130
Bromodichloromethane	4.8	U	5.2	108		5.2	108		0		15	70-130
Dibromomethane	4.8	U	5.0	105		5.3	110		5		15	70-130
2-Hexanone	4.8	U	5.1	107		5.6	116		8		15	70-130
Methyl isobutyl ketone	4.8	U	5.1	107		5.3	111		3		15	70-130
cis-1,3-Dichloropropene	4.8	U	5.6	117		5.7	118		1		15	70-130
Toluene	4.8	U	5.2	109		5.2	108		1		15	70-130
trans-1,3-Dichloropropene	4.8	U	5.6	117		5.6	116		1		15	70-130
1,1,2-Trichloroethane	4.8	U	5.3	111		5.6	116		4		15	70-130
1,3-Dichloropropane	4.8	U	5.3	111		5.4	112		0		15	70-130
Tetrachloroethene	4.8	2	8.2	124		8.1	121		1		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49878

BFB File ID: I11791T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1146

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49878-13

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dibromochloromethane	4.8	U	5.2	108		5.1	107		0		15	70-130
1,2-Dibromoethane	4.8	U	5.4	113		5.4	113		0		15	70-130
Chlorobenzene	4.8	U	5.2	107		5.2	107		0		15	70-130
1,1,1,2-Tetrachloroethane	4.8	U	5.4	112		5.4	113		0		15	70-130
Ethylbenzene	4.8	U	5.1	106		5.2	108		2		15	70-130
m,p-Xylene	9.6	U	9.9	103		10.0	104		2		15	70-130
o-Xylene	4.8	U	4.9	103		5.2	107		4		15	70-130
Styrene	4.8	U	4.1	85		4.5	93		9		15	70-130
Bromoform	4.8	U	5.0	103		5.0	104		1		15	70-130
Isopropylbenzene	4.8	U	5.0	104		5.0	104		0		15	70-130
1,1,2,2-Tetrachloroethane	4.8	U	5.3	111		5.3	110		1		15	70-130
1,2,3-Trichloropropane	4.8	U	5.1	107		5.2	109		2		15	70-130
n-Propylbenzene	4.8	U	5.2	108		5.2	109		1		15	70-130
Bromobenzene	4.8	U	5.2	108		5.3	110		2		15	70-130
1,3,5-Trimethylbenzene	4.8	U	4.7	98		5.0	104		6		15	70-130
2-Chlorotoluene	4.8	U	5.2	108		5.2	109		0		15	70-130
4-Chlorotoluene	4.8	U	5.1	107		5.2	108		1		15	70-130
tert-butylbenzene	4.8	U	5.2	108		5.2	109		1		15	70-130
1,2,4-Trimethylbenzene	4.8	U	4.7	99		5.1	107		8		15	70-130
sec-butylbenzene	4.8	U	5.3	111		5.3	111		0		15	70-130
p-isopropyltoluene	4.8	U	5.0	105		5.1	105		1		15	70-130
1,3-Dichlorobenzene	4.8	U	5.3	111		5.4	112		1		15	70-130
1,4-Dichlorobenzene	4.8	U	5.1	106		4.9	102		4		15	70-130
n-butylbenzene	4.8	U	5.0	104		4.9	103		1		15	70-130
1,2-Dichlorobenzene	4.8	U	5.0	104		5.0	104		0		15	70-130
1,2-Dibromo-3-chloropropane	4.8	U	5.0	104		4.9	103		1		15	70-130
1,2,4-Trichlorobenzene	4.8	U	5.3	111		5.3	110		0		15	70-130
Hexachlorobutadiene	4.8	U	5.6	117		5.8	120		2		15	70-130
Naphthalene	4.8	U	4.7	97		4.8	99		2		15	70-130
1,2,3-Trichlorobenzene	4.8	U	5.1	105		5.2	109		3		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 1 out of 70 outside limits
Spike Recovery: 4 out of 140 outside limits

Comments: _____

_____

GC/MS Volatiles Instrument: I

IS only V4519 Exp:
~~SS+IS V4502~~ Exp: ~~6~~ 7.2.03
6.18.03
Voltage 1706
Threshold 102

Jan 061803-I

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-I-061803-1-JR							
1	V506183	Blank	25mL			I11755	Jan	
2		BFB 25ng/mL V4487				56	T	
3		0.1 PPB 0.125mL V4504 V4512				57	SI	
4		0.5 PPB 0.625mL				58	SI	
5		1.2 PPB 1.5mL				59	SI	
6		4.8 PPB 6mL				60	SI	
7		8 PPB 10mL				61	SI	
8		16 PPB 20mL				62	SI	
9		32 PPB 40mL				63	SI	
10		Blank				64		
11		BFB 25ng/mL V4487 V4506	25mL		√	65	T	
12		L506183I V4517			√ CM ↑, BM ↑	66	Q	
13		L506183I2 ↓			√ CM, BM OK	67	Q	
14		B506183I			√	68	B	
15		49863-24			√	69		
16		49836-26			√	70		
17		-31			√	71		
18		-31 MS			TBA RPD ↑	72	SP	
19		-31 MSD			All else OK	73	SP	
20		-33			√	74		
21		-34			√	75		
22		-35			√	76		
23		-36			√	77		
24		-37			√	78		
25		-38			√	79		
26		-39			√	80		
27		-40			√	81		
28		-41			√	82		
29		-42			√	83		
30		49863-18			√	84		
~~31~~					Jan 6.18.03	~~85~~		

(Cont.)

Revision: 04/30/02

000020

GC/MS Volatiles Instrument: I

IS only Exp:

SS+IS V4519 Exp: 7-2-03

Voltage 1706

Threshold 100

Jan 061803-I (CONT-)

Tube	Method	Sample 6.18.03	Vol	DF	Comments	File #	LB	pH
31	V5061803I	49863+820	25mL		√	I11785	Jan	
32	↓	49862-1	↓		√	86	↓	
33		-2			√	87		
34		-3			√	88		
35	↓	-4	↓		Syringe error RR 25mL	89	↓	

MG 6/19/03

Revision: 04/30/02

GC/MS Volatiles Instrument: I

IS only — Exp:—

SS+IS VSIA Exp: 7/2/03

Voltage 1706

Threshold 100

061903-I

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		W-I-061903-1-MT						
1	V5061831	Blank	25mL			I11790	MT	NA
2		DFB 25ng 1ul V4487			V1420	91 T		1146
3		15061931 1.5ul V4506 V4517			✓ Acetone ↑ 178%	92 Q		
4		B5061931			✓ Vial Hawk JB 6/19/03	93 B		
5		49878-13			✓	94		
6		-13MS			Acetone ↑, MS Neelx, CB ↑	95 SP		
7		-13MSD				96 SP		
8		Blank				97		NA
9		49847-4		✓		98		∠2
10		49860-1		✓		99		∠2
11		49861-1		✓		I11800		∠2
12		49862-4		✓		01		∠2
13		49895-1		✓		02		∠2
14		49863-23		✓		03		∠2

6-20-03

Revision: 04/30/02

000022

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: I11756T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/18/2003

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0952

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	24.2
75	30.0 - 60.0% of mass 95	58.7
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.0
173	Less than 2.0% of mass 174	0.0 (0.3)1
174	Greater than 50% of mass 95	90.8
175	5.0 - 9.0% of mass 174	0.5 (5.9)1
176	>95.0 - <101.0% of mass 174	8.9 (97.7)1
177	5.0 - 9.0% of mass 176	0.5 (5.7)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	0.1PPB STD	0.1PPB STD	I11757SI.D	06/18/03	10:40
02	0.5PPB STD	0.5PPB STD	I11758SI.D	06/18/03	11:15
03	1.2PPB STD	1.2PPB STD	I11759SI.D	06/18/03	11:50
04	4.8PPB STD	4.8PPB STD	I11760SI.D	06/18/03	12:25
05	8PPB STD	8PPB STD	I11761SI.D	06/18/03	13:00
06	16PPB STD	16PPB STD	I11762SI.D	06/18/03	13:34
07	32PPB STD	32PPB STD	I11763SI.D	06/18/03	14:09
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: I11791T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/19/2003

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1146

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	23.5
75	30.0 - 60.0% of mass 95	59.3
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.3
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	75.6
175	5.0 - 9.0% of mass 174	5.6 (7.4)1
176	>95.0 - <101.0% of mass 174	73.3 (96.9)1
177	5.0 - 9.0% of mass 176	4.8 (6.6)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L506193I	L506193I	I11792Q.D	06/19/03	12:21
02	B506193I	B506193I	I11793B.D	06/19/03	13:13
03	49878-13	49878-13	I11794.D	06/19/03	14:16
04	49878-13,MS	49878-13,MS	I11795SP.D	06/19/03	14:51
05	49878-13,MSD	49878-13,MSD	I11796SP.D	06/19/03	15:27
06	ZZZZZ	ZZZZZ	I11798.D	06/19/03	16:37
07	ZZZZZ	ZZZZZ	I11799.D	06/19/03	17:12
08	ZZZZZ	ZZZZZ	I11800.D	06/19/03	17:47
09	ZZZZZ	ZZZZZ	I11801.D	06/19/03	18:22
10	ZZZZZ	ZZZZZ	I11802.D	06/19/03	18:58
11	ZZZZZ	ZZZZZ	I11803.D	06/19/03	19:32
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration

6-18-03
VMT 6/19/03

Calibration Files
0.1 =I11757SI.D 0.5 =I11758SI.D 1.2 =I11759SI.D
4.8 =I11760SI.D 8 =I11761SI.D 16 =I11762SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
1)	I	Pentafluorobenzene	----------	ISTD	----------					
2)	TM	Dichlorodifluoromet	1.109	1.045	1.047	0.950	0.973	1.092	1.009	8.9
3)	TMP	Chloromethane		0.711	0.709	0.559	0.568	0.652	0.619	13.4
4)	TMC	Vinyl Chloride		0.548	0.534	0.386	0.370	0.400	0.447	19.2
5)	TM	Bromomethane		0.367	0.376	0.285	0.294	0.338	0.323	13.2
6)	TM	Chloroethane		0.310	0.334	0.274	0.285	0.328	0.298	10.4
7)	TM	t-Butyl alcohol		0.008	0.008	0.006	0.006	0.007	0.007	15.9
8)	TM	Trichlorofluorometh	0.882	0.883	0.801	0.756	0.781	0.904	0.820	8.3
9)	TM	Diethyl ether		0.153	0.136	0.119	0.111	0.136	0.128	13.2
10)	TM	1,1,2-Trichlorotrif	0.522	0.472	0.410	0.412	0.394	0.449	0.435	11.3
11)	T	Acrolein		0.031	0.025	0.024	0.024	0.028	0.026	12.6
12)	TM	Acetone		0.058	0.044	0.039	0.037	0.044	0.045	18.4
13)	TMC	1,1-Dichloroethene		0.407	0.347	0.333	0.321	0.366	0.348	9.9
14)	T	Methyl iodide	0.482	0.310	0.398	0.535	0.463	0.669	0.501	25.7 M
15)	TM	Di-isopropyl ether	1.782	1.627	1.799	1.748	1.642	1.671	1.695	4.7
16)	TM	Methylene Chloride		1.626	0.931	0.646	0.573	0.547	0.865	52.3 Li
17)	TM	Carbon Disulfide		0.977	1.018	1.004	0.997	1.035	0.996	3.1
18)	T	Acrylonitrile	0.090	0.073	0.064	0.067	0.077	0.078	0.075	11.4
19)	TM	Methyl-tert-butyl e	0.475	0.543	0.568	0.563	0.548	0.557	0.545	5.9
20)	TM	trans-1,2-Dichloroe		0.509	0.558	0.540	0.515	0.511	0.520	4.7
21)	TMP	1,1-Dichloroethane		0.992	1.118	1.070	1.019	1.018	1.035	4.7
22)	T	Vinyl acetate		0.038	0.035	0.038	0.034	0.036	0.036	4.4
23)	TM	Methyl ethyl ketone	0.015	0.016	0.017	0.016	0.016	0.015	0.016	4.6
24)	TM	Ethyl t-butyl ether	0.852	0.772	0.869	0.858	0.806	0.823	0.829	4.0
25)	TM	2,2-Dichloropropane		0.692	0.692	0.693	0.660	0.673	0.679	2.1
26)	TM	cis-1,2-Dichloroeth		0.533	0.568	0.531	0.507	0.500	0.521	5.7
27)	TM	t-Amyl methyl ether	0.562	0.535	0.590	0.550	0.521	0.559	0.553	3.9
28)	T	NO COUMPOUND							0.000	-1.0
29)	TMC	Chloroform		1.136	1.170	1.101	1.022	1.038	1.078	6.3
30)	TM	Bromochloromethane	0.194	0.187	0.202	0.191	0.178	0.180	0.187	5.0
31)	TM	Tetrahydrofuran		0.020	0.018	0.016	0.016	0.016	0.017	8.9
32)	TM	1,1,1-Trichloroetha	1.163	0.896	0.954	0.951	0.900	0.936	0.961	9.6
33)	T	NO COMPOUND							0.000	-1.0
34)	TM	1,1-Dichloropropene		0.826	0.916	0.876	0.825	0.833	0.845	5.1
35)	TM	Carbon Tetrachlorid		0.795	0.885	0.868	0.830	0.857	0.847	3.7
36)	S	1,4-Difluorobenzene	1.509	1.544	1.543	1.552	1.518	1.580	1.539	1.5
37)	TM	1,2-Dichloroethane	0.665	0.587	0.681	0.632	0.593	0.593	0.615	7.5
38)	TM	Benzene		2.086	2.252	2.105	1.984	1.983	2.040	6.9
39)	I	Fluorobenzene	----------	ISTD	----------					
40)	TM	Trichloroethene		0.312	0.332	0.313	0.297	0.303	0.308	4.6
41)	TMC	1,2-Dichloropropane	0.275	0.248	0.278	0.256	0.241	0.252	0.256	5.7
42)	T	Methylmethacrylate	0.075	0.070	0.080	0.078	0.075	0.080	0.077	5.1

(#) = Out of Range ### Number of calibration levels exceeded format ###

000025

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration

Calibration Files
0.1 =I11757SI.D 0.5 =I11758SI.D 1.2 =I11759SI.D
4.8 =I11760SI.D 8 =I11761SI.D 16 =I11762SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
43)	T	NO COMPOUND							0.000	-1.0
44)	T	NO COMPOUND							0.000	-1.0
45)	TM	Bromodichloromethan	0.385	0.324	0.353	0.342	0.335	0.345	0.346	5.6
46)	TM	Dibromomethane	0.133	0.119	0.120	0.111	0.109	0.112	0.116	7.3
47)	T	NO COMPOUND							0.000	-1.0
48)	T	NO COMPOUND							0.000	-1.0
49)	T	NO COMPOUND							0.000	-1.0
50)	T	No Compound							0.000	-1.0
51)	TM	2-Hexanone		0.028	0.034	0.031	0.031	0.033	0.032	6.4
52)	TM	Methyl isobutyl ket		0.035	0.037	0.037	0.036	0.038	0.037	3.5
53)	TM	cis-1,3-Dichloropro	0.317	0.294	0.339	0.337	0.325	0.349	0.328	5.5
54)	S	Bromofluorobenzene	0.285	0.313	0.297	0.293	0.303	0.326	0.305	4.6
55)	TMC	Toluene		0.656	0.674	0.632	0.601	0.609	0.626	5.6
56)	TM	trans-1,3-Dichlorop	0.192	0.203	0.235	0.237	0.231	0.246	0.227	9.2
57)	T	NO COMPOUND							0.000	-1.0
58)	TM	1,1,2-Trichloroetha	0.126	0.114	0.132	0.113	0.108	0.110	0.115	8.8
59)	TM	1,3-Dichloropropane	0.242	0.243	0.249	0.246	0.233	0.242	0.241	2.6
60)	TM	Tetrachloroethene		0.306	0.310	0.289	0.280	0.287	0.291	4.8
61)	TM	Dibromochloromethan	0.156	0.168	0.199	0.182	0.176	0.193	0.180	8.2
62)	TM	1,2-Dibromoethane	0.100	0.121	0.125	0.120	0.117	0.127	0.119	7.4
63)	I	d5-Chlorobenzene	----------ISTD----------							
64)	TMP	Chlorobenzene		0.982	1.054	1.011	0.953	0.945	0.972	5.9
65)	TM	1,1,1,2-Tetrachloro	0.417	0.331	0.376	0.354	0.337	0.337	0.352	9.7
66)	TMC	Ethylbenzene		1.974	2.150	2.003	1.937	1.865	1.935	8.0
67)	TM	m,p-Xylene		0.691	0.734	0.676	0.646	0.621	0.654	9.4
68)	TM	o-Xylene		0.620	0.680	0.635	0.614	0.617	0.624	5.1
69)	TM	Styrene	1.060	0.892	1.007	0.997	0.945	0.967	0.969	5.9
70)	TMP	Bromoform	0.142	0.130	0.137	0.136	0.134	0.138	0.135	3.1
71)	TM	Isopropylbenzene		1.800	1.963	1.850	1.748	1.720	1.779	7.0
72)	TMP	1,1,2,2-Tetrachloro	0.213	0.205	0.220	0.207	0.201	0.208	0.208	3.2
73)	S	1,2-Dichlorobenzene	0.351	0.378	0.363	0.360	0.380	0.369	0.368	2.7
74)	TM	1,2,3-Trichloroprop		0.151	0.174	0.156	0.146	0.151	0.155	6.2
75)	T	trans-1,4-Dichloro-		0.082	0.082	0.082	0.081	0.081	0.081	2.9
76)	TM	n-Propylbenzene		2.279	2.399	2.299	2.205	2.162	2.220	6.5
77)	TM	Bromobenzene		0.365	0.372	0.364	0.352	0.348	0.355	4.0
78)	TM	1,3,5-Trimethylbenz		1.443	1.595	1.544	1.474	1.421	1.458	7.6
79)	TM	2-Chlorotoluene		1.547	1.633	1.538	1.421	1.426	1.472	8.7
80)	TM	4-Chlorotoluene		1.320	1.382	1.343	1.301	1.266	1.303	4.6
81)	TM	tert-butylbenzene		1.249	1.298	1.269	1.205	1.203	1.224	5.2
82)	TM	1,2,4-Trimethylbenz		1.423	1.575	1.521	1.452	1.428	1.451	6.3
83)	T	No Compound							0.000	-1.0
84)	TM	sec-butylbenzene		1.807	1.882	1.802	1.744	1.714	1.760	5.2
85)	TM	p-isopropyltoluene		1.391	1.507	1.461	1.427	1.409	1.420	4.3

(#) = Out of Range ### Number of calibration levels exceeded format ###


000026

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration

Calibration Files
0.1 =I11757SI.D 0.5 =I11758SI.D 1.2 =I11759SI.D
4.8 =I11760SI.D 8 =I11761SI.D 16 =I11762SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
86)	TM	1,3-Dichlorobenzene		0.714	0.747	0.715	0.690	0.685	0.702	4.3
87)	I	1,4-Dichlorobenzene-d	----------	----------	ISTD	----------	----------	----------		
88)	TM	1,4-Dichlorobenzene		1.470	1.597	1.474	1.378	1.386	1.439	6.6
89)	TM	n-butylbenzene		3.031	3.195	3.082	2.978	2.921	3.001	4.5
90)	TM	1,2-Dichlorobenzene	1.463	1.202	1.282	1.204	1.157	1.124	1.221	9.9
91)	T	NO COMPOUND							0.000	-1.0
92)	TM	1,2-Dibromo-3-chlor		0.055	0.065	0.059	0.058	0.062	0.061	6.2
93)	T	NO COMPOUND							0.000	-1.0
94)	TM	1,2,4-Trichlorobenz		0.462	0.627	0.677	0.708	0.721	0.656	15.6
95)	TM	Hexachlorobutadiene		0.400	0.431	0.421	0.420	0.405	0.415	2.7
96)	TM	Naphthalene	0.284	0.375	0.576	0.740	0.808	0.872	0.609	39.3Q
97)	TM	1,2,3-Trichlorobenz		0.328	0.443	0.512	0.543	0.552	0.493	19.0
98)	TM	1,3,5-Trichlorobenz	1.228	1.028	1.134	1.097	1.097	1.061	1.098	6.1


(#) = Out of Range ### Number of calibration levels exceeded format ###



6.18.03

VMT 6/19/03

Method Name: C:\HPCHEM\1\METHODS\V506183I.M
Calibration Table Last Updated: Wed Jun 18 15:04:27 2003



6-18-03

VMT 6/19/03

Method Name: C:\HPCHEM\1\METHODS\V506183I.M
Calibration Table Last Updated: Wed Jun 18 15:04:27 2003

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11757SI.D Vial: 3
Acq On : 18 Jun 2003 10:40 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:44 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:41:54 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6-18-03
VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Pentafluorobenzene	7.72	168	576551	4.00	ug/L		0.00
39) Fluorobenzene	9.12	96	1101944	4.00	ug/L		0.00
63) d5-Chlorobenzene	13.91	117	652480	4.00	ug/L		0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	297945	4.00	ug/L		0.00
System Monitoring Compounds							
36) 1,4-Difluorobenzene	9.24	114	870031	3.92	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 98.00%				
54) Bromofluorobenzene	15.83	95	314598	3.79	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 94.75%				
73) 1,2-Dichlorobenzene-d4	18.35	152	229331	3.80	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 95.00%				
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.98	85	15980	0.11	ug/L		85
3) Chloromethane	2.25	50	15945	0.17	ug/L		87
4) Vinyl Chloride	2.37	62	10298	0.16	ug/L		93
5) Bromomethane	2.92	94	7226	0.15	ug/L		100
6) Chloroethane	3.02	64	7437	0.17	ug/L		89
7) t-Butyl alcohol	4.49	59	426	0.40	ug/L	#	76
8) Trichlorofluoromethane	3.38	101	12712	0.11	ug/L		78
9) Diethyl ether	3.84	74	1315	0.07	ug/L	#	1
10) 1,1,2-Trichlorotrifluoroet	4.06	101	7526	0.12	ug/L	#	85
11) Acrolein	4.03	56	3363	0.90	ug/L		89
12) Acetone	4.14	43	9010	1.40	ug/L		90
13) 1,1-Dichloroethene	4.31	96	7168	0.14	ug/L	#	87
14) Methyl iodide	4.80	142	6951	0.11	ug/L	#	86
15) Di-isopropyl ether	6.19	45	25688	0.10	ug/L	#	91
16) Methylene Chloride	5.11	84	81977	0.03	ug/L		94
17) Carbon Disulfide	5.08	76	21457	0.15	ug/L		100
18) Acrylonitrile	5.35	53	1303	0.13	ug/L	#	57
19) Methyl-tert-butyl ether	5.41	73	6846	0.09	ug/L		100
20) trans-1,2-Dichloroethene	5.61	96	12098	0.16	ug/L		93
21) 1,1-Dichloroethane	6.30	63	20608	0.14	ug/L		96
22) Vinyl acetate	6.35	86	337	0.06	ug/L	#	1
23) Methyl ethyl ketone	7.02	72	1077	0.47	ug/L	#	76
24) Ethyl t-butyl ether	6.84	59	12278	0.10	ug/L	#	56
25) 2,2-Dichloropropane	7.19	77	12303	0.12	ug/L		82
26) cis-1,2-Dichloroethene	7.26	96	9934	0.13	ug/L	#	74
27) t-Amyl methyl ether	8.60	73	8102	0.10	ug/L	#	43
29) Chloroform	7.51	83	25404	0.16	ug/L		100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11757SI.D Vial: 3
Acq On : 18 Jun 2003 10:40 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:44 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:41:54 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
30)	Bromochloromethane	7.76	128	2802	0.10	ug/L	#	91
31)	Tetrahydrofuran	7.87	71	310	0.12	ug/L		97
32)	1,1,1-Trichloroethane	8.13	97	16770	0.13	ug/L		95
34)	1,1-Dichloropropene	8.39	75	16218	0.13	ug/L		88
35)	Carbon Tetrachloride	8.53	119	14784	0.12	ug/L		93
37)	1,2-Dichloroethane	8.76	62	9580	0.11	ug/L		81
38)	Benzene	8.78	78	41063	0.14	ug/L		97
40)	Trichloroethene	9.72	95	11709	0.14	ug/L	#	79
41)	1,2-Dichloropropane	9.99	63	7581	0.11	ug/L		93
42)	Methylmethacrylate	10.12	69	2067	0.10	ug/L		83
45)	Bromodichloromethane	10.35	83	10606	0.11	ug/L		97
46)	Dibromomethane	10.43	93	3670	0.12	ug/L	#	60
51)	2-Hexanone	12.26	58	2977	0.35	ug/L		94
52)	Methyl isobutyl ketone	10.91	58	3627	0.36	ug/L	#	84
53)	cis-1,3-Dichloropropene	11.20	75	8744	0.10	ug/L		83
55)	Toluene	11.68	92	23019	0.13	ug/L		93
56)	trans-1,3-Dichloropropene	11.97	75	5287	0.08	ug/L		95
58)	1,1,2-Trichloroethane	12.21	83	3462	0.11	ug/L		93
59)	1,3-Dichloropropane	12.59	76	6663	0.10	ug/L		92
60)	Tetrachloroethene	12.70	166	10147	0.12	ug/L		96
61)	Dibromochloromethane	12.98	129	4291	0.09	ug/L	#	74
62)	1,2-Dibromoethane	13.31	107	2765	0.08	ug/L		87
64)	Chlorobenzene	13.97	112	20908	0.13	ug/L	#	79
65)	1,1,1,2-Tetrachloroethane	14.04	131	6794	0.12	ug/L		89
66)	Ethylbenzene	14.06	91	46201	0.14	ug/L		98
67)	m,p-Xylene	14.18	106	30409	0.27	ug/L		96
68)	o-Xylene	14.86	106	13785	0.13	ug/L		94
69)	Styrene	14.92	104	17293	0.11	ug/L		85
70)	Bromoform	15.43	173	2316	0.11	ug/L		94
71)	Isopropylbenzene	15.45	105	38653	0.13	ug/L		100
72)	1,1,2,2-Tetrachloroethane	15.72	83	3476	0.10	ug/L		91
75)	trans-1,4-Dichloro-2-buten	16.05	53	888	0.07	ug/L	#	34
76)	n-Propylbenzene	16.09	91	50409	0.13	ug/L		98
77)	Bromobenzene	16.14	156	7573	0.13	ug/L	#	70
78)	1,3,5-Trimethylbenzene	16.35	105	30985	0.13	ug/L		89
79)	2-Chlorotoluene	16.36	91	32953	0.13	ug/L		99
80)	4-Chlorotoluene	16.44	91	27458	0.13	ug/L		95
81)	tert-butylbenzene	16.91	119	27845	0.14	ug/L		96
82)	1,2,4-Trimethylbenzene	16.97	105	29708	0.12	ug/L		95
84)	sec-butylbenzene	17.26	105	39137	0.13	ug/L		92
85)	p-isopropyltoluene	17.50	119	29567	0.13	ug/L		87

(#) = qualifier out of range (m) = manual integration

000031

Data File : C:\HPCHEM\1\DATA\061803-I\I11757SI.D Vial: 3
Acq On : 18 Jun 2003 10:40 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:44 2003 Quant Results File: V506183I.


Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:41:54 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
86) 1,3-Dichlorobenzene	17.62	146	14667	0.13 ug/L	98
88) 1,4-Dichlorobenzene	17.80	146	13606	0.12 ug/L	89
89) n-butylbenzene	18.16	91	28842	0.13 ug/L	91
90) 1,2-Dichlorobenzene	18.39	146	10899	0.12 ug/L	85
92) 1,2-Dibromo-3-chloropropan	19.67	75	572	0.13 ug/L #	45
94) 1,2,4-Trichlorobenzene	21.14	180	3119	0.18 ug/L	94
95) Hexachlorobutadiene	21.39	225	5836	0.19 ug/L	94
96) Naphthalene	21.56	128	2118	0.28 ug/L	87
97) 1,2,3-Trichlorobenzene	22.01	180	2106	0.22 ug/L #	77
98) 1,3,5-Trichlorobenzene	20.10	180	9149	0.11 ug/L #	71

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11757SI.D Vial: 3
Acq On : 18 Jun 2003 10:40 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:44 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



000033

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11758SI.D Vial: 4
Acq On : 18 Jun 2003 11:15 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:04 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03
VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	575502	4.00	ug/L	0.03
39) Fluorobenzene	9.12	96	1098669	4.00	ug/L	0.03
63) d5-Chlorobenzene	13.90	117	722418	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.75	152	332913	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	888425	4.04	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.00%			
54) Bromofluorobenzene	15.83	95	344208	3.97	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.25%			
73) 1,2-Dichlorobenzene-d4	18.36	152	272730	4.15	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 103.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	75176	0.60	ug/L	95
3) Chloromethane	2.25	50	51147	0.59	ug/L	92
4) Vinyl Chloride	2.38	62	39394	0.66	ug/L	89
5) Bromomethane	2.92	94	26381	0.55	ug/L	79
6) Chloroethane	3.01	64	22305	0.50	ug/L	93
7) t-Butyl alcohol	4.50	59	3021m	2.39	ug/L	
8) Trichlorofluoromethane	3.37	101	63526	0.55	ug/L	100
9) Diethyl ether	3.82	74	11040	0.63	ug/L	93
10) 1,1,2-Trichlorotrifluoroet	4.05	101	33970	0.57	ug/L	95
11) Acrolein	4.01	56	11252	3.07	ug/L	93
12) Acetone	4.13	43	20929	3.15	ug/L	95
13) 1,1-Dichloroethene	4.31	96	29313	0.60	ug/L	89
14) Methyl iodide	4.79	142	22330	0.31	ug/L	98
15) Di-isopropyl ether	6.19	45	117068	0.49	ug/L	98
16) Methylene Chloride	5.11	84	116998	0.56	ug/L	96
17) Carbon Disulfide	5.08	76	70267	0.48	ug/L	100
18) Acrylonitrile	5.35	53	5247	0.48	ug/L	97
19) Methyl-tert-butyl ether	5.41	73	39073	0.46	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	36643	0.49	ug/L	93
21) 1,1-Dichloroethane	6.29	63	71380	0.48	ug/L	94
22) Vinyl acetate	6.35	86	2748	0.81	ug/L	91
23) Methyl ethyl ketone	7.01	72	5587	2.37	ug/L	89
24) Ethyl t-butyl ether	6.84	59	55542	0.46	ug/L	96
25) 2,2-Dichloropropane	7.19	77	49796	0.50	ug/L	85
26) cis-1,2-Dichloroethene	7.27	96	38325	0.54	ug/L	96
27) t-Amyl methyl ether	8.62	73	38478	0.51	ug/L	91
29) Chloroform	7.51	83	81716	0.55	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11758SI.D Vial: 4
Acq On : 18 Jun 2003 11:15 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:04 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
30)	Bromochloromethane	7.76	128	13443	0.52	ug/L	#	71
31)	Tetrahydrofuran	7.85	71	1409	0.60	ug/L	#	63
32)	1,1,1-Trichloroethane	8.13	97	64469	0.52	ug/L		92
34)	1,1-Dichloropropene	8.39	75	59392	0.54	ug/L		98
35)	Carbon Tetrachloride	8.52	119	57166	0.52	ug/L		92
37)	1,2-Dichloroethane	8.77	62	42248	0.52	ug/L		96
38)	Benzene	8.79	78	150087	0.54	ug/L		99
40)	Trichloroethene	9.73	95	42851	0.53	ug/L		98
41)	1,2-Dichloropropane	10.00	63	34101	0.50	ug/L		100
42)	Methylmethacrylate	10.13	69	9599	0.47	ug/L		89
45)	Bromodichloromethane	10.35	83	44466	0.49	ug/L		90
46)	Dibromomethane	10.42	93	16368	0.53	ug/L		97
51)	2-Hexanone	12.25	58	19383	2.25	ug/L		93
52)	Methyl isobutyl ketone	10.90	58	23920	2.47	ug/L		94
53)	cis-1,3-Dichloropropene	11.19	75	40341	0.46	ug/L		87
55)	Toluene	11.68	92	90099	0.54	ug/L		94
56)	trans-1,3-Dichloropropene	11.97	75	27853	0.46	ug/L		94
58)	1,1,2-Trichloroethane	12.20	83	15676	0.51	ug/L	#	83
59)	1,3-Dichloropropane	12.59	76	33413	0.53	ug/L		97
60)	Tetrachloroethene	12.69	166	42057	0.55	ug/L		95
61)	Dibromochloromethane	12.98	129	23037	0.48	ug/L		93
62)	1,2-Dibromoethane	13.30	107	16610	0.51	ug/L		84
64)	Chlorobenzene	13.97	112	88639	0.52	ug/L		94
65)	1,1,1,2-Tetrachloroethane	14.04	131	29914	0.52	ug/L		90
66)	Ethylbenzene	14.06	91	178219	0.53	ug/L		99
67)	m,p-Xylene	14.18	106	124857	1.10	ug/L		96
68)	o-Xylene	14.87	106	56008	0.51	ug/L	#	84
69)	Styrene	14.93	104	80507	0.49	ug/L		99
70)	Bromoform	15.43	173	11710	0.50	ug/L		81
71)	Isopropylbenzene	15.45	105	162525	0.53	ug/L		99
72)	1,1,2,2-Tetrachloroethane	15.70	83	18516	0.51	ug/L		96
74)	1,2,3-Trichloropropane	15.95	75	13678	0.53	ug/L		94
75)	trans-1,4-Dichloro-2-buten	16.06	53	7369	0.51	ug/L		97
76)	n-Propylbenzene	16.09	91	205808	0.53	ug/L		93
77)	Bromobenzene	16.14	156	32969	0.53	ug/L	#	86
78)	1,3,5-Trimethylbenzene	16.35	105	130343	0.52	ug/L		94
79)	2-Chlorotoluene	16.36	91	139678	0.54	ug/L		94
80)	4-Chlorotoluene	16.44	91	119201	0.52	ug/L		93
81)	tert-butylbenzene	16.92	119	112776	0.53	ug/L		98
82)	1,2,4-Trimethylbenzene	16.99	105	128500	0.50	ug/L		98
84)	sec-butylbenzene	17.27	105	163195	0.53	ug/L		96

(#) = qualifier out of range (m) = manual integration

000035

Data File : C:\HPCHEM\1\DATA\061803-I\I11758SI.D Vial: 4
Acq On : 18 Jun 2003 11:15 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:04 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85)	p-isopropyltoluene	17.49	119	125599	0.51	ug/L		95
86)	1,3-Dichlorobenzene	17.63	146	64444	0.52	ug/L		95
88)	1,4-Dichlorobenzene	17.79	146	61188	0.52	ug/L		90
89)	n-butylbenzene	18.16	91	126152	0.53	ug/L		92
90)	1,2-Dichlorobenzene	18.40	146	50023	0.52	ug/L		93
92)	1,2-Dibromo-3-chloropropan	19.67	75	2308	0.47	ug/L	#	71
94)	1,2,4-Trichlorobenzene	21.14	180	19234	0.50	ug/L		85
95)	Hexachlorobutadiene	21.39	225	16655	0.49	ug/L		87
96)	Naphthalene	21.55	128	15626	0.50	ug/L		98
97)	1,2,3-Trichlorobenzene	22.00	180	13646	0.53	ug/L		87
98)	1,3,5-Trichlorobenzene	20.09	180	42793	0.50	ug/L		98


(#) = qualifier out of range (m) = manual integration

000036

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803-I\I11758SI.D Vial: 4
Acq On : 18 Jun 2003 11:15 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:04 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



000037

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11759SI.D Vial: 5
Acq On : 18 Jun 2003 11:50 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:27 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03 VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.71	168	603203	4.00	ug/L	0.02
39) Fluorobenzene	9.12	96	1172581	4.00	ug/L	0.03
63) d5-Chlorobenzene	13.90	117	743404	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.75	152	337661	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	930927	4.04	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.00%			
54) Bromofluorobenzene	15.83	95	348081	3.76	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 94.00%			
73) 1,2-Dichlorobenzene-d4	18.36	152	269796	3.99	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	189403	1.44	ug/L	97
3) Chloromethane	2.25	50	128255	1.42	ug/L	97
4) Vinyl Chloride	2.38	62	96600	1.54	ug/L	90
5) Bromomethane	2.91	94	68024	1.36	ug/L	99
6) Chloroethane	3.02	64	60450	1.30	ug/L	96
8) Trichlorofluoromethane	3.37	101	144884	1.19	ug/L	94
9) Diethyl ether	3.84	74	24567	1.33	ug/L	81
10) 1,1,2-Trichlorotrifluoroet	4.04	101	74159	1.19	ug/L	97
12) Acetone	4.13	43	39629	5.69	ug/L	98
13) 1,1-Dichloroethene	4.32	96	62717	1.22	ug/L	95
15) Di-isopropyl ether	6.19	45	325492	1.30	ug/L	95
16) Methylene Chloride	5.11	84	168405	1.13	ug/L	94
17) Carbon Disulfide	5.08	76	184235	1.21	ug/L	100
19) Methyl-tert-butyl ether	5.41	73	102832	1.15	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	100974	1.30	ug/L	98
21) 1,1-Dichloroethane	6.30	63	202230	1.31	ug/L	95
23) Methyl ethyl ketone	7.01	72	15619	6.33	ug/L	96
24) Ethyl t-butyl ether	6.84	59	157166	1.24	ug/L	96
25) 2,2-Dichloropropane	7.20	77	125165	1.21	ug/L	88
26) cis-1,2-Dichloroethene	7.26	96	102858	1.37	ug/L	92
27) t-Amyl methyl ether	8.61	73	106720	1.34	ug/L	95
29) Chloroform	7.51	83	211787	1.35	ug/L	98
30) Bromochloromethane	7.76	128	36612	1.35	ug/L #	85
32) 1,1,1-Trichloroethane	8.14	97	172707	1.33	ug/L	94
34) 1,1-Dichloropropene	8.38	75	165795	1.43	ug/L	99
35) Carbon Tetrachloride	8.53	119	160182	1.38	ug/L	99
37) 1,2-Dichloroethane	8.77	62	123256	1.44	ug/L	91

(#) = qualifier out of range (m) = manual integration

000938

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11759SI.D Vial: 5
Acq On : 18 Jun 2003 11:50 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:27 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
38)	Benzene	8.79	78	407490	1.40	ug/L		99
40)	Trichloroethene	9.73	95	116669	1.36	ug/L		96
41)	1,2-Dichloropropane	10.00	63	97724	1.35	ug/L		99
45)	Bromodichloromethane	10.34	83	124242	1.29	ug/L		93
46)	Dibromomethane	10.42	93	42073	1.27	ug/L		98
51)	2-Hexanone	12.24	58	59437	6.47	ug/L		99
52)	Methyl isobutyl ketone	10.91	58	65785	6.36	ug/L		99
53)	cis-1,3-Dichloropropene	11.19	75	119089	1.28	ug/L		100
55)	Toluene	11.68	92	236990	1.34	ug/L		98
56)	trans-1,3-Dichloropropene	11.97	75	82607	1.27	ug/L		92
58)	1,1,2-Trichloroethane	12.20	83	46368	1.42	ug/L		98
59)	1,3-Dichloropropane	12.59	76	87525	1.30	ug/L		98
60)	Tetrachloroethene	12.69	166	109027	1.33	ug/L		98
61)	Dibromochloromethane	12.98	129	70019	1.36	ug/L		86
62)	1,2-Dibromoethane	13.30	107	44080	1.27	ug/L		97
64)	Chlorobenzene	13.97	112	235154	1.34	ug/L		97
65)	1,1,1,2-Tetrachloroethane	14.03	131	83956	1.42	ug/L		96
66)	Ethylbenzene	14.06	91	479402	1.38	ug/L		99
67)	m,p-Xylene	14.19	106	327577	2.80	ug/L		94
68)	o-Xylene	14.87	106	151609	1.33	ug/L	#	86
69)	Styrene	14.93	104	224590	1.34	ug/L		100
70)	Bromoform	15.44	173	30446	1.25	ug/L		92
71)	Isopropylbenzene	15.45	105	437740	1.38	ug/L		99
72)	1,1,2,2-Tetrachloroethane	15.72	83	49106	1.31	ug/L		99
74)	1,2,3-Trichloropropane	15.95	75	38740	1.45	ug/L		95
75)	trans-1,4-Dichloro-2-buten	16.06	53	18343	1.23	ug/L	#	88
76)	n-Propylbenzene	16.09	91	534957	1.34	ug/L		98
77)	Bromobenzene	16.14	156	82927	1.30	ug/L	#	84
78)	1,3,5-Trimethylbenzene	16.35	105	355629	1.37	ug/L		99
79)	2-Chlorotoluene	16.36	91	364084	1.38	ug/L		93
80)	4-Chlorotoluene	16.44	91	308281	1.31	ug/L		98
81)	tert-butylbenzene	16.92	119	289494	1.32	ug/L		100
82)	1,2,4-Trimethylbenzene	16.98	105	351168	1.33	ug/L		93
84)	sec-butylbenzene	17.26	105	419742	1.33	ug/L		98
85)	p-isopropyltoluene	17.49	119	336120	1.33	ug/L		94
86)	1,3-Dichlorobenzene	17.63	146	166707	1.31	ug/L		97
88)	1,4-Dichlorobenzene	17.80	146	161822	1.37	ug/L		90
89)	n-butylbenzene	18.16	91	323661	1.35	ug/L		99
90)	1,2-Dichlorobenzene	18.40	146	129823	1.34	ug/L		95
92)	1,2-Dibromo-3-chloropropan	19.68	75	6610	1.34	ug/L		87
94)	1,2,4-Trichlorobenzene	21.14	180	63498	1.28	ug/L		92

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11759SI.D Vial: 5
Acq On : 18 Jun 2003 11:50 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:27 2003 Quant Results File: V506183I.


Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
95) Hexachlorobutadiene	21.39	225	43621	1.26 ug/L	93
96) Naphthalene	21.55	128	58317	1.15 ug/L	93
97) 1,2,3-Trichlorobenzene	22.00	180	44874	1.23 ug/L	90
98) 1,3,5-Trichlorobenzene	20.09	180	114903	1.33 ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11759SI.D Vial: 5
Acq On : 18 Jun 2003 11:50 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:27 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11760SI.D Vial: 6
Acq On : 18 Jun 2003 12:25 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03
VMR 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.71	168	621115	4.00	ug/L	0.02
39) Fluorobenzene	9.12	96	1202054	4.00	ug/L	0.03
63) d5-Chlorobenzene	13.90	117	736657	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.74	152	343739	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	964049	4.07	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.75%			
54) Bromofluorobenzene	15.83	95	352046	3.71	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 92.75%			
73) 1,2-Dichlorobenzene-d4	18.35	152	265261	3.96	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	707866	5.22	ug/L	95
3) Chloromethane	2.25	50	416760	4.49	ug/L	99
4) Vinyl Chloride	2.37	62	287330	4.46	ug/L	89
5) Bromomethane	2.91	94	212069	4.11	ug/L	88
6) Chloroethane	3.02	64	204317	4.25	ug/L	95
8) Trichlorofluoromethane	3.37	101	563394	4.49	ug/L	97
9) Diethyl ether	3.83	74	88558	4.66	ug/L	87
10) 1,1,2-Trichlorotrifluoroet	4.04	101	307355	4.78	ug/L	98
11) Acrolein	4.01	56	89068	22.55	ug/L	99
12) Acetone	4.13	43	145638	20.32	ug/L	92
13) 1,1-Dichloroethene	4.31	96	248566	4.70	ug/L	95
14) Methyl iodide	4.79	142	399075	5.21	ug/L	99
15) Di-isopropyl ether	6.18	45	1303153	5.04	ug/L	95
16) Methylene Chloride	5.11	84	481358	4.90	ug/L	95
17) Carbon Disulfide	5.08	76	747983	4.77	ug/L	100
19) Methyl-tert-butyl ether	5.41	73	419348	4.56	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	402649	5.02	ug/L	92
21) 1,1-Dichloroethane	6.29	63	797270	5.01	ug/L	95
23) Methyl ethyl ketone	7.01	72	58994	23.21	ug/L	94
24) Ethyl t-butyl ether	6.83	59	639132	4.90	ug/L	96
25) 2,2-Dichloropropane	7.19	77	516364	4.85	ug/L	98
26) cis-1,2-Dichloroethene	7.27	96	395956	5.14	ug/L #	85
27) t-Amyl methyl ether	8.60	73	409777	5.00	ug/L	92
29) Chloroform	7.51	83	820419	5.07	ug/L	98
30) Bromochloromethane	7.76	128	142307	5.10	ug/L #	90
31) Tetrahydrofuran	7.87	71	11810	4.65	ug/L #	1
32) 1,1,1-Trichloroethane	8.13	97	708949	5.30	ug/L	97

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11760SI.D Vial: 6
Acq On : 18 Jun 2003 12:25 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit		Qvalue
34) 1,1-Dichloropropene	8.38	75	652657	5.45 ug/L		95
35) Carbon Tetrachloride	8.52	119	646624	5.40 ug/L		96
37) 1,2-Dichloroethane	8.76	62	470830	5.35 ug/L		95
38) Benzene	8.77	78	1569120	5.24 ug/L		99
40) Trichloroethene	9.73	95	451325	5.14 ug/L		95
41) 1,2-Dichloropropane	10.00	63	369521	4.97 ug/L		97
45) Bromodichloromethane	10.34	83	493171	4.98 ug/L		99
46) Dibromomethane	10.42	93	160410	4.73 ug/L		90
51) 2-Hexanone	12.23	58	225747	23.96 ug/L		95
52) Methyl isobutyl ketone	10.90	58	265743	25.07 ug/L		95
53) cis-1,3-Dichloropropene	11.19	75	486324	5.10 ug/L		96
55) Toluene	11.68	92	912175	5.04 ug/L		98
56) trans-1,3-Dichloropropene	11.97	75	342403	5.14 ug/L		95
58) 1,1,2-Trichloroethane	12.20	83	162818	4.87 ug/L		98
59) 1,3-Dichloropropane	12.59	76	354696	5.15 ug/L		98
60) Tetrachloroethene	12.69	166	416793	4.97 ug/L		100
61) Dibromochloromethane	12.98	129	262663	4.97 ug/L		90
62) 1,2-Dibromoethane	13.30	107	172513	4.86 ug/L		97
64) Chlorobenzene	13.96	112	893725	5.14 ug/L		97
65) 1,1,1,2-Tetrachloroethane	14.04	131	312957	5.35 ug/L		90
66) Ethylbenzene	14.06	91	1770508	5.16 ug/L		100
67) m,p-Xylene	14.18	106	1195760	10.32 ug/L		99
68) o-Xylene	14.87	106	561095	4.98 ug/L	#	79
69) Styrene	14.93	104	881265	5.31 ug/L		96
70) Bromoform	15.44	173	120420	5.00 ug/L		98
71) Isopropylbenzene	15.45	105	1635640	5.21 ug/L		99
72) 1,1,2,2-Tetrachloroethane	15.71	83	183376	4.95 ug/L		97
74) 1,2,3-Trichloropropane	15.94	75	137986	5.22 ug/L		96
75) trans-1,4-Dichloro-2-buten	16.07	53	72572	4.89 ug/L		92
76) n-Propylbenzene	16.09	91	2032374	5.15 ug/L		95
77) Bromobenzene	16.14	156	322046	5.10 ug/L		91
78) 1,3,5-Trimethylbenzene	16.34	105	1364643	5.32 ug/L		98
79) 2-Chlorotoluene	16.35	91	1359994	5.20 ug/L		96
80) 4-Chlorotoluene	16.44	91	1187239	5.10 ug/L		99
81) tert-butylbenzene	16.92	119	1122147	5.17 ug/L		98
82) 1,2,4-Trimethylbenzene	16.98	105	1344399	5.13 ug/L		99
84) sec-butylbenzene	17.26	105	1592985	5.08 ug/L		99
85) p-isopropyltoluene	17.49	119	1291772	5.14 ug/L		98
86) 1,3-Dichlorobenzene	17.63	146	631926	5.01 ug/L		96
88) 1,4-Dichlorobenzene	17.79	146	607845	5.05 ug/L		94
89) n-butylbenzene	18.16	91	1271099	5.19 ug/L		97

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11760SI.D Vial: 6
Acq On : 18 Jun 2003 12:25 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.


Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
90) 1,2-Dichlorobenzene	18.40	146	496728	5.05	ug/L		96
92) 1,2-Dibromo-3-chloropropan	19.68	75	24476	4.86	ug/L	#	80
94) 1,2,4-Trichlorobenzene	21.14	180	279065	4.87	ug/L		96
95) Hexachlorobutadiene	21.38	225	173812	4.95	ug/L		95
96) Naphthalene	21.55	128	305391	4.59	ug/L		99
97) 1,2,3-Trichlorobenzene	22.00	180	211129	4.75	ug/L		87
98) 1,3,5-Trichlorobenzene	20.09	180	452525	5.16	ug/L		97

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11760SI.D Vial: 6
Acq On : 18 Jun 2003 12:25 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11761SI.D Vial: 7
Acq On : 18 Jun 2003 1:00 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03
VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	607336	4.00	ug/L	0.02
39) Fluorobenzene	9.13	96	1157947	4.00	ug/L	0.03
63) d5-Chlorobenzene	13.91	117	719531	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.75	152	348332	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.23	114	921999	3.98	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.50%			
54) Bromofluorobenzene	15.84	95	351391	3.85	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 96.25%			
73) 1,2-Dichlorobenzene-d4	18.35	152	273531	4.18	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 104.50%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	1182156	8.91	ug/L	98
3) Chloromethane	2.24	50	690340	7.60	ug/L	99
4) Vinyl Chloride	2.36	62	449282	7.13	ug/L	91
5) Bromomethane	2.91	94	356911	7.07	ug/L	89
6) Chloroethane	3.01	64	346667	7.38	ug/L	98
7) t-Butyl alcohol	4.50	59	36139	27.11	ug/L #	65
8) Trichlorofluoromethane	3.37	101	948758	7.73	ug/L	97
9) Diethyl ether	3.82	74	135012	7.26	ug/L	86
10) 1,1,2-Trichlorotrifluoroet	4.04	101	478310	7.60	ug/L	96
11) Acrolein	4.01	56	144517	37.41	ug/L	95
12) Acetone	4.13	43	226844	32.37	ug/L	91
13) 1,1-Dichloroethene	4.31	96	389504	7.53	ug/L	96
14) Methyl iodide	4.79	142	562366	7.51	ug/L	98
15) Di-isopropyl ether	6.18	45	1994086	7.89	ug/L	95
16) Methylene Chloride	5.10	84	696098	7.72	ug/L	94
17) Carbon Disulfide	5.07	76	1211571	7.90	ug/L	100
19) Methyl-tert-butyl ether	5.41	73	665916	7.41	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	625580	7.98	ug/L	95
21) 1,1-Dichloroethane	6.30	63	1237219	7.95	ug/L	96
22) Vinyl acetate	6.34	86	41653	11.70	ug/L	69
23) Methyl ethyl ketone	7.01	72	94307	37.94	ug/L	98
24) Ethyl t-butyl ether	6.84	59	979224	7.68	ug/L	97
25) 2,2-Dichloropropane	7.19	77	801835	7.70	ug/L	95
26) cis-1,2-Dichloroethene	7.26	96	616344	8.18	ug/L	89
27) t-Amyl methyl ether	8.60	73	632624	7.89	ug/L	94
29) Chloroform	7.51	83	1241970	7.85	ug/L	97
30) Bromochloromethane	7.76	128	215944	7.91	ug/L	93

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11761SI.D Vial: 7
Acq On : 18 Jun 2003 1:00 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
31)	Tetrahydrofuran	7.85	71	19431	7.82	ug/L	#	1
32)	1,1,1-Trichloroethane	8.13	97	1093524	8.36	ug/L		99
34)	1,1-Dichloropropene	8.39	75	1002112	8.56	ug/L		99
35)	Carbon Tetrachloride	8.52	119	1008413	8.62	ug/L		98
37)	1,2-Dichloroethane	8.76	62	720705	8.38	ug/L		95
38)	Benzene	8.78	78	2409415	8.22	ug/L		98
40)	Trichloroethene	9.73	95	688311	8.13	ug/L		95
41)	1,2-Dichloropropane	9.99	63	559255	7.81	ug/L		100
45)	Bromodichloromethane	10.35	83	774825	8.13	ug/L		96
46)	Dibromomethane	10.42	93	251770	7.70	ug/L		92
51)	2-Hexanone	12.24	58	357890	39.43	ug/L		100
52)	Methyl isobutyl ketone	10.90	58	411712	40.32	ug/L		96
53)	cis-1,3-Dichloropropene	11.20	75	752858	8.19	ug/L		92
55)	Toluene	11.68	92	1391600	7.98	ug/L		98
56)	trans-1,3-Dichloropropene	11.96	75	535408	8.35	ug/L		97
58)	1,1,2-Trichloroethane	12.20	83	250776	7.78	ug/L		98
59)	1,3-Dichloropropane	12.59	76	539204	8.13	ug/L		98
60)	Tetrachloroethene	12.69	166	648276	8.02	ug/L		95
61)	Dibromochloromethane	12.99	129	408579	8.03	ug/L		97
62)	1,2-Dibromoethane	13.30	107	270807	7.93	ug/L		98
64)	Chlorobenzene	13.97	112	1371393	8.07	ug/L		98
65)	1,1,1,2-Tetrachloroethane	14.03	131	484348	8.47	ug/L		94
66)	Ethylbenzene	14.05	91	2787659	8.31	ug/L		97
67)	m,p-Xylene	14.18	106	1859144	16.42	ug/L		91
68)	o-Xylene	14.87	106	883245	8.03	ug/L	#	85
69)	Styrene	14.92	104	1360342	8.39	ug/L		100
70)	Bromoform	15.43	173	192671	8.18	ug/L		100
71)	Isopropylbenzene	15.44	105	2515789	8.20	ug/L		99
72)	1,1,2,2-Tetrachloroethane	15.72	83	289514	8.01	ug/L		96
74)	1,2,3-Trichloropropane	15.95	75	210255	8.14	ug/L		97
75)	trans-1,4-Dichloro-2-buten	16.06	53	116989	8.07	ug/L		91
76)	n-Propylbenzene	16.09	91	3173112	8.22	ug/L		95
77)	Bromobenzene	16.14	156	505920	8.21	ug/L		94
78)	1,3,5-Trimethylbenzene	16.35	105	2120603	8.46	ug/L		98
79)	2-Chlorotoluene	16.36	91	2044748	8.01	ug/L		97
80)	4-Chlorotoluene	16.44	91	1872549	8.24	ug/L		99
81)	tert-butylbenzene	16.92	119	1733973	8.18	ug/L		95
82)	1,2,4-Trimethylbenzene	16.98	105	2090094	8.17	ug/L		100
84)	sec-butylbenzene	17.27	105	2510160	8.19	ug/L		100
85)	p-isopropyltoluene	17.49	119	2053433	8.37	ug/L		95
86)	1,3-Dichlorobenzene	17.63	146	992637	8.05	ug/L		96

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11761SI.D Vial: 7
Acq On : 18 Jun 2003 1:00 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
88)	1,4-Dichlorobenzene	17.80	146	959865	7.87	ug/L	96
89)	n-butylbenzene	18.16	91	2074690	8.36	ug/L	96
90)	1,2-Dichlorobenzene	18.40	146	806024	8.08	ug/L	96
92)	1,2-Dibromo-3-chloropropan	19.68	75	40589	7.96	ug/L	90
94)	1,2,4-Trichlorobenzene	21.14	180	493117	8.14	ug/L	95
95)	Hexachlorobutadiene	21.39	225	292542	8.22	ug/L	96
96)	Naphthalene	21.55	128	563004	7.79	ug/L	98
97)	1,2,3-Trichlorobenzene	22.01	180	378090	8.01	ug/L	87
98)	1,3,5-Trichlorobenzene	20.09	180	764446	8.59	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803-I\I11761SI.D Vial: 7
Acq On : 18 Jun 2003 1:00 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



000049

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11762SI.D Vial: 8
Acq On : 18 Jun 2003 1:34 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:58 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:53:24 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03
VMR 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	603287	4.00	ug/L	0.00
39) Fluorobenzene	9.13	96	1172654	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.91	117	772336	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	374322	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	952902	4.12	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 103.00%			
54) Bromofluorobenzene	15.84	95	381931	4.37	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 109.25%			
73) 1,2-Dichlorobenzene-d4	18.35	152	284837	4.03	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	2635144	17.05	ug/L	100
3) Chloromethane	2.24	50	1574287	16.39	ug/L	97
4) Vinyl Chloride	2.36	62	965449	13.94	ug/L	97
5) Bromomethane	2.91	94	816081	16.38	ug/L	90
6) Chloroethane	3.01	64	791390	17.44	ug/L	96
7) t-Butyl alcohol	4.50	59	81950	73.43	ug/L #	92
8) Trichlorofluoromethane	3.37	101	2180400	17.62	ug/L	96
9) Diethyl ether	3.83	74	329233	16.82	ug/L	90
10) 1,1,2-Trichlorotrifluoroet	4.05	101	1083346	16.25	ug/L	96
11) Acrolein	4.02	56	332510	73.13	ug/L	92
12) Acetone	4.14	43	532744	95.88	ug/L	95
13) 1,1-Dichloroethene	4.31	96	882454	16.62	ug/L	96
14) Methyl iodide	4.79	142	1613377	24.43	ug/L	97
15) Di-isopropyl ether	6.19	45	4031460	15.54	ug/L	97
16) Methylene Chloride	5.10	84	1319720	16.07	ug/L	92
17) Carbon Disulfide	5.08	76	2498140	16.58	ug/L	100
18) Acrylonitrile	5.33	53	187784	16.78	ug/L #	75
19) Methyl-tert-butyl ether	5.41	73	1344258	16.52	ug/L	100
20) trans-1,2-Dichloroethene	5.61	96	1232234	15.40	ug/L	97
21) 1,1-Dichloroethane	6.30	63	2455860	15.52	ug/L	99
22) Vinyl acetate	6.34	86	86446	15.79	ug/L	85
23) Methyl ethyl ketone	7.01	72	184342	77.26	ug/L	94
24) Ethyl t-butyl ether	6.84	59	1985200	15.84	ug/L	99
25) 2,2-Dichloropropane	7.19	77	1623394	15.73	ug/L	92
26) cis-1,2-Dichloroethene	7.26	96	1206869	14.96	ug/L	95
27) t-Amyl methyl ether	8.60	73	1348035	16.21	ug/L	96
29) Chloroform	7.52	83	2504429	15.00	ug/L	100

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11762SI.D Vial: 8
Acq On : 18 Jun 2003 1:34 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:58 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:53:24 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
30)	Bromochloromethane	7.75	128	435490	15.16	ug/L	94
31)	Tetrahydrofuran	7.85	71	38624	14.79	ug/L	98
32)	1,1,1-Trichloroethane	8.14	97	2257953	15.38	ug/L	95
34)	1,1-Dichloropropene	8.39	75	2008964	15.48	ug/L	98
35)	Carbon Tetrachloride	8.52	119	2068980	16.25	ug/L	100
37)	1,2-Dichloroethane	8.77	62	1430000	15.01	ug/L	97
38)	Benzene	8.78	78	4785582	15.06	ug/L	97
40)	Trichloroethene	9.73	95	1419019	15.44	ug/L	97
41)	1,2-Dichloropropane	9.99	63	1180303	15.50	ug/L	98
42)	Methylmethacrylate	10.12	69	374444	16.86	ug/L	99
45)	Bromodichloromethane	10.35	83	1620197	15.90	ug/L	98
46)	Dibromomethane	10.42	93	526504	15.17	ug/L	94
51)	2-Hexanone	12.24	58	783797	86.09	ug/L	100
52)	Methyl isobutyl ketone	10.90	58	897739	84.69	ug/L	96
53)	cis-1,3-Dichloropropene	11.20	75	1637478	17.33	ug/L	98
55)	Toluene	11.68	92	2858498	15.22	ug/L	98
56)	trans-1,3-Dichloropropene	11.96	75	1154608	17.93	ug/L	92
58)	1,1,2-Trichloroethane	12.20	83	517546	14.89	ug/L	97
59)	1,3-Dichloropropane	12.59	76	1137149	15.99	ug/L	100
60)	Tetrachloroethene	12.69	166	1345019	15.49	ug/L	98
61)	Dibromochloromethane	12.99	129	904690	17.51	ug/L	91
62)	1,2-Dibromoethane	13.30	107	596258	17.44	ug/L	95
64)	Chlorobenzene	13.96	112	2920757	15.13	ug/L	99
65)	1,1,1,2-Tetrachloroethane	14.03	131	1042598	14.88	ug/L	91
66)	Ethylbenzene	14.06	91	5761648	14.80	ug/L	100
67)	m,p-Xylene	14.18	106	3839409	28.94	ug/L	96
68)	o-Xylene	14.87	106	1905243	15.49	ug/L	100
69)	Styrene	14.92	104	2987784	15.79	ug/L	100
70)	Bromoform	15.43	173	427443	16.32	ug/L	91
71)	Isopropylbenzene	15.44	105	5313875	14.95	ug/L	97
72)	1,1,2,2-Tetrachloroethane	15.72	83	641574	15.87	ug/L	94
74)	1,2,3-Trichloropropane	15.95	75	467711	15.44	ug/L	93
75)	trans-1,4-Dichloro-2-buten	16.06	53	249155	15.77	ug/L	99
76)	n-Propylbenzene	16.09	91	6678130	15.07	ug/L	97
77)	Bromobenzene	16.14	156	1074939	15.33	ug/L	92
78)	1,3,5-Trimethylbenzene	16.35	105	4391345	15.02	ug/L	99
79)	2-Chlorotoluene	16.37	91	4404645	14.86	ug/L	93
80)	4-Chlorotoluene	16.45	91	3911809	15.16	ug/L	100
81)	tert-butylbenzene	16.92	119	3716883	15.33	ug/L	99
82)	1,2,4-Trimethylbenzene	16.98	105	4411606	15.31	ug/L	95
84)	sec-butylbenzene	17.27	105	5295460	15.16	ug/L	98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11762SI.D Vial: 8
Acq On : 18 Jun 2003 1:34 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:58 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:53:24 2003
Response via : Initial Calibration
DataAcq Meth : V506183I


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85)	p-isopropyltoluene	17.49	119	4352012	15.58	ug/L		97
86)	1,3-Dichlorobenzene	17.63	146	2117048	15.30	ug/L		96
88)	1,4-Dichlorobenzene	17.80	146	2075244	14.99	ug/L		94
89)	n-butylbenzene	18.16	91	4374210	15.22	ug/L		98
90)	1,2-Dichlorobenzene	18.40	146	1683224	14.26	ug/L		97
92)	1,2-Dibromo-3-chloropropan	19.67	75	92711	16.63	ug/L	#	86
94)	1,2,4-Trichlorobenzene	21.14	180	1079486	18.66	ug/L		99
95)	Hexachlorobutadiene	21.39	225	607040	15.52	ug/L		99
96)	Naphthalene	21.55	128	1305040	14.66	ug/L		96
97)	1,2,3-Trichlorobenzene	22.01	180	827086	19.37	ug/L		95
98)	1,3,5-Trichlorobenzene	20.10	180	1588461	15.20	ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803-I\I11762SI.D Vial: 8
Acq On : 18 Jun 2003 1:34 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:58 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



000053

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11763SI.D Vial: 9
Acq On : 18 Jun 2003 2:09 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:49 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 14:04:21 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6-18-03
VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Pentafluorobenzene	7.71	168	664359	4.00	ug/L		0.00
39) Fluorobenzene	9.12	96	1243355	4.00	ug/L		0.00
63) d5-Chlorobenzene	13.90	117	797012	4.00	ug/L		0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	378332	4.00	ug/L		0.00
System Monitoring Compounds							
36) 1,4-Difluorobenzene	9.24	114	1015163	3.97	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.25%				
54) Bromofluorobenzene	15.84	95	393104	4.17	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 104.25%				
73) 1,2-Dichlorobenzene-d4	18.35	152	296132	4.05	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.25%				
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.98	85	4521195	26.28	ug/L		100
3) Chloromethane	2.24	50	2741967	25.80	ug/L		98
4) Vinyl Chloride	2.36	62	1471967	19.81	ug/L		99
5) Bromomethane	2.89	94	1487478	26.99	ug/L		87
6) Chloroethane	3.00	64	1357559	26.68	ug/L		94
7) t-Butyl alcohol	4.52	59	161959	141.33	ug/L	#	88
8) Trichlorofluoromethane	3.36	101	3900742	28.15	ug/L		97
9) Diethyl ether	3.82	74	591238	27.15	ug/L		89
10) 1,1,2-Trichlorotrifluoroet	4.04	101	2043266	27.76	ug/L		98
11) Acrolein	4.01	56	596338	136.38	ug/L		90
12) Acetone	4.13	43	977080	132.16	ug/L		95
13) 1,1-Dichloroethene	4.30	96	1663043	28.22	ug/L		94
14) Methyl iodide	4.79	142	3453920	43.66	ug/L		99
15) Di-isopropyl ether	6.18	45	8477679	29.82	ug/L		98
16) Methylene Chloride	5.10	84	2572393	29.17	ug/L		95
17) Carbon Disulfide	5.07	76	5033498	30.12	ug/L		100
18) Acrylonitrile	5.33	53	393192	31.64	ug/L	#	79
19) Methyl-tert-butyl ether	5.41	73	2998050	33.28	ug/L		100
20) trans-1,2-Dichloroethene	5.59	96	2594120	29.66	ug/L		99
21) 1,1-Dichloroethane	6.29	63	5279611	30.47	ug/L		97
22) Vinyl acetate	6.34	86	184958	30.76	ug/L		86
23) Methyl ethyl ketone	7.00	72	416582	159.46	ug/L		99
24) Ethyl t-butyl ether	6.84	59	4385570	31.82	ug/L		99
25) 2,2-Dichloropropane	7.19	77	3544984	31.30	ug/L		93
26) cis-1,2-Dichloroethene	7.26	96	2574877	29.36	ug/L		98
27) t-Amyl methyl ether	8.60	73	2956141	32.21	ug/L		93
29) Chloroform	7.52	83	5310498	29.24	ug/L		98

(#) = qualifier out of range (m) = manual integration

000054

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11763SI.D Vial: 9
Acq On : 18 Jun 2003 2:09 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:49 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 14:04:21 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
30)	Bromochloromethane	7.75	128	940811	30.00	ug/L	97
31)	Tetrahydrofuran	7.84	71	85836	30.30	ug/L	90
32)	1,1,1-Trichloroethane	8.14	97	4908193	30.56	ug/L	94
34)	1,1-Dichloropropene	8.38	75	4220786	29.72	ug/L	98
35)	Carbon Tetrachloride	8.52	119	4489016	31.91	ug/L	98
37)	1,2-Dichloroethane	8.77	62	2929242	28.21	ug/L	95
38)	Benzene	8.78	78	9739011	28.16	ug/L	97
40)	Trichloroethene	9.72	95	2893036	29.90	ug/L	98
41)	1,2-Dichloropropane	10.00	63	2410840	30.01	ug/L	97
42)	Methylmethacrylate	10.12	69	804016	33.84	ug/L	99
45)	Bromodichloromethane	10.34	83	3349119	31.02	ug/L	98
46)	Dibromomethane	10.41	93	1098405	30.11	ug/L	92
51)	2-Hexanone	12.24	58	1616278	164.92	ug/L	98
52)	Methyl isobutyl ketone	10.90	58	1872742	164.69	ug/L	97
53)	cis-1,3-Dichloropropene	11.19	75	3351173	32.99	ug/L	96
55)	Toluene	11.69	92	5776258	29.29	ug/L	95
56)	trans-1,3-Dichloropropene	11.96	75	2414428	34.67	ug/L	95
58)	1,1,2-Trichloroethane	12.20	83	1020168	28.01	ug/L	98
59)	1,3-Dichloropropane	12.59	76	2310663	30.65	ug/L	98
60)	Tetrachloroethene	12.69	166	2738157	29.93	ug/L	95
61)	Dibromochloromethane	12.99	129	1846321	33.19	ug/L	90
62)	1,2-Dibromoethane	13.30	107	1213884	32.99	ug/L	98
64)	Chlorobenzene	13.96	112	5661805	28.73	ug/L	99
65)	1,1,1,2-Tetrachloroethane	14.04	131	2006572	28.07	ug/L	87
66)	Ethylbenzene	14.06	91	10734730	27.13	ug/L	98
67)	m,p-Xylene	14.19	106	7100893	52.88	ug/L	92
68)	o-Xylene	14.87	106	3705793	29.38	ug/L	99
69)	Styrene	14.93	104	5826794	29.90	ug/L	97
70)	Bromoform	15.43	173	833722	30.74	ug/L	93
71)	Isopropylbenzene	15.45	105	10167131	28.09	ug/L	99
72)	1,1,2,2-Tetrachloroethane	15.72	83	1285529	30.85	ug/L	96
74)	1,2,3-Trichloropropane	15.94	75	964771	31.09	ug/L	94
75)	trans-1,4-Dichloro-2-buten	16.06	53	484410	29.80	ug/L	97
76)	n-Propylbenzene	16.09	91	12583846	27.84	ug/L	94
77)	Bromobenzene	16.14	156	2118334	29.52	ug/L	96
78)	1,3,5-Trimethylbenzene	16.36	105	8113171	27.23	ug/L	98
79)	2-Chlorotoluene	16.37	91	8080294	26.81	ug/L	91
80)	4-Chlorotoluene	16.45	91	7701298	29.22	ug/L	100
81)	tert-butylbenzene	16.92	119	7126073	28.73	ug/L	94
82)	1,2,4-Trimethylbenzene	16.99	105	8326048	28.24	ug/L	96
84)	sec-butylbenzene	17.26	105	10282071	28.83	ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11763SI.D Vial: 9
Acq On : 18 Jun 2003 2:09 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:49 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 14:04:21 2003
Response via : Initial Calibration
DataAcq Meth : V506183I


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85) p-isopropyltoluene	17.50	119	8452032	29.48	ug/L		97
86) 1,3-Dichlorobenzene	17.63	146	4204593	29.71	ug/L		98
88) 1,4-Dichlorobenzene	17.81	146	4030559	29.17	ug/L		94
89) n-butylbenzene	18.16	91	8472257	29.45	ug/L		97
90) 1,2-Dichlorobenzene	18.40	146	3364571	28.72	ug/L		98
92) 1,2-Dibromo-3-chloropropan	19.68	75	195586	34.44	ug/L	#	73
94) 1,2,4-Trichlorobenzene	21.14	180	2236227	37.01	ug/L		96
95) Hexachlorobutadiene	21.39	225	1240242	31.56	ug/L		95
96) Naphthalene	21.55	128	2864132	30.41	ug/L		95
97) 1,2,3-Trichlorobenzene	22.01	180	1762040	39.17	ug/L		97
98) 1,3,5-Trichlorobenzene	20.09	180	3157322	30.14	ug/L		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803-I\I11763SI.D Vial: 9
Acq On : 18 Jun 2003 2:09 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:49 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



000057

524 RECOVERY

Data File Name: I11792Q.D
Sample Name: L506193I
Date: 19 Jun 2003 12:21 pm

MT 6/19/03

6-20-03

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.16	1.2	96%	OK
Chloromethane	1.29	1.2	108%	OK
Vinyl Chloride	1.32	1.2	110%	OK
Bromomethane	1.28	1.2	106%	OK
Chloroethane	1.17	1.2	97%	OK
t-Butyl alcohol	7.26	6.0	121%	OK
Trichlorofluoromethane	1.21	1.2	101%	OK
1,1,2-Trichlorotrifluoroethane	1.19	1.2	99%	OK
Acetone	2.13	1.2	178%	*
1,1-Dichloroethene	1.20	1.2	100%	OK
Di-isopropyl ether	1.21	1.2	101%	OK
Methylene Chloride	1.01	1.2	84%	OK
Methyl-tert-butyl ether	2.26	2.4	94%	OK
trans-1,2-Dichloroethene	1.28	1.2	106%	OK
1,1-Dichloroethane	1.26	1.2	105%	OK
Methyl ethyl ketone	1.23	1.2	102%	OK
Ethyl t-butyl ether	1.17	1.2	97%	OK
2,2-Dichloropropane	1.22	1.2	102%	OK
cis-1,2-Dichloroethene	1.35	1.2	112%	OK
t-Amyl methyl ether	1.14	1.2	95%	OK
Chloroform	1.38	1.2	115%	OK
Bromochloromethane	1.22	1.2	102%	OK
Tetrahydrofuran	1.29	1.2	108%	OK
1,1,1-Trichloroethane	1.17	1.2	97%	OK
1,1-Dichloropropene	1.35	1.2	112%	OK
Carbon Tetrachloride	1.23	1.2	103%	OK
1,2-Dichloroethane	1.35	1.2	112%	OK
Benzene	1.31	1.2	109%	OK
Trichloroethene	1.41	1.2	118%	OK
1,2-Dichloropropane	1.29	1.2	108%	OK
Bromodichloromethane	1.29	1.2	107%	OK
Dibromomethane	1.25	1.2	104%	OK
2-Hexanone	1.13	1.2	94%	OK
Methyl isobutyl ketone	1.15	1.2	96%	OK
cis-1,3-Dichloropropene	1.31	1.2	109%	OK
Toluene	1.30	1.2	108%	OK
trans-1,3-Dichloropropene	1.24	1.2	104%	OK
1,1,2-Trichloroethane	1.32	1.2	110%	OK
1,3-Dichloropropane	1.30	1.2	109%	OK
Tetrachloroethene	1.46	1.2	121%	OK
Dibromochloromethane	1.25	1.2	104%	OK
1,2-Dibromoethane	1.23	1.2	102%	OK
Chlorobenzene	1.32	1.2	110%	OK
1,1,1,2-Tetrachloroethane	1.31	1.2	109%	OK
Ethylbenzene	1.34	1.2	112%	OK
m,p-Xylene	2.66	2.4	111%	OK
o-Xylene	1.34	1.2	111%	OK
Styrene	1.25	1.2	104%	OK

Bromoform	1.26	1.2	105%	OK
Isopropylbenzene	1.24	1.2	103%	OK
1,1,2,2-Tetrachloroethane	1.24	1.2	103%	OK
1,2,3-Trichloropropane	1.28	1.2	107%	OK
n-Propylbenzene	1.29	1.2	107%	OK
Bromobenzene	1.31	1.2	109%	OK
1,3,5-Trimethylbenzene	1.32	1.2	110%	OK
2-Chlorotoluene	1.32	1.2	110%	OK
4-Chlorotoluene	1.29	1.2	107%	OK
tert-butylbenzene	1.25	1.2	104%	OK
1,2,4-Trimethylbenzene	1.31	1.2	109%	OK
sec-butylbenzene	1.28	1.2	106%	OK
p-isopropyltoluene	1.21	1.2	101%	OK
1,3-Dichlorobenzene	1.28	1.2	106%	OK
1,4-Dichlorobenzene	1.29	1.2	108%	OK
n-butylbenzene	1.25	1.2	104%	OK
1,2-Dichlorobenzene	1.32	1.2	110%	OK
1,2-Dibromo-3-chloropropane	1.39	1.2	116%	OK
1,2,4-Trichlorobenzene	0.95	1.2	79%	OK
Hexachlorobutadiene	1.42	1.2	119%	OK
Naphthalene	0.89	1.2	74%	OK
1,2,3-Trichlorobenzene	0.92	1.2	76%	OK

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-I\I11793B.D Vial: 4
Acq On : 19 Jun 2003 1:13 pm Operator: JMR
Sample : B506193I Inst : Instrumen
Misc : 25000,,VIAL BLANK JB 6/19/03 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 13:52 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

MTI 6/19/03

6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.74	168	619841	4.00	ug/L	0.02
39) Fluorobenzene	9.14	96	1168880	4.00	ug/L	0.02
63) d5-Chlorobenzene	13.93	117	718359	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.77	152	316823	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.26	114	936551	3.93	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 98.25%			
54) Bromofluorobenzene	15.86	95	326463	3.66	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 91.50%			
73) 1,2-Dichlorobenzene-d4	18.37	152	241452	3.66	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 91.50%			
Target Compounds						Qvalue
~~74~~) 1,2,3-Trichloropropane	15.86	75	204446	~~7.34~~	ug/L	# 47

ND


(#) = qualifier out of range (m) = manual integration
I11793B.D V506183I.M Thu Jun 19 13:52:47 2003 Page 1

000060

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903-I\I11793B.D Vial: 4
Acq On : 19 Jun 2003 1:13 pm Operator: JMR
Sample : B506193I Inst : Instrumen
Misc : 25000,,VIAL BLANK JB 6/19/03 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 13:52 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



000061

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061903-I\I11792Q.D Vial: 3
Acq On : 19 Jun 2003 12:21 pm Operator: JMR
Sample : L506193I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

MT 6/19/03

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	102	0.02	
2	TM	Dichlorodifluoromethane	1.009	0.974	3.5	95	0.00	
3	TMP	Chloromethane	0.619	0.667	-7.8	96	0.01	
4	TMC	Vinyl Chloride	0.447	0.492	-10.1	94	0.00	
5	TM	Bromomethane	0.323	0.343	-6.2	93	0.02	
6	TM	Chloroethane	0.298	0.290	2.7	89	0.01	
7	TM	t-Butyl alcohol	0.007	0.008	-14.3	109	0.03	
8	TM	Trichlorofluoromethane	0.820	0.828	-1.0	106	0.01	
9	TM	Diethyl ether	0.128	0.119	7.0	89	0.00	
10	TM	1,1,2-Trichlorotrifluoroeth	0.435	0.432	0.7	107	0.01	
11	T	Acrolein	~~0.026~~	~~0.007~~	~~73.1#~~	~~30#~~	~~0.00~~	NT
12	TM	Acetone	0.045	0.016	64.4#	37#	0.01	see RPT
13	TMC	1,1-Dichloroethene	0.348	0.348	0.0	102	0.00	
14	T	Methyl iodide	~~0.501~~	~~0.298~~	~~40.5#~~	~~76~~	~~0.00~~	NT
15	TM	Di-isopropyl ether	1.695	1.706	-0.6	97	0.00	
16	TM	Methylene Chloride	0.865	0.886	-2.4	97	0.01	
17	TM	Carbon Disulfide	0.996	1.118	-12.2	112	0.02	
18	T	Acrylonitrile	0.075	0.064	14.7	102	0.03	
19	TM	Methyl-tert-butyl ether	0.545	1.029	-88.8#	185	0.02	see RPT
20	TM	trans-1,2-Dichloroethene	0.520	0.553	-6.3	101	0.02	
21	TMP	1,1-Dichloroethane	1.035	1.088	-5.1	99	0.01	
22	T	Vinyl acetate	~~0.036~~	~~0.053~~	~~-47.2#~~	~~153~~	~~0.01~~	NT
23	TM	Methyl ethyl ketone	0.016	0.003	81.3#	19#	0.01	see RPT
24	TM	Ethyl t-butyl ether	0.829	0.805	2.9	95	0.02	
25	TM	2,2-Dichloropropane	0.679	0.691	-1.8	102	0.01	
26	TM	cis-1,2-Dichloroethene	0.521	0.586	-12.5	105	0.02	
27	TM	t-Amyl methyl ether	0.553	0.524	5.2	91	0.01	
28	T	NO COUMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.24~~	NT
29	TMC	Chloroform	1.078	1.236	-14.7	108	0.02	
30	TM	Bromochloromethane	0.187	0.191	-2.1	96	0.02	
31	TM	Tetrahydrofuran	0.017	0.018	-5.9	104	0.03	
32	TM	1,1,1-Trichloroethane	0.961	0.935	2.7	100	0.01	
33	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~	NT
34	TM	1,1-Dichloropropene	0.845	0.947	-12.1	105	0.02	
35	TM	Carbon Tetrachloride	0.847	0.868	-2.5	100	0.01	
36	S	1,4-Difluorobenzene	1.539	1.537	0.1	102	0.02	
37	TM	1,2-Dichloroethane	0.615	0.691	-12.4	103	0.02	
38	TM	Benzene	2.040	2.228	-9.2	101	0.01	
39	I	Fluorobenzene	1.000	1.000	0.0	100	0.02	
40	TM	Trichloroethene	0.308	0.363	-17.9	110	0.02	

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061903-I\I11792Q.D Vial: 3
Acq On : 19 Jun 2003 12:21 pm Operator: JMR
Sample : L506193I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.256	0.276	-7.8	100	0.01
42	T	Methylmethacrylate	0.077	0.075	2.6	94	0.01
43	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~ NT
44	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~ NT
45	TM	Bromodichloromethane	0.346	0.371	-7.2	105	0.02
46	TM	Dibromomethane	0.116	0.121	-4.3	102	0.01
47	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.06~~
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06 NT
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
50	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~0.50~~
51	TM	2-Hexanone	0.032	0.006	81.3#	18#	0.03
52	TM	Methyl isobutyl ketone	0.037	0.007	81.1#	19#	0.02
53	TM	cis-1,3-Dichloropropene	0.328	0.358	-9.1	106	0.02
54	S	Bromofluorobenzene	0.305	0.293	3.9	99	0.02
55	TMC	Toluene	0.626	0.677	-8.1	101	0.01
56	TM	trans-1,3-Dichloropropene	0.227	0.235	-3.5	100	0.01
57	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~ NT
58	TM	1,1,2-Trichloroethane	0.115	0.127	-10.4	97	0.02
59	TM	1,3-Dichloropropane	0.241	0.262	-8.7	106	0.02
60	TM	Tetrachloroethene	0.291	0.353	-21.3	114	0.02
61	TM	Dibromochloromethane	0.180	0.187	-3.9	95	0.02
62	TM	1,2-Dibromoethane	0.119	0.122	-2.5	97	0.02
63	I	d5-Chlorobenzene	1.000	1.000	0.0	100	0.02
64	TMP	Chlorobenzene	0.972	1.070	-10.1	101	0.01
65	TM	1,1,1,2-Tetrachloroethane	0.352	0.384	-9.1	102	0.02
66	TMC	Ethylbenzene	1.935	2.164	-11.8	100	0.01
67	TM	m,p-Xylene	0.654	0.724	-10.7	98	0.01
68	TM	o-Xylene	0.624	0.695	-11.4	102	0.02
69	TM	Styrene	0.969	1.010	-4.2	100	0.01
70	TMP	Bromoform	0.135	0.143	-5.9	104	0.01
71	TM	Isopropylbenzene	1.779	1.833	-3.0	93	0.01
72	TMP	1,1,2,2-Tetrachloroethane	0.208	0.214	-2.9	97	0.01
73	S	1,2-Dichlorobenzene-d4	0.368	0.356	3.3	98	0.01
74	TM	1,2,3-Trichloropropane	0.155	0.165	-6.5	95	0.00
75	T	trans-1,4-Dichloro-2-butene	0.081	0.084	-3.7	102	0.02
76	TM	n-Propylbenzene	2.220	2.386	-7.5	99	0.02
77	TM	Bromobenzene	0.355	0.388	-9.3	104	0.01
78	TM	1,3,5-Trimethylbenzene	1.458	1.607	-10.2	100	0.02
79	TM	2-Chlorotoluene	1.472	1.621	-10.1	99	0.02
80	TM	4-Chlorotoluene	1.303	1.396	-7.1	101	0.01

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\061903-I\I11792Q.D Vial: 3
Acq On : 19 Jun 2003 12:21 pm Operator: JMR
Sample : L506193I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.224	1.278	-4.4	98	0.02	
82	TM	1,2,4-Trimethylbenzene	1.451	1.584	-9.2	100	0.02	
83	T	No Compound	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.50~~	NT
84	TM	sec-butylbenzene	1.760	1.874	-6.5	99	0.02	
85	TM	p-isopropyltoluene	1.420	1.435	-1.1	95	0.02	
86	TM	1,3-Dichlorobenzene	0.702	0.746	-6.3	99	0.02	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	✓99	0.02	
88	TM	1,4-Dichlorobenzene	1.439	1.553	-7.9	96	0.02	
89	TM	n-butylbenzene	3.001	3.134	-4.4	97	0.02	
90	TM	1,2-Dichlorobenzene	1.221	1.343	-10.0	104	0.01	
91	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~	NT
92	TM	1,2-Dibromo-3-chloropropane	0.061	0.070	-14.8	107	0.01	
93	T	NO COMPOUND	~~0.000~~	~~0.000~~	~~0.0~~	~~0#~~	~~-0.06~~	NT
4	TM	1,2,4-Trichlorobenzene	0.656	0.520	20.7	82	0.02	
95	TM	Hexachlorobutadiene	0.415	0.492	-18.6	113	0.01	
96	TM	Naphthalene	0.609	0.432	29.1	74	0.02	
97	TM	1,2,3-Trichlorobenzene	0.493	0.377	23.5	84	0.02	
98	TM	1,3,5-Trichlorobenzene	1.098	1.041	5.2	91	0.01	

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: 111756T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/18/2003

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0952

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	603203		7.71		1172581		9.12		743404		13.90		337661		17.75	
	UPPER LIMIT	784164		8.17		1524355		9.67		966425		14.73		438959		18.82	
	LOWER LIMIT	422242		7.25		820807		8.57		520383		13.07		236363		16.69	
	SAMPLE NO.																
01	0.1PPB STD	576551		7.72		1101944		9.12		652480		13.91		297945		17.75	
02	0.5PPB STD	575502		7.72		1098669		9.12		722418		13.90		332913		17.75	
03	1.2PPB STD	603203		7.71		1172581		9.12		743404		13.90		337661		17.75	
04	4.8PPB STD	621115		7.71		1202054		9.12		736657		13.90		343739		17.74	
05	8PPB STD	607336		7.72		1157947		9.13		719531		13.91		348332		17.75	
06	16PPB STD	603287		7.72		1172654		9.13		772336		13.91		374322		17.75	
07	32PPB STD	664359		7.71		1243355		9.12		797012		13.90		378332		17.75	
08																	
09																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: 111791T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/19/2003

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1146

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	615338		7.73		1177208		9.14		740102		13.92		334395		17.77	
	UPPER LIMIT	799939		8.19		1530370		9.69		962133		14.76		434714		18.84	
	LOWER LIMIT	430737		7.27		824046		8.59		518071		13.08		234077		16.70	
	SAMPLE NO.																
01	L506193I	615338		7.73		1177208		9.14		740102		13.92		334395		17.77	
02	B506193I	619841		7.74		1168880		9.14		718359		13.93		316823		17.77	
03	49878-13	751332		7.72		1392742		9.13		891218		13.91		391339		17.76	
04	49878-13,MS	702257		7.73		1319916		9.13		861643		13.92		428743		17.76	
05	49878-13,MSD	689529		7.73		1300574		9.13		849121		13.92		423072		17.77	
06	ZZZZZ	638370		7.73		1181845		9.14		759624		13.92		333884		17.77	
07	ZZZZZ	611263		7.73		1149612		9.14		735966		13.92		329399		17.77	
08	ZZZZZ	603360		7.74		1127698		9.14		715903		13.93		310077		17.77	
09	ZZZZZ	666552		7.73		1277625		9.14		818225		13.92		349333		17.77	
10	ZZZZZ	606014		7.73		1113905		9.14		707212		13.92		313834		17.77	
11	ZZZZZ	622583		7.73		1155402		9.13		739462		13.93		317823		17.77	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B806203B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	101 %	d8-Toluene	99 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16333B.D Vial: 7
Acq On : 20 Jun 2003 11:50 am Operator: JR
Sample : B806203B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 12:12 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B806233B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	101 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16378B.D Vial: 26
Acq On : 23 Jun 2003 11:29 am Operator: JR
Sample : B806233B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 11:51 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000070

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B806243B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	96 %	d8-Toluene	99 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16383B.D Vial: 6
Acq On : 24 Jun 2003 11:00 am Operator: JR
Sample : B806243B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 11:22 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000072

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B806253B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/25/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	96 %	d8-Toluene	98 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY:

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062503-B\B16407B.D Vial: 6
Acq On : 25 Jun 2003 8:59 am Operator: JR
Sample : B806253B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 25 9:21 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000074

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: TB-061603-01

SAMPLE DATA

Lab Sample ID: 49878-1
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	99 %	d8-Toluene	98 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16335.D Vial: 9
Acq On : 20 Jun 2003 12:52 pm Operator: JR
Sample : 49878-1 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 13:14 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000076

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW12-0603

SAMPLE DATA

Lab Sample ID: 49878-2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**1 J**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**215 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**13**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	97 %	d8-Toluene	98 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16336.D Vial: 10
Acq On : 20 Jun 2003 1:23 pm Operator: JR
Sample : 49878-2 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 13:45 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000078

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW12-0603

SAMPLE DATA

Lab Sample ID: 49878-2 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 5.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	10	U	1,3-Dichloropropane	10	U
Bromobenzene	10	U	cis-1,3-Dichloropropene	10	U
Bromochloromethane	10	U	trans-1,3-Dichloropropene	10	U
Bromodichloromethane	10	U	2,2-Dichloropropane	10	U
Bromoform	10	U	1,1-Dichloropropene	10	U
Bromomethane	10	U	Ethylbenzene	10	U
n-butylbenzene	10	U	Hexachlorobutadiene	10	U
sec-butylbenzene	10	U	Isopropylbenzene	10	U
tert-butylbenzene	10	U	p-isopropyltoluene	10	U
Carbon Tetrachloride	10	U	Methylene Chloride	25	U
Chlorobenzene	10	U	Methyl-tert-butyl ether (MTBE)	10	U
Chloroethane	10	U	Naphthalene	10	U
Chloroform	10	U	n-Propylbenzene	10	U
Chloromethane	10	U	Styrene	10	U
2-Chlorotoluene	10	U	1,1,1,2-Tetrachloroethane	10	U
4-Chlorotoluene	10	U	1,1,2,2-Tetrachloroethane	10	U
Dibromochloromethane	10	U	Tetrachloroethene	10	U
1,2-Dibromo-3-chloropropane	10	U	Toluene	10	U
1,2-Dibromoethane	10	U	1,2,3-Trichlorobenzene	10	U
Dibromomethane	10	U	1,2,4-Trichlorobenzene	10	U
1,2-Dichlorobenzene	10	U	1,1,1-Trichloroethane	10	U
1,3-Dichlorobenzene	10	U	1,1,2-Trichloroethane	10	U
1,4-Dichlorobenzene	10	U	Trichloroethene	10	**192**
Dichlorodifluoromethane	10	U	Trichlorofluoromethane	10	U
1,1-Dichloroethane	10	U	1,2,3-Trichloropropane	10	U
1,2-Dichloroethane	10	U	1,2,4-Trimethylbenzene	10	U
1,1-Dichloroethene	10	U	1,3,5-Trimethylbenzene	10	U
cis-1,2-Dichloroethene	10	**12**	Vinyl Chloride	10	U
trans-1,2-Dichloroethene	10	U	o-Xylene	10	U
1,2-Dichloropropane	10	U	m,p-Xylene	10	U
Acetone	50	U	Diethyl ether	10	U
Carbon Disulfide	10	U	2-Hexanone	50	U
Tetrahydrofuran	25	U	Methyl isobutyl ketone	50	U
Methyl ethyl ketone	50	U	Di-isopropyl ether (DIPE)	10	U
t-Butyl alcohol (TBA)	100	U	Ethyl t-butyl ether (ETBE)	10	U
t-Amyl methyl ether (TAME)	10	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	98 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16363.D Vial: 11
Acq On : 23 Jun 2003 1:32 pm Operator: JR
Sample : 49878-2,DL Inst : Instrumen
Misc : 1000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 13:54 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW11-0603

SAMPLE DATA

Lab Sample ID: 49878-3
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16339.D Vial: 13
Acq On : 20 Jun 2003 2:55 pm Operator: JR
Sample : 49878-3 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 15:17 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000082

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW13-0603

SAMPLE DATA

Lab Sample ID: 49878-4
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	**4**
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	**20**
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**61**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	**2**	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**23**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16340.D Vial: 14
Acq On : 20 Jun 2003 3:25 pm Operator: JR
Sample : 49878-4 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 15:47 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000084

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: GAMW001-0603

SAMPLE DATA

Lab Sample ID: 49878-5
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1 J**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	100 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16341.D Vial: 15
Acq On : 20 Jun 2003 3:56 pm Operator: JR
Sample : 49878-5 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 16:18 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



B16341.D V806193B.M Fri Jun 20 16:18:42 2003 Page 1

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW14-0603

SAMPLE DATA

Lab Sample ID: 49878-6
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	101 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16342.D Vial: 16
Acq On : 20 Jun 2003 4:27 pm Operator: JR
Sample : 49878-6 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 16:49 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000088

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: STMW001-0603

SAMPLE DATA

Lab Sample ID: 49878-7
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**7**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**9**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**3**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16343.D Vial: 17
Acq On : 20 Jun 2003 4:57 pm Operator: JR
Sample : 49878-7 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 17:19 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW9-0603

SAMPLE DATA

Lab Sample ID: 49878-8
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	106 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16344.D Vial: 18
Acq On : 20 Jun 2003 5:28 pm Operator: JR
Sample : 49878-8 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 17:50 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000092

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW105-0603

SAMPLE DATA

Lab Sample ID: 49878-9
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1 J**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**14**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	106 %	d8-Toluene	100 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16345.D Vial: 19
Acq On : 20 Jun 2003 5:59 pm Operator: JR
Sample : 49878-9 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 18:21 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW140-0603

SAMPLE DATA

Lab Sample ID: 49878-10
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	4
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	107 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

8260 full

Authorized signature Melissa A Kalb


Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16346.D
Acq On : 20 Jun 2003 6:30 pm
Sample : 49878-10
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 20 18:51 2003

Vial: 20
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000096

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW101-0603

SAMPLE DATA

Lab Sample ID: 49878-11
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	1 J
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16347.D Vial: 21
Acq On : 20 Jun 2003 7:00 pm Operator: JR
Sample : 49878-11 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 19:22 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000098

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: STMW002-0603

SAMPLE DATA

Lab Sample ID: 49878-12
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1 J**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**12**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	107 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16348.D Vial: 22
Acq On : 20 Jun 2003 7:31 pm Operator: JR
Sample : 49878-12 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 19:53 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000100

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: STMW003-0603

SAMPLE DATA

Lab Sample ID: 49878-14
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16349.D Vial: 23
Acq On : 20 Jun 2003 8:02 pm Operator: JR
Sample : 49878-14 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 20:24 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000102

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: RB-061603-01

SAMPLE DATA

Lab Sample ID: 49878-15
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	105 %	d8-Toluene	98 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16350.D Vial: 24
Acq On : 20 Jun 2003 8:32 pm Operator: JR
Sample : 49878-15 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 20:54 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



090104

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: STMW004-0603

SAMPLE DATA

Lab Sample ID: 49878-16
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16351.D Vial: 25
Acq On : 20 Jun 2003 9:03 pm Operator: JR
Sample : 49878-16 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 21:25 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000106

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW102-0603

SAMPLE DATA

Lab Sample ID: 49878-17
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	107 %	d8-Toluene	100 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\data\062003-B\B16352.D Vial: 26
Acq On : 20 Jun 2003 9:33 pm Operator: JR
Sample : 49878-17 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 20 21:55 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000108

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW103-0603

SAMPLE DATA

Lab Sample ID: 49878-18
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	106 %	d8-Toluene	101 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16364.D Vial: 12
Acq On : 23 Jun 2003 2:03 pm Operator: JR
Sample : 49878-18 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 14:25 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000110

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

SAMPLE DATA

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW8-0603

Lab Sample ID: 49878-19
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	101 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16365.D Vial: 13
Acq On : 23 Jun 2003 2:33 pm Operator: JR
Sample : 49878-19 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 14:55 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000112

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW5-0603

SAMPLE DATA

Lab Sample ID: 49878-20
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**153 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**2**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	103 %	d8-Toluene	100 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16366.D Vial: 14
Acq On : 23 Jun 2003 3:04 pm Operator: JR
Sample : 49878-20 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 15:26 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000114

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW5-0603

SAMPLE DATA

Lab Sample ID: 49878-20 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 5.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	10	U	1,3-Dichloropropane	10	U
Bromobenzene	10	U	cis-1,3-Dichloropropene	10	U
Bromochloromethane	10	U	trans-1,3-Dichloropropene	10	U
Bromodichloromethane	10	U	2,2-Dichloropropane	10	U
Bromoform	10	U	1,1-Dichloropropene	10	U
Bromomethane	10	U	Ethylbenzene	10	U
n-butylbenzene	10	U	Hexachlorobutadiene	10	U
sec-butylbenzene	10	U	Isopropylbenzene	10	U
tert-butylbenzene	10	U	p-isopropyltoluene	10	U
Carbon Tetrachloride	10	U	Methylene Chloride	25	U
Chlorobenzene	10	U	Methyl-tert-butyl ether (MTBE)	10	U
Chloroethane	10	U	Naphthalene	10	U
Chloroform	10	U	n-Propylbenzene	10	U
Chloromethane	10	U	Styrene	10	U
2-Chlorotoluene	10	U	1,1,1,2-Tetrachloroethane	10	U
4-Chlorotoluene	10	U	1,1,2,2-Tetrachloroethane	10	U
Dibromochloromethane	10	U	Tetrachloroethene	10	U
1,2-Dibromo-3-chloropropane	10	U	Toluene	10	U
1,2-Dibromoethane	10	U	1,2,3-Trichlorobenzene	10	U
Dibromomethane	10	U	1,2,4-Trichlorobenzene	10	U
1,2-Dichlorobenzene	10	U	1,1,1-Trichloroethane	10	U
1,3-Dichlorobenzene	10	U	1,1,2-Trichloroethane	10	U
1,4-Dichlorobenzene	10	U	Trichloroethene	10	**156**
Dichlorodifluoromethane	10	U	Trichlorofluoromethane	10	U
1,1-Dichloroethane	10	U	1,2,3-Trichloropropane	10	U
1,2-Dichloroethane	10	U	1,2,4-Trimethylbenzene	10	U
1,1-Dichloroethene	10	U	1,3,5-Trimethylbenzene	10	U
cis-1,2-Dichloroethene	10	U	Vinyl Chloride	10	U
trans-1,2-Dichloroethene	10	U	o-Xylene	10	U
1,2-Dichloropropane	10	U	m,p-Xylene	10	U
Acetone	50	U	Diethyl ether	10	U
Carbon Disulfide	10	U	2-Hexanone	50	U
Tetrahydrofuran	25	U	Methyl isobutyl ketone	50	U
Methyl ethyl ketone	50	U	Di-isopropyl ether (DIPE)	10	U
t-Butyl alcohol (TBA)	100	U	Ethyl t-butyl ether (ETBE)	10	U
t-Amyl methyl ether (TAME)	10	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16385.D Vial: 8
Acq On : 24 Jun 2003 12:04 pm Operator: JR
Sample : 49878-20,DL Inst : Instrumen
Misc : 1000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 12:26 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000116

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW5-0603-E

SAMPLE DATA

Lab Sample ID: 49878-21
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**154 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**2**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	100 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kallis

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16367.D Vial: 15
Acq On : 23 Jun 2003 3:35 pm Operator: JR
Sample : 49878-21 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 15:56 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000118

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW5-0603-E

SAMPLE DATA

Lab Sample ID: 49878-21 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 5.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	10	U	1,3-Dichloropropane	10	U
Bromobenzene	10	U	cis-1,3-Dichloropropene	10	U
Bromochloromethane	10	U	trans-1,3-Dichloropropene	10	U
Bromodichloromethane	10	U	2,2-Dichloropropane	10	U
Bromoform	10	U	1,1-Dichloropropene	10	U
Bromomethane	10	U	Ethylbenzene	10	U
n-butylbenzene	10	U	Hexachlorobutadiene	10	U
sec-butylbenzene	10	U	Isopropylbenzene	10	U
tert-butylbenzene	10	U	p-isopropyltoluene	10	U
Carbon Tetrachloride	10	U	Methylene Chloride	25	U
Chlorobenzene	10	U	Methyl-tert-butyl ether (MTBE)	10	U
Chloroethane	10	U	Naphthalene	10	U
Chloroform	10	U	n-Propylbenzene	10	U
Chloromethane	10	U	Styrene	10	U
2-Chlorotoluene	10	U	1,1,1,2-Tetrachloroethane	10	U
4-Chlorotoluene	10	U	1,1,2,2-Tetrachloroethane	10	U
Dibromochloromethane	10	U	Tetrachloroethene	10	U
1,2-Dibromo-3-chloropropane	10	U	Toluene	10	U
1,2-Dibromoethane	10	U	1,2,3-Trichlorobenzene	10	U
Dibromomethane	10	U	1,2,4-Trichlorobenzene	10	U
1,2-Dichlorobenzene	10	U	1,1,1-Trichloroethane	10	U
1,3-Dichlorobenzene	10	U	1,1,2-Trichloroethane	10	U
1,4-Dichlorobenzene	10	U	Trichloroethene	10	**161**
Dichlorodifluoromethane	10	U	Trichlorofluoromethane	10	U
1,1-Dichloroethane	10	U	1,2,3-Trichloropropane	10	U
1,2-Dichloroethane	10	U	1,2,4-Trimethylbenzene	10	U
1,1-Dichloroethene	10	U	1,3,5-Trimethylbenzene	10	U
cis-1,2-Dichloroethene	10	U	Vinyl Chloride	10	U
trans-1,2-Dichloroethene	10	U	o-Xylene	10	U
1,2-Dichloropropane	10	U	m,p-Xylene	10	U
Acetone	50	U	Diethyl ether	10	U
Carbon Disulfide	10	U	2-Hexanone	50	U
Tetrahydrofuran	25	U	Methyl isobutyl ketone	50	U
Methyl ethyl ketone	50	U	Di-isopropyl ether (DIPE)	10	U
t-Butyl alcohol (TBA)	100	U	Ethyl t-butyl ether (ETBE)	10	U
t-Amyl methyl ether (TAME)	10	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16386.D Vial: 9
Acq On : 24 Jun 2003 12:37 pm Operator: JR
Sample : 49878-21,DL Inst : Instrumen
Misc : 1000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 12:59 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



00091-0

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW1-0603

SAMPLE DATA

Lab Sample ID: 49878-22
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	105 %	d8-Toluene	100 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16368.D Vial: 16
Acq On : 23 Jun 2003 4:05 pm Operator: JR
Sample : 49878-22 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 16:27 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000122

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW6-0603

SAMPLE DATA

Lab Sample ID: 49878-23
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	103 %	d8-Toluene	100 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16371.D Vial: 19
Acq On : 23 Jun 2003 5:38 pm Operator: JR
Sample : 49878-23 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 17:59 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000124

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: RB-061703-01

SAMPLE DATA

Lab Sample ID: 49878-24
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

8260 full

Authorized signature


Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16372.D
Acq On : 23 Jun 2003 6:08 pm
Sample : 49878-24
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 23 18:30 2003

Vial: 20
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000126

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: FAMW001-0603

SAMPLE DATA

Lab Sample ID: 49878-25
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16373.D Vial: 21
Acq On : 23 Jun 2003 6:39 pm Operator: JR
Sample : 49878-25 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 19:01 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: FAMW002-0603

SAMPLE DATA

Lab Sample ID: 49878-26
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	103 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kull

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16374.D Vial: 22
Acq On : 23 Jun 2003 7:10 pm Operator: JR
Sample : 49878-26 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 19:32 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000130

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: BPMW001-0603

SAMPLE DATA

Lab Sample ID: 49878-27
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16375.D Vial: 23
Acq On : 23 Jun 2003 7:40 pm Operator: JR
Sample : 49878-27 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 23 20:02 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000132

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 24, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: GTMW001-0603

SAMPLE DATA

Lab Sample ID: 49878-28
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/23/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1 J**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	106 %	d8-Toluene	101 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

8260 full

Authorized signature


Quantitation Report

Data File : C:\HPCHEM\1\data\062303-B\B16376.D
Acq On : 23 Jun 2003 8:11 pm
Sample : 49878-28
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 23 20:33 2003

Vial: 24
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000134

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: TSMW001-0603

SAMPLE DATA

Lab Sample ID: 49878-29
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	106 %	d8-Toluene	99 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16387.D Vial: 10
Acq On : 24 Jun 2003 1:08 pm Operator: JR
Sample : 49878-29 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 13:30 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: TSMW002-0603

SAMPLE DATA

Lab Sample ID: 49878-30
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1 J**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kelly

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16388.D Vial: 11
Acq On : 24 Jun 2003 1:39 pm Operator: JR
Sample : 49878-30 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 14:00 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000138

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: TSMW003-0603

SAMPLE DATA

Lab Sample ID: 49878-31
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	**3**	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	**2**	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	**3**	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	100 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16391.D Vial: 14
Acq On : 24 Jun 2003 3:11 pm Operator: JR
Sample : 49878-31 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 15:33 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW3-0603

SAMPLE DATA

Lab Sample ID: 49878-32
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	106 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16392.D Vial: 15
Acq On : 24 Jun 2003 3:42 pm Operator: JR
Sample : 49878-32 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 16:04 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



B16392.D V806193B.M Tue Jun 24 16:04:10 2003 Page 1

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW2-0603

SAMPLE DATA

Lab Sample ID: 49878-33
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**220 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	101 %	d8-Toluene	98 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16393.D Vial: 16
Acq On : 24 Jun 2003 4:12 pm Operator: JR
Sample : 49878-33 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 16:34 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000144

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW2-0603

SAMPLE DATA

Lab Sample ID: 49878-33 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 5.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/25/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	10	U	1,3-Dichloropropane	10	U
Bromobenzene	10	U	cis-1,3-Dichloropropene	10	U
Bromochloromethane	10	U	trans-1,3-Dichloropropene	10	U
Bromodichloromethane	10	U	2,2-Dichloropropane	10	U
Bromoform	10	U	1,1-Dichloropropene	10	U
Bromomethane	10	U	Ethylbenzene	10	U
n-butylbenzene	10	U	Hexachlorobutadiene	10	U
sec-butylbenzene	10	U	Isopropylbenzene	10	U
tert-butylbenzene	10	U	p-isopropyltoluene	10	U
Carbon Tetrachloride	10	U	Methylene Chloride	25	U
Chlorobenzene	10	U	Methyl-tert-butyl ether (MTBE)	10	U
Chloroethane	10	U	Naphthalene	10	U
Chloroform	10	U	n-Propylbenzene	10	U
Chloromethane	10	U	Styrene	10	U
2-Chlorotoluene	10	U	1,1,1,2-Tetrachloroethane	10	U
4-Chlorotoluene	10	U	1,1,2,2-Tetrachloroethane	10	U
Dibromochloromethane	10	U	Tetrachloroethene	10	U
1,2-Dibromo-3-chloropropane	10	U	Toluene	10	U
1,2-Dibromoethane	10	U	1,2,3-Trichlorobenzene	10	U
Dibromomethane	10	U	1,2,4-Trichlorobenzene	10	U
1,2-Dichlorobenzene	10	U	1,1,1-Trichloroethane	10	U
1,3-Dichlorobenzene	10	U	1,1,2-Trichloroethane	10	U
1,4-Dichlorobenzene	10	U	Trichloroethene	10	**191**
Dichlorodifluoromethane	10	U	Trichlorofluoromethane	10	U
1,1-Dichloroethane	10	U	1,2,3-Trichloropropane	10	U
1,2-Dichloroethane	10	U	1,2,4-Trimethylbenzene	10	U
1,1-Dichloroethene	10	U	1,3,5-Trimethylbenzene	10	U
cis-1,2-Dichloroethene	10	U	Vinyl Chloride	10	U
trans-1,2-Dichloroethene	10	U	o-Xylene	10	U
1,2-Dichloropropane	10	U	m,p-Xylene	10	U
Acetone	50	U	Diethyl ether	10	U
Carbon Disulfide	10	U	2-Hexanone	50	U
Tetrahydrofuran	25	U	Methyl isobutyl ketone	50	U
Methyl ethyl ketone	50	U	Di-isopropyl ether (DIPE)	10	U
t-Butyl alcohol (TBA)	100	U	Ethyl t-butyl ether (ETBE)	10	U
t-Amyl methyl ether (TAME)	10	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	97 %	d8-Toluene	98 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062503-B\B16408.D Vial: 7
Acq On : 25 Jun 2003 9:29 am Operator: JR
Sample : 49878-33,DL Inst : Instrumen
Misc : 1000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 25 9:51 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000146

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW7-0603

SAMPLE DATA

Lab Sample ID: 49878-34
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**2**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**397 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**3**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16394.D Vial: 17
Acq On : 24 Jun 2003 4:43 pm Operator: JR
Sample : 49878-34 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 17:05 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000148

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW7-0603

SAMPLE DATA

Lab Sample ID: 49878-34 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/25/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	**351**
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	U	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	100 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062503-B\B16409.D Vial: 8
Acq On : 25 Jun 2003 10:00 am Operator: JR
Sample : 49878-34,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 25 10:22 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000150

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW7-0603-E

SAMPLE DATA

Lab Sample ID: 49878-35
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**1 J**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**405 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**3**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	105 %	d8-Toluene	100 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

8260 full

Authorized signature


Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16395.D
Acq On : 24 Jun 2003 5:14 pm
Sample : 49878-35
Misc : 5000
MS Integration Params: rteint.p
Quant Time: Jun 24 17:36 2003

Vial: 18
Operator: JR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000152

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW7-0603-E

SAMPLE DATA

Lab Sample ID: 49878-35 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/25/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	**360**
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	U	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	100 %	d8-Toluene	98 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062503-B\B16410.D Vial: 9
Acq On : 25 Jun 2003 10:31 am Operator: JR
Sample : 49878-35,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 25 10:53 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000154

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW4-0603

SAMPLE DATA

Lab Sample ID: 49878-36
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16396.D Vial: 19
Acq On : 24 Jun 2003 5:44 pm Operator: JR
Sample : 49878-36 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 18:06 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000156

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW10-0603

SAMPLE DATA

Lab Sample ID: 49878-37
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**12**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**2**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1330 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**49**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	**1 J**	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	104 %	d8-Toluene	99 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16397.D Vial: 20
Acq On : 24 Jun 2003 6:15 pm Operator: JR
Sample : 49878-37 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 18:37 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000158

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW10-0603

SAMPLE DATA

Lab Sample ID: 49878-37 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 50
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/25/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	100	U	1,3-Dichloropropane	100	U
Bromobenzene	100	U	cis-1,3-Dichloropropene	100	U
Bromochloromethane	100	U	trans-1,3-Dichloropropene	100	U
Bromodichloromethane	100	U	2,2-Dichloropropane	100	U
Bromoform	100	U	1,1-Dichloropropene	100	U
Bromomethane	100	U	Ethylbenzene	100	U
n-butylbenzene	100	U	Hexachlorobutadiene	100	U
sec-butylbenzene	100	U	Isopropylbenzene	100	U
tert-butylbenzene	100	U	p-isopropyltoluene	100	U
Carbon Tetrachloride	100	U	Methylene Chloride	250	U
Chlorobenzene	100	U	Methyl-tert-butyl ether (MTBE)	100	U
Chloroethane	100	U	Naphthalene	100	U
Chloroform	100	U	n-Propylbenzene	100	U
Chloromethane	100	U	Styrene	100	U
2-Chlorotoluene	100	U	1,1,1,2-Tetrachloroethane	100	U
4-Chlorotoluene	100	U	1,1,2,2-Tetrachloroethane	100	U
Dibromochloromethane	100	U	Tetrachloroethene	100	U
1,2-Dibromo-3-chloropropane	100	U	Toluene	100	U
1,2-Dibromoethane	100	U	1,2,3-Trichlorobenzene	100	U
Dibromomethane	100	U	1,2,4-Trichlorobenzene	100	U
1,2-Dichlorobenzene	100	U	1,1,1-Trichloroethane	100	U
1,3-Dichlorobenzene	100	U	1,1,2-Trichloroethane	100	U
1,4-Dichlorobenzene	100	U	Trichloroethene	100	**1820**
Dichlorodifluoromethane	100	U	Trichlorofluoromethane	100	U
1,1-Dichloroethane	100	U	1,2,3-Trichloropropane	100	U
1,2-Dichloroethane	100	U	1,2,4-Trimethylbenzene	100	U
1,1-Dichloroethene	100	U	1,3,5-Trimethylbenzene	100	U
cis-1,2-Dichloroethene	100	U	Vinyl Chloride	100	U
trans-1,2-Dichloroethene	100	U	o-Xylene	100	U
1,2-Dichloropropane	100	U	m,p-Xylene	100	U
Acetone	500	U	Diethyl ether	100	U
Carbon Disulfide	100	U	2-Hexanone	500	U
Tetrahydrofuran	250	U	Methyl isobutyl ketone	500	U
Methyl ethyl ketone	500	U	Di-isopropyl ether (DIPE)	100	U
t-Butyl alcohol (TBA)	1000	U	Ethyl t-butyl ether (ETBE)	100	U
t-Amyl methyl ether (TAME)	100	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	96 %	d8-Toluene	98 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062503-B\B16411.D Vial: 10
Acq On : 25 Jun 2003 11:02 am Operator: JR
Sample : 49878-37,DL Inst : Instrumen
Misc : 100 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 25 11:23 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000160

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW10-0603-E

SAMPLE DATA

Lab Sample ID: 49878-38
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**12**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**2**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1320 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**49**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	**1 J**	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	106 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16398.D Vial: 21
Acq On : 24 Jun 2003 6:46 pm Operator: JR
Sample : 49878-38 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 19:08 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000162

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: MW10-0603-E

SAMPLE DATA

Lab Sample ID: 49878-38 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 50
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/25/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	100	U	1,3-Dichloropropane	100	U
Bromobenzene	100	U	cis-1,3-Dichloropropene	100	U
Bromochloromethane	100	U	trans-1,3-Dichloropropene	100	U
Bromodichloromethane	100	U	2,2-Dichloropropane	100	U
Bromoform	100	U	1,1-Dichloropropene	100	U
Bromomethane	100	U	Ethylbenzene	100	U
n-butylbenzene	100	U	Hexachlorobutadiene	100	U
sec-butylbenzene	100	U	Isopropylbenzene	100	U
tert-butylbenzene	100	U	p-isopropyltoluene	100	U
Carbon Tetrachloride	100	U	Methylene Chloride	250	U
Chlorobenzene	100	U	Methyl-tert-butyl ether (MTBE)	100	U
Chloroethane	100	U	Naphthalene	100	U
Chloroform	100	U	n-Propylbenzene	100	U
Chloromethane	100	U	Styrene	100	U
2-Chlorotoluene	100	U	1,1,1,2-Tetrachloroethane	100	U
4-Chlorotoluene	100	U	1,1,2,2-Tetrachloroethane	100	U
Dibromochloromethane	100	U	Tetrachloroethene	100	U
1,2-Dibromo-3-chloropropane	100	U	Toluene	100	U
1,2-Dibromoethane	100	U	1,2,3-Trichlorobenzene	100	U
Dibromomethane	100	U	1,2,4-Trichlorobenzene	100	U
1,2-Dichlorobenzene	100	U	1,1,1-Trichloroethane	100	U
1,3-Dichlorobenzene	100	U	1,1,2-Trichloroethane	100	U
1,4-Dichlorobenzene	100	U	Trichloroethene	100	**1880**
Dichlorodifluoromethane	100	U	Trichlorofluoromethane	100	U
1,1-Dichloroethane	100	U	1,2,3-Trichloropropane	100	U
1,2-Dichloroethane	100	U	1,2,4-Trimethylbenzene	100	U
1,1-Dichloroethene	100	U	1,3,5-Trimethylbenzene	100	U
cis-1,2-Dichloroethene	100	U	Vinyl Chloride	100	U
trans-1,2-Dichloroethene	100	U	o-Xylene	100	U
1,2-Dichloropropane	100	U	m,p-Xylene	100	U
Acetone	500	U	Diethyl ether	100	U
Carbon Disulfide	100	U	2-Hexanone	500	U
Tetrahydrofuran	250	U	Methyl isobutyl ketone	500	U
Methyl ethyl ketone	500	U	Di-isopropyl ether (DIPE)	100	U
t-Butyl alcohol (TBA)	1000	U	Ethyl t-butyl ether (ETBE)	100	U
t-Amyl methyl ether (TAME)	100	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	98 %	d8-Toluene	98 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062503-B\B16412.D Vial: 11
Acq On : 25 Jun 2003 11:32 am Operator: JR
Sample : 49878-38,DL Inst : Instrumen
Misc : 100 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 25 11:54 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000164

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 27, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: STMW005-0603

SAMPLE DATA

Lab Sample ID: 49878-39
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/25/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	100 %	d8-Toluene	98 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa G Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\062503-B\B16413.D Vial: 12
Acq On : 25 Jun 2003 12:03 pm Operator: JR
Sample : 49878-39 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 25 12:25 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000166

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: STMW006-0603

SAMPLE DATA

Lab Sample ID: 49878-40
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	102 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16400.D Vial: 23
Acq On : 24 Jun 2003 7:47 pm Operator: JR
Sample : 49878-40 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 20:09 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000168

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: RB-061803-01

SAMPLE DATA

Lab Sample ID: 49878-41
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/24/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

d4-1,2-Dichloroethane	103 %	d8-Toluene	99 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\062403-B\B16401.D Vial: 24
Acq On : 24 Jun 2003 8:18 pm Operator: JR
Sample : 49878-41 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 24 20:40 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration



000170

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B46304T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1157

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	1 PPB	95	95	94	0
02	2 PPB	95	95	95	0
03	5 PPB	92	95	95	0
04	20 PPB	93	95	95	0
05	50 PPB	89	96	94	0
06	100 PPB	95	97	95	0
07	ZZZZZ	96	98	100	0
08	ZZZZZ	96	100	100	0
09	ZZZZZ	101	100	100	0
10	ZZZZZ	100	99	99	0
11	ZZZZZ	98	99	98	0
12	ZZZZZ	102	98	100	0
13	ZZZZZ	102	100	98	0
14	ZZZZZ	98	99	98	0
15	ZZZZZ	101	99	98	0
16	ZZZZZ	103	99	98	0
17	ZZZZZ	93	96	99	0
18	ZZZZZ	106	100	99	0
19	ZZZZZ	105	101	99	0
20	ZZZZZ	107	101	100	0
21	ZZZZZ	107	101	97	0
22	ZZZZZ	109	97	97	0
23					
24					

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16329T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0947

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	20PPB STD	101	100	101	0
02	L806203B	100	100	100	0
03	ZZZZZ	103	99	99	0
04	B806203B	101	99	99	0
05	ZZZZZ	101	98	98	0
06	49878-1	99	98	99	0
07	49878-2	97	98	99	0
08	49878-2.MS	100	100	101	0
09	49878-2.MSD	100	100	100	0
10	49878-3	102	99	98	0
11	49878-4	102	99	98	0
12	49878-5	100	99	98	0
13	49878-6	101	99	98	0
14	49878-7	102	99	98	0
15	49878-8	106	99	97	0
16	49878-9	106	100	98	0
17	49878-10	107	100	97	0
18	49878-11	104	99	97	0
19	49878-12	107	99	98	0
20	49878-14	104	99	97	0
21	49878-15	105	98	97	0
22	49878-16	104	99	97	0
23	49878-17	107	100	96	0
24					

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16354T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/23/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0825

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	20PPB STD	101	100	99	0
02	L806233B	101	100	100	0
03	ZZZZZ	96	99	99	0
04	ZZZZZ	98	99	99	0
05	ZZZZZ	101	101	100	0
06	B806233B2	101	99	98	0
07	ZZZZZ	98	99	100	0
08	ZZZZZ	100	100	99	0
09	ZZZZZ	101	100	101	0
10	49878-2,DL	102	98	98	0
11	49878-18	106	101	98	0
12	49878-19	104	101	97	0
13	49878-20	103	100	98	0
14	49878-21	102	100	98	0
15	49878-22	105	100	99	0
16	49878-22,MS	107	100	100	0
17	49878-22,MSD	100	101	99	0
18	49878-23	103	100	98	0
19	49878-24	102	99	98	0
20	49878-25	104	99	97	0
21	49878-26	103	100	97	0
22	49878-27	104	100	97	0
23	49878-28	106	101	96	0
24	ZZZZZ	104	100	98	0

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16379T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/24/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0851

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	20PPB STD	100	99	100	0
02	L806243B	98	99	100	0
03	ZZZZZ	100	99	98	0
04	B806243B	96	99	99	0
05	ZZZZZ	103	100	98	0
06	49878-20,DL	102	99	98	0
07	49878-21,DL	102	100	97	0
08	49878-29	106	99	96	0
09	49878-30	104	99	97	0
10	49878-30,MS	104	101	98	0
11	49878-30,MSD	101	100	99	0
12	49878-31	104	100	96	0
13	49878-32	106	99	97	0
14	49878-33	101	98	97	0
15	49878-34	104	99	97	0
16	49878-35	105	100	96	0
17	49878-36	104	99	97	0
18	49878-37	104	99	96	0
19	49878-38	106	99	97	0
20	ZZZZZ	103	100	96	0
21	49878-40	102	99	97	0
22	49878-41	103	99	97	0
23					
24					

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16403T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/25/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0856

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	20PPB STD	103	99	99	0
02	L806253B	97	99	100	0
03	ZZZZZ	97	98	97	0
04	B806253B	96	98	98	0
05	49878-33,DL	97	98	98	0
06	49878-34,DL	100	99	98	0
07	49878-35,DL	100	98	98	0
08	49878-37,DL	96	98	99	0
09	49878-38,DL	98	98	99	0
10	49878-39	100	98	98	0
11	ZZZZZ	100	99	98	0
12	ZZZZZ	99	97	99	0
13	ZZZZZ	99	99	98	0
14	ZZZZZ	98	99	98	0
15	ZZZZZ	105	98	95	0
16	ZZZZZ	104	98	97	0
17	ZZZZZ	99	98	98	0
18	ZZZZZ	103	99	97	0
19	ZZZZZ	102	98	96	0
20	ZZZZZ	103	98	97	0
21	ZZZZZ	105	100	97	0
22					
23					
24					

	QC LIMITS
SMC1 = 1,2-Dichloroethane-d4	70-130%
SMC2 = Toluene-d8	70-130%
SMC3 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806203B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	20	22.6	113		70-130
Chloromethane	20	21.5	108		70-130
Vinyl Chloride	20	21.6	108		70-130
Bromomethane	20	21.2	106		70-130
Chloroethane	20	20.6	103		70-130
t-Butyl alcohol	100	102.7	103		70-130
Trichlorofluoromethane	20	21.1	105		70-130
Diethyl ether	20	20.0	100		70-130
Acetone	20	22.0	110		70-130
1,1-Dichloroethene	20	20.3	101		70-130
Di-isopropyl ether	20	20.7	104		70-130
Methylene Chloride	20	17.6	88		70-130
Carbon Disulfide	20	20.8	104		70-130
Methyl-tert-butyl ether	40	41.3	103		70-130
Trans-1,2-Dichloroethene	20	19.9	99		70-130
1,1-Dichloroethane	20	20.4	102		70-130
Methyl ethyl ketone	20	24.7	123		70-130
Ethyl t-butyl ether	20	20.1	100		70-130
2,2-Dichloropropane	20	24.4	122		70-130
Cis-1,2-Dichloroethene	20	23.3	117		70-130
t-Amyl methyl ether	20	21.0	105		70-130
Chloroform	20	21.1	106		70-130
Bromochloromethane	20	20.9	104		70-130
Tetrahydrofuran	20	23.5	117		70-130
1,1,1-Trichloroethane	20	22.0	110		70-130
1,1-Dichloropropene	20	21.7	109		70-130
Carbon Tetrachloride	20	22.7	114		70-130
1,2-Dichloroethane	20	21.3	106		70-130
Benzene	20	20.5	102		70-130
Trichloroethene	20	23.0	115		70-130
1,2-Dichloropropane	20	21.8	109		70-130
Bromodichloromethane	20	22.6	113		70-130
Dibromomethane	20	21.1	106		70-130
2-Hexanone	20	20.8	104		70-130
Methyl isobutyl ketone	20	21.1	106		70-130
Cis-1,3-Dichloropropene	20	23.6	118		70-130
Toluene	20	20.3	102		70-130
Trans-1,3-Dichloropropene	20	23.7	118		70-130
1,1,2-Trichloroethane	20	21.6	108		70-130
1,3-Dichloropropane	20	21.5	108		70-130
Tetrachloroethene	20	20.8	104		70-130
Dibromochloromethane	20	21.9	110		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806203B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	20	21.8	109		70-130
Chlorobenzene	20	20.6	103		70-130
1,1,1,2-Tetrachloroethane	20	22.8	114		70-130
Ethylbenzene	20	20.6	103		70-130
M-,P-Xylene	40	41.2	103		70-130
O-Xylene	20	20.9	105		70-130
Styrene	20	21.3	106		70-130
Bromoform	20	23.1	116		70-130
Isopropylbenzene	20	20.0	100		70-130
1,1,2,2-Tetrachloroethane	20	21.2	106		70-130
1,2,3-Trichloropropane	20	21.3	106		70-130
N-Propylbenzene	20	20.8	104		70-130
Bromobenzene	20	20.8	104		70-130
1,3,5-Trimethylbenzene	20	20.8	104		70-130
2-Chlorotoluene	20	20.0	100		70-130
4-Chlorotoluene	20	21.1	105		70-130
Tert-Butylbenzene	20	21.0	105		70-130
1,2,4-Trimethylbenzene	20	21.2	106		70-130
Sec-Butylbenzene	20	19.7	99		70-130
P-Isopropyltoluene	20	20.0	100		70-130
1,3-Dichlorobenzene	20	20.4	102		70-130
1,4-Dichlorobenzene	20	20.2	101		70-130
N-Butylbenzene	20	20.8	104		70-130
1,2-Dichlorobenzene	20	20.7	104		70-130
1,2-Dibromo-3-chloropropane	20	22.7	113		70-130
1,2,4-Trichlorobenzene	20	20.9	104		70-130
Hexachlorobutadiene	20	22.2	111		70-130
Naphthalene	20	20.6	103		70-130
1,2,3-Trichlorobenzene	20	20.3	102		70-130
1,3,5-Trichlorobenzene	20	19.6	98		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 0 out of 71 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49878-2

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	22.9	115		22.7	114		1		15	70-130
Chloromethane	20	U	22.6	113		22.1	111		2		15	70-130
Vinyl Chloride	20	U	22.6	113		22.8	114		1		15	70-130
Bromomethane	20	U	21.4	107		22.9	114		6		15	70-130
Chloroethane	20	U	21.4	107		21.4	107		0		15	70-130
t-Butyl alcohol	100	U	87.3	87		88.3	88		1		15	70-130
Trichlorofluoromethane	20	U	22.0	110		21.9	110		1		15	70-130
Diethyl ether	20	U	18.6	93		19.2	96		3		15	70-130
Acetone	20	U	20.4	102		21.2	106		4		15	70-130
1,1-Dichloroethene	20	U	20.4	102		20.8	104		2		15	70-130
Di-isopropyl ether	20	U	19.7	98		20.1	101		2		15	70-130
Methylene Chloride	20	U	15.9	80		16.3	81		2		15	70-130
Carbon Disulfide	20	U	20.7	103		21.2	106		3		15	70-130
Methyl-tert-butyl ether	40	U	37.8	95		39.1	98		3		15	70-130
Trans-1,2-Dichloroethene	20	U	19.9	99		20.4	102		3		15	70-130
1,1-Dichloroethane	20	U	20.0	100		20.5	102		2		15	70-130
Methyl ethyl ketone	20	U	23.4	117		23.1	116		1		15	70-130
Ethyl t-butyl ether	20	U	23.7	118		20.1	101		16	*	15	70-130
2,2-Dichloropropane	20	U	22.0	110		22.1	111		1		15	70-130
Cis-1,2-Dichloroethene	20	**13**	36.0	113		36.2	115		1		15	70-130
t-Amyl methyl ether	20	U	19.4	97		19.7	98		1		15	70-130
Chloroform	20	U	20.2	101		20.5	103		1		15	70-130
Bromochloromethane	20	U	19.9	100		19.8	99		1		15	70-130
Tetrahydrofuran	20	U	20.7	104		21.0	105		1		15	70-130
1,1,1-Trichloroethane	20	U	21.2	106		21.6	108		2		15	70-130
1,1-Dichloropropene	20	U	21.4	107		21.6	108		1		15	70-130
Carbon Tetrachloride	20	U	22.1	111		22.4	112		1		15	70-130
1,2-Dichloroethane	20	U	19.9	100		20.3	101		2		15	70-130
Benzene	20	U	20.0	100		20.1	101		0		15	70-130
Trichloroethene	20	**215**	235.4	105		236.5	110		0		15	70-130
1,2-Dichloropropane	20	U	20.9	104		21.2	106		1		15	70-130
Bromodichloromethane	20	U	21.2	106		21.6	108		2		15	70-130
Dibromomethane	20	U	19.3	97		19.7	99		2		15	70-130
2-Hexanone	20	U	17.8	89		17.9	90		1		15	70-130
Methyl isobutyl ketone	20	U	18.1	91		18.2	91		1		15	70-130
Cis-1,3-Dichloropropene	20	U	22.0	110		22.3	111		1		15	70-130
Toluene	20	U	19.6	98		19.9	99		1		15	70-130
Trans-1,3-Dichloropropene	20	U	21.6	108		22.0	110		2		15	70-130
1,1,2-Trichloroethane	20	U	19.9	99		20.2	101		2		15	70-130
1,3-Dichloropropane	20	U	19.9	100		20.2	101		1		15	70-130
Tetrachloroethene	20	**1**	21.2	100		21.4	101		1		15	70-130
Dibromochloromethane	20	U	20.1	101		20.6	103		2		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49878-2

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	19.9	99		20.3	101		2		15	70-130
Chlorobenzene	20	U	19.5	97		19.5	97		0		15	70-130
1,1,1,2-Tetrachloroethane	20	U	21.5	107		21.7	109		1		15	70-130
Ethylbenzene	20	U	19.6	98		19.9	100		1		15	70-130
M-,P-Xylene	40	U	39.4	98		39.3	98		0		15	70-130
O-Xylene	20	U	20.0	100		20.0	100		0		15	70-130
Styrene	20	U	20.0	100		20.3	102		2		15	70-130
Bromoform	20	U	20.5	103		20.8	104		1		15	70-130
Isopropylbenzene	20	U	19.2	96		19.4	97		1		15	70-130
1,1,2,2-Tetrachloroethane	20	U	19.0	95		19.0	95		0		15	70-130
1,2,3-Trichloropropane	20	U	19.3	97		19.2	96		1		15	70-130
N-Propylbenzene	20	U	19.8	99		19.9	99		0		15	70-130
Bromobenzene	20	U	19.4	97		19.4	97		0		15	70-130
1,3,5-Trimethylbenzene	20	U	20.0	100		19.9	100		1		15	70-130
2-Chlorotoluene	20	U	19.1	96		19.1	96		0		15	70-130
4-Chlorotoluene	20	U	19.9	100		20.0	100		0		15	70-130
Tert-Butylbenzene	20	U	20.1	100		20.2	101		0		15	70-130
1,2,4-Trimethylbenzene	20	U	20.0	100		20.1	101		1		15	70-130
Sec-Butylbenzene	20	U	18.9	95		18.9	94		0		15	70-130
P-Isopropyltoluene	20	U	19.1	96		19.0	95		1		15	70-130
1,3-Dichlorobenzene	20	U	19.3	97		19.2	96		0		15	70-130
1,4-Dichlorobenzene	20	U	18.9	95		19.3	96		2		15	70-130
N-Butylbenzene	20	U	19.6	98		19.9	99		1		15	70-130
1,2-Dichlorobenzene	20	U	19.3	96		19.4	97		1		15	70-130
1,2-Dibromo-3-chloropropane	20	U	19.8	99		20.0	100		1		15	70-130
1,2,4-Trichlorobenzene	20	U	19.2	96		19.7	99		3		15	70-130
Hexachlorobutadiene	20	U	20.6	103		21.4	107		4		15	70-130
Naphthalene	20	U	17.9	89		18.6	93		4		15	70-130
1,2,3-Trichlorobenzene	20	U	18.5	93		19.0	95		3		15	70-130
1,3,5-Trichlorobenzene	20	U	18.2	91		18.5	91		1		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 1 out of 71 outside limits

Spike Recovery: 0 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806233B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	20	23.9	120		70-130
Chloromethane	20	24.0	120		70-130
Vinyl Chloride	20	23.4	117		70-130
Bromomethane	20	20.6	103		70-130
Chloroethane	20	21.9	110		70-130
t-Butyl alcohol	100	90.6	91		70-130
Trichlorofluoromethane	20	23.4	117		70-130
Diethyl ether	20	21.3	106		70-130
Acetone	20	20.6	103		70-130
1,1-Dichloroethene	20	19.6	98		70-130
Di-isopropyl ether	20	19.2	96		70-130
Methylene Chloride	20	18.2	91		70-130
Carbon Disulfide	20	19.9	100		70-130
Methyl-tert-butyl ether	40	40.5	101		70-130
Trans-1,2-Dichloroethene	20	19.6	98		70-130
1,1-Dichloroethane	20	19.5	97		70-130
Methyl ethyl ketone	20	25.2	126		70-130
Ethyl t-butyl ether	20	27.2	136	*	70-130
2,2-Dichloropropane	20	25.5	128		70-130
Cis-1,2-Dichloroethene	20	23.3	116		70-130
t-Amyl methyl ether	20	20.3	102		70-130
Chloroform	20	21.2	106		70-130
Bromochloromethane	20	20.9	104		70-130
Tetrahydrofuran	20	21.8	109		70-130
1,1,1-Trichloroethane	20	22.7	113		70-130
1,1-Dichloropropene	20	20.7	104		70-130
Carbon Tetrachloride	20	23.4	117		70-130
1,2-Dichloroethane	20	21.1	106		70-130
Benzene	20	19.3	97		70-130
Trichloroethene	20	22.3	111		70-130
1,2-Dichloropropane	20	20.7	103		70-130
Bromodichloromethane	20	23.0	115		70-130
Dibromomethane	20	21.2	106		70-130
2-Hexanone	20	18.8	94		70-130
Methyl isobutyl ketone	20	19.2	96		70-130
Cis-1,3-Dichloropropene	20	23.1	116		70-130
Toluene	20	19.6	98		70-130
Trans-1,3-Dichloropropene	20	23.3	116		70-130
1,1,2-Trichloroethane	20	20.7	104		70-130
1,3-Dichloropropane	20	20.4	102		70-130
Tetrachloroethene	20	20.4	102		70-130
Dibromochloromethane	20	22.1	110		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806233B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	20	21.3	107		70-130
Chlorobenzene	20	19.6	98		70-130
1,1,1,2-Tetrachloroethane	20	22.4	112		70-130
Ethylbenzene	20	19.7	98		70-130
M-,P-Xylene	40	39.8	99		70-130
O-Xylene	20	20.2	101		70-130
Styrene	20	20.4	102		70-130
Bromoform	20	22.7	113		70-130
Isopropylbenzene	20	19.3	96		70-130
1,1,2,2-Tetrachloroethane	20	19.4	97		70-130
1,2,3-Trichloropropane	20	19.5	98		70-130
N-Propylbenzene	20	19.7	99		70-130
Bromobenzene	20	19.7	99		70-130
1,3,5-Trimethylbenzene	20	20.1	101		70-130
2-Chlorotoluene	20	19.5	98		70-130
4-Chlorotoluene	20	19.5	98		70-130
Tert-Butylbenzene	20	19.9	99		70-130
1,2,4-Trimethylbenzene	20	20.3	101		70-130
Sec-Butylbenzene	20	18.9	94		70-130
P-Isopropyltoluene	20	19.2	96		70-130
1,3-Dichlorobenzene	20	19.6	98		70-130
1,4-Dichlorobenzene	20	19.3	97		70-130
N-Butylbenzene	20	19.6	98		70-130
1,2-Dichlorobenzene	20	19.8	99		70-130
1,2-Dibromo-3-chloropropane	20	21.5	108		70-130
1,2,4-Trichlorobenzene	20	20.4	102		70-130
Hexachlorobutadiene	20	22.1	110		70-130
Naphthalene	20	19.4	97		70-130
1,2,3-Trichlorobenzene	20	19.8	99		70-130
1,3,5-Trichlorobenzene	20	19.2	96		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 0 out of 71 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49878-22

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	23.3	117		22.8	114		2		15	70-130
Chloromethane	20	U	21.2	106		20.8	104		2		15	70-130
Vinyl Chloride	20	U	23.3	116		23.3	116		0		15	70-130
Bromomethane	20	U	19.6	98		22.1	110		12		15	70-130
Chloroethane	20	U	22.4	112		21.4	107		5		15	70-130
t-Butyl alcohol	100	U	93.4	93		91.5	91		2		15	70-130
Trichlorofluoromethane	20	U	23.1	115		22.7	114		1		15	70-130
Diethyl ether	20	U	20.4	102		19.9	99		3		15	70-130
Acetone	20	U	23.6	118		22.6	113		4		15	70-130
1,1-Dichloroethene	20	U	21.3	106		20.8	104		2		15	70-130
Di-isopropyl ether	20	U	19.6	98		19.4	97		1		15	70-130
Methylene Chloride	20	U	16.5	82		15.9	80		3		15	70-130
Carbon Disulfide	20	U	21.5	108		20.7	103		4		15	70-130
Methyl-tert-butyl ether	40	U	41.0	103		39.2	98		4		15	70-130
Trans-1,2-Dichloroethene	20	U	21.4	107		19.9	99		7		15	70-130
1,1-Dichloroethane	20	U	20.6	103		19.7	99		5		15	70-130
Methyl ethyl ketone	20	U	24.0	120		24.1	121		0		15	70-130
Ethyl t-butyl ether	20	U	26.1	131	*	26.2	131	*	0		15	70-130
2,2-Dichloropropane	20	U	20.4	102		19.6	98		4		15	70-130
Cis-1,2-Dichloroethene	20	U	24.1	121		23.1	115		4		15	70-130
t-Amyl methyl ether	20	U	19.5	98		19.5	97		0		15	70-130
Chloroform	20	U	21.9	109		21.1	105		4		15	70-130
Bromochloromethane	20	U	21.1	106		20.6	103		3		15	70-130
Tetrahydrofuran	20	U	21.4	107		20.6	103		4		15	70-130
1,1,1-Trichloroethane	20	U	22.7	114		22.2	111		2		15	70-130
1,1-Dichloropropene	20	U	21.5	107		21.2	106		1		15	70-130
Carbon Tetrachloride	20	U	23.6	118		23.1	115		2		15	70-130
1,2-Dichloroethane	20	U	21.5	107		20.6	103		4		15	70-130
Benzene	20	U	19.8	99		19.6	98		1		15	70-130
Trichloroethene	20	U	22.0	110		22.1	111		0		15	70-130
1,2-Dichloropropane	20	U	20.4	102		20.5	102		0		15	70-130
Bromodichloromethane	20	U	22.2	111		21.8	109		2		15	70-130
Dibromomethane	20	U	20.7	103		20.4	102		1		15	70-130
2-Hexanone	20	U	17.9	89		18.0	90		1		15	70-130
Methyl isobutyl ketone	20	U	18.2	91		18.6	93		2		15	70-130
Cis-1,3-Dichloropropene	20	U	21.5	108		21.5	108		0		15	70-130
Toluene	20	U	19.5	98		19.7	98		1		15	70-130
Trans-1,3-Dichloropropene	20	U	21.2	106		21.2	106		0		15	70-130
1,1,2-Trichloroethane	20	U	20.2	101		20.2	101		0		15	70-130
1,3-Dichloropropane	20	U	19.9	100		19.9	100		0		15	70-130
Tetrachloroethene	20	U	19.8	99		20.2	101		2		15	70-130
Dibromochloromethane	20	U	20.5	102		20.7	104		1		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49878-22

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	20.5	102		20.4	102		0		15	70-130
Chlorobenzene	20	U	19.1	95		19.4	97		2		15	70-130
1,1,1,2-Tetrachloroethane	20	U	21.2	106		21.5	108		2		15	70-130
Ethylbenzene	20	U	19.4	97		19.5	98		1		15	70-130
M-,P-Xylene	40	U	38.4	96		39.1	98		2		15	70-130
O-Xylene	20	U	19.4	97		19.8	99		2		15	70-130
Styrene	20	U	19.5	97		19.9	100		2		15	70-130
Bromoform	20	U	20.8	104		21.2	106		2		15	70-130
Isopropylbenzene	20	U	18.7	93		19.0	95		2		15	70-130
1,1,2,2-Tetrachloroethane	20	U	18.5	93		19.1	95		3		15	70-130
1,2,3-Trichloropropane	20	U	18.7	94		18.9	95		1		15	70-130
N-Propylbenzene	20	U	18.9	94		19.5	98		4		15	70-130
Bromobenzene	20	U	18.9	94		19.2	96		2		15	70-130
1,3,5-Trimethylbenzene	20	U	19.3	96		19.6	98		2		15	70-130
2-Chlorotoluene	20	U	18.3	91		18.7	94		2		15	70-130
4-Chlorotoluene	20	U	19.1	95		19.6	98		3		15	70-130
Tert-Butylbenzene	20	U	19.3	97		19.8	99		2		15	70-130
1,2,4-Trimethylbenzene	20	U	19.4	97		19.8	99		2		15	70-130
Sec-Butylbenzene	20	U	18.0	90		18.4	92		3		15	70-130
P-Isopropyltoluene	20	U	18.0	90		18.8	94		4		15	70-130
1,3-Dichlorobenzene	20	U	18.3	92		18.9	94		3		15	70-130
1,4-Dichlorobenzene	20	U	18.7	93		18.8	94		1		15	70-130
N-Butylbenzene	20	U	19.1	95		19.2	96		1		15	70-130
1,2-Dichlorobenzene	20	U	19.1	95		19.0	95		0		15	70-130
1,2-Dibromo-3-chloropropane	20	U	20.1	101		20.3	101		1		15	70-130
1,2,4-Trichlorobenzene	20	U	19.0	95		19.0	95		0		15	70-130
Hexachlorobutadiene	20	U	20.5	103		20.7	103		1		15	70-130
Naphthalene	20	U	18.0	90		18.6	93		4		15	70-130
1,2,3-Trichlorobenzene	20	U	18.3	91		19.1	95		4		15	70-130
1,3,5-Trichlorobenzene	20	U	18.1	91		18.2	91		1		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 71 outside limits

Spike Recovery: 2 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806243B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	20	22.6	113		70-130
Chloromethane	20	21.8	109		70-130
Vinyl Chloride	20	22.5	113		70-130
Bromomethane	20	19.5	97		70-130
Chloroethane	20	21.5	108		70-130
t-Butyl alcohol	100	86.3	86		70-130
Trichlorofluoromethane	20	22.1	111		70-130
Diethyl ether	20	18.8	94		70-130
Acetone	20	20.2	101		70-130
1,1-Dichloroethene	20	19.5	97		70-130
Di-isopropyl ether	20	19.6	98		70-130
Methylene Chloride	20	16.6	83		70-130
Carbon Disulfide	20	19.5	97		70-130
Methyl-tert-butyl ether	40	38.5	96		70-130
Trans-1,2-Dichloroethene	20	18.6	93		70-130
1,1-Dichloroethane	20	19.3	96		70-130
Methyl ethyl ketone	20	22.3	112		70-130
Ethyl t-butyl ether	20	19.6	98		70-130
2,2-Dichloropropane	20	22.9	115		70-130
Cis-1,2-Dichloroethene	20	21.3	106		70-130
t-Amyl methyl ether	20	19.2	96		70-130
Chloroform	20	19.3	97		70-130
Bromochloromethane	20	20.0	100		70-130
Tetrahydrofuran	20	19.4	97		70-130
1,1,1-Trichloroethane	20	20.6	103		70-130
1,1-Dichloropropene	20	20.0	100		70-130
Carbon Tetrachloride	20	21.5	107		70-130
1,2-Dichloroethane	20	19.8	99		70-130
Benzene	20	18.9	95		70-130
Trichloroethene	20	21.1	106		70-130
1,2-Dichloropropane	20	20.0	100		70-130
Bromodichloromethane	20	21.0	105		70-130
Dibromomethane	20	19.3	96		70-130
2-Hexanone	20	17.5	87		70-130
Methyl isobutyl ketone	20	18.1	90		70-130
Cis-1,3-Dichloropropene	20	21.9	109		70-130
Toluene	20	18.7	93		70-130
Trans-1,3-Dichloropropene	20	22.1	110		70-130
1,1,2-Trichloroethane	20	20.1	101		70-130
1,3-Dichloropropane	20	19.8	99		70-130
Tetrachloroethene	20	20.0	100		70-130
Dibromochloromethane	20	20.9	105		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806243B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	20	20.3	102		70-130
Chlorobenzene	20	18.7	94		70-130
1,1,1,2-Tetrachloroethane	20	21.5	108		70-130
Ethylbenzene	20	18.7	93		70-130
M-,P-Xylene	40	37.6	94		70-130
O-Xylene	20	19.1	96		70-130
Styrene	20	19.6	98		70-130
Bromoform	20	21.4	107		70-130
Isopropylbenzene	20	18.2	91		70-130
1,1,2,2-Tetrachloroethane	20	18.6	93		70-130
1,2,3-Trichloropropane	20	18.9	95		70-130
N-Propylbenzene	20	18.8	94		70-130
Bromobenzene	20	19.2	96		70-130
1,3,5-Trimethylbenzene	20	19.0	95		70-130
2-Chlorotoluene	20	18.1	91		70-130
4-Chlorotoluene	20	19.1	96		70-130
Tert-Butylbenzene	20	19.3	96		70-130
1,2,4-Trimethylbenzene	20	19.4	97		70-130
Sec-Butylbenzene	20	18.0	90		70-130
P-Isopropyltoluene	20	18.4	92		70-130
1,3-Dichlorobenzene	20	19.0	95		70-130
1,4-Dichlorobenzene	20	18.6	93		70-130
N-Butylbenzene	20	18.7	94		70-130
1,2-Dichlorobenzene	20	19.0	95		70-130
1,2-Dibromo-3-chloropropane	20	19.8	99		70-130
1,2,4-Trichlorobenzene	20	19.3	96		70-130
Hexachlorobutadiene	20	21.0	105		70-130
Naphthalene	20	18.4	92		70-130
1,2,3-Trichlorobenzene	20	18.7	94		70-130
1,3,5-Trichlorobenzene	20	18.4	92		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 0 out of 71 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49878-30

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	21.5	107		21.6	108		0		15	70-130
Chloromethane	20	U	21.5	108		21.6	108		1		15	70-130
Vinyl Chloride	20	U	22.5	113		22.4	112		1		15	70-130
Bromomethane	20	U	16.8	84		18.9	95		12		15	70-130
Chloroethane	20	U	20.5	102		20.7	103		1		15	70-130
t-Butyl alcohol	100	U	95.8	96		97.0	97		1		15	70-130
Trichlorofluoromethane	20	U	21.7	108		22.0	110		1		15	70-130
Diethyl ether	20	U	20.1	101		20.2	101		0		15	70-130
Acetone	20	U	22.0	110		22.2	111		1		15	70-130
1,1-Dichloroethene	20	U	21.0	105		21.0	105		0		15	70-130
Di-isopropyl ether	20	U	19.3	96		19.6	98		2		15	70-130
Methylene Chloride	20	U	16.0	80		16.3	82		2		15	70-130
Carbon Disulfide	20	U	20.8	104		21.1	106		2		15	70-130
Methyl-tert-butyl ether	40	U	40.9	102		41.0	103		0		15	70-130
Trans-1,2-Dichloroethene	20	U	20.7	104		20.7	103		0		15	70-130
1,1-Dichloroethane	20	U	20.7	103		20.9	104		1		15	70-130
Methyl ethyl ketone	20	U	21.1	106		18.6	93		13		15	70-130
Ethyl t-butyl ether	20	U	18.7	94		19.0	95		2		15	70-130
2,2-Dichloropropane	20	U	21.5	108		21.5	107		0		15	70-130
Cis-1,2-Dichloroethene	20	U	22.8	114		22.6	113		1		15	70-130
t-Amyl methyl ether	20	U	19.0	95		19.1	96		1		15	70-130
Chloroform	20	U	21.2	106		21.1	106		0		15	70-130
Bromochloromethane	20	U	20.3	101		20.4	102		0		15	70-130
Tetrahydrofuran	20	U	21.1	106		21.0	105		1		15	70-130
1,1,1-Trichloroethane	20	U	21.8	109		22.0	110		1		15	70-130
1,1-Dichloropropene	20	U	20.8	104		21.0	105		1		15	70-130
Carbon Tetrachloride	20	U	22.7	113		22.8	114		1		15	70-130
1,2-Dichloroethane	20	U	21.0	105		20.9	104		0		15	70-130
Benzene	20	U	19.1	96		19.3	96		1		15	70-130
Trichloroethene	20	1	22.7	109		23.0	110		1		15	70-130
1,2-Dichloropropane	20	U	20.6	103		20.9	104		1		15	70-130
Bromodichloromethane	20	U	21.8	109		22.0	110		1		15	70-130
Dibromomethane	20	U	20.3	101		20.2	101		0		15	70-130
2-Hexanone	20	U	18.4	92		18.2	91		1		15	70-130
Methyl isobutyl ketone	20	U	18.7	94		18.6	93		1		15	70-130
Cis-1,3-Dichloropropene	20	U	21.7	109		21.9	110		1		15	70-130
Toluene	20	U	19.5	97		19.5	97		0		15	70-130
Trans-1,3-Dichloropropene	20	U	21.5	108		21.6	108		0		15	70-130
1,1,2-Trichloroethane	20	U	20.3	101		20.2	101		0		15	70-130
1,3-Dichloropropane	20	U	19.8	99		20.0	100		1		15	70-130
Tetrachloroethene	20	U	20.7	103		20.7	104		0		15	70-130
Dibromochloromethane	20	U	20.8	104		21.0	105		1		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49878-30

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	20.3	102		20.5	103		1		15	70-130
Chlorobenzene	20	U	18.8	94		19.3	96		2		15	70-130
1,1,1,2-Tetrachloroethane	20	U	21.0	105		21.4	107		2		15	70-130
Ethylbenzene	20	U	19.0	95		19.3	96		2		15	70-130
M-,P-Xylene	40	U	37.7	94		38.5	96		2		15	70-130
O-Xylene	20	U	19.0	95		19.4	97		2		15	70-130
Styrene	20	U	19.3	96		19.8	99		3		15	70-130
Bromoform	20	U	20.6	103		21.0	105		2		15	70-130
Isopropylbenzene	20	U	18.4	92		18.8	94		2		15	70-130
1,1,2,2-Tetrachloroethane	20	U	18.5	92		18.8	94		1		15	70-130
1,2,3-Trichloropropane	20	U	18.7	94		19.1	96		2		15	70-130
N-Propylbenzene	20	U	18.9	94		19.2	96		2		15	70-130
Bromobenzene	20	U	18.9	95		19.3	96		2		15	70-130
1,3,5-Trimethylbenzene	20	U	19.2	96		19.4	97		1		15	70-130
2-Chlorotoluene	20	U	18.7	94		18.5	92		1		15	70-130
4-Chlorotoluene	20	U	18.5	93		19.3	96		4		15	70-130
Tert-Butylbenzene	20	U	19.0	95		19.6	98		3		15	70-130
1,2,4-Trimethylbenzene	20	U	19.1	96		19.5	98		2		15	70-130
Sec-Butylbenzene	20	U	18.0	90		18.4	92		2		15	70-130
P-Isopropyltoluene	20	U	18.1	91		18.6	93		2		15	70-130
1,3-Dichlorobenzene	20	U	18.6	93		19.0	95		2		15	70-130
1,4-Dichlorobenzene	20	U	18.2	91		18.6	93		2		15	70-130
N-Butylbenzene	20	U	18.4	92		18.6	93		1		15	70-130
1,2-Dichlorobenzene	20	U	18.7	94		18.8	94		1		15	70-130
1,2-Dibromo-3-chloropropane	20	U	19.2	96		20.0	100		4		15	70-130
1,2,4-Trichlorobenzene	20	U	18.4	92		18.9	95		3		15	70-130
Hexachlorobutadiene	20	U	19.8	99		20.6	103		4		15	70-130
Naphthalene	20	U	17.5	88		18.1	90		3		15	70-130
1,2,3-Trichlorobenzene	20	U	17.9	89		18.7	93		4		15	70-130
1,3,5-Trichlorobenzene	20	U	17.5	87		17.9	91		3		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 71 outside limits

Spike Recovery: 0 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806253B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	20	22.0	110		70-130
Chloromethane	20	21.7	109		70-130
Vinyl Chloride	20	22.3	111		70-130
Bromomethane	20	18.9	95		70-130
Chloroethane	20	20.6	103		70-130
t-Butyl alcohol	100	107.7	108		70-130
Trichlorofluoromethane	20	22.2	111		70-130
Diethyl ether	20	19.9	100		70-130
Acetone	20	22.6	113		70-130
1,1-Dichloroethene	20	20.7	103		70-130
Di-isopropyl ether	20	20.5	102		70-130
Methylene Chloride	20	17.4	87		70-130
Carbon Disulfide	20	20.5	102		70-130
Methyl-tert-butyl ether	40	41.6	104		70-130
Trans-1,2-Dichloroethene	20	19.8	99		70-130
1,1-Dichloroethane	20	20.5	102		70-130
Methyl ethyl ketone	20	17.7	89		70-130
Ethyl t-butyl ether	20	19.9	99		70-130
2,2-Dichloropropane	20	21.9	110		70-130
Cis-1,2-Dichloroethene	20	22.1	110		70-130
t-Amyl methyl ether	20	20.1	100		70-130
Chloroform	20	20.5	102		70-130
Bromochloromethane	20	20.7	103		70-130
Tetrahydrofuran	20	22.3	112		70-130
1,1,1-Trichloroethane	20	21.5	107		70-130
1,1-Dichloropropene	20	20.7	103		70-130
Carbon Tetrachloride	20	22.4	112		70-130
1,2-Dichloroethane	20	20.7	104		70-130
Benzene	20	19.5	97		70-130
Trichloroethene	20	22.2	111		70-130
1,2-Dichloropropane	20	21.0	105		70-130
Bromodichloromethane	20	22.3	111		70-130
Dibromomethane	20	20.7	104		70-130
2-Hexanone	20	20.2	101		70-130
Methyl isobutyl ketone	20	20.7	104		70-130
Cis-1,3-Dichloropropene	20	22.6	113		70-130
Toluene	20	19.7	98		70-130
Trans-1,3-Dichloropropene	20	23.1	115		70-130
1,1,2-Trichloroethane	20	21.4	107		70-130
1,3-Dichloropropane	20	20.9	104		70-130
Tetrachloroethene	20	21.5	107		70-130
Dibromochloromethane	20	22.3	111		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L806253B

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
1,2-Dibromoethane	20	21.7	109		70-130
Chlorobenzene	20	19.8	99		70-130
1,1,1,2-Tetrachloroethane	20	22.4	112		70-130
Ethylbenzene	20	19.6	98		70-130
M-,P-Xylene	40	39.8	100		70-130
O-Xylene	20	20.1	100		70-130
Styrene	20	20.5	103		70-130
Bromoform	20	23.5	117		70-130
Isopropylbenzene	20	19.3	97		70-130
1,1,2,2-Tetrachloroethane	20	20.5	102		70-130
1,2,3-Trichloropropane	20	20.6	103		70-130
N-Propylbenzene	20	20.0	100		70-130
Bromobenzene	20	20.5	102		70-130
1,3,5-Trimethylbenzene	20	20.2	101		70-130
2-Chlorotoluene	20	19.2	96		70-130
4-Chlorotoluene	20	20.2	101		70-130
Tert-Butylbenzene	20	20.4	102		70-130
1,2,4-Trimethylbenzene	20	20.5	102		70-130
Sec-Butylbenzene	20	19.1	95		70-130
P-Isopropyltoluene	20	19.5	97		70-130
1,3-Dichlorobenzene	20	20.1	100		70-130
1,4-Dichlorobenzene	20	19.3	97		70-130
N-Butylbenzene	20	19.3	96		70-130
1,2-Dichlorobenzene	20	19.9	99		70-130
1,2-Dibromo-3-chloropropane	20	21.9	110		70-130
1,2,4-Trichlorobenzene	20	20.2	101		70-130
Hexachlorobutadiene	20	21.8	109		70-130
Naphthalene	20	19.9	100		70-130
1,2,3-Trichlorobenzene	20	19.9	100		70-130
1,3,5-Trichlorobenzene	20	18.8	94		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 0 out of 71 outside limits

Comments: _____

_____

GC/MS Volatiles Instrument: B

IS only — Exp: —

SS+IS V4518 Exp: 6/30/03

Voltage 1918

Threshold 150

MT 061903-B

DB

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		W-B-061903-1-MT						
1	V8260B	Blank	5mL			B16299	MT	NA
2		BFB 50ng				B16300T		
3		20 ppb			fails RR	015C		
4	~~V8260B~~	~~BFB~~				022		
5		Bromoform				03		
6	~~V8260B~~	~~BFB~~				04B		
4	V8260B	20 ppb	5mL		fails Re Cal	02SC		
1	V8260B	BFB 50ng 2uL V4487		✓		4 03T		1157
2		1 ppb .25uL V4504 V4512		✓		5 04SI		
3		2 ppb .50uL		✓		6 05SI		
4		5 ppb 1.25uL		✓		7 06SI		
5		20 ppb 5uL		✓		8 07SI		
6		50 ppb 12.5uL		✓		9 08SI		
7		100 ppb 25uL		✓		10 09SI		
8		Blank				11 10		
9		180x193B		✓		12 11		
10		Bromoform		✓		13 12		
11		B80x193B		✓		14 13		
12		49873-3		✓		15 14		2
13		49863-15	500uL	✓		16 15		2
14		-16	5mL	✓		17 16		2
15		-17		✓		18 17		2
16		-19	25mL	✓		19 18		2
17		-21	5mL	✓		20 19		2
18		-22	5mL		MW 50uL	21 20		2
19		49873-1	5mL		CO · MW 5mL	22 21		2
20		-1MS		✓	CLOSE P	23 22SP		2
21		-1MSD		✓	VS	24 23SD		2
22		-2		✓		25 24		2
23		49809-1	5mL	✓	TCLP	26 25		

Revision: 04/30/02

DB

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4518 Exp 6-30-03

Voltage 1918

Threshold 100

062003-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	VI-B-062003-1-JR							
1	V8061903B	Blank	5mL			B16327		
2		Blank				28		
3		BFB 50ng 2mL V4487		✓		29	T	
4		20PPB 5mL V4504 V4512		✓		30	SC	
5		L8062003B V4506 V4517		✓		31	Q	
6		Bromofluor		✓		32		
7		B8062003B		✓		33	B	
8		49863-22	50mL	✓		34		<2
9		49878-1	5mL	✓		35		<2
10		-2		✓	NR 1mL	36		<2
11		-2,MS		✓		37	S	<2
12		-2,MSD		✓		38	S	<2
13		-3		✓		39		<2
14		-4		✓		40		<2
15		-5		✓		41		<2
16		-6		✓		42		<2
17		-7		✓		43		<2
18		-8		✓		44		<2
19		-9		✓		45		<2
20		-10		✓		46		<2
21		-11		✓		47		<2
22		-12		✓		48		<2
23		-14		✓		49		<2
24		-15		✓		50		<2
25		-16		✓		51		<2
26		-17		✓		52		<2

6-23-03

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4518 Exp: 6-30-03

Voltage 1918

Threshold 100

Sys 062303-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		W-B-062303-1-JL						
1	V8260B	Blank	5mL			B16353	JL	
2		BFB 50ng 2mL V4487		✓		54	T	8.5
3		20PPB 5mL V4504 V4512		✓		55	SC	
4		L806233B V4506 V4517		✓	Extra C136	56	R	
5		Bromoform		✓		57		
6		B806233B			JF flag MeCl2, Diethyl Ether	58	B	
7		49886-1	5mL	✓		59		<2
8		49896-1			MR (-11) Ran Wrong Sample.	60		<2
9		49864-1	50mL	✓	TCLP	61		<2
10		-1, MS		✓		62		<2
11		49878-2 DL	1mL	✓		63		<2
12		-18	5mL	✓		64		<2
13		-19		✓		65		<2
14		-20		✓	MR 1mL	66		<2
15		-21		✓	MR 1mL	67		<2
16		-22		✓		68		<2
17		-22, MS		✓	Extra 13L	69	SB	<2
18		-22, MSD		✓		70	SB	<2
19		-23		✓		71		<2
20		-24		✓		72		<2
21		-25		✓		73		<2
22		-26		✓		74		<2
23		-27		✓		75		<2
24		-28		✓		76		<2
25		-29			*Out of Wkr. MR 5mL	77		<2
26		B806233B2		✓	Ran prior to 49896-1 (NB)	78		

Sys 6-24-03

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4518 Exp: 6.30.03

Voltage 1918

Threshold 100

062403-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-B-062403-1-JR							
1	V806193B	blank				B16378		
2		BFB 50ng 2uL V4524	5mL	✓		79	T	8.51
3		200PPB 5mL ✓ V4504 V4512 V4506		✓		80	SC	
4		L806243B V4517		✓		81	Q	
5		Bromoform		✓		82		
6		B806243B		✓		83	B	
7		49896-2	↓	✓		84		L2
8		49878-20,dl	1mL	✓		85		L2
9		-21,dl	1mL	✓		86		L2
10		-29	5mL	✓		87		L2
11		-30		✓		88		L2
12		-30,MS		✓		89	SP	L2
13		-30,MSD		✓		90	SP	L2
14		-31		✓		91		L2
15		-32		✓		92		L2
16		-33		✓	nr 1mL	93		L2
17		-34		✓	nr 500mL	94		L2
18		-35		✓	nr 500mL	95		L2
19		-36		✓		96		L2
20		-37		✓	nr 100mL	97		L2
21		-38		✓	nr 100mL	98		L2
22		-39			nr 5mL Co.?	99		L2
23		-40		✓		B16400		L2
24		-41		✓		1		L2

6.25.03

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4518 Exp: 6-30-03

Voltage 1918

Threshold 100

Sam 062503-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	LV-B-062503-1-JL							
1	V8061935	blank	5mL			B16402	Sam	
2		BFB 50ng/2mL V4534		✓		3	T	1656
3		20PPB 5mL V4504 V4512		✓		4	SC	
4		L8062535 V4506 V4517		✓		5	Q	
5		Bromoform		✓		6		
6		B8062535		✓		7	B	
7		49878-33, DL	1mL	✓		8		<2
8		-34, DL	500mL	✓		9		<2
9		-35, DL	500mL	✓		10		<2
10		-37, DL	100mL	✓		11		<2
11		-38, DL	100mL	✓		12		<2
12		-39	5mL	✓		13		<2
13		49920-5		✓		14		<2
14		-6		✓		15		<2
15		-7		✓		16		<2
16		-8		✓		17		<2
17		49901-1		✓		18		<2
18		-2		✓		19		<2
19		-3		✓		20		<2
20		-4		✓		21		<2
21		-5		✓		22		<2
22		-6		✓		23		<2
23		-7		✓		24		<2
24								
25					6-26-03			
26								

Revision: 04/30/02

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16304T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1157

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.8
75	30.0 - 60.0% of mass 95	43.8
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.9
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	67.1
175	5.0 - 9.0% of mass 174	5.1 (7.6)1
176	>95.0 - <101.0% of mass 174	64.5 (96.2)1
177	5.0 - 9.0% of mass 176	4.9 (7.5)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	1 PPB	1 PPB	B16305SI.D	06/19/03	12:28
02	2 PPB	2 PPB	B16306SI.D	06/19/03	12:59
03	5 PPB	5 PPB	B16307SI.D	06/19/03	13:29
04	20 PPB	20 PPB	B16308SI.D	06/19/03	14:03
05	50 PPB	50 PPB	B16309SI.D	06/19/03	14:35
06	100 PPB	100 PPB	B16310SI.D	06/19/03	15:07
07	ZZZZZ	ZZZZZ	B16311.D	06/19/03	15:40
08	ZZZZZ	ZZZZZ	B16312Q.D	06/19/03	16:12
09	ZZZZZ	ZZZZZ	B16313.D	06/19/03	16:42
10	ZZZZZ	ZZZZZ	B16314B.D	06/19/03	17:13
11	ZZZZZ	ZZZZZ	B16315.D	06/19/03	17:44
12	ZZZZZ	ZZZZZ	B16316.D	06/19/03	18:14
13	ZZZZZ	ZZZZZ	B16317.D	06/19/03	18:45
14	ZZZZZ	ZZZZZ	B16318.D	06/19/03	19:16
15	ZZZZZ	ZZZZZ	B16319.D	06/19/03	19:46
16	ZZZZZ	ZZZZZ	B16320.D	06/19/03	20:17
17	ZZZZZ	ZZZZZ	B16321.D	06/19/03	20:48
18	ZZZZZ	ZZZZZ	B16322.D	06/19/03	21:19
19	ZZZZZ	ZZZZZ	B16323SP.D	06/19/03	21:49
20	ZZZZZ	ZZZZZ	B16324SP.D	06/19/03	22:20
21	ZZZZZ	ZZZZZ	B16325.D	06/19/03	22:50
22	ZZZZZ	ZZZZZ	B16326.D	06/19/03	23:21
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16329T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0947

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.2
75	30.0 - 60.0% of mass 95	43.2
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.7
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	78.3
175	5.0 - 9.0% of mass 174	5.0 (6.4)1
176	>95.0 - <101.0% of mass 174	75.9 (96.9)1
177	5.0 - 9.0% of mass 176	4.5 (5.9)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B16330SC.D	06/20/03	10:18
02	L806203B	L806203B	B16331Q.D	06/20/03	10:49
03	ZZZZZ	ZZZZZ	B16332.D	06/20/03	11:20
04	B806203B	B806203B	B16333B.D	06/20/03	11:50
05	ZZZZZ	ZZZZZ	B16334.D	06/20/03	12:21
06	49878-1	49878-1	B16335.D	06/20/03	12:52
07	49878-2	49878-2	B16336.D	06/20/03	13:23
08	49878-2,MS	49878-2,MS	B16337SP.D	06/20/03	13:53
09	49878-2,MSD	49878-2,MSD	B16338SP.D	06/20/03	14:24
10	49878-3	49878-3	B16339.D	06/20/03	14:55
11	49878-4	49878-4	B16340.D	06/20/03	15:25
12	49878-5	49878-5	B16341.D	06/20/03	15:56
13	49878-6	49878-6	B16342.D	06/20/03	16:27
14	49878-7	49878-7	B16343.D	06/20/03	16:57
15	49878-8	49878-8	B16344.D	06/20/03	17:28
16	49878-9	49878-9	B16345.D	06/20/03	17:59
17	49878-10	49878-10	B16346.D	06/20/03	18:30
18	49878-11	49878-11	B16347.D	06/20/03	19:00
19	49878-12	49878-12	B16348.D	06/20/03	19:31
20	49878-14	49878-14	B16349.D	06/20/03	20:02
21	49878-15	49878-15	B16350.D	06/20/03	20:32
22	49878-16	49878-16	B16351.D	06/20/03	21:03
23	49878-17	49878-17	B16352.D	06/20/03	21:33

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16354T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/23/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0825

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.8
75	30.0 - 60.0% of mass 95	44.1
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	70.8
175	5.0 - 9.0% of mass 174	5.1 (7.2)1
176	>95.0 - <101.0% of mass 174	70.3 (99.3)1
177	5.0 - 9.0% of mass 176	3.9 (5.6)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B16355SC.D	06/23/03	8:56
02	L806233B	L806233B	B16356Q.D	06/23/03	9:26
03	ZZZZZ	ZZZZZ	B16357.D	06/23/03	9:57
04	ZZZZZ	ZZZZZ	B16358B.D	06/23/03	10:28
05	ZZZZZ	ZZZZZ	B16359.D	06/23/03	10:58
06	B806233B2	B806233B2	B16378B.D	06/23/03	11:29
07	ZZZZZ	ZZZZZ	B16360.D	06/23/03	12:00
08	ZZZZZ	ZZZZZ	B16361.D	06/23/03	12:30
09	ZZZZZ	ZZZZZ	B16362SP.D	06/23/03	13:01
10	49878-2,DL	49878-2,DL	B16363.D	06/23/03	13:32
11	49878-18	49878-18	B16364.D	06/23/03	14:03
12	49878-19	49878-19	B16365.D	06/23/03	14:33
13	49878-20	49878-20	B16366.D	06/23/03	15:04
14	49878-21	49878-21	B16367.D	06/23/03	15:35
15	49878-22	49878-22	B16368.D	06/23/03	16:05
16	49878-22,MS	49878-22,MS	B16369SP.D	06/23/03	16:36
17	49878-22,MSD	49878-22,MSD	B16370SP.D	06/23/03	17:07
18	49878-23	49878-23	B16371.D	06/23/03	17:38
19	49878-24	49878-24	B16372.D	06/23/03	18:08
20	49878-25	49878-25	B16373.D	06/23/03	18:39
21	49878-26	49878-26	B16374.D	06/23/03	19:10
22	49878-27	49878-27	B16375.D	06/23/03	19:40
23	49878-28	49878-28	B16376.D	06/23/03	20:11

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16379T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/24/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0851

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	20.6
75	30.0 - 60.0% of mass 95	44.8
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.2
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	65.7
175	5.0 - 9.0% of mass 174	5.1 (7.8)1
176	>95.0 - <101.0% of mass 174	64.2 (97.8)1
177	5.0 - 9.0% of mass 176	4.1 (6.4)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B16380SC.D	06/24/03	9:22
02	L806243B	L806243B	B16381Q.D	06/24/03	9:58
03	ZZZZZ	ZZZZZ	B16382.D	06/24/03	10:29
04	B806243B	B806243B	B16383B.D	06/24/03	11:00
05	ZZZZZ	ZZZZZ	B16384.D	06/24/03	11:30
06	49878-20,DL	49878-20,DL	B16385.D	06/24/03	12:04
07	49878-21,DL	49878-21,DL	B16386.D	06/24/03	12:37
08	49878-29	49878-29	B16387.D	06/24/03	13:08
09	49878-30	49878-30	B16388.D	06/24/03	13:39
10	49878-30,MS	49878-30,MS	B16389SP.D	06/24/03	14:09
11	49878-30,MSD	49878-30,MSD	B16390SP.D	06/24/03	14:40
12	49878-31	49878-31	B16391.D	06/24/03	15:11
13	49878-32	49878-32	B16392.D	06/24/03	15:42
14	49878-33	49878-33	B16393.D	06/24/03	16:12
15	49878-34	49878-34	B16394.D	06/24/03	16:43
16	49878-35	49878-35	B16395.D	06/24/03	17:14
17	49878-36	49878-36	B16396.D	06/24/03	17:44
18	49878-37	49878-37	B16397.D	06/24/03	18:15
19	49878-38	49878-38	B16398.D	06/24/03	18:46
20	ZZZZZ	ZZZZZ	B16399.D	06/24/03	19:17
21	49878-40	49878-40	B16400.D	06/24/03	19:47
22	49878-41	49878-41	B16401.D	06/24/03	20:18
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16403T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/25/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0656

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	17.8
75	30.0 - 60.0% of mass 95	41.9
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	5.5
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	80.1
175	5.0 - 9.0% of mass 174	5.8 (7.2)1
176	>95.0 - <101.0% of mass 174	77.0 (96.1)1
177	5.0 - 9.0% of mass 176	4.8 (6.2)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B16404SC.D	06/25/03	7:26
02	L806253B	L806253B	B16405Q.D	06/25/03	7:57
03	ZZZZZ	ZZZZZ	B16406.D	06/25/03	8:28
04	B806253B	B806253B	B16407B.D	06/25/03	8:59
05	49878-33,DL	49878-33,DL	B16408.D	06/25/03	9:29
06	49878-34,DL	49878-34,DL	B16409.D	06/25/03	10:00
07	49878-35,DL	49878-35,DL	B16410.D	06/25/03	10:31
08	49878-37,DL	49878-37,DL	B16411.D	06/25/03	11:02
09	49878-38,DL	49878-38,DL	B16412.D	06/25/03	11:32
10	49878-39	49878-39	B16413.D	06/25/03	12:03
11	ZZZZZ	ZZZZZ	B16414.D	06/25/03	12:34
12	ZZZZZ	ZZZZZ	B16415.D	06/25/03	13:05
13	ZZZZZ	ZZZZZ	B16416.D	06/25/03	13:36
14	ZZZZZ	ZZZZZ	B16417.D	06/25/03	14:07
15	ZZZZZ	ZZZZZ	B16418.D	06/25/03	14:37
16	ZZZZZ	ZZZZZ	B16419.D	06/25/03	15:08
17	ZZZZZ	ZZZZZ	B16420.D	06/25/03	15:39
18	ZZZZZ	ZZZZZ	B16421.D	06/25/03	16:10
19	ZZZZZ	ZZZZZ	B16422.D	06/25/03	16:41
20	ZZZZZ	ZZZZZ	B16423.D	06/25/03	17:12
21	ZZZZZ	ZZZZZ	B16424.D	06/25/03	17:43
22					
23					

C:\HPCHE\R1\DATA\061903-B\B16312Q.D
Method File **V806193B**
Level 1 File Name **B16305SI.D**
Level 2 File Name **B16306SI.D**
Level 3 File Name **B16307SI.D**
Level 4 File Name **B16308SI.D**
Level 5 File Name **B16309SI.D**
Level 6 File Name **B16310SI.D**

6-20-03

Name	LEVEL 1 RF	LEVEL 2 RF	LEVEL 3 RF	LEVEL 4 RF	LEVEL 5 RF	LEVEL 6 RF	AVG RF
Dichlorodifluoromethane	0.635	0.615	0.607	0.597	0.577	0.550	5.0%
Chloromethane	0.614	0.546	0.519	0.470	0.461	0.461	11.9%
Vinyl Chloride	0.308	0.283	0.223	0.217	0.196	-1.000	19.4%
Bromomethane	0.291	0.226	0.196	0.177	0.170	0.170	23.1%
Chloroethane	0.244	0.223	0.214	0.195	0.195	0.172	12.1%
t-Butyl alcohol (TBA)	0.031	0.026	0.027	0.034	0.038	0.036	15.2%
Trichlorofluoromethane	0.482	0.465	0.455	0.430	0.433	0.425	5.0%
Diethyl ether	0.172	0.164	0.160	0.150	0.145	0.153	6.2%
1,1,2-Trichlorotrifluoroethane	0.304	0.288	0.286	0.259	0.243	0.253	8.8%
Acrolein	0.067	0.062	0.061	0.064	0.065	0.066	3.4%
Acetone	0.133	0.112	0.104	0.110	0.113	0.115	8.4%
1,1-Dichloroethene	0.296	0.267	0.261	0.246	0.251	0.255	6.8%
Methyl iodide	0.468	0.461	0.480	0.451	0.494	0.494	3.7%
Di-isopropyl ether (DIPE)	1.306	1.185	1.231	1.102	1.110	1.116	7.0%
Methylene Chloride	0.460	0.400	0.330	0.325	0.329	-1.000	16.2%
Carbon Disulfide	0.803	0.759	0.794	0.795	0.824	0.861	4.2%
Acrylonitrile	0.116	0.108	0.118	0.119	0.124	0.131	6.6%
Methyl-tert-butyl ether (MTBE	0.852	0.819	0.811	0.773	0.754	0.809	4.3%
trans-1,2-Dichloroethene	0.330	0.294	0.283	0.275	0.271	0.285	7.4%
1,1-Dichloroethane	0.635	0.534	0.561	0.519	0.519	0.529	8.1%
Vinyl acetate	0.037	0.048	0.050	0.047	0.050	0.053	12.0%
Methyl ethyl ketone	0.054	0.054	0.035	0.040	0.042	0.042	18.0%
Ethyl t-butyl ether (ETBE)	1.144	1.492	1.113	1.016	1.022	1.039	15.9%
2,2-Dichloropropane	0.540	0.503	0.447	0.477	0.361	0.386	15.2%
cis-1,2-Dichloroethene	0.514	0.476	0.451	0.461	0.322	0.336	18.4%
t-Amyl methyl ether (TAME)	1.307	1.283	1.301	1.316	1.313	1.317	1.0%
Chloroform	0.864	0.776	0.749	0.755	0.563	0.750	13.2%
Bromochloromethane	0.258	0.259	0.253	0.254	0.245	0.254	2.0%
Tetrahydrofuran	0.047	0.045	0.051	0.060	0.062	0.063	14.4%
1,1,1-Trichloroethane	0.565	0.546	0.533	0.537	0.523	0.559	2.9%
1,1-Dichloropropene	0.705	0.651	0.655	0.636	0.615	0.634	4.7%
Carbon Tetrachloride	0.421	0.412	0.412	0.434	0.427	0.458	4.0%
1,2-Dichloroethane	0.655	0.646	0.619	0.609	0.577	0.612	4.6%
Benzene	2.223	2.067	2.011	1.941	1.878	1.849	6.9%
Trichloroethene	0.307	0.283	0.272	0.267	0.265	0.267	5.8%
1,2-Dichloropropane	0.336	0.319	0.315	0.308	0.304	0.308	3.6%
Methylmethacrylate	0.217	0.210	0.226	0.254	0.264	0.257	9.7%
Bromodichloromethane	0.293	0.293	0.297	0.313	0.322	0.340	6.1%
Dibromomethane	0.201	0.189	0.190	0.197	0.198	0.202	2.8%
2-Chloroethylvinyl ether	0.001	0.002	0.002	0.002	-1.000	0.000	30.2%
2-Hexanone	0.134	0.137	0.139	0.162	0.164	0.150	8.7%
Methyl isobutyl ketone	0.131	0.133	0.134	0.154	0.156	0.143	7.7%
cis-1,3-Dichloropropene	0.411	0.422	0.431	0.449	0.460	0.477	5.6%
Toluene	0.734	0.669	0.665	0.662	0.669	0.655	4.3%
trans-1,3-Dichloropropene	0.309	0.329	0.348	0.391	0.406	0.414	11.9%
1,1,2-Trichloroethane	0.255	0.244	0.240	0.240	0.240	0.231	3.2%
1,3-Dichloropropane	0.521	0.511	0.506	0.503	0.505	0.500	1.5%
Tetrachloroethene	0.302	0.270	0.266	0.267	0.273	0.272	4.9%
Dibromochloromethane	0.235	0.244	0.245	0.274	0.288	0.293	9.6%
1,2-Dibromoethane	0.288	0.286	0.289	0.308	0.309	0.305	3.7%
Chlorobenzene	0.915	0.853	0.836	0.825	0.829	0.820	4.2%
1,1,1,2-Tetrachloroethane	0.261	0.247	0.253	0.268	0.274	0.273	4.1%
Ethylbenzene	1.549	1.441	1.419	1.411	1.390	1.358	4.6%
m,p-Xylene	0.558	0.513	0.516	0.518	0.513	0.502	3.7%
o-Xylene	0.505	0.503	0.502	0.504	0.510	0.502	0.6%
Styrene	0.926	0.883	0.901	0.902	0.907	0.898	1.6%
Bromoform	0.140	0.147	0.165	0.200	0.216	0.217	19.2%
Isopropylbenzene	1.334	1.241	1.236	1.255	1.258	1.235	3.0%
1,1,2,2-Tetrachloroethane	0.449	0.449	0.450	0.483	0.482	0.466	3.5%
1,2,3-Trichloropropane	0.379	0.335	0.344	0.366	0.364	0.347	4.5%
trans-1,4-Dichloro-2-butene	0.132	0.127	0.135	0.154	0.156	0.149	8.8%
n-Propylbenzene	1.733	1.596	1.602	1.609	1.625	1.601	3.2%
Bromobenzene	0.373	0.346	0.339	0.343	0.346	0.346	3.4%
1,3,5-Trimethylbenzene	1.026	0.976	0.970	0.966	0.974	0.964	2.4%
2-Chlorotoluene	1.228	1.094	1.106	1.058	1.097	1.059	5.7%
4-Chlorotoluene	1.080	1.008	0.980	1.000	0.983	0.983	3.8%
tert-butylbenzene	0.878	0.802	0.786	0.814	0.815	0.811	3.8%
1,2,4-Trimethylbenzene	1.165	1.017	1.037	1.026	1.036	1.027	5.3%
sec-butylbenzene	1.708	1.248	1.188	1.166	1.187	1.184	16.5%
p-isopropyltoluene	1.112	0.979	0.947	0.946	0.963	0.976	6.4%
1,3-Dichlorobenzene	0.675	0.625	0.616	0.616	0.626	0.630	3.5%
1,4-Dichlorobenzene	1.408	1.297	1.262	1.249	1.262	1.269	4.6%
n-butylbenzene	2.029	1.837	1.768	1.783	1.803	1.824	5.2%
1,2-Dichlorobenzene	1.256	1.177	1.169	1.163	1.175	1.188	2.9%
1,2-Dibromo-3-chloropropane	0.114	0.101	0.115	0.141	0.147	0.150	16.2%
1,2,4-Trichlorobenzene	0.694	0.633	0.620	0.650	0.665	0.695	4.7%
Hexachlorobutadiene	0.196	0.164	0.156	0.158	0.159	0.165	9.0%
Naphthalene	2.195	2.019	2.036	2.265	2.279	2.324	5.9%
1,2,3-Trichlorobenzene	0.644	0.610	0.593	0.616	0.624	0.650	3.4%
1,3,5-Trichlorobenzene	0.753	0.684	0.684	0.691	0.708	0.731	4.0%

CURVE AVG RF 7.5%

000200

Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration

6-20-03
VJ6130

Calibration Files
1 =B16305SI.D 2 =B16306SI.D 5 =B16307SI.D
20 =B16308SI.D 50 =B16309SI.D 100 =B16310SI.D

		Compound	1	2	5	20	50	100	Avg	%R
1)	I	Pentafluorobenzene	ISTD							
2)	TM	Dichlorodifluoromet	0.635	0.615	0.607	0.597	0.577	0.550	0.597	5.0
3)	TMP	Chloromethane	0.614	0.546	0.519	0.470	0.461	0.461	0.512	11.8
4)	TMC	Vinyl Chloride		0.308	0.283	0.223	0.217	0.196	0.246	19.4
5)	TM	Bromomethane	0.291	0.226	0.196	0.177	0.170	0.170	0.205	23.0
6)	TM	Chloroethane	0.244	0.223	0.214	0.195	0.195	0.172	0.207	12.1
7)	TM	t-Butyl alcohol (TB	0.031	0.026	0.027	0.034	0.038	0.036	0.032#	15.1
8)	TM	Trichlorofluorometh	0.482	0.465	0.455	0.430	0.433	0.425	0.448	5.0
9)	TM	Diethyl ether	0.172	0.164	0.160	0.150	0.145	0.153	0.157	6.1
10)	T	1,1,2-Trichlorotrif	0.304	0.288	0.286	0.259	0.243	0.253	0.272	8.8
11)	T	Acrolein	0.067	0.062	0.061	0.064	0.065	0.066	0.064#	3.3
12)	TM	Acetone	0.133	0.112	0.104	0.110	0.113	0.115	0.115	8.3
13)	TMC	1,1-Dichloroethene	0.296	0.267	0.261	0.246	0.251	0.255	0.263	6.8
14)	T	Methyl iodide	0.468	0.461	0.480	0.451	0.494	0.494	0.475	3.7
15)	TM	Di-isopropyl ether	1.306	1.185	1.231	1.102	1.110	1.116	1.175	6.9
16)	TM	Methylene Chloride		0.460	0.400	0.330	0.325	0.329	0.369	16.2
17)	TM	Carbon Disulfide	0.803	0.759	0.794	0.795	0.824	0.861	0.806	4.2
18)	T	Acrylonitrile	0.116	0.108	0.118	0.119	0.124	0.131	0.119	6.6
19)	TM	Methyl-tert-butyl e	0.852	0.819	0.811	0.773	0.754	0.809	0.803	4.3
20)	TM	trans-1,2-Dichloroe	0.330	0.294	0.283	0.275	0.271	0.285	0.290	7.4
21)	TMP	1,1-Dichloroethane	0.635	0.534	0.561	0.519	0.519	0.529	0.550	8.1
22)	T	Vinyl acetate	0.037	0.048	0.050	0.047	0.050	0.053	0.047#	12.0
23)	TM	Methyl ethyl ketone	0.054	0.054	0.035	0.040	0.042	0.042	0.044#	18.0
24)	TM	Ethyl t-butyl ether	1.144	1.492	1.113	1.016	1.022	1.039	1.137	15.9
25)	TM	2,2-Dichloropropane	0.540	0.503	0.447	0.477	0.361	0.386	0.452	15.1
26)	TM	cis-1,2-Dichloroeth	0.514	0.476	0.451	0.461	0.322	0.336	0.427	18.4
27)	TM	t-Amyl methyl ether	1.307	1.283	1.301	1.316	1.313	1.317	1.306	0.9
28)	T	NO COUMPOUND							0.000#	-1.0
29)	TMC	Chloroform	0.864	0.776	0.749	0.755	0.563	0.750	0.743	13.2
30)	TM	Bromochloromethane	0.258	0.259	0.253	0.254	0.245	0.254	0.254	2.0
31)	TM	Tetrahydrofuran	0.047	0.045	0.051	0.060	0.062	0.063	0.055#	14.3
32)	TM	1,1,1-Trichloroetha	0.565	0.546	0.533	0.537	0.523	0.559	0.544	2.9
33)	T	NO COMPOUND							0.000#	-1.0
34)	TM	1,1-Dichloropropene	0.705	0.651	0.655	0.636	0.615	0.634	0.649	4.7
35)	TM	Carbon Tetrachlorid	0.421	0.412	0.412	0.434	0.427	0.458	0.427	4.0
36)	S	d4-1,2-Dichloroetha	0.569	0.570	0.556	0.561	0.536	0.573	0.561	2.4
37)	TM	1,2-Dichloroethane	0.655	0.646	0.619	0.609	0.577	0.612	0.620	4.5
38)	TM	Benzene	2.223	2.067	2.011	1.941	1.878	1.849	1.995	6.9
39)	I	1,4-Difluorobenzene	ISTD							
40)	TM	Trichloroethene	0.307	0.283	0.272	0.267	0.265	0.267	0.277	5.7
41)	TMC	1,2-Dichloropropane	0.336	0.319	0.315	0.308	0.304	0.308	0.315	3.6
42)	T	Methylmethacrylate	0.217	0.210	0.226	0.254	0.264	0.257	0.238	9.7

(#) = Out of Range

000201

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration

Calibration Files
1 =B16305SI.D 2 =B16306SI.D 5 =B16307SI.D
20 =B16308SI.D 50 =B16309SI.D 100 =B16310SI.D

		Compound	1	2	5	20	50	100	Avg	%R
43)	T	NO COMPOUND							0.000#	-1.0
44)	T	NO COMPOUND							0.000#	-1.0
45)	TM	Bromodichloromethan	0.293	0.293	0.297	0.313	0.322	0.340	0.310	6.1
46)	TM	Dibromomethane	0.201	0.189	0.190	0.197	0.198	0.202	0.196	2.8
47)	T	NO COMPOUND							0.000#	-1.0
48)	T	NO COMPOUND							0.000#	-1.0
49)	T	NO COMPOUND							0.000#	-1.0
50)	T	2-Chloroethylvinyl			0.001	0.002	0.002	0.002	0.002#	30.2
51)	TM	2-Hexanone	0.134	0.137	0.139	0.162	0.164	0.150	0.148	8.7
52)	TM	Methyl isobutyl ket	0.131	0.133	0.134	0.154	0.156	0.143	0.142	7.7
53)	TM	cis-1,3-Dichloropro	0.411	0.422	0.431	0.449	0.460	0.477	0.442	5.6
54)	S	d8-Toluene	1.116	1.124	1.119	1.120	1.139	1.143	1.127	1.0
55)	TMC	Toluene	0.734	0.669	0.665	0.662	0.669	0.655	0.676	4.3
56)	TM	trans-1,3-Dichlorop	0.309	0.329	0.348	0.391	0.406	0.414	0.366	11.8
57)	T	NO COMPOUND							0.000#	-1.0
58)	TM	1,1,2-Trichloroetha	0.255	0.244	0.240	0.240	0.240	0.231	0.242	3.2
59)	TM	1,3-Dichloropropane	0.521	0.511	0.506	0.503	0.505	0.500	0.508	1.4
60)	TM	Tetrachloroethene	0.302	0.270	0.266	0.267	0.273	0.272	0.275	4.9
61)	TM	Dibromochloromethan	0.235	0.244	0.245	0.274	0.288	0.293	0.263	9.5
62)	TM	1,2-Dibromoethane	0.288	0.286	0.289	0.308	0.309	0.305	0.298	3.6
63)	I	*d5-Chlorobenzene	----------	----------	ISTD	----------	----------	----------		
64)	TMP	Chlorobenzene	0.915	0.853	0.836	0.825	0.829	0.820	0.846	4.2
65)	TM	1,1,1,2-Tetrachloro	0.261	0.247	0.253	0.268	0.274	0.273	0.263	4.1
66)	TMC	Ethylbenzene	1.549	1.441	1.419	1.411	1.390	1.358	1.428	4.6
67)	TM	m,p-Xylene	0.558	0.513	0.516	0.518	0.513	0.502	0.520	3.7
68)	TM	o-Xylene	0.505	0.503	0.502	0.504	0.510	0.502	0.504	0.6
69)	TM	Styrene	0.926	0.883	0.901	0.902	0.907	0.898	0.903	1.5
70)	TMP	Bromoform	0.140	0.147	0.165	0.200	0.216	0.217	0.181	19.1
71)	TM	Isopropylbenzene	1.334	1.241	1.236	1.255	1.258	1.235	1.260	2.9
72)	TMP	1,1,2,2-Tetrachloro	0.449	0.449	0.450	0.483	0.482	0.466	0.463	3.5
73)	S	Bromofluorobenzene	0.513	0.514	0.516	0.518	0.511	0.517	0.515	0.5
74)	TM	1,2,3-Trichloroprop	0.379	0.335	0.344	0.366	0.364	0.347	0.356	4.5
75)	T	trans-1,4-Dichloro-	0.132	0.127	0.135	0.154	0.156	0.149	0.142	8.8
76)	TM	n-Propylbenzene	1.733	1.596	1.602	1.609	1.625	1.601	1.628	3.2
77)	TM	Bromobenzene	0.373	0.346	0.339	0.343	0.346	0.346	0.349	3.4
78)	TM	1,3,5-Trimethylbenz	1.026	0.976	0.970	0.966	0.974	0.964	0.979	2.3
79)	TM	2-Chlorotoluene	1.228	1.094	1.106	1.058	1.097	1.059	1.107	5.6
80)	TM	4-Chlorotoluene	1.080	1.008	0.980	1.000	0.983	0.983	1.006	3.7
81)	TM	tert-butylbenzene	0.878	0.802	0.786	0.814	0.815	0.811	0.818	3.8
82)	TM	1,2,4-Trimethylbenz	1.165	1.017	1.037	1.026	1.036	1.027	1.051	5.3
83)	T	NO COMPOUND							0.000#	-1.0
84)	TM	sec-butylbenzene	1.708	1.248	1.188	1.166	1.187	1.184	1.280	16.5
85)	TM	p-isopropyltoluene	1.112	0.979	0.947	0.946	0.963	0.976	0.987	6.3

(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Initial Calibration

Calibration Files
1 =B16305SI.D 2 =B16306SI.D 5 =B16307SI.D
20 =B16308SI.D 50 =B16309SI.D 100 =B16310SI.D

		Compound	1	2	5	20	50	100	Avg	%R
86)	TM	1,3-Dichlorobenzene	0.675	0.625	0.616	0.616	0.626	0.630	0.632	3.5
87)	I	1,4-Dichlorobenzene-d	----------	----------	----------	ISTD	----------	----------		
88)	TM	1,4-Dichlorobenzene	1.408	1.297	1.262	1.249	1.262	1.269	1.291	4.6
89)	TM	n-butylbenzene	2.029	1.837	1.768	1.783	1.803	1.824	1.841	5.2
90)	TM	1,2-Dichlorobenzene	1.256	1.177	1.169	1.163	1.175	1.188	1.188	2.8
91)	T	NO COMPOUND							0.000#	-1.0
92)	TM	1,2-Dibromo-3-chlor	0.114	0.101	0.115	0.141	0.147	0.150	0.128	16.1
93)	T	NO COMPOUND							0.000#	-1.0
94)	TM	1,2,4-Trichlorobenz	0.694	0.633	0.620	0.650	0.665	0.695	0.659	4.7
95)	TM	Hexachlorobutadiene	0.196	0.164	0.156	0.158	0.159	0.165	0.166	9.0
96)	TM	Naphthalene	2.195	2.019	2.036	2.265	2.279	2.324	2.186	5.9
97)	TM	1,2,3-Trichlorobenz	0.644	0.610	0.593	0.616	0.624	0.650	0.623	3.4
98)	TM	1,3,5-Trichlorobenz	0.753	0.684	0.684	0.691	0.708	0.731	0.708	4.0

(#) = Out of Range

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16305SI.D Vial: 2
Acq On : 19 Jun 2003 12:28 pm Operator: JR
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

MT 6/19/03 6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	355149	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	629599	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	564509	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	284397	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	202250	18.91	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.55%			
54) d8-Toluene	10.81	98	702901	18.90	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.50%			
73) Bromofluorobenzene	15.09	95	289849	18.87	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.35%			
Target Compounds						Qvalue
3) Chloromethane	1.83	50	10896	1.09	ug/L	100
4) Vinyl Chloride	1.93	62	6600	1.17	ug/L	98
5) Bromomethane	2.40	94	5175	1.38	ug/L	91
12) Acetone	3.42	43	11767	5.57	ug/L	94
20) trans-1,2-Dichloroethene	4.81	96	5868	1.04	ug/L #	82
21) 1,1-Dichloroethane	5.50	63	11275	1.02	ug/L	95
23) Methyl ethyl ketone	6.23	72	4790	6.69	ug/L	95
25) 2,2-Dichloropropane	6.40	77	9587	1.03	ug/L	97
26) cis-1,2-Dichloroethene	6.48	96	9123	1.00	ug/L	97
29) Chloroform	6.73	83	15336	1.03	ug/L	94
40) Trichloroethene	8.96	95	9649	1.02	ug/L	93
60) Tetrachloroethene	11.94	166	9514	1.06	ug/L	95
64) Chlorobenzene	13.22	112	25837	1.02	ug/L	91
66) Ethylbenzene	13.31	91	43732	1.00	ug/L	99
67) m,p-Xylene	13.44	106	31486	1.99	ug/L	99
74) 1,2,3-Trichloropropane	15.20	75	10684	1.01	ug/L	99
77) Bromobenzene	15.40	156	10514	1.02	ug/L	95
79) 2-Chlorotoluene	15.61	91	34669	1.05	ug/L	98
82) 1,2,4-Trimethylbenzene	16.23	105	32886	1.03	ug/L	97
84) sec-butylbenzene	16.52	105	48209	1.34	ug/L	100
85) p-isopropyltoluene	16.74	119	31393	1.08	ug/L	97
86) 1,3-Dichlorobenzene	16.87	146	19063	1.02	ug/L	98
88) 1,4-Dichlorobenzene	17.05	146	20021	1.04	ug/L	98
89) n-butylbenzene	17.41	91	28852	1.02	ug/L	97
94) 1,2,4-Trichlorobenzene	20.38	180	9864	1.00	ug/L	92
95) Hexachlorobutadiene	20.61	225	2791	1.11	ug/L	92
97) 1,2,3-Trichlorobenzene	21.24	180	9155	1.01	ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16305SI.D Vial: 2
Acq On : 19 Jun 2003 12:28 pm Operator: JR
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.


Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
98) 1,3,5-Trichlorobenzene	19.33	180	10706	1.02 ug/L	96

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061903-B\B16305SI.D Vial: 2
Acq On : 19 Jun 2003 12:28 pm Operator: JR
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration



000206

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16306SI.D Vial: 3
Acq On : 19 Jun 2003 12:59 pm Operator: JR
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

MT 6/19/03 6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	353476	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	625121	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	563958	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	284993	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.85	65	201640	18.94	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.70%			
54) d8-Toluene	10.81	98	702345	19.03	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 95.15%			
73) Bromofluorobenzene	15.10	95	290018	18.90	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.50%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	21735	1.72	ug/L	99
3) Chloromethane	1.83	50	19317	1.95	ug/L	97
4) Vinyl Chloride	1.93	62	10899	1.94	ug/L	97
5) Bromomethane	2.39	94	7976	2.13	ug/L	99
6) Chloroethane	2.48	64	7885	1.71	ug/L	92
8) Trichlorofluoromethane	2.79	101	16454	1.73	ug/L	94
9) Diethyl ether	3.16	74	5800	1.83	ug/L	90
10) 1,1,2-Trichlorotrifluoroet	3.36	101	10175	1.78	ug/L	97
12) Acetone	3.43	43	19855	9.44	ug/L	95
13) 1,1-Dichloroethene	3.58	96	9436	1.75	ug/L	97
14) Methyl iodide	4.02	142	16306	1.88	ug/L	99
15) Di-isopropyl ether (DIPE)	5.42	45	41886	1.77	ug/L	98
17) Carbon Disulfide	4.31	76	26826	1.71	ug/L	100
18) Acrylonitrile	4.56	53	3803	1.63	ug/L	96
19) Methyl-tert-butyl ether (M	4.65	73	28947	1.80	ug/L	100
20) trans-1,2-Dichloroethene	4.82	96	10400	1.85	ug/L	98
21) 1,1-Dichloroethane	5.51	63	18885	1.72	ug/L	94
23) Methyl ethyl ketone	6.24	72	9614	13.48	ug/L	99
24) Ethyl t-butyl ether (ETBE)	6.07	59	52723	2.44	ug/L	98
25) 2,2-Dichloropropane	6.42	77	17777	1.92	ug/L	98
26) cis-1,2-Dichloroethene	6.48	96	16810	1.86	ug/L	94
27) t-Amyl methyl ether (TAME)	7.85	73	45358	1.75	ug/L	98
29) Chloroform	6.72	83	27423	1.84	ug/L	99
30) Bromochloromethane	6.97	128	9157	1.85	ug/L	87
32) 1,1,1-Trichloroethane	7.34	97	19317	1.77	ug/L	98
34) 1,1-Dichloropropene	7.60	75	23018	1.75	ug/L	98
35) Carbon Tetrachloride	7.74	119	14575	1.70	ug/L	87

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16306SI.D Vial: 3
Acq On : 19 Jun 2003 12:59 pm Operator: JR
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
37) 1,2-Dichloroethane	8.00	62	22836	1.86 ug/L	97
38) Benzene	8.01	78	73048	1.82 ug/L	99
40) Trichloroethene	8.96	95	17673	1.88 ug/L	92
41) 1,2-Dichloropropane	9.23	63	19924	1.81 ug/L	97
42) Methylmethacrylate	9.39	69	13099	1.65 ug/L	95
45) Bromodichloromethane	9.59	83	18320	1.73 ug/L	94
46) Dibromomethane	9.65	93	11838	1.77 ug/L	92
51) 2-Hexanone	11.51	58	42876	9.11 ug/L	100
52) Methyl isobutyl ketone	10.16	58	41609	9.13 ug/L #	75
53) cis-1,3-Dichloropropene	10.44	75	26387	1.73 ug/L	95
55) Toluene	10.93	92	41848	1.82 ug/L	96
56) trans-1,3-Dichloropropene	11.23	75	20540	1.63 ug/L	94
58) 1,1,2-Trichloroethane	11.46	83	15260	1.87 ug/L	95
59) 1,3-Dichloropropane	11.85	76	31974	1.85 ug/L	96
60) Tetrachloroethene	11.94	166	16899	1.89 ug/L	96
61) Dibromochloromethane	12.25	129	15232	1.75 ug/L	96
62) 1,2-Dibromoethane	12.55	107	17888	1.80 ug/L	99
64) Chlorobenzene	13.22	112	48118	1.91 ug/L	89
65) 1,1,1,2-Tetrachloroethane	13.29	131	13951	1.80 ug/L	94
66) Ethylbenzene	13.32	91	81252	1.86 ug/L	99
67) m,p-Xylene	13.44	106	57859	3.66 ug/L	96
68) o-Xylene	14.13	106	28354	1.84 ug/L	97
69) Styrene	14.18	104	49786	1.82 ug/L	94
70) Bromoform	14.69	173	8264	1.60 ug/L	97
71) Isopropylbenzene	14.70	105	69984	1.82 ug/L	97
72) 1,1,2,2-Tetrachloroethane	14.97	83	25301	1.84 ug/L	97
74) 1,2,3-Trichloropropane	15.20	75	18920	1.79 ug/L	96
75) trans-1,4-Dichloro-2-buten	15.32	53	7155	1.75 ug/L #	86
76) n-Propylbenzene	15.34	91	90003	1.81 ug/L	98
77) Bromobenzene	15.40	156	19495	1.89 ug/L	94
78) 1,3,5-Trimethylbenzene	15.61	105	55064	1.85 ug/L	99
79) 2-Chlorotoluene	15.62	91	61680	1.87 ug/L	96
80) 4-Chlorotoluene	15.70	91	56844	1.83 ug/L	100
81) tert-butylbenzene	16.17	119	45225	1.82 ug/L	98
82) 1,2,4-Trimethylbenzene	16.23	105	57382	1.80 ug/L	95
84) sec-butylbenzene	16.52	105	70362	1.95 ug/L	100
85) p-isopropyltoluene	16.74	119	55209	1.91 ug/L	98
86) 1,3-Dichlorobenzene	16.88	146	35270	1.89 ug/L	99
88) 1,4-Dichlorobenzene	17.05	146	36975	1.91 ug/L	99
89) n-butylbenzene	17.40	91	52349	1.85 ug/L	99
90) 1,2-Dichlorobenzene	17.65	146	33556	1.87 ug/L	98

(#) = qualifier out of range (m) = manual integration

000208


Data File : C:\HPCHEM\1\DATA\061903-B\B16306SI.D Vial: 3
Acq On : 19 Jun 2003 12:59 pm Operator: JR
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
92)	1,2-Dibromo-3-chloropropan	18.92	75	2865	1.56 ug/L	85
94)	1,2,4-Trichlorobenzene	20.38	180	18026	1.83 ug/L	96
95)	Hexachlorobutadiene	20.62	225	4661	1.85 ug/L	96
96)	Naphthalene	20.80	128	57550	1.84 ug/L	100
97)	1,2,3-Trichlorobenzene	21.25	180	17378	1.91 ug/L	98
98)	1,3,5-Trichlorobenzene	19.34	180	19486	1.86 ug/L	99

Data File : C:\HPCHEM\1\DATA\061903-B\B16306SI.D Vial: 3
Acq On : 19 Jun 2003 12:59 pm Operator: JR
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration



000210

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16307SI.D Vial: 4
Acq On : 19 Jun 2003 1:29 pm Operator: JR
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

MT 6/19/03 6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	352248	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	624798	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	561295	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	286047	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	195812	18.46	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 92.30%			
54) d8-Toluene	10.81	98	699007	18.94	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.70%			
73) Bromofluorobenzene	15.09	95	289554	18.96	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.80%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	53429	4.23	ug/L	97
3) Chloromethane	1.83	50	45714	4.63	ug/L	96
4) Vinyl Chloride	1.93	62	24930	4.44	ug/L	99
5) Bromomethane	2.40	94	17265	4.63	ug/L	95
6) Chloroethane	2.49	64	18859	4.10	ug/L	96
7) t-Butyl alcohol (TBA)	3.76	59	12075	22.36	ug/L #	87
8) Trichlorofluoromethane	2.78	101	40048	4.23	ug/L	97
9) Diethyl ether	3.17	74	14053	4.45	ug/L	96
10) 1,1,2-Trichlorotrifluoroet	3.35	101	25219	4.44	ug/L	99
12) Acetone	3.42	43	45862	21.88	ug/L	97
13) 1,1-Dichloroethene	3.58	96	22969	4.27	ug/L	92
14) Methyl iodide	4.03	142	42273	4.89	ug/L	99
15) Di-isopropyl ether (DIPE)	5.43	45	108363	4.59	ug/L	100
16) Methylene Chloride	4.33	84	35249	4.69	ug/L	98
17) Carbon Disulfide	4.30	76	69882	4.47	ug/L	100
18) Acrylonitrile	4.56	53	10388	4.47	ug/L	93
19) Methyl-tert-butyl ether (M	4.64	73	71462	4.47	ug/L	100
20) trans-1,2-Dichloroethene	4.81	96	24956	4.46	ug/L	95
21) 1,1-Dichloroethane	5.50	63	49384	4.50	ug/L	100
23) Methyl ethyl ketone	6.23	72	15350	21.60	ug/L	96
24) Ethyl t-butyl ether (ETBE)	6.08	59	98006	4.54	ug/L	99
25) 2,2-Dichloropropane	6.40	77	39344	4.27	ug/L	93
26) cis-1,2-Dichloroethene	6.48	96	39756	4.42	ug/L	97
27) t-Amyl methyl ether (TAME)	7.84	73	114561	4.43	ug/L	98
29) Chloroform	6.73	83	65995	4.45	ug/L	98
30) Bromochloromethane	6.97	128	22302	4.52	ug/L	98
31) Tetrahydrofuran	7.08	71	4500	4.46	ug/L	97

(#) = qualifier out of range (m) = manual integration

000211

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16307SI.D Vial: 4
Acq On : 19 Jun 2003 1:29 pm Operator: JR
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
32) 1,1,1-Trichloroethane	7.35	97	46963	4.32 ug/L	97
34) 1,1-Dichloropropene	7.61	75	57657	4.39 ug/L	99
35) Carbon Tetrachloride	7.73	119	36247	4.24 ug/L	98
37) 1,2-Dichloroethane	7.99	62	54535	4.45 ug/L	99
38) Benzene	8.00	78	177076	4.44 ug/L	98
40) Trichloroethene	8.97	95	42483	4.53 ug/L	99
41) 1,2-Dichloropropane	9.23	63	49249	4.47 ug/L	99
42) Methylmethacrylate	9.38	69	35341	4.46 ug/L	98
45) Bromodichloromethane	9.59	83	46453	4.38 ug/L	97
46) Dibromomethane	9.66	93	29620	4.43 ug/L	90
51) 2-Hexanone	11.51	58	108932	23.15 ug/L	99
52) Methyl isobutyl ketone	10.16	58	104686	22.98 ug/L	99
53) cis-1,3-Dichloropropene	10.45	75	67247	4.42 ug/L	100
55) Toluene	10.93	92	103835	4.53 ug/L	99
56) trans-1,3-Dichloropropene	11.22	75	54398	4.32 ug/L	99
58) 1,1,2-Trichloroethane	11.45	83	37480	4.60 ug/L	97
59) 1,3-Dichloropropane	11.85	76	79037	4.59 ug/L	99
60) Tetrachloroethene	11.94	166	41592	4.65 ug/L	99
61) Dibromochloromethane	12.24	129	38228	4.40 ug/L	99
62) 1,2-Dibromoethane	12.56	107	45190	4.56 ug/L	99
64) Chlorobenzene	13.22	112	117291	4.68 ug/L	100
65) 1,1,1,2-Tetrachloroethane	13.30	131	35523	4.62 ug/L	98
66) Ethylbenzene	13.31	91	199125	4.59 ug/L	100
67) m,p-Xylene	13.44	106	144747	9.21 ug/L	97
68) o-Xylene	14.12	106	70453	4.59 ug/L	98
69) Styrene	14.18	104	126428	4.65 ug/L	99
70) Bromoform	14.70	173	23210	4.52 ug/L	100
71) Isopropylbenzene	14.70	105	173502	4.53 ug/L	100
72) 1,1,2,2-Tetrachloroethane	14.97	83	63210	4.63 ug/L	99
74) 1,2,3-Trichloropropane	15.20	75	48334	4.59 ug/L	97
75) trans-1,4-Dichloro-2-buten	15.32	53	18993	4.66 ug/L	94
76) n-Propylbenzene	15.35	91	224736	4.54 ug/L	97
77) Bromobenzene	15.40	156	47581	4.64 ug/L	99
78) 1,3,5-Trimethylbenzene	15.60	105	136083	4.59 ug/L	98
79) 2-Chlorotoluene	15.61	91	155178	4.74 ug/L	99
80) 4-Chlorotoluene	15.69	91	137506	4.45 ug/L	99
81) tert-butylbenzene	16.17	119	110342	4.47 ug/L	96
82) 1,2,4-Trimethylbenzene	16.23	105	145513	4.58 ug/L	99
84) sec-butylbenzene	16.51	105	166688	4.64 ug/L	99
85) p-isopropyltoluene	16.74	119	132823	4.61 ug/L	99
86) 1,3-Dichlorobenzene	16.88	146	86422	4.66 ug/L	98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061903-B\B16307SI.D Vial: 4
Acq On : 19 Jun 2003 1:29 pm Operator: JR
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
88)	1,4-Dichlorobenzene	17.05	146	90221	4.65	ug/L	98
89)	n-butylbenzene	17.40	91	126417	4.45	ug/L	99
90)	1,2-Dichlorobenzene	17.64	146	83567	4.64	ug/L	98
92)	1,2-Dibromo-3-chloropropan	18.93	75	8257	4.49	ug/L	88
94)	1,2,4-Trichlorobenzene	20.38	180	44364	4.49	ug/L	93
95)	Hexachlorobutadiene	20.62	225	11157	4.40	ug/L	100
96)	Naphthalene	20.80	128	145581	4.64	ug/L	100
97)	1,2,3-Trichlorobenzene	21.24	180	42421	4.64	ug/L	93
98)	1,3,5-Trichlorobenzene	19.33	180	48904	4.64	ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903-B\B16307SI.D Vial: 4
Acq On : 19 Jun 2003 1:29 pm Operator: JR
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration



000214

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16308SI.D Vial: 5
Acq On : 19 Jun 2003 2:03 pm Operator: JR
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

MT 6/19/03

6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.94	168	348273	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.47	114	614988	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	556148	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	285216	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.83	65	195355	18.63	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 93.15%			
54) d8-Toluene	10.80	98	688726	18.96	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.80%			
73) Bromofluorobenzene	15.09	95	288097	19.04	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 95.20%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	207936	16.67	ug/L	99
3) Chloromethane	1.82	50	163661	16.75	ug/L	97
4) Vinyl Chloride	1.92	62	77667	14.00	ug/L	99
5) Bromomethane	2.37	94	61775	16.74	ug/L	97
6) Chloroethane	2.46	64	67960	14.96	ug/L	99
7) t-Butyl alcohol (TBA)	3.74	59	59156	110.78	ug/L	99
8) Trichlorofluoromethane	2.77	101	149842	16.01	ug/L	99
9) Diethyl ether	3.14	74	52320	16.76	ug/L	100
10) 1,1,2-Trichlorotrifluoroet	3.32	101	90031	16.02	ug/L	98
11) Acrolein	3.30	56	112035	82.15	ug/L	98
12) Acetone	3.40	43	191457	92.38	ug/L	99
13) 1,1-Dichloroethene	3.55	96	85831	16.13	ug/L	98
14) Methyl iodide	4.00	142	157151	18.37	ug/L	100
15) Di-isopropyl ether (DIPE)	5.39	45	383628	16.42	ug/L	99
16) Methylene Chloride	4.31	84	114790	15.43	ug/L	99
17) Carbon Disulfide	4.27	76	276928	17.92	ug/L	100
18) Acrylonitrile	4.53	53	41470	18.07	ug/L	98
19) Methyl-tert-butyl ether (M	4.62	73	269347	17.04	ug/L	100
20) trans-1,2-Dichloroethene	4.80	96	95825	17.33	ug/L	95
21) 1,1-Dichloroethane	5.49	63	180845	16.67	ug/L	98
22) Vinyl acetate	5.54	86	16463	26.88	ug/L	88
23) Methyl ethyl ketone	6.22	72	69472	98.89	ug/L	93
24) Ethyl t-butyl ether (ETBE)	6.05	59	353791	16.58	ug/L	99
25) 2,2-Dichloropropane	6.38	77	166146	18.23	ug/L	99
26) cis-1,2-Dichloroethene	6.45	96	160489	18.03	ug/L	98
27) t-Amyl methyl ether (TAME)	7.82	73	458495	17.92	ug/L	99
29) Chloroform	6.71	83	262800	17.94	ug/L	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16308SI.D Vial: 5
Acq On : 19 Jun 2003 2:03 pm Operator: JR
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
30)	Bromochloromethane	6.96	128	88603	18.16	ug/L		98
31)	Tetrahydrofuran	7.06	71	20757	20.82	ug/L		97
32)	1,1,1-Trichloroethane	7.33	97	187143	17.40	ug/L		96
34)	1,1-Dichloropropene	7.59	75	221507	17.07	ug/L		98
35)	Carbon Tetrachloride	7.73	119	151006	17.88	ug/L		97
37)	1,2-Dichloroethane	7.97	62	212107	17.51	ug/L		99
38)	Benzene	7.98	78	676071	17.13	ug/L		99
40)	Trichloroethene	8.95	95	163980	17.76	ug/L		95
41)	1,2-Dichloropropane	9.22	63	189480	17.47	ug/L		98
42)	Methylmethacrylate	9.37	69	156099	20.00	ug/L		98
45)	Bromodichloromethane	9.58	83	192281	18.44	ug/L		99
46)	Dibromomethane	9.64	93	121382	18.45	ug/L		99
50)	2-Chloroethylvinyl ether	10.15	63	1260	24.04	ug/L	#	1
51)	2-Hexanone	11.50	58	499225	107.79	ug/L		98
52)	Methyl isobutyl ketone	10.15	58	473759	105.67	ug/L		98
53)	cis-1,3-Dichloropropene	10.44	75	276323	18.45	ug/L		100
55)	Toluene	10.92	92	406981	18.02	ug/L		99
56)	trans-1,3-Dichloropropene	11.22	75	240268	19.37	ug/L		100
58)	1,1,2-Trichloroethane	11.45	83	147293	18.36	ug/L		98
59)	1,3-Dichloropropane	11.85	76	309594	18.25	ug/L		100
60)	Tetrachloroethene	11.94	166	164405	18.67	ug/L		99
61)	Dibromochloromethane	12.23	129	168623	19.73	ug/L		99
62)	1,2-Dibromoethane	12.55	107	189627	19.44	ug/L		100
64)	Chlorobenzene	13.22	112	458813	18.47	ug/L		100
65)	1,1,1,2-Tetrachloroethane	13.29	131	148948	19.54	ug/L		99
66)	Ethylbenzene	13.31	91	784449	18.25	ug/L		99
67)	m,p-Xylene	13.44	106	576285	36.99	ug/L		96
68)	o-Xylene	14.13	106	280171	18.44	ug/L		100
69)	Styrene	14.17	104	501839	18.64	ug/L		100
70)	Bromoform	14.69	173	111423	21.89	ug/L		99
71)	Isopropylbenzene	14.70	105	697789	18.38	ug/L		99
72)	1,1,2,2-Tetrachloroethane	14.96	83	268877	19.88	ug/L		99
74)	1,2,3-Trichloropropane	15.20	75	203377	19.51	ug/L		99
75)	trans-1,4-Dichloro-2-buten	15.32	53	85885	21.28	ug/L		96
76)	n-Propylbenzene	15.34	91	895010	18.27	ug/L		99
77)	Bromobenzene	15.39	156	190705	18.78	ug/L		97
78)	1,3,5-Trimethylbenzene	15.60	105	537031	18.28	ug/L		100
79)	2-Chlorotoluene	15.61	91	588452	18.13	ug/L		97
80)	4-Chlorotoluene	15.69	91	556206	18.16	ug/L		97
81)	tert-butylbenzene	16.17	119	452878	18.50	ug/L		98
82)	1,2,4-Trimethylbenzene	16.23	105	570849	18.12	ug/L		100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16308SI.D Vial: 5
Acq On : 19 Jun 2003 2:03 pm Operator: JR
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
84)	sec-butylbenzene	16.51	105	648277	18.23	ug/L	100
85)	p-isopropyltoluene	16.74	119	525904	18.40	ug/L	99
86)	1,3-Dichlorobenzene	16.88	146	342808	18.68	ug/L	99
88)	1,4-Dichlorobenzene	17.05	146	356267	18.41	ug/L	98
89)	n-butylbenzene	17.40	91	508423	17.94	ug/L	99
90)	1,2-Dichlorobenzene	17.65	146	331662	18.48	ug/L	98
92)	1,2-Dibromo-3-chloropropan	18.92	75	40311	21.98	ug/L	94
94)	1,2,4-Trichlorobenzene	20.38	180	185508	18.83	ug/L	97
95)	Hexachlorobutadiene	20.61	225	45173	17.88	ug/L	97
96)	Naphthalene	20.80	128	646008	20.63	ug/L	100
97)	1,2,3-Trichlorobenzene	21.25	180	175578	19.26	ug/L	100
98)	1,3,5-Trichlorobenzene	19.33	180	197013	18.77	ug/L	99

(#) = qualifier out of range (m) = manual integration

000217

Data File : C:\HPCHEM\1\DATA\061903-B\B16308SI.D Vial: 5
Acq On : 19 Jun 2003 2:03 pm Operator: JR
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration



000218

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16309SI.D Vial: 6
Acq On : 19 Jun 2003 2:35 pm Operator: JR
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

MTS 6/19/03

6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.96	168	347478	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.47	114	603936	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	554218	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	287518	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	186085	17.78	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 88.90%			
54) d8-Toluene	10.81	98	688019	19.29	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 96.45%			
73) Bromofluorobenzene	15.09	95	283164	18.78	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 93.90%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	501477	40.29	ug/L	100
3) Chloromethane	1.82	50	400391	41.07	ug/L	98
4) Vinyl Chloride	1.92	62	188353	34.03	ug/L	98
5) Bromomethane	2.37	94	147408	40.04	ug/L	100
6) Chloroethane	2.46	64	169101	37.31	ug/L	98
7) t-Butyl alcohol (TBA)	3.79	59	165958	311.50	ug/L	98
8) Trichlorofluoromethane	2.76	101	376261	40.29	ug/L	99
9) Diethyl ether	3.16	74	125922	40.42	ug/L	99
10) 1,1,2-Trichlorotrifluoroet	3.34	101	210909	37.61	ug/L	98
11) Acrolein	3.32	56	280717	206.30	ug/L	99
12) Acetone	3.42	43	492703	238.27	ug/L	99
13) 1,1-Dichloroethene	3.57	96	218021	41.08	ug/L	97
14) Methyl iodide	4.02	142	428938	50.26	ug/L	99
15) Di-isopropyl ether (DIPE)	5.42	45	963993	41.36	ug/L	99
16) Methylene Chloride	4.33	84	282559	38.07	ug/L	98
17) Carbon Disulfide	4.29	76	715579	46.41	ug/L	100
18) Acrylonitrile	4.56	53	107951	47.14	ug/L	99
19) Methyl-tert-butyl ether (M	4.64	73	654639	41.51	ug/L	100
20) trans-1,2-Dichloroethene	4.81	96	235207	42.64	ug/L	97
21) 1,1-Dichloroethane	5.51	63	451019	41.67	ug/L	99
22) Vinyl acetate	5.56	86	43425	71.06	ug/L	98
23) Methyl ethyl ketone	6.24	72	180274	257.21	ug/L	98
24) Ethyl t-butyl ether (ETBE)	6.07	59	887620	41.70	ug/L	99
25) 2,2-Dichloropropane	6.40	77	313763	34.50	ug/L	98
26) cis-1,2-Dichloroethene	6.47	96	280146	31.54	ug/L	92
27) t-Amyl methyl ether (TAME)	7.84	73	1140985	44.70	ug/L	98
29) Chloroform	6.73	83	489105	33.46	ug/L	100

(#) = qualifier out of range (m) = manual integration

000219

Data File : C:\HPCHEM\1\DATA\061903-B\B16309SI.D Vial: 6
Acq On : 19 Jun 2003 2:35 pm Operator: JR
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
30)	Bromochloromethane	6.97	128	212665	43.69	ug/L		94
31)	Tetrahydrofuran	7.07	71	54274	54.56	ug/L		95
32)	1,1,1-Trichloroethane	7.35	97	454031	42.31	ug/L		95
34)	1,1-Dichloropropene	7.60	75	533907	41.25	ug/L		99
35)	Carbon Tetrachloride	7.73	119	371246	44.06	ug/L		100
37)	1,2-Dichloroethane	7.99	62	500985	41.45	ug/L		100
38)	Benzene	8.00	78	1631672	41.43	ug/L		100
40)	Trichloroethene	8.96	95	399932	44.11	ug/L		95
41)	1,2-Dichloropropane	9.23	63	459565	43.16	ug/L		98
42)	Methylmethacrylate	9.38	69	399000	52.06	ug/L		97
45)	Bromodichloromethane	9.59	83	485749	47.43	ug/L		100
46)	Dibromomethane	9.66	93	298737	46.23	ug/L		93
50)	2-Chloroethylvinyl ether	10.16	63	3097	60.16	ug/L	#	1
51)	2-Hexanone	11.51	58	1236127	271.78	ug/L		98
52)	Methyl isobutyl ketone	10.16	58	1174045	266.66	ug/L		97
53)	cis-1,3-Dichloropropene	10.45	75	694647	47.24	ug/L		98
55)	Toluene	10.93	92	1009622	45.53	ug/L		99
56)	trans-1,3-Dichloropropene	11.23	75	612281	50.28	ug/L		100
58)	1,1,2-Trichloroethane	11.46	83	362602	46.02	ug/L		97
59)	1,3-Dichloropropane	11.85	76	761720	45.73	ug/L		100
60)	Tetrachloroethene	11.94	166	412187	47.67	ug/L		98
61)	Dibromochloromethane	12.24	129	435319	51.87	ug/L		99
62)	1,2-Dibromoethane	12.56	107	466196	48.68	ug/L		100
64)	Chlorobenzene	13.22	112	1148944	46.40	ug/L		99
65)	1,1,1,2-Tetrachloroethane	13.30	131	379422	49.95	ug/L		99
66)	Ethylbenzene	13.32	91	1925524	44.95	ug/L		99
67)	m,p-Xylene	13.44	106	1420802	91.52	ug/L		94
68)	o-Xylene	14.12	106	706822	46.67	ug/L		97
69)	Styrene	14.18	104	1257084	46.85	ug/L		99
70)	Bromoform	14.70	173	299386	59.02	ug/L		98
71)	Isopropylbenzene	14.70	105	1742593	46.05	ug/L		99
72)	1,1,2,2-Tetrachloroethane	14.97	83	667210	49.50	ug/L		100
74)	1,2,3-Trichloropropane	15.20	75	504504	48.57	ug/L		100
75)	trans-1,4-Dichloro-2-buten	15.32	53	216371	53.79	ug/L		94
76)	n-Propylbenzene	15.35	91	2251810	46.12	ug/L		97
77)	Bromobenzene	15.40	156	479133	47.34	ug/L		97
78)	1,3,5-Trimethylbenzene	15.60	105	1349021	46.09	ug/L		99
79)	2-Chlorotoluene	15.61	91	1519452	46.97	ug/L		98
80)	4-Chlorotoluene	15.70	91	1362361	44.64	ug/L		97
81)	tert-butylbenzene	16.17	119	1128810	46.28	ug/L		98
82)	1,2,4-Trimethylbenzene	16.23	105	1435685	45.74	ug/L		98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061903-B\B16309SI.D Vial: 6
Acq On : 19 Jun 2003 2:35 pm Operator: JR
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Thu Jun 12 13:37:38 2003
Response via : Initial Calibration
DataAcq Meth : V806193B


	Compound	R.T.	QIon	Response	Conc Unit	Qvalue
84)	sec-butylbenzene	16.52	105	1644705	46.40 ug/L	99
85)	p-isopropyltoluene	16.74	119	1334621	46.86 ug/L	99
86)	1,3-Dichlorobenzene	16.89	146	868040	47.45 ug/L	98
88)	1,4-Dichlorobenzene	17.05	146	907058	46.51 ug/L	99
89)	n-butylbenzene	17.40	91	1296069	45.35 ug/L	99
90)	1,2-Dichlorobenzene	17.64	146	844875	46.70 ug/L	99
92)	1,2-Dibromo-3-chloropropan	18.92	75	106018	57.35 ug/L	98
94)	1,2,4-Trichlorobenzene	20.38	180	477874	48.11 ug/L	99
95)	Hexachlorobutadiene	20.61	225	114512	44.97 ug/L	97
96)	Naphthalene	20.80	128	1638307	51.90 ug/L	100
97)	1,2,3-Trichlorobenzene	21.24	180	448181	48.76 ug/L	98
98)	1,3,5-Trichlorobenzene	19.33	180	508706	48.07 ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903-B\B16309SI.D Vial: 6
Acq On : 19 Jun 2003 2:35 pm Operator: JR
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:23 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration



000222

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16310SI.D Vial: 7
Acq On : 19 Jun 2003 3:07 pm Operator: JR
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:35 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

MT 6/19/03

6.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.94	168	344533	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.47	114	601295	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.17	117	548510	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	284139	20.00	ug/L	0.00
System Monitoring Compounds						
36) d4-1,2-Dichloroethane	7.84	65	197330	19.02	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 95.10%			
54) d8-Toluene	10.81	98	687014	19.35	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 96.75%			
73) Bromofluorobenzene	15.09	95	283493	18.99	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 94.95%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	947699	76.80	ug/L	100
3) Chloromethane	1.82	50	794871	82.22	ug/L	99
4) Vinyl Chloride	1.92	62	338414	61.66	ug/L	99
5) Bromomethane	2.35	94	293666	80.44	ug/L	100
6) Chloroethane	2.45	64	297071	66.11	ug/L	100
7) t-Butyl alcohol (TBA)	3.85	59	314271	594.92	ug/L	98
8) Trichlorofluoromethane	2.74	101	732789	79.14	ug/L	98
9) Diethyl ether	3.17	74	264348	85.58	ug/L	99
10) 1,1,2-Trichlorotrifluoroet	3.32	101	436116	78.44	ug/L	98
11) Acrolein	3.33	56	564810	418.63	ug/L	99
12) Acetone	3.44	43	987330	481.56	ug/L	99
13) 1,1-Dichloroethene	3.55	96	439894	83.59	ug/L	98
14) Methyl iodide	4.01	142	851018	100.57	ug/L	99
15) Di-isopropyl ether (DIPE)	5.42	45	1923062	83.21	ug/L	99
16) Methylene Chloride	4.32	84	566972	77.05	ug/L	99
17) Carbon Disulfide	4.28	76	1482820	97.00	ug/L	100
18) Acrylonitrile	4.57	53	225544	99.34	ug/L	98
19) Methyl-tert-butyl ether (M	4.65	73	1393023	89.09	ug/L	100
20) trans-1,2-Dichloroethene	4.80	96	490566	89.70	ug/L	94
21) 1,1-Dichloroethane	5.50	63	910981	84.88	ug/L	99
22) Vinyl acetate	5.56	86	91869	151.61	ug/L	99
23) Methyl ethyl ketone	6.24	72	358051	515.22	ug/L	98
24) Ethyl t-butyl ether (ETBE)	6.07	59	1789005	84.77	ug/L	99
25) 2,2-Dichloropropane	6.40	77	664973	73.74	ug/L	97
26) cis-1,2-Dichloroethene	6.47	96	578016	65.63	ug/L	93
27) t-Amyl methyl ether (TAME)	7.84	73	2268832	89.65	ug/L	98
29) Chloroform	6.73	83	1292825	89.19	ug/L	98

(#) = qualifier out of range (m) = manual integration

090223

Data File : C:\HPCHEM\1\DATA\061903-B\B16310SI.D Vial: 7
Acq On : 19 Jun 2003 3:07 pm Operator: JR
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:35 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration
DataAcq Meth : V806193B

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
30)	Bromochloromethane	6.96	128	437118	90.56 ug/L		98
31)	Tetrahydrofuran	7.08	71	108452	109.95 ug/L		95
32)	1,1,1-Trichloroethane	7.35	97	963179	90.52 ug/L		94
34)	1,1-Dichloropropene	7.60	75	1091955	85.08 ug/L		99
35)	Carbon Tetrachloride	7.73	119	788503	94.37 ug/L		99
37)	1,2-Dichloroethane	7.99	62	1053969	87.94 ug/L		100
38)	Benzene	8.00	78	3185205	81.56 ug/L		100
40)	Trichloroethene	8.96	95	804169	89.09 ug/L		95
41)	1,2-Dichloropropane	9.23	63	927481	87.49 ug/L		99
42)	Methylmethacrylate	9.38	69	771846	101.15 ug/L		98
45)	Bromodichloromethane	9.59	83	1022840	100.30 ug/L		100
46)	Dibromomethane	9.66	93	608799	94.63 ug/L		92
50)	2-Chloroethylvinyl ether	10.17	63	5849	114.11 ug/L	#	1
51)	2-Hexanone	11.51	58	2251872	497.28 ug/L		98
52)	Methyl isobutyl ketone	10.17	58	2149759	490.41 ug/L		96
53)	cis-1,3-Dichloropropene	10.45	75	1433397	97.91 ug/L		97
55)	Toluene	10.93	92	1967849	89.13 ug/L		99
56)	trans-1,3-Dichloropropene	11.22	75	1244099	102.61 ug/L		100
58)	1,1,2-Trichloroethane	11.46	83	694337	88.51 ug/L		98
59)	1,3-Dichloropropane	11.86	76	1502859	90.61 ug/L		100
60)	Tetrachloroethene	11.94	166	818340	95.05 ug/L		97
61)	Dibromochloromethane	12.24	129	880929	105.43 ug/L		99
62)	1,2-Dibromoethane	12.56	107	918084	96.29 ug/L		100
64)	Chlorobenzene	13.23	112	2248422	91.75 ug/L		98
65)	1,1,1,2-Tetrachloroethane	13.30	131	748018	99.50 ug/L		99
66)	Ethylbenzene	13.32	91	3724205	87.84 ug/L		100
67)	m,p-Xylene	13.44	106	2751725	179.09 ug/L		94
68)	o-Xylene	14.12	106	1376045	91.81 ug/L		98
69)	Styrene	14.18	104	2463295	92.75 ug/L		99
70)	Bromoform	14.70	173	595287	118.58 ug/L		100
71)	Isopropylbenzene	14.71	105	3387625	90.46 ug/L		98
72)	1,1,2,2-Tetrachloroethane	14.97	83	1277663	95.77 ug/L		99
74)	1,2,3-Trichloropropane	15.20	75	950725	92.47 ug/L		99
75)	trans-1,4-Dichloro-2-buten	15.32	53	409647	102.90 ug/L		92
76)	n-Propylbenzene	15.35	91	4389463	90.83 ug/L		97
77)	Bromobenzene	15.40	156	948033	94.65 ug/L	#	88
78)	1,3,5-Trimethylbenzene	15.60	105	2644517	91.28 ug/L		98
79)	2-Chlorotoluene	15.62	91	2903025	90.67 ug/L		94
80)	4-Chlorotoluene	15.70	91	2697005	89.29 ug/L		97
81)	tert-butylbenzene	16.17	119	2225165	92.19 ug/L		95
82)	1,2,4-Trimethylbenzene	16.23	105	2815895	90.64 ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061903-B\B16310SI.D Vial: 7
Acq On : 19 Jun 2003 3:07 pm Operator: JR
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:35 2003 Quant Results File: V806193B.

Quant Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration
DataAcq Meth : V806193B


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
84)	sec-butylbenzene	16.52	105	3246791	92.56	ug/L	98
85)	p-isopropyltoluene	16.74	119	2677905	95.01	ug/L	99
86)	1,3-Dichlorobenzene	16.88	146	1727168	95.40	ug/L	98
88)	1,4-Dichlorobenzene	17.05	146	1803414	93.56	ug/L	99
89)	n-butylbenzene	17.41	91	2591626	91.77	ug/L	97
90)	1,2-Dichlorobenzene	17.65	146	1687749	94.39	ug/L	97
92)	1,2-Dibromo-3-chloropropan	18.93	75	213298	116.75	ug/L	91
94)	1,2,4-Trichlorobenzene	20.38	180	987391	100.60	ug/L	99
95)	Hexachlorobutadiene	20.62	225	234318	93.11	ug/L	99
96)	Naphthalene	20.80	128	3301873	105.85	ug/L	100
97)	1,2,3-Trichlorobenzene	21.24	180	922908	101.60	ug/L	99
98)	1,3,5-Trichlorobenzene	19.33	180	1038554	99.30	ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061903-B\B16310SI.D Vial: 7
Acq On : 19 Jun 2003 3:07 pm Operator: JR
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 19 15:35 2003 Quant Results File: V806193B.

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 07:31:55 2003
Response via : Initial Calibration



000226

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062003-B\B16330SC.D Vial: 4
Acq On : 20 Jun 2003 10:18 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

6.23.07

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	98	0.00
2	TM	Dichlorodifluoromethane	0.597	0.729	-22.1#	120	0.00
3	TMP	Chloromethane	0.512	0.568	-10.9	119	0.00
4	TMC	Vinyl Chloride	0.246	0.284	-15.4	125	0.01
5	TM	Bromomethane	0.205	0.216	-5.4	120	0.02
6	TM	Chloroethane	0.207	0.237	-14.5	120	0.02
7	TM	t-Butyl alcohol (TBA)	0.032	0.037#	-15.6	107	0.02
8	TM	Trichlorofluoromethane	0.448	0.517	-15.4	118	0.00
9	TM	Diethyl ether	0.157	0.184	-17.2	121	0.02
10	T	1,1,2-Trichlorotrifluoroeth	0.272	0.326	-19.9	124	0.03
11	T	Acrolein	0.064	0.079#	-23.4#	121	0.02
12	TM	Acetone	0.115	0.123	-7.0	110	0.03
13	TMC	1,1-Dichloroethene	0.263	0.302	-14.8	121	0.02
14	T	Methyl iodide	0.475	0.583	-22.7#	127	0.02
15	TM	Di-isopropyl ether (DIPE)	1.175	1.306	-11.1	117	0.02
16	TM	Methylene Chloride	0.369	0.441	-19.5	132	0.02
17	TM	Carbon Disulfide	0.806	0.989	-22.7#	122	0.02
18	T	Acrylonitrile	0.119	0.135	-13.4	112	0.02
19	TM	Methyl-tert-butyl ether (MT	0.803	0.912	-13.6	116	0.00
20	TM	trans-1,2-Dichloroethene	0.290	0.329	-13.4	118	0.02
21	TMP	1,1-Dichloroethane	0.550	0.620	-12.7	118	0.02
22	T	Vinyl acetate	0.047	0.062#	-31.9#	128	0.03
23	TM	Methyl ethyl ketone	0.044	0.045#	-2.3	110	0.02
24	TM	Ethyl t-butyl ether (ETBE)	1.137	1.211	-6.5	117	0.02
25	TM	2,2-Dichloropropane	0.452	0.573	-26.8#	118	0.02
26	TM	cis-1,2-Dichloroethene	0.427	0.526	-23.2#	112	0.02
27	TM	t-Amyl methyl ether (TAME)	1.306	1.475	-12.9	110	0.02
28	T	NO COUMPOUND	0.000	0.000#	0.0	0#	-0.42
29	TMC	Chloroform	0.743	0.853	-14.8	111	0.02
30	TM	Bromochloromethane	0.254	0.287	-13.0	111	0.00
31	TM	Tetrahydrofuran	0.055	0.064#	-16.4	105	0.02
32	TM	1,1,1-Trichloroethane	0.544	0.643	-18.2	118	0.02
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.649	0.750	-15.6	116	0.00
35	TM	Carbon Tetrachloride	0.427	0.521	-22.0#	118	0.00
36	S	d4-1,2-Dichloroethane	0.561	0.569	-1.4	100	0.00
37	TM	1,2-Dichloroethane	0.620	0.700	-12.9	113	0.02
38	TM	Benzene	1.995	2.204	-10.5	112	0.02
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	98	0.00
40	TM	Trichloroethene	0.277	0.316	-14.1	116	0.00

(#) = Out of Range

000227

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062003-B\B16330SC.D Vial: 4
Acq On : 20 Jun 2003 10:18 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.315	0.357	13.3	113	0.00
42	T	Methylmethacrylate	0.238	0.280	-17.6	108	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.310	0.366	-18.1	115	0.00
46	TM	Dibromomethane	0.196	0.224	-14.3	111	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	110	0.00
51	TM	2-Hexanone	0.148	0.172	-16.2	104	0.00
52	TM	Methyl isobutyl ketone	0.142	0.166	-16.9	105	0.00
53	TM	cis-1,3-Dichloropropene	0.442	0.523	-18.3	114	0.00
54	S	d8-Toluene	1.127	1.125	0.2	98	0.00
55	TMC	Toluene	0.676	0.748	-10.7	111	0.00
56	TM	trans-1,3-Dichloropropene	0.366	0.445	-21.6#	112	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.242	0.268	-10.7	110	0.00
59	TM	1,3-Dichloropropane	0.508	0.574	-13.0	111	0.00
60	TM	Tetrachloroethene	0.275	0.305	-10.9	112	0.00
61	TM	Dibromochloromethane	0.263	0.316	-20.2#	113	0.00
62	TM	1,2-Dibromoethane	0.298	0.340	-14.1	108	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	98	0.00
64	TMP	Chlorobenzene	0.846	0.941	-11.2	112	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.263	0.305	-16.0	112	0.00
66	TMC	Ethylbenzene	1.428	1.594	-11.6	111	0.00
67	TM	m,p-Xylene	0.520	0.580	-11.5	110	0.00
68	TM	o-Xylene	0.504	0.569	-12.9	111	0.00
69	TM	Styrene	0.903	1.021	-13.1	111	0.00
70	TMP	Bromoform	0.181	0.227	-25.4#	111	0.00
71	TM	Isopropylbenzene	1.260	1.423	-12.9	111	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.463	0.523	-13.0	106	0.00
73	S	Bromofluorobenzene	0.515	0.519	-0.8	98	0.00
74	TM	1,2,3-Trichloropropane	0.356	0.400	-12.4	107	0.00
75	T	trans-1,4-Dichloro-2-butene	0.142	0.168	-18.3	106	0.00
76	TM	n-Propylbenzene	1.628	1.830	-12.4	111	0.00
77	TM	Bromobenzene	0.349	0.386	-10.6	110	0.00
78	TM	1,3,5-Trimethylbenzene	0.979	1.104	-12.8	112	0.00
79	TM	2-Chlorotoluene	1.107	1.194	-7.9	111	0.00
80	TM	4-Chlorotoluene	1.006	1.127	-12.0	110	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062003-B\B16330SC.D Vial: 4
Acq On : 20 Jun 2003 10:18 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.818	0.931	-13.8	112	0.00
82	TM	1,2,4-Trimethylbenzene	1.051	1.163	-10.7	111	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.280	1.319	-3.0	111	0.00
85	TM	p-isopropyltoluene	0.987	1.087	-10.1	113	0.00
86	TM	1,3-Dichlorobenzene	0.632	0.696	-10.1	110	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
88	TM	1,4-Dichlorobenzene	1.291	1.408	-9.1	110	0.00
89	TM	n-butylbenzene	1.841	2.052	-11.5	112	0.00
90	TM	1,2-Dichlorobenzene	1.188	1.308	-10.1	110	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.128	0.150	-17.2	103	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.659	0.736	-11.7	110	0.00
95	TM	Hexachlorobutadiene	0.166	0.183	-10.2	113	0.00
96	TM	Naphthalene	2.186	2.416	-10.5	104	0.00
97	TM	1,2,3-Trichlorobenzene	0.623	0.674	-8.2	107	0.00
98	TM	1,3,5-Trichlorobenzene	0.708	0.778	-9.9	110	0.00

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062303-B\B16355SC.D Vial: 3
Acq On : 23 Jun 2003 8:56 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

6-24-03
VMH 6/24/03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	103	0.02
2	TM	Dichlorodifluoromethane	0.597	0.638	-6.9	110	0.00
3	TMP	Chloromethane	0.512	0.538	-5.1	118	0.00
4	TMC	Vinyl Chloride	0.246	0.249	-1.2	115	0.00
5	TM	Bromomethane	0.205	0.160	22.0#	93	0.02
6	TM	Chloroethane	0.207	0.201	2.9	107	0.02
7	TM	t-Butyl alcohol (TBA)	0.032	0.030#	6.3	93	0.03
8	TM	Trichlorofluoromethane	0.448	0.473	-5.6	113	0.02
9	TM	Diethyl ether	0.157	0.161	-2.5	111	0.03
10	T	1,1,2-Trichlorotrifluoroeth	0.272	0.301	-10.7	120	0.03
11	T	Acrolein	0.064	0.069#	-7.8	111	0.03
12	TM	Acetone	0.115	0.108	6.1	102	0.03
13	TMC	1,1-Dichloroethene	0.263	0.272	-3.4	114	0.03
14	T	Methyl iodide	0.475	0.440	7.4	101	0.03
15	TM	Di-isopropyl ether (DIPE)	1.175	1.121	4.6	105	0.03
16	TM	Methylene Chloride	0.369	0.339	8.1	106	0.03
17	TM	Carbon Disulfide	0.806	0.873	-8.3	113	0.03
18	T	Acrylonitrile	0.119	0.119	0.0	103	0.03
19	TM	Methyl-tert-butyl ether (MT	0.803	0.826	-2.9	110	0.02
20	TM	trans-1,2-Dichloroethene	0.290	0.294	-1.4	110	0.02
21	TMP	1,1-Dichloroethane	0.550	0.541	1.6	108	0.02
22	T	Vinyl acetate	0.047	0.057#	-21.3#	124	0.03
23	TM	Methyl ethyl ketone	0.044	0.038#	13.6	98	0.02
24	TM	Ethyl t-butyl ether (ETBE)	1.137	1.040	8.5	106	0.03
25	TM	2,2-Dichloropropane	0.452	0.548	-21.2#	119	0.03
26	TM	cis-1,2-Dichloroethene	0.427	0.474	-11.0	106	0.03
27	TM	t-Amyl methyl ether (TAME)	1.306	1.279	2.1	100	0.02
28	T	NO COUMPOUND	0.000	0.000#	0.0	0#	-0.42
29	TMC	Chloroform	0.743	0.758	-2.0	104	0.02
30	TM	Bromochloromethane	0.254	0.257	-1.2	104	0.02
31	TM	Tetrahydrofuran	0.055	0.053#	3.6	92	0.03
32	TM	1,1,1-Trichloroethane	0.544	0.593	-9.0	114	0.02
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.649	0.646	0.5	105	0.02
35	TM	Carbon Tetrachloride	0.427	0.482	-12.9	115	0.00
36	S	d4-1,2-Dichloroethane	0.561	0.568	-1.2	105	0.00
37	TM	1,2-Dichloroethane	0.620	0.626	-1.0	106	0.02
38	TM	Benzene	1.995	1.873	6.1	100	0.02
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.02
40	TM	Trichloroethene	0.277	0.280	-1.1	106	0.02

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062303-B\B16355SC.D Vial: 3
Acq On : 23 Jun 2003 8:56 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.315	0.308	2.2	101	0.00
42	T	Methylmethacrylate	0.238	0.240	-0.8	95	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.310	0.338	-9.0	109	0.00
46	TM	Dibromomethane	0.196	0.204	-4.1	104	0.02
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	100	0.00
51	TM	2-Hexanone	0.148	0.145	2.0	90	0.00
52	TM	Methyl isobutyl ketone	0.142	0.140	1.4	92	0.00
53	TM	cis-1,3-Dichloropropene	0.442	0.466	-5.4	105	0.00
54	S	d8-Toluene	1.127	1.130	-0.3	102	0.00
55	TMC	Toluene	0.676	0.661	2.2	101	0.00
56	TM	trans-1,3-Dichloropropene	0.366	0.403	-10.1	104	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.242	0.235	2.9	99	0.00
59	TM	1,3-Dichloropropane	0.508	0.499	1.8	100	0.00
60	TM	Tetrachloroethene	0.275	0.269	2.2	102	0.00
61	TM	Dibromochloromethane	0.263	0.290	-10.3	107	0.00
62	TM	1,2-Dibromoethane	0.298	0.305	-2.3	100	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	103	0.00
64	TMP	Chlorobenzene	0.846	0.810	4.3	101	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.263	0.272	-3.4	105	0.00
66	TMC	Ethylbenzene	1.428	1.367	4.3	100	0.00
67	TM	m,p-Xylene	0.520	0.500	3.8	100	0.00
68	TM	o-Xylene	0.504	0.491	2.6	101	0.00
69	TM	Styrene	0.903	0.883	2.2	101	0.00
70	TMP	Bromoform	0.181	0.206	-13.8	106	0.00
71	TM	Isopropylbenzene	1.260	1.231	2.3	101	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.463	0.442	4.5	95	0.00
73	S	Bromofluorobenzene	0.515	0.510	1.0	102	0.00
74	TM	1,2,3-Trichloropropane	0.356	0.335	5.9	95	0.00
75	T	trans-1,4-Dichloro-2-butene	0.142	0.146	-2.8	98	0.00
76	TM	n-Propylbenzene	1.628	1.567	3.7	101	0.00
77	TM	Bromobenzene	0.349	0.337	3.4	101	0.00
78	TM	1,3,5-Trimethylbenzene	0.979	0.947	3.3	101	0.00
79	TM	2-Chlorotoluene	1.107	1.056	4.6	103	0.00
80	TM	4-Chlorotoluene	1.006	0.935	7.1	97	0.00

(#) = Out of Range

000231

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062303-B\B16355SC.D Vial: 3
Acq On : 23 Jun 2003 8:56 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.818	0.795	2.8	101	0.00
82	TM	1,2,4-Trimethylbenzene	1.051	1.004	4.5	101	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.280	1.141	10.9	101	0.00
85	TM	p-isopropyltoluene	0.987	0.941	4.7	103	0.00
86	TM	1,3-Dichlorobenzene	0.632	0.596	5.7	100	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	103	0.00
88	TM	1,4-Dichlorobenzene	1.291	1.231	4.6	101	0.00
89	TM	n-butylbenzene	1.841	1.751	4.9	101	0.00
90	TM	1,2-Dichlorobenzene	1.188	1.141	4.0	101	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.128	0.133	-3.9	97	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.659	0.638	3.2	101	0.00
95	TM	Hexachlorobutadiene	0.166	0.164	1.2	106	0.00
96	TM	Naphthalene	2.186	2.065	5.5	93	0.00
97	TM	1,2,3-Trichlorobenzene	0.623	0.597	4.2	99	0.00
98	TM	1,3,5-Trichlorobenzene	0.708	0.689	2.7	102	0.00

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062403-B\B16380SC.D Vial: 3
Acq On : 24 Jun 2003 9:22 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

6-25-03
VMT 6/25/03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	95	0.02
2	TM	Dichlorodifluoromethane	0.597	0.672	-12.6	107	0.00
3	TMP	Chloromethane	0.512	0.515	-0.6	104	0.00
4	TMC	Vinyl Chloride	0.246	0.266	-8.1	114	0.00
5	TM	Bromomethane	0.205	0.181	11.7	97	0.02
6	TM	Chloroethane	0.207	0.222	-7.2	108	0.02
7	TM	t-Butyl alcohol (TBA)	0.032	0.029#	9.4	81	0.02
8	TM	Trichlorofluoromethane	0.448	0.495	-10.5	109	0.02
9	TM	Diethyl ether	0.157	0.160	-1.9	101	0.03
10	T	1,1,2-Trichlorotrifluoroeth	0.272	0.294	-8.1	108	0.04
11	T	Acrolein	0.064	0.067#	-4.7	99	0.03
12	TM	Acetone	0.115	0.107	7.0	92	0.03
13	TMC	1,1-Dichloroethene	0.263	0.276	-4.9	106	0.03
14	T	Methyl iodide	0.475	0.485	-2.1	102	0.03
15	TM	Di-isopropyl ether (DIPE)	1.175	1.170	0.4	101	0.02
16	TM	Methylene Chloride	0.369	0.353	4.3	102	0.02
17	TM	Carbon Disulfide	0.806	0.882	-9.4	105	0.03
18	T	Acrylonitrile	0.119	0.118	0.8	95	0.03
19	TM	Methyl-tert-butyl ether (MT	0.803	0.823	-2.5	101	0.02
20	TM	trans-1,2-Dichloroethene	0.290	0.299	-3.1	103	0.02
21	TMP	1,1-Dichloroethane	0.550	0.566	-2.9	104	0.02
22	T	Vinyl acetate	0.047	0.055#	-17.0	110	0.03
23	TM	Methyl ethyl ketone	0.044	0.038#	13.6	90	0.02
24	TM	Ethyl t-butyl ether (ETBE)	1.137	1.092	4.0	102	0.02
25	TM	2,2-Dichloropropane	0.452	0.518	-14.6	103	0.03
26	TM	cis-1,2-Dichloroethene	0.427	0.473	-10.8	98	0.02
27	TM	t-Amyl methyl ether (TAME)	1.306	1.293	1.0	93	0.02
28	T	NO COUMPOUND	0.000	0.000#	0.0	0#	-0.42
29	TMC	Chloroform	0.743	0.754	-1.5	95	0.02
30	TM	Bromochloromethane	0.254	0.262	-3.1	98	0.02
31	TM	Tetrahydrofuran	0.055	0.051#	7.3	82	0.02
32	TM	1,1,1-Trichloroethane	0.544	0.579	-6.4	102	0.02
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.649	0.666	-2.6	99	0.00
35	TM	Carbon Tetrachloride	0.427	0.475	-11.2	104	0.00
36	S	d4-1,2-Dichloroethane	0.561	0.561	0.0	95	0.00
37	TM	1,2-Dichloroethane	0.620	0.620	0.0	97	0.02
38	TM	Benzene	1.995	1.945	2.5	95	0.02
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
40	TM	Trichloroethene	0.277	0.275	0.7	99	0.00

(#) = Out of Range

000233

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062403-B\B16380SC.D Vial: 3
Acq On : 24 Jun 2003 9:22 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.315	0.309	1.9	96	0.00
42	T	Methylmethacrylate	0.238	0.233	2.1	88	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.310	0.323	-4.2	99	0.00
46	TM	Dibromomethane	0.196	0.198	-1.0	96	0.02
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	89	0.02
51	TM	2-Hexanone	0.148	0.142	4.1	84	0.00
52	TM	Methyl isobutyl ketone	0.142	0.135	4.9	84	0.00
53	TM	cis-1,3-Dichloropropene	0.442	0.459	-3.8	98	0.00
54	S	d8-Toluene	1.127	1.110	1.5	95	0.00
55	TMC	Toluene	0.676	0.648	4.1	94	0.00
56	TM	trans-1,3-Dichloropropene	0.366	0.397	-8.5	97	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.242	0.239	1.2	96	0.00
59	TM	1,3-Dichloropropane	0.508	0.498	2.0	95	0.00
60	TM	Tetrachloroethene	0.275	0.271	1.5	97	0.00
61	TM	Dibromochloromethane	0.263	0.285	-8.4	99	0.00
62	TM	1,2-Dibromoethane	0.298	0.304	-2.0	94	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	97	0.00
64	TMP	Chlorobenzene	0.846	0.813	3.9	96	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.263	0.271	-3.0	99	0.00
66	TMC	Ethylbenzene	1.428	1.372	3.9	95	0.00
67	TM	m,p-Xylene	0.520	0.503	3.3	94	0.00
68	TM	o-Xylene	0.504	0.488	3.2	94	0.00
69	TM	Styrene	0.903	0.886	1.9	96	0.00
70	TMP	Bromoform	0.181	0.200	-10.5	97	0.00
71	TM	Isopropylbenzene	1.260	1.236	1.9	96	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.463	0.441	4.8	89	0.00
73	S	Bromofluorobenzene	0.515	0.513	0.4	96	0.00
74	TM	1,2,3-Trichloropropane	0.356	0.333	6.5	89	0.00
75	T	trans-1,4-Dichloro-2-butene	0.142	0.144	-1.4	90	0.00
76	TM	n-Propylbenzene	1.628	1.572	3.4	95	0.00
77	TM	Bromobenzene	0.349	0.346	0.9	98	0.00
78	TM	1,3,5-Trimethylbenzene	0.979	0.949	3.1	96	0.00
79	TM	2-Chlorotoluene	1.107	1.020	7.9	94	0.00
80	TM	4-Chlorotoluene	1.006	0.984	2.2	96	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062403-B\B16380SC.D Vial: 3
Acq On : 24 Jun 2003 9:22 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.818	0.798	2.4	95	0.00
82	TM	1,2,4-Trimethylbenzene	1.051	1.012	3.7	96	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.280	1.141	10.9	95	0.00
85	TM	p-isopropyltoluene	0.987	0.943	4.5	97	0.00
86	TM	1,3-Dichlorobenzene	0.632	0.610	3.5	96	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
88	TM	1,4-Dichlorobenzene	1.291	1.229	4.8	96	0.00
89	TM	n-butylbenzene	1.841	1.743	5.3	96	0.00
90	TM	1,2-Dichlorobenzene	1.188	1.144	3.7	96	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.128	0.127	0.8	88	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.659	0.636	3.5	96	0.00
95	TM	Hexachlorobutadiene	0.166	0.158	4.8	98	0.00
96	TM	Naphthalene	2.186	2.054	6.0	89	0.00
97	TM	1,2,3-Trichlorobenzene	0.623	0.587	5.8	93	0.00
98	TM	1,3,5-Trichlorobenzene	0.708	0.689	2.7	98	0.00

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062503-B\B16404SC.D Vial: 3
Acq On : 25 Jun 2003 7:26 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

6-26-03 VMT 6/26/03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	93	0.01
2	TM	Dichlorodifluoromethane	0.597	0.666	-11.6	103	0.00
3	TMP	Chloromethane	0.512	0.543	-6.1	107	0.01
4	TMC	Vinyl Chloride	0.246	0.278	-13.0	115	0.01
5	TM	Bromomethane	0.205	0.175	14.6	91	0.01
6	TM	Chloroethane	0.207	0.226	-9.2	107	0.02
7	TM	t-Butyl alcohol (TBA)	0.032	0.031#	3.1	84	0.02
8	TM	Trichlorofluoromethane	0.448	0.507	-13.2	109	0.01
9	TM	Diethyl ether	0.157	0.174	-10.8	107	0.02
10	T	1,1,2-Trichlorotrifluoroeth	0.272	0.318	-16.9	114	0.02
11	T	Acrolein	0.064	0.071#	-10.9	103	0.02
12	TM	Acetone	0.115	0.114	0.9	96	0.02
13	TMC	1,1-Dichloroethene	0.263	0.286	-8.7	107	0.02
14	T	Methyl iodide	0.475	0.507	-6.7	104	0.02
15	TM	Di-isopropyl ether (DIPE)	1.175	1.143	2.7	96	0.02
16	TM	Methylene Chloride	0.369	0.353	4.3	99	0.02
17	TM	Carbon Disulfide	0.806	0.902	-11.9	105	0.02
18	T	Acrylonitrile	0.119	0.123	-3.4	95	0.02
19	TM	Methyl-tert-butyl ether (MT	0.803	0.854	-6.4	102	0.01
20	TM	trans-1,2-Dichloroethene	0.290	0.308	-6.2	104	0.02
21	TMP	1,1-Dichloroethane	0.550	0.567	-3.1	101	0.02
22	T	Vinyl acetate	0.047	0.053#	-12.8	104	0.02
23	TM	Methyl ethyl ketone	0.044	0.054#	-22.7#	124	0.02
24	TM	Ethyl t-butyl ether (ETBE)	1.137	1.068	6.1	97	0.02
25	TM	2,2-Dichloropropane	0.452	0.541	-19.7	105	0.02
26	TM	cis-1,2-Dichloroethene	0.427	0.484	-13.3	97	0.02
27	TM	t-Amyl methyl ether (TAME)	1.306	1.280	2.0	90	0.01
28	T	NO COUMPOUND	0.000	0.000#	0.0	0#	-0.42
29	TMC	Chloroform	0.743	0.800	-7.7	98	0.02
30	TM	Bromochloromethane	0.254	0.267	-5.1	97	0.01
31	TM	Tetrahydrofuran	0.055	0.054#	1.8	83	0.02
32	TM	1,1,1-Trichloroethane	0.544	0.606	-11.4	104	0.02
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.649	0.668	-2.9	97	0.01
35	TM	Carbon Tetrachloride	0.427	0.497	-16.4	106	0.01
36	S	d4-1,2-Dichloroethane	0.561	0.577	-2.9	95	0.01
37	TM	1,2-Dichloroethane	0.620	0.659	-6.3	100	0.01
38	TM	Benzene	1.995	1.948	2.4	93	0.01
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	91	0.01
40	TM	Trichloroethene	0.277	0.287	-3.6	98	0.01

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062503-B\B16404SC.D Vial: 3
Acq On : 25 Jun 2003 7:26 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.315	0.321	-1.9	95	0.01
42	T	Methylmethacrylate	0.238	0.243	-2.1	87	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.310	0.341	-10.0	100	0.00
46	TM	Dibromomethane	0.196	0.208	-6.1	96	0.01
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	81	0.01
51	TM	2-Hexanone	0.148	0.149	-0.7	84	0.00
52	TM	Methyl isobutyl ketone	0.142	0.143	-0.7	85	0.01
53	TM	cis-1,3-Dichloropropene	0.442	0.476	-7.7	97	0.00
54	S	d8-Toluene	1.127	1.118	0.8	91	0.00
55	TMC	Toluene	0.676	0.667	1.3	92	0.01
56	TM	trans-1,3-Dichloropropene	0.366	0.402	-9.8	94	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.242	0.243	-0.4	93	0.00
59	TM	1,3-Dichloropropane	0.508	0.506	0.4	92	0.00
60	TM	Tetrachloroethene	0.275	0.285	-3.6	97	0.00
61	TM	Dibromochloromethane	0.263	0.296	-12.5	98	0.00
62	TM	1,2-Dibromoethane	0.298	0.308	-3.4	91	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	95	0.00
64	TMP	Chlorobenzene	0.846	0.827	2.2	95	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.263	0.270	-2.7	95	0.00
66	TMC	Ethylbenzene	1.428	1.391	2.6	93	0.00
67	TM	m,p-Xylene	0.520	0.507	2.5	92	0.00
68	TM	o-Xylene	0.504	0.498	1.2	94	0.00
69	TM	Styrene	0.903	0.895	0.9	94	0.00
70	TMP	Bromoform	0.181	0.203	-12.2	96	0.00
71	TM	Isopropylbenzene	1.260	1.256	0.3	95	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.463	0.443	4.3	87	0.00
73	S	Bromofluorobenzene	0.515	0.511	0.8	93	0.00
74	TM	1,2,3-Trichloropropane	0.356	0.338	5.1	87	0.00
75	T	trans-1,4-Dichloro-2-butene	0.142	0.144	-1.4	88	0.00
76	TM	n-Propylbenzene	1.628	1.588	2.5	93	0.00
77	TM	Bromobenzene	0.349	0.348	0.3	96	0.00
78	TM	1,3,5-Trimethylbenzene	0.979	0.970	0.9	95	0.00
79	TM	2-Chlorotoluene	1.107	1.045	5.6	93	0.00
80	TM	4-Chlorotoluene	1.006	0.980	2.6	93	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\062503-B\B16404SC.D Vial: 3
Acq On : 25 Jun 2003 7:26 am Operator: JR
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V806193B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Fri Jun 20 08:18:57 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.818	0.818	0.0	95	0.00
82	TM	1,2,4-Trimethylbenzene	1.051	1.019	3.0	94	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.280	1.155	9.8	94	0.00
85	TM	p-isopropyltoluene	0.987	0.957	3.0	96	0.00
86	TM	1,3-Dichlorobenzene	0.632	0.623	1.4	95	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
88	TM	1,4-Dichlorobenzene	1.291	1.248	3.3	96	0.00
89	TM	n-butylbenzene	1.841	1.744	5.3	94	0.00
90	TM	1,2-Dichlorobenzene	1.188	1.151	3.1	95	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.128	0.123	3.9	83	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
4	TM	1,2,4-Trichlorobenzene	0.659	0.637	3.3	94	0.00
95	TM	Hexachlorobutadiene	0.166	0.160	3.6	97	0.00
96	TM	Naphthalene	2.186	2.043	6.5	86	0.00
97	TM	1,2,3-Trichlorobenzene	0.623	0.590	5.3	92	0.00
98	TM	1,3,5-Trichlorobenzene	0.708	0.689	2.7	95	0.00

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16304T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1157

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	348273		6.94		614988		8.47		556148		13.16		285216		17.00	
	UPPER LIMIT	696546		7.36		1229976		8.98		1112296		13.95		570432		18.02	
	LOWER LIMIT	174137		6.52		307494		7.96		278074		12.37		142608		15.98	
	SAMPLE NO.																
01	1 PPB	355149		6.95		629599		8.48		564509		13.16		284397		17.00	
02	2 PPB	353476		6.95		625121		8.48		563958		13.16		284993		17.00	
03	5 PPB	352248		6.95		624798		8.48		561295		13.16		286047		17.00	
04	20 PPB	348273		6.94		614988		8.47		556148		13.16		285216		17.00	
05	50 PPB	347478		6.96		603936		8.47		554218		13.16		287518		17.00	
06	100 PPB	344533		6.94		601295		8.47		548510		13.17		284139		17.00	
07	ZZZZZ	347638		6.95		616233		8.48		561197		13.16		286907		17.00	
08	ZZZZZ	356673		6.95		624837		8.48		567180		13.16		290784		17.00	
09	ZZZZZ	355950		6.96		623405		8.47		561776		13.16		286865		17.00	
10	ZZZZZ	349898		6.95		620866		8.48		558582		13.16		282829		17.00	
11	ZZZZZ	350030		6.95		616562		8.47		559333		13.16		279502		17.00	
12	ZZZZZ	347690		6.95		613331		8.48		553280		13.16		279638		17.00	
13	ZZZZZ	357192		6.96		616884		8.48		557656		13.16		278892		17.00	
14	ZZZZZ	340748		6.95		600772		8.48		545447		13.16		276501		17.00	
15	ZZZZZ	347238		6.95		611593		8.48		552823		13.16		276442		17.00	
16	ZZZZZ	344087		6.96		602199		8.47		544229		13.16		274101		17.00	
17	ZZZZZ	334784		6.95		603871		8.48		534409		13.16		270543		17.00	
18	ZZZZZ	343635		6.95		600998		8.48		543099		13.16		270187		17.00	
19	ZZZZZ	347016		6.95		602751		8.47		549792		13.16		276030		17.00	
20	ZZZZZ	348222		6.95		607283		8.48		552388		13.16		276728		17.00	
21	ZZZZZ	349927		6.96		604431		8.48		551277		13.16		272866		17.00	
22	ZZZZZ	352280		6.95		634704		8.48		561247		13.16		278539		17.00	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16329T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0947

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	342815		6.95		601790		8.48		544612		13.16		278206		17.00	
	UPPER LIMIT	685630		7.37		1203580		8.99		1089224		13.95		556412		18.02	
	LOWER LIMIT	171408		6.53		300895		7.97		272306		12.37		139103		15.98	
	SAMPLE NO.																
01	20PPB STD	342815		6.95		601790		8.48		544612		13.16		278206		17.00	
02	L806203B	343784		6.95		601717		8.47		544384		13.16		278860		17.00	
03	ZZZZZ	342717		6.95		606878		8.48		550196		13.16		276531		17.00	
04	B806203B	339068		6.95		598480		8.48		540047		13.16		273544		17.00	
05	ZZZZZ	338444		6.95		596434		8.47		535946		13.16		271192		17.00	
06	49878-1	330000		6.95		589448		8.48		535223		13.16		270760		17.00	
07	49878-2	329065		6.95		584677		8.48		525649		13.16		266909		17.00	
08	49878-2,MS	330034		6.95		586264		8.47		530432		13.16		272583		17.00	
09	49878-2,MSD	336113		6.95		595256		8.47		539098		13.16		272265		17.00	
10	49878-3	332467		6.95		587634		8.48		533215		13.16		269057		17.00	
11	49878-4	330796		6.95		582714		8.48		530226		13.16		266961		17.00	
12	49878-5	327169		6.95		575498		8.48		521218		13.16		266958		17.00	
13	49878-6	327628		6.95		578134		8.48		524277		13.16		265231		17.00	
14	49878-7	324165		6.95		572215		8.48		519247		13.16		264361		17.00	
15	49878-8	325905		6.95		574011		8.48		521768		13.16		263135		17.00	
16	49878-9	326213		6.96		571355		8.48		521647		13.16		262804		17.00	
17	49878-10	330329		6.96		573950		8.47		525041		13.16		261737		16.99	
18	49878-11	325216		6.95		575053		8.47		520424		13.16		260774		17.00	
19	49878-12	323675		6.96		566812		8.47		513009		13.16		259494		17.00	
20	49878-14	320730		6.95		564378		8.48		512095		13.16		259115		17.00	
21	49878-15	315987		6.95		562516		8.48		509916		13.16		256505		17.00	
22	49878-16	319072		6.95		562812		8.47		512530		13.16		259413		16.99	
23	49878-17	327146		6.95		568240		8.48		517052		13.16		256646		17.00	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16354T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/23/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0825

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	359787		6.95		621142		8.48		574705		13.16		292427		17.00	
	UPPER LIMIT	719574		7.37		1242284		8.99		1149410		13.95		584854		18.02	
	LOWER LIMIT	179894		6.53		310571		7.97		287353		12.37		146214		15.98	
	SAMPLE NO.																
01	20PPB STD	359787		6.95		621142		8.48		574705		13.16		292427		17.00	
02	L806233B	352543		6.95		613894		8.48		566636		13.16		289872		17.00	
03	ZZZZZ	349637		6.95		609970		8.48		557920		13.16		289089		17.00	
04	ZZZZZ	343511		6.95		607320		8.48		562223		13.16		283502		17.00	
05	ZZZZZ	352271		6.96		612036		8.48		564141		13.16		284253		17.00	
06	B806233B2	347323		6.96		610336		8.48		562865		13.16		283321		17.00	
07	ZZZZZ	339431		6.96		606358		8.48		559553		13.16		283926		17.00	
08	ZZZZZ	346196		6.95		608399		8.48		562634		13.16		283461		17.00	
09	ZZZZZ	340364		6.95		610061		8.48		558888		13.16		287119		17.00	
10	49878-2,DL	343621		6.96		607302		8.48		560811		13.16		280500		17.00	
11	49878-18	348413		6.96		609822		8.48		564643		13.16		279970		17.00	
12	49878-19	347863		6.95		603196		8.48		559305		13.16		277539		17.00	
13	49878-20	342547		6.95		599631		8.48		553702		13.16		276337		17.00	
14	49878-21	342051		6.95		596085		8.48		546061		13.17		273047		17.00	
15	49878-22	339563		6.96		594169		8.48		544865		13.16		274692		17.00	
16	49878-22,MS	331506		6.96		593311		8.47		549293		13.16		273024		17.00	
17	49878-22,MSD	336987		6.96		594861		8.47		548484		13.16		277713		17.00	
18	49878-23	332052		6.96		591490		8.48		545333		13.16		270268		17.00	
19	49878-24	331718		6.95		587252		8.48		538697		13.16		269927		17.00	
20	49878-25	323652		6.96		580705		8.48		534228		13.16		266797		17.00	
21	49878-26	330648		6.96		575479		8.48		530595		13.16		266068		17.00	
22	49878-27	329479		6.95		578592		8.48		535516		13.16		267499		17.00	
23	49878-28	328309		6.95		575144		8.48		535214		13.16		266633		17.00	
24	ZZZZZ	330032		6.95		578857		8.48		533317		13.16		266068		17.00	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16379T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/24/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0851

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	330948		6.95		588848		8.47		541398		13.16		278691		17.00	
	UPPER LIMIT	661896		7.37		1177696		8.98		1082796		13.95		557382		18.02	
	LOWER LIMIT	165474		6.53		294424		7.96		270699		12.37		139346		15.98	
	SAMPLE NO.																
01	20PPB STD	330948		6.95		588848		8.47		541398		13.16		278691		17.00	
02	L806243B	333387		6.95		586421		8.47		543536		13.16		279791		17.00	
03	ZZZZZ	337484		6.95		586135		8.48		540665		13.16		277855		17.00	
04	B806243B	329780		6.96		574381		8.48		531885		13.16		273259		17.01	
05	ZZZZZ	332716		6.96		576787		8.48		534379		13.16		273168		17.00	
06	49878-20,DL	329415		6.96		575311		8.47		530957		13.16		273407		16.99	
07	49878-21,DL	331231		6.95		573539		8.48		531653		13.16		270348		17.00	
08	49878-29	331433		6.96		574728		8.48		533507		13.16		269758		17.00	
09	49878-30	326543		6.96		567817		8.48		524392		13.16		268229		17.00	
10	49878-30,MS	328412		6.95		569138		8.48		533920		13.16		274449		17.00	
11	49878-30,MSD	331146		6.95		575797		8.47		534755		13.16		275966		17.00	
12	49878-31	328447		6.96		567320		8.48		533396		13.16		270503		17.00	
13	49878-32	324394		6.95		563905		8.48		525403		13.16		268547		17.00	
14	49878-33	320905		6.96		561948		8.47		518215		13.16		263907		17.00	
15	49878-34	319051		6.96		556355		8.48		518007		13.16		264412		17.00	
16	49878-35	322152		6.95		553242		8.48		516281		13.16		262494		17.00	
17	49878-36	321264		6.96		556662		8.48		514641		13.16		262480		17.00	
18	49878-37	315322		6.95		549591		8.48		516020		13.16		261090		17.00	
19	49878-38	316021		6.96		551145		8.48		509084		13.16		259303		17.00	
20	ZZZZZ	316075		6.96		546922		8.48		508256		13.16		261274		17.00	
21	49878-40	310868		6.95		544519		8.48		506872		13.16		258102		17.00	
22	49878-41	309158		6.95		542028		8.48		503899		13.16		257413		17.00	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

BFB File ID: B16403T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 6/25/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0656

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	322216		6.95		561189		8.48		525629		13.16		273021		17.00	
	UPPER LIMIT	644432		7.37		1122378		8.99		1051258		13.95		546042		18.02	
	LOWER LIMIT	161108		6.53		280595		7.97		262815		12.37		136511		15.98	
	SAMPLE NO.																
01	20PPB STD	322216		6.95		561189		8.48		525629		13.16		273021		17.00	
02	L806253B	321389		6.96		559430		8.47		518174		13.16		272252		17.00	
03	ZZZZZ	314320		6.95		551807		8.48		514605		13.16		268386		17.00	
04	B806253B	312862		6.96		547054		8.48		512340		13.16		266788		17.00	
05	49878-33,DL	310470		6.95		548501		8.48		508564		13.16		263838		17.00	
06	49878-34,DL	308988		6.95		545000		8.48		505438		13.16		262910		17.00	
07	49878-35,DL	301780		6.96		539691		8.48		502795		13.16		260729		17.00	
08	49878-37,DL	300029		6.95		533551		8.48		495925		13.16		258976		17.00	
09	49878-38,DL	298799		6.95		535272		8.48		495456		13.16		260061		17.00	
10	49878-39	303058		6.96		535927		8.48		499234		13.16		256709		17.00	
11	ZZZZZ	297273		6.95		527645		8.48		491982		13.16		257615		17.00	
12	ZZZZZ	296915		6.95		532840		8.48		491615		13.16		254287		17.00	
13	ZZZZZ	293597		6.95		522571		8.48		489331		13.16		253746		17.00	
14	ZZZZZ	294426		6.95		519290		8.48		485128		13.16		252571		17.00	
15	ZZZZZ	297849		6.96		527354		8.47		498097		13.16		250233		17.00	
16	ZZZZZ	296927		6.96		523405		8.48		490124		13.16		250532		17.00	
17	ZZZZZ	295406		6.95		521080		8.48		482297		13.16		250200		17.00	
18	ZZZZZ	292116		6.95		517451		8.48		485461		13.16		251742		17.00	
19	ZZZZZ	295490		6.95		522464		8.48		485505		13.16		250255		17.00	
20	ZZZZZ	286839		6.96		516081		8.48		483469		13.16		248791		17.00	
21	ZZZZZ	298878		6.95		518595		8.48		485073		13.16		248782		17.00	
22																	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: B06193M
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	113	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Mylene A Kallis

Quantitation Report (QT Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5972B.D Vial: 100
Acq On : 19 Jun 2003 9:37 pm Operator:
Sample : B06193M,N,QA061903,IB Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 22:03 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000245

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: B06193M2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene 120 %

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melena Arbelle

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5985B.D Vial: 100
Acq On : 20 Jun 2003 12:31 am Operator:
Sample : B06193M2,N,QA061903,IB Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 0:34 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000247

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: B06203M
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	93	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melena A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A5998B.D Vial: 100
Acq On : 20 Jun 2003 8:42 pm Operator:
Sample : B06203M,N,QA062003,IB Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 20:45 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000249

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: B06203M2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	108	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Ladd

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6011B.D Vial: 100
Acq On : 21 Jun 2003 1:44 am Operator:
Sample : B06203M,N,QA062003,IB Inst : Instr. A
Misc : 15000 b6250 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 1:53 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000251

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW12-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	98	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa Arbelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5974.D Vial: 100
Acq On : 19 Jun 2003 10:46 pm Operator:
Sample : 49878-2D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 22:57 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000253

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW11-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-3
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	98	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5975.D Vial: 100
Acq On : 19 Jun 2003 10:52 pm Operator:
Sample : 49878-3D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 22:57 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000255

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW13-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-4
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	86	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelly

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5976.D Vial: 100
Acq On : 19 Jun 2003 10:58 pm Operator:
Sample : 49878-4D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 23:01 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000257

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: GAMW001-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-5
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	88	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5977.D Vial: 100
Acq On : 19 Jun 2003 11:14 pm Operator:
Sample : 49878-5D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 23:23 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000259

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW14-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-6
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	82	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melinda Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5978.D Vial: 100
Acq On : 19 Jun 2003 11:24 pm Operator:
Sample : 49878-6D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 23:28 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000261

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: STMW001-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-7
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	83	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5979.D Vial: 100
Acq On : 19 Jun 2003 11:29 pm Operator:
Sample : 49878-7D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 23:34 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000263

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW9-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-8
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	81	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5980.D Vial: 100
Acq On : 19 Jun 2003 11:34 pm Operator:
Sample : 49878-8D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 23:41 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000265

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW105-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-9
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	72	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5981.D Vial: 100
Acq On : 19 Jun 2003 11:42 pm Operator:
Sample : 49878-9D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 23:46 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000267

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW140-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-10
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	78	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5982.D Vial: 100
Acq On : 19 Jun 2003 11:47 pm Operator:
Sample : 49878-10D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 19 23:51 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



090269

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW101-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-11
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	108	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Tulli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5983.D Vial: 100
Acq On : 20 Jun 2003 12:18 am Operator:
Sample : 49878-11D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 0:23 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000271

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: STMW002-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-12
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	91	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5986.D Vial: 100
Acq On : 20 Jun 2003 12:36 am Operator:
Sample : 49878-12D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 0:42 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: STMW003-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-14
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/16/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	88	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5987.D Vial: 100
Acq On : 20 Jun 2003 12:43 am Operator:
Sample : 49878-14D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 0:47 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: STMW004-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-16
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	103	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelly

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5993.D Vial: 100
Acq On : 20 Jun 2003 2:02 am Operator:
Sample : 49878-16D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 2:04 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000276

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW102-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-17
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	72	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5988.D Vial: 100
Acq On : 20 Jun 2003 12:48 am Operator:
Sample : 49878-17D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 1:36 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000278

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW103-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-18
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	84	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Valli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5989.D Vial: 100
Acq On : 20 Jun 2003 12:57 am Operator:
Sample : 49878-18D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 1:36 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000280

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW8-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-19
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	84	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5990.D Vial: 100
Acq On : 20 Jun 2003 1:02 am Operator:
Sample : 49878-19D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 1:36 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000282

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW5-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-20
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	84	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5991.D Vial: 100
Acq On : 20 Jun 2003 1:13 am Operator:
Sample : 49878-20D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 1:36 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000284

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW5-0603-E
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-21
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	80	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa Arbell

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061903-A\A5992.D Vial: 100
Acq On : 20 Jun 2003 1:17 am Operator:
Sample : 49878-21D,N,QA061903,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 1:36 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000286

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW1-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-22
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	93	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6000.D Vial: 100
Acq On : 20 Jun 2003 10:17 pm Operator:
Sample : 49878-22D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 22:30 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW6-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-23
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	91	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6001.D Vial: 100
Acq On : 20 Jun 2003 10:31 pm Operator:
Sample : 49878-23D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 22:33 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000290

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: FAMW001-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-25
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	86	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Valli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6002.D Vial: 100
Acq On : 20 Jun 2003 10:37 pm Operator:
Sample : 49878-25D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 22:42 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000292

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: FAMW002-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-26
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	85	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Valle

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6003.D Vial: 100
Acq On : 20 Jun 2003 10:43 pm Operator:
Sample : 49878-26D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 22:55 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000294

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: BPMW001-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-27
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	82	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6004.D Vial: 100
Acq On : 20 Jun 2003 10:52 pm Operator:
Sample : 49878-27D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 22:55 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000296

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: GTMW001-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-28
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	81	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6005.D Vial: 100
Acq On : 20 Jun 2003 10:56 pm Operator:
Sample : 49878-28D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 23:18 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000298

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: TSMW001-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-29
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	82	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6006.D Vial: 100
Acq On : 20 Jun 2003 11:10 pm Operator:
Sample : 49878-29D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 23:18 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000300

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: TSMW002-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-30
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	82	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6007.D Vial: 100
Acq On : 20 Jun 2003 11:15 pm Operator:
Sample : 49878-30D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 23:18 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000302

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: TSMW003-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-31
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	81	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6008.D Vial: 100
Acq On : 20 Jun 2003 11:19 pm Operator:
Sample : 49878-31D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 20 23:21 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000304

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW3-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-32
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene 107 %

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6009.D Vial: 100
Acq On : 21 Jun 2003 1:35 am Operator:
Sample : 49878-32D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 1:42 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000306

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW2-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-33
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	92	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6012.D Vial: 100
Acq On : 21 Jun 2003 1:54 am Operator:
Sample : 49878-33D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 1:56 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000308

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW7-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-34
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	90	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A. Kalli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6013.D Vial: 100
Acq On : 21 Jun 2003 2:00 am Operator:
Sample : 49878-34D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 2:23 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000310

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW7-0603-E
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-35
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	86	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Hall

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6014.D Vial: 100
Acq On : 21 Jun 2003 2:07 am Operator:
Sample : 49878-35D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 2:23 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000312

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW4-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-36
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	87	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6015.D Vial: 100
Acq On : 21 Jun 2003 2:12 am Operator:
Sample : 49878-36D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 2:23 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000314

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW10-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-37
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	82	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kalli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6016.D Vial: 100
Acq On : 21 Jun 2003 2:23 am Operator:
Sample : 49878-37D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 2:30 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



090316

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW10-0603-E
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-38
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	76	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6017.D Vial: 100
Acq On : 21 Jun 2003 2:30 am Operator:
Sample : 49878-38D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 2:42 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000318

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: STMW005-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-39
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	113	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:


Authorized signature Melissa A Kelli

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6018.D Vial: 100
Acq On : 21 Jun 2003 2:41 am Operator:
Sample : 49878-39D,N,QA062003,REG Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 21 2:43 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000320

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 23, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: STMW006-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-40
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Detection Limit µg/L	Result µg/L
Ethene	000-12-0	50	U
Ethane	74-84-0	50	U

Surrogate Standard Recovery

Acetylene	95	%

U=Not Detected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:

Authorized signature Melissa A Kelly


Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\062003-A\A6019.D
Acq On : 21 Jun 2003 2:55 am
Sample : 49878-40D,N,QA062003,REG
Misc : 15000
IntFile : METHANE.E
Quant Time: Jun 21 2:58 2003 Quant Results File: MEE06113.RES

Vial: 100
Operator:
Inst : Instr. A
Multiplr: 1.00

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000322

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
SYSTEM MONITORING COMPOUND
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: A

GC Column: Carboxen 1006 ID: 0.53(mm)

	SAMPLE ID	SMC1 #	TOTAL OUT
01	B06193M	113	0
02	L06193M	85	0
03	49878-2	98	0
04	49878-3	98	0
05	49878-4	86	0
06	49878-5	88	0
07	49878-6	82	0
08	49878-7	83	0
09	49878-8	81	0
10	49878-9	72	0
11	49878-10	78	0
12	49878-11	108	0
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

QC LIMITS

SMC1 = Acetylene 60-140%

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
SYSTEM MONITORING COMPOUND
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: A

GC Column: Carboxen 1006 ID: 0.53(mm)

	SAMPLE ID	SMC1 #	TOTAL OUT
01	B06193M2	120	0
02	49878-12	91	0
03	49878-14	88	0
04	49878-17	72	0
05	49878-18	84	0
06	49878-19	84	0
07	49878-20	84	0
08	49878-21	80	0
09	49878-16	103	0
10	49878-21, MS	89	0
11	49878-21, MSD	83	0
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

QC LIMITS

SMC1 = Acetylene 60-140%

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
SYSTEM MONITORING COMPOUND
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: A

GC Column: Carboxen 1006 ID: 0.53(mm)

	SAMPLE ID	SMC1 #	TOTAL OUT
01	B06203M	93	0
02	L06203M	83	0
03	49878-22	93	0
04	49878-23	91	0
05	49878-25	86	0
06	49878-26	85	0
07	49878-27	82	0
08	49878-28	81	0
09	49878-29	82	0
10	49878-30	82	0
11	49878-31	81	0
12	49878-32	107	0
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

QC LIMITS

SMC1 = Acetylene 60-140%

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS SYSTEM MONITORING COMPOUND SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: A

GC Column: Carboxen 1006 ID: 0.53(mm)

	SAMPLE ID	SMC1 #	TOTAL OUT
01	B06203M2	108	0
02	49878-33	92	0
03	49878-34	90	0
04	49878-35	86	0
05	49878-36	87	0
06	49878-37	82	0
07	49878-38	76	0
08	49878-39	113	0
09	49878-40	95	0
10	49878-40, MS	98	0
11	49878-40, MSD	89	0
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

SMC1 = Acetylene

QC LIMITS
60-140%

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: L06193M
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/19/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Result %
Ethene	000-12-0	**93**
Ethane	74-84-0	**86**

Surrogate Standard Recovery

Acetylene 85 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:

Authorized signature

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: MW5-0603-E
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-21
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/17/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/20/03

ETHENE, ETHANE MATRIX SPIKE RESULTS

Compound	Sample Concentration (µg/L)	Spike Added (µg/L)	Matrix Spike Concentration (µg/L)	Matrix Spike Percent Recovery	#	QC Limits Percent Recovery
Ethene	U	134	123	92		**60-140**
Ethane	U	143	126	88		**60-140**

Compound	Matrix Spike Duplicate Concentration (µg/L)	Matrix Spike Duplicate Percent Recovery	#	Relative Percent Difference	#	QC Limits RPD	QC Limits % Rec
Ethene	112	84		9		**30**	**60-140**
Ethane	118	83		7		**30**	**60-140**

Authorized signature Malena A Kalli

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: LABQC
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: L06203M
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 06/20/03

ANALYTICAL RESULTS ETHENE, ETHANE

Compound	CAS Number	Result %
Ethene	000-12-0	**84**
Ethane	74-84-0	**82**

Surrogate Standard Recovery

Acetylene 83 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis conducted according to: "Test Methods for Evaluating Solid Waste, SW-846 Method 3810, 8015."

COMMENTS:

Authorized signature Melissa A Kalli

Analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

June 25, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: STMW006-0603
SDG Number: 49878

SAMPLE DATA

Lab Sample ID: 49878-40
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1
Collection Date: 06/18/03
Lab Receipt Date: 06/18/03
Analysis Date: 06/21/03

ETHENE, ETHANE MATRIX SPIKE RESULTS

Compound	Sample Concentration (µg/L)	Spike Added (µg/L)	Matrix Spike Concentration (µg/L)	Matrix Spike Percent Recovery	#	QC Limits Percent Recovery
Ethene	U	134	141	105		**60-140**
Ethane	U	143	145	101		**60-140**

Compound	Matrix Spike Duplicate Concentration (µg/L)	Matrix Spike Duplicate Percent Recovery	#	Relative Percent Difference	#	QC Limits RPD	QC Limits % Rec
Ethene	125	93		12		**30**	**60-140**
Ethane	126	88		14		**30**	**60-140**

Authorized signature

analytics environmental laboratory LLC

Instrument A Sequence Logbook:
Methane/Ethene/Ethane

Std ~~M027 x6/11/03~~ AVL 6/11/03
SS ~~M026 x6/11/03~~ M030 x12/11/03
Spike M028 x9/28/03

Date: 6/11/03

W-A-061103-1-AVL

Method	Sample	DF	File#	Comments	pH	Analyst
ME806023	Std #4		A59457SC	↑CH4	N/A	AVL
	Std #4		52SC	↑CH4		
ME806113	Std #1		53SI	✓		
	Std #2		54	✓		
	Std #3		55	✓		
	Std #4		56	RPD		
	Std #5		57	✓		
	Std #6		58	✓		
	Std #7		59	✓		
	Std #4		60SI	✓		
	B061113M		61B	✓		
	L061113M		62Q	✓		
	49828-1Δ		63	✓	<2	
	-2Δ		64	✓	<2	
	E -3Δ AVL 6/11/03		65	RPD 1:25 600uL + 14400uL	<2	
	F -3 ~~E~~ 25X		66	✓	<2	
	-1EMS		67SP	✓	<2	
	-1EMSΔ		68SP	RPD ↑RPD CH4	<2	
	-1EMSΔ		69SP	✓	<2	
↓	Std #4		70SC	✓	N/A	↓

AVL 6/11/03

Standard Dilutions: 1:2- 7.5mL sample +7.5mL D.I. H2O
1:5- 3mL sample +12mL D.I. H2O
1:10- 1.5mL sample +13.5mL D.I. H2O
1:20- 750uL sample +14.25mL D.I. H2O
1:50- 300uL sample +14.7mL D.I. H2O

Std. M029 x 12/11/03
SS M030 x 12/11/03
Spike M028 x 9/25/03

analytics environmental laboratory LLC

Instrument A Sequence Logbook:
Methane/Ethene/Ethane

Date: 6/19/03

LD-A-061903-1-AUR

Method	Sample	DF	File#	Comments	pH	Analyst
MSE06113	Std #4	1	A597ISC	✓	N/A	AUR
	B06193M	1	72B	✓		
	LD61903M	1	73D	✓		
	49878-2D	1	74	✓	<2	
	-3D	1	75	✓	<2	
	-4D	1	76	✓	<2	
	-5D	1	77	✓	<2	
	-6D	1	78	✓	<2	
	-7D	1	79	✓	<2	
	-8D	1	80	✓	<2	
	-9D	1	81	✓	<2	
	-10D	1	82	✓	<2	
	-11D	1	83	✓	<2	
	Std #4	1	84SC	✓	N/A	
	B061903M2	1	85B	✓		
	49878-12D	1	86	✓	<2	
	-14D	1	87	✓	<2	
	-17 ~~-16D~~	1	88	✓	<2	
	-18 ~~-17D~~	1	89	✓	<2	
	-19 ~~-18D~~	1	90	✓	<2	
	-20 ~~-19D~~	1	91	✓	<2	
	-21 ~~-20D~~	1	92	✓	<2	
	-16 ~~-21D~~	1	93	✓	<2	
	-21E MS	1	94SP	✓	<2	
	-21E MSD	1	95SP	✓	<2	
	Std #4	1	96SC	✓	N/A	
			AUR 6/19/03			

Standard Dilutions: 1:2- 7.5mL sample +7.5mL D.I. H2O
1:5- 3mL sample +12mL D.I. H2O
1:10- 1.5mL sample +13.5mL D.I. H2O
1:20- 750uL sample +14.25mL D.I. H2O
1:50- 300uL sample +14.7mL D.I. H2O

Std MC29 X12/11/03
SS MC30 X12/11/03
Spike MC28 X9/28/03

analytics environmental laboratory LLC

Instrument A Sequence Logbook:
Methane/Ethene/Ethane

Date: 6/20/03

W-A-062003-1-AVR

Method	Sample	DF	File#	Comments	pH	Analyst
MSE026113	Std #4	—	A49978	✓	N/A	AVR
	B06203m	—	98B	✓	↓	↓
	L06203m	—	99Q	✓	↓	↓
	49878-22D	—	A6000	✓	<2	AVR
	-23D	—	01	✓	<2	
	-25D	—	02	✓	<2	
	-26D	—	03	✓	<2	
	-27D	—	04	✓	<2	
	-28D	—	05	✓	<2	
	-29D	—	06	✓	<2	
	-30D	—	07	✓	<2	
	-31D	—	08	✓	<2	
	-32D	—	09	✓	<2	
	Std #4	—	10SC	✓	N/A	
	B06203m2	—	11B	✓	↓	
	49878-33D	—	12	✓	<2	
	-34D	—	13	✓	<2	
	-35D	—	14	✓	<2	
	-36D	—	15	✓	<2	
	-37D	—	16	✓	<2	
	-38D	—	17	✓	<2	
	-39D	—	18	✓	<2	
	-40D	—	19	✓	<2	
	-40EMS	—	20SP	✓	<2	
	-40EMSD	—	21SP	✓	<2	
	Std #4	—	22SC	✓	N/A	↓
		AVR	6/21/03			

Standard Dilutions: 1:2- 7.5mL sample +7.5mL D.I. H2O
1:5- 3mL sample +12mL D.I. H2O
1:10- 1.5mL sample +13.5mL D.I. H2O
1:20- 750uL sample +14.25mL D.I. H2O
1:50- 300uL sample +14.7mL D.I. H2O

analytics environmental laboratory LLC

ETHANE, ETHENE
INITIAL CALIBRATION DATA

Project #: 10971.217.002 Quote #: NA SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Dates: 6/11/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Times: 2028

COMPOUND	RRF= 15.5	RRF= 31	RRF= 97	RRF= 135	RRF= 193	RRF= 290	RRF= 387	AVG RF	RSD %
ACETYLENE	3.55E+02	3.07E+02	2.75E+02	3.19E+02	2.54E+02	2.37E+02	2.21E+02	2.81E+02	17.13
ACETYLENE AREA	5503	9504	26713	43077	48937	68833	85424		

COMPOUND	RRF= 15.5	RRF= 31	RRF= 95	RRF= 134	RRF= 191	RRF= 287	RRF= 382	AVG RF	RSD %
ETHENE	4.48E+02	4.35E+02	4.15E+02	4.32E+02	4.01E+02	4.00E+02	3.82E+02	4.16E+02	5.58
ETHENE AREA	6942	13493	39421	57821	76674	114890	145938		

COMPOUND	RRF= 16.5	RRF= 33	RRF= 102	RRF= 143	RRF= 205	RRF= 308	RRF= 410	AVG RF	RSD %
ETHANE	5.45E+02	5.28E+02	4.51E+02	4.47E+02	4.18E+02	4.16E+02	4.01E+02	4.58E+02	12.37
ETHANE AREA	8996	17438	45985	63963	85768	128218	164425		
FILE #	A5953SI.D	A5954SI.D	A5955SI.D	A5960SI.D	A5957SI.D	A5958SI.D	A5959SI.D		

*Compounds must have a %RSD of ≤30% or correlation coefficient of 0.995 or greater.

Comments: _____

Response Factor Report Instr. A

Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 21:06:54 2003


6-12-03

Calibration Files
1 =A5953SI.D 2 =A5954SI.D 3 =A5955SI.D
4 =A5960SI.D 5 =A5957SI.D 6 =A5958SI.D

6/11/03

		Compound	1	2	3	4	5	6	Avg		%R
1)	TM	Methane	2.556	1.709	0.761	0.598	0.578	0.470	1.014	E3	79.
2)	S	Acetylene	3.550	3.066	2.754	3.191	2.536	2.374	2.811	E2	17.
3)	TM	Ethene	4.478	4.353	4.150	4.315	4.014	4.003	4.162	E2	5.
4)	TM	Ethane	5.452	5.284	4.508	4.473	4.184	4.163	4.582	E2	12.

(#) = Out of Range ### Number of calibration levels exceeded format ###



6/11/03

6-12-03

Method Name: C:\HPCHEM\1\METHODS\MEE06113.M
Calibration Table Last Updated: Wed Jun 11 21:06:21 2003

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5953SI.D Vial: 100
Acq On : 11 Jun 2003 8:28 pm Operator:
Sample : STD #1,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:43 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :

6-12-03

6/11/03

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.67	5503	14.910 UG/L
Spiked Amount 135.000	Range 60 - 140	Recovery =	11.04%#
Target Compounds			
1) TM Methane	0.13	24283	46.864 UG/L
3) TM Ethene	0.87	6942	16.300 UG/L
4) TM Ethane	1.03	8996	21.803 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int


00337

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5953SI.D Vial: 100
Acq On : 11 Jun 2003 8:28 pm Operator:
Sample : STD #1,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:43 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000338

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5954SI.D Vial: 100
Acq On : 11 Jun 2003 8:35 pm Operator:
Sample : STD #2,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:43 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6.12.03

6/11/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.68	9504	25.752 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery =	19.08%#
Target Compounds			
1) TM Methane	0.13	32464	68.206 UG/L
3) TM Ethene	0.87	13493	31.684 UG/L
4) TM Ethane	1.03	17438	42.263 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


000339

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5954SI.D Vial: 100
Acq On : 11 Jun 2003 8:35 pm Operator:
Sample : STD #2,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:43 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000340

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5955SI.D Vial: 100
Acq On : 11 Jun 2003 8:39 pm Operator:
Sample : STD #3,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:43 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

✓ 6-12-03

6/11/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.69	26713	72.381 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery =	53.62%#
Target Compounds			
1) TM Methane	0.13	45678	102.680 UG/L
3) TM Ethene	0.87	39421	92.567 UG/L
4) TM Ethane	1.03	45985	111.448 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


990341

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5955SI.D Vial: 100
Acq On : 11 Jun 2003 8:39 pm Operator:
Sample : STD #3,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:43 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Mon Jun 09 19:49:08 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000342

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5960SI.D Vial: 100
Acq On : 11 Jun 2003 9:04 pm Operator:
Sample : STD #4,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 21:06 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:59:23 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6.12.07

6/11/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.69	43077	179.286 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery = 132.80%	
Target Compounds			
1) TM Methane	0.13	49615	74.170 UG/L
3) TM Ethene	0.87	57821	139.786 UG/L
4) TM Ethane	1.04	63963	140.405 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int


010343

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5960SI.D Vial: 100
Acq On : 11 Jun 2003 9:04 pm Operator:
Sample : STD #4,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 21:06 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:59:23 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5956SI.D Vial: 100
Acq On : 11 Jun 2003 8:43 pm Operator:
Sample : STD #4,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:46 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:44:16 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6.12.03

6/11/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.68	35620	114.044 UG/L
Spiked Amount 135.000 Range 60 - 140 Recovery = 84.48%			
Target Compounds			
1) TM Methane	0.13	37013	36.799 UG/L
3) TM Ethene	0.87	56566	130.730 UG/L
4) TM Ethane	1.03	61305	120.641 UG/L

Not used

RR


(f)=RT Delta > 1/2 Window (m)=manual int.

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5956SI.D Vial: 100
Acq On : 11 Jun 2003 8:43 pm Operator:
Sample : STD #4,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:46 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:44:16 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000346

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5957SI.D Vial: 100
Acq On : 11 Jun 2003 8:47 pm Operator:
Sample : STD #5,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:49 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:46:22 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

✓ 6.12.07

6/11/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.69	48937	163.005 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery = 120.74%	
Target Compounds			
1) TM Methane	0.12	68834	221.606 UG/L
3) TM Ethene	0.87	76674	178.292 UG/L
4) TM Ethane	1.03	85768	175.647 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


090847

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5957SI.D Vial: 100
Acq On : 11 Jun 2003 8:47 pm Operator:
Sample : STD #5,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:49 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:46:22 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000348

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5958SI.D Vial: 100
Acq On : 11 Jun 2003 8:51 pm Operator:
Sample : STD #6,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:56 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:49:42 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6-12-03

6/11/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.67	68833	236.632 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery = 175.28%#	
Target Compounds			
1) TM Methane	0.13	84126	158.148 UG/L
3) TM Ethene	0.87	114890	270.759 UG/L
4) TM Ethane	1.03	128218	270.322 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


000349

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5958SI.D Vial: 100
Acq On : 11 Jun 2003 8:51 pm Operator:
Sample : STD #6,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:56 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:49:42 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



000350

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5959SI.D Vial: 100
Acq On : 11 Jun 2003 8:56 pm Operator:
Sample : STD #7,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:58 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:56:59 2003
Response via : Initial Calibration
DataAcq Meth : METHANE.M

6-12-03

6/11/03

Volume Inj. :
Signal Phase :
Signal Info :

Compound	R.T.	Response	Conc Units
System Monitoring Compounds			
2) S Acetylene	0.69	85424	302.961 UG/L
Spiked Amount 135.000 Range 60 - 140		Recovery = 224.42%#	
Target Compounds			
1) TM Methane	0.13	101811	222.972 UG/L
3) TM Ethene	0.87	145938	347.202 UG/L
4) TM Ethane	1.04	164425	353.871 UG/L

(f)=RT Delta > 1/2 Window (m)=manual int.


000351

Quantitation Report (Not Reviewed)

Data File : D:\HPCHEM\3\DATA\061103-A\A5959SI.D Vial: 100
Acq On : 11 Jun 2003 8:56 pm Operator:
Sample : STD #7,N,QA061103,SI Inst : Instr. A
Misc : 15000 Multiplr: 1.00
IntFile : METHANE.E
Quant Time: Jun 11 20:58 2003 Quant Results File: MEE06113.RES

Quant Method : C:\HPCHEM\1\METHODS\MEE06113.M (Chemstation Integrator)
Title : methane
Last Update : Wed Jun 11 20:56:59 2003
Response via : Multiple Level Calibration
DataAcq Meth : METHANE.M

Volume Inj. :
Signal Phase :
Signal Info :



analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49878

Lab File ID: A5971SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/19/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 2058

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY %	#	QC LIMITS % REC	Total Out
Acetylene	135	119	88		60-140	0
Ethene	134	102	76		70-130	0
Ethane	143	106	74		70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49878

Lab File ID: A5984SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/20/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 0025

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY %	#	QC LIMITS % REC	Total Out
Acetylene	135	126	93		60-140	0
Ethene	134	131	98		70-130	0
Ethane	143	131	92		70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49878

Lab File ID: A5996SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/20/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 0226

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY %	#	QC LIMITS % REC	Total Out
Acetylene	135	119	88		60-140	0
Ethene	134	126	94		70-130	0
Ethane	143	125	88		70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49878

Lab File ID: A5997SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/20/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 2029

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY % #	QC LIMITS % REC	Total Out
Acetylene	135	135	100	60-140	0
Ethene	134	121	90	70-130	0
Ethane	143	116	81	70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49878

Lab File ID: A6010SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/21/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 0139

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY %	#	QC LIMITS % REC	Total Out
Acetylene	135	131	97		60-140	0
Ethene	134	127	95		70-130	0
Ethane	143	124	87		70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHENE/ETHANE AQUEOUS
CONTINUING CALIBRATION CHECK

Project #: 10971.217.002 Quote #: SDG#: 49878

Lab File ID: A6022SC.D Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Check Date: 6/21/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Check Time: 0329

COMPOUND	TRUE VALUE (ug/L)	MEASURED VALUE (ug/L)	RECOVERY % #	QC LIMITS % REC	Total Out
Acetylene	135	125	92	60-140	0
Ethene	134	128	96	70-130	0
Ethane	143	127	89	70-130	0

Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

ETHANE, ETHENE
RETENTION TIME SUMMARY

Project #: 10971.217.002 Quote #: NA SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Dates: 6/2/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Times: 2321

Lab File IDs (Standards): A5971SC Date Analyzed: 6/19/03
A5984SC 6/20/03
A5996SC 6/20/03

		ETHENE RT	#	ETHANE RT	#
		0.87		1.03	
		0.86		1.03	
		0.87		1.03	
	UPPER LIMIT	0.88		1.03	
	LOWER LIMIT	0.85		1.03	
	SAMPLE NO.				
01	L06193M	0.86		1.03	
02	49878-21, MS	0.86		1.03	
03	49878-21, MSD	0.87		1.03	
04					
05					
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

RT UPPER LIMIT = + 3 std. dev. above the avg. RT
RT LOWER LIMIT = - 3 std. dev. below the avg. RT
Note: If std. dev. = 0.00 then a default window of 0.03 minutes is used

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

Comments: _____

analytics environmental laboratory LLC

ETHANE, ETHENE
RETENTION TIME SUMMARY

Project #: 10971.217.002 Quote #: NA SDG#: 49878

Site ID: Bucks Harbor Location: Maine

Instrument ID: A Calibration Dates: 6/2/03

GC Column: CARBOXEN 1006 PLOT ID: 0.53(mm) Calibration Times: 2321

Lab File IDs (Standards): A5997SC Date Analyzed: 6/20/03
A6010SC 6/21/03
A6022SC 6/21/03

		ETHENE RT	#	ETHANE RT	#
		0.87		1.03	
		0.87		1.03	
		0.87		1.03	
	UPPER LIMIT	0.87		1.03	
	LOWER LIMIT	0.87		1.03	
	SAMPLE NO.				
01	L06203M	0.87		1.03	
02	49878-40, MS	0.87		1.03	
03	49878-40, MSD	0.87		1.03	
04					
05					
06					
07					
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					

RT UPPER LIMIT = + 3 std. dev. above the avg. RT
RT LOWER LIMIT = - 3 std. dev. below the avg. RT
Note: If std. dev. = 0.00 then a default window of 0.03 minutes is used

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

Comments: _____

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 4°C
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: AM 6/18/03

Project#: 10971.217.002 Project: Bucks Harbor
Company: Weston Solutions
Contact: Kathleen Sankey
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 603 315-4563 PO# 0037759 Quote #
Sampler (Signature):

Matrix Key: WW=Wastewater, SW=Surfacewater, GW=Groundwater, DW=Drinkingwater, S=Soil/Sludge, O=Oil, E=Extract, X=Other

Container Key: P=plastic G=glass

Station Identification	Sample Date	Sample Time	Analysis	Preservation: Unpres	4° C	HNO3	H2SO4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
TB-061603-01	6/16/03	0700	VOC 8260B					X			W	2	✓		49878-1
MW12-0603		0700	VOC 8260B + ethane					X			GW	6	✓		-2
MW11-0603		0800						X				6	✓		-3
MW13-0603		1010						X				6	✓		-4
GAMW001-0603		1050						X				6	✓		5
MW14-0603		1200						X				6	✓		6
STMW001-0603		1350						X				6	✓		7
MW9-0603		1300						X				6	✓		8
MW105-0603		0945						X				6	✓		9
MW140-0603		1015						X				6	✓		10
MW101-0603		1200						X				6	✓		11
STMW002-0603		1305						X				6	✓		12

Received By: Time: Date:
Received By: Time: 1520 Date: 6/18/03
Received By: Time: Date:

FAX RESULTS? (YES) NO
Fax # 603 436-5401

Comments / Instructions:
VOC, by 8260B
ethane by 8015 modified
Data package due by 7/2/03 (A)

Turnaround Request
Standard ☐ Due Date 7/2/03
Priority ☐ Due Date

Client Code: WESTONM

Relinquished By Sampler:
Relinquished By: Angela Carter
Relinquished By:

Analytics\AEL Documents\AEL COC

19003

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 4°C
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: 6/18/03

Project#: 1097.217.002 Project: Bucks
Company: Weston Solutions
Contact: Kathleen Sowkeep
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 603 315-4563 PO# 0037759 Quote #
Sampler (Signature):

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
TW1-0603	6/16/03	0920	VOC S24.2					X			GW	6	V		49878-13
STMW003-0603	6/16/03	1410	VOC 8260B + ethane					X			GW	6	V		14
RB-061603-01	6/16/03	1500	VOC 8260B					X				3	V		15
STMW004-0603	6/17/03	0600	VOC 8260B + ethane					X				6	V		16
MW102-0603		0515						X				6	V		17
MW103-0603		0500						X				6	V		18
MW 8-0603		0700						X				6	V		19
MW 5-0603		0800						X				6	V		20
MW 5-0603-E		0800						X				6	V		21
MW1-0603		1000						X				7	V		22
MW 6-0603		1050						X				6	V		23

FAX RESULTS: YES NO
Fax # 6056-5401

Turnaround Request
Standard ☐ Priority ☐
Due Date 7/2/03 Due Date

Comments / Instructions:
TW1-0603 → MS/MSD for S24.2 (6 vials)
VOC 8260B
ethane 8015 Modified
MW1-0603 → MS/MSD for 8260B (4 vials)
Client Code: WESTONM

Page 2 of 4

Received By: 6/18/03 Time: 1320 Date: 6/18/03
Relinquished By Sampler: Relinquished By: Angela Vaeth

Analytics\AEL Documents\AEL COC

00562

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 4°C
3) Received in good condition Y or N
4) pH checked by: N/A
5) Labels checked by: MW 6/19/03

Project#: 10971.217.002 Project: Bucks
Company: Weston Solutions
Contact: Kathleen Sullivan
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: (603) 315-4863 PO# 0037759 Quote #
Sampler (Signature):

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4o C	HNO3	H2SO4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
RB-061703-01	6/17/03	1430	VOC 8260B					X			W	3	V		49878-24
FAMW001-0603		0740	VOC 8260B ethane					X			GW	6	V		25
FAMW002-0603		0750						X				6	V		26
BPMW001-0603		0935						X				6	V		27
GTMW001-0603		1030						X				6	V		28
TSMW001-0603		1315						X				6	V		29
TSMW002-0603		1120						X				6	V		30
TSMW003-0603		1215						X				6	V		31
MW3-0603		1145						X				6	V		32
MW2-0603		1245						X				6	V		33
MW7-0603		1400						X				6	V		34
MW7-0603-E		1400						X				6	V		35

FAX RESULTS? YES NO
Fax # x5401

Turnaround Request
Standard ☐ Priority ☐
Due Date 7/2/03 Due Date

Comments / Instructions:
VOC 8260B
ethane 8015 modified

Client Code: WESTONM

Page 3 of 4

Received By: | Time: | Date:
Received By: MW 6/19/03 | Time: 1520 | Date: 6/19/03
Received By: | Time: | Date:

Relinquished By Sampler:
Relinquished By: Angela Valdez
Relinquished By:

Analytics\AEL Documents\AEL COC

03503

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered 4°C
2) Temp blank °C _____
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: MW 6/18/03

Project#: 10971.217.002 Project: Blacks
Company: **Weston Solutions**
Contact: Kathleen Sackup
Address: **1 Wall Street**
Manchester, NH 03101-1501
Phone: 603 315-4563 PO# 0037759 Quote #
Sampler (Signature): CTP

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
F=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
MW04-0603	6/18/03	0920	VOC 8260B + ethane					X			GW	6	V		49878-36
MW10-0603		0930						X				6	V		37
MW10-0603-E		0930						X				6	V		38
STMW005-0603		0915						X				6	V		39
STMW006-0603		0910						X				6	V		40
RB-061803-01		0700	VOC 8260B					X			W	3	V		41

Received By: | Time: | Date:
Received By: | Time: 1526 | Date: 6/18/03
Received By: | Time: | Date:
Relinquished By Sampler: | Time: | Date:
Relinquished By: Angela Vautour | Time: | Date:
Relinquished By: | Time: | Date:

FAX RESULTS? YES NO
Fax # 5401

Turnaround Request
Standard ☐ Priority ☐
Due Date 7/2/03 Due Date _____

Comments / Instructions:
VOCs 8260B
Ethane 8015 Modified

Client Code: WESTONM

Page 4 of 4

Analytics\AEL Documents\AEL COC

49878

analytics environmental laboratory LLC

ANALYTICS SAMPLE RECEIPT CHECKLIST

AEL LAB#: 41978
CLIENT: Weston
PROJECT: Bucks

COOLER NUMBER: —
NUMBER OF COOLERS: 1
DATE RECEIVED: 6/18/03

A: PRELIMINARY EXAMINATION:

DATE COOLER OPENED: 6/18/03

1. Cooler received by(initials) JB
2. Did cooler come with a shipping slip? — Date Received: 6/18/03 — Y (N)

If YES, enter carrier name and airbill number here: _____

3. Were custody seals on the outside of cooler? Y (N)
How many & where: _____ Seal Date: _____ Seal Name: _____

4. Did the custody seals arrive unbroken and intact upon arrival? Y (N/A)

5. COC#: _____

6. Were Custody papers filled out properly (ink,signed, etc)? (Y) N

7. Were custody papers sealed in a plastic bag? Y (N)

8. Did you sign the COC in the appropriate place? (Y) N

9. Was the project identifiable from the COC papers? (Y) N

10. Was enough ice used to chill the cooler? (Y) N — Temp. of cooler: 4°C

B. Log-In: Date samples were logged in: 6/18/03 — By: JB

11. Type of packing in cooler(bubble wrap, popcorn) Y (N/A)

12. Were all bottles sealed in separate plastic bags? (Y) ~~N~~ JB 6/18/03

13. Did all bottles arrive unbroken and were labels in good condition? (Y) N

14. Were all bottle labels complete(ID,Date,time,etc.) (Y) N

15. Did all bottle labels agree with custody papers? (Y) N

16. Were the correct containers used for the tests indicated: (Y) N

17. Were samples received at the correct pH? Y (N/A)

18. Was sufficient amount of sample sent for the tests indicated? (Y) N

19. Were bubbles absent in VOA samples? Y (N)

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): [signature] — Date: 6/18/03

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

August 2, 2003

Ms. Kathleen Soukup
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 49975

Dear Ms. Soukup:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for the target volatile organic compounds by EPA Method 524.2.
Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, surrogate recovery, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
VOA Form 1 Sample Data Results
Chromatograms
VOA Form 2 Surrogate Recoveries
VOA Form 3 MS/MSD and LCS Recoveries
VOA Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
VOA Form 5 BFB Tune Summaries
VOA Form 6 Initial Calibration Data (equiv..) Response Factor Report
VOA Form 7 Continuing Calibration Check (equiv.)
VOA Form 8 Int. Standard and RT Summary
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Volatile Organics:
The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L507023I) had high recovery for Acetone, t-Butyl alcohol, 2,2-Dichloropropane and Hexachlorobutadiene. (See Form III) The LFB/CC (L507053I2) was reanalyzed with Acetone and Hexachlorobutadiene recoveries still high and t-Butyl alcohol and 2,2-Dichloropropane were in control. These analytes were not detected in any samples associated with this QC.

Tetrachloroethene was above the 70-130 % R limits in the MS/MSD analyzed on sample 49975-2 (WY03-0703-01-A) on 07/02/03. (See Form III) This compound was not detected in any samples associated with this QC.

The Laboratory Fortified Blank (LFB)/Continuing calibration (CC) standard (L507093I) had high recoveries for Acetone and Tetrahydrofuran. (See Form III) The LFB/CC (L507093I2) was reanalyzed at a higher concentration, which represents the quantitation limit for these compounds, and their recoveries were in control. These analytes were not detected in any samples associated with this QC.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 49975

Revision: Rev. 0

Re: Bucks Harbor **10971.217.002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 02 July 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
49975-1	07/01/03	TB-070103-01	EPA 524.2 Volatile Organics	
49975-2	07/01/03	WY03-0703-01-A	Electronic Data Deliverable	
	07/01/03	WY03-0703-01-A	EPA 524.2 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature Melissa A Mulliken

Stephen L. Knollmeyer Lab. Director

Date 07/10/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 2, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LAB QC

SAMPLE DATA

Lab Sample ID: B5070231
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 07/02/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	114 %	1,2-Dichlorobenzene-d4	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\070203-i\I11839B.D Vial: 3
Acq On : 2 Jul 2003 11:11 am Operator: JMR
Sample : B507023I Inst : Instrumen
Misc : 25000,,VB JB 063003 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 2 11:34 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 2, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LAB QC

SAMPLE DATA

Lab Sample ID: B507023I2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 07/02/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	100 %	Bromofluorobenzene	108 %	1,2-Dichlorobenzene-d4	100 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full


Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\data\070203-i\I11840B.D
Acq On : 2 Jul 2003 11:46 am
Sample : B507023I2
Misc : 25000,,VB JB 062703
MS Integration Params: rteint.p
Quant Time: Jul 2 12:09 2003

Vial: 4
Operator: JMR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 2, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: LAB QC

SAMPLE DATA

Lab Sample ID: B507093I
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 07/09/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	103 %	Bromofluorobenzene	94 %	1,2-Dichlorobenzene-d4	91 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:

NH 524 full

Authorized signature Milena Colelli


Quantitation Report

Data File : C:\HPCHEM\1\data\070803-i\I11875B.D
Acq On : 9 Jul 2003 12:20 pm
Sample : B507093I
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 12:43 2003

Vial: 6
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

July 10, 2003

SAMPLE DATA

Lab Sample ID: 49975-1
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 07/01/03
Lab Receipt Date: 07/02/03
Analysis Date: 07/09/03

CLIENT SAMPLE ID

Project Name: Bucks Harbor
Project Number: 10971.217.002
Field Sample ID: TB-070103-01

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	U
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	102 %	Bromofluorobenzene	91 %	1,2-Dichlorobenzene-d4	88 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\data\070803-i\I11876.D Vial: 7
Acq On : 9 Jul 2003 12:56 pm Operator: JMR
Sample : 49975-1 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 13:18 2003 Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Ms. Kathleen Soukup
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

July 10, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor

Project Number: 10971.217.002

Field Sample ID: WY03-0703-01-A

SAMPLE DATA

Lab Sample ID: 49975-2
Matrix: Aqueous
Percent Solid: NA
Dilution Factor: 1.0
Collection Date: 07/01/03
Lab Receipt Date: 07/02/03
Analysis Date: 07/09/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	0.5	U	1,3-Dichloropropane	0.5	U
Bromobenzene	0.5	U	cis-1,3-Dichloropropene	0.5	U
Bromochloromethane	0.5	U	trans-1,3-Dichloropropene	0.5	U
Bromodichloromethane	0.5	U	2,2-Dichloropropane	0.5	U
Bromoform	0.5	U	1,1-Dichloropropene	0.5	U
Bromomethane	0.5	U	Ethylbenzene	0.5	U
n-butylbenzene	0.5	U	Hexachlorobutadiene	0.5	U
sec-butylbenzene	0.5	U	Isopropylbenzene	0.5	U
tert-butylbenzene	0.5	U	p-isopropyltoluene	0.5	U
Carbon Tetrachloride	0.5	U	Methylene Chloride	0.5	U
Chlorobenzene	0.5	U	Methyl-tert-butyl ether	0.5	U
Chloroethane	0.5	U	Naphthalene	0.5	U
Chloroform	0.5	U	n-Propylbenzene	0.5	U
Chloromethane	0.5	U	Styrene	0.5	U
2-Chlorotoluene	0.5	U	1,1,1,2-Tetrachloroethane	0.5	U
4-Chlorotoluene	0.5	U	1,1,2,2-Tetrachloroethane	0.5	U
Dibromochloromethane	0.5	U	Tetrachloroethene	0.5	U
1,2-Dibromo-3-chloropropane	0.5	U	Toluene	0.5	U
1,2-Dibromoethane	0.5	U	1,2,3-Trichlorobenzene	0.5	U
Dibromomethane	0.5	U	1,2,4-Trichlorobenzene	0.5	U
1,2-Dichlorobenzene	0.5	U	1,1,1-Trichloroethane	0.5	U
1,3-Dichlorobenzene	0.5	U	1,1,2-Trichloroethane	0.5	U
1,4-Dichlorobenzene	0.5	U	Trichloroethene	0.5	**0.70**
Dichlorodifluoromethane	0.5	U	Trichlorofluoromethane	0.5	U
1,1-Dichloroethane	0.5	U	1,2,3-Trichloropropane	0.5	U
1,2-Dichloroethane	0.5	U	1,2,4-Trimethylbenzene	0.5	U
1,1-Dichloroethene	0.5	U	1,3,5-Trimethylbenzene	0.5	U
cis-1,2-Dichloroethene	0.5	U	Vinyl Chloride	0.1	U
trans-1,2-Dichloroethene	0.5	U	o-Xylene	0.5	U
1,2-Dichloropropane	0.5	U	m,p-Xylene	0.5	U
Acetone	5	U	Diethyl ether	0.5	U
Carbon Disulfide	0.5	U	2-Hexanone	5	U
Tetrahydrofuran	2.5	U	Methyl isobutyl ketone	5	U
Methyl ethyl ketone	5	U	Di-isopropyl ether	0.5	U
t-Butyl alcohol	10	U	Ethyl t-butyl ether	0.5	U
t-Amyl methyl ether	0.5	U			

Surrogate Standard Recovery

1,4-Difluorobenzene	103 %	Bromofluorobenzene	91 %	1,2-Dichlorobenzene-d4	90 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to EPA 600, Method 524.2

COMMENTS:


NH 524 full

Authorized signature Melissa A Valli

Quantitation Report

Data File : C:\HPCHEM\1\data\070803-i\I11877.D Vial: 8
Acq On : 9 Jul 2003 1:31 pm Operator: JMR
Sample : 49975-2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 13:53 2003 Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11756T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0952

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	0.1PPB STD	98	95	95	0
02	0.5PPB STD	101	99	104	0
03	1.2PPB STD	101	94	100	0
04	4.8PPB STD	102	93	99	0
05	8PPB STD	99	96	104	0
06	16PPB STD	103	109	101	0
07	32PPB STD	99	104	101	0
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11836T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L507023I	99	110	100	0
02	L507023I2	102	109	101	0
03	B507023I	100	114	99	0
04	B507023I2	100	108	100	0
05	ZZZZZ	98	107	98	0
06	ZZZZZ	100	107	100	0
07	ZZZZZ	100	108	101	0
08	ZZZZZ	101	111	105	0
09	ZZZZZ	98	110	106	0
10	ZZZZZ	100	108	98	0
11	ZZZZZ	98	107	99	0
12	ZZZZZ	98	108	99	0
13	49975-2,MS	101	114	108	0
14	49975-2,MSD	99	112	100	0
15	ZZZZZ	98	108	97	0
16	ZZZZZ	99	114	99	0
17	ZZZZZ	97	105	98	0
18	ZZZZZ	104	108	101	0
19	ZZZZZ	99	107	100	0
20	ZZZZZ	99	107	98	0
21	ZZZZZ	98	105	96	0
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
SYSTEM MONITORING COMPOUNDS
SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11861T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/8/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1410

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	0.1PPB STD	86	109	113	0
02	0.5PPB STD	86	110	114	0
03	1.2PPB STD	99	100	100	0
04	4.8PPB STD	101	100	100	0
05	8PPB STD	101	104	102	0
06	16PPB STD	100	101	102	0
07	32PPB STD	100	101	100	0
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	OUT
01	L507093I	100	96	96	0
02	L507093I2.,4.8PPB	101	93	94	0
03	L507093I3..1.2PPB	102	94	100	0
04	B507093I	103	94	91	0
05	49975-1	102	91	88	0
06	49975-2	103	91	90	0
07	ZZZZZ	104	96	93	0
08	ZZZZZ	104	94	95	0
09	ZZZZZ	102	93	94	0
10	ZZZZZ	102	92	94	0
11	ZZZZZ	103	94	97	0
12	ZZZZZ	102	93	94	0
13	ZZZZZ	102	93	93	0
14	ZZZZZ	101	95	101	0
15	ZZZZZ	101	98	101	0
16					
17					
18					
19					
20					
21					
22					
23					
24					

	QC LIMITS
SMC1 = 1,4-Difluorobenzene	70-130%
SMC2 = Bromofluorobenzene	70-130%
SMC3 = 1,2-Dichlorobenzene-d4	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11836T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507023I

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.0	87		70-130
Chloromethane	1.2	1.2	103		70-130
Vinyl Chloride	1.2	1.2	99		70-130
Bromomethane	1.2	1.0	79		70-130
Chloroethane	1.2	1.1	93		70-130
t-Butyl alcohol (TBA)	6.0	8.2	136	*	70-130
Trichlorofluoromethane	1.2	1.2	97		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.2	99		70-130
Acetone	1.2	1.8	153	*	70-130
1,1-Dichloroethene	1.2	1.2	99		70-130
Di-isopropyl ether (DIPE)	1.2	1.3	112		70-130
Methylene Chloride	1.2	1.2	103		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.7	112		70-130
trans-1,2-Dichloroethene	1.2	1.3	109		70-130
1,1-Dichloroethane	1.2	1.4	115		70-130
Methyl ethyl ketone	1.2	1.0	87		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.4	116		70-130
2,2-Dichloropropane	1.2	1.6	131	*	70-130
cis-1,2-Dichloroethene	1.2	1.4	113		70-130
t-Amyl methyl ether (TAME)	1.2	1.3	112		70-130
Chloroform	1.2	1.4	118		70-130
Bromochloromethane	1.2	1.3	108		70-130
Tetrahydrofuran	1.2	1.6	129		70-130
1,1,1-Trichloroethane	1.2	1.3	112		70-130
1,1-Dichloropropene	1.2	1.4	118		70-130
Carbon Tetrachloride	1.2	1.4	120		70-130
1,2-Dichloroethane	1.2	1.4	120		70-130
Benzene	1.2	1.4	115		70-130
Trichloroethene	1.2	1.5	127		70-130
1,2-Dichloropropane	1.2	1.4	117		70-130
Bromodichloromethane	1.2	1.4	116		70-130
Dibromomethane	1.2	1.4	119		70-130
2-Hexanone	1.2	1.1	89		70-130
Methyl isobutyl ketone	1.2	1.2	103		70-130
cis-1,3-Dichloropropene	1.2	1.3	109		70-130
Toluene	1.2	1.4	115		70-130
trans-1,3-Dichloropropene	1.2	1.3	111		70-130
1,1,2-Trichloroethane	1.2	1.4	119		70-130
1,3-Dichloropropane	1.2	1.4	114		70-130
Tetrachloroethene	1.2	1.6	129		70-130
Dibromochloromethane	1.2	1.4	114		70-130
1,2-Dibromoethane	1.2	1.4	118		70-130

VOA FORM 3

49975VOAFORM3.xls

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11836T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507023I

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	111		70-130
1,1,1,2-Tetrachloroethane	1.2	1.4	119		70-130
Ethylbenzene	1.2	1.4	117		70-130
m,p-Xylene	2.4	2.7	111		70-130
o-Xylene	1.2	1.3	107		70-130
Styrene	1.2	1.2	97		70-130
Bromoform	1.2	1.3	108		70-130
Isopropylbenzene	1.2	1.3	107		70-130
1,1,2,2-Tetrachloroethane	1.2	1.3	105		70-130
1,2,3-Trichloropropane	1.2	1.3	108		70-130
n-Propylbenzene	1.2	1.4	113		70-130
Bromobenzene	1.2	1.3	110		70-130
1,3,5-Trimethylbenzene	1.2	1.3	110		70-130
2-Chlorotoluene	1.2	1.4	118		70-130
4-Chlorotoluene	1.2	1.3	112		70-130
tert-butylbenzene	1.2	1.3	108		70-130
1,2,4-Trimethylbenzene	1.2	1.4	114		70-130
sec-butylbenzene	1.2	1.3	109		70-130
p-isopropyltoluene	1.2	1.3	108		70-130
1,3-Dichlorobenzene	1.2	1.3	109		70-130
1,4-Dichlorobenzene	1.2	1.3	107		70-130
n-butylbenzene	1.2	1.3	108		70-130
1,2-Dichlorobenzene	1.2	1.3	106		70-130
1,2-Dibromo-3-chloropropane	1.2	1.4	118		70-130
1,2,4-Trichlorobenzene	1.2	1.0	83		70-130
Hexachlorobutadiene	1.2	1.6	133	*	70-130
Naphthalene	1.2	0.9	78		70-130
1,2,3-Trichlorobenzene	1.2	0.9	75		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 4 out of 70 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11836T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507023I2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.1	88		70-130
Chloromethane	1.2	1.2	103		70-130
Vinyl Chloride	1.2	1.1	95		70-130
Bromomethane	1.2	1.0	83		70-130
Chloroethane	1.2	1.1	91		70-130
t-Butyl alcohol (TBA)	6.0	6.6	110		70-130
Trichlorofluoromethane	1.2	1.2	97		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.3	104		70-130
Acetone	1.2	1.7	144	*	70-130
1,1-Dichloroethene	1.2	1.2	102		70-130
Di-isopropyl ether (DIPE)	1.2	1.4	115		70-130
Methylene Chloride	1.2	1.3	104		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.7	112		70-130
trans-1,2-Dichloroethene	1.2	1.3	107		70-130
1,1-Dichloroethane	1.2	1.4	113		70-130
Methyl ethyl ketone	1.2	1.4	113		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.4	117		70-130
2,2-Dichloropropane	1.2	1.6	130		70-130
cis-1,2-Dichloroethene	1.2	1.4	114		70-130
t-Amyl methyl ether (TAME)	1.2	1.3	108		70-130
Chloroform	1.2	1.4	119		70-130
Bromochloromethane	1.2	1.3	105		70-130
Tetrahydrofuran	1.2	1.7	141	*	70-130
1,1,1-Trichloroethane	1.2	1.4	113		70-130
1,1-Dichloropropene	1.2	1.4	117		70-130
Carbon Tetrachloride	1.2	1.4	115		70-130
1,2-Dichloroethane	1.2	1.4	118		70-130
Benzene	1.2	1.4	114		70-130
Trichloroethene	1.2	1.6	129		70-130
1,2-Dichloropropane	1.2	1.4	114		70-130
Bromodichloromethane	1.2	1.4	114		70-130
Dibromomethane	1.2	1.5	123		70-130
2-Hexanone	1.2	1.2	102		70-130
Methyl isobutyl ketone	1.2	1.2	103		70-130
cis-1,3-Dichloropropene	1.2	1.3	106		70-130
Toluene	1.2	1.4	115		70-130
trans-1,3-Dichloropropene	1.2	1.2	103		70-130
1,1,2-Trichloroethane	1.2	1.4	116		70-130
1,3-Dichloropropane	1.2	1.4	116		70-130
Tetrachloroethene	1.2	1.7	138	*	70-130
Dibromochloromethane	1.2	1.2	99		70-130
1,2-Dibromoethane	1.2	1.4	117		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11836T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507023I2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.4	113		70-130
1,1,1,2-Tetrachloroethane	1.2	1.4	116		70-130
Ethylbenzene	1.2	1.4	117		70-130
m,p-Xylene	2.4	2.8	115		70-130
o-Xylene	1.2	1.3	108		70-130
Styrene	1.2	1.3	104		70-130
Bromoform	1.2	1.1	91		70-130
Isopropylbenzene	1.2	1.3	108		70-130
1,1,2,2-Tetrachloroethane	1.2	1.3	107		70-130
1,2,3-Trichloropropane	1.2	1.3	112		70-130
n-Propylbenzene	1.2	1.4	114		70-130
Bromobenzene	1.2	1.3	109		70-130
1,3,5-Trimethylbenzene	1.2	1.4	114		70-130
2-Chlorotoluene	1.2	1.4	118		70-130
4-Chlorotoluene	1.2	1.4	117		70-130
tert-butylbenzene	1.2	1.3	112		70-130
1,2,4-Trimethylbenzene	1.2	1.4	114		70-130
sec-butylbenzene	1.2	1.4	118		70-130
p-isopropyltoluene	1.2	1.3	107		70-130
1,3-Dichlorobenzene	1.2	1.3	110		70-130
1,4-Dichlorobenzene	1.2	1.3	106		70-130
n-butylbenzene	1.2	1.3	106		70-130
1,2-Dichlorobenzene	1.2	1.2	103		70-130
1,2-Dibromo-3-chloropropane	1.2	1.2	102		70-130
1,2,4-Trichlorobenzene	1.2	1.1	88		70-130
Hexachlorobutadiene	1.2	1.6	131	*	70-130
Naphthalene	1.2	1.0	79		70-130
1,2,3-Trichlorobenzene	1.2	1.0	80		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 4 out of 70 outside limits

Comments: _____

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49975

BFB File ID: I11836T Site ID: Buck Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49975-2

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	4.8	U	4.4	91		4.4	91		0		15	70-130
Chloromethane	4.8	U	5.4	112		5.5	114		2		15	70-130
Vinyl Chloride	4.8	U	4.2	88		4.3	89		0		15	70-130
Bromomethane	4.8	U	4.0	83		4.3	90		8		15	70-130
Chloroethane	4.8	U	4.5	93		4.8	99		7		15	70-130
t-Butyl alcohol	24.0	U	25.1	105		28.2	117		11		15	70-130
Trichlorofluoromethane	4.8	U	4.9	102		5.0	104		2		15	70-130
1,1,2-Trichlorotrifluoroethane	4.8	U	5.0	104		5.0	104		0		15	70-130
Acetone	4.8	U	6.2	129		6.1	126		2		15	70-130
1,1-Dichloroethene	4.8	U	4.95	103		5.0	104		1		15	70-130
Di-isopropyl ether	4.8	U	5.5	110		5.6	112		2		15	70-130
Methylene Chloride	4.8	U	4.0	83		4.0	83		1		15	70-130
Methyl-tert-butyl ether	9.6	U	10.4	108		10.5	109		1		15	70-130
trans-1,2-Dichloroethene	4.8	U	5.3	110		5.5	114		3		15	70-130
1,1-Dichloroethane	4.8	U	5.5	115		5.5	115		1		15	70-130
Methyl ethyl ketone	4.8	U	5.4	113		5.7	119		5		15	70-130
Ethyl t-butyl ether	4.8	U	5.5	114		5.3	111		3		15	70-130
2,2-Dichloropropane	4.8	U	5.7	119		5.7	118		1		15	70-130
cis-1,2-Dichloroethene	4.8	U	5.6	117		5.6	116		1		15	70-130
t-Amyl methyl ether	4.8	U	5.2	108		5.1	106		2		15	70-130
Chloroform	4.8	U	5.6	117		5.6	117		0		15	70-130
Bromochloromethane	4.8	U	5.5	115		5.5	115		1		15	70-130
Tetrahydrofuran	4.8	U	5.5	114		5.7	119		4		15	70-130
1,1,1-Trichloroethane	4.8	U	5.4	113		5.5	114		1		15	70-130
1,1-Dichloropropene	4.8	U	5.7	118		5.7	119		1		15	70-130
Carbon Tetrachloride	4.8	U	5.6	117		5.7	119		2		15	70-130
1,2-Dichloroethane	4.8	U	5.8	121		5.9	122		1		15	70-130
Benzene	4.8	U	5.4	113		5.6	116		3		15	70-130
Trichloroethene	4.8	0.70	6.8	127		6.8	128		1		15	70-130
1,2-Dichloropropane	4.8	U	5.6	118		5.8	121		3		15	70-130
Bromodichloromethane	4.8	U	5.5	114		5.7	119		5		15	70-130
Dibromomethane	4.8	U	6.0	125		5.6	116		7		15	70-130
2-Hexanone	4.8	U	5.9	122		5.6	117		4		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS
MATRIX SPIKE/DUPLICATE
PERCENT RECOVERY

Project #: 10971.217.002 Quote #: NA SDG#: 49975

BFB File ID: I11836T Site ID: Buck Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 49975-2

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE AMT (ug/L)	MS CONC. (ug/L)	MS REC %	#	MSD CONC. (ug/L)	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Methyl isobutyl ketone	4.8	U	5.1	107		5.3	110		2		15	70-130
cis-1,3-Dichloropropene	4.8	U	6.0	125		6.1	127		1		15	70-130
Toluene	4.8	U	5.4	113		5.6	116		3		15	70-130
trans-1,3-Dichloropropene	4.8	U	6.0	124		6.1	127		2		15	70-130
1,1,2-Trichloroethane	4.8	U	5.9	124		5.9	123		0		15	70-130
1,3-Dichloropropane	4.8	U	5.9	122		5.8	121		1		15	70-130
Tetrachloroethene	4.8	U	6.1	127		6.3	131	*	3		15	70-130
Dibromochloromethane	4.8	U	5.0	103		5.5	114		9		15	70-130
1,2-Dibromoethane	4.8	U	5.8	121		5.8	121		0		15	70-130
Chlorobenzene	4.8	U	5.2	108		5.2	109		1		15	70-130
1,1,1,2-Tetrachloroethane	4.8	U	5.2	109		5.6	116		6		15	70-130
Ethylbenzene	4.8	U	5.4	112		5.4	113		0		15	70-130
m,p-Xylene	9.6	U	10.2	106		10.3	107		1		15	70-130
o-Xylene	4.8	U	5.3	110		5.2	108		2		15	70-130
Styrene	4.8	U	4.8	101		5.2	108		7		15	70-130
Bromoform	4.8	U	4.2	88		4.7	99		11		15	70-130
Isopropylbenzene	4.8	U	5.1	105		5.1	105		0		15	70-130
1,1,2,2-Tetrachloroethane	4.8	U	5.3	111		5.3	110		1		15	70-130
1,2,3-Trichloropropane	4.8	U	5.3	110		5.5	115		4		15	70-130
n-Propylbenzene	4.8	U	5.4	113		5.4	113		0		15	70-130
Bromobenzene	4.8	U	5.4	113		5.3	110		3		15	70-130
1,3,5-Trimethylbenzene	4.8	U	5.3	110		5.4	113		2		15	70-130
2-Chlorotoluene	4.8	U	5.4	113		5.5	115		2		15	70-130
4-Chlorotoluene	4.8	U	5.4	112		5.3	110		2		15	70-130
tert-butylbenzene	4.8	U	5.3	110		5.3	111		0		15	70-130
1,2,4-Trimethylbenzene	4.8	U	5.3	111		5.5	114		3		15	70-130
sec-butylbenzene	4.8	U	5.4	113		5.4	112		0		15	70-130
p-isopropyltoluene	4.8	U	5.1	106		5.2	109		3		15	70-130
1,3-Dichlorobenzene	4.8	U	5.4	113		5.2	109		3		15	70-130
1,4-Dichlorobenzene	4.8	U	5.1	105		5.1	107		1		15	70-130
n-butylbenzene	4.8	U	5.2	108		5.2	108		0		15	70-130
1,2-Dichlorobenzene	4.8	U	4.9	101		5.0	105		3		15	70-130
1,2-Dibromo-3-chloropropane	4.8	U	5.3	110		5.3	109		1		15	70-130
1,2,4-Trichlorobenzene	4.8	U	5.1	105		5.2	108		2		15	70-130
Hexachlorobutadiene	4.8	U	6.1	126		6.1	127		1		15	70-130
Naphthalene	4.8	U	4.4	91		4.8	100		9		15	70-130
1,2,3-Trichlorobenzene	4.8	U	4.9	103		5.4	113		9		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 0 out of 72 outside limits
Spike Recovery: 1 out of 144 outside limits

Comments: _____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507093I

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.2	99		70-130
Chloromethane	1.2	1.4	117		70-130
Vinyl Chloride	1.2	1.2	103		70-130
Bromomethane	1.2	1.5	123		70-130
Chloroethane	1.2	1.2	101		70-130
t-Butyl alcohol (TBA)	6.0	6.2	104		70-130
Trichlorofluoromethane	1.2	1.2	99		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.3	106		70-130
Acetone	1.2	2.3	188	*	70-130
1,1-Dichloroethene	1.2	1.3	108		70-130
Di-isopropyl ether (DIPE)	1.2	1.3	109		70-130
Methylene Chloride	1.2	1.1	95		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.5	103		70-130
trans-1,2-Dichloroethene	1.2	1.3	112		70-130
1,1-Dichloroethane	1.2	1.3	109		70-130
Methyl ethyl ketone	1.2	1.3	112		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.3	106		70-130
2,2-Dichloropropane	1.2	1.4	113		70-130
cis-1,2-Dichloroethene	1.2	1.3	108		70-130
t-Amyl methyl ether (TAME)	1.2	1.2	103		70-130
Chloroform	1.2	1.3	112		70-130
Bromochloromethane	1.2	1.3	108		70-130
Tetrahydrofuran	1.2	1.7	138	*	70-130
1,1,1-Trichloroethane	1.2	1.3	111		70-130
1,1-Dichloropropene	1.2	1.3	111		70-130
Carbon Tetrachloride	1.2	1.3	109		70-130
1,2-Dichloroethane	1.2	1.3	111		70-130
Benzene	1.2	1.4	113		70-130
Trichloroethene	1.2	1.3	110		70-130
1,2-Dichloropropane	1.2	1.3	109		70-130
Bromodichloromethane	1.2	1.3	108		70-130
Dibromomethane	1.2	1.2	96		70-130
2-Hexanone	1.2	1.1	89		70-130
Methyl isobutyl ketone	1.2	1.2	98		70-130
cis-1,3-Dichloropropene	1.2	1.3	108		70-130
Toluene	1.2	1.2	103		70-130
trans-1,3-Dichloropropene	1.2	1.2	98		70-130
1,1,2-Trichloroethane	1.2	1.3	105		70-130
1,3-Dichloropropane	1.2	1.2	101		70-130
Tetrachloroethene	1.2	1.4	113		70-130
Dibromochloromethane	1.2	1.2	96		70-130
1,2-Dibromoethane	1.2	1.1	94		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507093I

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	111		70-130
1,1,1,2-Tetrachloroethane	1.2	1.4	114		70-130
Ethylbenzene	1.2	1.3	110		70-130
m,p-Xylene	2.4	2.7	112		70-130
o-Xylene	1.2	1.4	113		70-130
Styrene	1.2	1.3	108		70-130
Bromoform	1.2	1.2	102		70-130
Isopropylbenzene	1.2	1.3	104		70-130
1,1,2,2-Tetrachloroethane	1.2	1.3	106		70-130
1,2,3-Trichloropropane	1.2	1.3	105		70-130
n-Propylbenzene	1.2	1.3	109		70-130
Bromobenzene	1.2	1.3	105		70-130
1,3,5-Trimethylbenzene	1.2	1.3	109		70-130
2-Chlorotoluene	1.2	1.3	110		70-130
4-Chlorotoluene	1.2	1.3	109		70-130
tert-butylbenzene	1.2	1.3	109		70-130
1,2,4-Trimethylbenzene	1.2	1.3	112		70-130
sec-butylbenzene	1.2	1.3	109		70-130
p-isopropyltoluene	1.2	1.3	106		70-130
1,3-Dichlorobenzene	1.2	1.3	107		70-130
1,4-Dichlorobenzene	1.2	1.3	108		70-130
n-butylbenzene	1.2	1.3	111		70-130
1,2-Dichlorobenzene	1.2	1.3	111		70-130
1,2-Dibromo-3-chloropropane	1.2	1.2	98		70-130
1,2,4-Trichlorobenzene	1.2	1.2	101		70-130
Hexachlorobutadiene	1.2	1.5	128		70-130
Naphthalene	1.2	1.1	88		70-130
1,2,3-Trichlorobenzene	1.2	1.1	94		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 2 out of 70 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507093I2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	4.8	4.9	103		70-130
Chloromethane	4.8	5.4	113		70-130
Vinyl Chloride	4.8	4.8	100		70-130
Bromomethane	4.8	5.2	109		70-130
Chloroethane	4.8	5.3	111		70-130
t-Butyl alcohol (TBA)	24.0	20.4	85		70-130
Trichlorofluoromethane	4.8	4.9	102		70-130
1,1,2-Trichlorotrifluoroethane	4.8	5.0	104		70-130
Acetone	4.8	6.0	125		70-130
1,1-Dichloroethene	4.8	4.9	102		70-130
Di-isopropyl ether (DIPE)	4.8	5.0	104		70-130
Methylene Chloride	4.8	5.7	118		70-130
Methyl-tert-butyl ether (MTBE)	4.8	5.2	109		70-130
trans-1,2-Dichloroethene	9.6	9.2	96		70-130
1,1-Dichloroethane	4.8	4.9	101		70-130
Methyl ethyl ketone	4.8	5.0	104		70-130
Ethyl t-butyl ether (ETBE)	4.8	4.3	90		70-130
2,2-Dichloropropane	4.8	4.8	99		70-130
cis-1,2-Dichloroethene	4.8	5.6	118		70-130
t-Amyl methyl ether (TAME)	4.8	5.1	106		70-130
Chloroform	4.8	4.8	99		70-130
Bromochloromethane	4.8	4.9	101		70-130
Tetrahydrofuran	4.8	4.9	102		70-130
1,1,1-Trichloroethane	4.8	5.1	105		70-130
1,1-Dichloropropene	4.8	5.1	105		70-130
Carbon Tetrachloride	4.8	5.1	105		70-130
1,2-Dichloroethane	4.8	5.0	103		70-130
Benzene	4.8	5.0	103		70-130
Trichloroethene	4.8	4.9	102		70-130
1,2-Dichloropropane	4.8	5.2	108		70-130
Bromodichloromethane	4.8	5.2	108		70-130
Dibromomethane	4.8	4.9	101		70-130
2-Hexanone	4.8	4.5	94		70-130
Methyl isobutyl ketone	4.8	4.5	93		70-130
cis-1,3-Dichloropropene	4.8	4.7	98		70-130
Toluene	4.8	5.3	111		70-130
trans-1,3-Dichloropropene	4.8	4.7	98		70-130
1,1,2-Trichloroethane	4.8	4.9	103		70-130
1,3-Dichloropropane	4.8	5.0	103		70-130
Tetrachloroethene	4.8	4.9	101		70-130
Dibromochloromethane	4.8	5.1	106		70-130
1,2-Dibromoethane	4.8	4.5	94		70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507093I2

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	4.8	4.7	99		70-130
1,1,1,2-Tetrachloroethane	4.8	4.9	101		70-130
Ethylbenzene	4.8	5.2	109		70-130
m,p-Xylene	4.8	4.9	101		70-130
o-Xylene	9.6	9.7	101		70-130
Styrene	4.8	5.0	104		70-130
Bromoform	4.8	5.0	103		70-130
Isopropylbenzene	4.8	4.7	99		70-130
1,1,2,2-Tetrachloroethane	4.8	4.7	98		70-130
1,2,3-Trichloropropane	4.8	4.8	99		70-130
n-Propylbenzene	4.8	4.9	102		70-130
Bromobenzene	4.8	5.0	103		70-130
1,3,5-Trimethylbenzene	4.8	4.8	100		70-130
2-Chlorotoluene	4.8	4.8	101		70-130
4-Chlorotoluene	4.8	4.9	101		70-130
tert-butylbenzene	4.8	4.9	101		70-130
1,2,4-Trimethylbenzene	4.8	4.8	99		70-130
sec-butylbenzene	4.8	5.0	104		70-130
p-isopropyltoluene	4.8	5.0	105		70-130
1,3-Dichlorobenzene	4.8	4.9	101		70-130
1,4-Dichlorobenzene	4.8	4.7	99		70-130
n-butylbenzene	4.8	4.9	102		70-130
1,2-Dichlorobenzene	4.8	5.1	106		70-130
1,2-Dibromo-3-chloropropane	4.8	4.8	99		70-130
1,2,4-Trichlorobenzene	4.8	4.5	95		70-130
Hexachlorobutadiene	4.8	4.9	101		70-130
Naphthalene	4.8	5.2	107		70-130
1,2,3-Trichlorobenzene	4.8	4.0	82		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 0 out of 70 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507093I3

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Dichlorodifluoromethane	1.2	1.2	99		70-130
Chloromethane	1.2	1.4	117		70-130
Vinyl Chloride	1.2	1.2	103		70-130
Bromomethane	1.2	1.5	123		70-130
Chloroethane	1.2	1.2	101		70-130
t-Butyl alcohol (TBA)	6.0	6.2	104		70-130
Trichlorofluoromethane	1.2	1.2	99		70-130
1,1,2-Trichlorotrifluoroethane	1.2	1.3	106		70-130
Acetone	1.2	2.3	188	*	70-130
1,1-Dichloroethene	1.2	1.3	108		70-130
Di-isopropyl ether (DIPE)	1.2	1.3	109		70-130
Methylene Chloride	1.2	1.1	95		70-130
Methyl-tert-butyl ether (MTBE)	2.4	2.5	103		70-130
trans-1,2-Dichloroethene	1.2	1.3	112		70-130
1,1-Dichloroethane	1.2	1.3	109		70-130
Methyl ethyl ketone	1.2	1.3	112		70-130
Ethyl t-butyl ether (ETBE)	1.2	1.3	106		70-130
2,2-Dichloropropane	1.2	1.4	113		70-130
cis-1,2-Dichloroethene	1.2	1.3	108		70-130
t-Amyl methyl ether (TAME)	1.2	1.2	103		70-130
Chloroform	1.2	1.3	112		70-130
Bromochloromethane	1.2	1.3	108		70-130
Tetrahydrofuran	1.2	1.7	138	*	70-130
1,1,1-Trichloroethane	1.2	1.3	111		70-130
1,1-Dichloropropene	1.2	1.3	111		70-130
Carbon Tetrachloride	1.2	1.3	109		70-130
1,2-Dichloroethane	1.2	1.3	111		70-130
Benzene	1.2	1.4	113		70-130
Trichloroethene	1.2	1.3	110		70-130
1,2-Dichloropropane	1.2	1.3	109		70-130
Bromodichloromethane	1.2	1.3	108		70-130
Dibromomethane	1.2	1.2	96		70-130
2-Hexanone	1.2	1.1	89		70-130
Methyl isobutyl ketone	1.2	1.2	98		70-130
cis-1,3-Dichloropropene	1.2	1.3	108		70-130
Toluene	1.2	1.2	103		70-130
trans-1,3-Dichloropropene	1.2	1.2	98		70-130
1,1,2-Trichloroethane	1.2	1.3	105		70-130
1,3-Dichloropropane	1.2	1.2	101		70-130
Tetrachloroethene	1.2	1.4	113		70-130
Dibromochloromethane	1.2	1.2	96		70-130
1,2-Dibromoethane	1.2	1.1	94		70-130

VOA FORM 3

49975VOAFORM3.xls

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25 (mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

Laboratory Control Spike Sample ID: L507093I3

COMPOUND	SPIKE ADDED (ug/L)	LCS CONC. (ug/L)	LCS REC %	#	QC LIMITS % REC.
Chlorobenzene	1.2	1.3	111		70-130
1,1,1,2-Tetrachloroethane	1.2	1.4	114		70-130
Ethylbenzene	1.2	1.3	110		70-130
m,p-Xylene	2.4	2.7	112		70-130
o-Xylene	1.2	1.4	113		70-130
Styrene	1.2	1.3	108		70-130
Bromoform	1.2	1.2	102		70-130
Isopropylbenzene	1.2	1.3	104		70-130
1,1,2,2-Tetrachloroethane	1.2	1.3	106		70-130
1,2,3-Trichloropropane	1.2	1.3	105		70-130
n-Propylbenzene	1.2	1.3	109		70-130
Bromobenzene	1.2	1.3	105		70-130
1,3,5-Trimethylbenzene	1.2	1.3	109		70-130
2-Chlorotoluene	1.2	1.3	110		70-130
4-Chlorotoluene	1.2	1.3	109		70-130
tert-butylbenzene	1.2	1.3	109		70-130
1,2,4-Trimethylbenzene	1.2	1.3	112		70-130
sec-butylbenzene	1.2	1.3	109		70-130
p-isopropyltoluene	1.2	1.3	106		70-130
1,3-Dichlorobenzene	1.2	1.3	107		70-130
1,4-Dichlorobenzene	1.2	1.3	108		70-130
n-butylbenzene	1.2	1.3	111		70-130
1,2-Dichlorobenzene	1.2	1.3	111		70-130
1,2-Dibromo-3-chloropropane	1.2	1.2	98		70-130
1,2,4-Trichlorobenzene	1.2	1.2	101		70-130
Hexachlorobutadiene	1.2	1.5	128		70-130
Naphthalene	1.2	1.1	88		70-130
1,2,3-Trichlorobenzene	1.2	1.1	94		70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

Spike Recovery: 2 out of 70 outside limits

Comments: _____

_____

GC/MS Volatiles Instrument: I

IS only V4519 Exp:
Sen 6.18.03 SS+IS ~~V4502~~ Exp: ~~6~~ 7.2.03
Voltage 1706
Threshold 100

Sen 061803-I

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-I-061803-1-JR							
1	V506183	Blank	25mL			I1755	Sen	
2		BFB 25ng/mL V4487				56	T	
3		0.1PPB 0.125mL V4504 V4512				57	SI	
4		0.5PPB 0.625mL				58	SI	
5		1.2PPB 1.5mL				59	SI	
6		4.8PPB 6mL				60	SI	
7		8PPB 10mL				61	SI	
8		16PPB 20mL				62	SI	
9		32PPB 40mL				63	SI	
10		Blank				64		
11		BFB 25ng/mL V4487 V4506	25mL		√	65	T	
12		LS06183I V4517			√ CM↑, BM↑	66	Q	
13		LS06183I2 ↓			√ CM, BM OK	67	Q	
14		BS06183I			√	68	MB	
15		49863-24			√	69		
16		49836-26			√	70		
17		-31			√	71		
18		-31 MS			TBA RPD↑	72	SP	
19		-31 MSD			All else OK	73	SP	
20		-33			√	74		
21		-34			√	75		
22		-35			√	76		
23		-36			√	77		
24		-37			√	78		
25		-38			√	79		
26		-39			√	80		
27		-40			√	81		
28		-41			√	82		
29		-42			√	83		
30		49863-18			√	84		
~~31~~					Sen 6.18.03	85		

(Cont.)

Revision: 04/30/02

GC/MS Volatiles Instrument: I

IS only Exp:

SS+IS V4519 Exp: 7-2-03

Voltage 1706

Threshold 100

Sun 061803-I (CONT-)

Tube	Method	Sample 6.18.03	Vol	DF	Comments	File #	LB	pH
31	V5061803I	49863+820	25mL		√	I11785	Sun	
32		49862-1			√	86		
33		-2			√	87		
34		-3			√	88		
35		-4			Syringe error RL 25mL	89		

MTG 6/19/03

Revision: 04/30/02

GC/MS Volatiles Instrument: I

IS only Exp:

SS+IS V4519 Exp: 7-2-03

Voltage 1706

Threshold 100

070203-I

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-I-070203-1-JR							
1	V50618I	Blank	25mL		System Cond.	I11834		
2		Blank			↓	35		
3		BFB 25ng/mL V4524			√	36	T	
4		LS070203I V4527 V4532			√ TBA, Acetone, 22DCP ↑ HCBD ↑	37	Q	
5		LS070203I2 ↓			√ Acetone, HCBD still ↑	38	Q	
6		BS070203I		√	VBJB060300 3	39	B	
7		BS070203I2	↓	√	VBJB062703	40	B	
8		49953-1	25mL		√	41		<2
9		49954-1			√	42		<2
10		49952-1			√	43		<2
11		-1, MS			√ Acetone ↑ in both	44	SP	<2
12		-1, MSD			√ THF, HCBD ↑ in MSD only	45	SP	<2
13		Blank				46		
~~14~~		~~49956-1~~				~~47~~		
15		-2				48		
16		-3				49		
17		-4				50		
18		-5				51		
~~19~~		~~-6~~				~~52~~		
11	V50618I	49975-1	25mL		√	47 53		<2
12		49975-2			√ *Instrument error, not sample. 7-8-03	48		<2
13		-2, MS		√	Acetone, PLE ↑ in MSD only All else OK	49	SP	<2
14		-2, MSD		√	*Pea-sized air bubble observed after spike added.	50	SP	<2
15		Blank				51		
16		49956-1			√	52		<2
17		-2			√	53		<2
18		-3			√	54		<2
19		-4			√	55		<2
20		-5			√	56		<2
21		-6			√	57		<2

Revision: 04/30/02

GC/MS Volatiles Instrument: I

IS only Exp:

SS+IS V4538 Exp: 7·22·03

Voltage 1706

Threshold 100

Gen 070803-I

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH	
	IV-I-070803-1-JR								
1		Blank	25mL		Manual tune adj.	I11858	Gen		
2						59			
3						60			
1	V507083I	BFB 25ng/mL V4524		✓		61	T		210
2		Blank				62			
3		0.1PPB 0.125mL V4531 V4536		✓		63	S1		
4		0.5PPB 0.625mL		✓		64	S1		
5		1.2PPB 1.5mL		✓		65	S1		
6		4.8PPB 6mL		✓		66	S1		
7		8PPB 10mL		✓		67	S1		
8		16PPB 20mL		✓		68	S1		
9		32PPB 40mL			NOT USED - Too much saturation.	69	S1		
10		Blank				70			
42	5mL 7.9.03	BFB 25ng/mL V4524	25mL	✓		71	T		857
3		L507093I V4537 V4532		✓	1.2PPB CH2Cl2, MeOH, Acetone ?	72	Q		
4		L507093I 2	25mL	✓	4.8PPB All OK	73	Q		
5	5mL 7.9.03	~~Blank~~ L507093I 3		✓	1.2PPB. Acetone THF ?	74	Q		
6		V507093I		✓		75	B		
7		49975-1	25mL	✓		76			<2
8		-2		✓		77			<2
9		49986-4		✓		78			<2
10		49990-3		✓		79			<2
11		49986-1		✓		80			<2
12		-2		✓		81			<2
13		49986-3	25mL	✓		82			<2
14		49990-1		✓		83			<2
15		-2		✓		84			<2
16		49986-2 MS		✓	8PPB THF @16%	85			<2
17		-2 MSD		✓		86			<2

Revision: 04/30/02

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11756T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 6/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0952

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	24.2
75	30.0 - 60.0% of mass 95	58.7
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.0
173	Less than 2.0% of mass 174	0.3 (0.3)1
174	Greater than 50% of mass 95	90.8
175	5.0 - 9.0% of mass 174	5.4 (5.9)1
176	>95.0 - <101.0% of mass 174	88.7 (97.7)1
177	5.0 - 9.0% of mass 176	5.1 (5.7)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	0.1PPB STD	0.1PPB STD	I11757SI.D	06/18/03	10:40
02	0.5PPB STD	0.5PPB STD	I11758SI.D	06/18/03	11:15
03	1.2PPB STD	1.2PPB STD	I11759SI.D	06/18/03	11:50
04	4.8PPB STD	4.8PPB STD	I11760SI.D	06/18/03	12:25
05	8PPB STD	8PPB STD	I11761SI.D	06/18/03	13:00
06	16PPB STD	16PPB STD	I11762SI.D	06/18/03	13:34
07	32PPB STD	32PPB STD	I11763SI.D	06/18/03	14:09
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11836T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	25.6
75	30.0 - 60.0% of mass 95	58.9
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	5.1
173	Less than 2.0% of mass 174	1.0 (1.2)1
174	Greater than 50% of mass 95	85.1
175	5.0 - 9.0% of mass 174	6.7 (7.8)1
176	>95.0 - <101.0% of mass 174	83.8 (98.5)1
177	5.0 - 9.0% of mass 176	4.3 (5.1)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L507023I	L507023I	I11837Q.D	07/02/03	9:49
02	L507023I2	L507023I2	I11838Q.D	07/02/03	10:36
03	B507023I	B507023I	I11839B.D	07/02/03	11:11
04	B507023I2	B507023I2	I11840B.D	07/02/03	11:46
05	ZZZZZ	ZZZZZ	I11841.D	07/02/03	12:21
06	ZZZZZ	ZZZZZ	I11842.D	07/02/03	12:56
07	ZZZZZ	ZZZZZ	I11843.D	07/02/03	13:31
08	ZZZZZ	ZZZZZ	I11844SP.D	07/02/03	14:06
09	ZZZZZ	ZZZZZ	I11845SP.D	07/02/03	14:41
10	ZZZZZ	ZZZZZ	I11846.D	07/02/03	15:16
11	ZZZZZ	ZZZZZ	I11847.D	07/02/03	15:51
12	ZZZZZ	ZZZZZ	I11848.D	07/02/03	16:27
13	49975-2,MS	49975-2,MS	I11849SP.D	07/02/03	17:02
14	49975-2,MSD	49975-2,MSD	I11850SP.D	07/02/03	17:37
15	ZZZZZ	ZZZZZ	I11851.D	07/02/03	18:12
16	ZZZZZ	ZZZZZ	I11852.D	07/02/03	18:47
17	ZZZZZ	ZZZZZ	I11853.D	07/02/03	19:22
18	ZZZZZ	ZZZZZ	I11854.D	07/02/03	19:56
19	ZZZZZ	ZZZZZ	I11855.D	07/02/03	20:31
20	ZZZZZ	ZZZZZ	I11856.D	07/02/03	21:06
21	ZZZZZ	ZZZZZ	I11857.D	07/02/03	21:41
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11861T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/8/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1410

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	17.5
75	30.0 - 60.0% of mass 95	52.8
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.0
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	93.0
175	5.0 - 9.0% of mass 174	6.6 (7.1)1
176	>95.0 - <101.0% of mass 174	90.9 (97.7)1
177	5.0 - 9.0% of mass 176	6.1 (6.7)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	0.1PPB STD	0.1PPB STD	I11863SI.D	07/08/03	15:20
02	0.5PPB STD	0.5PPB STD	I11864SI.D	07/08/03	15:56
03	1.2PPB STD	1.2PPB STD	I11865SI.D	07/08/03	16:31
04	4.8PPB STD	4.8PPB STD	I11866SI.D	07/08/03	17:07
05	8PPB STD	8PPB STD	I11867SI.D	07/08/03	17:42
06	16PPB STD	16PPB STD	I11868SI.D	07/08/03	18:17
07	32PPB STD	32PPB STD	I11869SI.D	07/08/03	18:52
08					
09					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.5
75	30.0 - 60.0% of mass 95	51.2
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.3
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	84.8
175	5.0 - 9.0% of mass 174	6.4 (7.5)1
176	>95.0 - <101.0% of mass 174	81.0 (95.5)1
177	5.0 - 9.0% of mass 176	5.6 (7.0)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	L507093I	L507093I	I11872Q.D	07/09/03	9:32
02	L507093I2,,4.8PPB	L507093I2,,4.8PPB	I11873Q.D	07/09/03	10:25
03	L507093I3,,1.2PPB	L507093I3,,1.2PPB	I11874Q.D	07/09/03	11:00
04	B507093I	B507093I	I11875B.D	07/09/03	12:20
05	49975-1	49975-1	I11876.D	07/09/03	12:56
06	49975-2	49975-2	I11877.D	07/09/03	13:31
07	ZZZZZ	ZZZZZ	I11878.D	07/09/03	14:06
08	ZZZZZ	ZZZZZ	I11879.D	07/09/03	14:41
09	ZZZZZ	ZZZZZ	I11880.D	07/09/03	15:16
10	ZZZZZ	ZZZZZ	I11881.D	07/09/03	15:51
11	ZZZZZ	ZZZZZ	I11882.D	07/09/03	16:26
12	ZZZZZ	ZZZZZ	I11883.D	07/09/03	17:01
13	ZZZZZ	ZZZZZ	I11884.D	07/09/03	17:36
14	ZZZZZ	ZZZZZ	I11885SP.D	07/09/03	18:11
15	ZZZZZ	ZZZZZ	I11886SP.D	07/09/03	18:46
16					
17					
18					
19					
20					
21					
22					
23					

Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration

6-18-03
VMT 6/19/03

Calibration Files
0.1 =I11757SI.D 0.5 =I11758SI.D 1.2 =I11759SI.D
4.8 =I11760SI.D 8 =I11761SI.D 16 =I11762SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
1)	I	Pentafluorobenzene	----------	ISTD	----------					
2)	TM	Dichlorodifluoromet	1.109	1.045	1.047	0.950	0.973	1.092	1.009	8.9
3)	TMP	Chloromethane		0.711	0.709	0.559	0.568	0.652	0.619	13.4
4)	TMC	Vinyl Chloride		0.548	0.534	0.386	0.370	0.400	0.447	19.2
5)	TM	Bromomethane		0.367	0.376	0.285	0.294	0.338	0.323	13.2
6)	TM	Chloroethane		0.310	0.334	0.274	0.285	0.328	0.298	10.4
7)	TM	t-Butyl alcohol		0.008	0.008	0.006	0.006	0.007	0.007	15.9
8)	TM	Trichlorofluorometh	0.882	0.883	0.801	0.756	0.781	0.904	0.820	8.3
9)	TM	Diethyl ether		0.153	0.136	0.119	0.111	0.136	0.128	13.2
10)	TM	1,1,2-Trichlorotrif	0.522	0.472	0.410	0.412	0.394	0.449	0.435	11.3
11)	T	Acrolein		0.031	0.025	0.024	0.024	0.028	0.026	12.6
12)	TM	Acetone		0.058	0.044	0.039	0.037	0.044	0.045	18.4
13)	TMC	1,1-Dichloroethene		0.407	0.347	0.333	0.321	0.366	0.348	9.9
14)	T	Methyl iodide	0.482	0.310	0.398	0.535	0.463	0.669	0.501	25.7M
15)	TM	Di-isopropyl ether	1.782	1.627	1.799	1.748	1.642	1.671	1.695	4.7
16)	TM	Methylene Chloride		1.626	0.931	0.646	0.573	0.547	0.865	52.3U
17)	TM	Carbon Disulfide		0.977	1.018	1.004	0.997	1.035	0.996	3.1
18)	T	Acrylonitrile	0.090	0.073	0.064	0.067	0.077	0.078	0.075	11.4
19)	TM	Methyl-tert-butyl e	0.475	0.543	0.568	0.563	0.548	0.557	0.545	5.9
20)	TM	trans-1,2-Dichloroe		0.509	0.558	0.540	0.515	0.511	0.520	4.7
21)	TMP	1,1-Dichloroethane		0.992	1.118	1.070	1.019	1.018	1.035	4.7
22)	T	Vinyl acetate		0.038	0.035	0.038	0.034	0.036	0.036	4.4
23)	TM	Methyl ethyl ketone	0.015	0.016	0.017	0.016	0.016	0.015	0.016	4.6
24)	TM	Ethyl t-butyl ether	0.852	0.772	0.869	0.858	0.806	0.823	0.829	4.0
25)	TM	2,2-Dichloropropane		0.692	0.692	0.693	0.660	0.673	0.679	2.1
26)	TM	cis-1,2-Dichloroeth		0.533	0.568	0.531	0.507	0.500	0.521	5.7
27)	TM	t-Amyl methyl ether	0.562	0.535	0.590	0.550	0.521	0.559	0.553	3.9
28)	T	NO COUMPOUND							0.000	-1.0
29)	TMC	Chloroform		1.136	1.170	1.101	1.022	1.038	1.078	6.3
30)	TM	Bromochloromethane	0.194	0.187	0.202	0.191	0.178	0.180	0.187	5.0
31)	TM	Tetrahydrofuran		0.020	0.018	0.016	0.016	0.016	0.017	8.9
32)	TM	1,1,1-Trichloroetha	1.163	0.896	0.954	0.951	0.900	0.936	0.961	9.6
33)	T	NO COMPOUND							0.000	-1.0
34)	TM	1,1-Dichloropropene		0.826	0.916	0.876	0.825	0.833	0.845	5.1
35)	TM	Carbon Tetrachlorid		0.795	0.885	0.868	0.830	0.857	0.847	3.7
36)	S	1,4-Difluorobenzene	1.509	1.544	1.543	1.552	1.518	1.580	1.539	1.5
37)	TM	1,2-Dichloroethane	0.665	0.587	0.681	0.632	0.593	0.593	0.615	7.5
38)	TM	Benzene		2.086	2.252	2.105	1.984	1.983	2.040	6.9
39)	I	Fluorobenzene	----------	ISTD	----------					
40)	TM	Trichloroethene		0.312	0.332	0.313	0.297	0.303	0.308	4.6
41)	TMC	1,2-Dichloropropane	0.275	0.248	0.278	0.256	0.241	0.252	0.256	5.7
42)	T	Methylmethacrylate	0.075	0.070	0.080	0.078	0.075	0.080	0.077	5.1

(#) = Out of Range ### Number of calibration levels exceeded format ###

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration

Calibration Files
0.1 =I11757SI.D 0.5 =I11758SI.D 1.2 =I11759SI.D
4.8 =I11760SI.D 8 =I11761SI.D 16 =I11762SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
43)	T	NO COMPOUND							0.000	-1.0
44)	T	NO COMPOUND							0.000	-1.0
45)	TM	Bromodichloromethan	0.385	0.324	0.353	0.342	0.335	0.345	0.346	5.6
46)	TM	Dibromomethane	0.133	0.119	0.120	0.111	0.109	0.112	0.116	7.3
47)	T	NO COMPOUND							0.000	-1.0
48)	T	NO COMPOUND							0.000	-1.0
49)	T	NO COMPOUND							0.000	-1.0
50)	T	No Compound							0.000	-1.0
51)	TM	2-Hexanone		0.028	0.034	0.031	0.031	0.033	0.032	6.4
52)	TM	Methyl isobutyl ket		0.035	0.037	0.037	0.036	0.038	0.037	3.5
53)	TM	cis-1,3-Dichloropro	0.317	0.294	0.339	0.337	0.325	0.349	0.328	5.5
54)	S	Bromofluorobenzene	0.285	0.313	0.297	0.293	0.303	0.326	0.305	4.6
55)	TMC	Toluene		0.656	0.674	0.632	0.601	0.609	0.626	5.6
56)	TM	trans-1,3-Dichlorop	0.192	0.203	0.235	0.237	0.231	0.246	0.227	9.2
57)	T	NO COMPOUND							0.000	-1.0
58)	TM	1,1,2-Trichloroetha	0.126	0.114	0.132	0.113	0.108	0.110	0.115	8.8
59)	TM	1,3-Dichloropropane	0.242	0.243	0.249	0.246	0.233	0.242	0.241	2.6
60)	TM	Tetrachloroethene		0.306	0.310	0.289	0.280	0.287	0.291	4.8
61)	TM	Dibromochloromethan	0.156	0.168	0.199	0.182	0.176	0.193	0.180	8.2
62)	TM	1,2-Dibromoethane	0.100	0.121	0.125	0.120	0.117	0.127	0.119	7.4
63)	I	d5-Chlorobenzene	ISTD							
64)	TMP	Chlorobenzene		0.982	1.054	1.011	0.953	0.945	0.972	5.9
65)	TM	1,1,1,2-Tetrachloro	0.417	0.331	0.376	0.354	0.337	0.337	0.352	9.7
66)	TMC	Ethylbenzene		1.974	2.150	2.003	1.937	1.865	1.935	8.0
67)	TM	m,p-Xylene		0.691	0.734	0.676	0.646	0.621	0.654	9.4
68)	TM	o-Xylene		0.620	0.680	0.635	0.614	0.617	0.624	5.1
69)	TM	Styrene	1.060	0.892	1.007	0.997	0.945	0.967	0.969	5.9
70)	TMP	Bromoform	0.142	0.130	0.137	0.136	0.134	0.138	0.135	3.1
71)	TM	Isopropylbenzene		1.800	1.963	1.850	1.748	1.720	1.779	7.0
72)	TMP	1,1,2,2-Tetrachloro	0.213	0.205	0.220	0.207	0.201	0.208	0.208	3.2
73)	S	1,2-Dichlorobenzene	0.351	0.378	0.363	0.360	0.380	0.369	0.368	2.7
74)	TM	1,2,3-Trichloroprop		0.151	0.174	0.156	0.146	0.151	0.155	6.2
75)	T	trans-1,4-Dichloro-		0.082	0.082	0.082	0.081	0.081	0.081	2.9
76)	TM	n-Propylbenzene		2.279	2.399	2.299	2.205	2.162	2.220	6.5
77)	TM	Bromobenzene		0.365	0.372	0.364	0.352	0.348	0.355	4.0
78)	TM	1,3,5-Trimethylbenz		1.443	1.595	1.544	1.474	1.421	1.458	7.6
79)	TM	2-Chlorotoluene		1.547	1.633	1.538	1.421	1.426	1.472	8.7
80)	TM	4-Chlorotoluene		1.320	1.382	1.343	1.301	1.266	1.303	4.6
81)	TM	tert-butylbenzene		1.249	1.298	1.269	1.205	1.203	1.224	5.2
82)	TM	1,2,4-Trimethylbenz		1.423	1.575	1.521	1.452	1.428	1.451	6.3
83)	T	No Compound							0.000	-1.0
84)	TM	sec-butylbenzene		1.807	1.882	1.802	1.744	1.714	1.760	5.2
85)	TM	p-isopropyltoluene		1.391	1.507	1.461	1.427	1.409	1.420	4.3


(#) = Out of Range ### Number of calibration levels exceeded format ###

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration

Calibration Files
0.1 =I11757SI.D 0.5 =I11758SI.D 1.2 =I11759SI.D
4.8 =I11760SI.D 8 =I11761SI.D 16 =I11762SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
86)	TM	1,3-Dichlorobenzene		0.714	0.747	0.715	0.690	0.685	0.702	4.3
87)	I	1,4-Dichlorobenzene-d	----------	----------	ISTD	----------	----------	----------		
88)	TM	1,4-Dichlorobenzene		1.470	1.597	1.474	1.378	1.386	1.439	6.6
89)	TM	n-butylbenzene		3.031	3.195	3.082	2.978	2.921	3.001	4.5
90)	TM	1,2-Dichlorobenzene	1.463	1.202	1.282	1.204	1.157	1.124	1.221	9.9
91)	T	NO COMPOUND							0.000	-1.0
92)	TM	1,2-Dibromo-3-chlor		0.055	0.065	0.059	0.058	0.062	0.061	6.2
93)	T	NO COMPOUND							0.000	-1.0
94)	TM	1,2,4-Trichlorobenz		0.462	0.627	0.677	0.708	0.721	0.656	15.6
95)	TM	Hexachlorobutadiene		0.400	0.431	0.421	0.420	0.405	0.415	2.7
96)	TM	Naphthalene	0.284	0.375	0.576	0.740	0.808	0.872	0.609	39.3
97)	TM	1,2,3-Trichlorobenz		0.328	0.443	0.512	0.543	0.552	0.493	19.0
98)	TM	1,3,5-Trichlorobenz	1.228	1.028	1.134	1.097	1.097	1.061	1.098	6.1


(#) = Out of Range ### Number of calibration levels exceeded format ###



6.18.03

VMT 6/19/03

Method Name: C:\HPCHEM\1\METHODS\V506183I.M
Calibration Table Last Updated: Wed Jun 18 15:04:27 2003



6-18-03

VMT 6/19/03

Method Name: C:\HPCHEM\1\METHODS\V506183I.M
Calibration Table Last Updated: Wed Jun 18 15:04:27 2003

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11757SI.D Vial: 3
Acq On : 18 Jun 2003 10:40 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:44 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:41:54 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03 VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	576551	4.00	ug/L	0.00
39) Fluorobenzene	9.12	96	1101944	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.91	117	652480	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	297945	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	870031	3.92	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 98.00%			
54) Bromofluorobenzene	15.83	95	314598	3.79	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 94.75%			
73) 1,2-Dichlorobenzene-d4	18.35	152	229331	3.80	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 95.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	15980	0.11	ug/L	85
3) Chloromethane	2.25	50	15945	0.17	ug/L	87
4) Vinyl Chloride	2.37	62	10298	0.16	ug/L	93
5) Bromomethane	2.92	94	7226	0.15	ug/L	100
6) Chloroethane	3.02	64	7437	0.17	ug/L	89
7) t-Butyl alcohol	4.49	59	426	0.40	ug/L #	76
8) Trichlorofluoromethane	3.38	101	12712	0.11	ug/L	78
9) Diethyl ether	3.84	74	1315	0.07	ug/L #	1
10) 1,1,2-Trichlorotrifluoroet	4.06	101	7526	0.12	ug/L #	85
11) Acrolein	4.03	56	3363	0.90	ug/L	89
12) Acetone	4.14	43	9010	1.40	ug/L	90
13) 1,1-Dichloroethene	4.31	96	7168	0.14	ug/L #	87
14) Methyl iodide	4.80	142	6951	0.11	ug/L #	86
15) Di-isopropyl ether	6.19	45	25688	0.10	ug/L #	91
16) Methylene Chloride	5.11	84	81977	0.03	ug/L	94
17) Carbon Disulfide	5.08	76	21457	0.15	ug/L	100
18) Acrylonitrile	5.35	53	1303	0.13	ug/L #	57
19) Methyl-tert-butyl ether	5.41	73	6846	0.09	ug/L	100
20) trans-1,2-Dichloroethene	5.61	96	12098	0.16	ug/L	93
21) 1,1-Dichloroethane	6.30	63	20608	0.14	ug/L	96
22) Vinyl acetate	6.35	86	337	0.06	ug/L #	1
23) Methyl ethyl ketone	7.02	72	1077	0.47	ug/L #	76
24) Ethyl t-butyl ether	6.84	59	12278	0.10	ug/L #	56
25) 2,2-Dichloropropane	7.19	77	12303	0.12	ug/L	82
26) cis-1,2-Dichloroethene	7.26	96	9934	0.13	ug/L #	74
27) t-Amyl methyl ether	8.60	73	8102	0.10	ug/L #	43
29) Chloroform	7.51	83	25404	0.16	ug/L	100

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11757SI.D Vial: 3
Acq On : 18 Jun 2003 10:40 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:44 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:41:54 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.76	128	2802	0.10 ug/L #	91
31) Tetrahydrofuran	7.87	71	310	0.12 ug/L	97
32) 1,1,1-Trichloroethane	8.13	97	16770	0.13 ug/L	95
34) 1,1-Dichloropropene	8.39	75	16218	0.13 ug/L	88
35) Carbon Tetrachloride	8.53	119	14784	0.12 ug/L	93
37) 1,2-Dichloroethane	8.76	62	9580	0.11 ug/L	81
38) Benzene	8.78	78	41063	0.14 ug/L	97
40) Trichloroethene	9.72	95	11709	0.14 ug/L #	79
41) 1,2-Dichloropropane	9.99	63	7581	0.11 ug/L	93
42) Methylmethacrylate	10.12	69	2067	0.10 ug/L	83
45) Bromodichloromethane	10.35	83	10606	0.11 ug/L	97
46) Dibromomethane	10.43	93	3670	0.12 ug/L #	60
51) 2-Hexanone	12.26	58	2977	0.35 ug/L	94
52) Methyl isobutyl ketone	10.91	58	3627	0.36 ug/L #	84
53) cis-1,3-Dichloropropene	11.20	75	8744	0.10 ug/L	83
55) Toluene	11.68	92	23019	0.13 ug/L	93
56) trans-1,3-Dichloropropene	11.97	75	5287	0.08 ug/L	95
58) 1,1,2-Trichloroethane	12.21	83	3462	0.11 ug/L	93
59) 1,3-Dichloropropane	12.59	76	6663	0.10 ug/L	92
60) Tetrachloroethene	12.70	166	10147	0.12 ug/L	96
61) Dibromochloromethane	12.98	129	4291	0.09 ug/L #	74
62) 1,2-Dibromoethane	13.31	107	2765	0.08 ug/L	87
64) Chlorobenzene	13.97	112	20908	0.13 ug/L #	79
65) 1,1,1,2-Tetrachloroethane	14.04	131	6794	0.12 ug/L	89
66) Ethylbenzene	14.06	91	46201	0.14 ug/L	98
67) m,p-Xylene	14.18	106	30409	0.27 ug/L	96
68) o-Xylene	14.86	106	13785	0.13 ug/L	94
69) Styrene	14.92	104	17293	0.11 ug/L	85
70) Bromoform	15.43	173	2316	0.11 ug/L	94
71) Isopropylbenzene	15.45	105	38653	0.13 ug/L	100
72) 1,1,2,2-Tetrachloroethane	15.72	83	3476	0.10 ug/L	91
75) trans-1,4-Dichloro-2-buten	16.05	53	888	0.07 ug/L #	34
76) n-Propylbenzene	16.09	91	50409	0.13 ug/L	98
77) Bromobenzene	16.14	156	7573	0.13 ug/L #	70
78) 1,3,5-Trimethylbenzene	16.35	105	30985	0.13 ug/L	89
79) 2-Chlorotoluene	16.36	91	32953	0.13 ug/L	99
80) 4-Chlorotoluene	16.44	91	27458	0.13 ug/L	95
81) tert-butylbenzene	16.91	119	27845	0.14 ug/L	96
82) 1,2,4-Trimethylbenzene	16.97	105	29708	0.12 ug/L	95
84) sec-butylbenzene	17.26	105	39137	0.13 ug/L	92
85) p-isopropyltoluene	17.50	119	29567	0.13 ug/L	87

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11757SI.D Vial: 3
Acq On : 18 Jun 2003 10:40 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:44 2003 Quant Results File: V506183I.


Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:41:54 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
86) 1,3-Dichlorobenzene	17.62	146	14667	0.13	ug/L		98
88) 1,4-Dichlorobenzene	17.80	146	13606	0.12	ug/L		89
89) n-butylbenzene	18.16	91	28842	0.13	ug/L		91
90) 1,2-Dichlorobenzene	18.39	146	10899	0.12	ug/L		85
92) 1,2-Dibromo-3-chloropropan	19.67	75	572	0.13	ug/L	#	45
94) 1,2,4-Trichlorobenzene	21.14	180	3119	0.18	ug/L		94
95) Hexachlorobutadiene	21.39	225	5836	0.19	ug/L		94
96) Naphthalene	21.56	128	2118	0.28	ug/L		87
97) 1,2,3-Trichlorobenzene	22.01	180	2106	0.22	ug/L	#	77
98) 1,3,5-Trichlorobenzene	20.10	180	9149	0.11	ug/L	#	71

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11757SI.D Vial: 3
Acq On : 18 Jun 2003 10:40 am Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:44 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11758SI.D
Acq On : 18 Jun 2003 11:15 am
Sample : 0.5PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 18 14:04 2003

Vial: 4
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03
VMI 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	575502	4.00	ug/L	0.03
39) Fluorobenzene	9.12	96	1098669	4.00	ug/L	0.03
63) d5-Chlorobenzene	13.90	117	722418	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.75	152	332913	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	888425	4.04	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.00%			
54) Bromofluorobenzene	15.83	95	344208	3.97	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.25%			
73) 1,2-Dichlorobenzene-d4	18.36	152	272730	4.15	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 103.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	75176	0.60	ug/L	95
3) Chloromethane	2.25	50	51147	0.59	ug/L	92
4) Vinyl Chloride	2.38	62	39394	0.66	ug/L	89
5) Bromomethane	2.92	94	26381	0.55	ug/L	79
6) Chloroethane	3.01	64	22305	0.50	ug/L	93
7) t-Butyl alcohol	4.50	59	3021m	2.39	ug/L	
8) Trichlorofluoromethane	3.37	101	63526	0.55	ug/L	100
9) Diethyl ether	3.82	74	11040	0.63	ug/L	93
10) 1,1,2-Trichlorotrifluoroet	4.05	101	33970	0.57	ug/L	95
11) Acrolein	4.01	56	11252	3.07	ug/L	93
12) Acetone	4.13	43	20929	3.15	ug/L	95
13) 1,1-Dichloroethene	4.31	96	29313	0.60	ug/L	89
14) Methyl iodide	4.79	142	22330	0.31	ug/L	98
15) Di-isopropyl ether	6.19	45	117068	0.49	ug/L	98
16) Methylene Chloride	5.11	84	116998	0.56	ug/L	96
17) Carbon Disulfide	5.08	76	70267	0.48	ug/L	100
18) Acrylonitrile	5.35	53	5247	0.48	ug/L	97
19) Methyl-tert-butyl ether	5.41	73	39073	0.46	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	36643	0.49	ug/L	93
21) 1,1-Dichloroethane	6.29	63	71380	0.48	ug/L	94
22) Vinyl acetate	6.35	86	2748	0.81	ug/L	91
23) Methyl ethyl ketone	7.01	72	5587	2.37	ug/L	89
24) Ethyl t-butyl ether	6.84	59	55542	0.46	ug/L	96
25) 2,2-Dichloropropane	7.19	77	49796	0.50	ug/L	85
26) cis-1,2-Dichloroethene	7.27	96	38325	0.54	ug/L	96
27) t-Amyl methyl ether	8.62	73	38478	0.51	ug/L	91
29) Chloroform	7.51	83	81716	0.55	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11758SI.D Vial: 4
Acq On : 18 Jun 2003 11:15 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:04 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.76	128	13443	0.52 ug/L #	71
31) Tetrahydrofuran	7.85	71	1409	0.60 ug/L #	63
32) 1,1,1-Trichloroethane	8.13	97	64469	0.52 ug/L	92
34) 1,1-Dichloropropene	8.39	75	59392	0.54 ug/L	98
35) Carbon Tetrachloride	8.52	119	57166	0.52 ug/L	92
37) 1,2-Dichloroethane	8.77	62	42248	0.52 ug/L	96
38) Benzene	8.79	78	150087	0.54 ug/L	99
40) Trichloroethene	9.73	95	42851	0.53 ug/L	98
41) 1,2-Dichloropropane	10.00	63	34101	0.50 ug/L	100
42) Methylmethacrylate	10.13	69	9599	0.47 ug/L	89
45) Bromodichloromethane	10.35	83	44466	0.49 ug/L	90
46) Dibromomethane	10.42	93	16368	0.53 ug/L	97
51) 2-Hexanone	12.25	58	19383	2.25 ug/L	93
52) Methyl isobutyl ketone	10.90	58	23920	2.47 ug/L	94
53) cis-1,3-Dichloropropene	11.19	75	40341	0.46 ug/L	87
55) Toluene	11.68	92	90099	0.54 ug/L	94
56) trans-1,3-Dichloropropene	11.97	75	27853	0.46 ug/L	94
58) 1,1,2-Trichloroethane	12.20	83	15676	0.51 ug/L #	83
59) 1,3-Dichloropropane	12.59	76	33413	0.53 ug/L	97
60) Tetrachloroethene	12.69	166	42057	0.55 ug/L	95
61) Dibromochloromethane	12.98	129	23037	0.48 ug/L	93
62) 1,2-Dibromoethane	13.30	107	16610	0.51 ug/L	84
64) Chlorobenzene	13.97	112	88639	0.52 ug/L	94
65) 1,1,1,2-Tetrachloroethane	14.04	131	29914	0.52 ug/L	90
66) Ethylbenzene	14.06	91	178219	0.53 ug/L	99
67) m,p-Xylene	14.18	106	124857	1.10 ug/L	96
68) o-Xylene	14.87	106	56008	0.51 ug/L #	84
69) Styrene	14.93	104	80507	0.49 ug/L	99
70) Bromoform	15.43	173	11710	0.50 ug/L	81
71) Isopropylbenzene	15.45	105	162525	0.53 ug/L	99
72) 1,1,2,2-Tetrachloroethane	15.70	83	18516	0.51 ug/L	96
74) 1,2,3-Trichloropropane	15.95	75	13678	0.53 ug/L	94
75) trans-1,4-Dichloro-2-buten	16.06	53	7369	0.51 ug/L	97
76) n-Propylbenzene	16.09	91	205808	0.53 ug/L	93
77) Bromobenzene	16.14	156	32969	0.53 ug/L #	86
78) 1,3,5-Trimethylbenzene	16.35	105	130343	0.52 ug/L	94
79) 2-Chlorotoluene	16.36	91	139678	0.54 ug/L	94
80) 4-Chlorotoluene	16.44	91	119201	0.52 ug/L	93
81) tert-butylbenzene	16.92	119	112776	0.53 ug/L	98
82) 1,2,4-Trimethylbenzene	16.99	105	128500	0.50 ug/L	98
84) sec-butylbenzene	17.27	105	163195	0.53 ug/L	96

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11758SI.D Vial: 4
Acq On : 18 Jun 2003 11:15 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:04 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I


Compound	R.T.	QIon	Response	Conc Unit		Qvalue
85) p-isopropyltoluene	17.49	119	125599	0.51 ug/L		95
86) 1,3-Dichlorobenzene	17.63	146	64444	0.52 ug/L		95
88) 1,4-Dichlorobenzene	17.79	146	61188	0.52 ug/L		90
89) n-butylbenzene	18.16	91	126152	0.53 ug/L		92
90) 1,2-Dichlorobenzene	18.40	146	50023	0.52 ug/L		93
92) 1,2-Dibromo-3-chloropropan	19.67	75	2308	0.47 ug/L	#	71
94) 1,2,4-Trichlorobenzene	21.14	180	19234	0.50 ug/L		85
95) Hexachlorobutadiene	21.39	225	16655	0.49 ug/L		87
96) Naphthalene	21.55	128	15626	0.50 ug/L		98
97) 1,2,3-Trichlorobenzene	22.00	180	13646	0.53 ug/L		87
98) 1,3,5-Trichlorobenzene	20.09	180	42793	0.50 ug/L		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803-I\I11758SI.D Vial: 4
Acq On : 18 Jun 2003 11:15 am Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:04 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11759SI.D
Acq On : 18 Jun 2003 11:50 am
Sample : 1.2PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 18 13:27 2003

Vial: 5
Operator: JMR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6-18-07
VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.71	168	603203	4.00	ug/L	0.02
39) Fluorobenzene	9.12	96	1172581	4.00	ug/L	0.03
63) d5-Chlorobenzene	13.90	117	743404	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.75	152	337661	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	930927	4.04	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.00%			
54) Bromofluorobenzene	15.83	95	348081	3.76	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 94.00%			
73) 1,2-Dichlorobenzene-d4	18.36	152	269796	3.99	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	189403	1.44	ug/L	97
3) Chloromethane	2.25	50	128255	1.42	ug/L	97
4) Vinyl Chloride	2.38	62	96600	1.54	ug/L	90
5) Bromomethane	2.91	94	68024	1.36	ug/L	99
6) Chloroethane	3.02	64	60450	1.30	ug/L	96
8) Trichlorofluoromethane	3.37	101	144884	1.19	ug/L	94
9) Diethyl ether	3.84	74	24567	1.33	ug/L	81
10) 1,1,2-Trichlorotrifluoroet	4.04	101	74159	1.19	ug/L	97
12) Acetone	4.13	43	39629	5.69	ug/L	98
13) 1,1-Dichloroethene	4.32	96	62717	1.22	ug/L	95
15) Di-isopropyl ether	6.19	45	325492	1.30	ug/L	95
16) Methylene Chloride	5.11	84	168405	1.13	ug/L	94
17) Carbon Disulfide	5.08	76	184235	1.21	ug/L	100
19) Methyl-tert-butyl ether	5.41	73	102832	1.15	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	100974	1.30	ug/L	98
21) 1,1-Dichloroethane	6.30	63	202230	1.31	ug/L	95
23) Methyl ethyl ketone	7.01	72	15619	6.33	ug/L	96
24) Ethyl t-butyl ether	6.84	59	157166	1.24	ug/L	96
25) 2,2-Dichloropropane	7.20	77	125165	1.21	ug/L	88
26) cis-1,2-Dichloroethene	7.26	96	102858	1.37	ug/L	92
27) t-Amyl methyl ether	8.61	73	106720	1.34	ug/L	95
29) Chloroform	7.51	83	211787	1.35	ug/L	98
30) Bromochloromethane	7.76	128	36612	1.35	ug/L #	85
32) 1,1,1-Trichloroethane	8.14	97	172707	1.33	ug/L	94
34) 1,1-Dichloropropene	8.38	75	165795	1.43	ug/L	99
35) Carbon Tetrachloride	8.53	119	160182	1.38	ug/L	99
37) 1,2-Dichloroethane	8.77	62	123256	1.44	ug/L	91

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11759SI.D
Acq On : 18 Jun 2003 11:50 am
Sample : 1.2PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 18 13:27 2003

Vial: 5
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
38) Benzene	8.79	78	407490	1.40 ug/L	99
40) Trichloroethene	9.73	95	116669	1.36 ug/L	96
41) 1,2-Dichloropropane	10.00	63	97724	1.35 ug/L	99
45) Bromodichloromethane	10.34	83	124242	1.29 ug/L	93
46) Dibromomethane	10.42	93	42073	1.27 ug/L	98
51) 2-Hexanone	12.24	58	59437	6.47 ug/L	99
52) Methyl isobutyl ketone	10.91	58	65785	6.36 ug/L	99
53) cis-1,3-Dichloropropene	11.19	75	119089	1.28 ug/L	100
55) Toluene	11.68	92	236990	1.34 ug/L	98
56) trans-1,3-Dichloropropene	11.97	75	82607	1.27 ug/L	92
58) 1,1,2-Trichloroethane	12.20	83	46368	1.42 ug/L	98
59) 1,3-Dichloropropane	12.59	76	87525	1.30 ug/L	98
60) Tetrachloroethene	12.69	166	109027	1.33 ug/L	98
61) Dibromochloromethane	12.98	129	70019	1.36 ug/L	86
62) 1,2-Dibromoethane	13.30	107	44080	1.27 ug/L	97
64) Chlorobenzene	13.97	112	235154	1.34 ug/L	97
65) 1,1,1,2-Tetrachloroethane	14.03	131	83956	1.42 ug/L	96
66) Ethylbenzene	14.06	91	479402	1.38 ug/L	99
67) m,p-Xylene	14.19	106	327577	2.80 ug/L	94
68) o-Xylene	14.87	106	151609	1.33 ug/L #	86
69) Styrene	14.93	104	224590	1.34 ug/L	100
70) Bromoform	15.44	173	30446	1.25 ug/L	92
71) Isopropylbenzene	15.45	105	437740	1.38 ug/L	99
72) 1,1,2,2-Tetrachloroethane	15.72	83	49106	1.31 ug/L	99
74) 1,2,3-Trichloropropane	15.95	75	38740	1.45 ug/L	95
75) trans-1,4-Dichloro-2-buten	16.06	53	18343	1.23 ug/L #	88
76) n-Propylbenzene	16.09	91	534957	1.34 ug/L	98
77) Bromobenzene	16.14	156	82927	1.30 ug/L #	84
78) 1,3,5-Trimethylbenzene	16.35	105	355629	1.37 ug/L	99
79) 2-Chlorotoluene	16.36	91	364084	1.38 ug/L	93
80) 4-Chlorotoluene	16.44	91	308281	1.31 ug/L	98
81) tert-butylbenzene	16.92	119	289494	1.32 ug/L	100
82) 1,2,4-Trimethylbenzene	16.98	105	351168	1.33 ug/L	93
84) sec-butylbenzene	17.26	105	419742	1.33 ug/L	98
85) p-isopropyltoluene	17.49	119	336120	1.33 ug/L	94
86) 1,3-Dichlorobenzene	17.63	146	166707	1.31 ug/L	97
88) 1,4-Dichlorobenzene	17.80	146	161822	1.37 ug/L	90
89) n-butylbenzene	18.16	91	323661	1.35 ug/L	99
90) 1,2-Dichlorobenzene	18.40	146	129823	1.34 ug/L	95
92) 1,2-Dibromo-3-chloropropan	19.68	75	6610	1.34 ug/L	87
94) 1,2,4-Trichlorobenzene	21.14	180	63498	1.28 ug/L	92

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11759SI.D Vial: 5
Acq On : 18 Jun 2003 11:50 am Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:27 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
95) Hexachlorobutadiene	21.39	225	43621	1.26	ug/L	93
96) Naphthalene	21.55	128	58317	1.15	ug/L	93
97) 1,2,3-Trichlorobenzene	22.00	180	44874	1.23	ug/L	90
98) 1,3,5-Trichlorobenzene	20.09	180	114903	1.33	ug/L	99

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803-I\I11759SI.D
Acq On : 18 Jun 2003 11:50 am
Sample : 1.2PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 18 13:27 2003

Vial: 5
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11760SI.D
Acq On : 18 Jun 2003 12:25 pm
Sample : 4.8PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003

Vial: 6
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6-18-03
VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.71	168	621115	4.00	ug/L	0.02
39) Fluorobenzene	9.12	96	1202054	4.00	ug/L	0.03
63) d5-Chlorobenzene	13.90	117	736657	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.74	152	343739	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	964049	4.07	ug/L	0.03
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.75%			
54) Bromofluorobenzene	15.83	95	352046	3.71	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 92.75%			
73) 1,2-Dichlorobenzene-d4	18.35	152	265261	3.96	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	707866	5.22	ug/L	95
3) Chloromethane	2.25	50	416760	4.49	ug/L	99
4) Vinyl Chloride	2.37	62	287330	4.46	ug/L	89
5) Bromomethane	2.91	94	212069	4.11	ug/L	88
6) Chloroethane	3.02	64	204317	4.25	ug/L	95
8) Trichlorofluoromethane	3.37	101	563394	4.49	ug/L	97
9) Diethyl ether	3.83	74	88558	4.66	ug/L	87
10) 1,1,2-Trichlorotrifluoroet	4.04	101	307355	4.78	ug/L	98
11) Acrolein	4.01	56	89068	22.55	ug/L	99
12) Acetone	4.13	43	145638	20.32	ug/L	92
13) 1,1-Dichloroethene	4.31	96	248566	4.70	ug/L	95
14) Methyl iodide	4.79	142	399075	5.21	ug/L	99
15) Di-isopropyl ether	6.18	45	1303153	5.04	ug/L	95
16) Methylene Chloride	5.11	84	481358	4.90	ug/L	95
17) Carbon Disulfide	5.08	76	747983	4.77	ug/L	100
19) Methyl-tert-butyl ether	5.41	73	419348	4.56	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	402649	5.02	ug/L	92
21) 1,1-Dichloroethane	6.29	63	797270	5.01	ug/L	95
23) Methyl ethyl ketone	7.01	72	58994	23.21	ug/L	94
24) Ethyl t-butyl ether	6.83	59	639132	4.90	ug/L	96
25) 2,2-Dichloropropane	7.19	77	516364	4.85	ug/L	98
26) cis-1,2-Dichloroethene	7.27	96	395956	5.14	ug/L #	85
27) t-Amyl methyl ether	8.60	73	409777	5.00	ug/L	92
29) Chloroform	7.51	83	820419	5.07	ug/L	98
30) Bromochloromethane	7.76	128	142307	5.10	ug/L #	90
31) Tetrahydrofuran	7.87	71	11810	4.65	ug/L #	1
32) 1,1,1-Trichloroethane	8.13	97	708949	5.30	ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11760SI.D
Acq On : 18 Jun 2003 12:25 pm
Sample : 4.8PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003

Vial: 6
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
34) 1,1-Dichloropropene	8.38	75	652657	5.45 ug/L	95
35) Carbon Tetrachloride	8.52	119	646624	5.40 ug/L	96
37) 1,2-Dichloroethane	8.76	62	470830	5.35 ug/L	95
38) Benzene	8.77	78	1569120	5.24 ug/L	99
40) Trichloroethene	9.73	95	451325	5.14 ug/L	95
41) 1,2-Dichloropropane	10.00	63	369521	4.97 ug/L	97
45) Bromodichloromethane	10.34	83	493171	4.98 ug/L	99
46) Dibromomethane	10.42	93	160410	4.73 ug/L	90
51) 2-Hexanone	12.23	58	225747	23.96 ug/L	95
52) Methyl isobutyl ketone	10.90	58	265743	25.07 ug/L	95
53) cis-1,3-Dichloropropene	11.19	75	486324	5.10 ug/L	96
55) Toluene	11.68	92	912175	5.04 ug/L	98
56) trans-1,3-Dichloropropene	11.97	75	342403	5.14 ug/L	95
58) 1,1,2-Trichloroethane	12.20	83	162818	4.87 ug/L	98
59) 1,3-Dichloropropane	12.59	76	354696	5.15 ug/L	98
60) Tetrachloroethene	12.69	166	416793	4.97 ug/L	100
61) Dibromochloromethane	12.98	129	262663	4.97 ug/L	90
62) 1,2-Dibromoethane	13.30	107	172513	4.86 ug/L	97
64) Chlorobenzene	13.96	112	893725	5.14 ug/L	97
65) 1,1,1,2-Tetrachloroethane	14.04	131	312957	5.35 ug/L	90
66) Ethylbenzene	14.06	91	1770508	5.16 ug/L	100
67) m,p-Xylene	14.18	106	1195760	10.32 ug/L	99
68) o-Xylene	14.87	106	561095	4.98 ug/L #	79
69) Styrene	14.93	104	881265	5.31 ug/L	96
70) Bromoform	15.44	173	120420	5.00 ug/L	98
71) Isopropylbenzene	15.45	105	1635640	5.21 ug/L	99
72) 1,1,2,2-Tetrachloroethane	15.71	83	183376	4.95 ug/L	97
74) 1,2,3-Trichloropropane	15.94	75	137986	5.22 ug/L	96
75) trans-1,4-Dichloro-2-buten	16.07	53	72572	4.89 ug/L	92
76) n-Propylbenzene	16.09	91	2032374	5.15 ug/L	95
77) Bromobenzene	16.14	156	322046	5.10 ug/L	91
78) 1,3,5-Trimethylbenzene	16.34	105	1364643	5.32 ug/L	98
79) 2-Chlorotoluene	16.35	91	1359994	5.20 ug/L	96
80) 4-Chlorotoluene	16.44	91	1187239	5.10 ug/L	99
81) tert-butylbenzene	16.92	119	1122147	5.17 ug/L	98
82) 1,2,4-Trimethylbenzene	16.98	105	1344399	5.13 ug/L	99
84) sec-butylbenzene	17.26	105	1592985	5.08 ug/L	99
85) p-isopropyltoluene	17.49	119	1291772	5.14 ug/L	98
86) 1,3-Dichlorobenzene	17.63	146	631926	5.01 ug/L	96
88) 1,4-Dichlorobenzene	17.79	146	607845	5.05 ug/L	94
89) n-butylbenzene	18.16	91	1271099	5.19 ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11760SI.D Vial: 6
Acq On : 18 Jun 2003 12:25 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
90)	1,2-Dichlorobenzene	18.40	146	496728	5.05	ug/L		96
92)	1,2-Dibromo-3-chloropropan	19.68	75	24476	4.86	ug/L	#	80
94)	1,2,4-Trichlorobenzene	21.14	180	279065	4.87	ug/L		96
95)	Hexachlorobutadiene	21.38	225	173812	4.95	ug/L		95
96)	Naphthalene	21.55	128	305391	4.59	ug/L		99
97)	1,2,3-Trichlorobenzene	22.00	180	211129	4.75	ug/L		87
98)	1,3,5-Trichlorobenzene	20.09	180	452525	5.16	ug/L		97


(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11760SI.D
Acq On : 18 Jun 2003 12:25 pm
Sample : 4.8PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003

Vial: 6
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11761SI.D Vial: 7
Acq On : 18 Jun 2003 1:00 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6-18-03
VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	607336	4.00	ug/L	0.02
39) Fluorobenzene	9.13	96	1157947	4.00	ug/L	0.03
63) d5-Chlorobenzene	13.91	117	719531	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.75	152	348332	4.00	ug/L	0.02
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.23	114	921999	3.98	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.50%			
54) Bromofluorobenzene	15.84	95	351391	3.85	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 96.25%			
73) 1,2-Dichlorobenzene-d4	18.35	152	273531	4.18	ug/L	0.02
Spiked Amount 4.000	Range 70 - 130		Recovery = 104.50%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	1182156	8.91	ug/L	98
3) Chloromethane	2.24	50	690340	7.60	ug/L	99
4) Vinyl Chloride	2.36	62	449282	7.13	ug/L	91
5) Bromomethane	2.91	94	356911	7.07	ug/L	89
6) Chloroethane	3.01	64	346667	7.38	ug/L	98
7) t-Butyl alcohol	4.50	59	36139	27.11	ug/L #	65
8) Trichlorofluoromethane	3.37	101	948758	7.73	ug/L	97
9) Diethyl ether	3.82	74	135012	7.26	ug/L	86
10) 1,1,2-Trichlorotrifluoroet	4.04	101	478310	7.60	ug/L	96
11) Acrolein	4.01	56	144517	37.41	ug/L	95
12) Acetone	4.13	43	226844	32.37	ug/L	91
13) 1,1-Dichloroethene	4.31	96	389504	7.53	ug/L	96
14) Methyl iodide	4.79	142	562366	7.51	ug/L	98
15) Di-isopropyl ether	6.18	45	1994086	7.89	ug/L	95
16) Methylene Chloride	5.10	84	696098	7.72	ug/L	94
17) Carbon Disulfide	5.07	76	1211571	7.90	ug/L	100
19) Methyl-tert-butyl ether	5.41	73	665916	7.41	ug/L	100
20) trans-1,2-Dichloroethene	5.60	96	625580	7.98	ug/L	95
21) 1,1-Dichloroethane	6.30	63	1237219	7.95	ug/L	96
22) Vinyl acetate	6.34	86	41653	11.70	ug/L	69
23) Methyl ethyl ketone	7.01	72	94307	37.94	ug/L	98
24) Ethyl t-butyl ether	6.84	59	979224	7.68	ug/L	97
25) 2,2-Dichloropropane	7.19	77	801835	7.70	ug/L	95
26) cis-1,2-Dichloroethene	7.26	96	616344	8.18	ug/L	89
27) t-Amyl methyl ether	8.60	73	632624	7.89	ug/L	94
29) Chloroform	7.51	83	1241970	7.85	ug/L	97
30) Bromochloromethane	7.76	128	215944	7.91	ug/L	93

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11761SI.D Vial: 7
Acq On : 18 Jun 2003 1:00 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
31)	Tetrahydrofuran	7.85	71	19431	7.82 ug/L	#	1
32)	1,1,1-Trichloroethane	8.13	97	1093524	8.36 ug/L		99
34)	1,1-Dichloropropene	8.39	75	1002112	8.56 ug/L		99
35)	Carbon Tetrachloride	8.52	119	1008413	8.62 ug/L		98
37)	1,2-Dichloroethane	8.76	62	720705	8.38 ug/L		95
38)	Benzene	8.78	78	2409415	8.22 ug/L		98
40)	Trichloroethene	9.73	95	688311	8.13 ug/L		95
41)	1,2-Dichloropropane	9.99	63	559255	7.81 ug/L		100
45)	Bromodichloromethane	10.35	83	774825	8.13 ug/L		96
46)	Dibromomethane	10.42	93	251770	7.70 ug/L		92
51)	2-Hexanone	12.24	58	357890	39.43 ug/L		100
52)	Methyl isobutyl ketone	10.90	58	411712	40.32 ug/L		96
53)	cis-1,3-Dichloropropene	11.20	75	752858	8.19 ug/L		92
55)	Toluene	11.68	92	1391600	7.98 ug/L		98
56)	trans-1,3-Dichloropropene	11.96	75	535408	8.35 ug/L		97
58)	1,1,2-Trichloroethane	12.20	83	250776	7.78 ug/L		98
59)	1,3-Dichloropropane	12.59	76	539204	8.13 ug/L		98
60)	Tetrachloroethene	12.69	166	648276	8.02 ug/L		95
61)	Dibromochloromethane	12.99	129	408579	8.03 ug/L		97
62)	1,2-Dibromoethane	13.30	107	270807	7.93 ug/L		98
64)	Chlorobenzene	13.97	112	1371393	8.07 ug/L		98
65)	1,1,1,2-Tetrachloroethane	14.03	131	484348	8.47 ug/L		94
66)	Ethylbenzene	14.05	91	2787659	8.31 ug/L		97
67)	m,p-Xylene	14.18	106	1859144	16.42 ug/L		91
68)	o-Xylene	14.87	106	883245	8.03 ug/L	#	85
69)	Styrene	14.92	104	1360342	8.39 ug/L		100
70)	Bromoform	15.43	173	192671	8.18 ug/L		100
71)	Isopropylbenzene	15.44	105	2515789	8.20 ug/L		99
72)	1,1,2,2-Tetrachloroethane	15.72	83	289514	8.01 ug/L		96
74)	1,2,3-Trichloropropane	15.95	75	210255	8.14 ug/L		97
75)	trans-1,4-Dichloro-2-buten	16.06	53	116989	8.07 ug/L		91
76)	n-Propylbenzene	16.09	91	3173112	8.22 ug/L		95
77)	Bromobenzene	16.14	156	505920	8.21 ug/L		94
78)	1,3,5-Trimethylbenzene	16.35	105	2120603	8.46 ug/L		98
79)	2-Chlorotoluene	16.36	91	2044748	8.01 ug/L		97
80)	4-Chlorotoluene	16.44	91	1872549	8.24 ug/L		99
81)	tert-butylbenzene	16.92	119	1733973	8.18 ug/L		95
82)	1,2,4-Trimethylbenzene	16.98	105	2090094	8.17 ug/L		100
84)	sec-butylbenzene	17.27	105	2510160	8.19 ug/L		100
85)	p-isopropyltoluene	17.49	119	2053433	8.37 ug/L		95
86)	1,3-Dichlorobenzene	17.63	146	992637	8.05 ug/L		96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11761SI.D Vial: 7
Acq On : 18 Jun 2003 1:00 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.


Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Jun 17 07:08:48 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
88) 1,4-Dichlorobenzene	17.80	146	959865	7.87 ug/L	96
89) n-butylbenzene	18.16	91	2074690	8.36 ug/L	96
90) 1,2-Dichlorobenzene	18.40	146	806024	8.08 ug/L	96
92) 1,2-Dibromo-3-chloropropan	19.68	75	40589	7.96 ug/L	90
94) 1,2,4-Trichlorobenzene	21.14	180	493117	8.14 ug/L	95
95) Hexachlorobutadiene	21.39	225	292542	8.22 ug/L	96
96) Naphthalene	21.55	128	563004	7.79 ug/L	98
97) 1,2,3-Trichlorobenzene	22.01	180	378090	8.01 ug/L	87
98) 1,3,5-Trichlorobenzene	20.09	180	764446	8.59 ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11761SI.D Vial: 7
Acq On : 18 Jun 2003 1:00 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:28 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11762SI.D Vial: 8
Acq On : 18 Jun 2003 1:34 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:58 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:53:24 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03
VMT 6/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	603287	4.00	ug/L	0.00
39) Fluorobenzene	9.13	96	1172654	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.91	117	772336	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	374322	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	952902	4.12	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 103.00%			
54) Bromofluorobenzene	15.84	95	381931	4.37	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 109.25%			
73) 1,2-Dichlorobenzene-d4	18.35	152	284837	4.03	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	2635144	17.05	ug/L	100
3) Chloromethane	2.24	50	1574287	16.39	ug/L	97
4) Vinyl Chloride	2.36	62	965449	13.94	ug/L	97
5) Bromomethane	2.91	94	816081	16.38	ug/L	90
6) Chloroethane	3.01	64	791390	17.44	ug/L	96
7) t-Butyl alcohol	4.50	59	81950	73.43	ug/L #	92
8) Trichlorofluoromethane	3.37	101	2180400	17.62	ug/L	96
9) Diethyl ether	3.83	74	329233	16.82	ug/L	90
10) 1,1,2-Trichlorotrifluoroet	4.05	101	1083346	16.25	ug/L	96
11) Acrolein	4.02	56	332510	73.13	ug/L	92
12) Acetone	4.14	43	532744	95.88	ug/L	95
13) 1,1-Dichloroethene	4.31	96	882454	16.62	ug/L	96
14) Methyl iodide	4.79	142	1613377	24.43	ug/L	97
15) Di-isopropyl ether	6.19	45	4031460	15.54	ug/L	97
16) Methylene Chloride	5.10	84	1319720	16.07	ug/L	92
17) Carbon Disulfide	5.08	76	2498140	16.58	ug/L	100
18) Acrylonitrile	5.33	53	187784	16.78	ug/L #	75
19) Methyl-tert-butyl ether	5.41	73	1344258	16.52	ug/L	100
20) trans-1,2-Dichloroethene	5.61	96	1232234	15.40	ug/L	97
21) 1,1-Dichloroethane	6.30	63	2455860	15.52	ug/L	99
22) Vinyl acetate	6.34	86	86446	15.79	ug/L	85
23) Methyl ethyl ketone	7.01	72	184342	77.26	ug/L	94
24) Ethyl t-butyl ether	6.84	59	1985200	15.84	ug/L	99
25) 2,2-Dichloropropane	7.19	77	1623394	15.73	ug/L	92
26) cis-1,2-Dichloroethene	7.26	96	1206869	14.96	ug/L	95
27) t-Amyl methyl ether	8.60	73	1348035	16.21	ug/L	96
29) Chloroform	7.52	83	2504429	15.00	ug/L	100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11762SI.D Vial: 8
Acq On : 18 Jun 2003 1:34 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:58 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:53:24 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.75	128	435490	15.16 ug/L	94
31) Tetrahydrofuran	7.85	71	38624	14.79 ug/L	98
32) 1,1,1-Trichloroethane	8.14	97	2257953	15.38 ug/L	95
34) 1,1-Dichloropropene	8.39	75	2008964	15.48 ug/L	98
35) Carbon Tetrachloride	8.52	119	2068980	16.25 ug/L	100
37) 1,2-Dichloroethane	8.77	62	1430000	15.01 ug/L	97
38) Benzene	8.78	78	4785582	15.06 ug/L	97
40) Trichloroethene	9.73	95	1419019	15.44 ug/L	97
41) 1,2-Dichloropropane	9.99	63	1180303	15.50 ug/L	98
42) Methylmethacrylate	10.12	69	374444	16.86 ug/L	99
45) Bromodichloromethane	10.35	83	1620197	15.90 ug/L	98
46) Dibromomethane	10.42	93	526504	15.17 ug/L	94
51) 2-Hexanone	12.24	58	783797	86.09 ug/L	100
52) Methyl isobutyl ketone	10.90	58	897739	84.69 ug/L	96
53) cis-1,3-Dichloropropene	11.20	75	1637478	17.33 ug/L	98
55) Toluene	11.68	92	2858498	15.22 ug/L	98
56) trans-1,3-Dichloropropene	11.96	75	1154608	17.93 ug/L	92
58) 1,1,2-Trichloroethane	12.20	83	517546	14.89 ug/L	97
59) 1,3-Dichloropropane	12.59	76	1137149	15.99 ug/L	100
60) Tetrachloroethene	12.69	166	1345019	15.49 ug/L	98
61) Dibromochloromethane	12.99	129	904690	17.51 ug/L	91
62) 1,2-Dibromoethane	13.30	107	596258	17.44 ug/L	95
64) Chlorobenzene	13.96	112	2920757	15.13 ug/L	99
65) 1,1,1,2-Tetrachloroethane	14.03	131	1042598	14.88 ug/L	91
66) Ethylbenzene	14.06	91	5761648	14.80 ug/L	100
67) m,p-Xylene	14.18	106	3839409	28.94 ug/L	96
68) o-Xylene	14.87	106	1905243	15.49 ug/L	100
69) Styrene	14.92	104	2987784	15.79 ug/L	100
70) Bromoform	15.43	173	427443	16.32 ug/L	91
71) Isopropylbenzene	15.44	105	5313875	14.95 ug/L	97
72) 1,1,2,2-Tetrachloroethane	15.72	83	641574	15.87 ug/L	94
74) 1,2,3-Trichloropropane	15.95	75	467711	15.44 ug/L	93
75) trans-1,4-Dichloro-2-buten	16.06	53	249155	15.77 ug/L	99
76) n-Propylbenzene	16.09	91	6678130	15.07 ug/L	97
77) Bromobenzene	16.14	156	1074939	15.33 ug/L	92
78) 1,3,5-Trimethylbenzene	16.35	105	4391345	15.02 ug/L	99
79) 2-Chlorotoluene	16.37	91	4404645	14.86 ug/L	93
80) 4-Chlorotoluene	16.45	91	3911809	15.16 ug/L	100
81) tert-butylbenzene	16.92	119	3716883	15.33 ug/L	99
82) 1,2,4-Trimethylbenzene	16.98	105	4411606	15.31 ug/L	95
84) sec-butylbenzene	17.27	105	5295460	15.16 ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11762SI.D Vial: 8
Acq On : 18 Jun 2003 1:34 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:58 2003 Quant Results File: V506183I.


Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 13:53:24 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85)	p-isopropyltoluene	17.49	119	4352012	15.58	ug/L		97
86)	1,3-Dichlorobenzene	17.63	146	2117048	15.30	ug/L		96
88)	1,4-Dichlorobenzene	17.80	146	2075244	14.99	ug/L		94
89)	n-butylbenzene	18.16	91	4374210	15.22	ug/L		98
90)	1,2-Dichlorobenzene	18.40	146	1683224	14.26	ug/L		97
92)	1,2-Dibromo-3-chloropropan	19.67	75	92711	16.63	ug/L	#	86
94)	1,2,4-Trichlorobenzene	21.14	180	1079486	18.66	ug/L		99
95)	Hexachlorobutadiene	21.39	225	607040	15.52	ug/L		99
96)	Naphthalene	21.55	128	1305040	14.66	ug/L		96
97)	1,2,3-Trichlorobenzene	22.01	180	827086	19.37	ug/L		95
98)	1,3,5-Trichlorobenzene	20.10	180	1588461	15.20	ug/L		97

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11762SI.D Vial: 8
Acq On : 18 Jun 2003 1:34 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 13:58 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\061803-I\I11763SI.D Vial: 9
Acq On : 18 Jun 2003 2:09 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:49 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 14:04:21 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

6.18.03 VMT cal/labs

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.71	168	664359	4.00	ug/L	0.00
39) Fluorobenzene	9.12	96	1243355	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.90	117	797012	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.75	152	378332	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.24	114	1015163	3.97	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.25%			
54) Bromofluorobenzene	15.84	95	393104	4.17	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 104.25%			
73) 1,2-Dichlorobenzene-d4	18.35	152	296132	4.05	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.25%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	4521195	26.28	ug/L	100
3) Chloromethane	2.24	50	2741967	25.80	ug/L	98
4) Vinyl Chloride	2.36	62	1471967	19.81	ug/L	99
5) Bromomethane	2.89	94	1487478	26.99	ug/L	87
6) Chloroethane	3.00	64	1357559	26.68	ug/L	94
7) t-Butyl alcohol	4.52	59	161959	141.33	ug/L #	88
8) Trichlorofluoromethane	3.36	101	3900742	28.15	ug/L	97
9) Diethyl ether	3.82	74	591238	27.15	ug/L	89
10) 1,1,2-Trichlorotrifluoroet	4.04	101	2043266	27.76	ug/L	98
11) Acrolein	4.01	56	596338	136.38	ug/L	90
12) Acetone	4.13	43	977080	132.16	ug/L	95
13) 1,1-Dichloroethene	4.30	96	1663043	28.22	ug/L	94
14) Methyl iodide	4.79	142	3453920	43.66	ug/L	99
15) Di-isopropyl ether	6.18	45	8477679	29.82	ug/L	98
16) Methylene Chloride	5.10	84	2572393	29.17	ug/L	95
17) Carbon Disulfide	5.07	76	5033498	30.12	ug/L	100
18) Acrylonitrile	5.33	53	393192	31.64	ug/L #	79
19) Methyl-tert-butyl ether	5.41	73	2998050	33.28	ug/L	100
20) trans-1,2-Dichloroethene	5.59	96	2594120	29.66	ug/L	99
21) 1,1-Dichloroethane	6.29	63	5279611	30.47	ug/L	97
22) Vinyl acetate	6.34	86	184958	30.76	ug/L	86
23) Methyl ethyl ketone	7.00	72	416582	159.46	ug/L	99
24) Ethyl t-butyl ether	6.84	59	4385570	31.82	ug/L	99
25) 2,2-Dichloropropane	7.19	77	3544984	31.30	ug/L	93
26) cis-1,2-Dichloroethene	7.26	96	2574877	29.36	ug/L	98
27) t-Amyl methyl ether	8.60	73	2956141	32.21	ug/L	93
29) Chloroform	7.52	83	5310498	29.24	ug/L	98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11763SI.D Vial: 9
Acq On : 18 Jun 2003 2:09 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:49 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 14:04:21 2003
Response via : Initial Calibration
DataAcq Meth : V506183I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.75	128	940811	30.00 ug/L	97
31) Tetrahydrofuran	7.84	71	85836	30.30 ug/L	90
32) 1,1,1-Trichloroethane	8.14	97	4908193	30.56 ug/L	94
34) 1,1-Dichloropropene	8.38	75	4220786	29.72 ug/L	98
35) Carbon Tetrachloride	8.52	119	4489016	31.91 ug/L	98
37) 1,2-Dichloroethane	8.77	62	2929242	28.21 ug/L	95
38) Benzene	8.78	78	9739011	28.16 ug/L	97
40) Trichloroethene	9.72	95	2893036	29.90 ug/L	98
41) 1,2-Dichloropropane	10.00	63	2410840	30.01 ug/L	97
42) Methylmethacrylate	10.12	69	804016	33.84 ug/L	99
45) Bromodichloromethane	10.34	83	3349119	31.02 ug/L	98
46) Dibromomethane	10.41	93	1098405	30.11 ug/L	92
51) 2-Hexanone	12.24	58	1616278	164.92 ug/L	98
52) Methyl isobutyl ketone	10.90	58	1872742	164.69 ug/L	97
53) cis-1,3-Dichloropropene	11.19	75	3351173	32.99 ug/L	96
55) Toluene	11.69	92	5776258	29.29 ug/L	95
56) trans-1,3-Dichloropropene	11.96	75	2414428	34.67 ug/L	95
58) 1,1,2-Trichloroethane	12.20	83	1020168	28.01 ug/L	98
59) 1,3-Dichloropropane	12.59	76	2310663	30.65 ug/L	98
60) Tetrachloroethene	12.69	166	2738157	29.93 ug/L	95
61) Dibromochloromethane	12.99	129	1846321	33.19 ug/L	90
62) 1,2-Dibromoethane	13.30	107	1213884	32.99 ug/L	98
64) Chlorobenzene	13.96	112	5661805	28.73 ug/L	99
65) 1,1,1,2-Tetrachloroethane	14.04	131	2006572	28.07 ug/L	87
66) Ethylbenzene	14.06	91	10734730	27.13 ug/L	98
67) m,p-Xylene	14.19	106	7100893	52.88 ug/L	92
68) o-Xylene	14.87	106	3705793	29.38 ug/L	99
69) Styrene	14.93	104	5826794	29.90 ug/L	97
70) Bromoform	15.43	173	833722	30.74 ug/L	93
71) Isopropylbenzene	15.45	105	10167131	28.09 ug/L	99
72) 1,1,2,2-Tetrachloroethane	15.72	83	1285529	30.85 ug/L	96
74) 1,2,3-Trichloropropane	15.94	75	964771	31.09 ug/L	94
75) trans-1,4-Dichloro-2-buten	16.06	53	484410	29.80 ug/L	97
76) n-Propylbenzene	16.09	91	12583846	27.84 ug/L	94
77) Bromobenzene	16.14	156	2118334	29.52 ug/L	96
78) 1,3,5-Trimethylbenzene	16.36	105	8113171	27.23 ug/L	98
79) 2-Chlorotoluene	16.37	91	8080294	26.81 ug/L	91
80) 4-Chlorotoluene	16.45	91	7701298	29.22 ug/L	100
81) tert-butylbenzene	16.92	119	7126073	28.73 ug/L	94
82) 1,2,4-Trimethylbenzene	16.99	105	8326048	28.24 ug/L	96
84) sec-butylbenzene	17.26	105	10282071	28.83 ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\061803-I\I11763SI.D Vial: 9
Acq On : 18 Jun 2003 2:09 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:49 2003 Quant Results File: V506183I.

Quant Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 14:04:21 2003
Response via : Initial Calibration
DataAcq Meth : V506183I


Compound	R.T.	QIon	Response	Conc Unit	Qvalue
85) p-isopropyltoluene	17.50	119	8452032	29.48 ug/L	97
86) 1,3-Dichlorobenzene	17.63	146	4204593	29.71 ug/L	98
88) 1,4-Dichlorobenzene	17.81	146	4030559	29.17 ug/L	94
89) n-butylbenzene	18.16	91	8472257	29.45 ug/L	97
90) 1,2-Dichlorobenzene	18.40	146	3364571	28.72 ug/L	98
92) 1,2-Dibromo-3-chloropropan	19.68	75	195586	34.44 ug/L #	73
94) 1,2,4-Trichlorobenzene	21.14	180	2236227	37.01 ug/L	96
95) Hexachlorobutadiene	21.39	225	1240242	31.56 ug/L	95
96) Naphthalene	21.55	128	2864132	30.41 ug/L	95
97) 1,2,3-Trichlorobenzene	22.01	180	1762040	39.17 ug/L	97
98) 1,3,5-Trichlorobenzene	20.09	180	3157322	30.14 ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\061803-I\I11763SI.D Vial: 9
Acq On : 18 Jun 2003 2:09 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jun 18 14:49 2003 Quant Results File: V506183I.

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration



Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration

7.10.03

Calibration Files
0.1 =I11863SI.D 0.5 =I11864SI.D 1.2 =I11865SI.D
4.8 =I11866SI.D 8 =I11867SI.D 16 =I11868SI.D

VMT 7/10/03

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
1)	I	Pentafluorobenzene	ISTD							
2)	TM	Dichlorodifluoromet		0.752	0.768	0.744	0.748	0.661	0.735	5.7
3)	TMP	Chloromethane		0.288	0.290	0.278	0.258	0.241	0.271	7.7
4)	TMC	Vinyl Chloride	0.309	0.254	0.254	0.216	0.202	0.179	0.236	19.6
5)	TM	Bromomethane		0.230	0.237	0.211	0.224	0.212	0.223	5.1
6)	TM	Chloroethane		0.139	0.156	0.153	0.153	0.145	0.149	4.7
7)	TM	t-Butyl alcohol		0.004	0.005	0.004	0.004	0.003	0.004	19.1
8)	TM	Trichlorofluorometh		0.663	0.681	0.658	0.668	0.610	0.656	4.1
9)	TM	Diethyl ether		0.087	0.086	0.079	0.076	0.066	0.079	10.9
10)	TM	1,1,2-Trichlorotrif		0.331	0.354	0.348	0.334	0.307	0.335	5.5
11)	T	Acrolein		0.008	0.007	0.006	0.006	0.005	0.006	20.2N
12)	TM	Acetone		0.027	0.021	0.018	0.019	0.017	0.021	19.9
13)	TMC	1,1-Dichloroethene		0.248	0.275	0.273	0.268	0.240	0.261	6.1
14)	T	Methyl iodide		0.250	0.319	0.400	0.432	0.407	0.361	20.8N
15)	TM	Di-isopropyl ether		0.513	0.556	0.549	0.558	0.511	0.537	4.3
16)	TM	Methylene Chloride		1.118	0.618	0.363	0.328	0.271	0.540	64.8Li
17)	TM	Carbon Disulfide		0.416	0.429	0.444	0.465	0.416	0.434	4.8
18)	T	Acrylonitrile		0.016	0.021	0.023	0.022	0.025	0.021	14.3
19)	TM	Methyl-tert-butyl e		0.333	0.344	0.340	0.347	0.310	0.335	4.5
20)	TM	trans-1,2-Dichloroe		0.374	0.412	0.392	0.403	0.349	0.386	6.4
21)	TMP	1,1-Dichloroethane		0.474	0.521	0.508	0.512	0.462	0.495	5.2
22)	T	Vinyl acetate		0.023	0.025	0.022	0.021	0.020	0.022	8.8
23)	TM	Methyl ethyl ketone		0.010	0.010	0.008	0.009	0.008	0.009	8.3
24)	TM	Ethyl t-butyl ether		0.365	0.419	0.406	0.414	0.379	0.397	5.8
25)	TM	2,2-Dichloropropane		0.466	0.519	0.497	0.504	0.446	0.486	6.0
26)	TM	cis-1,2-Dichloroeth		0.373	0.408	0.399	0.411	0.359	0.390	5.8
27)	TM	t-Amyl methyl ether		0.288	0.329	0.318	0.329	0.297	0.312	6.0
28)	T	NO COUMPOUND							0.000	-1.0
29)	TMC	Chloroform		0.849	0.838	0.796	0.791	0.709	0.797	6.9
30)	TM	Bromochloromethane		0.172	0.194	0.184	0.181	0.164	0.179	6.3
31)	TM	Tetrahydrofuran			0.011	0.009	0.008	0.007	0.009	16.3
32)	TM	1,1,1-Trichloroetha		0.754	0.841	0.820	0.845	0.749	0.802	5.8
33)	T	NO COMPOUND							0.000	-1.0
34)	TM	1,1-Dichloropropene		0.518	0.569	0.533	0.535	0.476	0.526	6.4
35)	TM	Carbon Tetrachlorid		0.750	0.874	0.868	0.887	0.783	0.832	7.3
36)	S	1,4-Difluorobenzene	1.319	1.322	1.309	1.331	1.330	1.322	1.322	0.6
37)	TM	1,2-Dichloroethane		0.359	0.434	0.389	0.390	0.346	0.383	8.8
38)	TM	Benzene		1.173	1.272	1.199	1.204	1.077	1.185	5.9
39)	I	Fluorobenzene	ISTD							
40)	TM	Trichloroethene		0.338	0.360	0.338	0.333	0.294	0.333	7.2
41)	TMC	1,2-Dichloropropane		0.135	0.155	0.143	0.151	0.133	0.143	6.9
42)	T	Methylmethacrylate		0.052	0.057	0.057	0.058	0.052	0.055	5.6

(#) = Out of Range ### Number of calibration levels exceeded format ###

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration

Calibration Files
0.1 =I11863SI.D 0.5 =I11864SI.D 1.2 =I11865SI.D
4.8 =I11866SI.D 8 =I11867SI.D 16 =I11868SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R
43)	T	NO COMPOUND							0.000	-1.0
44)	T	NO COMPOUND							0.000	-1.0
45)	TM	Bromodichloromethan		0.314	0.355	0.343	0.341	0.305	0.331	6.3
46)	TM	Dibromomethane		0.137	0.130	0.117	0.121	0.109	0.123	9.0
47)	T	NO COMPOUND							0.000	-1.0
48)	T	NO COMPOUND							0.000	-1.0
49)	T	NO COMPOUND							0.000	-1.0
50)	T	No Compound							0.000	-1.0
51)	TM	2-Hexanone		0.017	0.016	0.019	0.019	0.017	0.018	6.1
52)	TM	Methyl isobutyl ket		0.018	0.022	0.022	0.022	0.020	0.021	8.6
53)	TM	cis-1,3-Dichloropro		0.238	0.266	0.268	0.279	0.251	0.260	6.1
54)	S	Bromofluorobenzene	0.332	0.334	0.340	0.342	0.354	0.343	0.341	2.2
55)	TMC	Toluene		0.615	0.697	0.633	0.639	0.569	0.631	7.2
56)	TM	trans-1,3-Dichlorop		0.175	0.202	0.208	0.218	0.196	0.200	8.0
57)	T	NO COMPOUND							0.000	-1.0
58)	TM	1,1,2-Trichloroetha		0.099	0.110	0.101	0.100	0.088	0.100	7.6
59)	TM	1,3-Dichloropropane		0.203	0.212	0.197	0.203	0.181	0.199	5.8
60)	TM	Tetrachloroethene		0.398	0.477	0.423	0.420	0.371	0.418	9.4
61)	TM	Dibromochloromethan		0.227	0.255	0.247	0.260	0.229	0.243	6.1
62)	TM	1,2-Dibromoethane		0.139	0.157	0.148	0.153	0.133	0.146	6.7
63)	I	d5-Chlorobenzene	ISTD							
64)	TMP	Chlorobenzene		0.964	1.098	1.047	1.041	0.914	1.013	7.2
65)	TM	1,1,1,2-Tetrachloro		0.365	0.423	0.418	0.418	0.372	0.399	7.1
66)	TMC	Ethylbenzene		1.664	1.846	1.788	1.757	1.548	1.721	6.7
67)	TM	m,p-Xylene		0.623	0.702	0.675	0.658	0.570	0.646	7.9
68)	TM	o-Xylene		0.562	0.659	0.639	0.616	0.556	0.606	7.5
69)	TM	Styrene		0.793	0.962	0.953	0.956	0.870	0.907	8.1
70)	TMP	Bromoform		0.135	0.159	0.154	0.156	0.142	0.149	6.8
71)	TM	Isopropylbenzene		1.666	1.914	1.837	1.820	1.617	1.771	7.0
72)	TMP	1,1,2,2-Tetrachloro		0.139	0.167	0.160	0.154	0.141	0.152	7.7
73)	S	1,2-Dichlorobenzene	0.417	0.418	0.425	0.426	0.434	0.435	0.426	1.8
74)	TM	1,2,3-Trichloroprop		0.100	0.120	0.113	0.109	0.104	0.109	7.1
75)	T	trans-1,4-Dichloro-		0.052	0.056	0.048	0.050	0.044	0.050	8.8
76)	TM	n-Propylbenzene		1.828	2.157	2.052	2.026	1.778	1.968	8.1
77)	TM	Bromobenzene		0.403	0.471	0.448	0.433	0.395	0.430	7.3
78)	TM	1,3,5-Trimethylbenz		1.452	1.704	1.599	1.573	1.370	1.540	8.4
79)	TM	2-Chlorotoluene		1.371	1.481	1.414	1.402	1.193	1.372	7.8
80)	TM	4-Chlorotoluene		1.136	1.282	1.276	1.212	1.103	1.202	6.7
81)	TM	tert-butylbenzene		1.293	1.493	1.447	1.398	1.226	1.371	8.0
82)	TM	1,2,4-Trimethylbenz		1.441	1.614	1.583	1.573	1.363	1.515	7.1
83)	T	No Compound							0.000	-1.0
84)	TM	sec-butylbenzene		1.601	1.891	1.802	1.785	1.581	1.732	7.8
85)	TM	p-isopropyltoluene		1.441	1.685	1.655	1.630	1.452	1.573	7.4


(#) = Out of Range ### Number of calibration levels exceeded format ###

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration

Calibration Files
0.1 =I11863SI.D 0.5 =I11864SI.D 1.2 =I11865SI.D
4.8 =I11866SI.D 8 =I11867SI.D 16 =I11868SI.D

		Compound	0.1	0.5	1.2	4.8	8	16	Avg	%R	
86)	TM	1,3-Dichlorobenzene		0.827	0.909	0.888	0.880	0.782	0.857	6.0	
87)	I	1,4-Dichlorobenzene-d	----------	----------	ISTD	----------	----------	----------			
88)	TM	1,4-Dichlorobenzene		1.432	1.636	1.598	1.546	1.366	1.516	7.4	
89)	TM	n-butylbenzene		2.114	2.444	2.477	2.445	2.130	2.322	7.9	
90)	TM	1,2-Dichlorobenzene		1.238	1.361	1.315	1.290	1.150	1.271	6.3	
91)	T	NO COMPOUND							0.000	-1.0	
92)	TM	1,2-Dibromo-3-chlor		0.047	0.052	0.045	0.046	0.044	0.047	6.6	
93)	T	NO COMPOUND							0.000	-1.0	
94)	TM	1,2,4-Trichlorobenz		0.452	0.616	0.702	0.756	0.712	0.648	18.5	
95)	TM	Hexachlorobutadiene		0.277	0.361	0.328	0.326	0.293	0.317	10.3	
96)	TM	Naphthalene	0.452	0.352	0.598	0.786	0.877	0.850	0.652	33.6	Q
97)	TM	1,2,3-Trichlorobenz	0.379	0.291	0.438	0.525	0.577	0.550	0.460	24.0	Q
98)	TM	1,3,5-Trichlorobenz		0.877	1.079	1.099	1.098	1.003	1.031	9.2	


(#) = Out of Range ### Number of calibration levels exceeded format ###



7-10-03

VMT 7/10/03


Method Name: C:\HPCHEM\1\METHODS\V507083I.M
Calibration Table Last Updated: Wed Jul 09 08:16:32 2003



7.10.03

VMT 7/10/03

Method Name: C:\HPCHEM\1\METHODS\V507083I.M
Calibration Table Last Updated: Wed Jul 09 08:20:49 2003



7.10.03

VMT 7/10/03

Method Name: C:\HPCHEM\1\METHODS\V507083I.M
Calibration Table Last Updated: Wed Jul 09 08:22:26 2003

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11863SI.D Vial: 3
Acq On : 8 Jul 2003 3:20 pm Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:23 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

7-10-03
VMT 7/10/03


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.73	168	371633	4.00	ug/L	0.01
39) Fluorobenzene	9.14	96	536092	4.00	ug/L	0.01
63) d5-Chlorobenzene	13.92	117	411389	4.00	ug/L	0.01
87) 1,4-Dichlorobenzene-d4	17.76	152	209563	4.00	ug/L	0.01
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.25	114	490317	3.43	ug/L	0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 85.75%			
54) Bromofluorobenzene	15.85	95	177846	4.35	ug/L	0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 108.75%			
73) 1,2-Dichlorobenzene-d4	18.36	152	171393	4.53	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 113.25%			
Target Compounds						Qvalue
4) Vinyl Chloride	2.37	62	2871	0.07	ug/L	88
96) Naphthalene	21.58	128	2368m	0.27	ug/L	
97) 1,2,3-Trichlorobenzene	22.02	180	1988m	0.08	ug/L	

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\070803-I\I11863SI.D Vial: 3
Acq On : 8 Jul 2003 3:20 pm Operator: JMR
Sample : 0.1PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:23 2003 Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:23:44 2003
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11864SI.D
Acq On : 8 Jul 2003 3:56 pm
Sample : 0.5PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:08 2003

Vial: 4
Operator: JMR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

7.10.03
VMT 7/10/03

Internal Standards	R.T.	QIon	Response	Conc Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	389286	4.00 ug/L	0.01
39) Fluorobenzene	9.13	96	554207	4.00 ug/L	0.01
63) d5-Chlorobenzene	13.91	117	421678	4.00 ug/L	0.01
87) 1,4-Dichlorobenzene-d4	17.76	152	222465	4.00 ug/L	0.01
System Monitoring Compounds					
36) 1,4-Difluorobenzene	9.25	114	514633	3.44 ug/L	0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 86.00%		
54) Bromofluorobenzene	15.84	95	185295	4.39 ug/L	0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 109.75%		
73) 1,2-Dichlorobenzene-d4	18.36	152	176220	4.55 ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 113.75%		
Target Compounds					Qvalue
2) Dichlorodifluoromethane	1.98	85	36602	0.37 ug/L	93
3) Chloromethane	2.25	50	13993	0.23 ug/L	100
4) Vinyl Chloride	2.37	62	12354	0.28 ug/L	86
5) Bromomethane	2.92	94	11196	0.36 ug/L	96
6) Chloroethane	3.02	64	6767	0.23 ug/L	90
7) t-Butyl alcohol	4.53	59	987	1.50 ug/L #	42
8) Trichlorofluoromethane	3.39	101	32258	0.40 ug/L	90
9) Diethyl ether	3.84	74	4257	0.34 ug/L	86
10) 1,1,2-Trichlorotrifluoroet	4.06	101	16085	0.38 ug/L #	90
11) Acrolein	4.03	56	2065	0.83 ug/L #	76
12) Acetone	4.14	43	6654	1.54 ug/L	91
13) 1,1-Dichloroethene	4.32	96	12061	0.36 ug/L #	56
14) Methyl iodide	4.80	142	12166	0.25 ug/L	88
15) Di-isopropyl ether	6.20	45	24970	0.15 ug/L #	65
16) Methylene Chloride	5.12	84	54416	0.02 ug/L #	58
17) Carbon Disulfide	5.09	76	20254	0.21 ug/L	100
18) Acrylonitrile	5.33	53	799	0.11 ug/L #	40
19) Methyl-tert-butyl ether	5.42	73	16192	0.31 ug/L	100
20) trans-1,2-Dichloroethene	5.61	96	18201	0.36 ug/L #	64
21) 1,1-Dichloroethane	6.31	63	23074	0.23 ug/L	95
22) Vinyl acetate	6.34	86	1128	0.32 ug/L #	1
23) Methyl ethyl ketone	7.03	72	2325	1.52 ug/L #	22
24) Ethyl t-butyl ether	6.86	59	17767	0.22 ug/L #	78
25) 2,2-Dichloropropane	7.21	77	22670	0.34 ug/L	91
26) cis-1,2-Dichloroethene	7.28	96	18148	0.36 ug/L #	63
27) t-Amyl methyl ether	8.62	73	13997	0.26 ug/L	85
29) Chloroform	7.53	83	41333	0.39 ug/L	93

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11864SI.D
Acq On : 8 Jul 2003 3:56 pm
Sample : 0.5PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:08 2003

Vial: 4
Operator: JMR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.77	128	8370	0.46 ug/L #	50
31) Tetrahydrofuran	7.89	71	215m	0.13 ug/L	
32) 1,1,1-Trichloroethane	8.14	97	36706	0.39 ug/L	91
34) 1,1-Dichloropropene	8.39	75	25213	0.31 ug/L	93
35) Carbon Tetrachloride	8.54	119	36510	0.44 ug/L	85
37) 1,2-Dichloroethane	8.78	62	17447	0.29 ug/L	98
38) Benzene	8.80	78	57085	0.29 ug/L	99
40) Trichloroethene	9.74	95	23437	0.55 ug/L #	77
41) 1,2-Dichloropropane	10.01	63	9330	0.26 ug/L	71
42) Methylmethacrylate	10.13	69	3568	0.33 ug/L #	74
45) Bromodichloromethane	10.35	83	21726	0.45 ug/L	89
46) Dibromomethane	10.42	93	9519	0.59 ug/L #	88
51) 2-Hexanone	12.26	58	5898	1.34 ug/L #	69
52) Methyl isobutyl ketone	10.93	58	6120	1.20 ug/L #	43
53) cis-1,3-Dichloropropene	11.20	75	16514	0.36 ug/L	78
55) Toluene	11.70	92	42605	0.49 ug/L	92
56) trans-1,3-Dichloropropene	11.97	75	12134	0.39 ug/L	97
58) 1,1,2-Trichloroethane	12.22	83	6849	0.43 ug/L #	83
59) 1,3-Dichloropropane	12.60	76	14035	0.42 ug/L	80
60) Tetrachloroethene	12.71	166	27547	0.68 ug/L	93
61) Dibromochloromethane	13.00	129	15725	0.63 ug/L	92
62) 1,2-Dibromoethane	13.31	107	9614	0.58 ug/L	98
64) Chlorobenzene	13.97	112	50814	0.50 ug/L #	75
65) 1,1,1,2-Tetrachloroethane	14.05	131	19240	0.52 ug/L	92
66) Ethylbenzene	14.07	91	87710	0.43 ug/L	96
67) m,p-Xylene	14.19	106	65689	0.95 ug/L	99
68) o-Xylene	14.88	106	29612	0.45 ug/L	98
69) Styrene	14.93	104	41781	0.41 ug/L	98
70) Bromoform	15.45	173	7141	0.50 ug/L	96
71) Isopropylbenzene	15.46	105	87810	0.47 ug/L	94
72) 1,1,2,2-Tetrachloroethane	15.73	83	7352	0.34 ug/L	89
74) 1,2,3-Trichloropropane	15.95	75	5256	0.32 ug/L	93
75) trans-1,4-Dichloro-2-buten	16.07	53	2760	0.32 ug/L	88
76) n-Propylbenzene	16.10	91	96374	0.41 ug/L	89
77) Bromobenzene	16.15	156	21254	0.57 ug/L #	73
78) 1,3,5-Trimethylbenzene	16.36	105	76559	0.50 ug/L	97
79) 2-Chlorotoluene	16.38	91	72279	0.47 ug/L	74
80) 4-Chlorotoluene	16.45	91	59878	0.44 ug/L	90
81) tert-butylbenzene	16.93	119	68141	0.53 ug/L	81
82) 1,2,4-Trimethylbenzene	16.99	105	75943	0.50 ug/L	89
84) sec-butylbenzene	17.27	105	84386	0.45 ug/L	90

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11864SI.D Vial: 4
Acq On : 8 Jul 2003 3:56 pm Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:08 2003 Quant Results File: V507083I.


Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
85) p-isopropyltoluene	17.50	119	75974	0.51	ug/L		97
86) 1,3-Dichlorobenzene	17.64	146	43616	0.59	ug/L		91
88) 1,4-Dichlorobenzene	17.81	146	39815	0.50	ug/L		94
89) n-butylbenzene	18.17	91	58773	0.35	ug/L		89
90) 1,2-Dichlorobenzene	18.41	146	34438	0.51	ug/L		89
92) 1,2-Dibromo-3-chloropropan	19.69	75	1312	0.39	ug/L	#	69
94) 1,2,4-Trichlorobenzene	21.15	180	12578	0.34	ug/L		96
95) Hexachlorobutadiene	21.39	225	7713	0.33	ug/L		87
96) Naphthalene	21.56	128	9786	0.44	ug/L		95
97) 1,2,3-Trichlorobenzene	22.03	180	8096	0.30	ug/L		81
98) 1,3,5-Trichlorobenzene	20.09	180	24375	0.40	ug/L		96

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11864SI.D Vial: 4
Acq On : 8 Jul 2003 3:56 pm Operator: JMR
Sample : 0.5PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:08 2003 Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:23:44 2003
Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11865SI.D
Acq On : 8 Jul 2003 4:31 pm
Sample : 1.2PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:09 2003

Vial: 5
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

7.10.03
VMT 7/10/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	380936	4.00	ug/L	0.00
39) Fluorobenzene	9.13	96	534160	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.92	117	410392	4.00	ug/L	0.02
87) 1,4-Dichlorobenzene-d4	17.76	152	221583	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.25	114	498517	3.40	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 85.00%			
54) Bromofluorobenzene	15.84	95	181826	4.47	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 111.75%			
73) 1,2-Dichlorobenzene-d4	18.37	152	174391	4.63	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 115.75%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.97	85	87791	0.91	ug/L	97
3) Chloromethane	2.25	50	33166	0.56	ug/L	94
4) Vinyl Chloride	2.37	62	29068	0.68	ug/L	92
5) Bromomethane	2.92	94	27122	0.88	ug/L	98
6) Chloroethane	3.02	64	17832	0.63	ug/L	87
7) t-Butyl alcohol	4.51	59	2988m	4.64	ug/L	
8) Trichlorofluoromethane	3.37	101	77819	1.00	ug/L	100
9) Diethyl ether	3.85	74	9826	0.81	ug/L #	76
10) 1,1,2-Trichlorotrifluoroet	4.05	101	40504	0.98	ug/L #	90
11) Acrolein	4.02	56	3937	1.61	ug/L	85
12) Acetone	4.14	43	12230	2.88	ug/L #	89
13) 1,1-Dichloroethene	4.32	96	31434	0.95	ug/L #	65
14) Methyl iodide	4.80	142	36423	0.76	ug/L	95
15) Di-isopropyl ether	6.18	45	63496	0.39	ug/L #	55
16) Methylene Chloride	5.12	84	70660	0.38	ug/L #	55
17) Carbon Disulfide	5.09	76	49029	0.52	ug/L	100
18) Acrylonitrile	5.35	53	2377	0.33	ug/L #	39
19) Methyl-tert-butyl ether	5.41	73	39345	0.76	ug/L	100
20) trans-1,2-Dichloroethene	5.61	96	47076	0.95	ug/L #	66
21) 1,1-Dichloroethane	6.30	63	59523	0.60	ug/L	92
22) Vinyl acetate	6.35	86	2818	0.82	ug/L #	1
23) Methyl ethyl ketone	7.02	72	5460	3.65	ug/L #	30
24) Ethyl t-butyl ether	6.85	59	47837	0.61	ug/L #	83
25) 2,2-Dichloropropane	7.21	77	59260	0.92	ug/L	93
26) cis-1,2-Dichloroethene	7.27	96	46601	0.94	ug/L #	63
27) t-Amyl methyl ether	8.62	73	37566	0.71	ug/L #	80
29) Chloroform	7.52	83	95795	0.93	ug/L	94

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11865SI.D
Acq On : 8 Jul 2003 4:31 pm
Sample : 1.2PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:09 2003

Vial: 5
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.77	128	22158	1.24 ug/L #	49
31) Tetrahydrofuran	7.87	71	1250	0.78 ug/L #	48
32) 1,1,1-Trichloroethane	8.15	97	96084	1.05 ug/L	86
34) 1,1-Dichloropropene	8.40	75	64976	0.81 ug/L	87
35) Carbon Tetrachloride	8.54	119	99869	1.24 ug/L	97
37) 1,2-Dichloroethane	8.78	62	49574	0.85 ug/L	99
38) Benzene	8.80	78	145389	0.75 ug/L	87
40) Trichloroethene	9.74	95	57647	1.40 ug/L #	74
41) 1,2-Dichloropropane	10.02	63	24884	0.73 ug/L	96
42) Methylmethacrylate	10.13	69	9151	0.89 ug/L #	64
45) Bromodichloromethane	10.35	83	56830	1.23 ug/L	99
46) Dibromomethane	10.43	93	20801	1.34 ug/L #	85
51) 2-Hexanone	12.26	58	13026	3.08 ug/L	99
52) Methyl isobutyl ketone	10.92	58	17568	3.58 ug/L #	62
53) cis-1,3-Dichloropropene	11.20	75	42647	0.97 ug/L	81
55) Toluene	11.69	92	111631	1.34 ug/L	94
56) trans-1,3-Dichloropropene	11.98	75	32381	1.07 ug/L	98
58) 1,1,2-Trichloroethane	12.22	83	17617	1.15 ug/L	90
59) 1,3-Dichloropropane	12.61	76	34014	1.06 ug/L	89
60) Tetrachloroethene	12.71	166	76512	1.97 ug/L	92
61) Dibromochloromethane	12.99	129	40843	1.70 ug/L	87
62) 1,2-Dibromoethane	13.31	107	25137	1.58 ug/L	90
64) Chlorobenzene	13.98	112	135166	1.36 ug/L #	81
65) 1,1,1,2-Tetrachloroethane	14.06	131	52088	1.44 ug/L	91
66) Ethylbenzene	14.07	91	227234	1.14 ug/L	95
67) m,p-Xylene	14.20	106	172903	2.58 ug/L	94
68) o-Xylene	14.88	106	81101	1.27 ug/L	91
69) Styrene	14.94	104	118500	1.19 ug/L	88
70) Bromoform	15.45	173	19627	1.41 ug/L	99
71) Isopropylbenzene	15.46	105	235612	1.29 ug/L	94
72) 1,1,2,2-Tetrachloroethane	15.73	83	20504	0.96 ug/L #	82
74) 1,2,3-Trichloropropane	15.96	75	14742	0.93 ug/L	97
75) trans-1,4-Dichloro-2-buten	16.07	53	6837	0.83 ug/L	87
76) n-Propylbenzene	16.10	91	265534	1.17 ug/L	89
77) Bromobenzene	16.15	156	57935	1.59 ug/L #	68
78) 1,3,5-Trimethylbenzene	16.37	105	209769	1.40 ug/L	96
79) 2-Chlorotoluene	16.38	91	182358	1.21 ug/L	83
80) 4-Chlorotoluene	16.45	91	157798	1.18 ug/L	88
81) tert-butylbenzene	16.94	119	183803	1.46 ug/L	85
82) 1,2,4-Trimethylbenzene	16.99	105	198728	1.34 ug/L	94
84) sec-butylbenzene	17.28	105	232828	1.29 ug/L	94

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11865SI.D Vial: 5
Acq On : 8 Jul 2003 4:31 pm Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:09 2003 Quant Results File: V507083I.


Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
85) p-isopropyltoluene	17.51	119	207451	1.42 ug/L	91
86) 1,3-Dichlorobenzene	17.64	146	111867	1.55 ug/L	97
88) 1,4-Dichlorobenzene	17.81	146	108777	1.36 ug/L	92
89) n-butylbenzene	18.17	91	162473	0.98 ug/L	91
90) 1,2-Dichlorobenzene	18.41	146	90459	1.34 ug/L	91
92) 1,2-Dibromo-3-chloropropan	19.69	75	3454	1.03 ug/L #	36
94) 1,2,4-Trichlorobenzene	21.15	180	40980	1.13 ug/L	99
95) Hexachlorobutadiene	21.39	225	23983	1.04 ug/L	84
96) Naphthalene	21.56	128	39740	1.15 ug/L	98
97) 1,2,3-Trichlorobenzene	22.01	180	29148	1.07 ug/L	83
98) 1,3,5-Trichlorobenzene	20.10	180	71727	1.18 ug/L	90

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11865SI.D Vial: 5
Acq On : 8 Jul 2003 4:31 pm Operator: JMR
Sample : 1.2PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:09 2003 Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:23:44 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11866SI.D Vial: 6
Acq On : 8 Jul 2003 5:07 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:23:44 2003
Response via : Initial Calibration
DataAcq Meth : V5070831

7.10.03
VMT 7/10/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.72	168	389022	4.00	ug/L	0.00
39) Fluorobenzene	9.13	96	567452	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.92	117	423331	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.77	152	227795	4.00	ug/L	0.00
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.25	114	517620	4.03	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.75%			
54) Bromofluorobenzene	15.85	95	193905	4.01	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.25%			
73) 1,2-Dichlorobenzene-d4	18.37	152	180300	4.00	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.00%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.97	85	347552	4.86	ug/L	96
3) Chloromethane	2.25	50	129609	4.92	ug/L	95
4) Vinyl Chloride	2.37	62	100927	4.40	ug/L	87
5) Bromomethane	2.92	94	98643	4.55	ug/L	83
6) Chloroethane	3.02	64	71445	4.92	ug/L	94
7) t-Butyl alcohol	4.52	59	8548	22.19	ug/L #	70
8) Trichlorofluoromethane	3.37	101	306992	4.81	ug/L	100
9) Diethyl ether	3.85	74	36672	4.78	ug/L	98
10) 1,1,2-Trichlorotrifluoroet	4.04	101	162356	4.99	ug/L	96
11) Acrolein	4.01	56	14193	22.53	ug/L	98
12) Acetone	4.15	43	42348	23.69	ug/L	92
13) 1,1-Dichloroethene	4.31	96	127469	5.03	ug/L	99
14) Methyl iodide	4.80	142	186552	5.31	ug/L	99
15) Di-isopropyl ether	6.19	45	256158	4.90	ug/L	98
16) Methylene Chloride	5.11	84	169258	5.04	ug/L	92
17) Carbon Disulfide	5.09	76	207480	4.91	ug/L	100
19) Methyl-tert-butyl ether	5.42	73	158593	4.87	ug/L	100
20) trans-1,2-Dichloroethene	5.61	96	182932	4.87	ug/L	94
21) 1,1-Dichloroethane	6.31	63	236967	4.92	ug/L	91
23) Methyl ethyl ketone	7.02	72	19213	22.48	ug/L	87
24) Ethyl t-butyl ether	6.84	59	189649	4.92	ug/L	99
25) 2,2-Dichloropropane	7.21	77	231976	4.91	ug/L	94
26) cis-1,2-Dichloroethene	7.28	96	186154	4.91	ug/L	86
27) t-Amyl methyl ether	8.62	73	148462	4.89	ug/L	97
29) Chloroform	7.52	83	371595	4.80	ug/L	96
30) Bromochloromethane	7.77	128	85735	4.92	ug/L	95
31) Tetrahydrofuran	7.87	71	4384	4.97	ug/L	93

(#) = qualifier out of range (m) = manual integration
I11866SI.D V507083I.M Wed Jul 09 09:44:55 2003 Page 1

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11866SI.D Vial: 6
Acq On : 8 Jul 2003 5:07 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:23:44 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
32) 1,1,1-Trichloroethane	8.14	97	382732	4.91	ug/L		95
34) 1,1-Dichloropropene	8.39	75	248944	4.86	ug/L		99
35) Carbon Tetrachloride	8.53	119	405138	5.00	ug/L		94
37) 1,2-Dichloroethane	8.78	62	181577	4.87	ug/L		99
38) Benzene	8.80	78	559760	4.86	ug/L		95
40) Trichloroethene	9.74	95	230320	4.88	ug/L		96
41) 1,2-Dichloropropane	10.01	63	97227	4.78	ug/L		93
45) Bromodichloromethane	10.36	83	233408	4.96	ug/L		97
46) Dibromomethane	10.43	93	79579	4.57	ug/L		94
51) 2-Hexanone	12.26	58	64019	25.61	ug/L		77
52) Methyl isobutyl ketone	10.91	58	73710	25.24	ug/L		99
53) cis-1,3-Dichloropropene	11.20	75	182776	4.95	ug/L		99
55) Toluene	11.69	92	431259	4.82	ug/L		94
56) trans-1,3-Dichloropropene	11.98	75	141472	4.99	ug/L		93
58) 1,1,2-Trichloroethane	12.21	83	68586	4.86	ug/L		94
59) 1,3-Dichloropropane	12.60	76	133833	4.74	ug/L		81
60) Tetrachloroethene	12.71	166	288039	4.86	ug/L		98
61) Dibromochloromethane	13.00	129	167965	4.86	ug/L		98
62) 1,2-Dibromoethane	13.31	107	100980	4.88	ug/L		91
64) Chlorobenzene	13.98	112	531704	4.96	ug/L		97
65) 1,1,1,2-Tetrachloroethane	14.05	131	212329	5.03	ug/L		89
66) Ethylbenzene	14.07	91	908351	4.99	ug/L		99
67) m,p-Xylene	14.20	106	685917	10.04	ug/L		95
68) o-Xylene	14.88	106	324391	5.06	ug/L		98
69) Styrene	14.94	104	484199	5.05	ug/L		97
70) Bromoform	15.45	173	78391	4.96	ug/L		86
71) Isopropylbenzene	15.46	105	933214	4.98	ug/L		99
72) 1,1,2,2-Tetrachloroethane	15.73	83	81454	5.05	ug/L		92
74) 1,2,3-Trichloropropane	15.96	75	57247	4.96	ug/L		92
75) trans-1,4-Dichloro-2-buten	16.08	53	24210	4.59	ug/L	#	82
76) n-Propylbenzene	16.10	91	1042596	5.01	ug/L		99
77) Bromobenzene	16.15	156	227783	5.01	ug/L		95
78) 1,3,5-Trimethylbenzene	16.37	105	812444	4.99	ug/L		100
79) 2-Chlorotoluene	16.38	91	718525	4.95	ug/L		99
80) 4-Chlorotoluene	16.45	91	648005	5.10	ug/L		99
81) tert-butylbenzene	16.94	119	734969	5.06	ug/L		99
82) 1,2,4-Trimethylbenzene	17.00	105	804037	5.02	ug/L		96
84) sec-butylbenzene	17.28	105	915612	4.99	ug/L		94
85) p-isopropyltoluene	17.51	119	840671	5.05	ug/L		96
86) 1,3-Dichlorobenzene	17.64	146	450976	4.97	ug/L		98
88) 1,4-Dichlorobenzene	17.81	146	436792	5.06	ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11866SI.D Vial: 6
Acq On : 8 Jul 2003 5:07 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.


Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:23:44 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
89) n-butylbenzene	18.17	91	677112	5.12	ug/L		98
90) 1,2-Dichlorobenzene	18.41	146	359404	4.97	ug/L		97
92) 1,2-Dibromo-3-chloropropan	19.69	75	12378	4.64	ug/L	#	77
94) 1,2,4-Trichlorobenzene	21.15	180	191959	5.20	ug/L		97
95) Hexachlorobutadiene	21.40	225	89689	4.97	ug/L		85
96) Naphthalene	21.56	128	214932	4.54	ug/L		96
97) 1,2,3-Trichlorobenzene	22.01	180	143495	4.54	ug/L		88
98) 1,3,5-Trichlorobenzene	20.10	180	300534	5.12	ug/L		84

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11866SI.D Vial: 6
Acq On : 8 Jul 2003 5:07 pm Operator: JMR
Sample : 4.8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11867SI.D Vial: 7
Acq On : 8 Jul 2003 5:42 pm Operator: JMR
Sample : 8PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

7.10.03
VMT 7/10/03

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Pentafluorobenzene	7.72	168	390526	4.00	ug/L		0.00
39) Fluorobenzene	9.13	96	566503	4.00	ug/L		0.00
63) d5-Chlorobenzene	13.92	117	432334	4.00	ug/L		0.00
87) 1,4-Dichlorobenzene-d4	17.76	152	235314	4.00	ug/L		0.00
System Monitoring Compounds							
36) 1,4-Difluorobenzene	9.25	114	519450	4.02	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.50%				
54) Bromofluorobenzene	15.84	95	200451	4.15	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 103.75%				
73) 1,2-Dichlorobenzene-d4	18.37	152	187635	4.08	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 102.00%				
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.98	85	584175	8.14	ug/L		97
3) Chloromethane	2.25	50	201852	7.63	ug/L		91
4) Vinyl Chloride	2.37	62	158027	6.86	ug/L		92
5) Bromomethane	2.91	94	174871	8.04	ug/L		84
6) Chloroethane	3.02	64	119817	8.22	ug/L		92
7) t-Butyl alcohol	4.52	59	13849	35.81	ug/L	#	80
8) Trichlorofluoromethane	3.38	101	521658	8.15	ug/L		97
9) Diethyl ether	3.83	74	59505	7.73	ug/L		94
10) 1,1,2-Trichlorotrifluoroet	4.06	101	260531	7.97	ug/L		99
11) Acrolein	4.02	56	23159	36.63	ug/L		90
12) Acetone	4.14	43	72643	41.82	ug/L	#	89
13) 1,1-Dichloroethene	4.31	96	209552	8.23	ug/L		93
14) Methyl iodide	4.80	142	337385	9.56	ug/L		98
15) Di-isopropyl ether	6.19	45	435525	8.30	ug/L		98
16) Methylene Chloride	5.12	84	255870	8.64	ug/L		80
17) Carbon Disulfide	5.09	76	363278	8.57	ug/L		100
19) Methyl-tert-butyl ether	5.43	73	271135	8.30	ug/L		100
20) trans-1,2-Dichloroethene	5.61	96	314418	8.34	ug/L		95
21) 1,1-Dichloroethane	6.31	63	399848	8.27	ug/L		94
23) Methyl ethyl ketone	7.02	72	33563	39.11	ug/L		86
24) Ethyl t-butyl ether	6.86	59	323330	8.35	ug/L		99
25) 2,2-Dichloropropane	7.21	77	393358	8.29	ug/L		91
26) cis-1,2-Dichloroethene	7.28	96	320853	8.43	ug/L		89
27) t-Amyl methyl ether	8.61	73	256920	8.43	ug/L		98
29) Chloroform	7.53	83	617758	7.94	ug/L		98
30) Bromochloromethane	7.77	128	141624	8.10	ug/L		87
31) Tetrahydrofuran	7.87	71	6615	7.48	ug/L		90

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11867SI.D
Acq On : 8 Jul 2003 5:42 pm
Sample : 8PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003

Vial: 7
Operator: JMR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
32) 1,1,1-Trichloroethane	8.15	97	660138	8.43 ug/L	97
34) 1,1-Dichloropropene	8.39	75	417946	8.14 ug/L	98
35) Carbon Tetrachloride	8.53	119	692524	8.52 ug/L	92
37) 1,2-Dichloroethane	8.78	62	304797	8.14 ug/L	97
38) Benzene	8.80	78	940439	8.13 ug/L	96
40) Trichloroethene	9.74	95	377198	8.01 ug/L	95
41) 1,2-Dichloropropane	10.01	63	171459	8.44 ug/L	91
45) Bromodichloromethane	10.36	83	386801	8.24 ug/L	91
46) Dibromomethane	10.43	93	136533	7.85 ug/L	97
51) 2-Hexanone	12.25	58	105597	42.31 ug/L	88
52) Methyl isobutyl ketone	10.92	58	122028	41.85 ug/L	94
53) cis-1,3-Dichloropropene	11.20	75	315723	8.56 ug/L	95
55) Toluene	11.70	92	724342	8.11 ug/L	93
56) trans-1,3-Dichloropropene	11.98	75	247302	8.74 ug/L	89
58) 1,1,2-Trichloroethane	12.22	83	113085	8.02 ug/L	95
59) 1,3-Dichloropropane	12.60	76	229879	8.16 ug/L	90
60) Tetrachloroethene	12.71	166	475516	8.04 ug/L	100
61) Dibromochloromethane	13.01	129	294355	8.54 ug/L	95
62) 1,2-Dibromoethane	13.31	107	173100	8.37 ug/L	84
64) Chlorobenzene	13.98	112	899960	8.22 ug/L	97
65) 1,1,1,2-Tetrachloroethane	14.05	131	361541	8.38 ug/L	93
66) Ethylbenzene	14.07	91	1519515	8.17 ug/L	100
67) m,p-Xylene	14.20	106	1138025	16.31 ug/L	98
68) o-Xylene	14.88	106	532340	8.13 ug/L	100
69) Styrene	14.94	104	826228	8.43 ug/L	99
70) Bromoform	15.45	173	135007	8.36 ug/L	96
71) Isopropylbenzene	15.46	105	1573729	8.22 ug/L	97
72) 1,1,2,2-Tetrachloroethane	15.73	83	133205	8.09 ug/L	92
74) 1,2,3-Trichloropropane	15.96	75	94598	8.03 ug/L	96
75) trans-1,4-Dichloro-2-buten	16.08	53	43027	7.98 ug/L #	84
76) n-Propylbenzene	16.10	91	1751807	8.23 ug/L	99
77) Bromobenzene	16.15	156	374080	8.05 ug/L	97
78) 1,3,5-Trimethylbenzene	16.37	105	1360207	8.17 ug/L	100
79) 2-Chlorotoluene	16.38	91	1212449	8.17 ug/L	100
80) 4-Chlorotoluene	16.46	91	1047996	8.07 ug/L	99
81) tert-butylbenzene	16.93	119	1208879	8.16 ug/L	99
82) 1,2,4-Trimethylbenzene	17.00	105	1360168	8.31 ug/L	98
84) sec-butylbenzene	17.27	105	1543813	8.25 ug/L	98
85) p-isopropyltoluene	17.51	119	1409080	8.29 ug/L	96
86) 1,3-Dichlorobenzene	17.64	146	760577	8.21 ug/L	97
88) 1,4-Dichlorobenzene	17.82	146	727379	8.16 ug/L	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11867SI.D
Acq On : 8 Jul 2003 5:42 pm
Sample : 8PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003

Vial: 7
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
89) n-butylbenzene	18.17	91	1150869	8.43	ug/L		97
90) 1,2-Dichlorobenzene	18.41	146	606889	8.12	ug/L		95
92) 1,2-Dibromo-3-chloropropan	19.69	75	21815	7.91	ug/L	#	87
94) 1,2,4-Trichlorobenzene	21.15	180	355851	9.34	ug/L		96
95) Hexachlorobutadiene	21.40	225	153421	8.23	ug/L		88
96) Naphthalene	21.56	128	412887	8.26	ug/L		98
97) 1,2,3-Trichlorobenzene	22.02	180	271639	8.25	ug/L		88
98) 1,3,5-Trichlorobenzene	20.10	180	516584	8.52	ug/L		92

(#) = qualifier out of range (m) = manual integration


Quantitation Report

Data File : C:\HPCHEM\1\DATA\070803-I\I11867SI.D
Acq On : 8 Jul 2003 5:42 pm
Sample : 8PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003

Vial: 7
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11868SI.D Vial: 8
Acq On : 8 Jul 2003 6:17 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

7.10.03
VMT 1/10/16

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.73	168	404996	4.00	ug/L	0.01
39) Fluorobenzene	9.13	96	591513	4.00	ug/L	0.00
63) d5-Chlorobenzene	13.92	117	442317	4.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.77	152	242452	4.00	ug/L	0.01
System Monitoring Compounds						
36) 1,4-Difluorobenzene	9.25	114	535350	4.00	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.00%			
54) Bromofluorobenzene	15.85	95	202716	4.02	ug/L	0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.50%			
73) 1,2-Dichlorobenzene-d4	18.37	152	192518	4.09	ug/L	0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 102.25%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.98	85	1070723	14.39	ug/L	97
3) Chloromethane	2.25	50	389844	14.21	ug/L	96
4) Vinyl Chloride	2.36	62	289948	12.15	ug/L	91
5) Bromomethane	2.91	94	343214	15.21	ug/L	86
6) Chloroethane	3.02	64	234206	15.50	ug/L	86
7) t-Butyl alcohol	4.51	59	26832	66.90	ug/L #	84
8) Trichlorofluoromethane	3.37	101	987648	14.87	ug/L	98
9) Diethyl ether	3.83	74	106767	13.38	ug/L	89
10) 1,1,2-Trichlorotrifluoroet	4.05	101	496965	14.67	ug/L	98
11) Acrolein	4.02	56	40456	61.69	ug/L	85
12) Acetone	4.14	43	139794	79.22	ug/L #	87
13) 1,1-Dichloroethene	4.31	96	388509	14.71	ug/L	95
14) Methyl iodide	4.79	142	658949	18.01	ug/L	100
15) Di-isopropyl ether	6.18	45	828363	15.23	ug/L	99
16) Methylene Chloride	5.11	84	438870	15.63	ug/L	84
17) Carbon Disulfide	5.09	76	673178	15.32	ug/L	100
18) Acrylonitrile	5.35	53	39706	18.41	ug/L #	66
19) Methyl-tert-butyl ether	5.42	73	501441	14.80	ug/L	100
20) trans-1,2-Dichloroethene	5.61	96	566024	14.48	ug/L	93
21) 1,1-Dichloroethane	6.31	63	747944	14.92	ug/L	92
22) Vinyl acetate	6.34	86	31949	14.35	ug/L	76
23) Methyl ethyl ketone	7.02	72	64895	72.92	ug/L	86
24) Ethyl t-butyl ether	6.84	59	614605	15.30	ug/L	100
25) 2,2-Dichloropropane	7.21	77	723222	14.69	ug/L	93
26) cis-1,2-Dichloroethene	7.28	96	581381	14.73	ug/L	90
27) t-Amyl methyl ether	8.61	73	481332	15.23	ug/L	98
29) Chloroform	7.52	83	1148614	14.24	ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11868SI.D Vial: 8
Acq On : 8 Jul 2003 6:17 pm Operator: JMR
Sample : 16PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
30) Bromochloromethane	7.77	128	265906	14.67 ug/L	94
31) Tetrahydrofuran	7.86	71	12082	13.17 ug/L #	82
32) 1,1,1-Trichloroethane	8.15	97	1213908	14.95 ug/L	96
34) 1,1-Dichloropropene	8.39	75	770711	14.47 ug/L	97
35) Carbon Tetrachloride	8.53	119	1269068	15.06 ug/L	91
37) 1,2-Dichloroethane	8.78	62	560349	14.43 ug/L	100
38) Benzene	8.80	78	1744904	14.54 ug/L	94
40) Trichloroethene	9.74	95	695565	14.14 ug/L	97
41) 1,2-Dichloropropane	10.01	63	314094	14.82 ug/L	90
42) Methylmethacrylate	10.13	69	123140	15.11 ug/L	95
45) Bromodichloromethane	10.36	83	721830	14.72 ug/L	95
46) Dibromomethane	10.43	93	258141	14.22 ug/L	96
51) 2-Hexanone	12.26	58	205581	78.89 ug/L	83
52) Methyl isobutyl ketone	10.92	58	238477	78.33 ug/L	98
53) cis-1,3-Dichloropropene	11.20	75	592947	15.40 ug/L	96
55) Toluene	11.69	92	1346674	14.44 ug/L	97
56) trans-1,3-Dichloropropene	11.98	75	464373	15.71 ug/L	89
58) 1,1,2-Trichloroethane	12.22	83	209375	14.22 ug/L	91
59) 1,3-Dichloropropane	12.61	76	427457	14.53 ug/L	91
60) Tetrachloroethene	12.71	166	878176	14.21 ug/L	97
61) Dibromochloromethane	13.01	129	541265	15.04 ug/L	98
62) 1,2-Dibromoethane	13.31	107	314890	14.59 ug/L	88
64) Chlorobenzene	13.98	112	1617468	14.44 ug/L	97
65) 1,1,1,2-Tetrachloroethane	14.05	131	657489	14.90 ug/L	97
66) Ethylbenzene	14.07	91	2738919	14.40 ug/L	99
67) m,p-Xylene	14.20	106	2015294	28.23 ug/L	98
68) o-Xylene	14.89	106	983034	14.67 ug/L	99
69) Styrene	14.94	104	1538524	15.35 ug/L	99
70) Bromoform	15.45	173	250776	15.18 ug/L	97
71) Isopropylbenzene	15.46	105	2860028	14.61 ug/L	98
72) 1,1,2,2-Tetrachloroethane	15.73	83	250082	14.84 ug/L	91
74) 1,2,3-Trichloropropane	15.96	75	183534	15.22 ug/L	95
75) trans-1,4-Dichloro-2-buten	16.08	53	77805	14.11 ug/L #	78
76) n-Propylbenzene	16.10	91	3145539	14.45 ug/L	100
77) Bromobenzene	16.15	156	698137	14.69 ug/L	95
78) 1,3,5-Trimethylbenzene	16.37	105	2423068	14.23 ug/L	100
79) 2-Chlorotoluene	16.38	91	2110636	13.91 ug/L	100
80) 4-Chlorotoluene	16.46	91	1951245	14.68 ug/L	98
81) tert-butylbenzene	16.94	119	2169995	14.31 ug/L	98
82) 1,2,4-Trimethylbenzene	17.00	105	2411972	14.40 ug/L	96
84) sec-butylbenzene	17.28	105	2797360	14.60 ug/L	98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11868SI.D
Acq On : 8 Jul 2003 6:17 pm
Sample : 16PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003

Vial: 8
Operator: JMR
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
85) p-isopropyltoluene	17.51	119	2569392	14.78	ug/L	95
86) 1,3-Dichlorobenzene	17.65	146	1383617	14.60	ug/L	98
88) 1,4-Dichlorobenzene	17.82	146	1324931	14.42	ug/L	95
89) n-butylbenzene	18.18	91	2065497	14.68	ug/L	98
90) 1,2-Dichlorobenzene	18.41	146	1115189	14.48	ug/L	94
92) 1,2-Dibromo-3-chloropropan	19.69	75	42336	14.90	ug/L	86
94) 1,2,4-Trichlorobenzene	21.15	180	690279	17.58	ug/L	100
95) Hexachlorobutadiene	21.40	225	283915	14.78	ug/L	85
96) Naphthalene	21.56	128	823989	15.96	ug/L	97
97) 1,2,3-Trichlorobenzene	22.02	180	532999	15.96	ug/L	88
98) 1,3,5-Trichlorobenzene	20.10	180	972612	15.56	ug/L	88


(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11868SI.D
Acq On : 8 Jul 2003 6:17 pm
Sample : 16PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003

Vial: 8
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11869SI.D Vial: 9
Acq On : 8 Jul 2003 6:52 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

- NOT USED. - Too much saturation observed. VMT 7/10/03

Internal Standards	R.T.	QIon	Response	Conc	Units		Dev(Min)
1) Pentafluorobenzene	7.73	168	408658	4.00	ug/L		0.00
39) Fluorobenzene	9.13	96	589053	4.00	ug/L		0.00
63) d5-Chlorobenzene	13.93	117	441296	4.00	ug/L		0.00
87) 1,4-Dichlorobenzene-d4	17.77	152	244767	4.00	ug/L		0.01
System Monitoring Compounds							
36) 1,4-Difluorobenzene	9.25	114	537851	3.98	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 99.50%				
54) Bromofluorobenzene	15.86	95	203045	4.05	ug/L		0.01
Spiked Amount 4.000	Range 70 - 130		Recovery = 101.25%				
73) 1,2-Dichlorobenzene-d4	18.37	152	188744	4.02	ug/L		0.00
Spiked Amount 4.000	Range 70 - 130		Recovery = 100.50%				
Target Compounds							Qvalue
2) Dichlorodifluoromethane	1.97	85	2200223	29.31	ug/L		96
3) Chloromethane	2.24	50	830190	30.00	ug/L		94
4) Vinyl Chloride	2.35	62	529850	21.99	ug/L		93
5) Bromomethane	2.90	94	761046	33.42	ug/L		88
6) Chloroethane	3.00	64	490734	32.19	ug/L		86
7) t-Butyl alcohol	4.52	59	43107	106.51	ug/L	#	85
8) Trichlorofluoromethane	3.37	101	2090833	31.21	ug/L		98
9) Diethyl ether	3.83	74	169204	21.01	ug/L		94
10) 1,1,2-Trichlorotrifluoroet	4.05	101	779037	22.79	ug/L		98
11) Acrolein	4.02	56	71393	107.90	ug/L		97
12) Acetone	4.15	43	207115	117.21	ug/L		91
13) 1,1-Dichloroethene	4.31	96	609310	22.87	ug/L		93
14) Methyl iodide	4.80	142	1111612	30.11	ug/L		99
15) Di-isopropyl ether	6.19	45	1324088	24.12	ug/L		95
16) Methylene Chloride	5.11	84	662017	24.39	ug/L		85
17) Carbon Disulfide	5.08	76	1058533	23.87	ug/L		100
18) Acrylonitrile	5.35	53	53401	24.54	ug/L	#	77
19) Methyl-tert-butyl ether	5.42	73	790467	23.12	ug/L		100
20) trans-1,2-Dichloroethene	5.61	96	897347	22.76	ug/L		93
21) 1,1-Dichloroethane	6.31	63	1142036	22.57	ug/L		95
22) Vinyl acetate	6.35	86	50489	22.47	ug/L		82
23) Methyl ethyl ketone	7.02	72	101511	113.04	ug/L		87
24) Ethyl t-butyl ether	6.85	59	927706	22.89	ug/L		98
25) 2,2-Dichloropropane	7.20	77	1115666	22.46	ug/L		93
26) cis-1,2-Dichloroethene	7.27	96	897492	22.53	ug/L		89
27) t-Amyl methyl ether	8.61	73	758412	23.79	ug/L		96
29) Chloroform	7.53	83	1715242	21.07	ug/L		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\070803-I\I11869SI.D Vial: 9
Acq On : 8 Jul 2003 6:52 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
30)	Bromochloromethane	7.77	128	409101	22.37 ug/L		98
31)	Tetrahydrofuran	7.86	71	20718	22.37 ug/L	#	89
32)	1,1,1-Trichloroethane	8.15	97	1888092	23.05 ug/L		96
34)	1,1-Dichloropropene	8.40	75	1177277	21.90 ug/L		99
35)	Carbon Tetrachloride	8.53	119	1934832	22.75 ug/L		95
37)	1,2-Dichloroethane	8.78	62	825247	21.06 ug/L		99
38)	Benzene	8.80	78	2652617	21.91 ug/L		94
40)	Trichloroethene	9.75	95	1061596	21.67 ug/L		97
41)	1,2-Dichloropropane	10.01	63	484736	22.96 ug/L		91
42)	Methylmethacrylate	10.14	69	186456	22.97 ug/L		95
45)	Bromodichloromethane	10.37	83	1075809	22.04 ug/L		94
46)	Dibromomethane	10.44	93	378083	20.92 ug/L		94
51)	2-Hexanone	12.25	58	317935	122.52 ug/L		82
52)	Methyl isobutyl ketone	10.92	58	366004	120.72 ug/L		99
53)	cis-1,3-Dichloropropene	11.20	75	916130	23.89 ug/L		97
55)	Toluene	11.70	92	2051541	22.09 ug/L		97
56)	trans-1,3-Dichloropropene	11.98	75	714351	24.27 ug/L		85
58)	1,1,2-Trichloroethane	12.22	83	310071	21.15 ug/L		93
59)	1,3-Dichloropropane	12.60	76	650037	22.18 ug/L		91
60)	Tetrachloroethene	12.71	166	1332716	21.66 ug/L		96
61)	Dibromochloromethane	13.01	129	817953	22.82 ug/L		97
62)	1,2-Dibromoethane	13.31	107	481331	22.39 ug/L		90
64)	Chlorobenzene	13.98	112	2473458	22.14 ug/L		96
65)	1,1,1,2-Tetrachloroethane	14.05	131	992817	22.54 ug/L		90
66)	Ethylbenzene	14.07	91	4142591	21.82 ug/L		99
67)	m,p-Xylene	14.20	106	3057608	42.93 ug/L		92
68)	o-Xylene	14.88	106	1523037	22.78 ug/L		97
69)	Styrene	14.94	104	2340079	23.39 ug/L		99
70)	Bromoform	15.45	173	388926	23.59 ug/L		91
71)	Isopropylbenzene	15.46	105	4358397	22.31 ug/L		99
72)	1,1,2,2-Tetrachloroethane	15.73	83	384819	22.89 ug/L		92
74)	1,2,3-Trichloropropane	15.97	75	283310	23.55 ug/L		95
75)	trans-1,4-Dichloro-2-buten	16.08	53	113968	20.72 ug/L	#	72
76)	n-Propylbenzene	16.10	91	4845432	22.31 ug/L		99
77)	Bromobenzene	16.15	156	1070804	22.58 ug/L		96
78)	1,3,5-Trimethylbenzene	16.37	105	3672025	21.62 ug/L		98
79)	2-Chlorotoluene	16.38	91	3246099	21.44 ug/L		98
80)	4-Chlorotoluene	16.46	91	3015704	22.75 ug/L		98
81)	tert-butylbenzene	16.94	119	3303295	21.83 ug/L		93
82)	1,2,4-Trimethylbenzene	17.00	105	3723081	22.28 ug/L		97
84)	sec-butylbenzene	17.29	105	4360561	22.82 ug/L		99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11869SI.D Vial: 9
Acq On : 8 Jul 2003 6:52 pm Operator: JMR
Sample : 32PPB STD Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003 Quant Results File: V507083I.

Quant Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration
DataAcq Meth : V507083I

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
85) p-isopropyltoluene	17.51	119	4002651	23.07 ug/L	96
86) 1,3-Dichlorobenzene	17.64	146	2127449	22.50 ug/L	98
88) 1,4-Dichlorobenzene	17.82	146	2045109	22.05 ug/L	96
89) n-butylbenzene	18.17	91	3280895	23.09 ug/L	100
90) 1,2-Dichlorobenzene	18.41	146	1678820	21.59 ug/L	96
92) 1,2-Dibromo-3-chloropropan	19.69	75	67911	23.67 ug/L	92
94) 1,2,4-Trichlorobenzene	21.15	180	1088658	27.46 ug/L	97
95) Hexachlorobutadiene	21.41	225	461155	23.77 ug/L	92
96) Naphthalene	21.56	128	1302920	25.25 ug/L	97
97) 1,2,3-Trichlorobenzene	22.02	180	838827	25.69 ug/L	90
98) 1,3,5-Trichlorobenzene	20.11	180	1527567	24.21 ug/L	87


(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\070803-I\I11869SI.D
Acq On : 8 Jul 2003 6:52 pm
Sample : 32PPB STD
Misc : 25000
MS Integration Params: rteint.p
Quant Time: Jul 9 8:26 2003

Vial: 9
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Quant Results File: V507083I.

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 08:19:09 2003
Response via : Initial Calibration



524 RECOVERY

VMT 7/8/03

Data File Name	I11837Q.D
Sample Name	L507023I
Date	2 Jul 2003 9:49 am

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.04	1.2	87%	OK
Chloromethane	1.23	1.2	102%	OK
Vinyl Chloride	1.19	1.2	99%	OK
Bromomethane	0.95	1.2	79%	OK
Chloroethane	1.11	1.2	93%	OK
t-Butyl alcohol	8.18	6.0	136%	*
Trichlorofluoromethane	1.16	1.2	97%	OK
1,1,2-Trichlorotrifluoroethane	1.19	1.2	99%	OK
Acetone	1.83	1.2	152%	*
1,1-Dichloroethene	1.19	1.2	99%	OK
Di-isopropyl ether	1.34	1.2	112%	OK
Methylene Chloride	1.23	1.2	103%	OK
Methyl-tert-butyl ether	2.69	2.4	112%	OK
trans-1,2-Dichloroethene	1.31	1.2	109%	OK
1,1-Dichloroethane	1.38	1.2	115%	OK
Methyl ethyl ketone	1.04	1.2	86%	OK
Ethyl t-butyl ether	1.39	1.2	116%	OK
2,2-Dichloropropane	1.57	1.2	131%	*
cis-1,2-Dichloroethene	1.35	1.2	112%	OK
t-Amyl methyl ether	1.34	1.2	112%	OK
Chloroform	1.41	1.2	117%	OK
Bromochloromethane	1.30	1.2	108%	OK
Tetrahydrofuran	1.55	1.2	129%	OK
1,1,1-Trichloroethane	1.34	1.2	111%	OK
1,1-Dichloropropene	1.42	1.2	119%	OK
Carbon Tetrachloride	1.44	1.2	120%	OK
1,2-Dichloroethane	1.44	1.2	120%	OK
Benzene	1.38	1.2	115%	OK
Trichloroethene	1.52	1.2	126%	OK
1,2-Dichloropropane	1.40	1.2	117%	OK
Bromodichloromethane	1.39	1.2	116%	OK
Dibromomethane	1.43	1.2	119%	OK
2-Hexanone	1.07	1.2	89%	OK
Methyl isobutyl ketone	1.24	1.2	104%	OK
cis-1,3-Dichloropropene	1.31	1.2	109%	OK
Toluene	1.38	1.2	115%	OK
trans-1,3-Dichloropropene	1.33	1.2	111%	OK
1,1,2-Trichloroethane	1.43	1.2	119%	OK
1,3-Dichloropropane	1.37	1.2	114%	OK
Tetrachloroethene	1.55	1.2	129%	OK
Dibromochloromethane	1.37	1.2	114%	OK
1,2-Dibromoethane	1.41	1.2	118%	OK
Chlorobenzene	1.33	1.2	111%	OK
1,1,1,2-Tetrachloroethane	1.43	1.2	119%	OK
Ethylbenzene	1.40	1.2	116%	OK
m,p-Xylene	2.67	2.4	111%	OK
o-Xylene	1.28	1.2	107%	OK
Styrene	1.16	1.2	96%	OK

7.7.03

Bromoform	1.29	1.2	107%	OK
Isopropylbenzene	1.28	1.2	107%	OK
1,1,2,2-Tetrachloroethane	1.26	1.2	105%	OK
1,2,3-Trichloropropane	1.29	1.2	108%	OK
n-Propylbenzene	1.36	1.2	114%	OK
Bromobenzene	1.32	1.2	110%	OK
1,3,5-Trimethylbenzene	1.32	1.2	110%	OK
2-Chlorotoluene	1.41	1.2	118%	OK
4-Chlorotoluene	1.34	1.2	112%	OK
tert-butylbenzene	1.30	1.2	108%	OK
1,2,4-Trimethylbenzene	1.37	1.2	114%	OK
sec-butylbenzene	1.31	1.2	109%	OK
p-isopropyltoluene	1.29	1.2	107%	OK
1,3-Dichlorobenzene	1.31	1.2	109%	OK
1,4-Dichlorobenzene	1.28	1.2	107%	OK
n-butylbenzene	1.30	1.2	108%	OK
1,2-Dichlorobenzene	1.27	1.2	105%	OK
1,2-Dibromo-3-chloropropane	1.42	1.2	118%	OK
1,2,4-Trichlorobenzene	1.00	1.2	83%	OK
Hexachlorobutadiene	1.59	1.2	132%	*
Naphthalene	0.94	1.2	78%	OK
1,2,3-Trichlorobenzene	0.90	1.2	75%	OK

7.7.07

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070203-I\I11837Q.D Vial: 1
Acq On : 2 Jul 2003 9:49 am Operator: JMR
Sample : L507023I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

MT 7/3/03

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	84	0.00
2	TM	Dichlorodifluoromethane	1.009	0.873	13.5	71	-0.02
3	TMP	Chloromethane	0.619	0.633	-2.3	75	-0.01
4	TMC	Vinyl Chloride	0.447	0.442	1.1	70	-0.01
5	TM	Bromomethane	0.323	0.256	20.7	58	0.00
6	TM	Chloroethane	0.298	0.276	7.4	70	0.00
7	TM	t-Butyl alcohol	0.007	0.009	-28.6	101	0.00
8	TM	Trichlorofluoromethane	0.820	0.793	3.3	84	-0.02
9	TM	Diethyl ether	0.128	0.124	3.1	77	-0.01
10	TM	1,1,2-Trichlorotrifluoroeth	0.435	0.432	0.7	89	-0.02
11	T	Acrolein	0.026	0.008	~~69.2#~~	~~28#~~	~~-0.01~~ NT
12	TM	Acetone	0.045	0.014 recalc RRF	68.9#	26#	0.00
13	TMC	1,1-Dichloroethene	0.348	0.345	0.9	84	-0.01
14	T	Methyl iodide	0.501	0.383	23.6	81	-0.02
15	TM	Di-isopropyl ether	1.695	1.890	-11.5	89	-0.02
16	TM	Methylene Chloride	0.865	0.983	-13.6	89	0.00
17	TM	Carbon Disulfide	0.996	1.335 recalc RRF	-34.0#	111	0.00
18	T	Acrylonitrile	0.075	0.076	-1.3	101	0.01
19	TM	Methyl-tert-butyl ether	0.545	1.223 recalc RRF	-124.4#	182	0.00
20	TM	trans-1,2-Dichloroethene	0.520	0.567	-9.0	86	0.00
21	TMP	1,1-Dichloroethane	1.035	1.188	-14.8	90	0.00
22	T	Vinyl acetate	0.036	0.076	~~-111.1#~~	~~184~~	~~0.01~~ NT
23	TM	Methyl ethyl ketone	0.016	0.003 recalc RRF	81.3#	13#	0.00
24	TM	Ethyl t-butyl ether	0.829	0.963	-16.2	94	0.00
25	TM	2,2-Dichloropropane	0.679	0.889	-30.9#	109	0.00
26	TM	cis-1,2-Dichloroethene	0.521	0.585	-12.3	87	0.00
27	TM	t-Amyl methyl ether	0.553	0.619	-11.9	89	0.00
28	T	NO COUMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.24~~ NT
29	TMC	Chloroform	1.078	1.263	-17.2	91	0.00
30	TM	Bromochloromethane	0.187	0.202	-8.0	85	0.00
31	TM	Tetrahydrofuran	0.017	0.022	-29.4	103	0.00
32	TM	1,1,1-Trichloroethane	0.961	1.071	-11.4	95	0.00
33	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~ NT
34	TM	1,1-Dichloropropene	0.845	1.003	-18.7	93	0.00
35	TM	Carbon Tetrachloride	0.847	1.017	-20.1	97	0.00
36	S	1,4-Difluorobenzene	1.539	1.523	1.0	83	0.00
37	TM	1,2-Dichloroethane	0.615	0.736	-19.7	91	0.00
38	TM	Benzene	2.040	2.342	-14.8	88	0.00
9	I	Fluorobenzene	1.000	1.000	0.0	82	0.00
0	TM	Trichloroethene	0.308	0.389	-26.3	97	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070203-I\I11837Q.D Vial: 1
Acq On : 2 Jul 2003 9:49 am Operator: JMR
Sample : L507023I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.256	0.300	-17.2	89	0.00
42	T	Methylmethacrylate	0.077	0.079	-2.6	81	0.00
43	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~ NT
44	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~ NT
45	TM	Bromodichloromethane	0.346	0.401	-15.9	94	0.00
46	TM	Dibromomethane	0.116	0.139	-19.8	95	0.00
47	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
50	T	No Compound	0.000	0.000	~~0.0~~	~~0#~~	~~-0.50~~
51	TM	2-Hexanone	0.032	0.006 see RPT%	81.3#	14#	0.00
52	TM	Methyl isobutyl ketone	0.037	0.008 see RPT%	78.4#	17#	0.01
53	TM	cis-1,3-Dichloropropene	0.328	0.359	-9.5	87	0.00
54	S	Bromofluorobenzene	0.305	0.335	-9.8	93	0.00
5	TMC	Toluene	0.626	0.720	-15.0	88	0.00
56	TM	trans-1,3-Dichloropropene	0.227	0.251	-10.6	88	0.00
57	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~ NT
58	TM	1,1,2-Trichloroethane	0.115	0.137	-19.1	85	0.00
59	TM	1,3-Dichloropropane	0.241	0.276	-14.5	91	0.00
60	TM	Tetrachloroethene	0.291	0.375	-28.9	100	0.00
61	TM	Dibromochloromethane	0.180	0.206	-14.4	85	0.00
62	TM	1,2-Dibromoethane	0.119	0.140	-17.6	92	0.00
63	I	d5-Chlorobenzene	1.000	1.000	0.0	88	0.00
64	TMP	Chlorobenzene	0.972	1.076	-10.7	90	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.352	0.420	-19.3	98	0.00
66	TMC	Ethylbenzene	1.935	2.253	-16.4	92	0.00
67	TM	m,p-Xylene	0.654	0.728	-11.3	87	0.00
68	TM	o-Xylene	0.624	0.668	-7.1	86	0.00
69	TM	Styrene	0.969	0.933	3.7	81	0.00
70	TMP	Bromoform	0.135	0.145	-7.4	94	0.00
71	TM	Isopropylbenzene	1.779	1.902	-6.9	85	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.208	0.218	-4.8	87	0.00
73	S	1,2-Dichlorobenzene-d4	0.368	0.366	0.5	89	0.00
74	TM	1,2,3-Trichloropropane	0.155	0.167	-7.7	85	0.00
75	T	trans-1,4-Dichloro-2-butene	0.081	0.080	1.2	86	0.00
76	TM	n-Propylbenzene	2.220	2.522	-13.6	92	0.00
77	TM	Bromobenzene	0.355	0.390	-9.9	92	0.00
78	TM	1,3,5-Trimethylbenzene	1.458	1.605	-10.1	89	0.00
79	TM	2-Chlorotoluene	1.472	1.730	-17.5	93	0.00
80	TM	4-Chlorotoluene	1.303	1.456	-11.7	93	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070203-I\I11837Q.D Vial: 1
Acq On : 2 Jul 2003 9:49 am Operator: JMR
Sample : L507023I Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.224	1.323	-8.1	90	0.00	
82	TM	1,2,4-Trimethylbenzene	1.451	1.653	-13.9	92	0.00	
83	T	No Compound	0.000	0.000	~~0.0~~	~~0#~~	~~0.50~~	NT
84	TM	sec-butylbenzene	1.760	1.923	-9.3	90	0.00	
85	TM	p-isopropyltoluene	1.420	1.525	-7.4	89	0.00	
86	TM	1,3-Dichlorobenzene	0.702	0.764	-8.8	90	0.00	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90 ✓	0.00	
88	TM	1,4-Dichlorobenzene	1.439	1.539	-6.9	86	0.00	
89	TM	n-butylbenzene	3.001	3.247	-8.2	91	0.00	
90	TM	1,2-Dichlorobenzene	1.221	1.287	-5.4	90	0.00	
91	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~	NT
92	TM	1,2-Dibromo-3-chloropropane	0.061	0.072	-18.0	99	0.00	
93	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~	NT
4	TM	1,2,4-Trichlorobenzene	0.656	0.546	16.8	78	0.00	
95	TM	Hexachlorobutadiene	0.415	0.549	-32.3#	114	0.00	
96	TM	Naphthalene	0.609	0.462	24.1	72	0.00	
97	TM	1,2,3-Trichlorobenzene	0.493	0.371	24.7	75	0.00	
98	TM	1,3,5-Trichlorobenzene	1.098	1.005	8.5	79	0.00	

524 RECOVERY

Data File Name: I11838Q.D
Sample Name: L507023I2
Date: 2 Jul 2003 10:36 am

MT 7/3/03

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.05	1.2	87%	OK
Chloromethane	1.23	1.2	102%	OK
Vinyl Chloride	1.14	1.2	95%	OK
Bromomethane	0.99	1.2	82%	OK
Chloroethane	1.09	1.2	91%	OK
t-Butyl alcohol	6.60	6.0	110%	OK
Trichlorofluoromethane	1.16	1.2	96%	OK
1,1,2-Trichlorotrifluoroethane	1.25	1.2	105%	OK
Acetone	1.73	1.2	144%	*
1,1-Dichloroethene	1.22	1.2	102%	OK
Di-isopropyl ether	1.38	1.2	115%	OK
Methylene Chloride	1.25	1.2	104%	OK
Methyl-tert-butyl ether	2.69	2.4	112%	OK
trans-1,2-Dichloroethene	1.28	1.2	106%	OK
1,1-Dichloroethane	1.36	1.2	113%	OK
Methyl ethyl ketone	1.35	1.2	113%	OK
Ethyl t-butyl ether	1.40	1.2	116%	OK
2,2-Dichloropropane	1.56	1.2	130%	OK
cis-1,2-Dichloroethene	1.37	1.2	114%	OK
t-Amyl methyl ether	1.30	1.2	109%	OK
Chloroform	1.43	1.2	119%	OK
Bromochloromethane	1.26	1.2	105%	OK
Tetrahydrofuran	1.69	1.2	141%	*
1,1,1-Trichloroethane	1.36	1.2	113%	OK
1,1-Dichloropropene	1.40	1.2	116%	OK
Carbon Tetrachloride	1.38	1.2	115%	OK
1,2-Dichloroethane	1.42	1.2	119%	OK
Benzene	1.37	1.2	114%	OK
Trichloroethene	1.55	1.2	129%	OK
1,2-Dichloropropane	1.37	1.2	114%	OK
Bromodichloromethane	1.37	1.2	115%	OK
Dibromomethane	1.47	1.2	123%	OK
2-Hexanone	1.22	1.2	102%	OK
Methyl isobutyl ketone	1.23	1.2	102%	OK
cis-1,3-Dichloropropene	1.27	1.2	106%	OK
Toluene	1.38	1.2	115%	OK
trans-1,3-Dichloropropene	1.23	1.2	103%	OK
1,1,2-Trichloroethane	1.39	1.2	116%	OK
1,3-Dichloropropane	1.39	1.2	115%	OK
Tetrachloroethene	1.66	1.2	139%	*
Dibromochloromethane	1.19	1.2	99%	OK
1,2-Dibromoethane	1.40	1.2	117%	OK
Chlorobenzene	1.35	1.2	112%	OK
1,1,1,2-Tetrachloroethane	1.39	1.2	116%	OK
Ethylbenzene	1.40	1.2	117%	OK
m,p-Xylene	2.76	2.4	115%	OK
o-Xylene	1.29	1.2	108%	OK
Styrene	1.25	1.2	104%	OK

7.7.03

Bromoform	1.09	1.2	91%	OK
Isopropylbenzene	1.30	1.2	108%	OK
1,1,2,2-Tetrachloroethane	1.28	1.2	107%	OK
1,2,3-Trichloropropane	1.34	1.2	111%	OK
n-Propylbenzene	1.37	1.2	114%	OK
Bromobenzene	1.31	1.2	109%	OK
1,3,5-Trimethylbenzene	1.37	1.2	115%	OK
2-Chlorotoluene	1.41	1.2	118%	OK
4-Chlorotoluene	1.40	1.2	117%	OK
tert-butylbenzene	1.34	1.2	112%	OK
1,2,4-Trimethylbenzene	1.37	1.2	114%	OK
sec-butylbenzene	1.41	1.2	118%	OK
p-isopropyltoluene	1.28	1.2	107%	OK
1,3-Dichlorobenzene	1.32	1.2	110%	OK
1,4-Dichlorobenzene	1.27	1.2	106%	OK
n-butylbenzene	1.27	1.2	106%	OK
1,2-Dichlorobenzene	1.24	1.2	104%	OK
1,2-Dibromo-3-chloropropane	1.22	1.2	102%	OK
1,2,4-Trichlorobenzene	1.06	1.2	88%	OK
Hexachlorobutadiene	1.57	1.2	131%	OK*
Naphthalene	0.95	1.2	79%	OK
1,2,3-Trichlorobenzene	0.96	1.2	80%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070203-I\I11838Q.D
Acq On : 2 Jul 2003 10:36 am
Sample : L507023I2
Misc : 25000
MS Integration Params: rteint.p

Vial: 2
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

MS8203 Reprinted

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	83	0.00	
2	TM	Dichlorodifluoromethane	1.009	0.881	12.7	70	-0.01	
3	TMP	Chloromethane	0.619	0.632	-2.1	74	-0.01	
4	TMC	Vinyl Chloride	0.447	0.425	4.9	66	-0.01	
5	TM	Bromomethane	0.323	0.266	17.6	59	0.00	
6	TM	Chloroethane	0.298	0.272	8.7	68	0.00	
7	TM	t-Butyl alcohol	0.007	0.007	0.0	81	0.00	
8	TM	Trichlorofluoromethane	0.820	0.790	3.7	82	0.00	
9	TM	Diethyl ether	0.128	0.123	3.9	75	-0.02	
10	TM	1,1,2-Trichlorotrifluoroeth	0.435	0.455	-4.6	92	-0.01	
11	T	Acrolein	0.026	0.009	~~-65.4#~~	~~31#~~	~~-0.02~~	NT
12	TM	Acetone	0.045	0.013 dec'd BRPT	71.1#	24#	0.00	
13	TMC	1,1-Dichloroethene	0.348	0.355	-2.0	85	-0.02	
14	T	Methyl iodide	0.501	0.426	15.0	89	-0.01	
15	TM	Di-isopropyl ether	1.695	1.955	-15.3	90	0.00	
16	TM	Methylene Chloride	0.865	0.992	-14.7	89	0.00	
17	TM	Carbon Disulfide	0.996	0.854	14.3	70	0.00	
18	T	Acrylonitrile	0.075	0.072	4.0	93	0.00	
19	TM	Methyl-tert-butyl ether	0.545	1.222 dec'd BRPT	-124.2#	179	-0.01	
20	TM	trans-1,2-Dichloroethene	0.520	0.554	-6.5	83	0.00	
21	TMP	1,1-Dichloroethane	1.035	1.173	-13.3	87	0.00	
22	T	Vinyl acetate	0.036	0.076	~~-111.1#~~	~~181~~	~~0.00~~	NT
23	TM	Methyl ethyl ketone	0.016	0.004 dec'd BRPT	75.0#	17#	0.02	
24	TM	Ethyl t-butyl ether	0.829	0.964	-16.3	92	0.00	
25	TM	2,2-Dichloropropane	0.679	0.886	-30.5#	107	-0.01	
26	TM	cis-1,2-Dichloroethene	0.521	0.596	-14.4	87	0.00	
27	TM	t-Amyl methyl ether	0.553	0.601	-8.7	85	0.00	
28	T	NO COUMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.24~~	NT
29	TMC	Chloroform	1.078	1.284	-19.1	91	0.00	
30	TM	Bromochloromethane	0.187	0.196	-4.8	81	0.00	
31	TM	Tetrahydrofuran	0.017	0.024	-41.2#	111	0.00	
32	TM	1,1,1-Trichloroethane	0.961	1.088	-13.2	95	0.00	
33	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~	NT
34	TM	1,1-Dichloropropene	0.845	0.983	-16.3	89	0.00	
35	TM	Carbon Tetrachloride	0.847	0.970	-14.5	91	-0.01	
36	S	1,4-Difluorobenzene	1.539	1.572	-2.1	85	0.00	
37	TM	1,2-Dichloroethane	0.615	0.728	-18.4	89	0.00	
38	TM	Benzene	2.040	2.331	-14.3	86	0.00	
39	I	Fluorobenzene	1.000	1.000	0.0	83	0.00	
40	TM	Trichloroethene	0.308	0.398	-29.2	99	0.00	

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070203-I\I11838Q.D Vial: 2
Acq On : 2 Jul 2003 10:36 am Operator: JMR
Sample : L507023I2 Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
41	TMC	1,2-Dichloropropane	0.256	0.293	-14.5	87	0.00	
42	T	Methylmethacrylate	0.077	0.083	-7.8	85	0.00	
43	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	NT
44	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	NT
45	TM	Bromodichloromethane	0.346	0.396	-14.5	93	0.00	
46	TM	Dibromomethane	0.116	0.143	-23.3	98	0.00	
47	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	
50	T	No Compound	0.000	0.000	0.0	0#	0.50	
51	TM	2-Hexanone	0.032	0.006	81.3#	16#	0.02	
52	TM	Methyl isobutyl ketone	0.037	0.008	78.4#	17#	0.00	
53	TM	cis-1,3-Dichloropropene	0.328	0.347	-5.8	85	0.00	
54	S	Bromofluorobenzene	0.305	0.332	-8.9	92	0.00	
55	TMC	Toluene	0.626	0.720	-15.0	88	0.00	
56	TM	trans-1,3-Dichloropropene	0.227	0.233	-2.6	82	0.00	
57	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	NT
58	TM	1,1,2-Trichloroethane	0.115	0.134	-16.5	84	0.00	
59	TM	1,3-Dichloropropane	0.241	0.278	-15.4	92	0.00	
60	TM	Tetrachloroethene	0.291	0.403	-38.5#	108	0.00	
61	TM	Dibromochloromethane	0.180	0.179	0.6	74	0.00	
62	TM	1,2-Dibromoethane	0.119	0.139	-16.8	92	0.00	
63	I	d5-Chlorobenzene	1.000	1.000	0.0	86	0.00	
64	TMP	Chlorobenzene	0.972	1.091	-12.2	89	0.00	
65	TM	1,1,1,2-Tetrachloroethane	0.352	0.409	-16.2	93	0.00	
66	TMC	Ethylbenzene	1.935	2.261	-16.8	90	0.00	
67	TM	m,p-Xylene	0.654	0.751	-14.8	88	0.00	
68	TM	o-Xylene	0.624	0.673	-7.9	85	0.00	
69	TM	Styrene	0.969	1.009	-4.1	86	0.00	
70	TMP	Bromoform	0.135	0.123	8.9	77	0.00	
71	TM	Isopropylbenzene	1.779	1.929	-8.4	84	0.00	
72	TMP	1,1,2,2-Tetrachloroethane	0.208	0.223	-7.2	87	0.00	
73	S	1,2-Dichlorobenzene-d4	0.368	0.370	-0.5	87	0.00	
74	TM	1,2,3-Trichloropropane	0.155	0.173	-11.6	85	-0.01	
75	T	trans-1,4-Dichloro-2-butene	0.081	0.075	7.4	78	0.00	
76	TM	n-Propylbenzene	2.220	2.528	-13.9	90	0.00	
77	TM	Bromobenzene	0.355	0.387	-9.0	89	0.00	
78	TM	1,3,5-Trimethylbenzene	1.458	1.671	-14.6	90	0.00	
79	TM	2-Chlorotoluene	1.472	1.730	-17.5	91	0.00	
80	TM	4-Chlorotoluene	1.303	1.520	-16.7	94	0.00	

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070203-I\I11838Q.D
Acq On : 2 Jul 2003 10:36 am
Sample : L507023I2
Misc : 25000
MS Integration Params: rteint.p

Vial: 2
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V506183I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jun 18 15:04:27 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.224	1.365	-11.5	90	0.00	
82	TM	1,2,4-Trimethylbenzene	1.451	1.658	-14.3	90	0.00	
83	T	No Compound	0.000	0.000	~~0.0~~	~~0#~~	~~0.50~~	NT
84	TM	sec-butylbenzene	1.760	2.070	-17.6	94	0.00	
85	TM	p-isopropyltoluene	1.420	1.516	-6.8	86	0.00	
86	TM	1,3-Dichlorobenzene	0.702	0.771	-9.8	88	0.00	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00	
88	TM	1,4-Dichlorobenzene	1.439	1.527	-6.1	88	0.00	
89	TM	n-butylbenzene	3.001	3.170	-5.6	91	0.00	
90	TM	1,2-Dichlorobenzene	1.221	1.266	-3.7	91	0.00	
91	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~	NT
92	TM	1,2-Dibromo-3-chloropropane	0.061	0.062	-1.6	87	0.00	
93	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~	NT
94	TM	1,2,4-Trichlorobenzene	0.656	0.577	12.0	85	0.00	
95	TM	Hexachlorobutadiene	0.415	0.543	-30.8#	116	0.00	
96	TM	Naphthalene	0.609	0.469	23.0	75	0.00	
97	TM	1,2,3-Trichlorobenzene	0.493	0.394	20.1	82	0.00	
98	TM	1,3,5-Trichlorobenzene	1.098	1.040	5.3	84	0.00	

524 RECOVERY

Data File Name: I11872Q.D
Sample Name: L507093I
Date: 9 Jul 2003 9:32 am

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.31	1.2	109%	OK
Chloromethane	1.63	1.2	136%	*
Vinyl Chloride	1.53	1.2	128%	OK
Bromomethane	1.62	1.2	135%	*
Chloroethane	1.51	1.2	125%	OK
t-Butyl alcohol	4.88	6.0	81%	OK
Trichlorofluoromethane	1.33	1.2	111%	OK
1,1,2-Trichlorotrifluoroethane	1.31	1.2	109%	OK
Acetone	2.08	1.2	173%	*
1,1-Dichloroethene	1.36	1.2	113%	OK
Di-isopropyl ether	1.38	1.2	115%	OK
Methylene Chloride	1.21	1.2	101%	OK
Methyl-tert-butyl ether	2.56	2.4	107%	OK
trans-1,2-Dichloroethene	1.32	1.2	110%	OK
1,1-Dichloroethane	1.37	1.2	115%	OK
Methyl ethyl ketone	1.13	1.2	94%	OK
Ethyl t-butyl ether	1.35	1.2	112%	OK
2,2-Dichloropropane	1.35	1.2	113%	OK
cis-1,2-Dichloroethene	1.40	1.2	117%	OK
t-Amyl methyl ether	1.27	1.2	106%	OK
Chloroform	1.40	1.2	116%	OK
Bromochloromethane	1.33	1.2	111%	OK
Tetrahydrofuran	1.24	1.2	103%	OK
1,1,1-Trichloroethane	1.34	1.2	111%	OK
1,1-Dichloropropene	1.37	1.2	114%	OK
Carbon Tetrachloride	1.33	1.2	111%	OK
1,2-Dichloroethane	1.32	1.2	110%	OK
Benzene	1.39	1.2	115%	OK
Trichloroethene	1.44	1.2	120%	OK
1,2-Dichloropropane	1.38	1.2	115%	OK
Bromodichloromethane	1.38	1.2	115%	OK
Dibromomethane	1.25	1.2	104%	OK
2-Hexanone	1.01	1.2	84%	OK
Methyl isobutyl ketone	1.29	1.2	108%	OK
cis-1,3-Dichloropropene	1.33	1.2	111%	OK
Toluene	1.29	1.2	107%	OK
trans-1,3-Dichloropropene	1.18	1.2	99%	OK
1,1,2-Trichloroethane	1.25	1.2	104%	OK
1,3-Dichloropropane	1.28	1.2	106%	OK
Tetrachloroethene	1.36	1.2	113%	OK
Dibromochloromethane	1.20	1.2	100%	OK
1,2-Dibromoethane	1.24	1.2	103%	OK
Chlorobenzene	1.36	1.2	113%	OK
1,1,1,2-Tetrachloroethane	1.41	1.2	118%	OK
Ethylbenzene	1.35	1.2	112%	OK
m,p-Xylene	2.57	2.4	107%	OK
o-Xylene	1.31	1.2	109%	OK
Styrene	1.06	1.2	88%	OK

7.10.03

VMT 7/10/03

Bromoform	1.16	1.2	97%	OK
Isopropylbenzene	1.28	1.2	107%	OK
1,1,2,2-Tetrachloroethane	1.28	1.2	107%	OK
1,2,3-Trichloropropane	1.31	1.2	109%	OK
n-Propylbenzene	1.32	1.2	110%	OK
Bromobenzene	1.29	1.2	108%	OK
1,3,5-Trimethylbenzene	1.16	1.2	97%	OK
2-Chlorotoluene	1.31	1.2	109%	OK
4-Chlorotoluene	1.31	1.2	109%	OK
tert-butylbenzene	1.28	1.2	106%	OK
1,2,4-Trimethylbenzene	1.20	1.2	100%	OK
sec-butylbenzene	1.28	1.2	107%	OK
p-isopropyltoluene	1.24	1.2	103%	OK
1,3-Dichlorobenzene	1.27	1.2	106%	OK
1,4-Dichlorobenzene	1.35	1.2	113%	OK
n-butylbenzene	1.29	1.2	108%	OK
1,2-Dichlorobenzene	1.31	1.2	109%	OK
1,2-Dibromo-3-chloropropane	0.91	1.2	76%	OK
1,2,4-Trichlorobenzene	1.05	1.2	87%	OK
Hexachlorobutadiene	1.41	1.2	118%	OK
Naphthalene	0.91	1.2	76%	OK
1,2,3-Trichlorobenzene	1.06	1.2	88%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070803-I\I11872Q.D
Acq On : 9 Jul 2003 9:32 am
Sample : L507093I
Misc : 25000
MS Integration Params: rteint.p

Vial: 3
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 09:57:59 2003
Response via : Multiple Level Calibration

mvs 8.2.03 Reprinted

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	99	-0.02	
2	TM	Dichlorodifluoromethane	0.735	0.803	-9.3	103	0.00	
3	TMP	Chloromethane	0.271	0.367	-35.4#	125	0.00	
4	TMC	Vinyl Chloride	0.236	0.301	-27.5#	117	0.00	
5	TM	Bromomethane	0.223	0.301	-35.0#	125	-0.01	
6	TM	Chloroethane	0.149	0.187	-25.5	119	0.00	
7	TM	t-Butyl alcohol	0.004	0.003	25.0	61	0.00	
8	TM	Trichlorofluoromethane	0.656	0.730	-11.3	106	-0.01	
9	TM	Diethyl ether	0.079	0.089	-12.7	102	-0.01	
10	TM	1,1,2-Trichlorotrifluoroeth	0.335	0.364	-8.7	102	0.00	
11	T	Acrolein	0.006	0.004	~~-33.3#~~	~~54~~	~~-0.01~~	NT
12	TM	Acetone	0.021	0.007 Dec'd w/ LOT	66.7#	33#	0.00	
13	TMC	1,1-Dichloroethene	0.261	0.295	-13.0	106	0.00	
14	T	Methyl iodide	0.361	0.235	~~-34.9#~~	~~73~~	~~-0.01~~	NT
15	TM	Di-isopropyl ether	0.537	0.619	-15.3	110	-0.01	
16	TM	Methylene Chloride	0.540	0.669	-23.9	107	-0.02	
17	TM	Carbon Disulfide	0.434	0.568	-30.9#	131	-0.01	
18	T	Acrylonitrile	0.021	0.022	-4.8	106	-0.02	
19	TM	Methyl-tert-butyl ether	0.335	0.714 Dec'd w/ LOT	-113.1#	205#	0.00	
20	TM	trans-1,2-Dichloroethene	0.386	0.426	-10.4	102	-0.01	
21	TMP	1,1-Dichloroethane	0.495	0.567	-14.5	108	-0.02	
22	T	Vinyl acetate	0.022	0.042	~~-90.9#~~	~~168~~	~~0.00~~	NT
23	TM	Methyl ethyl ketone	0.009	0.002 Dec'd w/ LOT	77.8#	17#	0.00	
24	TM	Ethyl t-butyl ether	0.397	0.445	-12.1	105	-0.01	
25	TM	2,2-Dichloropropane	0.486	0.548	-12.8	104	-0.01	
26	TM	cis-1,2-Dichloroethene	0.390	0.456	-16.9	110	-0.01	
27	TM	t-Amyl methyl ether	0.312	0.330	-5.8	99	0.00	
28	T	NO COUMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.24~~	NT
29	TMC	Chloroform	0.797	0.928	-16.4	109	-0.01	
30	TM	Bromochloromethane	0.179	0.198	-10.6	101	-0.01	
31	TM	Tetrahydrofuran	0.009	0.009	0.0	84	-0.01	
32	TM	1,1,1-Trichloroethane	0.802	0.893	-11.3	105	-0.01	
33	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~	NT
34	TM	1,1-Dichloropropene	0.526	0.600	-14.1	104	0.00	
35	TM	Carbon Tetrachloride	0.832	0.922	-10.8	104	-0.01	
36	S	1,4-Difluorobenzene	1.322	1.326	-0.3	100	-0.01	
37	TM	1,2-Dichloroethane	0.383	0.422	-10.2	96	-0.01	
38	TM	Benzene	1.185	1.368	-15.4	106	-0.01	
39	I	Fluorobenzene	1.000	1.000	0.0	102	-0.01	
40	TM	Trichloroethene	0.333	0.400	-20.1	113	-0.01	

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070803-I\I11872Q.D
Acq On : 9 Jul 2003 9:32 am
Sample : L507093I
Misc : 25000
MS Integration Params: rteint.p

Vial: 3
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 09:57:59 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
41	TMC	1,2-Dichloropropane	0.143	0.165	-15.4	109	-0.01	
42	T	Methylmethacrylate	0.055	0.051	7.3	91	-0.02	
43	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~	NT
44	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~	NT
45	TM	Bromodichloromethane	0.331	0.380	-14.8	109	-0.01	
46	TM	Dibromomethane	0.123	0.128	-4.1	101	-0.01	
47	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~	
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06	
50	T	No Compound	0.000	0.000	~~0.0~~	~~0#~~	~~-0.50~~	
51	TM	2-Hexanone	0.018	0.003 see below	83.3#	19#	0.00	
52	TM	Methyl isobutyl ketone	0.021	0.004 see below	81.0#	21#	-0.01	
53	TM	cis-1,3-Dichloropropene	0.260	0.289	-11.2	111	0.00	
54	S	Bromofluorobenzene	0.341	0.328	3.8	98	-0.01	
55	TMC	Toluene	0.631	0.677	-7.3	99	-0.01	
56	TM	trans-1,3-Dichloropropene	0.200	0.197	1.5	100	-0.01	
57	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~	NT
58	TM	1,1,2-Trichloroethane	0.100	0.104	-4.0	96	-0.01	
59	TM	1,3-Dichloropropane	0.199	0.212	-6.5	102	-0.01	
60	TM	Tetrachloroethene	0.418	0.473	-13.2	101	-0.02	
61	TM	Dibromochloromethane	0.243	0.243	0.0	97	-0.02	
62	TM	1,2-Dibromoethane	0.146	0.151	-3.4	98	0.00	
63	I	d5-Chlorobenzene	1.000	1.000	0.0	98	-0.01	
64	TMP	Chlorobenzene	1.013	1.147	-13.2	102	-0.01	
65	TM	1,1,1,2-Tetrachloroethane	0.399	0.470	-17.8	108	-0.01	
66	TMC	Ethylbenzene	1.721	1.934	-12.4	102	-0.01	
67	TM	m,p-Xylene	0.646	0.692	-7.1	96	-0.01	
68	TM	o-Xylene	0.606	0.663	-9.4	98	-0.01	
69	TM	Styrene	0.907	0.801	11.7	81	-0.01	
70	TMP	Bromoform	0.149	0.145	2.7	89	0.00	
71	TM	Isopropylbenzene	1.771	1.892	-6.8	97	-0.01	
72	TMP	1,1,2,2-Tetrachloroethane	0.152	0.162	-6.6	95	0.00	
73	S	1,2-Dichlorobenzene-d4	0.426	0.409	4.0	94	-0.01	
74	TM	1,2,3-Trichloropropane	0.109	0.119	-9.2	97	-0.01	
75	T	trans-1,4-Dichloro-2-butene	0.050	0.045	10.0	79	-0.01	
76	TM	n-Propylbenzene	1.968	2.166	-10.1	98	-0.01	
77	TM	Bromobenzene	0.430	0.463	-7.7	96	0.00	
78	TM	1,3,5-Trimethylbenzene	1.540	1.490	3.2	85	-0.01	
79	TM	2-Chlorotoluene	1.372	1.502	-9.5	99	-0.01	
80	TM	4-Chlorotoluene	1.202	1.312	-9.2	100	-0.01	

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070803-I\I11872Q.D
Acq On : 9 Jul 2003 9:32 am
Sample : L507093I
Misc : 25000
MS Integration Params: rteint.p

Vial: 3
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 09:57:59 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.371	1.457	-6.3	95	0.00	
82	TM	1,2,4-Trimethylbenzene	1.515	1.511	0.3	91	-0.01	
83	T	No Compound	0.000	0.000	~~0.0~~	~~0#~~	~~0.50~~	NT
84	TM	sec-butylbenzene	1.732	1.847	-6.6	95	-0.01	
85	TM	p-isopropyltoluene	1.573	1.622	-3.1	94	-0.01	
86	TM	1,3-Dichlorobenzene	0.857	0.907	-5.8	97	-0.01	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	-0.01	
88	TM	1,4-Dichlorobenzene	1.516	1.708	-12.7	97	-0.01	
89	TM	n-butylbenzene	2.322	2.497	-7.5	95	-0.02	
90	TM	1,2-Dichlorobenzene	1.271	1.387	-9.1	95	-0.01	
91	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~	NT
92	TM	1,2-Dibromo-3-chloropropane	0.047	0.036	23.4	64	-0.01	
93	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~0.06~~	NT
94	TM	1,2,4-Trichlorobenzene	0.648	0.566	12.7	85	-0.01	
95	TM	Hexachlorobutadiene	0.317	0.373	-17.7	96	-0.01	
96	TM	Naphthalene	0.652	0.482	26.1	75	-0.01	
97	TM	1,2,3-Trichlorobenzene	0.460	0.416	9.6	88	-0.01	
98	TM	1,3,5-Trichlorobenzene	1.031	1.094	-6.1	94	-0.01	

524 RECOVERY

Data File Name: I11873Q.D
Sample Name: L50709312,,4.8PPB
Date: 9 Jul 2003 10:25 am

7-10-03

VMT 7/10/03

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	4.94	4.8	103%	OK
Chloromethane	5.42	4.8	113%	OK
Vinyl Chloride	4.79	4.8	100%	OK
Bromomethane	5.21	4.8	109%	OK
Chloroethane	5.31	4.8	111%	OK
t-Butyl alcohol	20.43	24.0	85%	OK
Trichlorofluoromethane	4.88	4.8	102%	OK
1,1,2-Trichlorotrifluoroethane	4.98	4.8	104%	OK
Acetone	5.99	4.8	125%	OK
1,1-Dichloroethene	4.89	4.8	102%	OK
Di-isopropyl ether	5.00	4.8	104%	OK
Methylene Chloride	5.68	4.8	118%	OK
Carbon Disulfide	5.24	4.80	109%	OK
Methyl-tert-butyl ether	9.20	9.6	96%	OK
trans-1,2-Dichloroethene	4.87	4.8	102%	OK
1,1-Dichloroethane	5.00	4.8	104%	OK
Methyl ethyl ketone	4.32	4.8	90%	OK
Ethyl t-butyl ether	4.75	4.8	99%	OK
2,2-Dichloropropane	5.64	4.8	118%	OK
cis-1,2-Dichloroethene	5.11	4.8	106%	OK
t-Amyl methyl ether	4.77	4.8	99%	OK
Chloroform	4.85	4.8	101%	OK
Bromochloromethane	4.91	4.8	102%	OK
Tetrahydrofuran	5.06	4.8	105%	OK
1,1,1-Trichloroethane	5.05	4.8	105%	OK
1,1-Dichloropropene	5.05	4.8	105%	OK
Carbon Tetrachloride	4.96	4.8	103%	OK
1,2-Dichloroethane	4.95	4.8	103%	OK
Benzene	4.90	4.8	102%	OK
Trichloroethene	5.18	4.8	108%	OK
1,2-Dichloropropane	5.17	4.8	108%	OK
Bromodichloromethane	4.86	4.8	101%	OK
Dibromomethane	4.53	4.8	94%	OK
2-Hexanone	4.48	4.8	93%	OK
Methyl isobutyl ketone	4.68	4.8	97%	OK
cis-1,3-Dichloropropene	5.32	4.8	111%	OK
Toluene	4.71	4.8	98%	OK
trans-1,3-Dichloropropene	4.93	4.8	103%	OK
1,1,2-Trichloroethane	4.95	4.8	103%	OK
1,3-Dichloropropane	4.86	4.8	101%	OK
Tetrachloroethene	5.10	4.8	106%	OK
Dibromochloromethane	4.52	4.8	94%	OK
1,2-Dibromoethane	4.74	4.8	99%	OK
Chlorobenzene	4.86	4.8	101%	OK
1,1,1,2-Tetrachloroethane	5.21	4.8	109%	OK
Ethylbenzene	4.86	4.8	101%	OK
m,p-Xylene	9.71	9.6	101%	OK
o-Xylene	4.97	4.8	103%	OK

Styrene	4.96	4.8	103%	OK
Bromoform	4.74	4.8	99%	OK
Isopropylbenzene	4.69	4.8	98%	OK
1,1,2,2-Tetrachloroethane	4.76	4.8	99%	OK
1,2,3-Trichloropropane	4.89	4.8	102%	OK
n-Propylbenzene	4.95	4.8	103%	OK
Bromobenzene	4.81	4.8	100%	OK
1,3,5-Trimethylbenzene	4.83	4.8	101%	OK
2-Chlorotoluene	4.86	4.8	101%	OK
4-Chlorotoluene	4.85	4.8	101%	OK
tert-butylbenzene	4.75	4.8	99%	OK
1,2,4-Trimethylbenzene	5.01	4.8	104%	OK
sec-butylbenzene	5.03	4.8	105%	OK
p-isopropyltoluene	4.86	4.8	101%	OK
1,3-Dichlorobenzene	4.73	4.8	99%	OK
1,4-Dichlorobenzene	4.91	4.8	102%	OK
n-butylbenzene	5.08	4.8	106%	OK
1,2-Dichlorobenzene	4.76	4.8	99%	OK
1,2-Dibromo-3-chloropropane	4.54	4.8	95%	OK
1,2,4-Trichlorobenzene	4.85	4.8	101%	OK
Hexachlorobutadiene	5.15	4.8	107%	OK
Naphthalene	3.95	4.8	82%	OK
1,2,3-Trichlorobenzene	4.16	4.8	87%	OK

524 RECOVERY

Data File Name: I11874Q.D
Sample Name: L507093I3..1.2PPB
Date: 9 Jul 2003 11:00 am

Name	Amount	True Value	Recovery	+/- 30%
Dichlorodifluoromethane	1.19	1.2	99%	OK
Chloromethane	1.40	1.2	117%	OK
Vinyl Chloride	1.24	1.2	103%	OK
Bromomethane	1.48	1.2	124%	OK
Chloroethane	1.21	1.2	101%	OK
t-Butyl alcohol	6.23	6.0	104%	OK
Trichlorofluoromethane	1.19	1.2	99%	OK
1,1,2-Trichlorotrifluoroethane	1.27	1.2	105%	OK
Acetone	2.25	1.2	187%	(*)
1,1-Dichloroethene	1.30	1.2	108%	OK
Di-isopropyl ether	1.31	1.2	109%	OK
Methylene Chloride	1.14	1.2	95%	OK
Methyl-tert-butyl ether	2.47	2.4	103%	OK
trans-1,2-Dichloroethene	1.34	1.2	112%	OK
1,1-Dichloroethane	1.31	1.2	109%	OK
Methyl ethyl ketone	1.34	1.2	111%	OK
Ethyl t-butyl ether	1.27	1.2	106%	OK
2,2-Dichloropropane	1.36	1.2	113%	OK
cis-1,2-Dichloroethene	1.30	1.2	108%	OK
t-Amyl methyl ether	1.23	1.2	102%	OK
Chloroform	1.34	1.2	111%	OK
Bromochloromethane	1.29	1.2	108%	OK
Tetrahydrofuran	1.65	1.2	137%	(*)
1,1,1-Trichloroethane	1.33	1.2	111%	OK
1,1-Dichloropropene	1.33	1.2	111%	OK
Carbon Tetrachloride	1.31	1.2	109%	OK
1,2-Dichloroethane	1.33	1.2	111%	OK
Benzene	1.35	1.2	113%	OK
Trichloroethene	1.32	1.2	110%	OK
1,2-Dichloropropane	1.31	1.2	109%	OK
Bromodichloromethane	1.30	1.2	108%	OK
Dibromomethane	1.15	1.2	96%	OK
2-Hexanone	1.07	1.2	90%	OK
Methyl isobutyl ketone	1.18	1.2	98%	OK
cis-1,3-Dichloropropene	1.29	1.2	107%	OK
Toluene	1.23	1.2	103%	OK
trans-1,3-Dichloropropene	1.18	1.2	98%	OK
1,1,2-Trichloroethane	1.26	1.2	105%	OK
1,3-Dichloropropane	1.21	1.2	101%	OK
Tetrachloroethene	1.35	1.2	112%	OK
Dibromochloromethane	1.15	1.2	96%	OK
1,2-Dibromoethane	1.13	1.2	94%	OK
Chlorobenzene	1.33	1.2	111%	OK
1,1,1,2-Tetrachloroethane	1.37	1.2	114%	OK
Ethylbenzene	1.32	1.2	110%	OK
m,p-Xylene	2.69	2.4	112%	OK
o-Xylene	1.35	1.2	112%	OK
Styrene	1.30	1.2	108%	OK

7.10.03

VMT 7/10/03

Bromoform	1.22	1.2	102%	OK
Isopropylbenzene	1.25	1.2	105%	OK
1,1,2,2-Tetrachloroethane	1.27	1.2	106%	OK
1,2,3-Trichloropropane	1.26	1.2	105%	OK
-Propylbenzene	1.31	1.2	110%	OK
Bromobenzene	1.26	1.2	105%	OK
1,3,5-Trimethylbenzene	1.31	1.2	109%	OK
2-Chlorotoluene	1.32	1.2	110%	OK
4-Chlorotoluene	1.31	1.2	109%	OK
tert-butylbenzene	1.31	1.2	110%	OK
1,2,4-Trimethylbenzene	1.34	1.2	112%	OK
sec-butylbenzene	1.31	1.2	109%	OK
p-isopropyltoluene	1.27	1.2	106%	OK
1,3-Dichlorobenzene	1.28	1.2	107%	OK
1,4-Dichlorobenzene	1.30	1.2	108%	OK
n-butylbenzene	1.33	1.2	111%	OK
1,2-Dichlorobenzene	1.33	1.2	111%	OK
1,2-Dibromo-3-chloropropane	1.18	1.2	98%	OK
1,2,4-Trichlorobenzene	1.21	1.2	100%	OK
Hexachlorobutadiene	1.53	1.2	127%	OK
Naphthalene	1.05	1.2	87%	OK
1,2,3-Trichlorobenzene	1.13	1.2	94%	OK

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070803-I\I11874Q.D
Acq On : 9 Jul 2003 11:00 am
Sample : L507093I3..1.2PPB
Misc : 25000
MS Integration Params: rteint.p

Vial: 5
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 09:57:59 2003
Response via : Multiple Level Calibration

Reprinted 8-2003

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1	I	Pentafluorobenzene	1.000	1.000	0.0	93	-0.02	
2	TM	Dichlorodifluoromethane	0.735	0.727	1.1	88	0.00	
3	TMP	Chloromethane	0.271	0.316	-16.6	101	-0.01	
4	TMC	Vinyl Chloride	0.236	0.244	-3.4	89	-0.01	
5	TM	Bromomethane	0.223	0.276	-23.8	108	-0.01	
6	TM	Chloroethane	0.149	0.150	-0.7	90	-0.01	
7	TM	t-Butyl alcohol	0.004	0.004	0.0	73	-0.02	
8	TM	Trichlorofluoromethane	0.656	0.650	0.9	89	-0.02	
9	TM	Diethyl ether	0.079	0.074	6.3	80	-0.01	
10	TM	1,1,2-Trichlorotrifluoroeth	0.335	0.353	-5.4	92	-0.02	
11	T	Acrolein	0.006	0.004	~~33.3#~~	~~51~~	~~0.00~~	NT
12	TM	Acetone	0.021	0.008 see worst	61.9#	33#	-0.01	
13	TMC	1,1-Dichloroethene	0.261	0.282	-8.0	95	0.00	
14	T	Methyl iodide	0.361	0.269	25.5	78	-0.01	
15	TM	Di-isopropyl ether	0.537	0.586	-9.1	98	0.00	
16	TM	Methylene Chloride	0.540	0.654	-21.1	98	-0.02	
17	TM	Carbon Disulfide	0.434	0.480	-10.6	104	-0.01	
18	T	Acrylonitrile	0.021	0.025	-19.0	113	-0.02	
19	TM	Methyl-tert-butyl ether	0.335	0.690 see worst	-106.0#	186	0.00	
20	TM	trans-1,2-Dichloroethene	0.386	0.432	-11.9	97	-0.01	
21	TMP	1,1-Dichloroethane	0.495	0.541	-9.3	96	-0.02	
22	T	Vinyl acetate	0.022	0.040	~~-81.8#~~	~~152~~	~~-0.01~~	NT
23	TM	Methyl ethyl ketone	0.009	0.002 see worst	77.8#	19#	0.02	
24	TM	Ethyl t-butyl ether	0.397	0.421	-6.0	93	0.00	
25	TM	2,2-Dichloropropane	0.486	0.551	-13.4	99	-0.01	
26	TM	cis-1,2-Dichloroethene	0.390	0.422	-8.2	96	-0.01	
27	TM	t-Amyl methyl ether	0.312	0.319	-2.2	90	0.00	
28	T	NO COUMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.24~~	NT
29	TMC	Chloroform	0.797	0.888	-11.4	98	-0.01	
30	TM	Bromochloromethane	0.179	0.193	-7.8	92	-0.01	
31	TM	Tetrahydrofuran	0.009	0.012	-33.3#	106	0.00	
32	TM	1,1,1-Trichloroethane	0.802	0.890	-11.0	98	-0.01	
33	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~	NT
34	TM	1,1-Dichloropropene	0.526	0.585	-11.2	96	-0.01	
35	TM	Carbon Tetrachloride	0.832	0.909	-9.3	97	-0.02	
36	S	1,4-Difluorobenzene	1.322	1.350	-2.1	96	-0.01	
37	TM	1,2-Dichloroethane	0.383	0.424	-10.7	91	-0.01	
38	TM	Benzene	1.185	1.337	-12.8	98	-0.02	
39	I	Fluorobenzene	1.000	1.000	0.0	100	-0.01	
40	TM	Trichloroethene	0.333	0.365	-9.6	101	-0.01	

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070803-I\I11874Q.D Vial: 5
Acq On : 9 Jul 2003 11:00 am Operator: JMR
Sample : L507093I3..1.2PPB Inst : Instrumen
Misc : 25000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 09:57:59 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.143	0.157	-9.8	101	-0.01
42	T	Methylmethacrylate	0.055	0.050	9.1	87	-0.02
43	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~ NT
44	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~ NT
45	TM	Bromodichloromethane	0.331	0.359	-8.5	101	-0.01
46	TM	Dibromomethane	0.123	0.117	4.9	90	-0.01
47	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~
48	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
49	T	NO COMPOUND	0.000	0.000	0.0	0#	-0.06
50	T	No Compound	0.000	0.000	~~0.0~~	~~0#~~	~~-0.50~~
51	TM	2-Hexanone	0.018	0.003	83.3#	19#	0.00
52	TM	Methyl isobutyl ketone	0.021	0.004	81.0#	18#	-0.01
53	TM	cis-1,3-Dichloropropene	0.260	0.280	-7.7	105	-0.01
54	S	Bromofluorobenzene	0.341	0.320	6.2	94	-0.02
55	TMC	Toluene	0.631	0.648	-2.7	93	-0.01
56	TM	trans-1,3-Dichloropropene	0.200	0.196	2.0	97	-0.01
57	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~ NT
58	TM	1,1,2-Trichloroethane	0.100	0.104	-4.0	95	-0.01
59	TM	1,3-Dichloropropane	0.199	0.201	-1.0	95	-0.02
60	TM	Tetrachloroethene	0.418	0.469	-12.2	98	-0.01
61	TM	Dibromochloromethane	0.243	0.234	3.7	92	-0.02
62	TM	1,2-Dibromoethane	0.146	0.137	6.2	87	-0.01
63	I	d5-Chlorobenzene	1.000	1.000	0.0	92	-0.02
64	TMP	Chlorobenzene	1.013	1.122	-10.8	94	-0.01
65	TM	1,1,1,2-Tetrachloroethane	0.399	0.454	-13.8	98	-0.01
66	TMC	Ethylbenzene	1.721	1.896	-10.2	94	-0.01
67	TM	m,p-Xylene	0.646	0.724	-12.1	95	-0.01
68	TM	o-Xylene	0.606	0.679	-12.0	95	-0.01
69	TM	Styrene	0.907	0.982	-8.3	93	-0.01
70	TMP	Bromoform	0.149	0.152	-2.0	87	-0.01
71	TM	Isopropylbenzene	1.771	1.850	-4.5	89	-0.01
72	TMP	1,1,2,2-Tetrachloroethane	0.152	0.161	-5.9	89	-0.01
73	S	1,2-Dichlorobenzene-d4	0.426	0.428	-0.5	92	-0.01
74	TM	1,2,3-Trichloropropane	0.109	0.115	-5.5	88	-0.01
75	T	trans-1,4-Dichloro-2-butene	0.050	0.050	0.0	83	-0.01
76	TM	n-Propylbenzene	1.968	2.156	-9.6	92	-0.01
77	TM	Bromobenzene	0.430	0.452	-5.1	88	-0.01
78	TM	1,3,5-Trimethylbenzene	1.540	1.681	-9.2	90	-0.01
79	TM	2-Chlorotoluene	1.372	1.509	-10.0	93	-0.01
80	TM	4-Chlorotoluene	1.202	1.313	-9.2	94	-0.01

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\070803-I\I11874Q.D
Acq On : 9 Jul 2003 11:00 am
Sample : L507093I3..1.2PPB
Misc : 25000
MS Integration Params: rteint.p

Vial: 5
Operator: JMR
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V507083I.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Jul 09 09:57:59 2003
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 30% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
81	TM	tert-butylbenzene	1.371	1.503	-9.6	92	-0.01	
82	TM	1,2,4-Trimethylbenzene	1.515	1.692	-11.7	96	-0.02	
83	T	No Compound	0.000	0.000	~~0.0~~	~~0#~~	~~-0.50~~	NT
84	TM	sec-butylbenzene	1.732	1.894	-9.4	92	-0.02	
85	TM	p-isopropyltoluene	1.573	1.667	-6.0	91	-0.01	
86	TM	1,3-Dichlorobenzene	0.857	0.917	-7.0	93	-0.01	
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	-0.02	
88	TM	1,4-Dichlorobenzene	1.516	1.644	-8.4	88	-0.02	
89	TM	n-butylbenzene	2.322	2.570	-10.7	92	-0.02	
90	TM	1,2-Dichlorobenzene	1.271	1.405	-10.5	91	-0.01	
91	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~	NT
92	TM	1,2-Dibromo-3-chloropropane	0.047	0.046	2.1	78	-0.01	
93	T	NO COMPOUND	0.000	0.000	~~0.0~~	~~0#~~	~~-0.06~~	NT
94	TM	1,2,4-Trichlorobenzene	0.648	0.650	-0.3	93	-0.01	
95	TM	Hexachlorobutadiene	0.317	0.403	-27.1	98	-0.01	
96	TM	Naphthalene	0.652	0.580	11.0	85	-0.02	
97	TM	1,2,3-Trichlorobenzene	0.460	0.451	2.0	90	-0.02	
98	TM	1,3,5-Trichlorobenzene	1.031	1.077	-4.5	88	-0.01	

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 | Quote #: | SDG#: 49975

BFB File ID: I11756T | Site ID: Bucks Harbor | Location: Maine

Instrument ID: I | BFB Injection Date: 6/18/03

GC Column: RTX-502.2 | ID: 0.25(mm) | BFB Injection Time: 0952

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	603203		7.71		1172581		9.12		743404		13.90		337661		17.75	
	UPPER LIMIT	784164		8.17		1524355		9.67		966425		14.73		438959		18.82	
	LOWER LIMIT	422242		7.25		820807		8.57		520383		13.07		236363		16.69	
	SAMPLE NO.																
01	0.1PPB STD	576551		7.72		1101944		9.12		652480		13.91		297945		17.75	
02	0.5PPB STD	575502		7.72		1098669		9.12		722418		13.90		332913		17.75	
03	1.2PPB STD	603203		7.71		1172581		9.12		743404		13.90		337661		17.75	
04	4.8PPB STD	621115		7.71		1202054		9.12		736657		13.90		343739		17.74	
05	8PPB STD	607336		7.72		1157947		9.13		719531		13.91		348332		17.75	
06	16PPB STD	603287		7.72		1172654		9.13		772336		13.91		374322		17.75	
07	32PPB STD	664359		7.71		1243355		9.12		797012		13.90		378332		17.75	
08																	
09																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11836T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/2/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0901

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	509687	7.71	965843	9.12	653788	13.91	302608	17.75
	UPPER LIMIT	662593	8.17	1255596	9.67	849924	14.74	393390	18.82
	LOWER LIMIT	356781	7.25	676090	8.57	457652	13.08	211826	16.69
	SAMPLE NO.								
01	L507023I	509687	7.71	965843	9.12	653788	13.91	302608	17.75
02	L507023I2	501808	7.72	968753	9.12	635824	13.91	310453	17.75
03	B507023I	486468	7.71	919602	9.12	627098	13.90	291099	17.75
04	B507023I2	475334	7.71	906821	9.12	588260	13.90	272347	17.75
05	ZZZZZ	488020	7.72	897748	9.12	597930	13.91	277443	17.75
06	ZZZZZ	487812	7.71	913049	9.12	607135	13.90	278534	17.75
07	ZZZZZ	466374	7.72	891872	9.12	585206	13.91	266005	17.75
08	ZZZZZ	477511	7.72	899123	9.13	594815	13.91	291412	17.75
09	ZZZZZ	507877	7.71	968821	9.12	643263	13.91	317299	17.75
10	ZZZZZ	490857	7.72	893432	9.12	605658	13.91	276459	17.75
11	ZZZZZ	484929	7.72	906941	9.13	605856	13.91	278168	17.75
12	ZZZZZ	490902	7.71	933492	9.12	621376	13.91	292174	17.75
13	49975-2,MS	489207	7.72	920912	9.13	626301	13.91	314396	17.75
14	49975-2,MSD	494925	7.72	923285	9.13	629948	13.91	304046	17.75
15	ZZZZZ	528740	7.72	960543	9.13	641313	13.91	285827	17.75
16	ZZZZZ	481526	7.72	904154	9.12	641016	13.91	293407	17.76
17	ZZZZZ	485950	7.72	901661	9.12	607663	13.91	278937	17.76
18	ZZZZZ	476294	7.72	927083	9.13	616445	13.91	281024	17.76
19	ZZZZZ	459389	7.72	854720	9.13	581861	13.91	268125	17.75
20	ZZZZZ	474612	7.72	865176	9.12	587735	13.92	267854	17.76
21	ZZZZZ	475407	7.72	880308	9.13	578366	13.92	271823	17.75
22									
23									
24									

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11861T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/8/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1410

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	380936		7.72		534160		9.13		410392		13.92		221583		17.76	
	UPPER LIMIT	495217		8.18		694408		9.68		533510		14.76		288058		18.83	
	LOWER LIMIT	266655		7.26		373912		8.58		287274		13.08		155108		16.69	
	SAMPLE NO.																
01	0.1PPB STD	371633		7.73		536092		9.14		411389		13.92		209563		17.76	
02	0.5PPB STD	389286		7.72		554207		9.13		421678		13.91		222465		17.76	
03	1.2PPB STD	380936		7.72		534160		9.13		410392		13.92		221583		17.76	
04	4.8PPB STD	389022		7.72		567452		9.13		423331		13.92		227795		17.77	
05	8PPB STD	390526		7.72		566503		9.13		432334		13.92		235314		17.76	
06	16PPB STD	404996		7.73		591513		9.13		442317		13.92		242452		17.77	
07	32PPB STD	408658		7.73		589053		9.13		441296		13.93		244767		17.77	
08																	
09																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
21																	
22																	
23																	
24																	

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 49975

BFB File ID: I11871T Site ID: Bucks Harbor Location: Maine

Instrument ID: I BFB Injection Date: 7/9/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0857

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	376574	7.72	545312	9.13	400669	13.92	206066	17.76
	UPPER LIMIT	489546	8.18	708906	9.68	520870	14.76	267886	18.83
	LOWER LIMIT	263602	7.26	381718	8.58	280468	13.08	144246	16.69
	SAMPLE NO.								
01	L507093I	376574	7.72	545312	9.13	400669	13.92	206066	17.76
02	L507093I2,,4.8PPB	368835	7.73	543042	9.13	397271	13.92	206439	17.76
03	L507093I3,,1.2PPB	353632	7.72	533424	9.13	376176	13.91	194405	17.76
04	B507093I	342585	7.72	500618	9.13	367132	13.91	180650	17.76
05	49975-1	361463	7.72	522823	9.13	387757	13.91	185258	17.75
06	49975-2	351114	7.72	518722	9.13	390701	13.91	188631	17.75
07	ZZZZZ	336748	7.72	486272	9.13	365212	13.91	174228	17.76
08	ZZZZZ	335227	7.73	496525	9.14	371984	13.92	187113	17.75
09	ZZZZZ	348609	7.72	512058	9.12	379097	13.91	190415	17.76
10	ZZZZZ	358591	7.72	523819	9.13	381955	13.92	187888	17.76
11	ZZZZZ	351626	7.72	516453	9.13	382075	13.92	197026	17.75
12	ZZZZZ	367056	7.72	536479	9.13	399934	13.91	196928	17.75
13	ZZZZZ	370464	7.72	536464	9.13	402251	13.91	196251	17.76
14	ZZZZZ	378538	7.72	546045	9.12	404570	13.91	217367	17.76
15	ZZZZZ	368958	7.72	550234	9.13	408901	13.91	216419	17.76
16									
17									
18									
19									
20									
21									
22									
23									
24									

IS1 = Pentafluorobenzene
IS2 = Fluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +30% of internal standard area
AREA LOWER LIMIT = -30% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C 4.1
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: 7-2-03

Project#: 10976.217.002 Project: Bucks
Company: Weston Solutions
Contact: Kathleen Sawkey
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 603 656-5574 PO# Quote #
Sampler (Signature):

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO3	H2SO4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
TB-070103-01	7/1/03	1230	VOC 524.2					X			W	2	V		49975-1
WY03-0703-01-A	↓	1235	↓					X			DW	4	V		2

FAX RESULTS? YES NO
Fax # 603 656-5401

Turnaround Request
Standard [X] Due Date
Priority [ ] Due Date

Comments / Instructions:
VOC, 524.2
(A) Part of Residential Program for Bucks

Client Code: WESTONM

Page 1 of 1

Received By:	Time: 1335	Date: 7.2.03
Received By:	Time:	Date:
Received By:	Time:	Date:
Relinquished By Sampler:		
Relinquished By:		
Relinquished By:		7-2-03

129/129

Analytics\AEL Documents\AEL COC

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

August 29, 2003

Mr. Jim Ricker
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 50269

Dear Mr. Ricker:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for the target volatile organic compounds by EPA Method 8260B. Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, surrogate recovery, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
VOA Form 1 Sample Data Results
Chromatograms
VOA Form 2 Surrogate Recoveries
VOA Form 3 MS/MSD and LCS Recoveries
VOA Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
VOA Form 5 BFB Tune Summaries
VOA Form 6 Initial Calibration Data (equiv..) Response Factor Report
VOA Form 7 Continuing Calibration Check (equiv.)
VOA Form 8 Int. Standard and RT Summary
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Aqueous Volatile Organics:
Two compounds t-Butyl alcohol and Tetrahydrofuran had high recoveries in the Laboratory Control Spike /Duplicate (LCS/LCSD) analyzed 08/19/03 (L808193B/L808193B2). Methyl ethyl ketone had an RPD of 18% that is above the limit of 15%. (See Form III).). t-Butyl alcohol had high recovery in the matrix spike duplicate 50269-2 (MW14-038-PP). Methyl ethyl ketone was detected in several samples associated with this QC however no data was qualified for the marginal RPD failure.

Multiple analytes had recoveries above the acceptance criteria in the LCS/LCSD analyzed on 08/19/03 (L808193B3/L808193B4). See Form III These analytes were not detected in the samples associated with this QC and results were reported without qualification.

t-Butyl alcohol and 1,2-Dibromo-3-chloropropane had high recoveries in the Laboratory Control Spike (LCS) analyzed 08/20/03 (L808203B). These analytes were not detected in the samples associated with this QC and results were reported without qualification.

The Continuing Calibration Standards (CC) (File # B17294SC, B17318SC and B17340SC)) had high %D (24%, 36% and28%) for t-Butyl Alcohol with a limit of 20%. T-Butyl alcohol was not detected in any samples and results were reported without qualification.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 50269

Revision: Rev. 0

Re: Bucks Harbor Packer Tests **10971-217-002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 15 August 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
50269-1	08/12/03	TB-081203-01	EPA 8260 Volatile Organics	
50269-2	08/12/03	MW14-038-PP	EPA 8260 Volatile Organics	
50269-3	08/13/03	MW14-050-PP	EPA 8260 Volatile Organics	
50269-4	08/13/03	MW14-063-PP	EPA 8260 Volatile Organics	
50269-5	08/13/03	MW14-073-PP	EPA 8260 Volatile Organics	
50269-6	08/13/03	MW11-097-PP	EPA 8260 Volatile Organics	
50269-7	08/14/03	MW11-147-PP	EPA 8260 Volatile Organics	
50269-8	08/14/03	MW11-157-PP	EPA 8260 Volatile Organics	
50269-9	08/14/03	MW11-183-PP	EPA 8260 Volatile Organics	
50269-10	08/14/03	MW12-040-PP	EPA 8260 Volatile Organics	
50269-11	08/14/03	MW12-083-PP	EPA 8260 Volatile Organics	
50269-12	08/15/03	MW12-161-PP	EPA 8260 Volatile Organics	
50269-13	08/15/03	MW12-207-PP	EPA 8260 Volatile Organics	
	08/15/03	MW12-207-PP	Electronic Data Deliverable	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 08/22/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 29, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B808193B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	99 %	d4-1,2-Dichloroethane	97 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17298B.D Vial: 7
Acq On : 19 Aug 2003 11:24 am Operator:
Sample : B808193B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 11:32 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 29, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B808193B2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	100 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17322B.D Vial: 31
Acq On : 19 Aug 2003 11:34 pm Operator:
Sample : B808193B2 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 23:46 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 29, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B808203B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	103	%	d4-1,2-Dichloroethane	103	%	d8-Toluene	100	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17344B.D Vial: 6
Acq On : 20 Aug 2003 11:36 am Operator:
Sample : B808203B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 11:52 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: TB-081203-01

SAMPLE DATA

Lab Sample ID: 50269-1
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/12/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	100	%	d4-1,2-Dichloroethane	102	%	d8-Toluene	102	%	Bromofluorobenzene	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17311.D Vial: 20
Acq On : 19 Aug 2003 5:57 pm Operator:
Sample : 50269-1 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 18:11 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW14-038-PP

SAMPLE DATA

Lab Sample ID: 50269-2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/12/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**1 J**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**15**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	**8 J**	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	100 %	d4-1,2-Dichloroethane	101 %	d8-Toluene	101 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17303.D Vial: 12
Acq On : 19 Aug 2003 1:48 pm Operator:
Sample : 50269-2 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 14:06 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW14-050-PP

SAMPLE DATA

Lab Sample ID: 50269-3
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/13/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**1 J**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**22**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	**15**	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	101 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17312.D Vial: 21
Acq On : 19 Aug 2003 6:26 pm Operator:
Sample : 50269-3 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 18:41 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW14-063-PP

SAMPLE DATA

Lab Sample ID: 50269-4
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/13/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**2**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**13**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	**8 J**	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	101	%	d4-1,2-Dichloroethane	104	%	d8-Toluene	101	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature

Data File : C:\HPCHEM\1\DATA\081903-B\B17313.D Vial: 22
Acq On : 19 Aug 2003 6:56 pm Operator:
Sample : 50269-4 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 19:12 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW14-073-PP

SAMPLE DATA

Lab Sample ID: 50269-5
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/13/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**1 J**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**15**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	**9 J**	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	101	%	d4-1,2-Dichloroethane	103	%	d8-Toluene	101	%	Bromofluorobenzene	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17314.D Vial: 23
Acq On : 19 Aug 2003 7:25 pm Operator:
Sample : 50269-5 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 19:42 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

SAMPLE DATA

Lab Sample ID: 50269-6
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/13/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/19/03

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002
Field Sample ID: MW11-097-PP

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**4**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**15**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	101 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	101 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature

Data File : C:\HPCHEM\1\DATA\081903-B\B17315.D Vial: 24
Acq On : 19 Aug 2003 7:54 pm Operator:
Sample : 50269-6 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 20:12 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW11-147-PP

SAMPLE DATA

Lab Sample ID: 50269-7
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/14/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**5**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**12**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	100	%	d4-1,2-Dichloroethane	102	%	d8-Toluene	101	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature Melissa A Hall

Data File : C:\HPCHEM\1\DATA\081903-B\B17316.D Vial: 25
Acq On : 19 Aug 2003 8:23 pm Operator:
Sample : 50269-7 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 20:43 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW11-157-PP

SAMPLE DATA

Lab Sample ID: 50269-8
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/14/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	3
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	100 %	d4-1,2-Dichloroethane	101 %	d8-Toluene	101 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17323.D Vial: 32
Acq On : 19 Aug 2003 12:03 am Operator:
Sample : 50269-8 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 0:16 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW11-183-PP

SAMPLE DATA

Lab Sample ID: 50269-9
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/14/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	2
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	101	%	d4-1,2-Dichloroethane	102	%	d8-Toluene	101	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Tull

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17324.D Vial: 33
Acq On : 20 Aug 2003 12:32 am Operator:
Sample : 50269-9 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 0:47 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW12-040-PP

SAMPLE DATA

Lab Sample ID: 50269-10
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/14/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**167 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**10**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	101 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature Melissa A Kelli

Data File : C:\HPCHEM\1\DATA\081903-B\B17325.D Vial: 34
Acq On : 20 Aug 2003 1:01 am Operator:
Sample : 50269-10 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 1:17 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW12-040-PP

SAMPLE DATA

Lab Sample ID: 50269-10 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 5.0
Collection Date: 08/14/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	10	U	1,3-Dichloropropane	10	U
Bromobenzene	10	U	cis-1,3-Dichloropropene	10	U
Bromochloromethane	10	U	trans-1,3-Dichloropropene	10	U
Bromodichloromethane	10	U	2,2-Dichloropropane	10	U
Bromoform	10	U	1,1-Dichloropropene	10	U
Bromomethane	10	U	Ethylbenzene	10	U
n-butylbenzene	10	U	Hexachlorobutadiene	10	U
sec-butylbenzene	10	U	Isopropylbenzene	10	U
tert-butylbenzene	10	U	p-isopropyltoluene	10	U
Carbon Tetrachloride	10	U	Methylene Chloride	25	U
Chlorobenzene	10	U	Methyl-tert-butyl ether (MTBE)	10	U
Chloroethane	10	U	Naphthalene	10	U
Chloroform	10	U	n-Propylbenzene	10	U
Chloromethane	10	U	Styrene	10	U
2-Chlorotoluene	10	U	1,1,1,2-Tetrachloroethane	10	U
4-Chlorotoluene	10	U	1,1,2,2-Tetrachloroethane	10	U
Dibromochloromethane	10	U	Tetrachloroethene	10	U
1,2-Dibromo-3-chloropropane	10	U	Toluene	10	U
1,2-Dibromoethane	10	U	1,2,3-Trichlorobenzene	10	U
Dibromomethane	10	U	1,2,4-Trichlorobenzene	10	U
1,2-Dichlorobenzene	10	U	1,1,1-Trichloroethane	10	U
1,3-Dichlorobenzene	10	U	1,1,2-Trichloroethane	10	U
1,4-Dichlorobenzene	10	U	Trichloroethene	10	**161**
Dichlorodifluoromethane	10	U	Trichlorofluoromethane	10	U
1,1-Dichloroethane	10	U	1,2,3-Trichloropropane	10	U
1,2-Dichloroethane	10	U	1,2,4-Trimethylbenzene	10	U
1,1-Dichloroethene	10	U	1,3,5-Trimethylbenzene	10	U
cis-1,2-Dichloroethene	10	**9 J**	Vinyl Chloride	10	U
trans-1,2-Dichloroethene	10	U	o-Xylene	10	U
1,2-Dichloropropane	10	U	m,p-Xylene	10	U
Acetone	50	U	Diethyl ether	10	U
Carbon Disulfide	10	U	2-Hexanone	50	U
Tetrahydrofuran	25	U	Methyl isobutyl ketone	50	U
Methyl ethyl ketone	50	U	Di-isopropyl ether (DIPE)	10	U
t-Butyl alcohol (TBA)	100	U	Ethyl t-butyl ether (ETBE)	10	U
t-Amyl methyl ether (TAME)	10	U			

Surrogate Standard Recovery

Dibromofluoromethane	101 %	d4-1,2-Dichloroethane	99 %	d8-Toluene	101 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17346.D Vial: 8
Acq On : 20 Aug 2003 12:49 pm Operator:
Sample : 50269-10,DL Inst : Instrumen
Misc : 1000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 13:13 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

SAMPLE DATA

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW12-083-PP

Lab Sample ID: 50269-11
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/14/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**2**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**284 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**15**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102	%	d4-1,2-Dichloroethane	102	%	d8-Toluene	102	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17326.D Vial: 35
Acq On : 20 Aug 2003 1:31 am Operator:
Sample : 50269-11 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 1:48 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW12-083-PP

SAMPLE DATA

Lab Sample ID: 50269-11 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 08/14/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	**297**
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	**15 J**	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

Dibromofluoromethane	101 %	d4-1,2-Dichloroethane	101 %	d8-Toluene	100 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature

Data File : C:\HPCHEM\1\DATA\082003-B\B17348.D Vial: 10
Acq On : 20 Aug 2003 2:00 pm Operator:
Sample : 50269-11,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 14:09 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW12-161-PP

SAMPLE DATA

Lab Sample ID: 50269-12
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/15/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**1 J**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**274 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**15**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102 %	d4-1,2-Dichloroethane	104 %	d8-Toluene	101 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kalli

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17327.D Vial: 36
Acq On : 20 Aug 2003 2:00 am Operator:
Sample : 50269-12 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 2:19 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

SAMPLE DATA

Lab Sample ID: 50269-12 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 08/15/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002
Field Sample ID: MW12-161-PP

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	**279**
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	**14 J**	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

Dibromofluoromethane	103 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	99 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17349.D Vial: 11
Acq On : 20 Aug 2003 2:29 pm Operator:
Sample : 50269-12,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 14:42 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW12-207-PP

SAMPLE DATA

Lab Sample ID: 50269-13
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/15/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**2**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**285 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**15**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	101 %	Bromofluorobenzene	94 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17328.D Vial: 37
Acq On : 20 Aug 2003 2:29 am Operator:
Sample : 50269-13 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 2:49 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW12-207-PP

SAMPLE DATA

Lab Sample ID: 50269-13 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 08/15/03
Lab Receipt Date: 08/15/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	**276**
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	**14 J**	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

Dibromofluoromethane	103 %	d4-1,2-Dichloroethane	100 %	d8-Toluene	101 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature

Data File : C:\HPCHEM\1\DATA\082003-B\B17350.D Vial: 12
Acq On : 20 Aug 2003 2:55 pm Operator:
Sample : 50269-13,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 15:16 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17270T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1732

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	1 PPB	93%	98%	98%	100%	0
02	2 PPB	92%	95%	100%	99%	0
03	5 PPB	97%	101%	99%	99%	0
04	20 PPB	99%	104%	100%	101%	0
05	50 PPB	96%	100%	102%	103%	0
06	100 PPB	97%	102%	102%	99%	0
07	ZZZZZZ	100%	99%	99%	101%	0
08	ZZZZZZ	102%	101%	101%	100%	0
09	ZZZZZZ	98%	95%	98%	100%	0
10	ZZZZZZ	99%	95%	98%	100%	0
11	ZZZZZZ	99%	96%	99%	101%	0
12	ZZZZZZ	98%	96%	99%	98%	0
13	ZZZZZZ	100%	101%	101%	98%	0
14	ZZZZZZ	101%	101%	100%	96%	0
15	ZZZZZZ	103%	104%	100%	97%	0
16	ZZZZZZ	102%	104%	100%	97%	0
17	ZZZZZZ	102%	103%	102%	97%	0
18	ZZZZZZ	100%	102%	101%	97%	0
19	ZZZZZZ	99%	105%	103%	101%	0
20	ZZZZZZ	100%	102%	103%	99%	0
21						
22						
23						
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17293T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0838

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	20PPB STD	102%	100%	102%	102%	0
02	L808193B	102%	102%	102%	100%	0
03	L808193B2	102%	100%	102%	101%	0
04	ZZZZZ	101%	100%	101%	98%	0
05	B808193B	99%	97%	100%	97%	0
06	ZZZZZ	99%	97%	100%	99%	0
07	ZZZZZ	103%	102%	100%	98%	0
08	ZZZZZ	101%	102%	101%	99%	0
09	ZZZZZ	102%	102%	99%	97%	0
10	50269-2	100%	101%	101%	97%	0
11	50269-2,MS	103%	103%	101%	101%	0
12	50269-2,MSD	103%	103%	102%	102%	0
13	50262-2	100%	103%	103%	98%	0
14	ZZZZZ	100%	101%	101%	99%	0
15	ZZZZZ	100%	100%	101%	99%	0
16	ZZZZZ	100%	101%	101%	98%	0
17	ZZZZZ	101%	101%	100%	97%	0
18	50269-1	100%	102%	102%	98%	0
19	50269-3	102%	103%	101%	98%	0
20	50269-4	101%	104%	101%	97%	0
21	50269-5	101%	103%	101%	96%	0
22	50269-6	101%	103%	101%	96%	0
23	50269-7	100%	102%	101%	98%	0
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17317T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	20 PPB STD	103%	104%	102%	99%	0
02	L808193B3	102%	101%	104%	100%	0
03	L808193B4	106%	105%	102%	101%	0
04	B808193B2	102%	103%	100%	98%	0
05	50269-8	100%	101%	101%	97%	0
06	50269-9	101%	102%	101%	97%	0
07	50269-10	102%	103%	101%	96%	0
08	50269-11	102%	102%	102%	97%	0
09	50269-12	102%	104%	101%	97%	0
10	50269-13	102%	103%	101%	94%	0
11	ZZZZZ	100%	102%	101%	97%	0
12	ZZZZZ	102%	104%	101%	96%	0
13	ZZZZZ	102%	104%	100%	96%	0
14	ZZZZZ	103%	103%	100%	97%	0
15	ZZZZZ	101%	101%	100%	97%	0
16	ZZZZZ	103%	103%	100%	96%	0
17	ZZZZZ	102%	104%	100%	97%	0
18	ZZZZZ	103%	105%	101%	96%	0
19	ZZZZZ	103%	103%	99%	96%	0
20	ZZZZZ	103%	103%	100%	97%	0
21						
22						
23						
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17339T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0910

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	20PPB STD	106%	105%	103%	102%	0
02	L808203B	102%	101%	102%	101%	0
03	L808203B2	103%	100%	101%	100%	0
04	ZZZZZ	102%	100%	100%	99%	0
05	B808203B	103%	103%	100%	97%	0
06	ZZZZZ	103%	102%	99%	99%	0
07	50269-10,DL	101%	99%	101%	97%	0
08	ZZZZZ	104%	101%	99%	99%	0
09	50269-11,DL	101%	101%	100%	99%	0
10	50269-12,DL	103%	103%	99%	98%	0
11	50269-13,DL	103%	100%	101%	97%	0
12	ZZZZZ	103%	103%	99%	95%	0
13	ZZZZZ	103%	103%	100%	97%	0
14	ZZZZZ	102%	99%	100%	100%	0
15	ZZZZZ	104%	101%	99%	97%	0
16	ZZZZZ	103%	102%	100%	98%	0
17	ZZZZZ	104%	104%	99%	98%	0
18	ZZZZZ	103%	101%	98%	100%	0
19	ZZZZZ	104%	103%	99%	98%	0
20	ZZZZZ	102%	100%	99%	98%	0
21	ZZZZZ	102%	104%	100%	98%	0
22	ZZZZZ	102%	104%	100%	99%	0
23						
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50269

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808193B/L808193B2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	20.0	100		19.3	96		4		15	80-120
Chloromethane	20	U	20.9	105		20.2	101		3		15	80-120
Vinyl Chloride	20	U	19.5	98		18.9	95		3		15	80-120
Bromomethane	20	U	20.3	101		20.7	103		2		15	80-120
Chloroethane	20	U	20.3	102		19.3	96		5		15	80-120
t-Butyl alcohol (TBA)	100	U	128.8	129	*	122.0	122	*	5		15	80-120
Trichlorofluoromethane	20	U	20.1	100		19.4	97		3		15	80-120
Diethyl ether	20	U	21.0	105		20.8	104		1		15	80-120
Acetone	100	U	102.1	102		98.7	99		3		15	80-120
1,1-Dichloroethene	20	U	20.2	101		19.5	98		3		15	80-120
Di-isopropyl ether (DIPE)	20	U	21.6	108		20.6	103		5		15	80-120
Methylene Chloride	20	U	20.7	104		19.9	99		4		15	80-120
Carbon Disulfide	20	U	20.8	104		19.9	100		4		15	80-120
Methyl-tert-butyl ether (MTBE)	40	U	44.2	111		42.7	107		4		15	80-120
trans-1,2-Dichloroethene	20	U	20.6	103		19.6	98		5		15	80-120
1,1-Dichloroethane	20	U	20.9	104		19.9	99		5		15	80-120
Methyl ethyl ketone	100	U	106.9	107		113.6	114		6		15	80-120
Ethyl t-butyl ether (ETBE)	20	U	18.4	92		22.0	110		18	*	15	80-120
2,2-Dichloropropane	20	U	22.6	113		21.8	109		3		15	80-120
cis-1,2-Dichloroethene	20	U	21.1	105		20.7	103		2		15	80-120
t-Amyl methyl ether (TAME)	20	U	22.4	112		21.9	110		2		15	80-120
Chloroform	20	U	20.6	103		20.3	101		1		15	80-120
Bromochloromethane	20	U	20.4	102		20.4	102		0		15	80-120
Tetrahydrofuran	20	U	24.3	122	*	23.7	118		3		15	80-120
1,1,1-Trichloroethane	20	U	21.0	105		20.4	102		3		15	80-120
1,1-Dichloropropene	20	U	21.3	107		20.8	104		3		15	80-120
Carbon Tetrachloride	20	U	21.2	106		20.8	104		2		15	80-120
1,2-Dichloroethane	20	U	21.0	105		20.8	104		1		15	80-120
Benzene	20	U	20.5	102		20.0	100		2		15	80-120
Trichloroethene	20	U	22.1	110		21.9	109		1		15	80-120
1,2-Dichloropropane	20	U	21.7	108		21.7	109		0		15	80-120
Bromodichloromethane	20	U	21.7	108		21.7	109		0		15	80-120
Dibromomethane	20	U	21.5	108		21.5	108		0		15	80-120
2-Hexanone	100	U	112.6	113		110.8	111		2		15	80-120
Methyl isobutyl ketone	100	U	115.1	115		113.5	113		1		15	80-120
cis-1,3-Dichloropropene	20	U	23.7	118		23.6	118		0		15	80-120
Toluene	20	U	20.5	102		20.1	101		2		15	80-120
trans-1,3-Dichloropropene	20	U	23.1	116		23.1	115		0		15	80-120
1,1,2-Trichloroethane	20	U	22.1	110		22.3	111		1		15	80-120
1,3-Dichloropropane	20	U	21.5	107		21.5	108		0		15	80-120
Tetrachloroethene	20	U	20.1	101		19.8	99		2		15	80-120
Dibromochloromethane	20	U	20.3	102		20.5	102		1		15	80-120

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50269

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808193B/L808193B2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.6	108		21.5	108		0		15	80-120
Chlorobenzene	20	U	20.1	100		19.8	99		1		15	80-120
1,1,1,2-Tetrachloroethane	20	U	22.0	110		22.2	111		1		15	80-120
Ethylbenzene	20	U	20.6	103		20.2	101		2		15	80-120
m,p-Xylene	40	U	41.4	103		40.8	102		1		15	80-120
o-Xylene	20	U	21.0	105		20.9	105		0		15	80-120
Styrene	20	U	21.4	107		21.2	106		1		15	80-120
Bromoform	20	U	21.1	105		21.0	105		0		15	80-120
Isopropylbenzene	20	U	20.0	100		19.9	100		1		15	80-120
1,1,2,2-Tetrachloroethane	20	U	21.5	108		21.6	108		0		15	80-120
1,2,3-Trichloropropane	20	U	21.3	107		21.2	106		1		15	80-120
n-Propylbenzene	20	U	20.7	103		20.5	103		1		15	80-120
Bromobenzene	20	U	20.1	100		20.1	100		0		15	80-120
1,3,5-Trimethylbenzene	20	U	20.9	104		20.5	103		2		15	80-120
2-Chlorotoluene	20	U	20.4	102		20.5	103		1		15	80-120
4-Chlorotoluene	20	U	20.6	103		20.2	101		2		15	80-120
tert-butylbenzene	20	U	20.8	104		20.2	101		3		15	80-120
1,2,4-Trimethylbenzene	20	U	20.8	104		20.9	104		0		15	80-120
sec-butylbenzene	20	U	20.4	102		20.6	103		1		15	80-120
p-isopropyltoluene	20	U	19.4	97		19.3	97		0		15	80-120
1,3-Dichlorobenzene	20	U	19.8	99		19.8	99		0		15	80-120
1,4-Dichlorobenzene	20	U	20.0	100		19.7	99		1		15	80-120
n-butylbenzene	20	U	21.2	106		20.6	103		3		15	80-120
1,2-Dichlorobenzene	20	U	20.6	103		20.3	102		1		15	80-120
1,2-Dibromo-3-chloropropane	20	U	23.7	118		23.6	118		0		15	80-120
1,2,4-Trichlorobenzene	20	U	21.2	106		21.2	106		0		15	80-120
Hexachlorobutadiene	20	U	21.6	108		21.7	108		0		15	80-120
Naphthalene	20	U	21.7	109		21.3	107		2		15	80-120
1,2,3-Trichlorobenzene	20	U	21.0	105		20.8	104		1		15	80-120
1,3,5-Trichlorobenzene	20	U	20.2	101		19.8	91		2		15	80-120

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 1 out of 71 outside limits

Spike Recovery:3 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50269

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 50269-2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	MS CONC. ug/L	MS REC %	#	MSD CONC. ug/L	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	20.5	102		20.8	104		1		15	70-130
Chloromethane	20	U	21.3	107		21.9	110		3		15	70-130
Vinyl Chloride	20	U	20.6	103		20.6	103		0		15	70-130
Bromomethane	20	U	19.8	99		21.9	109		10		15	70-130
Chloroethane	20	U	21.1	105		21.4	107		2		15	70-130
t-Butyl alcohol (TBA)	100	U	129.3	129		139.5	140	*	8		15	70-130
Trichlorofluoromethane	20	U	21.2	106		21.2	106		0		15	70-130
Diethyl ether	20	U	21.2	106		21.3	107		1		15	70-130
Acetone	100	**15**	117.3	102		122.4	107		4		15	70-130
1,1-Dichloroethene	20	U	21.4	107		21.5	107		0		15	70-130
Di-isopropyl ether (DIPE)	20	U	21.9	109		21.7	108		1		15	70-130
Methylene Chloride	20	U	20.5	103		20.4	102		0		15	70-130
Carbon Disulfide	20	U	22.0	110		21.9	110		0		15	70-130
Methyl-tert-butyl ether (MTBE)	40	U	44.4	111		45.1	113		2		15	70-130
trans-1,2-Dichloroethene	20	U	21.4	107		21.5	108		1		15	70-130
1,1-Dichloroethane	20	U	21.6	108		21.7	109		1		15	70-130
Methyl ethyl ketone	100	**8**	123.6	116		130.6	123		6		15	70-130
Ethyl t-butyl ether (ETBE)	20	U	22.3	112		22.7	114		2		15	70-130
2,2-Dichloropropane	20	U	21.9	109		22.1	111		1		15	70-130
cis-1,2-Dichloroethene	20	U	21.9	109		22.2	111		2		15	70-130
t-Amyl methyl ether (TAME)	20	U	22.4	112		22.8	114		2		15	70-130
Chloroform	20	U	21.3	107		21.6	108		2		15	70-130
Bromochloromethane	20	U	20.9	105		21.1	106		1		15	70-130
Tetrahydrofuran	20	U	24.4	122		25.5	128		5		15	70-130
1,1,1-Trichloroethane	20	U	22.2	111		22.3	112		1		15	70-130
1,1-Dichloropropene	20	U	22.7	114		22.9	114		1		15	70-130
Carbon Tetrachloride	20	U	22.3	112		22.6	113		1		15	70-130
1,2-Dichloroethane	20	U	21.6	108		21.9	110		1		15	70-130
Benzene	20	U	21.4	107		21.6	108		1		15	70-130
Trichloroethene	20	U	22.8	114		23.3	117		2		15	70-130
1,2-Dichloropropane	20	U	22.3	112		22.6	113		1		15	70-130
Bromodichloromethane	20	U	22.1	110		22.4	112		1		15	70-130
Dibromomethane	20	U	21.8	109		21.8	109		0		15	70-130
2-Hexanone	100	U	111.6	112		115.8	116		4		15	70-130
Methyl isobutyl ketone	100	U	114.5	115		117.7	118		3		15	70-130
cis-1,3-Dichloropropene	20	U	23.7	118		24.1	121		2		15	70-130
Toluene	20	**1**	22.1	104		22.6	107		2		15	70-130
trans-1,3-Dichloropropene	20	U	23.1	116		23.5	118		2		15	70-130
1,1,2-Trichloroethane	20	U	22.5	113		22.6	113		0		15	70-130
1,3-Dichloropropane	20	U	21.7	109		22.2	111		2		15	70-130
Tetrachloroethene	20	U	20.5	103		21.0	105		2		15	70-130
Dibromochloromethane	20	U	20.5	103		21.0	105		2		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50269

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 50269-2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	MS CONC. ug/L	MS REC %	#	MSD CONC. ug/L	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.7	109		21.9	110		1		15	70-130
Chlorobenzene	20	U	20.6	103		20.8	104		1		15	70-130
1,1,1,2-Tetrachloroethane	20	U	22.4	112		22.6	113		1		15	70-130
Ethylbenzene	20	U	21.4	107		21.6	108		1		15	70-130
m,p-Xylene	40	U	42.7	107		43.3	108		1		15	70-130
o-Xylene	20	U	21.6	108		21.9	109		1		15	70-130
Styrene	20	U	22.0	110		22.2	111		1		15	70-130
Bromoform	20	U	21.3	107		21.7	108		2		15	70-130
Isopropylbenzene	20	U	20.8	104		20.9	105		1		15	70-130
1,1,2,2-Tetrachloroethane	20	U	21.5	108		22.0	110		2		15	70-130
1,2,3-Trichloropropane	20	U	21.3	107		21.7	109		2		15	70-130
n-Propylbenzene	20	U	21.5	107		21.7	108		1		15	70-130
Bromobenzene	20	U	20.5	103		20.7	104		1		15	70-130
1,3,5-Trimethylbenzene	20	U	21.2	106		21.6	108		2		15	70-130
2-Chlorotoluene	20	U	21.1	106		21.8	109		3		15	70-130
4-Chlorotoluene	20	U	20.9	104		20.7	103		1		15	70-130
tert-butylbenzene	20	U	21.0	105		21.5	108		2		15	70-130
1,2,4-Trimethylbenzene	20	U	21.6	108		21.9	109		1		15	70-130
sec-butylbenzene	20	U	21.2	106		21.4	107		1		15	70-130
p-isopropyltoluene	20	U	20.0	100		20.2	101		1		15	70-130
1,3-Dichlorobenzene	20	U	20.2	101		20.6	103		2		15	70-130
1,4-Dichlorobenzene	20	U	20.3	102		20.2	101		0		15	70-130
n-butylbenzene	20	U	21.5	107		21.5	107		0		15	70-130
1,2-Dichlorobenzene	20	U	20.8	104		21.0	105		1		15	70-130
1,2-Dibromo-3-chloropropane	20	U	23.6	118		24.5	123		4		15	70-130
1,2,4-Trichlorobenzene	20	U	20.7	103		21.3	107		3		15	70-130
Hexachlorobutadiene	20	U	21.8	109		22.3	112		2		15	70-130
Naphthalene	20	U	21.1	106		22.3	112		6		15	70-130
1,2,3-Trichlorobenzene	20	U	20.5	102		21.3	107		4		15	70-130
1,3,5-Trichlorobenzene	20	U	20.1	101		20.3	101		1		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 71 outside limits

Spike Recovery: 1 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50269

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808193B3/L808193B4

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	19.2	96		19.7	98		2		15	80-120
Chloromethane	20	U	20.3	101		20.7	103		2		15	80-120
Vinyl Chloride	20	U	19.8	99		20.0	100		1		15	80-120
Bromomethane	20	U	21.2	106		22.6	113		6		15	80-120
Chloroethane	20	U	20.2	101		20.6	103		2		15	80-120
t-Butyl alcohol (TBA)	100	U	138.0	138	*	147.6	148	*	7		15	80-120
Trichlorofluoromethane	20	U	19.9	100		20.0	100		1		15	80-120
Diethyl ether	20	U	21.5	108		22.2	111		3		15	80-120
Acetone	100	U	107.8	108		115.5	115		7		15	80-120
1,1-Dichloroethene	20	U	20.1	101		20.7	103		3		15	80-120
Di-isopropyl ether (DIPE)	20	U	21.4	107		21.8	109		2		15	80-120
Methylene Chloride	20	U	20.8	104		21.5	108		3		15	80-120
Carbon Disulfide	20	U	20.7	103		20.8	104		1		15	80-120
Methyl-tert-butyl ether (MTBE)	40	U	44.3	111		46.0	115		4		15	80-120
trans-1,2-Dichloroethene	20	U	20.5	102		21.0	105		3		15	80-120
1,1-Dichloroethane	20	U	20.9	105		21.3	107		2		15	80-120
Methyl ethyl ketone	100	U	115.0	115		124.7	125	*	8		15	80-120
Ethyl t-butyl ether (ETBE)	20	U	18.2	91		19.6	98		8		15	80-120
2,2-Dichloropropane	20	U	18.1	91		18.5	93		2		15	80-120
cis-1,2-Dichloroethene	20	U	20.7	104		21.6	108		4		15	80-120
t-Amyl methyl ether (TAME)	20	U	21.6	108		22.7	114		5		15	80-120
Chloroform	20	U	20.3	101		20.9	105		3		15	80-120
Bromochloromethane	20	U	20.2	101		21.3	106		5		15	80-120
Tetrahydrofuran	20	U	25.0	125	*	26.1	130	*	4		15	80-120
1,1,1-Trichloroethane	20	U	20.5	102		21.2	106		4		15	80-120
1,1-Dichloropropene	20	U	21.0	105		21.6	108		3		15	80-120
Carbon Tetrachloride	20	U	20.9	104		21.5	108		3		15	80-120
1,2-Dichloroethane	20	U	21.0	105		21.7	109		3		15	80-120
Benzene	20	U	20.1	101		20.7	104		3		15	80-120
Trichloroethene	20	U	22.1	110		21.9	110		1		15	80-120
1,2-Dichloropropane	20	U	21.7	109		21.7	108		0		15	80-120
Bromodichloromethane	20	U	22.0	110		21.9	109		0		15	80-120
Dibromomethane	20	U	21.7	109		21.7	108		0		15	80-120
2-Hexanone	100	U	117.4	117		119.7	120		2		15	80-120
Methyl isobutyl ketone	100	U	119.4	119		120.7	121	*	1		15	80-120
cis-1,3-Dichloropropene	20	U	23.3	116		22.9	114		2		15	80-120
Toluene	20	U	20.6	103		20.1	100		3		15	80-120
trans-1,3-Dichloropropene	20	U	22.9	114		22.4	112		2		15	80-120
1,1,2-Trichloroethane	20	U	22.7	113		22.6	113		0		15	80-120
1,3-Dichloropropane	20	U	21.8	109		21.9	109		0		15	80-120
Tetrachloroethene	20	U	20.3	101		19.6	98		4		15	80-120
Dibromochloromethane	20	U	20.8	104		20.5	103		1		15	80-120

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50269

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808193B3/L808193B4

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.8	109		22.1	111		1		15	80-120
Chlorobenzene	20	U	19.9	99		19.9	99		0		15	80-120
1,1,1,2-Tetrachloroethane	20	U	21.7	109		21.6	108		1		15	80-120
Ethylbenzene	20	U	20.2	101		20.2	101		0		15	80-120
m,p-Xylene	40	U	40.2	100		40.5	101		1		15	80-120
o-Xylene	20	U	20.6	103		20.9	104		2		15	80-120
Styrene	20	U	21.1	106		21.2	106		1		15	80-120
Bromoform	20	U	21.1	105		21.4	107		1		15	80-120
Isopropylbenzene	20	U	19.8	99		19.8	99		0		15	80-120
1,1,2,2-Tetrachloroethane	20	U	21.8	109		22.1	110		1		15	80-120
1,2,3-Trichloropropane	20	U	21.6	108		21.8	109		1		15	80-120
n-Propylbenzene	20	U	20.3	102		20.2	101		0		15	80-120
Bromobenzene	20	U	19.9	100		19.9	99		0		15	80-120
1,3,5-Trimethylbenzene	20	U	20.4	102		20.3	102		0		15	80-120
2-Chlorotoluene	20	U	19.9	99		20.3	101		2		15	80-120
4-Chlorotoluene	20	U	20.5	102		20.2	101		1		15	80-120
tert-butylbenzene	20	U	20.4	102		20.8	104		2		15	80-120
1,2,4-Trimethylbenzene	20	U	20.4	102		20.7	103		1		15	80-120
sec-butylbenzene	20	U	20.0	100		20.1	101		0		15	80-120
p-isopropyltoluene	20	U	19.0	95		19.0	95		0		15	80-120
1,3-Dichlorobenzene	20	U	19.6	98		19.6	98		0		15	80-120
1,4-Dichlorobenzene	20	U	19.6	98		19.4	97		1		15	80-120
n-butylbenzene	20	U	20.2	101		20.0	100		1		15	80-120
1,2-Dichlorobenzene	20	U	20.4	102		20.2	101		1		15	80-120
1,2-Dibromo-3-chloropropane	20	U	24.0	120		24.5	122		2		15	80-120
1,2,4-Trichlorobenzene	20	U	20.5	103		20.6	103		0		15	80-120
Hexachlorobutadiene	20	U	20.7	103		20.5	102		1		15	80-120
Naphthalene	20	U	21.5	107		22.0	110		2		15	80-120
1,2,3-Trichlorobenzene	20	U	20.6	103		20.7	104		0		15	80-120
1,3,5-Trichlorobenzene	20	U	19.4	97		19.3	91		1		15	80-120

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 71 outside limits

Spike Recovery:6 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50269

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808203B/L808203B2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	20.1	100		19.4	97		3		15	80-120
Chloromethane	20	U	21.4	107		21.2	106		1		15	80-120
Vinyl Chloride	20	U	20.7	103		19.1	95		8		15	80-120
Bromomethane	20	U	21.5	108		19.7	99		9		15	80-120
Chloroethane	20	U	21.0	105		20.3	102		3		15	80-120
t-Butyl alcohol (TBA)	100	U	118.4	118		128.8	129	*	8		15	80-120
Trichlorofluoromethane	20	U	20.7	103		20.1	100		3		15	80-120
Diethyl ether	20	U	20.8	104		20.7	103		0		15	80-120
Acetone	100	U	100.6	101		102.3	102		2		15	80-120
1,1-Dichloroethene	20	U	20.3	101		19.8	99		2		15	80-120
Di-isopropyl ether (DIPE)	20	U	21.1	105		21.4	107		1		15	80-120
Methylene Chloride	20	U	20.9	105		21.4	107		2		15	80-120
Carbon Disulfide	20	U	20.5	102		20.0	100		3		15	80-120
Methyl-tert-butyl ether (MTBE)	40	U	42.2	105		42.8	107		1		15	80-120
trans-1,2-Dichloroethene	20	U	19.6	98		20.1	100		2		15	80-120
1,1-Dichloroethane	20	U	20.7	104		20.8	104		0		15	80-120
Methyl ethyl ketone	100	U	108.4	108		115.2	115		6		15	80-120
Ethyl t-butyl ether (ETBE)	20	U	21.7	108		22.0	110		1		15	80-120
2,2-Dichloropropane	20	U	21.8	109		21.1	105		3		15	80-120
cis-1,2-Dichloroethene	20	U	21.0	105		20.7	104		1		15	80-120
t-Amyl methyl ether (TAME)	20	U	21.4	107		21.8	109		2		15	80-120
Chloroform	20	U	20.4	102		20.4	102		0		15	80-120
Bromochloromethane	20	U	20.5	102		20.4	102		0		15	80-120
Tetrahydrofuran	20	U	23.0	115		23.7	119		3		15	80-120
1,1,1-Trichloroethane	20	U	20.7	103		20.6	103		1		15	80-120
1,1-Dichloropropene	20	U	21.3	106		21.1	105		1		15	80-120
Carbon Tetrachloride	20	U	21.6	108		21.1	106		2		15	80-120
1,2-Dichloroethane	20	U	20.9	104		21.0	105		1		15	80-120
Benzene	20	U	20.4	102		20.5	103		1		15	80-120
Trichloroethene	20	U	23.0	115		22.5	113		2		15	80-120
1,2-Dichloropropane	20	U	21.4	107		20.9	105		2		15	80-120
Bromodichloromethane	20	U	21.6	108		21.3	106		2		15	80-120
Dibromomethane	20	U	21.5	107		21.1	106		2		15	80-120
2-Hexanone	100	U	108.2	108		113.2	113		5		15	80-120
Methyl isobutyl ketone	100	U	110.0	110		113.4	113		3		15	80-120
cis-1,3-Dichloropropene	20	U	23.7	119		23.1	116		2		15	80-120
Toluene	20	U	20.6	103		20.1	101		2		15	80-120
trans-1,3-Dichloropropene	20	U	23.4	117		23.1	116		1		15	80-120
1,1,2-Trichloroethane	20	U	22.3	111		22.2	111		1		15	80-120
1,3-Dichloropropane	20	U	21.6	108		21.7	109		1		15	80-120
Tetrachloroethene	20	U	20.3	102		20.0	100		2		15	80-120
Dibromochloromethane	20	U	21.0	105		20.4	102		3		15	80-120

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50269

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808203B/L808203B2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.8	109		22.0	110		1		15	80-120
Chlorobenzene	20	U	20.5	103		20.0	100		3		15	80-120
1,1,1,2-Tetrachloroethane	20	U	22.6	113		22.0	110		3		15	80-120
Ethylbenzene	20	U	20.8	104		20.2	101		3		15	80-120
m,p-Xylene	40	U	41.4	103		40.7	102		2		15	80-120
o-Xylene	20	U	21.1	106		20.9	105		1		15	80-120
Styrene	20	U	21.6	108		21.2	106		2		15	80-120
Bromoform	20	U	21.7	108		22.0	110		1		15	80-120
Isopropylbenzene	20	U	20.4	102		19.9	99		3		15	80-120
1,1,2,2-Tetrachloroethane	20	U	21.8	109		22.2	111		2		15	80-120
1,2,3-Trichloropropane	20	U	21.3	107		22.0	110		3		15	80-120
n-Propylbenzene	20	U	21.0	105		20.6	103		2		15	80-120
Bromobenzene	20	U	20.7	103		20.1	100		3		15	80-120
1,3,5-Trimethylbenzene	20	U	21.0	105		20.6	103		2		15	80-120
2-Chlorotoluene	20	U	21.0	105		20.7	104		1		15	80-120
4-Chlorotoluene	20	U	20.7	104		20.1	101		3		15	80-120
tert-butylbenzene	20	U	20.5	103		20.3	101		1		15	80-120
1,2,4-Trimethylbenzene	20	U	21.2	106		20.9	105		1		15	80-120
sec-butylbenzene	20	U	20.8	104		20.5	103		1		15	80-120
p-isopropyltoluene	20	U	19.7	98		19.5	98		1		15	80-120
1,3-Dichlorobenzene	20	U	20.4	102		20.3	101		1		15	80-120
1,4-Dichlorobenzene	20	U	20.0	100		19.7	98		2		15	80-120
n-butylbenzene	20	U	20.7	103		20.4	102		1		15	80-120
1,2-Dichlorobenzene	20	U	20.5	103		20.2	101		2		15	80-120
1,2-Dibromo-3-chloropropane	20	U	22.8	114		24.4	122	*	7		15	80-120
1,2,4-Trichlorobenzene	20	U	20.6	103		20.7	104		0		15	80-120
Hexachlorobutadiene	20	U	21.6	108		20.8	104		4		15	80-120
Naphthalene	20	U	20.9	104		21.8	109		4		15	80-120
1,2,3-Trichlorobenzene	20	U	20.5	103		20.6	103		0		15	80-120
1,3,5-Trichlorobenzene	20	U	19.8	99		19.6	91		1		15	80-120

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 71 outside limits

Spike Recovery:2 out of 142 outside limits

Comments: _____

_____

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4593 Exp: 9.1.03

Voltage 1918

Threshold 160

081803-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		IW-B-081803-1-MT						
1	V8081B8B	BFB 50ng 2ul V4575	5mL	✓		B17270	WT	NA 532
2		1ppb .25ml V4586 V4588		✓		71		
3		2 ppb 150ml		✓		72		
4		5 ppb 1.25ml		✓		73		
5		20 ppb 5ml		✓		74		
6		50 ppb 12.5ml		✓		75		
7		100 ppb 25ml		✓		76		
8		Blank		✓		77		
9		LB081838 5ml V4587 V4591		✓		78		
10		LB081838Z		✓		79		
11		Bromoform		✓		80		
12		B[illegible]1838		✓		81		
13		~~50257-1~~ 50261-3		✓		82		<2
14		50259-1		✓		83		<2
15		50260-13		✓		84		<2
16		50261-1		✓		85		<2
17		-2		✓		86		<2
18		50257-1	500ml	✓		87		<2
19		50262-1	5mL	✓		88		<2
20		-2	250ml		DW 5mL	89		<2
21		-3	5mL	✓		90		<2
22		-4		✓		91		<2

8.19.03

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4597 Exp: 9-1-03

Voltage 1918

Threshold 100

Sun 081903-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-B-081903-1-JL							
1	V8081803B	Blank	5mL			B17292		
2		BFB 50ng 2mL V4575			✓	93	T	838
3		20 PPB Stnd V4586 V4588			✓ TBA ↑ 24%.	94	SC	
4		L808193B V4587 V4590			✓ Ethyl Red ↑ 18%.	95	Q	
5		L808193B2 ↓			✓ TBA 129/122%.	96	Q	
6		Bromofluorobenzene			✓	97		
7		L808193B			✓	98	B	
8		50262-5			✓ TB	99		<2
9		50240-8			✓	B17300		<2
10		50243-6			✓	1		<2
11		↓ -8			✓	2		<2
12		50269-2			✓	3		<2
13		-2 MS			✓ TBA MSD @140%	4	SP	<2
14		↓ -2 MSD			✓	5	SP	<2
15		50262-2			✓	6		<2
16		50254-20			✓	7		<2
17		-21	250mL		✓	8		<2
18		-22	5mL		✓	9		<2
19		↓ -30			NM 1mL	10		<2
20		50269-1			✓	11		<2
21		-3			✓	12		<2
22		-4			✓	13		<2
23		-5			✓	14		<2
24		-6			✓	15		<2
25		↓ -7			✓	16		<2
26		BFB 50ng 2mL V4575	5mL		✓	17	T	857
27		20 PPB Stnd V4586 V4588			✓ TBA ↑ 36%.	18	SC	
28		L808193B3 V4587 V4590			✓ TBA, THF, MIBK	19	Q	
29		L808193B4 ↓			✓ 1208370 ↑	20	Q	
30		~~L808193B2~~ Blank			eo check	21	B	

Sun 8-19-03

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4593 Exp: 9-1-03

Voltage 1918

Threshold 100

Sw 081903-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
31	V8081B-B	B081903B2	5mL	✓		B17722B	Jw	
32		50269-8		✓		23		<2
33		-9		✓		24		<2
34		-10		✓	NR 1mL	25		<2
35		-11		✓	NR 500mL	26		<2
36		-12		✓	NR 500mL	27		<2
37		-13		✓	NR 500mL	28		<2
38		50273-1		✓	NR 500mL	29		<2
39		-2		✓	NR 500mL	30		<2
40		-3		✓	NR 500mL	31		<2
41		-4		✓	NR 500mL	32		<2
42		-5		✓	NR 500mL	33		<2
43		-6		✓		34		<2
44		-7		✓	NR 50mL	35		<2
45		-8		✓	NR 50mL	36		<2
46		-9		✓	NR 50mL	37		<2
47		-10		✓	NR 50mL	38		<2

9-10-03

Jw

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4597 Exp: 9.1.03

Voltage 1918

Threshold 100

See 082003-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-B-082003-1-JL							
1	V8088	~~Sw 8.20.03 Blank~~ BFB 50ng	5mL		2mL V4575	B173351	Jw	910
2		~~Sw 8.20.03 BFB~~ 20PPB 5mL V4586 V4588			THA	405C		
3		L808203B3 V4587 V4590				41	Q	
4		L808203B2			THA 1,2-DBBCP	42	Q	
5		Bromoform				43		
6		B808203B				44	B	
7		50229-5	1mL			45		L2
8		50269-10, DL	1mL			46		L2
9		50254-30	1mL			47		L2
10		50269-11, DL	500mL			48		L2
11		-12, DL				49		L2
12		-13, DL				50		L2
13		50273-1, DL				51		L2
14		-2, DL				52		L2
15		-3, DL				53		L2
16		-4, DL				54		L2
17		-5, DL				55		L2
18		50254-27				56		L2
19		-28				57		L2
20		-29				58		L2
21		-31			RR 100mL	59		L2
22		50274-4			RR 250mL	60		L2
23		-6			*OWT 12hr. RR 500mL	61		L2
24		BFB 50ng 2mL V4575	5mL			62	T	945
25		20PPB 5mL V4586 V4588			THA	63	SC	
26		L808203B3 V4587 V4590			THA, THF	64	Q	
27		L808203B4				65	Q	
28		B808203B2				66	B	
29		50273-7, DL	50mL			67		L2
30		-8, DL				68		L2

(cont.)

Revision: 04/30/02

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17270T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1732

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.3
75	30.0 - 60.0% of mass 95	43.4
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.0
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	72.9
175	5.0 - 9.0% of mass 174	5.4 (7.5)1
176	>95.0 - <101.0% of mass 174	72.8 (99.8)1
177	5.0 - 9.0% of mass 176	4.7 (6.5)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	1 PPB	1 PPB	B17271SI.D	08/18/03	18:02
02	2 PPB	2 PPB	B17272SI.D	08/18/03	18:31
03	5 PPB	5 PPB	B17273SI.D	08/18/03	19:00
04	20 PPB	20 PPB	B17274SI.D	08/18/03	19:29
05	50 PPB	50 PPB	B17275SI.D	08/18/03	19:59
06	100 PPB	100 PPB	B17276SI.D	08/18/03	20:28
07	ZZZZZ	ZZZZZ	B17278Q.D	08/18/03	21:41
08	ZZZZZ	ZZZZZ	B17279Q.D	08/18/03	22:10
09	ZZZZZ	ZZZZZ	B17280.D	08/18/03	22:40
10	ZZZZZ	ZZZZZ	B17281B.D	08/18/03	23:09
11	ZZZZZ	ZZZZZ	B17282.D	08/18/03	23:38
12	ZZZZZ	ZZZZZ	B17283.D	08/18/03	0:07
13	ZZZZZ	ZZZZZ	B17284.D	08/19/03	0:37
14	ZZZZZ	ZZZZZ	B17285.D	08/19/03	1:06
15	ZZZZZ	ZZZZZ	B17286.D	08/19/03	1:35
16	ZZZZZ	ZZZZZ	B17287.D	08/19/03	2:04
17	ZZZZZ	ZZZZZ	B17288.D	08/19/03	2:34
18	ZZZZZ	ZZZZZ	B17289.D	08/19/03	3:03
19	ZZZZZ	ZZZZZ	B17290.D	08/19/03	3:47
20	ZZZZZ	ZZZZZ	B17291.D	08/19/03	4:16
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17293T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0838

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	17.9
75	30.0 - 60.0% of mass 95	42.0
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.1 (0.2)1
174	Greater than 50% of mass 95	72.2
175	5.0 - 9.0% of mass 174	4.8 (6.7)1
176	>95.0 - <101.0% of mass 174	70.2 (97.3)1
177	5.0 - 9.0% of mass 176	4.2 (5.9)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B17294SC.D	08/19/03	9:17
02	L808193B	L808193B	B17295Q.D	08/19/03	9:46
03	L808193B2	L808193B2	B17296Q.D	08/19/03	10:22
04	ZZZZZ	ZZZZZ	B17297.D	08/19/03	10:54
05	B808193B	B808193B	B17298B.D	08/19/03	11:24
06	ZZZZZ	ZZZZZ	B17299.D	08/19/03	11:56
07	ZZZZZ	ZZZZZ	B17300.D	08/19/03	12:20
08	ZZZZZ	ZZZZZ	B17301.D	08/19/03	12:50
09	ZZZZZ	ZZZZZ	B17302.D	08/19/03	13:19
10	50269-2	50269-2	B17303.D	08/19/03	13:48
11	50269-2,MS	50269-2,MS	B17304SP.D	08/19/03	14:17
12	50269-2,MSD	50269-2,MSD	B17305SP.D	08/19/03	14:47
13	50262-2	50262-2	B17306.D	08/19/03	15:16
14	ZZZZZ	ZZZZZ	B17307.D	08/19/03	16:00
15	ZZZZZ	ZZZZZ	B17308.D	08/19/03	16:29
16	ZZZZZ	ZZZZZ	B17309.D	08/19/03	16:58
17	ZZZZZ	ZZZZZ	B17310.D	08/19/03	17:28
18	50269-1	50269-1	B17311.D	08/19/03	17:57
19	50269-3	50269-3	B17312.D	08/19/03	18:26
20	50269-4	50269-4	B17313.D	08/19/03	18:56
21	50269-5	50269-5	B17314.D	08/19/03	19:25
22	50269-6	50269-6	B17315.D	08/19/03	19:54
23	50269-7	50269-7	B17316.D	08/19/03	20:23

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17317T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	16.9
75	30.0 - 60.0% of mass 95	43.7
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.0
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	76.7
175	5.0 - 9.0% of mass 174	5.1 (6.6)1
176	>95.0 - <101.0% of mass 174	73.3 (95.6)1
177	5.0 - 9.0% of mass 176	4.4 (6.0)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20 PPB STD	20 PPB STD	B17318SC.D	08/19/03	21:36
02	L808193B3	L808193B3	B17319Q.D	08/19/03	22:06
03	L808193B4	L808193B4	B17320Q.D	08/19/03	22:35
04	B808193B2	B808193B2	B17322B.D	08/19/03	23:34
05	50269-8	50269-8	B17323.D	08/19/03	0:03
06	50269-9	50269-9	B17324.D	08/20/03	0:32
07	50269-10	50269-10	B17325.D	08/20/03	1:01
08	50269-11	50269-11	B17326.D	08/20/03	1:31
09	50269-12	50269-12	B17327.D	08/20/03	2:00
10	50269-13	50269-13	B17328.D	08/20/03	2:29
11	ZZZZZ	ZZZZZ	B17329.D	08/20/03	2:58
12	ZZZZZ	ZZZZZ	B17330.D	08/20/03	3:42
13	ZZZZZ	ZZZZZ	B17331.D	08/20/03	4:12
14	ZZZZZ	ZZZZZ	B17332.D	08/20/03	4:41
15	ZZZZZ	ZZZZZ	B17333.D	08/20/03	5:10
16	ZZZZZ	ZZZZZ	B17334.D	08/20/03	5:39
17	ZZZZZ	ZZZZZ	B17335.D	08/20/03	6:09
18	ZZZZZ	ZZZZZ	B17336.D	08/20/03	6:38
19	ZZZZZ	ZZZZZ	B17337.D	08/20/03	7:07
20	ZZZZZ	ZZZZZ	B17338.D	08/20/03	7:42
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17339T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0910

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.0
75	30.0 - 60.0% of mass 95	42.7
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.5
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	76.9
175	5.0 - 9.0% of mass 174	5.3 (6.9)1
176	>95.0 - <101.0% of mass 174	74.1 (96.5)1
177	5.0 - 9.0% of mass 176	4.7 (6.4)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B17340SC.D	08/20/03	9:41
02	L808203B	L808203B	B17341Q.D	08/20/03	10:08
03	L808203B2	L808203B2	B17342Q.D	08/20/03	10:38
04	ZZZZZ	ZZZZZ	B17343.D	08/20/03	11:07
05	B808203B	B808203B	B17344B.D	08/20/03	11:36
06	ZZZZZ	ZZZZZ	B17345.D	08/20/03	12:05
07	50269-10.DL	50269-10.DL	B17346.D	08/20/03	12:49
08	ZZZZZ	ZZZZZ	B17347.D	08/20/03	13:16
09	50269-11.DL	50269-11.DL	B17348.D	08/20/03	14:00
10	50269-12.DL	50269-12.DL	B17349.D	08/20/03	14:29
11	50269-13.DL	50269-13.DL	B17350.D	08/20/03	14:55
12	ZZZZZ	ZZZZZ	B17351.D	08/20/03	15:39
13	ZZZZZ	ZZZZZ	B17352.D	08/20/03	16:08
14	ZZZZZ	ZZZZZ	B17353.D	08/20/03	16:38
15	ZZZZZ	ZZZZZ	B17354.D	08/20/03	17:22
16	ZZZZZ	ZZZZZ	B17355.D	08/20/03	17:51
17	ZZZZZ	ZZZZZ	B17356.D	08/20/03	18:20
18	ZZZZZ	ZZZZZ	B17357.D	08/20/03	18:49
19	ZZZZZ	ZZZZZ	B17358.D	08/20/03	19:33
20	ZZZZZ	ZZZZZ	B17359.D	08/20/03	20:03
21	ZZZZZ	ZZZZZ	B17360.D	08/20/03	20:32
22	ZZZZZ	ZZZZZ	B17361.D	08/20/03	21:16
23					

Acq. Method File	V808183B
Level 1 File Name	B17271SI.D
Level 2 File Name	B17272SI.D
Level 3 File Name	B17273SI.D
Level 4 File Name	B17274SI.D
Level 5 File Name	B17275SI.D
Level 6 File Name	B17276SI.D

L=Linear
Q=Quadratic

Name	Response Factor Rel. STDEV
Dichlorodifluoromethane	3.51%
Chloromethane	8.34%
Vinyl Chloride	15.89%
Bromomethane	11.86%
Chloroethane	6.33%
t-Butyl alcohol (TBA)	14.67%
Trichlorofluoromethane	4.07%
Diethyl ether	4.41%
1,1,2-Trichlorotrifluoroethane	3.85%
Acrolein	8.89%
Acetone	8.68%
1,1-Dichloroethene	2.75%
Methyl iodide	7.61%
Di-isopropyl ether (DIPE)	6.21%
Methylene Chloride	99.99% L
Carbon Disulfide	4.29%
Acrylonitrile	7.95%
Methyl-tert-butyl ether (MTBE)	2.43%
trans-1,2-Dichloroethene	5.07%
1,1-Dichloroethane	6.75%
Vinyl acetate	18.22%
Methyl ethyl ketone	9.54%
Ethyl t-butyl ether (ETBE)	3.34%
2,2-Dichloropropane	7.93%
cis-1,2-Dichloroethene	3.20%
t-Amyl methyl ether (TAME)	4.60%
Chloroform	4.06%
Bromochloromethane	1.39%
Tetrahydrofuran	99.99% Q
1,1,1-Trichloroethane	4.15%
1,1-Dichloropropene	2.30%
Carbon Tetrachloride	4.99%
1,2-Dichloroethane	3.01%
Benzene	4.66%
Trichloroethene	5.75%
1,2-Dichloropropane	2.72%
Methylmethacrylate	10.12%
Bromodichloromethane	4.99%
Dibromomethane	5.82%
2-Chloroethylvinyl ether	9.46%
2-Hexanone	6.80%
Methyl isobutyl ketone	7.59%
cis-1,3-Dichloropropene	7.28%
Toluene	3.97%
trans-1,3-Dichloropropene	9.21%
1,1,2-Trichloroethane	2.75%
1,3-Dichloropropane	1.88%
Tetrachloroethene	5.42%
Dibromochloromethane	5.46%
1,2-Dibromoethane	4.30%
Chlorobenzene	5.03%
1,1,1,2-Tetrachloroethane	4.15%
Ethylbenzene	4.14%
m,p-Xylene	3.44%
o-Xylene	3.37%
Styrene	2.84%
Bromoform	7.23%
Isopropylbenzene	3.50%
1,1,2,2-Tetrachloroethane	2.38%
1,2,3-Trichloropropane	8.33%
trans-1,4-Dichloro-2-butene	4.75%
n-Propylbenzene	3.45%
Bromobenzene	3.55%
1,3,5-Trimethylbenzene	2.16%
2-Chlorotoluene	3.90%
4-Chlorotoluene	3.37%
tert-butylbenzene	4.03%
1,2,4-Trimethylbenzene	3.96%
sec-butylbenzene	6.23%
p-isopropyltoluene	5.73%
1,3-Dichlorobenzene	4.89%
1,4-Dichlorobenzene	4.69%
n-butylbenzene	3.65%
1,2-Dichlorobenzene	3.50%
1,2-Dibromo-3-chloropropane	13.75%
1,2,4-Trichlorobenzene	3.86%
Hexachlorobutadiene	11.31%
Naphthalene	4.31%
1,2,3-Trichlorobenzene	3.87%
1,3,5-Trichlorobenzene	3.01%
AVG	8.01%

9.19.03

VMT 8/19/03

Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration

Calibration Files
1 =B17271SI.D 2 =B17272SI.D 5 =B17273SI.D
20 =B17274SI.D 50 =B17275SI.D 100 =B17276SI.D

		Compound	1	2	5	20	50	100	Avg	%RS
1)	I	Pentafluorobenzene	ISTD							
2)	TM	Dichlorodifluoromet	0.741	0.716	0.731	0.686	0.705	0.677	0.709	3.51
3)	TMP	Chloromethane	0.642	0.624	0.593	0.542	0.546	0.524	0.578	8.34
4)	TMC	Vinyl Chloride	0.449	0.409	0.399	0.328	0.325	0.301	0.369	15.89
5)	TM	Bromomethane	0.326	0.251	0.248	0.238	0.266	0.266	0.266	11.86
6)	TM	Chloroethane	0.282	0.249	0.253	0.249	0.251	0.233	0.253	6.33
7)	TM	t-Butyl alcohol (TB	0.022	0.023	0.023	0.025	0.030	0.030	0.025#	14.67
8)	TM	Trichlorofluorometh	0.621	0.557	0.598	0.582	0.574	0.564	0.582	4.07
9)	TM	Diethyl ether	0.198	0.177	0.178	0.190	0.186	0.191	0.187	4.41
10)	TM	1,1,2-Trichlorotrif	0.351	0.334	0.368	0.372	0.350	0.354	0.355	3.85
11)	TM	Acrolein	0.027	0.024	0.026	0.027	0.029	0.031	0.027#	8.89
12)	TM	Acetone	0.139	0.117	0.112	0.111	0.117	0.120	0.119	8.68
13)	TMC	1,1-Dichloroethene	0.357	0.331	0.338	0.340	0.334	0.336	0.339	2.75
14)	TM	Methyl iodide	0.462	0.413	0.466	0.498	0.511	0.500	0.475	7.61
15)	TM	Di-isopropyl ether	1.571	1.426	1.392	1.377	1.354	1.323	1.407	6.21
16)	TM	Methylene Chloride	0.716	0.616	0.455	0.393	0.371	0.361	0.485	30.32
17)	TM	Carbon Disulfide	1.063	0.965	1.026	1.072	1.078	1.080	1.047	4.29
18)	TM	Acrylonitrile	0.118	0.103	0.118	0.121	0.126	0.131	0.120	7.95
19)	TM	Methyl-tert-butyl e	0.988	0.921	0.940	0.954	0.933	0.952	0.948	2.43
20)	TM	trans-1,2-Dichloroe	0.399	0.343	0.372	0.378	0.361	0.365	0.370	5.07
21)	TMP	1,1-Dichloroethane	0.724	0.646	0.645	0.640	0.612	0.600	0.644	6.75
22)	TM	Vinyl acetate	0.035	0.048	0.057	0.058	0.059	0.060	0.053#	18.22
23)	TM	Methyl ethyl ketone	0.043	0.041	0.041	0.046	0.050	0.051	0.045#	9.54
24)	TM	Ethyl t-butyl ether	1.364	1.389	1.379	1.444	1.479	1.457	1.419	3.34
25)	TM	2,2-Dichloropropane	0.665	0.571	0.585	0.622	0.541	0.550	0.589	7.93
26)	TM	cis-1,2-Dichloroeth	0.536	0.489	0.502	0.516	0.519	0.523	0.514	3.20
27)	TM	t-Amyl methyl ether	1.226	1.171	1.202	1.261	1.313	1.307	1.247	4.60
28)	S	Dibromofluoromethan	0.558	0.551	0.578	0.591	0.574	0.582	0.572	2.66
29)	TMC	Chloroform	0.935	0.838	0.848	0.854	0.853	0.859	0.865	4.06
30)	TM	Bromochloromethane	0.255	0.244	0.250	0.248	0.247	0.248	0.249	1.39
31)	TM	Tetrahydrofuran	0.023	0.029	0.037	0.043	0.046	0.047	0.037#	26.64
32)	TM	1,1,1-Trichloroetha	0.697	0.619	0.655	0.675	0.676	0.684	0.668	4.15
33)	T	NO COMPOUND							0.000#	-1.00
34)	TM	1,1-Dichloropropene	0.657	0.619	0.647	0.654	0.660	0.653	0.648	2.30
35)	TM	Carbon Tetrachlorid	0.494	0.450	0.489	0.508	0.510	0.520	0.495	4.99
36)	S	d4-1,2-Dichloroetha	0.607	0.588	0.623	0.646	0.617	0.632	0.619	3.24
37)	TM	1,2-Dichloroethane	0.719	0.662	0.664	0.686	0.679	0.680	0.681	3.01
38)	TM	Benzene	2.106	1.963	1.934	1.912	1.897	1.839	1.942	4.66
39)	I	1,4-Difluorobenzene	ISTD							
40)	TM	Trichloroethene	0.322	0.274	0.286	0.282	0.292	0.289	0.291	5.75
41)	TMC	1,2-Dichloropropane	0.267	0.262	0.249	0.251	0.260	0.256	0.258	2.72
42)	TM	Methylmethacrylate	0.160	0.161	0.164	0.179	0.197	0.199	0.177	10.12

(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration

Calibration Files
1 =B17271SI.D 2 =B17272SI.D 5 =B17273SI.D
20 =B17274SI.D 50 =B17275SI.D 100 =B17276SI.D

		Compound	1	2	5	20	50	100	Avg	%RS
43)	T	NO COMPOUND							0.000#	-1.00
44)	T	NO COMPOUND							0.000#	-1.00
45)	TM	Bromodichloromethan	0.349	0.335	0.332	0.352	0.371	0.373	0.352	4.99
46)	TM	Dibromomethane	0.193	0.185	0.199	0.202	0.214	0.215	0.201	5.82
47)	T	NO COMPOUND							0.000#	-1.00
48)	T	NO COMPOUND							0.000#	-1.00
49)	T	NO COMPOUND							0.000#	-1.00
50)	T	2-Chloroethylvinyl				0.002	0.002	0.002	0.002#	9.46
51)	TM	2-Hexanone	0.088	0.100	0.094	0.099	0.107	0.103	0.098#	6.80
52)	TM	Methyl isobutyl ket	0.091	0.088	0.089	0.095	0.105	0.102	0.095#	7.59
53)	TM	cis-1,3-Dichloropro	0.384	0.393	0.406	0.432	0.455	0.454	0.421	7.28
54)	S	d8-Toluene	1.104	1.125	1.121	1.127	1.149	1.157	1.131	1.71
55)	TMC	Toluene	0.739	0.685	0.665	0.667	0.706	0.695	0.693	3.97
56)	TM	trans-1,3-Dichlorop	0.333	0.342	0.360	0.386	0.415	0.409	0.374	9.21
57)	T	NO COMPOUND							0.000#	-1.00
58)	TM	1,1,2-Trichloroetha	0.236	0.234	0.221	0.225	0.235	0.226	0.229	2.75
59)	TM	1,3-Dichloropropane	0.480	0.468	0.467	0.466	0.488	0.471	0.473	1.88
60)	TM	Tetrachloroethene	0.310	0.278	0.272	0.269	0.276	0.273	0.280	5.42
61)	TM	Dibromochloromethan	0.264	0.248	0.252	0.265	0.284	0.280	0.265	5.46
62)	TM	1,2-Dibromoethane	0.304	0.277	0.287	0.291	0.310	0.305	0.296	4.30
63)	I	*d5-Chlorobenzene	----------	----------	ISTD	----------	----------	----------		
64)	TMP	Chlorobenzene	0.966	0.890	0.861	0.848	0.875	0.849	0.881	5.03
65)	TM	1,1,1,2-Tetrachloro	0.283	0.254	0.256	0.267	0.275	0.267	0.267	4.15
66)	TMC	Ethylbenzene	1.630	1.506	1.465	1.477	1.511	1.464	1.509	4.14
67)	TM	m,p-Xylene	0.584	0.552	0.537	0.536	0.557	0.534	0.550	3.44
68)	TM	o-Xylene	0.546	0.505	0.510	0.522	0.545	0.535	0.527	3.37
69)	TM	Styrene	0.944	0.914	0.922	0.939	0.987	0.963	0.945	2.84
70)	TMP	Bromoform	0.199	0.196	0.199	0.212	0.232	0.225	0.210	7.23
71)	TM	Isopropylbenzene	1.359	1.252	1.268	1.303	1.363	1.321	1.311	3.50
72)	TMP	1,1,2,2-Tetrachloro	0.424	0.417	0.404	0.400	0.423	0.411	0.413	2.38
73)	S	Bromofluorobenzene	0.530	0.526	0.528	0.535	0.546	0.527	0.532	1.43
74)	TM	1,2,3-Trichloroprop	0.368	0.314	0.308	0.298	0.313	0.298	0.317	8.33
75)	TM	trans-1,4-Dichloro-	0.114	0.121	0.120	0.127	0.130	0.126	0.123	4.75
76)	TM	n-Propylbenzene	1.786	1.633	1.651	1.653	1.728	1.680	1.689	3.45
77)	TM	Bromobenzene	0.376	0.362	0.347	0.346	0.355	0.342	0.355	3.55
78)	TM	1,3,5-Trimethylbenz	1.041	1.006	1.003	1.012	1.057	1.039	1.026	2.16
79)	TM	2-Chlorotoluene	1.249	1.155	1.136	1.121	1.159	1.148	1.161	3.90
80)	TM	4-Chlorotoluene	1.127	1.074	1.034	1.046	1.084	1.036	1.067	3.37
81)	TM	tert-butylbenzene	0.828	0.766	0.805	0.831	0.864	0.834	0.821	4.03
82)	TM	1,2,4-Trimethylbenz	1.187	1.092	1.063	1.079	1.123	1.100	1.107	3.96
83)	T	NO COMPOUND							0.000#	-1.00
84)	TM	sec-butylbenzene		1.406	1.223	1.205	1.275	1.255	1.273	6.23
85)	TM	p-isopropyltoluene	1.114	0.992	0.954	0.963	1.008	0.997	1.005	5.73


(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration

Calibration Files
1 =B17271SI.D 2 =B17272SI.D 5 =B17273SI.D
20 =B17274SI.D 50 =B17275SI.D 100 =B17276SI.D

		Compound	1	2	5	20	50	100	Avg	%RS
86)	TM	1,3-Dichlorobenzene	0.681	0.626	0.603	0.598	0.624	0.607	0.623	4.89
87)	I	1,4-Dichlorobenzene-d	ISTD							
88)	TM	1,4-Dichlorobenzene	1.398	1.339	1.272	1.253	1.266	1.241	1.295	4.69
89)	TM	n-butylbenzene	2.003	1.820	1.829	1.887	1.934	1.927	1.900	3.65
90)	TM	1,2-Dichlorobenzene	1.254	1.156	1.144	1.151	1.180	1.157	1.174	3.50
91)	T	NO COMPOUND							0.000#	-1.00
92)	TM	1,2-Dibromo-3-chlor	0.091	0.116	0.118	0.125	0.134	0.137	0.120	13.75
93)	T	NO COMPOUND							0.000#	-1.00
94)	TM	1,2,4-Trichlorobenz	0.731	0.677	0.673	0.693	0.724	0.732	0.705	3.86
95)	TM	Hexachlorobutadiene	0.259	0.205	0.201	0.195	0.203	0.205	0.211	11.31
96)	TM	Naphthalene	1.936	1.846	1.830	1.898	2.013	2.029	1.925	4.31
97)	TM	1,2,3-Trichlorobenz	0.697	0.642	0.632	0.631	0.653	0.668	0.654	3.87
98)	TM	1,3,5-Trichlorobenz	0.761	0.736	0.707	0.731	0.759	0.764	0.743	3.01


(#) = Out of Range



8.19.03

8/19/03


Method Name: C:\HPCHEM\1\METHODS\V808183B.M
Calibration Table Last Updated: Tue Aug 19 07:02:41 2003



8.19.03

VMT 8/19/03

Method Name: C:\HPCHEM\1\METHODS\V808183B.M
Calibration Table Last Updated: Tue Aug 19 07:02:41 2003



8.19.03

VMT 8/19/03

Method Name: C:\HPCHEM\1\METHODS\V808183B.M
Calibration Table Last Updated: Tue Aug 19 07:02:41 2003

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17271SI.D Vial: 2
Acq On : 18 Aug 2003 6:02 pm Operator:
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:26 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:25:02 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8-19-03
VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	194884	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	352942	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	310446	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	157731	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	108750	18.67	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 93.35%			
36) d4-1,2-Dichloroethane	7.84	65	118270	19.61	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.05%			
54) d8-Toluene	10.81	98	389823	19.53	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 97.65%			
73) Bromofluorobenzene	15.09	95	164599	19.94	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.70%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	7221	1.04	ug/L	96
3) Chloromethane	1.83	50	6254	1.11	ug/L	95
4) Vinyl Chloride	1.94	62	4372	1.22	ug/L	95
5) Bromomethane	2.40	94	3180	1.23	ug/L	95
6) Chloroethane	2.49	64	2749	1.12	ug/L	98
7) t-Butyl alcohol (TBA)	3.79	59	1052	4.26	ug/L #	72
8) Trichlorofluoromethane	2.78	101	6047	1.07	ug/L	96
9) Diethyl ether	3.18	74	1933	1.06	ug/L #	73
10) 1,1,2-Trichlorotrifluoroet	3.36	101	3416	0.99	ug/L	89
11) Acrolein	3.33	56	1294	4.87	ug/L	83
12) Acetone	3.42	43	6789	5.84	ug/L #	86
13) 1,1-Dichloroethene	3.58	96	3483	1.05	ug/L	94
14) Methyl iodide	4.03	142	4506	0.97	ug/L #	96
15) Di-isopropyl ether (DIPE)	5.42	45	15309	1.12	ug/L	96
16) Methylene Chloride	4.33	84	6978	0.52	ug/L	98
17) Carbon Disulfide	4.30	76	10357	1.01	ug/L	100
18) Acrylonitrile	4.55	53	1147	0.98	ug/L	98
19) Methyl-tert-butyl ether (M	4.65	73	9627	1.04	ug/L	91
20) trans-1,2-Dichloroethene	4.82	96	3889	1.08	ug/L	94
21) 1,1-Dichloroethane	5.51	63	7056	1.12	ug/L	99
22) Vinyl acetate	5.56	86	344	0.67	ug/L #	1
23) Methyl ethyl ketone	6.25	72	2118	4.78	ug/L	85
24) Ethyl t-butyl ether (ETBE)	6.08	59	13288	0.96	ug/L	97
25) 2,2-Dichloropropane	6.41	77	6479	1.13	ug/L	97
26) cis-1,2-Dichloroethene	6.48	96	5222	1.04	ug/L #	85
27) t-Amyl methyl ether (TAME)	7.85	73	11946	0.98	ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17271SI.D Vial: 2
Acq On : 18 Aug 2003 6:02 pm Operator:
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:26 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:25:02 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29) Chloroform	6.73	83	9109	1.08	ug/L		99
30) Bromochloromethane	6.96	128	2480	1.02	ug/L		95
31) Tetrahydrofuran	7.08	71	221	1.36	ug/L	#	19
32) 1,1,1-Trichloroethane	7.35	97	6792	1.04	ug/L		94
34) 1,1-Dichloropropene	7.59	75	6399	1.01	ug/L		96
35) Carbon Tetrachloride	7.73	119	4810	1.00	ug/L		97
37) 1,2-Dichloroethane	7.99	62	7002	1.05	ug/L		96
38) Benzene	8.00	78	20521	1.08	ug/L		100
40) Trichloroethene	8.96	95	5691	1.11	ug/L		86
41) 1,2-Dichloropropane	9.23	63	4718	1.04	ug/L		87
42) Methylmethacrylate	9.38	69	2821	0.91	ug/L		97
45) Bromodichloromethane	9.59	83	6163	0.99	ug/L		95
46) Dibromomethane	9.65	93	3410	0.96	ug/L		88
51) 2-Hexanone	11.51	58	7762	4.47	ug/L		74
52) Methyl isobutyl ketone	10.17	58	8056	4.80	ug/L	#	66
53) cis-1,3-Dichloropropene	10.44	75	6785	0.91	ug/L		89
55) Toluene	10.94	92	13034	1.07	ug/L		91
56) trans-1,3-Dichloropropene	11.22	75	5885	0.89	ug/L		95
58) 1,1,2-Trichloroethane	11.46	83	4157	1.03	ug/L		83
59) 1,3-Dichloropropane	11.84	76	8474	1.01	ug/L		96
60) Tetrachloroethene	11.94	166	5469	1.11	ug/L		93
61) Dibromochloromethane	12.24	129	4667	1.00	ug/L		97
62) 1,2-Dibromoethane	12.55	107	5372	1.03	ug/L		94
64) Chlorobenzene	13.22	112	14993	1.10	ug/L		88
65) 1,1,1,2-Tetrachloroethane	13.29	131	4399	1.06	ug/L		90
66) Ethylbenzene	13.31	91	25295	1.08	ug/L		99
67) m,p-Xylene	13.44	106	18118	2.12	ug/L		98
68) o-Xylene	14.13	106	8482	1.04	ug/L		95
69) Styrene	14.18	104	14647	1.00	ug/L		98
70) Bromoform	14.69	173	3084	0.94	ug/L		95
71) Isopropylbenzene	14.70	105	21099	1.04	ug/L		94
72) 1,1,2,2-Tetrachloroethane	14.97	83	6584	1.03	ug/L		93
74) 1,2,3-Trichloropropane	15.19	75	5719	1.16	ug/L		97
75) trans-1,4-Dichloro-2-buten	15.31	53	1776	0.93	ug/L		95
76) n-Propylbenzene	15.34	91	27727	1.06	ug/L		95
77) Bromobenzene	15.39	156	5829	1.06	ug/L		95
78) 1,3,5-Trimethylbenzene	15.60	105	16162	1.01	ug/L		89
79) 2-Chlorotoluene	15.62	91	19394	1.08	ug/L		95
80) 4-Chlorotoluene	15.70	91	17501	1.06	ug/L		93
81) tert-butylbenzene	16.17	119	12858	1.01	ug/L		92
82) 1,2,4-Trimethylbenzene	16.23	105	18421	1.07	ug/L		100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17271SI.D Vial: 2
Acq On : 18 Aug 2003 6:02 pm Operator:
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:26 2003 Quant Results File: V808183B.RES


Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:25:02 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
84)	sec-butylbenzene	16.52	105	28053	1.42	ug/L		97
85)	p-isopropyltoluene	16.74	119	17297	1.11	ug/L		98
86)	1,3-Dichlorobenzene	16.88	146	10570	1.09	ug/L		97
88)	1,4-Dichlorobenzene	17.05	146	11025	1.08	ug/L		91
89)	n-butylbenzene	17.40	91	15794	1.05	ug/L		94
90)	1,2-Dichlorobenzene	17.65	146	9888	1.07	ug/L		95
92)	1,2-Dibromo-3-chloropropan	18.92	75	719	0.76	ug/L	#	77
94)	1,2,4-Trichlorobenzene	20.38	180	5766	1.04	ug/L		95
95)	Hexachlorobutadiene	20.62	225	2045	1.23	ug/L		91
96)	Naphthalene	20.79	128	15272	1.01	ug/L		100
97)	1,2,3-Trichlorobenzene	21.24	180	5495	1.07	ug/L		86
98)	1,3,5-Trichlorobenzene	19.32	180	5998	1.02	ug/L		98

(#) = qualifier out of range (m) = manual integration
B17271SI.D V808183B.M Tue Aug 19 07:30:24 2003 Page 3

Data File : C:\HPCHEM\1\DATA\081803-B\B17271SI.D Vial: 2
Acq On : 18 Aug 2003 6:02 pm Operator:
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:26 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17272SI.D Vial: 3
Acq On : 18 Aug 2003 6:31 pm Operator:
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03
VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.96	168	187228	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	339004	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.17	117	311635	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	158277	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.06	111	103076	18.42	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 92.10%			
36) d4-1,2-Dichloroethane	7.84	65	110119	19.01	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 95.05%			
54) d8-Toluene	10.81	98	381463	19.90	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.50%			
73) Bromofluorobenzene	15.09	95	163876	19.77	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.85%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	13407	2.02	ug/L	100
3) Chloromethane	1.83	50	11677	2.16	ug/L	99
4) Vinyl Chloride	1.94	62	7666	2.22	ug/L	93
5) Bromomethane	2.39	94	4704	1.89	ug/L	91
6) Chloroethane	2.48	64	4655	1.97	ug/L	97
7) t-Butyl alcohol (TBA)	3.77	59	2164	9.13	ug/L #	72
8) Trichlorofluoromethane	2.79	101	10423	1.91	ug/L	99
9) Diethyl ether	3.16	74	3318	1.90	ug/L #	85
10) 1,1,2-Trichlorotrifluoroet	3.35	101	6252	1.88	ug/L #	90
11) Acrolein	3.33	56	2215	8.68	ug/L	89
12) Acetone	3.43	43	10937	9.79	ug/L #	86
13) 1,1-Dichloroethene	3.58	96	6196	1.95	ug/L	97
14) Methyl iodide	4.04	142	7730	1.74	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	26699	2.03	ug/L	100
16) Methylene Chloride	4.33	84	11525	1.97	ug/L	98
17) Carbon Disulfide	4.30	76	18074	1.84	ug/L	100
18) Acrylonitrile	4.55	53	1930	1.72	ug/L	88
19) Methyl-tert-butyl ether (M	4.64	73	17249	1.94	ug/L #	87
20) trans-1,2-Dichloroethene	4.82	96	6420	1.86	ug/L	91
21) 1,1-Dichloroethane	5.51	63	12086	2.00	ug/L	96
22) Vinyl acetate	5.57	86	891	1.81	ug/L #	50
23) Methyl ethyl ketone	6.24	72	3819	8.97	ug/L	91
24) Ethyl t-butyl ether (ETBE)	6.08	59	26012	1.96	ug/L	96
25) 2,2-Dichloropropane	6.40	77	10694	1.94	ug/L	90
26) cis-1,2-Dichloroethene	6.48	96	9159	1.90	ug/L #	84
27) t-Amyl methyl ether (TAME)	7.84	73	21922	1.88	ug/L	98

(#) = qualifier out of range (m) = manual integration
B17272SI.D V808183B.M Tue Aug 19 07:30:29 2003 Page 1

Data File : C:\HPCHEM\1\DATA\081803-B\B17272SI.D Vial: 3
Acq On : 18 Aug 2003 6:31 pm Operator:
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.73	83	15697	1.94	ug/L		99
30)	Bromochloromethane	6.96	128	4570	1.96	ug/L	#	86
31)	Tetrahydrofuran	7.08	71	537	2.11	ug/L	#	71
32)	1,1,1-Trichloroethane	7.35	97	11583	1.85	ug/L		96
34)	1,1-Dichloropropene	7.60	75	11595	1.91	ug/L		97
35)	Carbon Tetrachloride	7.74	119	8431	1.82	ug/L		96
37)	1,2-Dichloroethane	7.99	62	12391	1.94	ug/L		97
38)	Benzene	8.00	78	36756	2.02	ug/L		98
40)	Trichloroethene	8.96	95	9276	1.88	ug/L		85
41)	1,2-Dichloropropane	9.23	63	8897	2.04	ug/L		98
42)	Methylmethacrylate	9.38	69	5450	1.82	ug/L		98
45)	Bromodichloromethane	9.59	83	11341	1.90	ug/L		95
46)	Dibromomethane	9.66	93	6275	1.84	ug/L		93
51)	2-Hexanone	11.51	58	16942	10.15	ug/L		84
52)	Methyl isobutyl ketone	10.17	58	14953	9.28	ug/L	#	64
53)	cis-1,3-Dichloropropene	10.44	75	13317	1.87	ug/L		99
55)	Toluene	10.93	92	23230	1.98	ug/L		92
56)	trans-1,3-Dichloropropene	11.22	75	11577	1.83	ug/L		99
58)	1,1,2-Trichloroethane	11.46	83	7939	2.04	ug/L		97
59)	1,3-Dichloropropane	11.84	76	15873	1.98	ug/L		99
60)	Tetrachloroethene	11.94	166	9418	1.99	ug/L		98
61)	Dibromochloromethane	12.24	129	8401	1.87	ug/L		90
62)	1,2-Dibromoethane	12.55	107	9404	1.88	ug/L		94
64)	Chlorobenzene	13.21	112	27731	2.02	ug/L		96
65)	1,1,1,2-Tetrachloroethane	13.29	131	7923	1.90	ug/L		95
66)	Ethylbenzene	13.31	91	46945	2.00	ug/L		97
67)	m,p-Xylene	13.44	106	34416	4.02	ug/L		99
68)	o-Xylene	14.13	106	15729	1.91	ug/L		90
69)	Styrene	14.18	104	28499	1.94	ug/L		95
70)	Bromoform	14.69	173	6097	1.86	ug/L		99
71)	Isopropylbenzene	14.70	105	39017	1.91	ug/L		97
72)	1,1,2,2-Tetrachloroethane	14.97	83	13008	2.02	ug/L		93
74)	1,2,3-Trichloropropane	15.21	75	9770	1.98	ug/L		98
75)	trans-1,4-Dichloro-2-buten	15.31	53	3776	1.97	ug/L		96
76)	n-Propylbenzene	15.34	91	50892	1.93	ug/L		98
77)	Bromobenzene	15.39	156	11288	2.04	ug/L		99
78)	1,3,5-Trimethylbenzene	15.60	105	31356	1.96	ug/L		100
79)	2-Chlorotoluene	15.62	91	36000	1.99	ug/L		94
80)	4-Chlorotoluene	15.70	91	33473	2.01	ug/L		96
81)	tert-butylbenzene	16.17	119	23866	1.86	ug/L		92
82)	1,2,4-Trimethylbenzene	16.23	105	34028	1.97	ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17272SI.D Vial: 3
Acq On : 18 Aug 2003 6:31 pm Operator:
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES


Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
84)	sec-butylbenzene	16.52	105	43822	2.21	ug/L		97
85)	p-isopropyltoluene	16.74	119	30926	1.98	ug/L		97
86)	1,3-Dichlorobenzene	16.88	146	19504	2.01	ug/L		94
88)	1,4-Dichlorobenzene	17.05	146	21190	2.07	ug/L		96
89)	n-butylbenzene	17.40	91	28809	1.92	ug/L		92
90)	1,2-Dichlorobenzene	17.65	146	18289	1.97	ug/L		97
92)	1,2-Dibromo-3-chloropropan	18.92	75	1839	1.93	ug/L	#	77
94)	1,2,4-Trichlorobenzene	20.38	180	10723	1.92	ug/L		98
95)	Hexachlorobutadiene	20.62	225	3242	1.94	ug/L		87
96)	Naphthalene	20.80	128	29214	1.92	ug/L		100
97)	1,2,3-Trichlorobenzene	21.25	180	10168	1.97	ug/L		99
98)	1,3,5-Trichlorobenzene	19.33	180	11655	1.98	ug/L		98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\081803-B\B17272SI.D Vial: 3
Acq On : 18 Aug 2003 6:31 pm Operator:
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17273SI.D Vial: 4
Acq On : 18 Aug 2003 7:00 pm Operator:
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03
VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	193601	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	352182	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	315401	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	158971	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	111909	19.34	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 96.70%			
36) d4-1,2-Dichloroethane	7.85	65	120659	20.14	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.70%			
54) d8-Toluene	10.81	98	394837	19.83	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.15%			
73) Bromofluorobenzene	15.09	95	166407	19.84	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.20%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	35366	5.15	ug/L	94
3) Chloromethane	1.83	50	28696	5.13	ug/L	97
4) Vinyl Chloride	1.94	62	19330	5.42	ug/L	99
5) Bromomethane	2.39	94	12013	4.67	ug/L	95
6) Chloroethane	2.48	64	12256	5.01	ug/L	96
7) t-Butyl alcohol (TBA)	3.76	59	5466	22.29	ug/L #	82
8) Trichlorofluoromethane	2.78	101	28959	5.14	ug/L	93
9) Diethyl ether	3.17	74	8601	4.76	ug/L	91
10) 1,1,2-Trichlorotrifluoroet	3.35	101	17790	5.18	ug/L	89
12) Acetone	3.42	43	27178	23.52	ug/L	92
13) 1,1-Dichloroethene	3.58	96	16361	4.98	ug/L	93
14) Methyl iodide	4.03	142	22567	4.91	ug/L	99
15) Di-isopropyl ether (DIPE)	5.42	45	67385	4.95	ug/L	98
16) Methylene Chloride	4.34	84	21998	4.88	ug/L	91
17) Carbon Disulfide	4.30	76	49656	4.90	ug/L	100
18) Acrylonitrile	4.56	53	5719	4.94	ug/L	95
19) Methyl-tert-butyl ether (M	4.65	73	45513	4.96	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	17988	5.03	ug/L	89
21) 1,1-Dichloroethane	5.50	63	31233	5.01	ug/L	97
23) Methyl ethyl ketone	6.24	72	9996	22.71	ug/L	95
24) Ethyl t-butyl ether (ETBE)	6.08	59	66724	4.86	ug/L	98
25) 2,2-Dichloropropane	6.41	77	28335	4.97	ug/L	97
26) cis-1,2-Dichloroethene	6.48	96	24292	4.88	ug/L #	85
27) t-Amyl methyl ether (TAME)	7.85	73	58167	4.82	ug/L	98
29) Chloroform	6.73	83	41049	4.90	ug/L	95
30) Bromochloromethane	6.97	128	12078	5.02	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17273SI.D Vial: 4
Acq On : 18 Aug 2003 7:00 pm Operator:
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
31)	Tetrahydrofuran	7.08	71	1796	4.89	ug/L		97
32)	1,1,1-Trichloroethane	7.35	97	31688	4.90	ug/L		97
34)	1,1-Dichloropropene	7.60	75	31326	4.99	ug/L		97
35)	Carbon Tetrachloride	7.74	119	23683	4.94	ug/L		94
37)	1,2-Dichloroethane	7.99	62	32124	4.87	ug/L		99
38)	Benzene	8.00	78	93623	4.98	ug/L		98
40)	Trichloroethene	8.96	95	25179	4.92	ug/L		83
41)	1,2-Dichloropropane	9.23	63	21947	4.84	ug/L		100
42)	Methylmethacrylate	9.38	69	14462	4.65	ug/L		93
45)	Bromodichloromethane	9.59	83	29232	4.72	ug/L		99
46)	Dibromomethane	9.65	93	17493	4.93	ug/L		99
51)	2-Hexanone	11.51	58	41283	23.82	ug/L		85
52)	Methyl isobutyl ketone	10.16	58	38994	23.30	ug/L	#	84
53)	cis-1,3-Dichloropropene	10.44	75	35772	4.83	ug/L		97
55)	Toluene	10.93	92	58553	4.80	ug/L		93
56)	trans-1,3-Dichloropropene	11.22	75	31663	4.81	ug/L		98
58)	1,1,2-Trichloroethane	11.46	83	19416	4.81	ug/L		95
59)	1,3-Dichloropropane	11.85	76	41100	4.93	ug/L		98
60)	Tetrachloroethene	11.94	166	23923	4.86	ug/L		94
61)	Dibromochloromethane	12.25	129	22144	4.74	ug/L		94
62)	1,2-Dibromoethane	12.55	107	25226	4.85	ug/L		99
64)	Chlorobenzene	13.22	112	67854	4.88	ug/L		98
65)	1,1,1,2-Tetrachloroethane	13.29	131	20190	4.79	ug/L		95
66)	Ethylbenzene	13.31	91	115528	4.86	ug/L		100
67)	m,p-Xylene	13.44	106	84670	9.76	ug/L		97
68)	o-Xylene	14.12	106	40241	4.84	ug/L		97
69)	Styrene	14.18	104	72675	4.88	ug/L		96
70)	Bromoform	14.69	173	15710	4.73	ug/L		98
71)	Isopropylbenzene	14.70	105	99999	4.84	ug/L		95
72)	1,1,2,2-Tetrachloroethane	14.97	83	31866	4.89	ug/L		97
74)	1,2,3-Trichloropropane	15.20	75	24296	4.87	ug/L		99
75)	trans-1,4-Dichloro-2-buten	15.31	53	9434	4.86	ug/L		95
76)	n-Propylbenzene	15.34	91	130194	4.89	ug/L		98
77)	Bromobenzene	15.39	156	27344	4.89	ug/L		93
78)	1,3,5-Trimethylbenzene	15.60	105	79076	4.89	ug/L		95
79)	2-Chlorotoluene	15.62	91	89535	4.89	ug/L		95
80)	4-Chlorotoluene	15.70	91	81555	4.85	ug/L		93
81)	tert-butylbenzene	16.17	119	63499	4.90	ug/L		89
82)	1,2,4-Trimethylbenzene	16.23	105	83809	4.80	ug/L		98
84)	sec-butylbenzene	16.52	105	96423	4.80	ug/L		96
85)	p-isopropyltoluene	16.74	119	75184	4.74	ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17273SI.D Vial: 4
Acq On : 18 Aug 2003 7:00 pm Operator:
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
86) 1,3-Dichlorobenzene	16.88	146	47533	4.84	ug/L		96
88) 1,4-Dichlorobenzene	17.05	146	50560	4.91	ug/L		96
89) n-butylbenzene	17.40	91	72685	4.81	ug/L		92
90) 1,2-Dichlorobenzene	17.65	146	45477	4.87	ug/L		96
92) 1,2-Dibromo-3-chloropropan	18.92	75	4685	4.90	ug/L	#	75
94) 1,2,4-Trichlorobenzene	20.37	180	26744	4.77	ug/L		97
95) Hexachlorobutadiene	20.62	225	7969	4.75	ug/L		98
96) Naphthalene	20.79	128	72749	4.75	ug/L		100
97) 1,2,3-Trichlorobenzene	21.25	180	25114	4.83	ug/L		100
98) 1,3,5-Trichlorobenzene	19.33	180	28101	4.76	ug/L		100

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081803-B\B17273SI.D Vial: 4
Acq On : 18 Aug 2003 7:00 pm Operator:
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17274SI.D Vial: 5
Acq On : 18 Aug 2003 7:29 pm Operator:
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03 VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	197698	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	361866	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	323047	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	161610	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	116847	19.78	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.90%			
36) d4-1,2-Dichloroethane	7.84	65	127661	20.87	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 104.35%			
54) d8-Toluene	10.81	98	407981	19.94	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.70%			
73) Bromofluorobenzene	15.09	95	172800	20.11	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.55%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	135716	19.36	ug/L	100
3) Chloromethane	1.83	50	107111	18.73	ug/L	99
4) Vinyl Chloride	1.93	62	64938	17.82	ug/L	99
5) Bromomethane	2.39	94	46999	17.88	ug/L	99
6) Chloroethane	2.48	64	49268	19.71	ug/L	100
7) t-Butyl alcohol (TBA)	3.76	59	24557	98.07	ug/L	98
8) Trichlorofluoromethane	2.78	101	115087	19.99	ug/L	96
9) Diethyl ether	3.17	74	37653	20.39	ug/L	95
10) 1,1,2-Trichlorotrifluoroet	3.35	101	73513	20.97	ug/L	90
11) Acrolein	3.33	56	27156	100.73	ug/L	100
12) Acetone	3.42	43	109412	92.74	ug/L	95
13) 1,1-Dichloroethene	3.58	96	67165	20.02	ug/L	97
14) Methyl iodide	4.03	142	98360	20.95	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	272178	19.57	ug/L	98
16) Methylene Chloride	4.34	84	77644	20.51	ug/L	94
17) Carbon Disulfide	4.30	76	211925	20.47	ug/L	100
18) Acrylonitrile	4.56	53	24016	20.32	ug/L	98
19) Methyl-tert-butyl ether (M	4.64	73	188573	20.12	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	74734	20.46	ug/L	92
21) 1,1-Dichloroethane	5.50	63	126583	19.87	ug/L	97
22) Vinyl acetate	5.56	86	11455	21.98	ug/L	95
23) Methyl ethyl ketone	6.23	72	45743	101.78	ug/L	97
24) Ethyl t-butyl ether (ETBE)	6.07	59	285419	20.36	ug/L	97
25) 2,2-Dichloropropane	6.41	77	122896	21.10	ug/L	99
26) cis-1,2-Dichloroethene	6.48	96	102039	20.08	ug/L	92
27) t-Amyl methyl ether (TAME)	7.84	73	249329	20.23	ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17274SI.D Vial: 5
Acq On : 18 Aug 2003 7:29 pm Operator:
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.73	83	168910	19.76	ug/L		100
30)	Bromochloromethane	6.97	128	48947	19.92	ug/L		96
31)	Tetrahydrofuran	7.07	71	8431	19.26	ug/L		83
32)	1,1,1-Trichloroethane	7.35	97	133505	20.23	ug/L		95
34)	1,1-Dichloropropene	7.60	75	129346	20.18	ug/L		98
35)	Carbon Tetrachloride	7.74	119	100427	20.52	ug/L		95
37)	1,2-Dichloroethane	7.99	62	135599	20.13	ug/L		99
38)	Benzene	8.00	78	377913	19.69	ug/L		99
40)	Trichloroethene	8.96	95	102108	19.40	ug/L		87
41)	1,2-Dichloropropane	9.23	63	90692	19.46	ug/L		99
42)	Methylmethacrylate	9.38	69	64790	20.27	ug/L		95
45)	Bromodichloromethane	9.59	83	127258	19.98	ug/L		97
46)	Dibromomethane	9.65	93	73271	20.10	ug/L		98
50)	2-Chloroethylvinyl ether	10.16	63	586	18.07	ug/L	#	1
51)	2-Hexanone	11.50	58	179141	100.58	ug/L		91
52)	Methyl isobutyl ketone	10.16	58	171127	99.52	ug/L	#	84
53)	cis-1,3-Dichloropropene	10.44	75	156293	20.53	ug/L		99
55)	Toluene	10.93	92	241249	19.25	ug/L		97
56)	trans-1,3-Dichloropropene	11.22	75	139856	20.66	ug/L		99
58)	1,1,2-Trichloroethane	11.46	83	81434	19.63	ug/L		95
59)	1,3-Dichloropropane	11.85	76	168451	19.67	ug/L		100
60)	Tetrachloroethene	11.94	166	97448	19.26	ug/L		96
61)	Dibromochloromethane	12.24	129	95771	19.95	ug/L		98
62)	1,2-Dibromoethane	12.55	107	105198	19.67	ug/L		97
64)	Chlorobenzene	13.22	112	274039	19.25	ug/L		100
65)	1,1,1,2-Tetrachloroethane	13.29	131	86194	19.98	ug/L		97
66)	Ethylbenzene	13.31	91	477120	19.58	ug/L		98
67)	m,p-Xylene	13.44	106	346378	38.99	ug/L		97
68)	o-Xylene	14.13	106	168534	19.79	ug/L		95
69)	Styrene	14.18	104	303460	19.88	ug/L		99
70)	Bromoform	14.69	173	68605	20.18	ug/L		97
71)	Isopropylbenzene	14.70	105	421053	19.88	ug/L		96
72)	1,1,2,2-Tetrachloroethane	14.97	83	129332	19.37	ug/L		97
74)	1,2,3-Trichloropropane	15.20	75	96334	18.84	ug/L		97
75)	trans-1,4-Dichloro-2-buten	15.31	53	41181	20.70	ug/L		91
76)	n-Propylbenzene	15.34	91	533959	19.58	ug/L		96
77)	Bromobenzene	15.39	156	111865	19.53	ug/L		96
78)	1,3,5-Trimethylbenzene	15.60	105	327040	19.73	ug/L		95
79)	2-Chlorotoluene	15.62	91	362137	19.31	ug/L		94
80)	4-Chlorotoluene	15.70	91	337818	19.60	ug/L		95
81)	tert-butylbenzene	16.17	119	268300	20.22	ug/L		93

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17274SI.D Vial: 5
Acq On : 18 Aug 2003 7:29 pm Operator:
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
82) 1,2,4-Trimethylbenzene	16.23	105	348607	19.49	ug/L		95
84) sec-butylbenzene	16.52	105	389387	18.94	ug/L		96
85) p-isopropyltoluene	16.74	119	311188	19.17	ug/L		96
86) 1,3-Dichlorobenzene	16.88	146	193206	19.19	ug/L		97
88) 1,4-Dichlorobenzene	17.05	146	202557	19.36	ug/L		95
89) n-butylbenzene	17.40	91	304975	19.86	ug/L		93
90) 1,2-Dichlorobenzene	17.65	146	186081	19.62	ug/L		97
92) 1,2-Dibromo-3-chloropropan	18.92	75	20253	20.84	ug/L	#	80
94) 1,2,4-Trichlorobenzene	20.38	180	111991	19.66	ug/L		97
95) Hexachlorobutadiene	20.62	225	31486	18.46	ug/L		97
96) Naphthalene	20.79	128	306798	19.72	ug/L		100
97) 1,2,3-Trichlorobenzene	21.25	180	101899	19.29	ug/L		99
98) 1,3,5-Trichlorobenzene	19.33	180	118098	19.67	ug/L		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081803-B\B17274SI.D Vial: 5
Acq On : 18 Aug 2003 7:29 pm Operator:
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17275SI.D Vial: 6
Acq On : 18 Aug 2003 7:59 pm Operator:
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03
VM 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	199392	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	356595	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	320837	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	165503	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	114508	19.21	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 96.05%			
36) d4-1,2-Dichloroethane	7.84	65	122969	19.93	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.65%			
54) d8-Toluene	10.81	98	409710	20.32	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.60%			
73) Bromofluorobenzene	15.10	95	175149	20.53	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.65%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	351236	49.67	ug/L	98
3) Chloromethane	1.83	50	272307	47.22	ug/L	99
4) Vinyl Chloride	1.93	62	161820	44.04	ug/L	100
5) Bromomethane	2.38	94	132739	50.06	ug/L	98
6) Chloroethane	2.47	64	124973	49.58	ug/L	99
7) t-Butyl alcohol (TBA)	3.78	59	73887	292.57	ug/L	97
8) Trichlorofluoromethane	2.77	101	285985	49.25	ug/L	98
9) Diethyl ether	3.16	74	92777	49.82	ug/L	97
10) 1,1,2-Trichlorotrifluoroet	3.33	101	174476	49.35	ug/L	89
11) Acrolein	3.32	56	71614	263.37	ug/L	100
12) Acetone	3.42	43	291722	245.17	ug/L	96
13) 1,1-Dichloroethene	3.57	96	166672	49.25	ug/L	94
14) Methyl iodide	4.02	142	254760	53.79	ug/L	96
15) Di-isopropyl ether (DIPE)	5.40	45	675047	48.11	ug/L	98
16) Methylene Chloride	4.33	84	184811	50.42	ug/L	97
17) Carbon Disulfide	4.29	76	537476	51.47	ug/L	100
18) Acrylonitrile	4.56	53	62991	52.83	ug/L	97
19) Methyl-tert-butyl ether (M	4.64	73	465076	49.21	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	180058	48.87	ug/L	89
21) 1,1-Dichloroethane	5.50	63	304827	47.45	ug/L	99
22) Vinyl acetate	5.56	86	29215	55.58	ug/L	93
23) Methyl ethyl ketone	6.23	72	125397	276.63	ug/L	99
24) Ethyl t-butyl ether (ETBE)	6.07	59	737342	52.14	ug/L	97
25) 2,2-Dichloropropane	6.40	77	269838	45.94	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	258742	50.47	ug/L	92
27) t-Amyl methyl ether (TAME)	7.83	73	654489	52.66	ug/L	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17275SI.D Vial: 6
Acq On : 18 Aug 2003 7:59 pm Operator:
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.73	83	425342	49.34	ug/L		98
30)	Bromochloromethane	6.97	128	123210	49.72	ug/L		94
31)	Tetrahydrofuran	7.07	71	23167	50.46	ug/L		87
32)	1,1,1-Trichloroethane	7.35	97	337207	50.65	ug/L		94
34)	1,1-Dichloropropene	7.60	75	329182	50.92	ug/L		98
35)	Carbon Tetrachloride	7.73	119	254056	51.46	ug/L		94
37)	1,2-Dichloroethane	7.99	62	338485	49.82	ug/L		100
38)	Benzene	8.00	78	945597	48.85	ug/L		100
40)	Trichloroethene	8.96	95	259872	50.12	ug/L		86
41)	1,2-Dichloropropane	9.23	63	231779	50.47	ug/L		99
42)	Methylmethacrylate	9.38	69	175467	55.72	ug/L		94
45)	Bromodichloromethane	9.58	83	330983	52.73	ug/L		97
46)	Dibromomethane	9.65	93	190793	53.13	ug/L		99
50)	2-Chloroethylvinyl ether	10.16	63	1604	50.19	ug/L	#	1
51)	2-Hexanone	11.51	58	474884	270.56	ug/L		89
52)	Methyl isobutyl ketone	10.16	58	470128	277.46	ug/L	#	84
53)	cis-1,3-Dichloropropene	10.44	75	405755	54.09	ug/L		98
55)	Toluene	10.94	92	629307	50.95	ug/L		97
56)	trans-1,3-Dichloropropene	11.22	75	369834	55.45	ug/L		96
58)	1,1,2-Trichloroethane	11.46	83	209217	51.17	ug/L		94
59)	1,3-Dichloropropane	11.85	76	435050	51.55	ug/L		99
60)	Tetrachloroethene	11.94	166	246263	49.39	ug/L		97
61)	Dibromochloromethane	12.24	129	253122	53.50	ug/L		99
62)	1,2-Dibromoethane	12.55	107	276256	52.41	ug/L		96
64)	Chlorobenzene	13.22	112	701699	49.62	ug/L		100
65)	1,1,1,2-Tetrachloroethane	13.29	131	220513	51.46	ug/L		95
66)	Ethylbenzene	13.31	91	1212205	50.08	ug/L		99
67)	m,p-Xylene	13.44	106	892764	101.20	ug/L		97
68)	o-Xylene	14.12	106	437461	51.72	ug/L		93
69)	Styrene	14.18	104	791784	52.24	ug/L		100
70)	Bromoform	14.69	173	186119	55.13	ug/L		99
71)	Isopropylbenzene	14.70	105	1093461	51.98	ug/L		96
72)	1,1,2,2-Tetrachloroethane	14.97	83	339300	51.17	ug/L		96
74)	1,2,3-Trichloropropane	15.19	75	251446	49.52	ug/L		100
75)	trans-1,4-Dichloro-2-buten	15.31	53	104513	52.89	ug/L		89
76)	n-Propylbenzene	15.34	91	1386155	51.17	ug/L		97
77)	Bromobenzene	15.39	156	284888	50.08	ug/L		93
78)	1,3,5-Trimethylbenzene	15.60	105	847658	51.48	ug/L		96
79)	2-Chlorotoluene	15.62	91	929287	49.88	ug/L		95
80)	4-Chlorotoluene	15.70	91	869406	50.80	ug/L		95
81)	tert-butylbenzene	16.17	119	693163	52.61	ug/L		91

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\081803-B\B17275SI.D Vial: 6
Acq On : 18 Aug 2003 7:59 pm Operator:
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
82)	1,2,4-Trimethylbenzene	16.23	105	901107	50.73	ug/L	97
84)	sec-butylbenzene	16.51	105	1022434	50.08	ug/L	95
85)	p-isopropyltoluene	16.74	119	808770	50.17	ug/L	97
86)	1,3-Dichlorobenzene	16.88	146	500545	50.07	ug/L	98
88)	1,4-Dichlorobenzene	17.05	146	523889	48.89	ug/L	96
89)	n-butylbenzene	17.40	91	800202	50.89	ug/L	94
90)	1,2-Dichlorobenzene	17.65	146	488321	50.28	ug/L	97
92)	1,2-Dibromo-3-chloropropan	18.92	75	55518	55.77	ug/L	83
94)	1,2,4-Trichlorobenzene	20.38	180	299528	51.34	ug/L	98
95)	Hexachlorobutadiene	20.62	225	83908	48.03	ug/L	98
96)	Naphthalene	20.79	128	832726	52.26	ug/L	100
97)	1,2,3-Trichlorobenzene	21.25	180	270190	49.94	ug/L	98
98)	1,3,5-Trichlorobenzene	19.33	180	313950	51.06	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081803-B\B17275SI.D Vial: 6
Acq On : 18 Aug 2003 7:59 pm Operator:
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17276SI.D Vial: 7
Acq On : 18 Aug 2003 8:28 pm Operator:
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03
MMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	200689	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	357021	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	322036	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	165458	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	116788	19.47	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 97.35%			
36) d4-1,2-Dichloroethane	7.85	65	126917	20.44	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.20%			
54) d8-Toluene	10.81	98	413251	20.47	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.35%			
73) Bromofluorobenzene	15.09	95	169703	19.81	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.05%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	679189	95.43	ug/L	99
3) Chloromethane	1.82	50	525717	90.58	ug/L	100
4) Vinyl Chloride	1.92	62	301976	81.65	ug/L	100
5) Bromomethane	2.36	94	266809	99.98	ug/L	97
6) Chloroethane	2.45	64	233960	92.22	ug/L	98
7) t-Butyl alcohol (TBA)	3.83	59	151547	596.20	ug/L	98
8) Trichlorofluoromethane	2.76	101	565450	96.74	ug/L	99
9) Diethyl ether	3.16	74	191510	102.18	ug/L	97
10) 1,1,2-Trichlorotrifluoroet	3.33	101	355032	99.77	ug/L	90
11) Acrolein	3.32	56	154807	565.65	ug/L	98
12) Acetone	3.43	43	601552	502.29	ug/L	97
13) 1,1-Dichloroethene	3.57	96	337390	99.05	ug/L	94
14) Methyl iodide	4.01	142	501692	105.25	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	1327934	94.04	ug/L	99
16) Methylene Chloride	4.33	84	362658	99.70	ug/L	97
17) Carbon Disulfide	4.29	76	1084153	103.15	ug/L	100
18) Acrylonitrile	4.55	53	131178	109.32	ug/L	99
19) Methyl-tert-butyl ether (M	4.63	73	955100	100.40	ug/L #	84
20) trans-1,2-Dichloroethene	4.81	96	365868	98.65	ug/L	89
21) 1,1-Dichloroethane	5.50	63	601603	93.04	ug/L	99
22) Vinyl acetate	5.56	86	60121	113.64	ug/L	94
23) Methyl ethyl ketone	6.24	72	254117	556.97	ug/L	99
24) Ethyl t-butyl ether (ETBE)	6.06	59	1461605	102.68	ug/L	96
25) 2,2-Dichloropropane	6.40	77	552237	93.42	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	524825	101.72	ug/L	92
27) t-Amyl methyl ether (TAME)	7.84	73	1311658	104.85	ug/L	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17276SI.D Vial: 7
Acq On : 18 Aug 2003 8:28 pm Operator:
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.72	83	861770	99.33	ug/L		97
30)	Bromochloromethane	6.97	128	249235	99.93	ug/L		97
31)	Tetrahydrofuran	7.07	71	47319	99.92	ug/L		87
32)	1,1,1-Trichloroethane	7.34	97	686730	102.49	ug/L		94
34)	1,1-Dichloropropene	7.60	75	655235	100.70	ug/L		98
35)	Carbon Tetrachloride	7.73	119	522147	105.08	ug/L		95
37)	1,2-Dichloroethane	7.98	62	682004	99.74	ug/L		100
38)	Benzene	7.99	78	1845180	94.70	ug/L		99
40)	Trichloroethene	8.96	95	516326	99.45	ug/L		87
41)	1,2-Dichloropropane	9.23	63	456564	99.30	ug/L		99
42)	Methylmethacrylate	9.37	69	355175	112.65	ug/L		94
45)	Bromodichloromethane	9.58	83	666728	106.10	ug/L		97
46)	Dibromomethane	9.65	93	383861	106.76	ug/L		98
50)	2-Chloroethylvinyl ether	10.16	63	3496	109.27	ug/L	#	1
51)	2-Hexanone	11.50	58	922901	525.19	ug/L		90
52)	Methyl isobutyl ketone	10.16	58	910808	536.90	ug/L	#	83
53)	cis-1,3-Dichloropropene	10.44	75	809656	107.81	ug/L		100
55)	Toluene	10.93	92	1241053	100.35	ug/L		98
56)	trans-1,3-Dichloropropene	11.23	75	729489	109.24	ug/L		99
58)	1,1,2-Trichloroethane	11.45	83	403242	98.51	ug/L		95
59)	1,3-Dichloropropane	11.85	76	841458	99.58	ug/L		99
60)	Tetrachloroethene	11.95	166	486939	97.55	ug/L		95
61)	Dibromochloromethane	12.24	129	499204	105.39	ug/L		98
62)	1,2-Dibromoethane	12.55	107	544349	103.14	ug/L		95
64)	Chlorobenzene	13.22	112	1367661	96.36	ug/L		98
65)	1,1,1,2-Tetrachloroethane	13.30	131	430572	100.10	ug/L		97
66)	Ethylbenzene	13.32	91	2357418	97.03	ug/L		99
67)	m,p-Xylene	13.44	106	1720762	194.32	ug/L		98
68)	o-Xylene	14.12	106	861115	101.43	ug/L		95
69)	Styrene	14.18	104	1550478	101.91	ug/L		99
70)	Bromoform	14.70	173	361818	106.78	ug/L		96
71)	Isopropylbenzene	14.70	105	2127340	100.76	ug/L		96
72)	1,1,2,2-Tetrachloroethane	14.97	83	662106	99.47	ug/L		96
74)	1,2,3-Trichloropropane	15.20	75	479126	94.00	ug/L		98
75)	trans-1,4-Dichloro-2-buten	15.32	53	203119	102.40	ug/L		87
76)	n-Propylbenzene	15.35	91	2705056	99.49	ug/L		98
77)	Bromobenzene	15.40	156	550181	96.36	ug/L		97
78)	1,3,5-Trimethylbenzene	15.60	105	1672441	101.20	ug/L		96
79)	2-Chlorotoluene	15.61	91	1848491	98.86	ug/L		92
80)	4-Chlorotoluene	15.70	91	1668122	97.10	ug/L		96
81)	tert-butylbenzene	16.18	119	1343091	101.55	ug/L		93

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17276SI.D Vial: 7
Acq On : 18 Aug 2003 8:28 pm Operator:
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES


Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
82) 1,2,4-Trimethylbenzene	16.23	105	1770566	99.31	ug/L	96
84) sec-butylbenzene	16.51	105	2020424	98.59	ug/L	94
85) p-isopropyltoluene	16.74	119	1605587	99.24	ug/L	97
86) 1,3-Dichlorobenzene	16.87	146	977654	97.43	ug/L	96
88) 1,4-Dichlorobenzene	17.05	146	1026936	95.86	ug/L	97
89) n-butylbenzene	17.41	91	1594553	101.44	ug/L	95
90) 1,2-Dichlorobenzene	17.65	146	957443	98.60	ug/L	97
92) 1,2-Dibromo-3-chloropropan	18.93	75	113357	113.91	ug/L	87
94) 1,2,4-Trichlorobenzene	20.37	180	605486	103.81	ug/L	98
95) Hexachlorobutadiene	20.62	225	169204	96.87	ug/L	96
96) Naphthalene	20.80	128	1678263	105.36	ug/L	100
97) 1,2,3-Trichlorobenzene	21.24	180	552520	102.16	ug/L	99
98) 1,3,5-Trichlorobenzene	19.33	180	632334	102.88	ug/L	100

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\081803-B\B17276SI.D Vial: 7
Acq On : 18 Aug 2003 8:28 pm Operator:
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

9.14.03
VMT 8/19/03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	103	0.00
2	TM	Dichlorodifluoromethane	0.709	0.729	-2.8	109	0.00
3	TMP	Chloromethane	0.578	0.564	2.4	107	0.00
4	TMC	Vinyl Chloride	0.369	0.347	6.0	108	0.00
5	TM	Bromomethane	0.266	0.233	12.4	101	0.00
6	TM	Chloroethane	0.253	0.263	-4.0	108	0.00
7	TM	t-Butyl alcohol (TBA)	0.025	0.031#	-24.0#	130	0.00
8	TM	Trichlorofluoromethane	0.582	0.580	0.3	102	0.00
9	TM	Diethyl ether	0.187	0.204	-9.1	110	0.00
10	TM	1,1,2-Trichlorotrifluoroeth	0.355	0.386	-8.7	106	0.00
11	TM	Acrolein	0.027	0.032#	-18.5	118	0.00
12	TM	Acetone	0.119	0.127	-6.7	117	0.00
13	TMC	1,1-Dichloroethene	0.339	0.349	2.9	106	0.00
14	TM	Methyl iodide	0.475	0.529	-11.4	109	0.00
15	TM	Di-isopropyl ether (DIPE)	1.407	1.478	-5.0	110	0.00
16	TM	Methylene Chloride	0.485	0.407 linear	16.1	106	0.00
17	TM	Carbon Disulfide	1.047	1.128	-7.7	108	0.00
18	TM	Acrylonitrile	0.120	0.133	-10.8	112	0.00
19	TM	Methyl-tert-butyl ether (MT	0.948	1.027	-8.3	111	0.00
20	TM	trans-1,2-Dichloroethene	0.370	0.394	-6.5	107	0.00
21	TMP	1,1-Dichloroethane	0.644	0.667	-3.6	107	0.00
22	TM	Vinyl acetate	0.053	0.064# NT	-20.8#	113	0.00
23	TM	Methyl ethyl ketone	0.045	0.054# ok	-20.0#	120	0.00
24	TM	Ethyl t-butyl ether (ETBE)	1.419	1.534	-8.1	109	0.00
25	TM	2,2-Dichloropropane	0.589	0.654	-11.0	108	0.00
26	TM	cis-1,2-Dichloroethene	0.514	0.542	-5.4	108	0.00
27	TM	t-Amyl methyl ether (TAME)	1.247	1.377	-10.4	112	0.00
28	S	Dibromofluoromethane	0.572	0.582	-1.7	101	0.00
29	TMC	Chloroform	0.865	0.889	2.8	107	0.00
30	TM	Bromochloromethane	0.249	0.257	-3.2	106	0.00
31	TM	Tetrahydrofuran	0.037	0.050# linear	-35.1#	121	0.00
32	TM	1,1,1-Trichloroethane	0.668	0.700	-4.8	106	0.00
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.648	0.696	-7.4	109	0.00
35	TM	Carbon Tetrachloride	0.495	0.530	-7.1	107	0.00
36	S	d4-1,2-Dichloroethane	0.619	0.620	-0.2	99	0.00
37	TM	1,2-Dichloroethane	0.681	0.704	-3.4	105	0.00
38	TM	Benzene	1.942	2.006	-3.3	108	0.00
3	I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
4	TM	Trichloroethene	0.291	0.302	-3.8	108	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.258	0.274	-6.2	110	0.00
42	TM	Methylmethacrylate	0.177	0.212	-19.8	119	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.352	0.371	-5.4	106	0.00
46	TM	Dibromomethane	0.201	0.219	-9.0	109	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	121	0.00
51	TM	2-Hexanone	0.098	0.115	-17.3	116	0.00
52	TM	Methyl isobutyl ketone	0.095	0.112	-17.9	119	0.00
53	TM	cis-1,3-Dichloropropene	0.421	0.477	-13.3	111	0.00
54	S	d8-Toluene	1.131	1.148	-1.5	102	0.00
55	TMC	Toluene	0.693	0.724	-4.5	109	0.00
56	TM	trans-1,3-Dichloropropene	0.374	0.429	-14.7	112	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.229	0.247	-7.9	110	0.00
59	TM	1,3-Dichloropropane	0.473	0.504	-6.6	109	0.00
60	TM	Tetrachloroethene	0.280	0.289	-3.2	108	0.00
61	TM	Dibromochloromethane	0.265	0.280	-5.7	106	0.00
62	TM	1,2-Dibromoethane	0.296	0.318	-7.4	110	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	99	0.00
64	TMP	Chlorobenzene	0.881	0.913	-3.6	106	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.267	0.287	-7.5	106	0.00
66	TMC	Ethylbenzene	1.509	1.590	-5.4	106	0.00
67	TM	m,p-Xylene	0.550	0.580	-5.5	107	0.00
68	TM	o-Xylene	0.527	0.564	-7.0	107	0.00
69	TM	Styrene	0.945	1.024	-8.4	108	0.00
70	TMP	Bromoform	0.210	0.235	-11.9	109	0.00
71	TM	Isopropylbenzene	1.311	1.409	-7.5	107	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.413	0.454	-9.9	112	0.00
73	S	Bromofluorobenzene	0.532	0.543	-2.1	100	0.00
74	TM	1,2,3-Trichloropropane	0.317	0.339	-6.9	112	0.00
75	TM	trans-1,4-Dichloro-2-butene	0.123	0.141	-14.6	109	0.00
76	TM	n-Propylbenzene	1.689	1.801	-6.6	108	0.00
77	TM	Bromobenzene	0.355	0.364	-2.5	104	0.00
78	TM	1,3,5-Trimethylbenzene	1.026	1.089	-6.1	106	0.00
79	TM	2-Chlorotoluene	1.161	1.226	-5.6	108	0.00
80	TM	4-Chlorotoluene	1.067	1.107	-3.7	105	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.821	0.856	-4.3	102	0.00
82	TM	1,2,4-Trimethylbenzene	1.107	1.156	-4.4	106	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.273	1.289	-1.3	106	0.00
85	TM	p-isopropyltoluene	1.005	1.027	-2.2	105	0.00
86	TM	1,3-Dichlorobenzene	0.623	0.638	-2.4	105	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
88	TM	1,4-Dichlorobenzene	1.295	1.335	-3.1	105	0.00
89	TM	n-butylbenzene	1.900	2.045	-7.6	107	0.00
90	TM	1,2-Dichlorobenzene	1.174	1.249	-6.4	107	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.120	0.142	-18.3	112	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.705	0.752	-6.7	107	0.00
95	TM	Hexachlorobutadiene	0.211	0.219	-3.8	111	0.00
96	TM	Naphthalene	1.925	2.091	-8.6	109	0.00
97	TM	1,2,3-Trichlorobenzene	0.654	0.678	-3.7	106	0.00
98	TM	1,3,5-Trichlorobenzene	0.743	0.790	-6.3	106	0.00

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 9:36 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8-14-07
VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	202958	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	363522	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	319153	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	159181	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	118059	20.33	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.65%			
36) d4-1,2-Dichloroethane	7.84	65	125895	20.05	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.25%			
54) d8-Toluene	10.81	98	417423	20.31	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.55%			
73) Bromofluorobenzene	15.09	95	173332	20.42	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.10%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	147916	20.55	ug/L	98
3) Chloromethane	1.83	50	114442	19.50	ug/L	98
4) Vinyl Chloride	1.93	62	70380	18.82	ug/L	99
5) Bromomethane	2.39	94	47294	17.52	ug/L	98
6) Chloroethane	2.48	64	53445	20.83	ug/L	97
7) t-Butyl alcohol (TBA)	3.76	59	31856	123.92	ug/L	98
8) Trichlorofluoromethane	2.78	101	117798	19.93	ug/L	97
9) Diethyl ether	3.16	74	41406	21.84	ug/L	96
10) 1,1,2-Trichlorotrifluoroet	3.36	101	78285	21.75	ug/L	90
11) Acrolein	3.32	56	31979	115.54	ug/L	100
12) Acetone	3.42	43	128476	106.08	ug/L	97
13) 1,1-Dichloroethene	3.58	96	70929	20.59	ug/L	90
14) Methyl iodide	4.03	142	107373	22.27	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	299875	21.00	ug/L	99
16) Methylene Chloride 107%	4.33	84	82561	21.30	ug/L	97
17) Carbon Disulfide	4.30	76	229035	21.55	ug/L	100
18) Acrylonitrile	4.56	53	27007	22.25	ug/L	99
19) Methyl-tert-butyl ether (M	4.63	73	208433	21.67	ug/L #	85
20) trans-1,2-Dichloroethene	4.82	96	80008	21.33	ug/L	92
21) 1,1-Dichloroethane	5.51	63	135276	20.69	ug/L	99
22) Vinyl acetate	5.56	86	12986	24.27	ug/L	97
23) Methyl ethyl ketone	6.23	72	54896	118.98	ug/L	98
24) Ethyl t-butyl ether (ETBE)	6.07	59	311425	21.63	ug/L	97
25) 2,2-Dichloropropane	6.41	77	132793	22.21	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	109909	21.06	ug/L	94
27) t-Amyl methyl ether (TAME)	7.84	73	279561	22.10	ug/L	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 9:36 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29) Chloroform	6.73	83	180487	20.57	ug/L		94
30) Bromochloromethane	6.97	128	52107	20.66	ug/L		95
31) Tetrahydrofuran 117%	7.07	71	10225	22.57	ug/L		88
32) 1,1,1-Trichloroethane	7.35	97	141980	20.95	ug/L		96
34) 1,1-Dichloropropene	7.61	75	141197	21.46	ug/L		97
35) Carbon Tetrachloride	7.73	119	107483	21.39	ug/L		95
37) 1,2-Dichloroethane	7.99	62	142820	20.65	ug/L		100
38) Benzene	8.00	78	407167	20.66	ug/L		98
40) Trichloroethene	8.97	95	109874	20.78	ug/L		88
41) 1,2-Dichloropropane	9.23	63	99566	21.27	ug/L		99
42) Methylmethacrylate	9.38	69	77206	24.05	ug/L		95
45) Bromodichloromethane	9.59	83	135042	21.10	ug/L		96
46) Dibromomethane	9.66	93	79522	21.72	ug/L		99
50) 2-Chloroethylvinyl ether	10.16	63	711	21.82	ug/L	#	1
51) 2-Hexanone	11.50	58	208486	116.52	ug/L		90
52) Methyl isobutyl ketone	10.16	58	203709	117.93	ug/L	#	85
53) cis-1,3-Dichloropropene	10.44	75	173338	22.67	ug/L		100
55) Toluene	10.93	92	263024	20.89	ug/L		99
56) trans-1,3-Dichloropropene	11.22	75	155967	22.94	ug/L		98
58) 1,1,2-Trichloroethane	11.46	83	89734	21.53	ug/L		94
59) 1,3-Dichloropropane	11.84	76	183162	21.29	ug/L		99
60) Tetrachloroethene	11.94	166	105055	20.67	ug/L		96
61) Dibromochloromethane	12.24	129	101947	21.14	ug/L		99
62) 1,2-Dibromoethane	12.55	107	115451	21.48	ug/L		99
64) Chlorobenzene	13.22	112	291365	20.71	ug/L		99
65) 1,1,1,2-Tetrachloroethane	13.29	131	91569	21.48	ug/L		97
66) Ethylbenzene	13.31	91	507319	21.07	ug/L		98
67) m,p-Xylene	13.44	106	369980	42.16	ug/L		98
68) o-Xylene	14.12	106	179871	21.38	ug/L		96
69) Styrene	14.18	104	326768	21.67	ug/L		100
70) Bromoform	14.69	173	75089	22.36	ug/L		99
71) Isopropylbenzene	14.70	105	449565	21.49	ug/L		96
72) 1,1,2,2-Tetrachloroethane	14.97	83	145021	21.98	ug/L		97
74) 1,2,3-Trichloropropane	15.20	75	108289	21.44	ug/L		100
75) trans-1,4-Dichloro-2-buten	15.31	53	44879	22.83	ug/L		91
76) n-Propylbenzene	15.34	91	574862	21.33	ug/L		96
77) Bromobenzene	15.39	156	116299	20.55	ug/L		92
78) 1,3,5-Trimethylbenzene	15.60	105	347609	21.22	ug/L		95
79) 2-Chlorotoluene	15.62	91	391167	21.11	ug/L		95
80) 4-Chlorotoluene	15.70	91	353380	20.76	ug/L		94
81) tert-butylbenzene	16.17	119	273209	20.84	ug/L		89

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 9:36 2003 Quant Results File: V808183B.RES


Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
82)	1,2,4-Trimethylbenzene	16.23	105	368927	20.88	ug/L		96
84)	sec-butylbenzene	16.52	105	411341	20.25	ug/L		96
85)	p-isopropyltoluene	16.74	119	327749	20.44	ug/L		96
86)	1,3-Dichlorobenzene	16.88	146	203770	20.49	ug/L		98
88)	1,4-Dichlorobenzene	17.05	146	212583	20.63	ug/L		97
89)	n-butylbenzene	17.40	91	325477	21.52	ug/L		94
90)	1,2-Dichlorobenzene	17.65	146	198790	21.28	ug/L		98
92)	1,2-Dibromo-3-chloropropan	18.92	75	22604	23.61	ug/L	#	84
94)	1,2,4-Trichlorobenzene	20.37	180	119757	21.34	ug/L		99
95)	Hexachlorobutadiene	20.62	225	34820	20.72	ug/L		98
96)	Naphthalene	20.79	128	332901	21.72	ug/L		100
97)	1,2,3-Trichlorobenzene	21.24	180	107930	20.74	ug/L		99
98)	1,3,5-Trichlorobenzene	19.33	180	125740	21.26	ug/L		98

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 9:36 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

8.20.07

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2	TM	Dichlorodifluoromethane	0.709	0.679	4.2	94	0.00
3	TMP	Chloromethane	0.578	0.523	9.5	92	0.00
4	TMC	Vinyl Chloride	0.369	0.344	6.8	100	0.00
5	TM	Bromomethane	0.266	0.236	11.3	95	0.00
6	TM	Chloroethane	0.253	0.253	0.0	97	0.00
7	TM	t-Butyl alcohol (TBA)	0.025	0.034#	-36.0#	130	0.00
8	TM	Trichlorofluoromethane	0.582	0.577	0.9	95	0.00
9	TM	Diethyl ether	0.187	0.204	-9.1	102	0.00
10	TM	1,1,2-Trichlorotrifluoroeth	0.355	0.381	-7.3	98	0.00
11	TM	Acrolein	0.027	0.031#	-14.8	107	0.00
12	TM	Acetone	0.119	0.133	-11.8	115	0.00
13	TMC	1,1-Dichloroethene	0.339	0.350	3.2	98	0.00
14	TM	Methyl iodide	0.475	0.524	-10.3	100	0.00
15	TM	Di-isopropyl ether (DIPE)	1.407	1.437	-2.1	100	0.00
16	TM	Methylene Chloride	0.485	0.406 linear	~~16.3~~	99	0.00
17	TM	Carbon Disulfide	1.047	1.128	-7.7	100	0.00
18	TM	Acrylonitrile	0.120	0.142	-18.3	111	0.00
19	TM	Methyl-tert-butyl ether (MT	0.948	1.031	-8.8	103	0.00
20	TM	trans-1,2-Dichloroethene	0.370	0.391	-5.7	99	0.00
21	TMP	1,1-Dichloroethane	0.644	0.666	-3.4	99	0.00
22	TM	Vinyl acetate	0.053	0.057#	-7.5	94	0.00
23	TM	Methyl ethyl ketone	0.045	0.049#	-8.9	101	0.00
24	TM	Ethyl t-butyl ether (ETBE)	1.419	1.234	13.0	82	0.00
25	TM	2,2-Dichloropropane	0.589	0.540	8.3	83	0.00
26	TM	cis-1,2-Dichloroethene	0.514	0.525	-2.1	97	0.00
27	TM	t-Amyl methyl ether (TAME)	1.247	1.322	-6.0	100	0.00
28	S	Dibromofluoromethane	0.572	0.592	-3.5	95	0.00
29	TMC	Chloroform	0.865	0.873	0.9	97	0.00
30	TM	Bromochloromethane	0.249	0.252	-1.2	97	0.00
31	TM	Tetrahydrofuran	0.037	0.050# linear	~~35.1#~~	112	0.00
32	TM	1,1,1-Trichloroethane	0.668	0.676	-1.2	95	0.00
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.648	0.666	-2.8	97	0.00
35	TM	Carbon Tetrachloride	0.495	0.510	-3.0	96	0.00
36	S	d4-1,2-Dichloroethane	0.619	0.642	-3.7	95	0.00
37	TM	1,2-Dichloroethane	0.681	0.695	-2.1	97	0.00
38	TM	Benzene	1.942	1.945	-0.2	97	0.00
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
40	TM	Trichloroethene	0.291	0.292	-0.3	97	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.258	0.263	-1.9	99	0.00
42	TM	Methylmethacrylate	0.177	0.206	-16.4	108	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.352	0.359	-2.0	96	0.00
46	TM	Dibromomethane	0.201	0.216	-7.5	100	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	135	0.00
51	TM	2-Hexanone	0.098	0.116	-18.4	110	0.00
52	TM	Methyl isobutyl ketone	0.095	0.114	-20.0#	113	0.00
53	TM	cis-1,3-Dichloropropene	0.421	0.443	-5.2	96	0.00
54	S	d8-Toluene	1.131	1.153	-1.9	96	0.00
55	TMC	Toluene	0.693	0.702	-1.3	99	0.00
56	TM	trans-1,3-Dichloropropene	0.374	0.398	-6.4	97	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.229	0.241	-5.2	100	0.00
59	TM	1,3-Dichloropropane	0.473	0.491	-3.8	99	0.00
60	TM	Tetrachloroethene	0.280	0.280	0.0	98	0.00
61	TM	Dibromochloromethane	0.265	0.267	-0.8	95	0.00
62	TM	1,2-Dibromoethane	0.296	0.303	-2.4	98	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	93	0.00
64	TMP	Chlorobenzene	0.881	0.864	1.9	95	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.267	0.270	-1.1	94	0.00
66	TMC	Ethylbenzene	1.509	1.512	-0.2	96	0.00
67	TM	m,p-Xylene	0.550	0.549	0.2	96	0.00
68	TM	o-Xylene	0.527	0.530	-0.6	95	0.00
69	TM	Styrene	0.945	0.966	-2.2	96	0.00
70	TMP	Bromoform	0.210	0.222	-5.7	98	0.00
71	TM	Isopropylbenzene	1.311	1.334	-1.8	96	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.413	0.443	-7.3	103	0.00
73	S	Bromofluorobenzene	0.532	0.529	0.6	92	0.00
74	TM	1,2,3-Trichloropropane	0.317	0.326	-2.8	102	0.00
75	TM	trans-1,4-Dichloro-2-butene	0.123	0.132	-7.3	97	0.00
76	TM	n-Propylbenzene	1.689	1.704	-0.9	96	0.00
77	TM	Bromobenzene	0.355	0.347	2.3	94	0.00
78	TM	1,3,5-Trimethylbenzene	1.026	1.027	-0.1	95	0.00
79	TM	2-Chlorotoluene	1.161	1.158	0.3	96	0.00
80	TM	4-Chlorotoluene	1.067	1.059	0.7	95	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.821	0.835	-1.7	94	0.00
82	TM	1,2,4-Trimethylbenzene	1.107	1.083	2.2	94	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.273	1.220	4.2	95	0.00
85	TM	p-isopropyltoluene	1.005	0.959	4.6	93	0.00
86	TM	1,3-Dichlorobenzene	0.623	0.603	3.2	94	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
88	TM	1,4-Dichlorobenzene	1.295	1.255	3.1	93	0.00
89	TM	n-butylbenzene	1.900	1.919	-1.0	94	0.00
90	TM	1,2-Dichlorobenzene	1.174	1.161	1.1	93	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.120	0.141	-17.5	104	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.705	0.691	2.0	92	0.00
95	TM	Hexachlorobutadiene	0.211	0.193	8.5	92	0.00
96	TM	Naphthalene	1.925	1.997	-3.7	97	0.00
97	TM	1,2,3-Trichlorobenzene	0.654	0.640	2.1	94	0.00
98	TM	1,3,5-Trichlorobenzene	0.743	0.729	1.9	92	0.00

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 7:12 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.20.03
V808183

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	188501	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	339495	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	301716	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	149594	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	111546	20.68	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.40%			
36) d4-1,2-Dichloroethane	7.84	65	121033	20.75	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.75%			
54) d8-Toluene	10.81	98	391459	20.39	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.95%			
73) Bromofluorobenzene	15.09	95	159615	19.89	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.45%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	128083	19.16	ug/L	99
3) Chloromethane	1.83	50	98569	18.08	ug/L	99
4) Vinyl Chloride	1.93	62	64826	18.66	ug/L	100
5) Bromomethane	2.39	94	44571	17.78	ug/L	97
6) Chloroethane	2.48	64	47722	20.03	ug/L	99
7) t-Butyl alcohol (TBA)	3.76	59	31979	133.94	ug/L	97
8) Trichlorofluoromethane	2.78	101	108764	19.81	ug/L	98
9) Diethyl ether	3.16	74	38386	21.80	ug/L	94
10) 1,1,2-Trichlorotrifluoroet	3.36	101	71862	21.50	ug/L	89
11) Acrolein	3.32	56	29115	113.26	ug/L	98
12) Acetone	3.42	43	125460	111.53	ug/L	97
13) 1,1-Dichloroethene	3.58	96	66064	20.65	ug/L	95
14) Methyl iodide	4.03	142	98764	22.06	ug/L	96
15) Di-isopropyl ether (DIPE)	5.42	45	270927	20.43	ug/L	98
16) Methylene Chloride 106%	4.33	84	76492	21.24	ug/L	97
17) Carbon Disulfide	4.30	76	212651	21.54	ug/L	100
18) Acrylonitrile	4.56	53	26674	23.67	ug/L	99
19) Methyl-tert-butyl ether (M	4.64	73	194321	21.75	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	73695	21.16	ug/L	93
21) 1,1-Dichloroethane	5.50	63	125516	20.67	ug/L	98
22) Vinyl acetate	5.56	86	10823	21.78	ug/L	94
23) Methyl ethyl ketone	6.23	72	46300	108.04	ug/L	97
24) Ethyl t-butyl ether (ETBE)	6.07	59	232658	17.40	ug/L	97
25) 2,2-Dichloropropane	6.41	77	101793	18.33	ug/L	99
26) cis-1,2-Dichloroethene	6.48	96	98886	20.40	ug/L	92
27) t-Amyl methyl ether (TAME)	7.84	73	249167	21.21	ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 7:12 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.73	83	164511	20.19	ug/L		96
30)	Bromochloromethane	6.97	128	47469	20.26	ug/L		96
31)	Tetrahydrofuran 1179.	7.06	71	9484	22.54	ug/L		86
32)	1,1,1-Trichloroethane	7.35	97	127465	20.25	ug/L		97
34)	1,1-Dichloropropene	7.60	75	125570	20.55	ug/L		97
35)	Carbon Tetrachloride	7.73	119	96124	20.59	ug/L		98
37)	1,2-Dichloroethane	7.99	62	131080	20.41	ug/L		98
38)	Benzene	8.00	78	366569	20.03	ug/L		100
40)	Trichloroethene	8.96	95	99219	20.10	ug/L		85
41)	1,2-Dichloropropane	9.23	63	89394	20.45	ug/L		99
42)	Methylmethacrylate	9.38	69	70058	23.37	ug/L		96
45)	Bromodichloromethane	9.59	83	122024	20.42	ug/L		99
46)	Dibromomethane	9.65	93	73312	21.44	ug/L		99
50)	2-Chloroethylvinyl ether	10.16	63	794	26.10	ug/L	#	1
51)	2-Hexanone	11.50	58	196420	117.55	ug/L		89
52)	Methyl isobutyl ketone	10.16	58	192729	119.47	ug/L	#	86
53)	cis-1,3-Dichloropropene	10.44	75	150534	21.08	ug/L		98
55)	Toluene	10.93	92	238415	20.27	ug/L		97
56)	trans-1,3-Dichloropropene	11.22	75	135135	21.28	ug/L		97
58)	1,1,2-Trichloroethane	11.46	83	81716	20.99	ug/L		95
59)	1,3-Dichloropropane	11.85	76	166783	20.76	ug/L		99
60)	Tetrachloroethene	11.94	166	95071	20.03	ug/L		97
61)	Dibromochloromethane	12.24	129	90610	20.12	ug/L		98
62)	1,2-Dibromoethane	12.55	107	102912	20.51	ug/L		97
64)	Chlorobenzene	13.22	112	260600	19.60	ug/L		98
65)	1,1,1,2-Tetrachloroethane	13.29	131	81396	20.20	ug/L		96
66)	Ethylbenzene	13.31	91	456152	20.04	ug/L		98
67)	m,p-Xylene	13.44	106	331406	39.95	ug/L		96
68)	o-Xylene	14.12	106	159997	20.12	ug/L		92
69)	Styrene	14.18	104	291424	20.44	ug/L		100
70)	Bromoform	14.69	173	66912	21.08	ug/L		98
71)	Isopropylbenzene	14.70	105	402555	20.35	ug/L		95
72)	1,1,2,2-Tetrachloroethane	14.97	83	133592	21.42	ug/L		96
74)	1,2,3-Trichloropropane	15.19	75	98327	20.59	ug/L		98
75)	trans-1,4-Dichloro-2-buten	15.31	53	39925	21.48	ug/L		91
76)	n-Propylbenzene	15.34	91	514194	20.19	ug/L		96
77)	Bromobenzene	15.39	156	104802	19.59	ug/L		91
78)	1,3,5-Trimethylbenzene	15.60	105	309886	20.01	ug/L		96
79)	2-Chlorotoluene	15.62	91	349328	19.94	ug/L		93
80)	4-Chlorotoluene	15.70	91	319503	19.85	ug/L		94
81)	tert-butylbenzene	16.17	119	252004	20.34	ug/L		90

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
IS Integration Params: rteint.p
Quant Time: Aug 20 7:12 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
82) 1,2,4-Trimethylbenzene	16.23	105	326651	19.55	ug/L		96
84) sec-butylbenzene	16.52	105	368156	19.17	ug/L		94
85) p-isopropyltoluene	16.74	119	289237	19.08	ug/L		96
86) 1,3-Dichlorobenzene	16.88	146	181959	19.36	ug/L		95
88) 1,4-Dichlorobenzene	17.05	146	187781	19.39	ug/L		96
89) n-butylbenzene	17.40	91	287086	20.20	ug/L		93
90) 1,2-Dichlorobenzene	17.65	146	173730	19.79	ug/L		97
92) 1,2-Dibromo-3-chloropropan	18.92	75	21062	23.41	ug/L	#	80
94) 1,2,4-Trichlorobenzene	20.38	180	103401	19.61	ug/L		99
95) Hexachlorobutadiene	20.62	225	28863	18.28	ug/L		100
96) Naphthalene	20.79	128	298772	20.75	ug/L		100
97) 1,2,3-Trichlorobenzene	21.25	180	95758	19.58	ug/L		99
98) 1,3,5-Trichlorobenzene	19.32	180	109127	19.64	ug/L		95

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 7:12 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	88	0.00
2	TM	Dichlorodifluoromethane	0.709	0.712	-0.4	91	0.00
3	TMP	Chloromethane	0.578	0.541	6.4	88	0.00
4	TMC	Vinyl Chloride	0.369	0.358	3.0	96	0.00
5	TM	Bromomethane	0.266	0.254	4.5	94	0.00
6	TM	Chloroethane	0.253	0.256	-1.2	90	0.00
7	TM	t-Butyl alcohol (TBA)	0.025	0.032#	-28.0#	112	0.01
8	TM	Trichlorofluoromethane	0.582	0.603	-3.6	91	0.00
9	TM	Diethyl ether	0.187	0.205	-9.6	95	0.00
10	TM	1,1,2-Trichlorotrifluoroeth	0.355	0.397	-11.8	94	-0.02
11	T	Acrolein	0.027	0.031#	-14.8	99	0.00
12	TM	Acetone	0.119	0.129	-8.4	103	0.00
13	TMC	1,1-Dichloroethene	0.339	0.353	-4.1	92	0.00
14	TM	Methyl iodide	0.475	0.525	-10.5	93	0.00
15	TM	Di-isopropyl ether (DIPE)	1.407	1.468	-4.3	94	0.00
16	TM	Methylene Chloride	0.485	0.431 linear	~~11~~.1	97	0.00
17	TM	Carbon Disulfide	1.047	1.159	-10.7	95	0.00
18	TM	Acrylonitrile	0.120	0.140	-16.7	102	0.00
19	TM	Methyl-tert-butyl ether (MT	0.948	1.033	-9.0	95	0.00
20	TM	trans-1,2-Dichloroethene	0.370	0.396	-7.0	92	0.00
21	TMP	1,1-Dichloroethane	0.644	0.688	-6.8	95	0.00
22	TM	Vinyl acetate	0.053	0.063#	-18.9	95	0.00
23	TM	Methyl ethyl ketone	0.045	0.052#	-15.6	100	0.00
24	TM	Ethyl t-butyl ether (ETBE)	1.419	1.248	12.1	76	0.00
25	TM	2,2-Dichloropropane	0.589	0.658	-11.7	93	0.00
26	TM	cis-1,2-Dichloroethene	0.514	0.532	-3.5	91	0.00
27	TM	t-Amyl methyl ether (TAME)	1.247	1.317	-5.6	92	0.00
28	S	Dibromofluoromethane	0.572	0.604	-5.6	90	0.00
29	TMC	Chloroform	0.865	0.912	-5.4	94	0.00
30	TM	Bromochloromethane	0.249	0.260	-4.4	93	0.00
31	TM	Tetrahydrofuran	0.037	0.048# linear	~~29.7#~~	98	0.00
32	TM	1,1,1-Trichloroethane	0.668	0.707	-5.8	92	0.00
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.648	0.675	-4.2	91	0.00
35	TM	Carbon Tetrachloride	0.495	0.539	-8.9	94	0.00
36	S	d4-1,2-Dichloroethane	0.619	0.650	-5.0	89	0.00
37	TM	1,2-Dichloroethane	0.681	0.717	-5.3	92	0.00
38	TM	Benzene	1.942	1.982	-2.1	91	0.00
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	86	0.00
40	TM	Trichloroethene	0.291	0.318	-9.3	97	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.258	0.264	2.3	91	0.00
42	TM	Methylmethacrylate	0.177	0.199	-12.4	96	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.352	0.373	-6.0	92	0.00
46	TM	Dibromomethane	0.201	0.220	-9.5	94	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	131	0.00
51	TM	2-Hexanone	0.098	0.112	-14.3	98	0.00
52	TM	Methyl isobutyl ketone	0.095	0.110	-15.8	100	0.00
53	TM	cis-1,3-Dichloropropene	0.421	0.464	-10.2	93	0.00
54	S	d8-Toluene	1.131	1.169	-3.4	90	0.00
55	TMC	Toluene	0.693	0.721	4.0	93	0.00
56	TM	trans-1,3-Dichloropropene	0.374	0.422	-12.8	94	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.229	0.249	-8.7	96	0.00
59	TM	1,3-Dichloropropane	0.473	0.500	-5.7	93	0.00
60	TM	Tetrachloroethene	0.280	0.297	-6.1	95	0.00
61	TM	Dibromochloromethane	0.265	0.281	-6.0	92	0.00
62	TM	1,2-Dibromoethane	0.296	0.312	-5.4	93	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	88	0.00
64	TMP	Chlorobenzene	0.881	0.896	-1.7	92	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.267	0.281	-5.2	92	0.00
66	TMC	Ethylbenzene	1.509	1.549	2.7	92	0.00
67	TM	m,p-Xylene	0.550	0.570	-3.6	93	0.00
68	TM	o-Xylene	0.527	0.547	-3.8	92	0.00
69	TM	Styrene	0.945	1.000	-5.8	93	0.00
70	TMP	Bromoform	0.210	0.230	-9.5	95	0.00
71	TM	Isopropylbenzene	1.311	1.376	-5.0	92	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.413	0.446	-8.0	97	0.00
73	S	Bromofluorobenzene	0.532	0.544	-2.3	89	0.00
74	TM	1,2,3-Trichloropropane	0.317	0.329	-3.8	97	0.00
75	TM	trans-1,4-Dichloro-2-butene	0.123	0.140	-13.8	96	0.00
76	TM	n-Propylbenzene	1.689	1.758	-4.1	93	0.00
77	TM	Bromobenzene	0.355	0.361	-1.7	91	0.00
78	TM	1,3,5-Trimethylbenzene	1.026	1.067	-4.0	92	0.00
79	TM	2-Chlorotoluene	1.161	1.214	-4.6	95	0.00
80	TM	4-Chlorotoluene	1.067	1.069	-0.2	89	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.821	0.847	-3.2	89	0.00
82	TM	1,2,4-Trimethylbenzene	1.107	1.133	-2.3	92	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.273	1.263	0.8	92	0.00
85	TM	p-isopropyltoluene	1.005	1.007	-0.2	91	0.00
86	TM	1,3-Dichlorobenzene	0.623	0.632	-1.4	93	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
88	TM	1,4-Dichlorobenzene	1.295	1.320	-1.9	93	0.00
89	TM	n-butylbenzene	1.900	1.996	-5.1	93	0.00
90	TM	1,2-Dichlorobenzene	1.174	1.213	-3.3	93	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.120	0.140	-16.7	98	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.705	0.717	-1.7	91	0.00
95	TM	Hexachlorobutadiene	0.211	0.211	0.0	95	0.00
96	TM	Naphthalene	1.925	2.022	-5.0	94	0.00
97	TM	1,2,3-Trichlorobenzene	0.654	0.663	-1.4	93	0.00
98	TM	1,3,5-Trichlorobenzene	0.743	0.762	-2.6	92	0.00

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 9:54 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.96	168	174125	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	312914	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	282690	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	142302	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	105253	21.12	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 105.60%			
36) d4-1,2-Dichloroethane	7.84	65	113107	20.99	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 104.95%			
54) d8-Toluene	10.81	98	365725	20.67	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.35%			
73) Bromofluorobenzene	15.09	95	153921	20.47	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.35%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	124027	20.08	ug/L	99
3) Chloromethane	1.83	50	94221	18.71	ug/L	98
4) Vinyl Chloride	1.93	62	62302	19.41	ug/L	100
5) Bromomethane	2.39	94	44163	19.07	ug/L	97
6) Chloroethane	2.48	64	44555	20.24	ug/L	97
7) t-Butyl alcohol (TBA)	3.77	59	27560	124.97	ug/L	98
8) Trichlorofluoromethane	2.78	101	105007	20.71	ug/L	98
9) Diethyl ether	3.16	74	35725	21.97	ug/L	95
10) 1,1,2-Trichlorotrifluoroet	3.34	101	69179	22.41	ug/L	89
11) Acrolein	3.32	56	26801	112.87	ug/L	98
12) Acetone	3.43	43	112392	108.16	ug/L	97
13) 1,1-Dichloroethene	3.58	96	61518	20.82	ug/L	98
14) Methyl iodide	4.03	142	91447	22.11	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	255647	20.87	ug/L	99
16) Methylene Chloride 117%	4.34	84	75066	22.66	ug/L	95
17) Carbon Disulfide	4.31	76	201845	22.13	ug/L	100
18) Acrylonitrile	4.55	53	24404	23.44	ug/L	98
19) Methyl-tert-butyl ether (M	4.63	73	179813	21.79	ug/L #	86
20) trans-1,2-Dichloroethene	4.82	96	69031	21.45	ug/L	91
21) 1,1-Dichloroethane	5.51	63	119870	21.37	ug/L	98
22) Vinyl acetate	5.56	86	10912	23.77	ug/L	95
23) Methyl ethyl ketone	6.24	72	45642	115.30	ug/L	93
24) Ethyl t-butyl ether (ETBE)	6.07	59	217311	17.60	ug/L	97
25) 2,2-Dichloropropane	6.41	77	114644	22.35	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	92578	20.68	ug/L	94
27) t-Amyl methyl ether (TAME)	7.83	73	229245	21.12	ug/L	98

(#) = qualifier out of range (m) = manual integration
B17340SC.D V808183B.M Wed Aug 20 09:54:58 2003 Page 1

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 9:54 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.73	83	158885	21.11	ug/L		97
30)	Bromochloromethane	6.97	128	45331	20.95	ug/L		96
31)	Tetrahydrofuran 107%	7.08	71	8304	21.42	ug/L		89
32)	1,1,1-Trichloroethane	7.35	97	123132	21.18	ug/L		94
34)	1,1-Dichloropropene	7.60	75	117507	20.81	ug/L		97
35)	Carbon Tetrachloride	7.74	119	93929	21.79	ug/L		93
37)	1,2-Dichloroethane	7.99	62	124799	21.04	ug/L		100
38)	Benzene	8.00	78	345037	20.41	ug/L		99
40)	Trichloroethene	8.96	95	99376	21.84	ug/L		86
41)	1,2-Dichloropropane	9.23	63	82506	20.47	ug/L		98
42)	Methylmethacrylate	9.37	69	62386	22.58	ug/L		93
45)	Bromodichloromethane	9.59	83	116569	21.16	ug/L		97
46)	Dibromomethane	9.65	93	68782	21.83	ug/L		95
50)	2-Chloroethylvinyl ether	10.15	63	765	27.28	ug/L	#	1
51)	2-Hexanone	11.50	58	175498	113.95	ug/L		90
52)	Methyl isobutyl ketone	10.16	58	171973	115.66	ug/L	#	83
53)	cis-1,3-Dichloropropene	10.44	75	145049	22.04	ug/L		99
55)	Toluene	10.93	92	225543	20.81	ug/L		99
56)	trans-1,3-Dichloropropene	11.23	75	132039	22.56	ug/L		99
58)	1,1,2-Trichloroethane	11.45	83	77871	21.70	ug/L		96
59)	1,3-Dichloropropane	11.85	76	156515	21.13	ug/L		99
60)	Tetrachloroethene	11.95	166	92918	21.24	ug/L		95
61)	Dibromochloromethane	12.24	129	87924	21.18	ug/L		95
62)	1,2-Dibromoethane	12.56	107	97565	21.09	ug/L		95
64)	Chlorobenzene	13.22	112	253315	20.33	ug/L		99
65)	1,1,1,2-Tetrachloroethane	13.30	131	79331	21.01	ug/L		96
66)	Ethylbenzene	13.32	91	437928	20.53	ug/L		98
67)	m,p-Xylene	13.43	106	322240	41.46	ug/L		96
68)	o-Xylene	14.12	106	154590	20.74	ug/L		96
69)	Styrene	14.18	104	282795	21.17	ug/L		98
70)	Bromoform	14.70	173	65119	21.89	ug/L		98
71)	Isopropylbenzene	14.70	105	389022	20.99	ug/L		95
72)	1,1,2,2-Tetrachloroethane	14.97	83	126096	21.58	ug/L		97
74)	1,2,3-Trichloropropane	15.20	75	92985	20.78	ug/L		98
75)	trans-1,4-Dichloro-2-buten	15.32	53	39634	22.76	ug/L		90
76)	n-Propylbenzene	15.35	91	496948	20.82	ug/L		98
77)	Bromobenzene	15.40	156	102079	20.37	ug/L		94
78)	1,3,5-Trimethylbenzene	15.60	105	301591	20.79	ug/L		96
79)	2-Chlorotoluene	15.61	91	343211	20.91	ug/L		94
80)	4-Chlorotoluene	15.69	91	302279	20.04	ug/L		93
81)	tert-butylbenzene	16.17	119	239352	20.62	ug/L		95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 9:54 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
82)	1,2,4-Trimethylbenzene	16.23	105	320321	20.47	ug/L		96
84)	sec-butylbenzene	16.52	105	356958	19.84	ug/L		96
85)	p-isopropyltoluene	16.74	119	284628	20.04	ug/L		97
86)	1,3-Dichlorobenzene	16.88	146	178734	20.29	ug/L		98
88)	1,4-Dichlorobenzene	17.05	146	187861	20.39	ug/L		98
89)	n-butylbenzene	17.41	91	284067	21.01	ug/L		95
90)	1,2-Dichlorobenzene	17.65	146	172616	20.67	ug/L		96
92)	1,2-Dibromo-3-chloropropan	18.92	75	19905	23.26	ug/L	#	83
94)	1,2,4-Trichlorobenzene	20.37	180	102061	20.34	ug/L		97
95)	Hexachlorobutadiene	20.62	225	30044	20.00	ug/L		95
96)	Naphthalene	20.80	128	287747	21.00	ug/L		100
97)	1,2,3-Trichlorobenzene	21.24	180	94351	20.28	ug/L		98
98)	1,3,5-Trichlorobenzene	19.33	180	108416	20.51	ug/L		99

(#) = qualifier out of range (m) = manual integration
B17340SC.D V808183B.M Wed Aug 20 09:54:58 2003 Page 3

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 9:54 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17270T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1732

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	197698	6.95	361866	8.48	323047	13.16	161610	17.00
	UPPER LIMIT	395396	7.37	723732	8.99	646094	13.95	323220	18.02
	LOWER LIMIT	98849	6.53	180933	7.97	161524	12.37	80805	15.98
	SAMPLE NO.								
01	1 PPB	194884	6.95	352942	8.48	310446	13.16	157731	17.00
02	2 PPB	187228	6.96	339004	8.48	311635	13.17	158277	17.00
03	5 PPB	193601	6.95	352182	8.48	315401	13.16	158971	17.00
04	20 PPB	197698	6.95	361866	8.48	323047	13.16	161610	17.00
05	50 PPB	199392	6.95	356595	8.48	320837	13.16	165503	17.00
06	100 PPB	200689	6.95	357021	8.48	322036	13.16	165458	17.00
07	ZZZZZ	197897	6.95	360991	8.48	325667	13.16	162066	17.00
08	ZZZZZ	199226	6.95	365678	8.48	323499	13.16	163685	17.00
09	ZZZZZ	205618	6.95	370683	8.48	329320	13.16	165492	17.00
10	ZZZZZ	195650	6.95	362747	8.48	324301	13.16	163278	17.00
11	ZZZZZ	191995	6.95	356658	8.48	317499	13.16	162537	17.00
12	ZZZZZ	187502	6.96	348470	8.48	314789	13.16	158678	17.00
13	ZZZZZ	194803	6.95	354673	8.48	316582	13.16	159429	17.00
14	ZZZZZ	202441	6.95	359801	8.48	322091	13.16	157769	17.00
15	ZZZZZ	203687	6.95	361234	8.48	320827	13.16	156863	17.00
16	ZZZZZ	201401	6.96	359940	8.48	320620	13.16	154821	17.00
17	ZZZZZ	198213	6.95	354824	8.48	316800	13.16	156467	17.00
18	ZZZZZ	204212	6.95	359094	8.48	322486	13.16	157190	17.00
19	ZZZZZ	201415	6.96	354445	8.48	319055	13.16	155339	17.00
20	ZZZZZ	203936	6.96	361852	8.48	326249	13.16	159856	17.00
21	ZZZZZ	209500	6.95	366130	8.48	330762	13.16	160018	17.00
22									
23									
24									

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17293T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0838

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	202958	6.95	363522	8.48	319153	13.16	159181	17.00
	UPPER LIMIT	405916	7.37	727044	8.99	638306	13.95	318362	18.02
	LOWER LIMIT	101479	6.53	181761	7.97	159577	12.37	79591	15.98
	SAMPLE NO.								
01	20PPB STD	202958	6.95	363522	8.48	319153	13.16	159181	17.00
02	L808193B	200665	6.95	361525	8.48	320402	13.16	159243	17.00
03	L808193B2	202086	6.95	359194	8.48	318072	13.16	160185	17.00
04	ZZZZZ	200264	6.95	358659	8.48	318502	13.16	157063	17.00
05	B808193B	195185	6.96	351323	8.47	313817	13.16	154350	17.00
06	ZZZZZ	189184	6.95	344210	8.48	308630	13.16	152881	17.00
07	ZZZZZ	195765	6.95	357194	8.48	315993	13.16	153809	17.00
08	ZZZZZ	194224	6.96	351678	8.48	311670	13.16	152393	17.00
09	ZZZZZ	193222	6.95	352292	8.48	311567	13.16	150623	17.00
10	50269-2	192985	6.95	347362	8.48	307394	13.16	150240	17.00
11	50269-2,MS	190568	6.95	344499	8.48	307028	13.16	153508	17.00
12	50269-2,MSD	190025	6.95	343393	8.48	307317	13.16	154822	17.00
13	50262-2	196106	6.95	351596	8.48	318425	13.16	154406	17.00
14	ZZZZZ	200137	6.95	358634	8.48	321809	13.16	155068	17.00
15	ZZZZZ	197545	6.95	353403	8.48	313075	13.16	153693	17.00
16	ZZZZZ	193644	6.95	349229	8.48	310432	13.16	150864	17.00
17	ZZZZZ	192154	6.96	343776	8.47	306550	13.16	149831	17.00
18	50269-1	192749	6.95	344157	8.48	306840	13.16	148088	17.00
19	50269-3	188968	6.96	340945	8.48	304353	13.16	147846	17.00
20	50269-4	186913	6.95	339528	8.48	302806	13.16	147822	17.00
21	50269-5	188068	6.96	337771	8.48	303435	13.17	146215	17.00
22	50269-6	190780	6.95	342062	8.48	305740	13.16	147525	17.00
23	50269-7	187267	6.96	333756	8.47	300339	13.16	145080	17.00
24									

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17317T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	188501	6.95	339495	8.48	301716	13.16	149594	17.00
	UPPER LIMIT	377002	7.37	678990	8.99	603432	13.95	299188	18.02
	LOWER LIMIT	94251	6.53	169748	7.97	150858	12.37	74797	15.98
	SAMPLE NO.								
01	20 PPB STD	188501	6.95	339495	8.48	301716	13.16	149594	17.00
02	L808193B3	189504	6.95	333165	8.48	302351	13.16	150801	17.00
03	L808193B4	183434	6.95	335585	8.48	300928	13.16	151148	17.00
04	B808193B2	187824	6.95	337820	8.48	298482	13.16	147095	17.00
05	50269-8	185701	6.95	334770	8.48	297687	13.16	145259	17.00
06	50269-9	182544	6.95	327806	8.48	294607	13.16	145698	17.00
07	50269-10	182730	6.95	326884	8.48	292724	13.16	143526	17.00
08	50269-11	182269	6.96	326387	8.48	293011	13.16	142036	17.00
09	50269-12	182445	6.96	325095	8.48	292940	13.16	141328	17.00
10	50269-13	181422	6.95	325220	8.48	288306	13.16	142056	16.99
11	ZZZZZ	177543	6.95	320784	8.48	291233	13.16	139502	17.00
12	ZZZZZ	176838	6.96	322210	8.48	287454	13.16	140547	17.00
13	ZZZZZ	178680	6.95	319159	8.48	285338	13.16	138827	17.00
14	ZZZZZ	177917	6.95	318729	8.48	286274	13.16	139863	17.00
15	ZZZZZ	174339	6.95	316923	8.48	282869	13.16	139360	17.00
16	ZZZZZ	173026	6.95	314377	8.48	279861	13.16	136843	17.00
17	ZZZZZ	172856	6.96	316137	8.48	282270	13.16	137151	17.00
18	ZZZZZ	174649	6.96	314299	8.49	278691	13.16	137959	17.00
19	ZZZZZ	173004	6.95	309419	8.48	277830	13.16	137309	17.00
20	ZZZZZ	170064	6.95	309918	8.48	276591	13.16	135518	17.00
21		169316	6.96	306595	8.48	274077	13.17	135068	17.00
22									
23									
24									

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50269

BFB File ID: B17339T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0910

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	174125		6.96		312914		8.48		282690		13.16		142302		17.00	
	UPPER LIMIT	348250		7.38		625828		8.99		565380		13.95		284604		18.02	
	LOWER LIMIT	87063		6.54		156457		7.97		141345		12.37		71151		15.98	
	SAMPLE NO.																
01	20PPB STD	174125		6.96		312914		8.48		282690		13.16		142302		17.00	
02	L808203B	175842		6.95		315853		8.48		282788		13.16		145080		17.00	
03	L808203B2	174557		6.95		318567		8.47		284716		13.16		145875		17.00	
04	ZZZZZ	172363		6.95		316590		8.48		281915		13.16		141140		17.00	
05	B808203B	171337		6.95		313651		8.48		282160		13.16		139694		17.00	
06	ZZZZZ	168149		6.95		310354		8.48		275986		13.16		137600		17.00	
07	50269-10,DL	169138		6.95		306382		8.48		275577		13.16		135409		17.00	
08	ZZZZZ	162501		6.95		300529		8.48		269565		13.16		134035		17.00	
09	50269-11,DL	163021		6.95		300195		8.48		267834		13.16		134671		17.00	
10	50269-12,DL	163872		6.96		302089		8.47		270922		13.16		134906		17.00	
11	50269-13,DL	163083		6.95		297174		8.48		267773		13.16		133154		17.00	
12	ZZZZZ	161379		6.95		298155		8.48		268785		13.16		134176		17.00	
13	ZZZZZ	159084		6.95		294487		8.48		264762		13.16		133261		17.00	
14	ZZZZZ	152950		6.95		281263		8.48		256110		13.16		132982		17.00	
15	ZZZZZ	153690		6.95		286726		8.48		261088		13.16		131689		17.00	
16	ZZZZZ	155820		6.95		288480		8.48		260354		13.16		131502		17.00	
17	ZZZZZ	160610		6.95		292772		8.48		261386		13.16		131431		17.00	
18	ZZZZZ	152888		6.95		286669		8.48		257552		13.16		129932		17.00	
19	ZZZZZ	160172		6.95		293311		8.48		263224		13.16		130452		17.00	
20	ZZZZZ	148730		6.95		280495		8.48		255829		13.16		130575		17.00	
21	ZZZZZ	164754		6.96		306731		8.47		274599		13.16		135683		17.00	
22	ZZZZZ	167315		6.95		307208		8.48		276043		13.16		136847		17.00	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C NO temp blank Samples on ice measured temp 4°C
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: JB 8/18/03

Project#: 10971.217.002 Project: Buckis Harbor Packer TO15

Company: **Weston Solutions**

Contact: Jim Packer

Address: **1 Wall Street**

Manchester, NH 03101-1501

Phone: (603)656-5487 PO# Quote #

Sampler (Signature): Kathleen Sackup

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
E=Extract
X=Other

Container Key
P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4±2 C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
TB-081203-01	8/12/03	0760	VOC 8260B		X			X			W	2	V		50269-1
MW14-038-PP	8/12/03	1830			X			X			GW	3	V		-2
MW14-050-PP	8/13/03	0845			X			X				3	V		-3
MW14-063-PP	8/13/03	0945			X			X				3	V		-4
MW14-073-PP	8/13/03	1020			X			X				3	V		-5
MW11-097-PP	8/13/03	1800			X			X				3	V		-6
MW11-147-PP	8/14/03	0815			X			X				3	V		-7
MW11-157-PP	8/14/03	0925			X			X				3	V		-8
MW11-193-PP	8/14/03	1015			X			X				3	V		-9
MW12-040-PP	8/14/03	1045			X			X				3	V		-10
MW12-083-PP	8/14/03	1725			X			X				3	V		-11
MW12-161-PP	8/15/03	0800			X			X				3	V		-12

Received By: Unselbirkhi Time: 2020
Date: 8/15/03
Relinquished By Sampler:

FAX RESULTS? (YES) NO
Fax # 603 656 5401

Turnaround Request
Standard ☐ Due Date
Priority ☐ Due Date

Comments / Instructions: Packer Samples Buckis Harbor
via VOC 8260B
Results due by Aug. 22nd (data results w/ QC report to follow later)

Client Code: WESTONM

Page 1 of 2

Analytics\AEL Documents\AEL COC

120/122

Chain Of Custody Form

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

Project#: 10971217.002 Project: Bucks Hemlock

Company: **Weston Solutions**

Contact: Jim Ricker

Address: **1 Wall Street**

Manchester, NH 03101-1501

Phone: (603) 656-5487 PO# Quote #

Sampler (Signature): CT Scup

Matrix Key:
WW=Wastewater
SW=Surfacewater
GW=Groundwater
DW=Drinkingwater
S=Soil/Sludge
O=Oil
F=Extract
X=Other

Container Key
P=plastic G=glass

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or hand-delivered
2) Temp blank °C No temp blank Samples on ice measured temp of sample 4°C
3) Received in good condition (Y) or N
4) pH checked by: N/A
5) Labels checked by: JB 8/18/03

Station Identification	Sample Date	Sample Time	Analysis	Preservation: Unpres	4°C	HNO_3	H_2SO_4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
MW12-207-PP	8/15/03	0845	VOC 8260		X			X			GW	3	V		50269-13

Received By: Time: 8020 Date: 8/15/03

Received By: Time: Date:

Received By: Time: Date:

Relinquished By Sampler: Date:

Relinquished By: Date:

Relinquished By: Date:

FAX RESULTS? YES NO

Fax # _____

Turnaround Request

Standard ☐ Due Date _____

Priority ☐ Due Date _____

Comments / Instructions:

see page 1 for TAT + details

Client Code: WESTONM

Page 2 of 2

Analytics\AEL Documents\AEL COC

121/122

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 50269 — COOLER NUMBER: N/A

CLIENT: Weston — NUMBER OF COOLERS: 1

PROJECT: 10971217002 — DATE RECEIVED: 8/15/03

A: PRELIMINARY EXAMINATION: — DATE COOLER OPENED: 8/15/03

1. Cooler received by(initials) ALR — Date Received: 8/15/03
2. Did cooler come with a shipping slip? — Y (N)

If YES, enter carrier name and airbill number here: _____

3. Were custody seals on the outside of cooler? — Y (N)
How many & where: _____ Seal Date: _____ Seal Name: _____

4. Did the custody seals arrive unbroken and intact upon arrival? — Y N/A

5. COC#: _____

6. Were Custody papers filled out properly (ink,signed, etc)? — (Y) N

7. Were custody papers sealed in a plastic bag? — Y (N)

8. Did you sign the COC in the appropriate place? — (Y) N

9. Was the project identifiable from the COC papers? — (Y) N

10. Was enough ice used to chill the cooler? (Y) N — Temp. of cooler: No temp blank. Samples were on ice with a measured temp of 4°C

B. Log-In: Date samples were logged in: _____ By: _____

11. Type of packing in cooler(bubble wrap, popcorn) — Y None

12. Were all bottles sealed in separate plastic bags? — (Y) N

13. Did all bottles arrive unbroken and were labels in good condition? — (Y) N

14. Were all bottle labels complete(ID,Date,time,etc.) — (Y) N

15. Did all bottle labels agree with custody papers? — (Y) N

16. Were the correct containers used for the tests indicated: — (Y) N

17. Were samples received at the correct pH? — Y N/A

18. Was sufficient amount of sample sent for the tests indicated? — (Y) N

19. Were bubbles absent in VOA samples? — Y (N)

If NO, List sample #'s: _____

20. Laboratory labeling verified by (initials): JB — Date: 8/18/03

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

August 29, 2003

Mr. Jim Ricker
Weston Solutions
One Wall Street
Manchester, NH 03101-1501

RE: Analytical Results Case Narrative
Bucks Harbor, ME Project
Analytics # 50273

Dear Mr. Ricker:

Enclosed please find the analytical results for samples collected from the above-mentioned project. The attached Cover Page lists the sample IDs, Lab tracking numbers and collection dates for the samples included in this deliverable.

Samples were analyzed for the target volatile organic compounds by EPA Method 8260B. Unless otherwise noted in the Non-conformance Summary listed below, all of the quality control (QC) criteria including initial calibration, calibration verification, surrogate recovery, holding time and method accuracy/precision for these analyses were within acceptable limits.

This Level III package has been assembled in the following order:

Case Narrative/Non-Conformance Summary
Sample Log Sheet - Cover Page
VOA Form 1 Sample Data Results
Chromatograms
VOA Form 2 Surrogate Recoveries
VOA Form 3 MS/MSD and LCS Recoveries
VOA Form 4 Method Blank Summary (equiv.) GC/MS Logbook Sheets
VOA Form 5 BFB Tune Summaries
VOA Form 6 Initial Calibration Data (equiv..) Response Factor Report
VOA Form 7 Continuing Calibration Check (equiv.)
VOA Form 8 Int. Standard and RT Summary
Chain of Custody (COC) Forms
Sample Receipt Checklist

QC NON CONFORMANCE SUMMARY

Sample Receipt:
No QC deviations.

Aqueous Volatile Organics:
Two compounds t-Butyl alcohol and Tetrahydrofuran had high recoveries in the Laboratory Control Spike /Duplicate (LCS/LCSD) analyzed 08/19/03 (L808193B/L808193B2). Methyl ethyl ketone had an RPD of 18% that is above the limit of 15%. (See Form III).). t-Butyl alcohol had high recovery in the matrix spike duplicate 50269-2 (MW14-038-PP). Methyl ethyl ketone was detected in several samples associated with this QC however no data was qualified for the marginal RPD failure.

Multiple analytes had recoveries above the acceptance criteria in the LCS/LCSD analyzed on 08/19/03 (L808193B3/L808193B4). See Form III These analytes were not detected in the samples associated with this QC and results were reported without qualification.

t-Butyl alcohol and 1,2-Dibromo-3-chloropropane had high recoveries in the Laboratory Control Spike (LCS) analyzed 08/20/03 (L808203B). These analytes were not detected in the samples associated with this QC and results were reported without qualification.

Two compounds t-Butyl alcohol and Tetrahydrofuran had high recoveries in the Laboratory Control Spike (LCS) analyzed 08/20/03 (L808203B30. These analytes were not detected in the samples associated with this QC and results were reported without qualification

The Continuing Calibration Standards (CC) (File # B17294SC, B17318SC, B17340Scand B17363SC) had high %D (24%, 36%,28%and 28%) for t-Butyl Alcohol with a limit of 20%. T-Butyl alcohol was not detected in any samples and results were reported without qualification.

If you have any questions on this data submittal, please do not hesitate to contact me.

Sincerely,
ANALYTICS Environmental Laboratory, LLC

Stephen L. Knollmeyer
Laboratory Director

analytics environmental laboratory LLC

195 Commerce Way Suite E
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906
www.analyticslab.com

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

Report Number: 50273

Revision: Rev. 0

Re: Bucks Harbor Packer Tests **10971-217-002**

Enclosed are the results of the analyses on your sample(s). Samples were received on 18 August 2003 and analyzed for the tests listed below. Samples were received in acceptable condition, with the exceptions noted below or on the chain of custody. The results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. Please see individual reports for specific methodologies and references.

Lab Number	Sample Date	Station Location	Analysis	Comments
50273-1	08/15/03	MW7-015-PP	EPA 8260 Volatile Organics	
50273-2	08/15/03	MW7-044-PP	EPA 8260 Volatile Organics	
50273-3	08/15/03	MW7-075-PP	EPA 8260 Volatile Organics	
50273-4	08/15/03	MW7-115-PP	EPA 8260 Volatile Organics	
50273-5	08/15/03	MW7-115-PP-E	EPA 8260 Volatile Organics	
50273-6	08/15/03	TB-081503-01	EPA 8260 Volatile Organics	
50273-7	08/16/03	MW10-130-PP	EPA 8260 Volatile Organics	
50273-8	08/16/03	MW10-150-PP	EPA 8260 Volatile Organics	
50273-9	08/16/03	MW10-150-PP-E	EPA 8260 Volatile Organics	
50273-10	08/16/03	MW10-164-PP	Electronic Data Deliverable	
	08/16/03	MW10-164-PP	EPA 8260 Volatile Organics	

Sample Receipt Exceptions: None

Analytics Environmental Laboratory is certified by the states of New Hampshire, Maine, Massachusetts, Connecticut, Rhode Island, North Carolina, Virginia, Pennsylvania and is validated by the U.S. Army Corps of Engineers (MRD) and U.S. Navy (NFESC). A list of actual certified parameters is available upon request.

If you have any further question on the analytical methods or these results, do not hesitate to call.

Authorized signature _____
Stephen L. Knollmeyer Lab. Director

Date 08/22/03

This report shall not be reproduced, except in full, without the written consent of Analytics Environmental Laboratory, LLC.

analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 29, 2003

SAMPLE DATA

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: LABQC

Lab Sample ID: B808193B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	99 %	d4-1,2-Dichloroethane	97 %	d8-Toluene	100 %	Bromofluorobenzene	97 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17298B.D Vial: 7
Acq On : 19 Aug 2003 11:24 am Operator:
Sample : B808193B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 11:32 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 29, 2003

SAMPLE DATA

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: LABQC

Lab Sample ID: B808193B2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 08/19/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	100 %	Bromofluorobenzene	98 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17322B.D Vial: 31
Acq On : 19 Aug 2003 11:34 pm Operator:
Sample : B808193B2 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 23:46 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 29, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B808203B
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	103	%	d4-1,2-Dichloroethane	103	%	d8-Toluene	100	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17344B.D Vial: 6
Acq On : 20 Aug 2003 11:36 am Operator:
Sample : B808203B Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 11:52 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 29, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: LABQC

SAMPLE DATA

Lab Sample ID: B808203B2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: N/A
Lab Receipt Date: N/A
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	103	%	d4-1,2-Dichloroethane	101	%	d8-Toluene	100	%	Bromofluorobenzene	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17366B.D Vial: 28
Acq On : 20 Aug 2003 11:42 pm Operator:
Sample : B808203B2 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 23:55 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-015-PP

SAMPLE DATA

Lab Sample ID: 50273-1
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**444 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	3	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	100	%	d4-1,2-Dichloroethane	102	%	d8-Toluene	101	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17329.D Vial: 38
Acq On : 20 Aug 2003 2:58 am Operator:
Sample : 50273-1 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 3:20 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

SAMPLE DATA

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-015-PP

Lab Sample ID: 50273-1 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	472
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	U	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

Dibromofluoromethane	103 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	99 %	Bromofluorobenzene	95 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Hall

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17351.D Vial: 13
Acq On : 20 Aug 2003 3:39 pm Operator:
Sample : 50273-1,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 15:49 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

SAMPLE DATA

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-044-PP

Lab Sample ID: 50273-2
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**371 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**3**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**34**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	**18**	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102	%	d4-1,2-Dichloroethane	104	%	d8-Toluene	101	%	Bromofluorobenzene	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature Melissa A Tuttle

Data File : C:\HPCHEM\1\DATA\081903-B\B17330.D Vial: 39
Acq On : 20 Aug 2003 3:42 am Operator:
Sample : 50273-2 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 3:51 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-044-PP

SAMPLE DATA

Lab Sample ID: 50273-2 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	392
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	U	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

Dibromofluoromethane	103	%	d4-1,2-Dichloroethane	103	%	d8-Toluene	100	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17352.D Vial: 14
Acq On : 20 Aug 2003 4:08 pm Operator:
Sample : 50273-2,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 16:23 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-075-PP

SAMPLE DATA

Lab Sample ID: 50273-3
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**373 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**3**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**14**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	**8 J**	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102	%	d4-1,2-Dichloroethane	104	%	d8-Toluene	100	%	Bromofluorobenzene	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature

Data File : C:\HPCHEM\1\DATA\081903-B\B17331.D Vial: 40
Acq On : 20 Aug 2003 4:12 am Operator:
Sample : 50273-3 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 4:21 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

SAMPLE DATA

Lab Sample ID: 50273-3 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002
Field Sample ID: MW7-075-PP

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	**376**
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	U	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

Dibromofluoromethane	102 %	d4-1,2-Dichloroethane	99 %	d8-Toluene	100 %	Bromofluorobenzene	100 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature

Data File : C:\HPCHEM\1\DATA\082003-B\B17353.D Vial: 15
Acq On : 20 Aug 2003 4:38 pm Operator:
Sample : 50273-3,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 16:56 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-115-PP

SAMPLE DATA

Lab Sample ID: 50273-4
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**460 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**3**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102	%	d4-1,2-Dichloroethane	103	%	d8-Toluene	100	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kalli

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17332.D Vial: 41
Acq On : 20 Aug 2003 4:41 am Operator:
Sample : 50273-4 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 4:51 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-115-PP

SAMPLE DATA

Lab Sample ID: 50273-4 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	**501**
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	U	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

Dibromofluoromethane	104	%	d4-1,2-Dichloroethane	101	%	d8-Toluene	99	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17354.D Vial: 16
Acq On : 20 Aug 2003 5:22 pm Operator:
Sample : 50273-4,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 17:30 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-115-PP-E

SAMPLE DATA

Lab Sample ID: 50273-5
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**415 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	3	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	101	%	d4-1,2-Dichloroethane	101	%	d8-Toluene	100	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17333.D Vial: 42
Acq On : 20 Aug 2003 5:10 am Operator:
Sample : 50273-5 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 5:22 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW7-115-PP-E

SAMPLE DATA

Lab Sample ID: 50273-5 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 10
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	20	U	1,3-Dichloropropane	20	U
Bromobenzene	20	U	cis-1,3-Dichloropropene	20	U
Bromochloromethane	20	U	trans-1,3-Dichloropropene	20	U
Bromodichloromethane	20	U	2,2-Dichloropropane	20	U
Bromoform	20	U	1,1-Dichloropropene	20	U
Bromomethane	20	U	Ethylbenzene	20	U
n-butylbenzene	20	U	Hexachlorobutadiene	20	U
sec-butylbenzene	20	U	Isopropylbenzene	20	U
tert-butylbenzene	20	U	p-isopropyltoluene	20	U
Carbon Tetrachloride	20	U	Methylene Chloride	50	U
Chlorobenzene	20	U	Methyl-tert-butyl ether (MTBE)	20	U
Chloroethane	20	U	Naphthalene	20	U
Chloroform	20	U	n-Propylbenzene	20	U
Chloromethane	20	U	Styrene	20	U
2-Chlorotoluene	20	U	1,1,1,2-Tetrachloroethane	20	U
4-Chlorotoluene	20	U	1,1,2,2-Tetrachloroethane	20	U
Dibromochloromethane	20	U	Tetrachloroethene	20	U
1,2-Dibromo-3-chloropropane	20	U	Toluene	20	U
1,2-Dibromoethane	20	U	1,2,3-Trichlorobenzene	20	U
Dibromomethane	20	U	1,2,4-Trichlorobenzene	20	U
1,2-Dichlorobenzene	20	U	1,1,1-Trichloroethane	20	U
1,3-Dichlorobenzene	20	U	1,1,2-Trichloroethane	20	U
1,4-Dichlorobenzene	20	U	Trichloroethene	20	**418**
Dichlorodifluoromethane	20	U	Trichlorofluoromethane	20	U
1,1-Dichloroethane	20	U	1,2,3-Trichloropropane	20	U
1,2-Dichloroethane	20	U	1,2,4-Trimethylbenzene	20	U
1,1-Dichloroethene	20	U	1,3,5-Trimethylbenzene	20	U
cis-1,2-Dichloroethene	20	U	Vinyl Chloride	20	U
trans-1,2-Dichloroethene	20	U	o-Xylene	20	U
1,2-Dichloropropane	20	U	m,p-Xylene	20	U
Acetone	100	U	Diethyl ether	20	U
Carbon Disulfide	20	U	2-Hexanone	100	U
Tetrahydrofuran	50	U	Methyl isobutyl ketone	100	U
Methyl ethyl ketone	100	U	Di-isopropyl ether (DIPE)	20	U
t-Butyl alcohol (TBA)	200	U	Ethyl t-butyl ether (ETBE)	20	U
t-Amyl methyl ether (TAME)	20	U			

Surrogate Standard Recovery

Dibromofluoromethane	103	%	d4-1,2-Dichloroethane	102	%	d8-Toluene	100	%	Bromofluorobenzene	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17355.D Vial: 17
Acq On : 20 Aug 2003 5:51 pm Operator:
Sample : 50273-5,DL Inst : Instrumen
Misc : 500 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 18:03 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: TB-081503-01

SAMPLE DATA

Lab Sample ID: 50273-6
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/15/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	U
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	U
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	U
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	U	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	U	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	103 %	d4-1,2-Dichloroethane	103 %	d8-Toluene	100 %	Bromofluorobenzene	96 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature Melissa A Hall

Data File : C:\HPCHEM\1\DATA\081903-B\B17334.D Vial: 43
Acq On : 20 Aug 2003 5:39 am Operator:
Sample : 50273-6 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 5:52 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW10-130-PP

SAMPLE DATA

Lab Sample ID: 50273-7
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/16/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	**1 J**
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**17**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**2**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**2060 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**61**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	**2**	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**59**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	**29**	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102	%	d4-1,2-Dichloroethane	104	%	d8-Toluene	100	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature

Data File : C:\HPCHEM\1\DATA\081903-B\B17335.D Vial: 44
Acq On : 20 Aug 2003 6:09 am Operator:
Sample : 50273-7 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 6:23 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

SAMPLE DATA

Lab Sample ID: 50273-7 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 100
Collection Date: 08/16/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/21/03

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW10-130-PP

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	200	U	1,3-Dichloropropane	200	U
Bromobenzene	200	U	cis-1,3-Dichloropropene	200	U
Bromochloromethane	200	U	trans-1,3-Dichloropropene	200	U
Bromodichloromethane	200	U	2,2-Dichloropropane	200	U
Bromoform	200	U	1,1-Dichloropropene	200	U
Bromomethane	200	U	Ethylbenzene	200	U
n-butylbenzene	200	U	Hexachlorobutadiene	200	U
sec-butylbenzene	200	U	Isopropylbenzene	200	U
tert-butylbenzene	200	U	p-isopropyltoluene	200	U
Carbon Tetrachloride	200	U	Methylene Chloride	500	U
Chlorobenzene	200	U	Methyl-tert-butyl ether (MTBE)	200	U
Chloroethane	200	U	Naphthalene	200	U
Chloroform	200	U	n-Propylbenzene	200	U
Chloromethane	200	U	Styrene	200	U
2-Chlorotoluene	200	U	1,1,1,2-Tetrachloroethane	200	U
4-Chlorotoluene	200	U	1,1,2,2-Tetrachloroethane	200	U
Dibromochloromethane	200	U	Tetrachloroethene	200	U
1,2-Dibromo-3-chloropropane	200	U	Toluene	200	U
1,2-Dibromoethane	200	U	1,2,3-Trichlorobenzene	200	U
Dibromomethane	200	U	1,2,4-Trichlorobenzene	200	U
1,2-Dichlorobenzene	200	U	1,1,1-Trichloroethane	200	U
1,3-Dichlorobenzene	200	U	1,1,2-Trichloroethane	200	U
1,4-Dichlorobenzene	200	U	Trichloroethene	200	**3460**
Dichlorodifluoromethane	200	U	Trichlorofluoromethane	200	U
1,1-Dichloroethane	200	U	1,2,3-Trichloropropane	200	U
1,2-Dichloroethane	200	U	1,2,4-Trimethylbenzene	200	U
1,1-Dichloroethene	200	U	1,3,5-Trimethylbenzene	200	U
cis-1,2-Dichloroethene	200	U	Vinyl Chloride	200	U
trans-1,2-Dichloroethene	200	U	o-Xylene	200	U
1,2-Dichloropropane	200	U	m,p-Xylene	200	U
Acetone	1000	U	Diethyl ether	200	U
Carbon Disulfide	200	U	2-Hexanone	1000	U
Tetrahydrofuran	500	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether (DIPE)	200	U
t-Butyl alcohol (TBA)	2000	U	Ethyl t-butyl ether (ETBE)	200	U
t-Amyl methyl ether (TAME)	200	U			

Surrogate Standard Recovery

Dibromofluoromethane	101 %	d4-1,2-Dichloroethane	97 %	d8-Toluene	99 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17367.D Vial: 29
Acq On : 21 Aug 2003 12:11 am Operator:
Sample : 50273-7,DL Inst : Instrumen
Misc : 50 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 21 0:29 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW10-150-PP

SAMPLE DATA

Lab Sample ID: 50273-8
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/16/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**17**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**2**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**2090 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**60**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	**3**	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	**18**	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	**9 J**	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102	%	d4-1,2-Dichloroethane	105	%	d8-Toluene	101	%	Bromofluorobenzene	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kelli

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17336.D Vial: 45
Acq On : 20 Aug 2003 6:38 am Operator:
Sample : 50273-8 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 6:54 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW10-150-PP

SAMPLE DATA

Lab Sample ID: 50273-8 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 100
Collection Date: 08/16/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/21/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	200	U	1,3-Dichloropropane	200	U
Bromobenzene	200	U	cis-1,3-Dichloropropene	200	U
Bromochloromethane	200	U	trans-1,3-Dichloropropene	200	U
Bromodichloromethane	200	U	2,2-Dichloropropane	200	U
Bromoform	200	U	1,1-Dichloropropene	200	U
Bromomethane	200	U	Ethylbenzene	200	U
n-butylbenzene	200	U	Hexachlorobutadiene	200	U
sec-butylbenzene	200	U	Isopropylbenzene	200	U
tert-butylbenzene	200	U	p-isopropyltoluene	200	U
Carbon Tetrachloride	200	U	Methylene Chloride	500	U
Chlorobenzene	200	U	Methyl-tert-butyl ether (MTBE)	200	U
Chloroethane	200	U	Naphthalene	200	U
Chloroform	200	U	n-Propylbenzene	200	U
Chloromethane	200	U	Styrene	200	U
2-Chlorotoluene	200	U	1,1,1,2-Tetrachloroethane	200	U
4-Chlorotoluene	200	U	1,1,2,2-Tetrachloroethane	200	U
Dibromochloromethane	200	U	Tetrachloroethene	200	U
1,2-Dibromo-3-chloropropane	200	U	Toluene	200	U
1,2-Dibromoethane	200	U	1,2,3-Trichlorobenzene	200	U
Dibromomethane	200	U	1,2,4-Trichlorobenzene	200	U
1,2-Dichlorobenzene	200	U	1,1,1-Trichloroethane	200	U
1,3-Dichlorobenzene	200	U	1,1,2-Trichloroethane	200	U
1,4-Dichlorobenzene	200	U	Trichloroethene	200	**3450**
Dichlorodifluoromethane	200	U	Trichlorofluoromethane	200	U
1,1-Dichloroethane	200	U	1,2,3-Trichloropropane	200	U
1,2-Dichloroethane	200	U	1,2,4-Trimethylbenzene	200	U
1,1-Dichloroethene	200	U	1,3,5-Trimethylbenzene	200	U
cis-1,2-Dichloroethene	200	U	Vinyl Chloride	200	U
trans-1,2-Dichloroethene	200	U	o-Xylene	200	U
1,2-Dichloropropane	200	U	m,p-Xylene	200	U
Acetone	1000	U	Diethyl ether	200	U
Carbon Disulfide	200	U	2-Hexanone	1000	U
Tetrahydrofuran	500	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether (DIPE)	200	U
t-Butyl alcohol (TBA)	2000	U	Ethyl t-butyl ether (ETBE)	200	U
t-Amyl methyl ether (TAME)	200	U			

Surrogate Standard Recovery

Dibromofluoromethane	100	%	d4-1,2-Dichloroethane	94	%	d8-Toluene	101	%	Bromofluorobenzene	100	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17368.D Vial: 30
Acq On : 21 Aug 2003 12:41 am Operator:
Sample : 50273-8,DL Inst : Instrumen
Misc : 50 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 21 1:02 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW10-150-PP-E

SAMPLE DATA

Lab Sample ID: 50273-9
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/16/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**14**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**2**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1960 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**58**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	**2**	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	102	%	d4-1,2-Dichloroethane	103	%	d8-Toluene	99	%	Bromofluorobenzene	96	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature Melissa A Kalli

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17337.D Vial: 46
Acq On : 20 Aug 2003 7:07 am Operator:
Sample : 50273-9 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 7:24 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW10-150-PP-E

SAMPLE DATA

Lab Sample ID: 50273-9 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 100
Collection Date: 08/16/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/21/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	200	U	1,3-Dichloropropane	200	U
Bromobenzene	200	U	cis-1,3-Dichloropropene	200	U
Bromochloromethane	200	U	trans-1,3-Dichloropropene	200	U
Bromodichloromethane	200	U	2,2-Dichloropropane	200	U
Bromoform	200	U	1,1-Dichloropropene	200	U
Bromomethane	200	U	Ethylbenzene	200	U
n-butylbenzene	200	U	Hexachlorobutadiene	200	U
sec-butylbenzene	200	U	Isopropylbenzene	200	U
tert-butylbenzene	200	U	p-isopropyltoluene	200	U
Carbon Tetrachloride	200	U	Methylene Chloride	500	U
Chlorobenzene	200	U	Methyl-tert-butyl ether (MTBE)	200	U
Chloroethane	200	U	Naphthalene	200	U
Chloroform	200	U	n-Propylbenzene	200	U
Chloromethane	200	U	Styrene	200	U
2-Chlorotoluene	200	U	1,1,1,2-Tetrachloroethane	200	U
4-Chlorotoluene	200	U	1,1,2,2-Tetrachloroethane	200	U
Dibromochloromethane	200	U	Tetrachloroethene	200	U
1,2-Dibromo-3-chloropropane	200	U	Toluene	200	U
1,2-Dibromoethane	200	U	1,2,3-Trichlorobenzene	200	U
Dibromomethane	200	U	1,2,4-Trichlorobenzene	200	U
1,2-Dichlorobenzene	200	U	1,1,1-Trichloroethane	200	U
1,3-Dichlorobenzene	200	U	1,1,2-Trichloroethane	200	U
1,4-Dichlorobenzene	200	U	Trichloroethene	200	**3460**
Dichlorodifluoromethane	200	U	Trichlorofluoromethane	200	U
1,1-Dichloroethane	200	U	1,2,3-Trichloropropane	200	U
1,2-Dichloroethane	200	U	1,2,4-Trimethylbenzene	200	U
1,1-Dichloroethene	200	U	1,3,5-Trimethylbenzene	200	U
cis-1,2-Dichloroethene	200	U	Vinyl Chloride	200	U
trans-1,2-Dichloroethene	200	U	o-Xylene	200	U
1,2-Dichloropropane	200	U	m,p-Xylene	200	U
Acetone	1000	U	Diethyl ether	200	U
Carbon Disulfide	200	U	2-Hexanone	1000	U
Tetrahydrofuran	500	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether (DIPE)	200	U
t-Butyl alcohol (TBA)	2000	U	Ethyl t-butyl ether (ETBE)	200	U
t-Amyl methyl ether (TAME)	200	U			

Surrogate Standard Recovery

Dibromofluoromethane	102	%	d4-1,2-Dichloroethane	99	%	d8-Toluene	99	%	Bromofluorobenzene	98	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.


COMMENTS:

8260 full

Authorized signature

Data File : C:\HPCHEM\1\DATA\082003-B\B17369.D Vial: 31
Acq On : 21 Aug 2003 1:24 am Operator:
Sample : 50273-9,DL Inst : Instrumen
Misc : 50 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 21 1:35 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW10-164-PP

SAMPLE DATA

Lab Sample ID: 50273-10
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 1.0
Collection Date: 08/16/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/20/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	2	U	1,3-Dichloropropane	2	U
Bromobenzene	2	U	cis-1,3-Dichloropropene	2	U
Bromochloromethane	2	U	trans-1,3-Dichloropropene	2	U
Bromodichloromethane	2	U	2,2-Dichloropropane	2	U
Bromoform	2	U	1,1-Dichloropropene	2	U
Bromomethane	2	U	Ethylbenzene	2	U
n-butylbenzene	2	U	Hexachlorobutadiene	2	U
sec-butylbenzene	2	U	Isopropylbenzene	2	U
tert-butylbenzene	2	U	p-isopropyltoluene	2	U
Carbon Tetrachloride	2	U	Methylene Chloride	5	U
Chlorobenzene	2	U	Methyl-tert-butyl ether (MTBE)	2	U
Chloroethane	2	U	Naphthalene	2	U
Chloroform	2	U	n-Propylbenzene	2	U
Chloromethane	2	U	Styrene	2	U
2-Chlorotoluene	2	U	1,1,1,2-Tetrachloroethane	2	U
4-Chlorotoluene	2	U	1,1,2,2-Tetrachloroethane	2	U
Dibromochloromethane	2	U	Tetrachloroethene	2	**15**
1,2-Dibromo-3-chloropropane	2	U	Toluene	2	**1 J**
1,2-Dibromoethane	2	U	1,2,3-Trichlorobenzene	2	U
Dibromomethane	2	U	1,2,4-Trichlorobenzene	2	U
1,2-Dichlorobenzene	2	U	1,1,1-Trichloroethane	2	U
1,3-Dichlorobenzene	2	U	1,1,2-Trichloroethane	2	U
1,4-Dichlorobenzene	2	U	Trichloroethene	2	**1980 E**
Dichlorodifluoromethane	2	U	Trichlorofluoromethane	2	U
1,1-Dichloroethane	2	U	1,2,3-Trichloropropane	2	U
1,2-Dichloroethane	2	U	1,2,4-Trimethylbenzene	2	U
1,1-Dichloroethene	2	U	1,3,5-Trimethylbenzene	2	U
cis-1,2-Dichloroethene	2	**56**	Vinyl Chloride	2	U
trans-1,2-Dichloroethene	2	**2**	o-Xylene	2	U
1,2-Dichloropropane	2	U	m,p-Xylene	2	U
Acetone	10	U	Diethyl ether	2	U
Carbon Disulfide	2	U	2-Hexanone	10	U
Tetrahydrofuran	5	U	Methyl isobutyl ketone	10	U
Methyl ethyl ketone	10	U	Di-isopropyl ether (DIPE)	2	U
t-Butyl alcohol (TBA)	20	U	Ethyl t-butyl ether (ETBE)	2	U
t-Amyl methyl ether (TAME)	2	U			

Surrogate Standard Recovery

Dibromofluoromethane	103	%	d4-1,2-Dichloroethane	103	%	d8-Toluene	100	%	Bromofluorobenzene	97	%

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:


8260 full

Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17338.D Vial: 47
Acq On : 20 Aug 2003 7:42 am Operator:
Sample : 50273-10 Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 7:55 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

195 Commerce Way
Portsmouth, New Hampshire 03801
603-436-5111 Fax 603-430-2151
800-929-9906

Mr. Jim Ricker
Weston Solutions
1 Wall Street
Manchester NH 03101-1501

August 22, 2003

CLIENT SAMPLE ID

Project Name: Bucks Harbor Packer Tests

Project Number: 10971-217-002

Field Sample ID: MW10-164-PP

SAMPLE DATA

Lab Sample ID: 50273-10 DL
Matrix: Aqueous
Percent Solid: N/A
Dilution Factor: 100
Collection Date: 08/16/03
Lab Receipt Date: 08/18/03
Analysis Date: 08/21/03

ANALYTICAL RESULTS VOLATILE ORGANICS

COMPOUND	Quantitation Limit µg/L	Result µg/L	COMPOUND	Quantitation Limit µg/L	Result µg/L
Benzene	200	U	1,3-Dichloropropane	200	U
Bromobenzene	200	U	cis-1,3-Dichloropropene	200	U
Bromochloromethane	200	U	trans-1,3-Dichloropropene	200	U
Bromodichloromethane	200	U	2,2-Dichloropropane	200	U
Bromoform	200	U	1,1-Dichloropropene	200	U
Bromomethane	200	U	Ethylbenzene	200	U
n-butylbenzene	200	U	Hexachlorobutadiene	200	U
sec-butylbenzene	200	U	Isopropylbenzene	200	U
tert-butylbenzene	200	U	p-isopropyltoluene	200	U
Carbon Tetrachloride	200	U	Methylene Chloride	500	U
Chlorobenzene	200	U	Methyl-tert-butyl ether (MTBE)	200	U
Chloroethane	200	U	Naphthalene	200	U
Chloroform	200	U	n-Propylbenzene	200	U
Chloromethane	200	U	Styrene	200	U
2-Chlorotoluene	200	U	1,1,1,2-Tetrachloroethane	200	U
4-Chlorotoluene	200	U	1,1,2,2-Tetrachloroethane	200	U
Dibromochloromethane	200	U	Tetrachloroethene	200	U
1,2-Dibromo-3-chloropropane	200	U	Toluene	200	U
1,2-Dibromoethane	200	U	1,2,3-Trichlorobenzene	200	U
Dibromomethane	200	U	1,2,4-Trichlorobenzene	200	U
1,2-Dichlorobenzene	200	U	1,1,1-Trichloroethane	200	U
1,3-Dichlorobenzene	200	U	1,1,2-Trichloroethane	200	U
1,4-Dichlorobenzene	200	U	Trichloroethene	200	**3400**
Dichlorodifluoromethane	200	U	Trichlorofluoromethane	200	U
1,1-Dichloroethane	200	U	1,2,3-Trichloropropane	200	U
1,2-Dichloroethane	200	U	1,2,4-Trimethylbenzene	200	U
1,1-Dichloroethene	200	U	1,3,5-Trimethylbenzene	200	U
cis-1,2-Dichloroethene	200	U	Vinyl Chloride	200	U
trans-1,2-Dichloroethene	200	U	o-Xylene	200	U
1,2-Dichloropropane	200	U	m,p-Xylene	200	U
Acetone	1000	U	Diethyl ether	200	U
Carbon Disulfide	200	U	2-Hexanone	1000	U
Tetrahydrofuran	500	U	Methyl isobutyl ketone	1000	U
Methyl ethyl ketone	1000	U	Di-isopropyl ether (DIPE)	200	U
t-Butyl alcohol (TBA)	2000	U	Ethyl t-butyl ether (ETBE)	200	U
t-Amyl methyl ether (TAME)	200	U			

Surrogate Standard Recovery

Dibromofluoromethane	97 %	d4-1,2-Dichloroethane	93 %	d8-Toluene	104 %	Bromofluorobenzene	99 %

U=Undetected J=Estimated E=Exceeds Calibration Range B=Detected in Blank

METHODOLOGY: Sample analysis was conducted according to: Test Methods for Evaluating Solid Waste, SW-846 Method 8260B.

COMMENTS:

8260 full


Authorized signature

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17370.D
Acq On : 21 Aug 2003 1:54 am
Sample : 50273-10,DL
Misc : 50
MS Integration Params: rteint.p
Quant Time: Aug 21 2:08 2003

Vial: 32
Operator:
Inst : Instrumen
Multiplr: 1.00
Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17270T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1732

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	1 PPB	93%	98%	98%	100%	0
02	2 PPB	92%	95%	100%	99%	0
03	5 PPB	97%	101%	99%	99%	0
04	20 PPB	99%	104%	100%	101%	0
05	50 PPB	96%	100%	102%	103%	0
06	100 PPB	97%	102%	102%	99%	0
07	ZZZZZ	100%	99%	99%	101%	0
08	ZZZZZ	102%	101%	101%	100%	0
09	ZZZZZ	98%	95%	98%	100%	0
10	ZZZZZ	99%	95%	98%	100%	0
11	ZZZZZ	99%	96%	99%	101%	0
12	ZZZZZ	98%	96%	99%	98%	0
13	ZZZZZ	100%	101%	101%	98%	0
14	ZZZZZ	101%	101%	100%	96%	0
15	ZZZZZ	103%	104%	100%	97%	0
16	ZZZZZ	102%	104%	100%	97%	0
17	ZZZZZ	102%	103%	102%	97%	0
18	ZZZZZ	100%	102%	101%	97%	0
19	ZZZZZ	99%	105%	103%	101%	0
20	ZZZZZ	100%	102%	103%	99%	0
21						
22						
23						
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17293T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0838

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	20PPB STD	102%	100%	102%	102%	0
02	L808193B	102%	102%	102%	100%	0
03	L808193B2	102%	100%	102%	101%	0
04	ZZZZZ	101%	100%	101%	98%	0
05	B808193B	99%	97%	100%	97%	0
06	ZZZZZ	99%	97%	100%	99%	0
07	ZZZZZ	103%	102%	100%	98%	0
08	ZZZZZ	101%	102%	101%	99%	0
09	ZZZZZ	102%	102%	99%	97%	0
10	ZZZZZ	100%	101%	101%	97%	0
11	50269-2,MS	103%	103%	101%	101%	0
12	50269-2,MSD	103%	103%	102%	102%	0
13	ZZZZZ	100%	103%	103%	98%	0
14	ZZZZZ	100%	101%	101%	99%	0
15	ZZZZZ	100%	100%	101%	99%	0
16	ZZZZZ	100%	101%	101%	98%	0
17	ZZZZZ	101%	101%	100%	97%	0
18	ZZZZZ	100%	102%	102%	98%	0
19	ZZZZZ	102%	103%	101%	98%	0
20	ZZZZZ	101%	104%	101%	97%	0
21	ZZZZZ	101%	103%	101%	96%	0
22	ZZZZZ	101%	103%	101%	96%	0
23	ZZZZZ	100%	102%	101%	98%	0
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17317T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	20 PPB STD	103%	104%	102%	99%	0
02	L808193B3	102%	101%	104%	100%	0
03	L808193B4	106%	105%	102%	101%	0
04	B808193B2	102%	103%	100%	98%	0
05	ZZZZZ	100%	101%	101%	97%	0
06	ZZZZZ	101%	102%	101%	97%	0
07	ZZZZZ	102%	103%	101%	96%	0
08	ZZZZZ	102%	102%	102%	97%	0
09	ZZZZZ	102%	104%	101%	97%	0
10	ZZZZZ	102%	103%	101%	94%	0
11	50273-1	100%	102%	101%	97%	0
12	50273-2	102%	104%	101%	96%	0
13	50273-3	102%	104%	100%	96%	0
14	50273-4	103%	103%	100%	97%	0
15	50273-5	101%	101%	100%	97%	0
16	50273-6	103%	103%	100%	96%	0
17	50273-7	102%	104%	100%	97%	0
18	50273-8	103%	105%	101%	96%	0
19	50273-9	103%	103%	99%	96%	0
20	50273-10	103%	103%	100%	97%	0
21						
22						
23						
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17339T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0910

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	20PPB STD	106%	105%	103%	102%	0
02	L808203B	102%	101%	102%	101%	0
03	L808203B2	103%	100%	101%	100%	0
04	ZZZZZ	102%	100%	100%	99%	0
05	B808203B	103%	103%	100%	97%	0
06	ZZZZZ	103%	102%	99%	99%	0
07	ZZZZZ	101%	99%	101%	97%	0
08	ZZZZZ	104%	101%	99%	99%	0
09	ZZZZZ	101%	101%	100%	99%	0
10	ZZZZZ	103%	103%	99%	98%	0
11	ZZZZZ	103%	100%	101%	97%	0
12	50273-1,DL	103%	103%	99%	95%	0
13	50273-2,DL	103%	103%	100%	97%	0
14	50273-3,DL	102%	99%	100%	100%	0
15	50273-4,DL	104%	101%	99%	97%	0
16	50273-5,DL	103%	102%	100%	98%	0
17	ZZZZZ	104%	104%	99%	98%	0
18	ZZZZZ	103%	101%	98%	100%	0
19	ZZZZZ	104%	103%	99%	98%	0
20	ZZZZZ	102%	100%	99%	98%	0
21	ZZZZZ	102%	104%	100%	98%	0
22	ZZZZZ	102%	104%	100%	99%	0
23						
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC AQUEOUS SYSTEM MONITORING COMPOUNDS SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17362T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2145

Heated Purge: (Y/N) N

	SAMPLE ID	SMC1 #	SMC 2 #	SMC 3 #	SMC 4 #	OUT
01	20PPB_STD	104%	103%	99%	103%	0
02	L808203B3	106%	106%	101%	102%	0
03	L808203B4	105%	104%	102%	100%	0
04	B808203B2	103%	101%	100%	98%	0
05	50273-7,DL	101%	97%	99%	99%	0
06	50273-8,DL	100%	94%	101%	100%	0
07	50273-9,DL	102%	99%	99%	98%	0
08	50273-10,DL	97%	93%	104%	99%	0
09	ZZZZZ	99%	93%	99%	101%	0
10	ZZZZZ	97%	93%	100%	101%	0
11	ZZZZZ	101%	95%	101%	100%	0
12	ZZZZZ	104%	103%	100%	97%	0
13	ZZZZZ	103%	105%	101%	95%	0
14	ZZZZZ	103%	106%	101%	96%	0
15	ZZZZZ	100%	103%	101%	99%	0
16	ZZZZZ	101%	102%	102%	97%	0
17	ZZZZZ	103%	105%	103%	97%	0
18	ZZZZZ	104%	102%	101%	100%	0
19	ZZZZZ	103%	102%	102%	102%	0
20						
21						
22						
23						
24						

	QC LIMITS
SMC1 = Dibromofluoromethane	70-130%
SMC2 = 1,2-Dichloroethane-d4	70-130%
SMC3 = Toluene-d8	70-130%
SMC4 = Bromofluorobenzene	70-130%

\# Column to be used to flag recovery values

* Values outside of protocol required QC limits

D System Monitoring Compound diluted out

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808193B/L808193B2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	20.0	100		19.3	96		4		15	80-120
Chloromethane	20	U	20.9	105		20.2	101		3		15	80-120
Vinyl Chloride	20	U	19.5	98		18.9	95		3		15	80-120
Bromomethane	20	U	20.3	101		20.7	103		2		15	80-120
Chloroethane	20	U	20.3	102		19.3	96		5		15	80-120
t-Butyl alcohol (TBA)	100	U	128.8	129	*	122.0	122	*	5		15	80-120
Trichlorofluoromethane	20	U	20.1	100		19.4	97		3		15	80-120
Diethyl ether	20	U	21.0	105		20.8	104		1		15	80-120
Acetone	100	U	102.1	102		98.7	99		3		15	80-120
1,1-Dichloroethene	20	U	20.2	101		19.5	98		3		15	80-120
Di-isopropyl ether (DIPE)	20	U	21.6	108		20.6	103		5		15	80-120
Methylene Chloride	20	U	20.7	104		19.9	99		4		15	80-120
Carbon Disulfide	20	U	20.8	104		19.9	100		4		15	80-120
Methyl-tert-butyl ether (MTBE)	40	U	44.2	111		42.7	107		4		15	80-120
trans-1,2-Dichloroethene	20	U	20.6	103		19.6	98		5		15	80-120
1,1-Dichloroethane	20	U	20.9	104		19.9	99		5		15	80-120
Methyl ethyl ketone	100	U	106.9	107		113.6	114		6		15	80-120
Ethyl t-butyl ether (ETBE)	20	U	18.4	92		22.0	110		18	*	15	80-120
2,2-Dichloropropane	20	U	22.6	113		21.8	109		3		15	80-120
cis-1,2-Dichloroethene	20	U	21.1	105		20.7	103		2		15	80-120
t-Amyl methyl ether (TAME)	20	U	22.4	112		21.9	110		2		15	80-120
Chloroform	20	U	20.6	103		20.3	101		1		15	80-120
Bromochloromethane	20	U	20.4	102		20.4	102		0		15	80-120
Tetrahydrofuran	20	U	24.3	122	*	23.7	118		3		15	80-120
1,1,1-Trichloroethane	20	U	21.0	105		20.4	102		3		15	80-120
1,1-Dichloropropene	20	U	21.3	107		20.8	104		3		15	80-120
Carbon Tetrachloride	20	U	21.2	106		20.8	104		2		15	80-120
1,2-Dichloroethane	20	U	21.0	105		20.8	104		1		15	80-120
Benzene	20	U	20.5	102		20.0	100		2		15	80-120
Trichloroethene	20	U	22.1	110		21.9	109		1		15	80-120
1,2-Dichloropropane	20	U	21.7	108		21.7	109		0		15	80-120
Bromodichloromethane	20	U	21.7	108		21.7	109		0		15	80-120
Dibromomethane	20	U	21.5	108		21.5	108		0		15	80-120
2-Hexanone	100	U	112.6	113		110.8	111		2		15	80-120
Methyl isobutyl ketone	100	U	115.1	115		113.5	113		1		15	80-120
cis-1,3-Dichloropropene	20	U	23.7	118		23.6	118		0		15	80-120
Toluene	20	U	20.5	102		20.1	101		2		15	80-120
trans-1,3-Dichloropropene	20	U	23.1	116		23.1	115		0		15	80-120
1,1,2-Trichloroethane	20	U	22.1	110		22.3	111		1		15	80-120
1,3-Dichloropropane	20	U	21.5	107		21.5	108		0		15	80-120
Tetrachloroethene	20	U	20.1	101		19.8	99		2		15	80-120
Dibromochloromethane	20	U	20.3	102		20.5	102		1		15	80-120

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808193B/L808193B2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.6	108		21.5	108		0		15	80-120
Chlorobenzene	20	U	20.1	100		19.8	99		1		15	80-120
1,1,1,2-Tetrachloroethane	20	U	22.0	110		22.2	111		1		15	80-120
Ethylbenzene	20	U	20.6	103		20.2	101		2		15	80-120
m,p-Xylene	40	U	41.4	103		40.8	102		1		15	80-120
o-Xylene	20	U	21.0	105		20.9	105		0		15	80-120
Styrene	20	U	21.4	107		21.2	106		1		15	80-120
Bromoform	20	U	21.1	105		21.0	105		0		15	80-120
Isopropylbenzene	20	U	20.0	100		19.9	100		1		15	80-120
1,1,2,2-Tetrachloroethane	20	U	21.5	108		21.6	108		0		15	80-120
1,2,3-Trichloropropane	20	U	21.3	107		21.2	106		1		15	80-120
n-Propylbenzene	20	U	20.7	103		20.5	103		1		15	80-120
Bromobenzene	20	U	20.1	100		20.1	100		0		15	80-120
1,3,5-Trimethylbenzene	20	U	20.9	104		20.5	103		2		15	80-120
2-Chlorotoluene	20	U	20.4	102		20.5	103		1		15	80-120
4-Chlorotoluene	20	U	20.6	103		20.2	101		2		15	80-120
tert-butylbenzene	20	U	20.8	104		20.2	101		3		15	80-120
1,2,4-Trimethylbenzene	20	U	20.8	104		20.9	104		0		15	80-120
sec-butylbenzene	20	U	20.4	102		20.6	103		1		15	80-120
p-isopropyltoluene	20	U	19.4	97		19.3	97		0		15	80-120
1,3-Dichlorobenzene	20	U	19.8	99		19.8	99		0		15	80-120
1,4-Dichlorobenzene	20	U	20.0	100		19.7	99		1		15	80-120
n-butylbenzene	20	U	21.2	106		20.6	103		3		15	80-120
1,2-Dichlorobenzene	20	U	20.6	103		20.3	102		1		15	80-120
1,2-Dibromo-3-chloropropane	20	U	23.7	118		23.6	118		0		15	80-120
1,2,4-Trichlorobenzene	20	U	21.2	106		21.2	106		0		15	80-120
Hexachlorobutadiene	20	U	21.6	108		21.7	108		0		15	80-120
Naphthalene	20	U	21.7	109		21.3	107		2		15	80-120
1,2,3-Trichlorobenzene	20	U	21.0	105		20.8	104		1		15	80-120
1,3,5-Trichlorobenzene	20	U	20.2	101		19.8	91		2		15	80-120

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 1 out of 71 outside limits
Spike Recovery:3 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 50269-2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	MS CONC. ug/L	MS REC %	#	MSD CONC. ug/L	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	20.5	102		20.8	104		1		15	70-130
Chloromethane	20	U	21.3	107		21.9	110		3		15	70-130
Vinyl Chloride	20	U	20.6	103		20.6	103		0		15	70-130
Bromomethane	20	U	19.8	99		21.9	109		10		15	70-130
Chloroethane	20	U	21.1	105		21.4	107		2		15	70-130
t-Butyl alcohol (TBA)	100	U	129.3	129		139.5	140	*	8		15	70-130
Trichlorofluoromethane	20	U	21.2	106		21.2	106		0		15	70-130
Diethyl ether	20	U	21.2	106		21.3	107		1		15	70-130
Acetone	100	15	117.3	102		122.4	107		4		15	70-130
1,1-Dichloroethene	20	U	21.4	107		21.5	107		0		15	70-130
Di-isopropyl ether (DIPE)	20	U	21.9	109		21.7	108		1		15	70-130
Methylene Chloride	20	U	20.5	103		20.4	102		0		15	70-130
Carbon Disulfide	20	U	22.0	110		21.9	110		0		15	70-130
Methyl-tert-butyl ether (MTBE)	40	U	44.4	111		45.1	113		2		15	70-130
trans-1,2-Dichloroethene	20	U	21.4	107		21.5	108		1		15	70-130
1,1-Dichloroethane	20	U	21.6	108		21.7	109		1		15	70-130
Methyl ethyl ketone	100	8	123.6	116		130.6	123		6		15	70-130
Ethyl t-butyl ether (ETBE)	20	U	22.3	112		22.7	114		2		15	70-130
2,2-Dichloropropane	20	U	21.9	109		22.1	111		1		15	70-130
cis-1,2-Dichloroethene	20	U	21.9	109		22.2	111		2		15	70-130
t-Amyl methyl ether (TAME)	20	U	22.4	112		22.8	114		2		15	70-130
Chloroform	20	U	21.3	107		21.6	108		2		15	70-130
Bromochloromethane	20	U	20.9	105		21.1	106		1		15	70-130
Tetrahydrofuran	20	U	24.4	122		25.5	128		5		15	70-130
1,1,1-Trichloroethane	20	U	22.2	111		22.3	112		1		15	70-130
1,1-Dichloropropene	20	U	22.7	114		22.9	114		1		15	70-130
Carbon Tetrachloride	20	U	22.3	112		22.6	113		1		15	70-130
1,2-Dichloroethane	20	U	21.6	108		21.9	110		1		15	70-130
Benzene	20	U	21.4	107		21.6	108		1		15	70-130
Trichloroethene	20	U	22.8	114		23.3	117		2		15	70-130
1,2-Dichloropropane	20	U	22.3	112		22.6	113		1		15	70-130
Bromodichloromethane	20	U	22.1	110		22.4	112		1		15	70-130
Dibromomethane	20	U	21.8	109		21.8	109		0		15	70-130
2-Hexanone	100	U	111.6	112		115.8	116		4		15	70-130
Methyl isobutyl ketone	100	U	114.5	115		117.7	118		3		15	70-130
cis-1,3-Dichloropropene	20	U	23.7	118		24.1	121		2		15	70-130
Toluene	20	1	22.1	104		22.6	107		2		15	70-130
trans-1,3-Dichloropropene	20	U	23.1	116		23.5	118		2		15	70-130
1,1,2-Trichloroethane	20	U	22.5	113		22.6	113		0		15	70-130
1,3-Dichloropropane	20	U	21.7	109		22.2	111		2		15	70-130
Tetrachloroethene	20	U	20.5	103		21.0	105		2		15	70-130
Dibromochloromethane	20	U	20.5	103		21.0	105		2		15	70-130

analytics environmental laboratory LLC

VOLATILE ORGANIC

MATRIX SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Matrix Spike/Duplicate Sample ID: 50269-2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	MS CONC. ug/L	MS REC %	#	MSD CONC. ug/L	MSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.7	109		21.9	110		1		15	70-130
Chlorobenzene	20	U	20.6	103		20.8	104		1		15	70-130
1,1,1,2-Tetrachloroethane	20	U	22.4	112		22.6	113		1		15	70-130
Ethylbenzene	20	U	21.4	107		21.6	108		1		15	70-130
m,p-Xylene	40	U	42.7	107		43.3	108		1		15	70-130
o-Xylene	20	U	21.6	108		21.9	109		1		15	70-130
Styrene	20	U	22.0	110		22.2	111		1		15	70-130
Bromoform	20	U	21.3	107		21.7	108		2		15	70-130
Isopropylbenzene	20	U	20.8	104		20.9	105		1		15	70-130
1,1,2,2-Tetrachloroethane	20	U	21.5	108		22.0	110		2		15	70-130
1,2,3-Trichloropropane	20	U	21.3	107		21.7	109		2		15	70-130
n-Propylbenzene	20	U	21.5	107		21.7	108		1		15	70-130
Bromobenzene	20	U	20.5	103		20.7	104		1		15	70-130
1,3,5-Trimethylbenzene	20	U	21.2	106		21.6	108		2		15	70-130
2-Chlorotoluene	20	U	21.1	106		21.8	109		3		15	70-130
4-Chlorotoluene	20	U	20.9	104		20.7	103		1		15	70-130
tert-butylbenzene	20	U	21.0	105		21.5	108		2		15	70-130
1,2,4-Trimethylbenzene	20	U	21.6	108		21.9	109		1		15	70-130
sec-butylbenzene	20	U	21.2	106		21.4	107		1		15	70-130
p-isopropyltoluene	20	U	20.0	100		20.2	101		1		15	70-130
1,3-Dichlorobenzene	20	U	20.2	101		20.6	103		2		15	70-130
1,4-Dichlorobenzene	20	U	20.3	102		20.2	101		0		15	70-130
n-butylbenzene	20	U	21.5	107		21.5	107		0		15	70-130
1,2-Dichlorobenzene	20	U	20.8	104		21.0	105		1		15	70-130
1,2-Dibromo-3-chloropropane	20	U	23.6	118		24.5	123		4		15	70-130
1,2,4-Trichlorobenzene	20	U	20.7	103		21.3	107		3		15	70-130
Hexachlorobutadiene	20	U	21.8	109		22.3	112		2		15	70-130
Naphthalene	20	U	21.1	106		22.3	112		6		15	70-130
1,2,3-Trichlorobenzene	20	U	20.5	102		21.3	107		4		15	70-130
1,3,5-Trichlorobenzene	20	U	20.1	101		20.3	101		1		15	70-130

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 71 outside limits

Spike Recovery: 1 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808193B3/L808193B4

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	19.2	96		19.7	98		2		15	80-120
Chloromethane	20	U	20.3	101		20.7	103		2		15	80-120
Vinyl Chloride	20	U	19.8	99		20.0	100		1		15	80-120
Bromomethane	20	U	21.2	106		22.6	113		6		15	80-120
Chloroethane	20	U	20.2	101		20.6	103		2		15	80-120
t-Butyl alcohol (TBA)	100	U	138.0	138	*	147.6	148	*	7		15	80-120
Trichlorofluoromethane	20	U	19.9	100		20.0	100		1		15	80-120
Diethyl ether	20	U	21.5	108		22.2	111		3		15	80-120
Acetone	100	U	107.8	108		115.5	115		7		15	80-120
1,1-Dichloroethene	20	U	20.1	101		20.7	103		3		15	80-120
Di-isopropyl ether (DIPE)	20	U	21.4	107		21.8	109		2		15	80-120
Methylene Chloride	20	U	20.8	104		21.5	108		3		15	80-120
Carbon Disulfide	20	U	20.7	103		20.8	104		1		15	80-120
Methyl-tert-butyl ether (MTBE)	40	U	44.3	111		46.0	115		4		15	80-120
trans-1,2-Dichloroethene	20	U	20.5	102		21.0	105		3		15	80-120
1,1-Dichloroethane	20	U	20.9	105		21.3	107		2		15	80-120
Methyl ethyl ketone	100	U	115.0	115		124.7	125	*	8		15	80-120
Ethyl t-butyl ether (ETBE)	20	U	18.2	91		19.6	98		8		15	80-120
2,2-Dichloropropane	20	U	18.1	91		18.5	93		2		15	80-120
cis-1,2-Dichloroethene	20	U	20.7	104		21.6	108		4		15	80-120
t-Amyl methyl ether (TAME)	20	U	21.6	108		22.7	114		5		15	80-120
Chloroform	20	U	20.3	101		20.9	105		3		15	80-120
Bromochloromethane	20	U	20.2	101		21.3	106		5		15	80-120
Tetrahydrofuran	20	U	25.0	125	*	26.1	130	*	4		15	80-120
1,1,1-Trichloroethane	20	U	20.5	102		21.2	106		4		15	80-120
1,1-Dichloropropene	20	U	21.0	105		21.6	108		3		15	80-120
Carbon Tetrachloride	20	U	20.9	104		21.5	108		3		15	80-120
1,2-Dichloroethane	20	U	21.0	105		21.7	109		3		15	80-120
Benzene	20	U	20.1	101		20.7	104		3		15	80-120
Trichloroethene	20	U	22.1	110		21.9	110		1		15	80-120
1,2-Dichloropropane	20	U	21.7	109		21.7	108		0		15	80-120
Bromodichloromethane	20	U	22.0	110		21.9	109		0		15	80-120
Dibromomethane	20	U	21.7	109		21.7	108		0		15	80-120
2-Hexanone	100	U	117.4	117		119.7	120		2		15	80-120
Methyl isobutyl ketone	100	U	119.4	119		120.7	121	*	1		15	80-120
cis-1,3-Dichloropropene	20	U	23.3	116		22.9	114		2		15	80-120
Toluene	20	U	20.6	103		20.1	100		3		15	80-120
trans-1,3-Dichloropropene	20	U	22.9	114		22.4	112		2		15	80-120
1,1,2-Trichloroethane	20	U	22.7	113		22.6	113		0		15	80-120
1,3-Dichloropropane	20	U	21.8	109		21.9	109		0		15	80-120
Tetrachloroethene	20	U	20.3	101		19.6	98		4		15	80-120
Dibromochloromethane	20	U	20.8	104		20.5	103		1		15	80-120

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808193B3/L808193B4

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.8	109		22.1	111		1		15	80-120
Chlorobenzene	20	U	19.9	99		19.9	99		0		15	80-120
1,1,1,2-Tetrachloroethane	20	U	21.7	109		21.6	108		1		15	80-120
Ethylbenzene	20	U	20.2	101		20.2	101		0		15	80-120
m,p-Xylene	40	U	40.2	100		40.5	101		1		15	80-120
o-Xylene	20	U	20.6	103		20.9	104		2		15	80-120
Styrene	20	U	21.1	106		21.2	106		1		15	80-120
Bromoform	20	U	21.1	105		21.4	107		1		15	80-120
Isopropylbenzene	20	U	19.8	99		19.8	99		0		15	80-120
1,1,2,2-Tetrachloroethane	20	U	21.8	109		22.1	110		1		15	80-120
1,2,3-Trichloropropane	20	U	21.6	108		21.8	109		1		15	80-120
n-Propylbenzene	20	U	20.3	102		20.2	101		0		15	80-120
Bromobenzene	20	U	19.9	100		19.9	99		0		15	80-120
1,3,5-Trimethylbenzene	20	U	20.4	102		20.3	102		0		15	80-120
2-Chlorotoluene	20	U	19.9	99		20.3	101		2		15	80-120
4-Chlorotoluene	20	U	20.5	102		20.2	101		1		15	80-120
tert-butylbenzene	20	U	20.4	102		20.8	104		2		15	80-120
1,2,4-Trimethylbenzene	20	U	20.4	102		20.7	103		1		15	80-120
sec-butylbenzene	20	U	20.0	100		20.1	101		0		15	80-120
p-isopropyltoluene	20	U	19.0	95		19.0	95		0		15	80-120
1,3-Dichlorobenzene	20	U	19.6	98		19.6	98		0		15	80-120
1,4-Dichlorobenzene	20	U	19.6	98		19.4	97		1		15	80-120
n-butylbenzene	20	U	20.2	101		20.0	100		1		15	80-120
1,2-Dichlorobenzene	20	U	20.4	102		20.2	101		1		15	80-120
1,2-Dibromo-3-chloropropane	20	U	24.0	120		24.5	122		2		15	80-120
1,2,4-Trichlorobenzene	20	U	20.5	103		20.6	103		0		15	80-120
Hexachlorobutadiene	20	U	20.7	103		20.5	102		1		15	80-120
Naphthalene	20	U	21.5	107		22.0	110		2		15	80-120
1,2,3-Trichlorobenzene	20	U	20.6	103		20.7	104		0		15	80-120
1,3,5-Trichlorobenzene	20	U	19.4	97		19.3	91		1		15	80-120

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 0 out of 71 outside limits
Spike Recovery:6 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808203B/L808203B2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	20.1	100		19.4	97		3		15	80-120
Chloromethane	20	U	21.4	107		21.2	106		1		15	80-120
Vinyl Chloride	20	U	20.7	103		19.1	95		8		15	80-120
Bromomethane	20	U	21.5	108		19.7	99		9		15	80-120
Chloroethane	20	U	21.0	105		20.3	102		3		15	80-120
t-Butyl alcohol (TBA)	100	U	118.4	118		128.8	129	*	8		15	80-120
Trichlorofluoromethane	20	U	20.7	103		20.1	100		3		15	80-120
Diethyl ether	20	U	20.8	104		20.7	103		0		15	80-120
Acetone	100	U	100.6	101		102.3	102		2		15	80-120
1,1-Dichloroethene	20	U	20.3	101		19.8	99		2		15	80-120
Di-isopropyl ether (DIPE)	20	U	21.1	105		21.4	107		1		15	80-120
Methylene Chloride	20	U	20.9	105		21.4	107		2		15	80-120
Carbon Disulfide	20	U	20.5	102		20.0	100		3		15	80-120
Methyl-tert-butyl ether (MTBE)	40	U	42.2	105		42.8	107		1		15	80-120
trans-1,2-Dichloroethene	20	U	19.6	98		20.1	100		2		15	80-120
1,1-Dichloroethane	20	U	20.7	104		20.8	104		0		15	80-120
Methyl ethyl ketone	100	U	108.4	108		115.2	115		6		15	80-120
Ethyl t-butyl ether (ETBE)	20	U	21.7	108		22.0	110		1		15	80-120
2,2-Dichloropropane	20	U	21.8	109		21.1	105		3		15	80-120
cis-1,2-Dichloroethene	20	U	21.0	105		20.7	104		1		15	80-120
t-Amyl methyl ether (TAME)	20	U	21.4	107		21.8	109		2		15	80-120
Chloroform	20	U	20.4	102		20.4	102		0		15	80-120
Bromochloromethane	20	U	20.5	102		20.4	102		0		15	80-120
Tetrahydrofuran	20	U	23.0	115		23.7	119		3		15	80-120
1,1,1-Trichloroethane	20	U	20.7	103		20.6	103		1		15	80-120
1,1-Dichloropropene	20	U	21.3	106		21.1	105		1		15	80-120
Carbon Tetrachloride	20	U	21.6	108		21.1	106		2		15	80-120
1,2-Dichloroethane	20	U	20.9	104		21.0	105		1		15	80-120
Benzene	20	U	20.4	102		20.5	103		1		15	80-120
Trichloroethene	20	U	23.0	115		22.5	113		2		15	80-120
1,2-Dichloropropane	20	U	21.4	107		20.9	105		2		15	80-120
Bromodichloromethane	20	U	21.6	108		21.3	106		2		15	80-120
Dibromomethane	20	U	21.5	107		21.1	106		2		15	80-120
2-Hexanone	100	U	108.2	108		113.2	113		5		15	80-120
Methyl isobutyl ketone	100	U	110.0	110		113.4	113		3		15	80-120
cis-1,3-Dichloropropene	20	U	23.7	119		23.1	116		2		15	80-120
Toluene	20	U	20.6	103		20.1	101		2		15	80-120
trans-1,3-Dichloropropene	20	U	23.4	117		23.1	116		1		15	80-120
1,1,2-Trichloroethane	20	U	22.3	111		22.2	111		1		15	80-120
1,3-Dichloropropane	20	U	21.6	108		21.7	109		1		15	80-120
Tetrachloroethene	20	U	20.3	102		20.0	100		2		15	80-120
Dibromochloromethane	20	U	21.0	105		20.4	102		3		15	80-120

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808203B/L808203B2

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.8	109		22.0	110		1		15	80-120
Chlorobenzene	20	U	20.5	103		20.0	100		3		15	80-120
1,1,1,2-Tetrachloroethane	20	U	22.6	113		22.0	110		3		15	80-120
Ethylbenzene	20	U	20.8	104		20.2	101		3		15	80-120
m,p-Xylene	40	U	41.4	103		40.7	102		2		15	80-120
o-Xylene	20	U	21.1	106		20.9	105		1		15	80-120
Styrene	20	U	21.6	108		21.2	106		2		15	80-120
Bromoform	20	U	21.7	108		22.0	110		1		15	80-120
Isopropylbenzene	20	U	20.4	102		19.9	99		3		15	80-120
1,1,2,2-Tetrachloroethane	20	U	21.8	109		22.2	111		2		15	80-120
1,2,3-Trichloropropane	20	U	21.3	107		22.0	110		3		15	80-120
n-Propylbenzene	20	U	21.0	105		20.6	103		2		15	80-120
Bromobenzene	20	U	20.7	103		20.1	100		3		15	80-120
1,3,5-Trimethylbenzene	20	U	21.0	105		20.6	103		2		15	80-120
2-Chlorotoluene	20	U	21.0	105		20.7	104		1		15	80-120
4-Chlorotoluene	20	U	20.7	104		20.1	101		3		15	80-120
tert-butylbenzene	20	U	20.5	103		20.3	101		1		15	80-120
1,2,4-Trimethylbenzene	20	U	21.2	106		20.9	105		1		15	80-120
sec-butylbenzene	20	U	20.8	104		20.5	103		1		15	80-120
p-isopropyltoluene	20	U	19.7	98		19.5	98		1		15	80-120
1,3-Dichlorobenzene	20	U	20.4	102		20.3	101		1		15	80-120
1,4-Dichlorobenzene	20	U	20.0	100		19.7	98		2		15	80-120
n-butylbenzene	20	U	20.7	103		20.4	102		1		15	80-120
1,2-Dichlorobenzene	20	U	20.5	103		20.2	101		2		15	80-120
1,2-Dibromo-3-chloropropane	20	U	22.8	114		24.4	122	*	7		15	80-120
1,2,4-Trichlorobenzene	20	U	20.6	103		20.7	104		0		15	80-120
Hexachlorobutadiene	20	U	21.6	108		20.8	104		4		15	80-120
Naphthalene	20	U	20.9	104		21.8	109		4		15	80-120
1,2,3-Trichlorobenzene	20	U	20.5	103		20.6	103		0		15	80-120
1,3,5-Trichlorobenzene	20	U	19.8	99		19.6	91		1		15	80-120

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits
RPD: 0 out of 71 outside limits
Spike Recovery:2 out of 142 outside limits

Comments: _____

_____

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808203B3/L808203B4

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
Dichlorodifluoromethane	20	U	19.4	97		18.6	93		4		15	80-120
Chloromethane	20	U	21.9	109		21.0	105		4		15	80-120
Vinyl Chloride	20	U	20.7	104		19.9	100		4		15	80-120
Bromomethane	20	U	21.7	109		20.8	104		4		15	80-120
Chloroethane	20	U	21.3	107		20.6	103		4		15	80-120
t-Butyl alcohol (TBA)	100	U	128.1	128	*	117.8	118		8		15	80-120
Trichlorofluoromethane	20	U	20.9	105		20.3	102		3		15	80-120
Diethyl ether	20	U	21.8	109		22.0	110		1		15	80-120
Acetone	100	U	105.5	106		106.2	106		1		15	80-120
1,1-Dichloroethene	20	U	20.8	104		20.5	102		2		15	80-120
Di-isopropyl ether (DIPE)	20	U	22.1	110		21.6	108		2		15	80-120
Methylene Chloride	20	U	21.4	107		21.0	105		2		15	80-120
Carbon Disulfide	20	U	21.0	105		20.6	103		2		15	80-120
Methyl-tert-butyl ether (MTBE)	40	U	44.9	112		44.8	112		0		15	80-120
trans-1,2-Dichloroethene	20	U	20.9	104		20.7	103		1		15	80-120
1,1-Dichloroethane	20	U	21.5	108		21.1	106		2		15	80-120
Methyl ethyl ketone	100	U	114.8	115		114.0	114		1		15	80-120
Ethyl t-butyl ether (ETBE)	20	U	22.2	111		21.4	107		3		15	80-120
2,2-Dichloropropane	20	U	17.0	85		16.3	82		4		15	80-120
cis-1,2-Dichloroethene	20	U	21.5	107		21.0	105		2		15	80-120
t-Amyl methyl ether (TAME)	20	U	22.1	110		21.6	108		2		15	80-120
Chloroform	20	U	21.1	105		20.8	104		1		15	80-120
Bromochloromethane	20	U	20.9	105		20.2	101		4		15	80-120
Tetrahydrofuran	20	U	25.3	126	*	23.8	119		6		15	80-120
1,1,1-Trichloroethane	20	U	21.4	107		21.0	105		2		15	80-120
1,1-Dichloropropene	20	U	21.5	108		21.3	107		1		15	80-120
Carbon Tetrachloride	20	U	21.7	109		21.6	108		1		15	80-120
1,2-Dichloroethane	20	U	21.5	108		21.3	107		1		15	80-120
Benzene	20	U	20.9	105		20.3	102		3		15	80-120
Trichloroethene	20	U	21.8	109		21.7	108		1		15	80-120
1,2-Dichloropropane	20	U	21.6	108		21.5	107		0		15	80-120
Bromodichloromethane	20	U	21.5	107		21.7	108		1		15	80-120
Dibromomethane	20	U	21.3	106		21.2	106		0		15	80-120
2-Hexanone	100	U	110.9	111		110.0	110		1		15	80-120
Methyl isobutyl ketone	100	U	110.7	111		111.8	112		1		15	80-120
cis-1,3-Dichloropropene	20	U	22.3	112		22.5	113		1		15	80-120
Toluene	20	U	19.8	99		19.8	99		0		15	80-120
trans-1,3-Dichloropropene	20	U	22.0	110		21.9	110		0		15	80-120
1,1,2-Trichloroethane	20	U	22.3	111		22.1	111		1		15	80-120
1,3-Dichloropropane	20	U	21.5	108		21.4	107		1		15	80-120
Tetrachloroethene	20	U	19.0	95		19.2	96		1		15	80-120
Dibromochloromethane	20	U	20.5	102		20.5	102		0		15	80-120

analytics environmental laboratory LLC

VOLATILE ORGANIC

LABORATORY CONTROL SPIKE/DUPLICATE

PERCENT RECOVERY

Project #: 10971.217.002 Quote #: SDG#: 50273

Site ID: Bucks Harbor Location: Maine

Instrument ID: B

GC Column: RTX-502.2 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Laboratory Control Spike/Duplicate Sample ID: L808203B3/L808203B4

COMPOUND	SPIKE ADDED ug/L	SAMPLE AMT ug/L	LCS CONC. ug/L	LCS REC %	#	LCSD CONC. ug/L	LCSD REC %	#	RPD	#	QC LIMITS RPD	QC LIMITS % REC.
1,2-Dibromoethane	20	U	21.6	108		21.5	107		0		15	80-120
Chlorobenzene	20	U	19.6	98		19.6	98		0		15	80-120
1,1,1,2-Tetrachloroethane	20	U	21.8	109		21.7	109		0		15	80-120
Ethylbenzene	20	U	20.3	102		19.9	100		2		15	80-120
m,p-Xylene	40	U	40.4	101		39.7	99		2		15	80-120
o-Xylene	20	U	20.7	104		20.5	103		1		15	80-120
Styrene	20	U	21.1	106		20.9	104		1		15	80-120
Bromoform	20	U	21.6	108		21.1	106		2		15	80-120
Isopropylbenzene	20	U	19.9	100		19.4	97		2		15	80-120
1,1,2,2-Tetrachloroethane	20	U	21.9	109		21.6	108		1		15	80-120
1,2,3-Trichloropropane	20	U	21.4	107		21.6	108		1		15	80-120
n-Propylbenzene	20	U	20.2	101		20.0	100		1		15	80-120
Bromobenzene	20	U	20.2	101		19.7	98		3		15	80-120
1,3,5-Trimethylbenzene	20	U	20.3	101		20.1	101		1		15	80-120
2-Chlorotoluene	20	U	20.8	104		20.0	100		4		15	80-120
4-Chlorotoluene	20	U	19.5	98		19.5	97		0		15	80-120
tert-butylbenzene	20	U	20.2	101		19.9	99		2		15	80-120
1,2,4-Trimethylbenzene	20	U	20.6	103		20.5	102		0		15	80-120
sec-butylbenzene	20	U	19.7	98		19.9	99		1		15	80-120
p-isopropyltoluene	20	U	18.7	94		18.8	94		0		15	80-120
1,3-Dichlorobenzene	20	U	19.5	98		19.4	97		1		15	80-120
1,4-Dichlorobenzene	20	U	19.1	95		19.5	97		2		15	80-120
n-butylbenzene	20	U	19.4	97		19.7	99		1		15	80-120
1,2-Dichlorobenzene	20	U	19.9	99		20.1	100		1		15	80-120
1,2-Dibromo-3-chloropropane	20	U	23.9	119		24.1	120		1		15	80-120
1,2,4-Trichlorobenzene	20	U	19.9	99		20.5	103		3		15	80-120
Hexachlorobutadiene	20	U	20.1	101		20.3	101		1		15	80-120
Naphthalene	20	U	20.8	104		21.2	106		2		15	80-120
1,2,3-Trichlorobenzene	20	U	20.2	101		20.3	102		0		15	80-120
1,3,5-Trichlorobenzene	20	U	18.8	94		19.2	91		2		15	80-120

Column to be used to flag recovery and RPD values with an asterisk

* Values outside of QC limits

RPD: 0 out of 71 outside limits

Spike Recovery:2 out of 142 outside limits

Comments: _____

_____

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4593 Exp: 9.1.03

Voltage 1918

Threshold 160

081803-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
		w-B-081803-1-MT						
1	V8081838	BFB 50ng 2ml V4575	5mL	✓		B17270	WT	NA 532
2		1ppb .25ml V4586 V4588		✓		71		
3		2 ppb 150ml		✓		72		
4		5 ppb 1.25ml		✓		73		
5		20 ppb 5ml		✓		74		
6		50 ppb 12.5ml		✓		75		
7		100 ppb 25ml		✓		76		
8		Blank		✓		77		
9		L8081838 5ml V4587 V4594		✓		78		
10		L8081838Z 〃 〃		✓		79		
11		Bromoform		✓		80		
12		B8081838		✓		81		
13		~~50257-1~~ 50261-3		✓		82		<2
14		50259-1		✓		83		<2
15		50260-B		✓		84		<2
16		50261-1		✓		85		<2
17		〃 -2	〃	✓		86		<2
18		50257-1	500ml	✓		87		<2
19		50262-1	5mL	✓		88		<2
20		-2	250ml		DM 5mL	89		<2
21		-3	5mL	✓		90		<2
22		-4	〃	✓		91	〃	<2

8.19.03

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:
SS+IS V4597 Exp: 9.1.03
Voltage 1918
Threshold 100

Sun 081903-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
	W-B-081903-1-JL							
1	V8081803B	Blank	5mL			B17292		
2		BFB 50ng 2mL V4575		✓		93	T	838
3		20ppb 5mL V4586 V4588		✓	TBA @ 24%.	94	SC	
4		L808193B V4587 V4590		✓	EtBE, DIPE @ 18%.	95	Q	
5		L808193B2 ↓		✓	TBA 129/122%.	96	Q	
6		Bromofluorm		✓		97		
7		B808193B		✓		98	B	
8		50262-5		✓	TB	99		<2
9		50240-8		✓		B17300		<2
10		50243-6		✓		1		<2
11		↓ -8		✓		2		<2
12		50269-2		✓		3		<2
13		-2 MS		✓	TBA MSD @140%.	4	SP	<2
14		↓ -2 MSD		✓		5	SP	<2
15		50262-2		✓		6		<2
16		50254-20		✓		7		<2
17		-21	250mL	✓		8		<2
18		-22	5mL	✓		9		<2
19		↓ -30			MM 1mL	10		<2
20		50269-1		✓		11		<2
21		-3		✓		12		<2
22		-4		✓		13		<2
23		-5		✓		14		<2
24		-6		✓		15		<2
25		↓ -7		✓		16		<2
26		BFB 50ng 2mL V4575	5mL	✓		17	T	857
27		20ppb 5mL V4586 V4588		✓	TBA @ 36%.	18	SC	
28		L808193B3 V4587 V4590		✓	TBA, THF, MIBK	19	Q	
29		L808193B4 ↓		✓	120 B7 CP @	20	Q	
30		~~B808193B2~~ Blank			co check	21	B	

Sun 8.19.03

Revision: 04/30/02

LU25J

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4593 Exp: 9-1-03

Voltage 1918

Threshold 100

Sw 081903-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
31	V8081B/b	B808193B2	5mL	✓		B173228	Jw	
32		50269-8		✓		23		<2
33		-9		✓		24		<2
34		-10		✓	nn/1mL	25		<2
35		-11		✓	nn 500mL	26		<2
36		-12		✓	nn 500mL	27		<2
37		-13		✓	nn 500mL	28		<2
38		50273-1		✓	nn 500mL	29		<2
39		-2		✓	nn 500mL	30		<2
40		-3		✓	nn 500mL	31		<2
41		-4		✓	nn 500mL	32		<2
42		-5		✓	nn 500mL	33		<2
43		-6		✓		34		<2
44		-7		✓	nn 50mL	35		<2
45		-8		✓	nn 50mL	36		<2
46		-9		✓	nn 50mL	37		<2
47	↓	-10	↓	✓	nn 50mL	38	↓	<2

9.30.03

Jw

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp:

SS+IS V4593 Exp: 9.1.03

Voltage 1918

Threshold 100

082003-B

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH	
	W-B-082003-1-JL2								
1	V8081B	~~Sur 9.20.03~~ ~~Bromo~~ BFB 50ng	5mL		2mL V4575	B173351			910
2		~~Surr 9.20.03~~ BFB 20PPB 5mL V4586 V4588			THF	405C			
3		L808203B V4587 V4590				41	Q		
4		L808203B2			THF 1,2-DCP	42	Q		
5		Bromoform				43			
6		B808203B				44	B		
7		50229-5	1mL			45			L2
8		50269-10, DL	1mL			46			L2
9		50254-30	1mL			47			L2
10		50269-11, DL	500mL			48			L2
11		-12, DL				49			L2
12		-13, DL				50			L2
13		50273-1, DL				51			L2
14		-2, DL				52			L2
15		-3, DL				53			L2
16		-4, DL				54			L2
17		-5, DL				55			L2
18		50254-27				56			L2
19		-28				57			L2
20		-29				58			L2
21		-31			MW 100mL	59			L2
22		50274-4			MW 250mL	60			L2
23		-6			* ONT 12hr. MW 500mL	61			L2
24		BFB 50ng 2mL V4575	5mL			62	T		945
25		20PPB 5mL V4586 V4588			THF	63	SC		
26		L808203B3 V4587 V4590			THF, THF	64	Q		
27		L808203B4				65	Q		
28		B808203B2				66	B		
29		50273-7, DL	50mL			67			L2
30		-8, DL				68			L2

(cont.)

Revision: 04/30/02

GC/MS Volatiles Instrument: B

IS only Exp: .

SS+IS V4593 Exp: 9.1.03

Voltage 1918

Threshold 100

082003-B (CONT.)

Tube	Method	Sample	Vol	DF	Comments	File #	LB	pH
31	V8081B.m	50273-9,DL	50mL	✓		B17369		<2
32		-10,DL		✓		70		<2
33		50254-24		✓		71		<2
34		-25		✓		72		<2
35		-26		✓		73		<2
36		50254-32	5mL	✓		74		<2
37		50274-1		✓		75		<2
38		-2		✓		76		<2
39		-3		✓		77		<2
40		-5		✓		78		<2
41		-7		✓		79		<2
42		-1,MS			TBA†	80	SP	<2
43		-1,MSD			†MPA† TBA, 2-HEx, MIPAL	81	SP	<2

9.2.03

Revision: 04/30/02

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17270T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1732

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.3
75	30.0 - 60.0% of mass 95	43.4
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.0
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	72.9
175	5.0 - 9.0% of mass 174	5.4 (7.5)1
176	>95.0 - <101.0% of mass 174	72.8 (99.8)1
177	5.0 - 9.0% of mass 176	4.7 (6.5)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	1 PPB	1 PPB	B17271SI.D	08/18/03	18:02
02	2 PPB	2 PPB	B17272SI.D	08/18/03	18:31
03	5 PPB	5 PPB	B17273SI.D	08/18/03	19:00
04	20 PPB	20 PPB	B17274SI.D	08/18/03	19:29
05	50 PPB	50 PPB	B17275SI.D	08/18/03	19:59
06	100 PPB	100 PPB	B17276SI.D	08/18/03	20:28
07	ZZZZZ	ZZZZZ	B17278Q.D	08/18/03	21:41
08	ZZZZZ	ZZZZZ	B17279Q.D	08/18/03	22:10
09	ZZZZZ	ZZZZZ	B17280.D	08/18/03	22:40
10	ZZZZZ	ZZZZZ	B17281B.D	08/18/03	23:09
11	ZZZZZ	ZZZZZ	B17282.D	08/18/03	23:38
12	ZZZZZ	ZZZZZ	B17283.D	08/18/03	0:07
13	ZZZZZ	ZZZZZ	B17284.D	08/19/03	0:37
14	ZZZZZ	ZZZZZ	B17285.D	08/19/03	1:06
15	ZZZZZ	ZZZZZ	B17286.D	08/19/03	1:35
16	ZZZZZ	ZZZZZ	B17287.D	08/19/03	2:04
17	ZZZZZ	ZZZZZ	B17288.D	08/19/03	2:34
18	ZZZZZ	ZZZZZ	B17289.D	08/19/03	3:03
19	ZZZZZ	ZZZZZ	B17290.D	08/19/03	3:47
20	ZZZZZ	ZZZZZ	B17291.D	08/19/03	4:16
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17293T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0838

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	17.9
75	30.0 - 60.0% of mass 95	42.0
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.8
173	Less than 2.0% of mass 174	0.1 (0.2)1
174	Greater than 50% of mass 95	72.2
175	5.0 - 9.0% of mass 174	4.8 (6.7)1
176	>95.0 - <101.0% of mass 174	70.2 (97.3)1
177	5.0 - 9.0% of mass 176	4.2 (5.9)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B17294SC.D	08/19/03	9:17
02	L808193B	L808193B	B17295Q.D	08/19/03	9:46
03	L808193B2	L808193B2	B17296Q.D	08/19/03	10:22
04	ZZZZZ	ZZZZZ	B17297.D	08/19/03	10:54
05	B808193B	B808193B	B17298B.D	08/19/03	11:24
06	ZZZZZ	ZZZZZ	B17299.D	08/19/03	11:56
07	ZZZZZ	ZZZZZ	B17300.D	08/19/03	12:20
08	ZZZZZ	ZZZZZ	B17301.D	08/19/03	12:50
09	ZZZZZ	ZZZZZ	B17302.D	08/19/03	13:19
10	ZZZZZ	ZZZZZ	B17303.D	08/19/03	13:48
11	50269-2,MS	50269-2,MS	B17304SP.D	08/19/03	14:17
12	50269-2,MSD	50269-2,MSD	B17305SP.D	08/19/03	14:47
13	ZZZZZ	ZZZZZ	B17306.D	08/19/03	15:16
14	ZZZZZ	ZZZZZ	B17307.D	08/19/03	16:00
15	ZZZZZ	ZZZZZ	B17308.D	08/19/03	16:29
16	ZZZZZ	ZZZZZ	B17309.D	08/19/03	16:58
17	ZZZZZ	ZZZZZ	B17310.D	08/19/03	17:28
18	ZZZZZ	ZZZZZ	B17311.D	08/19/03	17:57
19	ZZZZZ	ZZZZZ	B17312.D	08/19/03	18:26
20	ZZZZZ	ZZZZZ	B17313.D	08/19/03	18:56
21	ZZZZZ	ZZZZZ	B17314.D	08/19/03	19:25
22	ZZZZZ	ZZZZZ	B17315.D	08/19/03	19:54
23	ZZZZZ	ZZZZZ	B17316.D	08/19/03	20:23

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17317T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	16.9
75	30.0 - 60.0% of mass 95	43.7
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	7.0
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	76.7
175	5.0 - 9.0% of mass 174	5.1 (6.6)1
176	>95.0 - <101.0% of mass 174	73.3 (95.6)1
177	5.0 - 9.0% of mass 176	4.4 (6.0)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20 PPB STD	20 PPB STD	B17318SC.D	08/19/03	21:36
02	L808193B3	L808193B3	B17319Q.D	08/19/03	22:06
03	L808193B4	L808193B4	B17320Q.D	08/19/03	22:35
04	B808193B2	B808193B2	B17322B.D	08/19/03	23:34
05	ZZZZZ	ZZZZZ	B17323.D	08/19/03	0:03
06	ZZZZZ	ZZZZZ	B17324.D	08/20/03	0:32
07	ZZZZZ	ZZZZZ	B17325.D	08/20/03	1:01
08	ZZZZZ	ZZZZZ	B17326.D	08/20/03	1:31
09	ZZZZZ	ZZZZZ	B17327.D	08/20/03	2:00
10	ZZZZZ	ZZZZZ	B17328.D	08/20/03	2:29
11	50273-1	50273-1	B17329.D	08/20/03	2:58
12	50273-2	50273-2	B17330.D	08/20/03	3:42
13	50273-3	50273-3	B17331.D	08/20/03	4:12
14	50273-4	50273-4	B17332.D	08/20/03	4:41
15	50273-5	50273-5	B17333.D	08/20/03	5:10
16	50273-6	50273-6	B17334.D	08/20/03	5:39
17	50273-7	50273-7	B17335.D	08/20/03	6:09
18	50273-8	50273-8	B17336.D	08/20/03	6:38
19	50273-9	50273-9	B17337.D	08/20/03	7:07
20	50273-10	50273-10	B17338.D	08/20/03	7:42
21					
22					
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17339T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0910

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.0
75	30.0 - 60.0% of mass 95	42.7
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.5
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	76.9
175	5.0 - 9.0% of mass 174	5.3 (6.9)1
176	>95.0 - <101.0% of mass 174	74.1 (96.5)1
177	5.0 - 9.0% of mass 176	4.7 (6.4)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B17340SC.D	08/20/03	9:41
02	L808203B	L808203B	B17341Q.D	08/20/03	10:08
03	L808203B2	L808203B2	B17342Q.D	08/20/03	10:38
04	ZZZZZ	ZZZZZ	B17343.D	08/20/03	11:07
05	B808203B	B808203B	B17344B.D	08/20/03	11:36
06	ZZZZZ	ZZZZZ	B17345.D	08/20/03	12:05
07	ZZZZZ	ZZZZZ	B17346.D	08/20/03	12:49
08	ZZZZZ	ZZZZZ	B17347.D	08/20/03	13:16
09	ZZZZZ	ZZZZZ	B17348.D	08/20/03	14:00
10	ZZZZZ	ZZZZZ	B17349.D	08/20/03	14:29
11	ZZZZZ	ZZZZZ	B17350.D	08/20/03	14:55
12	50273-1,DL	50273-1,DL	B17351.D	08/20/03	15:39
13	50273-2,DL	50273-2,DL	B17352.D	08/20/03	16:08
14	50273-3,DL	50273-3,DL	B17353.D	08/20/03	16:38
15	50273-4,DL	50273-4,DL	B17354.D	08/20/03	17:22
16	50273-5,DL	50273-5,DL	B17355.D	08/20/03	17:51
17	ZZZZZ	ZZZZZ	B17356.D	08/20/03	18:20
18	ZZZZZ	ZZZZZ	B17357.D	08/20/03	18:49
19	ZZZZZ	ZZZZZ	B17358.D	08/20/03	19:33
20	ZZZZZ	ZZZZZ	B17359.D	08/20/03	20:03
21	ZZZZZ	ZZZZZ	B17360.D	08/20/03	20:32
22	ZZZZZ	ZZZZZ	B17361.D	08/20/03	21:16
23					

analytics environmental laboratory LLC

VOLATILE ORGANIC
INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17362T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2145

Heated Purge: (Y/N) N

m/e	ION ABUNDANCE CRITERIA	%RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.8
75	30.0 - 60.0% of mass 95	42.9
95	Base peak, 100% relative abundance	100.0
96	5.0 - 9.0% of mass 95	6.0
173	Less than 2.0% of mass 174	0.0 (0.0)1
174	Greater than 50% of mass 95	74.0
175	5.0 - 9.0% of mass 174	5.7 (7.6)1
176	>95.0 - <101.0% of mass 174	73.7 (99.7)1
177	5.0 - 9.0% of mass 176	4.7 (6.3)2

1-Value is % mass 174 2-Value is % mass 176

This check applies to the following SAMPLES, MS, MSD, BLANKS and STANDARDS:

	SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
01	20PPB STD	20PPB STD	B17363SC.D	08/20/03	22:14
02	L808203B3	L808203B3	B17364Q.D	08/20/03	22:43
03	L808203B4	L808203B4	B17365Q.D	08/20/03	23:13
04	B808203B2	B808203B2	B17366B.D	08/20/03	23:42
05	50273-7,DL	50273-7,DL	B17367.D	08/21/03	0:11
06	50273-8,DL	50273-8,DL	B17368.D	08/21/03	0:41
07	50273-9,DL	50273-9,DL	B17369.D	08/21/03	1:24
08	50273-10,DL	50273-10,DL	B17370.D	08/21/03	1:54
09	ZZZZZ	ZZZZZ	B17371.D	08/21/03	2:23
10	ZZZZZ	ZZZZZ	B17372.D	08/21/03	3:07
11	ZZZZZ	ZZZZZ	B17373.D	08/21/03	3:36
12	ZZZZZ	ZZZZZ	B17374.D	08/21/03	4:05
13	ZZZZZ	ZZZZZ	B17375.D	08/21/03	4:35
14	ZZZZZ	ZZZZZ	B17376.D	08/21/03	5:04
15	ZZZZZ	ZZZZZ	B17377.D	08/21/03	5:33
16	ZZZZZ	ZZZZZ	B17378.D	08/21/03	6:02
17	ZZZZZ	ZZZZZ	B17379.D	08/21/03	6:32
18	ZZZZZ	ZZZZZ	B17380SP.D	08/21/03	8:11
19	ZZZZZ	ZZZZZ	B17381SP.D	08/21/03	8:40
20					
21					
22					
23					

Acq. Method File	V808183B
Level 1 File Name	B17271SI.D
Level 2 File Name	B17272SI.D
Level 3 File Name	B17273SI.D
Level 4 File Name	B17274SI.D
Level 5 File Name	B17275SI.D
Level 6 File Name	B17276SI.D

L=Linear
Q=Quadratic

Name	Response Factor Rel. STDEV
Dichlorodifluoromethane	3.51%
Chloromethane	8.34%
Vinyl Chloride	15.89%
Bromomethane	11.86%
Chloroethane	6.33%
t-Butyl alcohol (TBA)	14.67%
Trichlorofluoromethane	4.07%
Diethyl ether	4.41%
1,1,2-Trichlorotrifluoroethane	3.85%
Acrolein	8.89%
Acetone	8.68%
1,1-Dichloroethene	2.75%
Methyl iodide	7.61%
Di-isopropyl ether (DIPE)	6.21%
Methylene Chloride	99.99% L
Carbon Disulfide	4.29%
Acrylonitrile	7.95%
Methyl-tert-butyl ether (MTBE)	2.43%
trans-1,2-Dichloroethene	5.07%
1,1-Dichloroethane	6.75%
Vinyl acetate	18.22%
Methyl ethyl ketone	9.54%
Ethyl t-butyl ether (ETBE)	3.34%
2,2-Dichloropropane	7.93%
cis-1,2-Dichloroethene	3.20%
t-Amyl methyl ether (TAME)	4.60%
Chloroform	4.06%
Bromochloromethane	1.39%
Tetrahydrofuran	99.99% Q
1,1,1-Trichloroethane	4.15%
1,1-Dichloropropene	2.30%
Carbon Tetrachloride	4.99%
1,2-Dichloroethane	3.01%
Benzene	4.66%
Trichloroethene	5.75%
1,2-Dichloropropane	2.72%
Methylmethacrylate	10.12%
Bromodichloromethane	4.99%
Dibromomethane	5.82%
2-Chloroethylvinyl ether	9.46%
2-Hexanone	6.80%
Methyl isobutyl ketone	7.59%
cis-1,3-Dichloropropene	7.28%
Toluene	3.97%
trans-1,3-Dichloropropene	9.21%
1,1,2-Trichloroethane	2.75%
1,3-Dichloropropane	1.88%
Tetrachloroethene	5.42%
Dibromochloromethane	5.46%
1,2-Dibromoethane	4.30%
Chlorobenzene	5.03%
1,1,1,2-Tetrachloroethane	4.15%
Ethylbenzene	4.14%
m,p-Xylene	3.44%
o-Xylene	3.37%
Styrene	2.84%
Bromoform	7.23%
Isopropylbenzene	3.50%
1,1,2,2-Tetrachloroethane	2.38%
1,2,3-Trichloropropane	8.33%
trans-1,4-Dichloro-2-butene	4.75%
n-Propylbenzene	3.45%
Bromobenzene	3.55%
1,3,5-Trimethylbenzene	2.16%
2-Chlorotoluene	3.90%
4-Chlorotoluene	3.37%
tert-butylbenzene	4.03%
1,2,4-Trimethylbenzene	3.96%
sec-butylbenzene	6.23%
p-isopropyltoluene	5.73%
1,3-Dichlorobenzene	4.89%
1,4-Dichlorobenzene	4.69%
n-butylbenzene	3.65%
1,2-Dichlorobenzene	3.50%
1,2-Dibromo-3-chloropropane	13.75%
1,2,4-Trichlorobenzene	3.86%
Hexachlorobutadiene	11.31%
Naphthalene	4.31%
1,2,3-Trichlorobenzene	3.87%
1,3,5-Trichlorobenzene	3.01%
AVG	8.01%

8.19.03

VMT 8/19/03

Response Factor Report Instrumen

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration

8.19.03

VMT 8/19/03

Calibration Files
1 =B17271SI.D 2 =B17272SI.D 5 =B17273SI.D
20 =B17274SI.D 50 =B17275SI.D 100 =B17276SI.D

		Compound	1	2	5	20	50	100	Avg	%RS	
1)	I	Pentafluorobenzene	ISTD								
2)	TM	Dichlorodifluoromet	0.741	0.716	0.731	0.686	0.705	0.677	0.709	3.51	
3)	TMP	Chloromethane	0.642	0.624	0.593	0.542	0.546	0.524	0.578	8.34	
4)	TMC	Vinyl Chloride	0.449	0.409	0.399	0.328	0.325	0.301	0.369	15.89	
5)	TM	Bromomethane	0.326	0.251	0.248	0.238	0.266	0.266	0.266	11.86	
6)	TM	Chloroethane	0.282	0.249	0.253	0.249	0.251	0.233	0.253	6.33	
7)	TM	t-Butyl alcohol (TB	0.022	0.023	0.023	0.025	0.030	0.030	0.025#	14.67	
8)	TM	Trichlorofluorometh	0.621	0.557	0.598	0.582	0.574	0.564	0.582	4.07	
9)	TM	Diethyl ether	0.198	0.177	0.178	0.190	0.186	0.191	0.187	4.41	
10)	TM	1,1,2-Trichlorotrif	0.351	0.334	0.368	0.372	0.350	0.354	0.355	3.85	
11)	TM	Acrolein	0.027	0.024	0.026	0.027	0.029	0.031	0.027#	8.89	
12)	TM	Acetone	0.139	0.117	0.112	0.111	0.117	0.120	0.119	8.68	
13)	TMC	1,1-Dichloroethene	0.357	0.331	0.338	0.340	0.334	0.336	0.339	2.75	
14)	TM	Methyl iodide	0.462	0.413	0.466	0.498	0.511	0.500	0.475	7.61	
15)	TM	Di-isopropyl ether	1.571	1.426	1.392	1.377	1.354	1.323	1.407	6.21	
16)	TM	Methylene Chloride	0.716	0.616	0.455	0.393	0.371	0.361	0.485	30.32	Line
17)	TM	Carbon Disulfide	1.063	0.965	1.026	1.072	1.078	1.080	1.047	4.29	
18)	TM	Acrylonitrile	0.118	0.103	0.118	0.121	0.126	0.131	0.120	7.95	
19)	TM	Methyl-tert-butyl e	0.988	0.921	0.940	0.954	0.933	0.952	0.948	2.43	
20)	TM	trans-1,2-Dichloroe	0.399	0.343	0.372	0.378	0.361	0.365	0.370	5.07	
21)	TMP	1,1-Dichloroethane	0.724	0.646	0.645	0.640	0.612	0.600	0.644	6.75	
22)	TM	Vinyl acetate	0.035	0.048	0.057	0.058	0.059	0.060	0.053#	18.22	Qua
23)	TM	Methyl ethyl ketone	0.043	0.041	0.041	0.046	0.050	0.051	0.045#	9.54	
24)	TM	Ethyl t-butyl ether	1.364	1.389	1.379	1.444	1.479	1.457	1.419	3.34	
25)	TM	2,2-Dichloropropane	0.665	0.571	0.585	0.622	0.541	0.550	0.589	7.93	
26)	TM	cis-1,2-Dichloroeth	0.536	0.489	0.502	0.516	0.519	0.523	0.514	3.20	
27)	TM	t-Amyl methyl ether	1.226	1.171	1.202	1.261	1.313	1.307	1.247	4.60	
28)	S	Dibromofluoromethan	0.558	0.551	0.578	0.591	0.574	0.582	0.572	2.66	
29)	TMC	Chloroform	0.935	0.838	0.848	0.854	0.853	0.859	0.865	4.06	
30)	TM	Bromochloromethane	0.255	0.244	0.250	0.248	0.247	0.248	0.249	1.39	
31)	TM	Tetrahydrofuran	0.023	0.029	0.037	0.043	0.046	0.047	0.037#	26.64	Qua
32)	TM	1,1,1-Trichloroetha	0.697	0.619	0.655	0.675	0.676	0.684	0.668	4.15	
33)	T	NO COMPOUND							0.000#	-1.00	
34)	TM	1,1-Dichloropropene	0.657	0.619	0.647	0.654	0.660	0.653	0.648	2.30	
35)	TM	Carbon Tetrachlorid	0.494	0.450	0.489	0.508	0.510	0.520	0.495	4.99	
36)	S	d4-1,2-Dichloroetha	0.607	0.588	0.623	0.646	0.617	0.632	0.619	3.24	
37)	TM	1,2-Dichloroethane	0.719	0.662	0.664	0.686	0.679	0.680	0.681	3.01	
38)	TM	Benzene	2.106	1.963	1.934	1.912	1.897	1.839	1.942	4.66	
39)	I	1,4-Difluorobenzene	ISTD								
40)	TM	Trichloroethene	0.322	0.274	0.286	0.282	0.292	0.289	0.291	5.75	
41)	TMC	1,2-Dichloropropane	0.267	0.262	0.249	0.251	0.260	0.256	0.258	2.72	
42)	TM	Methylmethacrylate	0.160	0.161	0.164	0.179	0.197	0.199	0.177	10.12	

(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration

Calibration Files
1 =B17271SI.D 2 =B17272SI.D 5 =B17273SI.D
20 =B17274SI.D 50 =B17275SI.D 100 =B17276SI.D

		Compound	1	2	5	20	50	100	Avg	%RS
43)	T	NO COMPOUND							0.000#	-1.00
44)	T	NO COMPOUND							0.000#	-1.00
45)	TM	Bromodichloromethan	0.349	0.335	0.332	0.352	0.371	0.373	0.352	4.99
46)	TM	Dibromomethane	0.193	0.185	0.199	0.202	0.214	0.215	0.201	5.82
47)	T	NO COMPOUND							0.000#	-1.00
48)	T	NO COMPOUND							0.000#	-1.00
49)	T	NO COMPOUND							0.000#	-1.00
50)	T	2-Chloroethylvinyl				0.002	0.002	0.002	0.002#	9.46
51)	TM	2-Hexanone	0.088	0.100	0.094	0.099	0.107	0.103	0.098#	6.80
52)	TM	Methyl isobutyl ket	0.091	0.088	0.089	0.095	0.105	0.102	0.095#	7.59
53)	TM	cis-1,3-Dichloropro	0.384	0.393	0.406	0.432	0.455	0.454	0.421	7.28
54)	S	d8-Toluene	1.104	1.125	1.121	1.127	1.149	1.157	1.131	1.71
55)	TMC	Toluene	0.739	0.685	0.665	0.667	0.706	0.695	0.693	3.97
56)	TM	trans-1,3-Dichlorop	0.333	0.342	0.360	0.386	0.415	0.409	0.374	9.21
57)	T	NO COMPOUND							0.000#	-1.00
58)	TM	1,1,2-Trichloroetha	0.236	0.234	0.221	0.225	0.235	0.226	0.229	2.75
59)	TM	1,3-Dichloropropane	0.480	0.468	0.467	0.466	0.488	0.471	0.473	1.88
60)	TM	Tetrachloroethene	0.310	0.278	0.272	0.269	0.276	0.273	0.280	5.42
61)	TM	Dibromochloromethan	0.264	0.248	0.252	0.265	0.284	0.280	0.265	5.46
62)	TM	1,2-Dibromoethane	0.304	0.277	0.287	0.291	0.310	0.305	0.296	4.30
63)	I	*d5-Chlorobenzene	----------	----------	----------	ISTD	----------	----------		
64)	TMP	Chlorobenzene	0.966	0.890	0.861	0.848	0.875	0.849	0.881	5.03
65)	TM	1,1,1,2-Tetrachloro	0.283	0.254	0.256	0.267	0.275	0.267	0.267	4.15
66)	TMC	Ethylbenzene	1.630	1.506	1.465	1.477	1.511	1.464	1.509	4.14
67)	TM	m,p-Xylene	0.584	0.552	0.537	0.536	0.557	0.534	0.550	3.44
68)	TM	o-Xylene	0.546	0.505	0.510	0.522	0.545	0.535	0.527	3.37
69)	TM	Styrene	0.944	0.914	0.922	0.939	0.987	0.963	0.945	2.84
70)	TMP	Bromoform	0.199	0.196	0.199	0.212	0.232	0.225	0.210	7.23
71)	TM	Isopropylbenzene	1.359	1.252	1.268	1.303	1.363	1.321	1.311	3.50
72)	TMP	1,1,2,2-Tetrachloro	0.424	0.417	0.404	0.400	0.423	0.411	0.413	2.38
73)	S	Bromofluorobenzene	0.530	0.526	0.528	0.535	0.546	0.527	0.532	1.43
74)	TM	1,2,3-Trichloroprop	0.368	0.314	0.308	0.298	0.313	0.298	0.317	8.33
75)	TM	trans-1,4-Dichloro-	0.114	0.121	0.120	0.127	0.130	0.126	0.123	4.75
76)	TM	n-Propylbenzene	1.786	1.633	1.651	1.653	1.728	1.680	1.689	3.45
77)	TM	Bromobenzene	0.376	0.362	0.347	0.346	0.355	0.342	0.355	3.55
78)	TM	1,3,5-Trimethylbenz	1.041	1.006	1.003	1.012	1.057	1.039	1.026	2.16
79)	TM	2-Chlorotoluene	1.249	1.155	1.136	1.121	1.159	1.148	1.161	3.90
80)	TM	4-Chlorotoluene	1.127	1.074	1.034	1.046	1.084	1.036	1.067	3.37
81)	TM	tert-butylbenzene	0.828	0.766	0.805	0.831	0.864	0.834	0.821	4.03
82)	TM	1,2,4-Trimethylbenz	1.187	1.092	1.063	1.079	1.123	1.100	1.107	3.96
83)	T	NO COMPOUND							0.000#	-1.00
84)	TM	sec-butylbenzene		1.406	1.223	1.205	1.275	1.255	1.273	6.23
85)	TM	p-isopropyltoluene	1.114	0.992	0.954	0.963	1.008	0.997	1.005	5.73


(#) = Out of Range

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration

Calibration Files
1 =B17271SI.D 2 =B17272SI.D 5 =B17273SI.D
20 =B17274SI.D 50 =B17275SI.D 100 =B17276SI.D

		Compound	1	2	5	20	50	100	Avg	%RS
86)	TM	1,3-Dichlorobenzene	0.681	0.626	0.603	0.598	0.624	0.607	0.623	4.89
87)	I	1,4-Dichlorobenzene-d	ISTD							
88)	TM	1,4-Dichlorobenzene	1.398	1.339	1.272	1.253	1.266	1.241	1.295	4.69
89)	TM	n-butylbenzene	2.003	1.820	1.829	1.887	1.934	1.927	1.900	3.65
90)	TM	1,2-Dichlorobenzene	1.254	1.156	1.144	1.151	1.180	1.157	1.174	3.50
91)	T	NO COMPOUND							0.000#	-1.00
92)	TM	1,2-Dibromo-3-chlor	0.091	0.116	0.118	0.125	0.134	0.137	0.120	13.75
93)	T	NO COMPOUND							0.000#	-1.00
94)	TM	1,2,4-Trichlorobenz	0.731	0.677	0.673	0.693	0.724	0.732	0.705	3.86
95)	TM	Hexachlorobutadiene	0.259	0.205	0.201	0.195	0.203	0.205	0.211	11.31
96)	TM	Naphthalene	1.936	1.846	1.830	1.898	2.013	2.029	1.925	4.31
97)	TM	1,2,3-Trichlorobenz	0.697	0.642	0.632	0.631	0.653	0.668	0.654	3.87
98)	TM	1,3,5-Trichlorobenz	0.761	0.736	0.707	0.731	0.759	0.764	0.743	3.01


(#) = Out of Range



8.19.03

8/19/03


Method Name: C:\HPCHEM\1\METHODS\V808183B.M
Calibration Table Last Updated: Tue Aug 19 07:02:41 2003



8.19.03

VMT 8/19/03

Method Name: C:\HPCHEM\1\METHODS\V808183B.M
Calibration Table Last Updated: Tue Aug 19 07:02:41 2003



8.19.03

VMT 8/19/03

Method Name: C:\HPCHEM\1\METHODS\V808183B.M
Calibration Table Last Updated: Tue Aug 19 07:02:41 2003

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17271SI.D Vial: 2
Acq On : 18 Aug 2003 6:02 pm Operator:
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:26 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:25:02 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8-19-03
JMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	194884	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	352942	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	310446	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	157731	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	108750	18.67	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 93.35%			
36) d4-1,2-Dichloroethane	7.84	65	118270	19.61	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.05%			
54) d8-Toluene	10.81	98	389823	19.53	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 97.65%			
73) Bromofluorobenzene	15.09	95	164599	19.94	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.70%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	7221	1.04	ug/L	96
3) Chloromethane	1.83	50	6254	1.11	ug/L	95
4) Vinyl Chloride	1.94	62	4372	1.22	ug/L	95
5) Bromomethane	2.40	94	3180	1.23	ug/L	95
6) Chloroethane	2.49	64	2749	1.12	ug/L	98
7) t-Butyl alcohol (TBA)	3.79	59	1052	4.26	ug/L #	72
8) Trichlorofluoromethane	2.78	101	6047	1.07	ug/L	96
9) Diethyl ether	3.18	74	1933	1.06	ug/L #	73
10) 1,1,2-Trichlorotrifluoroet	3.36	101	3416	0.99	ug/L	89
11) Acrolein	3.33	56	1294	4.87	ug/L	83
12) Acetone	3.42	43	6789	5.84	ug/L #	86
13) 1,1-Dichloroethene	3.58	96	3483	1.05	ug/L	94
14) Methyl iodide	4.03	142	4506	0.97	ug/L #	96
15) Di-isopropyl ether (DIPE)	5.42	45	15309	1.12	ug/L	96
16) Methylene Chloride	4.33	84	6978	0.52	ug/L	98
17) Carbon Disulfide	4.30	76	10357	1.01	ug/L	100
18) Acrylonitrile	4.55	53	1147	0.98	ug/L	98
19) Methyl-tert-butyl ether (M	4.65	73	9627	1.04	ug/L	91
20) trans-1,2-Dichloroethene	4.82	96	3889	1.08	ug/L	94
21) 1,1-Dichloroethane	5.51	63	7056	1.12	ug/L	99
22) Vinyl acetate	5.56	86	344	0.67	ug/L #	1
23) Methyl ethyl ketone	6.25	72	2118	4.78	ug/L	85
24) Ethyl t-butyl ether (ETBE)	6.08	59	13288	0.96	ug/L	97
25) 2,2-Dichloropropane	6.41	77	6479	1.13	ug/L	97
26) cis-1,2-Dichloroethene	6.48	96	5222	1.04	ug/L #	85
27) t-Amyl methyl ether (TAME)	7.85	73	11946	0.98	ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17271SI.D Vial: 2
Acq On : 18 Aug 2003 6:02 pm Operator:
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:26 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:25:02 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.73	83	9109	1.08	ug/L		99
30)	Bromochloromethane	6.96	128	2480	1.02	ug/L		95
31)	Tetrahydrofuran	7.08	71	221	1.36	ug/L	#	19
32)	1,1,1-Trichloroethane	7.35	97	6792	1.04	ug/L		94
34)	1,1-Dichloropropene	7.59	75	6399	1.01	ug/L		96
35)	Carbon Tetrachloride	7.73	119	4810	1.00	ug/L		97
37)	1,2-Dichloroethane	7.99	62	7002	1.05	ug/L		96
38)	Benzene	8.00	78	20521	1.08	ug/L		100
40)	Trichloroethene	8.96	95	5691	1.11	ug/L		86
41)	1,2-Dichloropropane	9.23	63	4718	1.04	ug/L		87
42)	Methylmethacrylate	9.38	69	2821	0.91	ug/L		97
45)	Bromodichloromethane	9.59	83	6163	0.99	ug/L		95
46)	Dibromomethane	9.65	93	3410	0.96	ug/L		88
51)	2-Hexanone	11.51	58	7762	4.47	ug/L		74
52)	Methyl isobutyl ketone	10.17	58	8056	4.80	ug/L	#	66
53)	cis-1,3-Dichloropropene	10.44	75	6785	0.91	ug/L		89
55)	Toluene	10.94	92	13034	1.07	ug/L		91
56)	trans-1,3-Dichloropropene	11.22	75	5885	0.89	ug/L		95
58)	1,1,2-Trichloroethane	11.46	83	4157	1.03	ug/L		83
59)	1,3-Dichloropropane	11.84	76	8474	1.01	ug/L		96
60)	Tetrachloroethene	11.94	166	5469	1.11	ug/L		93
61)	Dibromochloromethane	12.24	129	4667	1.00	ug/L		97
62)	1,2-Dibromoethane	12.55	107	5372	1.03	ug/L		94
64)	Chlorobenzene	13.22	112	14993	1.10	ug/L		88
65)	1,1,1,2-Tetrachloroethane	13.29	131	4399	1.06	ug/L		90
66)	Ethylbenzene	13.31	91	25295	1.08	ug/L		99
67)	m,p-Xylene	13.44	106	18118	2.12	ug/L		98
68)	o-Xylene	14.13	106	8482	1.04	ug/L		95
69)	Styrene	14.18	104	14647	1.00	ug/L		98
70)	Bromoform	14.69	173	3084	0.94	ug/L		95
71)	Isopropylbenzene	14.70	105	21099	1.04	ug/L		94
72)	1,1,2,2-Tetrachloroethane	14.97	83	6584	1.03	ug/L		93
74)	1,2,3-Trichloropropane	15.19	75	5719	1.16	ug/L		97
75)	trans-1,4-Dichloro-2-buten	15.31	53	1776	0.93	ug/L		95
76)	n-Propylbenzene	15.34	91	27727	1.06	ug/L		95
77)	Bromobenzene	15.39	156	5829	1.06	ug/L		95
78)	1,3,5-Trimethylbenzene	15.60	105	16162	1.01	ug/L		89
79)	2-Chlorotoluene	15.62	91	19394	1.08	ug/L		95
80)	4-Chlorotoluene	15.70	91	17501	1.06	ug/L		93
81)	tert-butylbenzene	16.17	119	12858	1.01	ug/L		92
82)	1,2,4-Trimethylbenzene	16.23	105	18421	1.07	ug/L		100

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17271SI.D Vial: 2
Acq On : 18 Aug 2003 6:02 pm Operator:
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:26 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:25:02 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
84)	sec-butylbenzene	16.52	105	28053	1.42	ug/L		97
85)	p-isopropyltoluene	16.74	119	17297	1.11	ug/L		98
86)	1,3-Dichlorobenzene	16.88	146	10570	1.09	ug/L		97
88)	1,4-Dichlorobenzene	17.05	146	11025	1.08	ug/L		91
89)	n-butylbenzene	17.40	91	15794	1.05	ug/L		94
90)	1,2-Dichlorobenzene	17.65	146	9888	1.07	ug/L		95
92)	1,2-Dibromo-3-chloropropan	18.92	75	719	0.76	ug/L	#	77
94)	1,2,4-Trichlorobenzene	20.38	180	5766	1.04	ug/L		95
95)	Hexachlorobutadiene	20.62	225	2045	1.23	ug/L		91
96)	Naphthalene	20.79	128	15272	1.01	ug/L		100
97)	1,2,3-Trichlorobenzene	21.24	180	5495	1.07	ug/L		86
98)	1,3,5-Trichlorobenzene	19.32	180	5998	1.02	ug/L		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081803-B\B17271SI.D Vial: 2
Acq On : 18 Aug 2003 6:02 pm Operator:
Sample : 1 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:26 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17272SI.D Vial: 3
Acq On : 18 Aug 2003 6:31 pm Operator:
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03
VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.96	168	187228	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	339004	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.17	117	311635	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	158277	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.06	111	103076	18.42	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 92.10%			
36) d4-1,2-Dichloroethane	7.84	65	110119	19.01	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 95.05%			
54) d8-Toluene	10.81	98	381463	19.90	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.50%			
73) Bromofluorobenzene	15.09	95	163876	19.77	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.85%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	13407	2.02	ug/L	100
3) Chloromethane	1.83	50	11677	2.16	ug/L	99
4) Vinyl Chloride	1.94	62	7666	2.22	ug/L	93
5) Bromomethane	2.39	94	4704	1.89	ug/L	91
6) Chloroethane	2.48	64	4655	1.97	ug/L	97
7) t-Butyl alcohol (TBA)	3.77	59	2164	9.13	ug/L #	72
8) Trichlorofluoromethane	2.79	101	10423	1.91	ug/L	99
9) Diethyl ether	3.16	74	3318	1.90	ug/L #	85
10) 1,1,2-Trichlorotrifluoroet	3.35	101	6252	1.88	ug/L #	90
11) Acrolein	3.33	56	2215	8.68	ug/L	89
12) Acetone	3.43	43	10937	9.79	ug/L #	86
13) 1,1-Dichloroethene	3.58	96	6196	1.95	ug/L	97
14) Methyl iodide	4.04	142	7730	1.74	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	26699	2.03	ug/L	100
16) Methylene Chloride	4.33	84	11525	1.97	ug/L	98
17) Carbon Disulfide	4.30	76	18074	1.84	ug/L	100
18) Acrylonitrile	4.55	53	1930	1.72	ug/L	88
19) Methyl-tert-butyl ether (M	4.64	73	17249	1.94	ug/L #	87
20) trans-1,2-Dichloroethene	4.82	96	6420	1.86	ug/L	91
21) 1,1-Dichloroethane	5.51	63	12086	2.00	ug/L	96
22) Vinyl acetate	5.57	86	891	1.81	ug/L #	50
23) Methyl ethyl ketone	6.24	72	3819	8.97	ug/L	91
24) Ethyl t-butyl ether (ETBE)	6.08	59	26012	1.96	ug/L	96
25) 2,2-Dichloropropane	6.40	77	10694	1.94	ug/L	90
26) cis-1,2-Dichloroethene	6.48	96	9159	1.90	ug/L #	84
27) t-Amyl methyl ether (TAME)	7.84	73	21922	1.88	ug/L	98

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17272SI.D Vial: 3
Acq On : 18 Aug 2003 6:31 pm Operator:
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.73	83	15697	1.94	ug/L		99
30)	Bromochloromethane	6.96	128	4570	1.96	ug/L	#	86
31)	Tetrahydrofuran	7.08	71	537	2.11	ug/L	#	71
32)	1,1,1-Trichloroethane	7.35	97	11583	1.85	ug/L		96
34)	1,1-Dichloropropene	7.60	75	11595	1.91	ug/L		97
35)	Carbon Tetrachloride	7.74	119	8431	1.82	ug/L		96
37)	1,2-Dichloroethane	7.99	62	12391	1.94	ug/L		97
38)	Benzene	8.00	78	36756	2.02	ug/L		98
40)	Trichloroethene	8.96	95	9276	1.88	ug/L		85
41)	1,2-Dichloropropane	9.23	63	8897	2.04	ug/L		98
42)	Methylmethacrylate	9.38	69	5450	1.82	ug/L		98
45)	Bromodichloromethane	9.59	83	11341	1.90	ug/L		95
46)	Dibromomethane	9.66	93	6275	1.84	ug/L		93
51)	2-Hexanone	11.51	58	16942	10.15	ug/L		84
52)	Methyl isobutyl ketone	10.17	58	14953	9.28	ug/L	#	64
53)	cis-1,3-Dichloropropene	10.44	75	13317	1.87	ug/L		99
55)	Toluene	10.93	92	23230	1.98	ug/L		92
56)	trans-1,3-Dichloropropene	11.22	75	11577	1.83	ug/L		99
58)	1,1,2-Trichloroethane	11.46	83	7939	2.04	ug/L		97
59)	1,3-Dichloropropane	11.84	76	15873	1.98	ug/L		99
60)	Tetrachloroethene	11.94	166	9418	1.99	ug/L		98
61)	Dibromochloromethane	12.24	129	8401	1.87	ug/L		90
62)	1,2-Dibromoethane	12.55	107	9404	1.88	ug/L		94
64)	Chlorobenzene	13.21	112	27731	2.02	ug/L		96
65)	1,1,1,2-Tetrachloroethane	13.29	131	7923	1.90	ug/L		95
66)	Ethylbenzene	13.31	91	46945	2.00	ug/L		97
67)	m,p-Xylene	13.44	106	34416	4.02	ug/L		99
68)	o-Xylene	14.13	106	15729	1.91	ug/L		90
69)	Styrene	14.18	104	28499	1.94	ug/L		95
70)	Bromoform	14.69	173	6097	1.86	ug/L		99
71)	Isopropylbenzene	14.70	105	39017	1.91	ug/L		97
72)	1,1,2,2-Tetrachloroethane	14.97	83	13008	2.02	ug/L		93
74)	1,2,3-Trichloropropane	15.21	75	9770	1.98	ug/L		98
75)	trans-1,4-Dichloro-2-buten	15.31	53	3776	1.97	ug/L		96
76)	n-Propylbenzene	15.34	91	50892	1.93	ug/L		98
77)	Bromobenzene	15.39	156	11288	2.04	ug/L		99
78)	1,3,5-Trimethylbenzene	15.60	105	31356	1.96	ug/L		100
79)	2-Chlorotoluene	15.62	91	36000	1.99	ug/L		94
80)	4-Chlorotoluene	15.70	91	33473	2.01	ug/L		96
81)	tert-butylbenzene	16.17	119	23866	1.86	ug/L		92
82)	1,2,4-Trimethylbenzene	16.23	105	34028	1.97	ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17272SI.D Vial: 3
Acq On : 18 Aug 2003 6:31 pm Operator:
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
84)	sec-butylbenzene	16.52	105	43822	2.21	ug/L		97
85)	p-isopropyltoluene	16.74	119	30926	1.98	ug/L		97
86)	1,3-Dichlorobenzene	16.88	146	19504	2.01	ug/L		94
88)	1,4-Dichlorobenzene	17.05	146	21190	2.07	ug/L		96
89)	n-butylbenzene	17.40	91	28809	1.92	ug/L		92
90)	1,2-Dichlorobenzene	17.65	146	18289	1.97	ug/L		97
92)	1,2-Dibromo-3-chloropropan	18.92	75	1839	1.93	ug/L	#	77
94)	1,2,4-Trichlorobenzene	20.38	180	10723	1.92	ug/L		98
95)	Hexachlorobutadiene	20.62	225	3242	1.94	ug/L		87
96)	Naphthalene	20.80	128	29214	1.92	ug/L		100
97)	1,2,3-Trichlorobenzene	21.25	180	10168	1.97	ug/L		99
98)	1,3,5-Trichlorobenzene	19.33	180	11655	1.98	ug/L		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081803-B\B17272SI.D Vial: 3
Acq On : 18 Aug 2003 6:31 pm Operator:
Sample : 2 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17273SI.D Vial: 4
Acq On : 18 Aug 2003 7:00 pm Operator:
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03
VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	193601	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	352182	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	315401	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	158971	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	111909	19.34	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 96.70%			
36) d4-1,2-Dichloroethane	7.85	65	120659	20.14	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.70%			
54) d8-Toluene	10.81	98	394837	19.83	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.15%			
73) Bromofluorobenzene	15.09	95	166407	19.84	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.20%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	35366	5.15	ug/L	94
3) Chloromethane	1.83	50	28696	5.13	ug/L	97
4) Vinyl Chloride	1.94	62	19330	5.42	ug/L	99
5) Bromomethane	2.39	94	12013	4.67	ug/L	95
6) Chloroethane	2.48	64	12256	5.01	ug/L	96
7) t-Butyl alcohol (TBA)	3.76	59	5466	22.29	ug/L #	82
8) Trichlorofluoromethane	2.78	101	28959	5.14	ug/L	93
9) Diethyl ether	3.17	74	8601	4.76	ug/L	91
10) 1,1,2-Trichlorotrifluoroet	3.35	101	17790	5.18	ug/L	89
12) Acetone	3.42	43	27178	23.52	ug/L	92
13) 1,1-Dichloroethene	3.58	96	16361	4.98	ug/L	93
14) Methyl iodide	4.03	142	22567	4.91	ug/L	99
15) Di-isopropyl ether (DIPE)	5.42	45	67385	4.95	ug/L	98
16) Methylene Chloride	4.34	84	21998	4.88	ug/L	91
17) Carbon Disulfide	4.30	76	49656	4.90	ug/L	100
18) Acrylonitrile	4.56	53	5719	4.94	ug/L	95
19) Methyl-tert-butyl ether (M	4.65	73	45513	4.96	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	17988	5.03	ug/L	89
21) 1,1-Dichloroethane	5.50	63	31233	5.01	ug/L	97
23) Methyl ethyl ketone	6.24	72	9996	22.71	ug/L	95
24) Ethyl t-butyl ether (ETBE)	6.08	59	66724	4.86	ug/L	98
25) 2,2-Dichloropropane	6.41	77	28335	4.97	ug/L	97
26) cis-1,2-Dichloroethene	6.48	96	24292	4.88	ug/L #	85
27) t-Amyl methyl ether (TAME)	7.85	73	58167	4.82	ug/L	98
29) Chloroform	6.73	83	41049	4.90	ug/L	95
30) Bromochloromethane	6.97	128	12078	5.02	ug/L	99

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17273SI.D Vial: 4
Acq On : 18 Aug 2003 7:00 pm Operator:
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
31)	Tetrahydrofuran	7.08	71	1796	4.89	ug/L		97
32)	1,1,1-Trichloroethane	7.35	97	31688	4.90	ug/L		97
34)	1,1-Dichloropropene	7.60	75	31326	4.99	ug/L		97
35)	Carbon Tetrachloride	7.74	119	23683	4.94	ug/L		94
37)	1,2-Dichloroethane	7.99	62	32124	4.87	ug/L		99
38)	Benzene	8.00	78	93623	4.98	ug/L		98
40)	Trichloroethene	8.96	95	25179	4.92	ug/L		83
41)	1,2-Dichloropropane	9.23	63	21947	4.84	ug/L		100
42)	Methylmethacrylate	9.38	69	14462	4.65	ug/L		93
45)	Bromodichloromethane	9.59	83	29232	4.72	ug/L		99
46)	Dibromomethane	9.65	93	17493	4.93	ug/L		99
51)	2-Hexanone	11.51	58	41283	23.82	ug/L		85
52)	Methyl isobutyl ketone	10.16	58	38994	23.30	ug/L	#	84
53)	cis-1,3-Dichloropropene	10.44	75	35772	4.83	ug/L		97
55)	Toluene	10.93	92	58553	4.80	ug/L		93
56)	trans-1,3-Dichloropropene	11.22	75	31663	4.81	ug/L		98
58)	1,1,2-Trichloroethane	11.46	83	19416	4.81	ug/L		95
59)	1,3-Dichloropropane	11.85	76	41100	4.93	ug/L		98
60)	Tetrachloroethene	11.94	166	23923	4.86	ug/L		94
61)	Dibromochloromethane	12.25	129	22144	4.74	ug/L		94
62)	1,2-Dibromoethane	12.55	107	25226	4.85	ug/L		99
64)	Chlorobenzene	13.22	112	67854	4.88	ug/L		98
65)	1,1,1,2-Tetrachloroethane	13.29	131	20190	4.79	ug/L		95
66)	Ethylbenzene	13.31	91	115528	4.86	ug/L		100
67)	m,p-Xylene	13.44	106	84670	9.76	ug/L		97
68)	o-Xylene	14.12	106	40241	4.84	ug/L		97
69)	Styrene	14.18	104	72675	4.88	ug/L		96
70)	Bromoform	14.69	173	15710	4.73	ug/L		98
71)	Isopropylbenzene	14.70	105	99999	4.84	ug/L		95
72)	1,1,2,2-Tetrachloroethane	14.97	83	31866	4.89	ug/L		97
74)	1,2,3-Trichloropropane	15.20	75	24296	4.87	ug/L		99
75)	trans-1,4-Dichloro-2-buten	15.31	53	9434	4.86	ug/L		95
76)	n-Propylbenzene	15.34	91	130194	4.89	ug/L		98
77)	Bromobenzene	15.39	156	27344	4.89	ug/L		93
78)	1,3,5-Trimethylbenzene	15.60	105	79076	4.89	ug/L		95
79)	2-Chlorotoluene	15.62	91	89535	4.89	ug/L		95
80)	4-Chlorotoluene	15.70	91	81555	4.85	ug/L		93
81)	tert-butylbenzene	16.17	119	63499	4.90	ug/L		89
82)	1,2,4-Trimethylbenzene	16.23	105	83809	4.80	ug/L		98
84)	sec-butylbenzene	16.52	105	96423	4.80	ug/L		96
85)	p-isopropyltoluene	16.74	119	75184	4.74	ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17273SI.D Vial: 4
Acq On : 18 Aug 2003 7:00 pm Operator:
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES


Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
86)	1,3-Dichlorobenzene	16.88	146	47533	4.84	ug/L		96
88)	1,4-Dichlorobenzene	17.05	146	50560	4.91	ug/L		96
89)	n-butylbenzene	17.40	91	72685	4.81	ug/L		92
90)	1,2-Dichlorobenzene	17.65	146	45477	4.87	ug/L		96
92)	1,2-Dibromo-3-chloropropan	18.92	75	4685	4.90	ug/L	#	75
94)	1,2,4-Trichlorobenzene	20.37	180	26744	4.77	ug/L		97
95)	Hexachlorobutadiene	20.62	225	7969	4.75	ug/L		98
96)	Naphthalene	20.79	128	72749	4.75	ug/L		100
97)	1,2,3-Trichlorobenzene	21.25	180	25114	4.83	ug/L		100
98)	1,3,5-Trichlorobenzene	19.33	180	28101	4.76	ug/L		100

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\081803-B\B17273SI.D Vial: 4
Acq On : 18 Aug 2003 7:00 pm Operator:
Sample : 5 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17274SI.D Vial: 5
Acq On : 18 Aug 2003 7:29 pm Operator:
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03 VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	197698	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	361866	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	323047	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	161610	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	116847	19.78	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 98.90%			
36) d4-1,2-Dichloroethane	7.84	65	127661	20.87	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 104.35%			
54) d8-Toluene	10.81	98	407981	19.94	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.70%			
73) Bromofluorobenzene	15.09	95	172800	20.11	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.55%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	135716	19.36	ug/L	100
3) Chloromethane	1.83	50	107111	18.73	ug/L	99
4) Vinyl Chloride	1.93	62	64938	17.82	ug/L	99
5) Bromomethane	2.39	94	46999	17.88	ug/L	99
6) Chloroethane	2.48	64	49268	19.71	ug/L	100
7) t-Butyl alcohol (TBA)	3.76	59	24557	98.07	ug/L	98
8) Trichlorofluoromethane	2.78	101	115087	19.99	ug/L	96
9) Diethyl ether	3.17	74	37653	20.39	ug/L	95
10) 1,1,2-Trichlorotrifluoroet	3.35	101	73513	20.97	ug/L	90
11) Acrolein	3.33	56	27156	100.73	ug/L	100
12) Acetone	3.42	43	109412	92.74	ug/L	95
13) 1,1-Dichloroethene	3.58	96	67165	20.02	ug/L	97
14) Methyl iodide	4.03	142	98360	20.95	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	272178	19.57	ug/L	98
16) Methylene Chloride	4.34	84	77644	20.51	ug/L	94
17) Carbon Disulfide	4.30	76	211925	20.47	ug/L	100
18) Acrylonitrile	4.56	53	24016	20.32	ug/L	98
19) Methyl-tert-butyl ether (M	4.64	73	188573	20.12	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	74734	20.46	ug/L	92
21) 1,1-Dichloroethane	5.50	63	126583	19.87	ug/L	97
22) Vinyl acetate	5.56	86	11455	21.98	ug/L	95
23) Methyl ethyl ketone	6.23	72	45743	101.78	ug/L	97
24) Ethyl t-butyl ether (ETBE)	6.07	59	285419	20.36	ug/L	97
25) 2,2-Dichloropropane	6.41	77	122896	21.10	ug/L	99
26) cis-1,2-Dichloroethene	6.48	96	102039	20.08	ug/L	92
27) t-Amyl methyl ether (TAME)	7.84	73	249329	20.23	ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17274SI.D Vial: 5
Acq On : 18 Aug 2003 7:29 pm Operator:
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Compound	R.T.	QIon	Response	Conc Unit	Qvalue
29) Chloroform	6.73	83	168910	19.76 ug/L	100
30) Bromochloromethane	6.97	128	48947	19.92 ug/L	96
31) Tetrahydrofuran	7.07	71	8431	19.26 ug/L	83
32) 1,1,1-Trichloroethane	7.35	97	133505	20.23 ug/L	95
34) 1,1-Dichloropropene	7.60	75	129346	20.18 ug/L	98
35) Carbon Tetrachloride	7.74	119	100427	20.52 ug/L	95
37) 1,2-Dichloroethane	7.99	62	135599	20.13 ug/L	99
38) Benzene	8.00	78	377913	19.69 ug/L	99
40) Trichloroethene	8.96	95	102108	19.40 ug/L	87
41) 1,2-Dichloropropane	9.23	63	90692	19.46 ug/L	99
42) Methylmethacrylate	9.38	69	64790	20.27 ug/L	95
45) Bromodichloromethane	9.59	83	127258	19.98 ug/L	97
46) Dibromomethane	9.65	93	73271	20.10 ug/L	98
50) 2-Chloroethylvinyl ether	10.16	63	586	18.07 ug/L #	1
51) 2-Hexanone	11.50	58	179141	100.58 ug/L	91
52) Methyl isobutyl ketone	10.16	58	171127	99.52 ug/L #	84
53) cis-1,3-Dichloropropene	10.44	75	156293	20.53 ug/L	99
55) Toluene	10.93	92	241249	19.25 ug/L	97
56) trans-1,3-Dichloropropene	11.22	75	139856	20.66 ug/L	99
58) 1,1,2-Trichloroethane	11.46	83	81434	19.63 ug/L	95
59) 1,3-Dichloropropane	11.85	76	168451	19.67 ug/L	100
60) Tetrachloroethene	11.94	166	97448	19.26 ug/L	96
61) Dibromochloromethane	12.24	129	95771	19.95 ug/L	98
62) 1,2-Dibromoethane	12.55	107	105198	19.67 ug/L	97
64) Chlorobenzene	13.22	112	274039	19.25 ug/L	100
65) 1,1,1,2-Tetrachloroethane	13.29	131	86194	19.98 ug/L	97
66) Ethylbenzene	13.31	91	477120	19.58 ug/L	98
67) m,p-Xylene	13.44	106	346378	38.99 ug/L	97
68) o-Xylene	14.13	106	168534	19.79 ug/L	95
69) Styrene	14.18	104	303460	19.88 ug/L	99
70) Bromoform	14.69	173	68605	20.18 ug/L	97
71) Isopropylbenzene	14.70	105	421053	19.88 ug/L	96
72) 1,1,2,2-Tetrachloroethane	14.97	83	129332	19.37 ug/L	97
74) 1,2,3-Trichloropropane	15.20	75	96334	18.84 ug/L	97
75) trans-1,4-Dichloro-2-buten	15.31	53	41181	20.70 ug/L	91
76) n-Propylbenzene	15.34	91	533959	19.58 ug/L	96
77) Bromobenzene	15.39	156	111865	19.53 ug/L	96
78) 1,3,5-Trimethylbenzene	15.60	105	327040	19.73 ug/L	95
79) 2-Chlorotoluene	15.62	91	362137	19.31 ug/L	94
80) 4-Chlorotoluene	15.70	91	337818	19.60 ug/L	95
81) tert-butylbenzene	16.17	119	268300	20.22 ug/L	93

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17274SI.D Vial: 5
Acq On : 18 Aug 2003 7:29 pm Operator:
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
82) 1,2,4-Trimethylbenzene	16.23	105	348607	19.49	ug/L		95
84) sec-butylbenzene	16.52	105	389387	18.94	ug/L		96
85) p-isopropyltoluene	16.74	119	311188	19.17	ug/L		96
86) 1,3-Dichlorobenzene	16.88	146	193206	19.19	ug/L		97
88) 1,4-Dichlorobenzene	17.05	146	202557	19.36	ug/L		95
89) n-butylbenzene	17.40	91	304975	19.86	ug/L		93
90) 1,2-Dichlorobenzene	17.65	146	186081	19.62	ug/L		97
92) 1,2-Dibromo-3-chloropropan	18.92	75	20253	20.84	ug/L	#	80
94) 1,2,4-Trichlorobenzene	20.38	180	111991	19.66	ug/L		97
95) Hexachlorobutadiene	20.62	225	31486	18.46	ug/L		97
96) Naphthalene	20.79	128	306798	19.72	ug/L		100
97) 1,2,3-Trichlorobenzene	21.25	180	101899	19.29	ug/L		99
98) 1,3,5-Trichlorobenzene	19.33	180	118098	19.67	ug/L		98

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081803-B\B17274SI.D Vial: 5
Acq On : 18 Aug 2003 7:29 pm Operator:
Sample : 20 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17275SI.D Vial: 6
Acq On : 18 Aug 2003 7:59 pm Operator:
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03
VMT 8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	199392	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	356595	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	320837	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	165503	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	114508	19.21	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 96.05%			
36) d4-1,2-Dichloroethane	7.84	65	122969	19.93	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.65%			
54) d8-Toluene	10.81	98	409710	20.32	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.60%			
73) Bromofluorobenzene	15.10	95	175149	20.53	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.65%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	351236	49.67	ug/L	98
3) Chloromethane	1.83	50	272307	47.22	ug/L	99
4) Vinyl Chloride	1.93	62	161820	44.04	ug/L	100
5) Bromomethane	2.38	94	132739	50.06	ug/L	98
6) Chloroethane	2.47	64	124973	49.58	ug/L	99
7) t-Butyl alcohol (TBA)	3.78	59	73887	292.57	ug/L	97
8) Trichlorofluoromethane	2.77	101	285985	49.25	ug/L	98
9) Diethyl ether	3.16	74	92777	49.82	ug/L	97
10) 1,1,2-Trichlorotrifluoroet	3.33	101	174476	49.35	ug/L	89
11) Acrolein	3.32	56	71614	263.37	ug/L	100
12) Acetone	3.42	43	291722	245.17	ug/L	96
13) 1,1-Dichloroethene	3.57	96	166672	49.25	ug/L	94
14) Methyl iodide	4.02	142	254760	53.79	ug/L	96
15) Di-isopropyl ether (DIPE)	5.40	45	675047	48.11	ug/L	98
16) Methylene Chloride	4.33	84	184811	50.42	ug/L	97
17) Carbon Disulfide	4.29	76	537476	51.47	ug/L	100
18) Acrylonitrile	4.56	53	62991	52.83	ug/L	97
19) Methyl-tert-butyl ether (M	4.64	73	465076	49.21	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	180058	48.87	ug/L	89
21) 1,1-Dichloroethane	5.50	63	304827	47.45	ug/L	99
22) Vinyl acetate	5.56	86	29215	55.58	ug/L	93
23) Methyl ethyl ketone	6.23	72	125397	276.63	ug/L	99
24) Ethyl t-butyl ether (ETBE)	6.07	59	737342	52.14	ug/L	97
25) 2,2-Dichloropropane	6.40	77	269838	45.94	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	258742	50.47	ug/L	92
27) t-Amyl methyl ether (TAME)	7.83	73	654489	52.66	ug/L	96

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17275SI.D Vial: 6
Acq On : 18 Aug 2003 7:59 pm Operator:
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29) Chloroform	6.73	83	425342	49.34	ug/L		98
30) Bromochloromethane	6.97	128	123210	49.72	ug/L		94
31) Tetrahydrofuran	7.07	71	23167	50.46	ug/L		87
32) 1,1,1-Trichloroethane	7.35	97	337207	50.65	ug/L		94
34) 1,1-Dichloropropene	7.60	75	329182	50.92	ug/L		98
35) Carbon Tetrachloride	7.73	119	254056	51.46	ug/L		94
37) 1,2-Dichloroethane	7.99	62	338485	49.82	ug/L		100
38) Benzene	8.00	78	945597	48.85	ug/L		100
40) Trichloroethene	8.96	95	259872	50.12	ug/L		86
41) 1,2-Dichloropropane	9.23	63	231779	50.47	ug/L		99
42) Methylmethacrylate	9.38	69	175467	55.72	ug/L		94
45) Bromodichloromethane	9.58	83	330983	52.73	ug/L		97
46) Dibromomethane	9.65	93	190793	53.13	ug/L		99
50) 2-Chloroethylvinyl ether	10.16	63	1604	50.19	ug/L	#	1
51) 2-Hexanone	11.51	58	474884	270.56	ug/L		89
52) Methyl isobutyl ketone	10.16	58	470128	277.46	ug/L	#	84
53) cis-1,3-Dichloropropene	10.44	75	405755	54.09	ug/L		98
55) Toluene	10.94	92	629307	50.95	ug/L		97
56) trans-1,3-Dichloropropene	11.22	75	369834	55.45	ug/L		96
58) 1,1,2-Trichloroethane	11.46	83	209217	51.17	ug/L		94
59) 1,3-Dichloropropane	11.85	76	435050	51.55	ug/L		99
60) Tetrachloroethene	11.94	166	246263	49.39	ug/L		97
61) Dibromochloromethane	12.24	129	253122	53.50	ug/L		99
62) 1,2-Dibromoethane	12.55	107	276256	52.41	ug/L		96
64) Chlorobenzene	13.22	112	701699	49.62	ug/L		100
65) 1,1,1,2-Tetrachloroethane	13.29	131	220513	51.46	ug/L		95
66) Ethylbenzene	13.31	91	1212205	50.08	ug/L		99
67) m,p-Xylene	13.44	106	892764	101.20	ug/L		97
68) o-Xylene	14.12	106	437461	51.72	ug/L		93
69) Styrene	14.18	104	791784	52.24	ug/L		100
70) Bromoform	14.69	173	186119	55.13	ug/L		99
71) Isopropylbenzene	14.70	105	1093461	51.98	ug/L		96
72) 1,1,2,2-Tetrachloroethane	14.97	83	339300	51.17	ug/L		96
74) 1,2,3-Trichloropropane	15.19	75	251446	49.52	ug/L		100
75) trans-1,4-Dichloro-2-buten	15.31	53	104513	52.89	ug/L		89
76) n-Propylbenzene	15.34	91	1386155	51.17	ug/L		97
77) Bromobenzene	15.39	156	284888	50.08	ug/L		93
78) 1,3,5-Trimethylbenzene	15.60	105	847658	51.48	ug/L		96
79) 2-Chlorotoluene	15.62	91	929287	49.88	ug/L		95
80) 4-Chlorotoluene	15.70	91	869406	50.80	ug/L		95
81) tert-butylbenzene	16.17	119	693163	52.61	ug/L		91

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17275SI.D Vial: 6
Acq On : 18 Aug 2003 7:59 pm Operator:
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES


Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
82) 1,2,4-Trimethylbenzene	16.23	105	901107	50.73	ug/L	97
84) sec-butylbenzene	16.51	105	1022434	50.08	ug/L	95
85) p-isopropyltoluene	16.74	119	808770	50.17	ug/L	97
86) 1,3-Dichlorobenzene	16.88	146	500545	50.07	ug/L	98
88) 1,4-Dichlorobenzene	17.05	146	523889	48.89	ug/L	96
89) n-butylbenzene	17.40	91	800202	50.89	ug/L	94
90) 1,2-Dichlorobenzene	17.65	146	488321	50.28	ug/L	97
92) 1,2-Dibromo-3-chloropropan	18.92	75	55518	55.77	ug/L	83
94) 1,2,4-Trichlorobenzene	20.38	180	299528	51.34	ug/L	98
95) Hexachlorobutadiene	20.62	225	83908	48.03	ug/L	98
96) Naphthalene	20.79	128	832726	52.26	ug/L	100
97) 1,2,3-Trichlorobenzene	21.25	180	270190	49.94	ug/L	98
98) 1,3,5-Trichlorobenzene	19.33	180	313950	51.06	ug/L	99

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\081803-B\B17275SI.D Vial: 6
Acq On : 18 Aug 2003 7:59 pm Operator:
Sample : 50 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17276SI.D Vial: 7
Acq On : 18 Aug 2003 8:28 pm Operator:
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.19.03
8/19/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	200689	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	357021	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	322036	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	165458	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	116788	19.47	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 97.35%			
36) d4-1,2-Dichloroethane	7.85	65	126917	20.44	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.20%			
54) d8-Toluene	10.81	98	413251	20.47	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.35%			
73) Bromofluorobenzene	15.09	95	169703	19.81	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.05%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	679189	95.43	ug/L	99
3) Chloromethane	1.82	50	525717	90.58	ug/L	100
4) Vinyl Chloride	1.92	62	301976	81.65	ug/L	100
5) Bromomethane	2.36	94	266809	99.98	ug/L	97
6) Chloroethane	2.45	64	233960	92.22	ug/L	98
7) t-Butyl alcohol (TBA)	3.83	59	151547	596.20	ug/L	98
8) Trichlorofluoromethane	2.76	101	565450	96.74	ug/L	99
9) Diethyl ether	3.16	74	191510	102.18	ug/L	97
10) 1,1,2-Trichlorotrifluoroet	3.33	101	355032	99.77	ug/L	90
11) Acrolein	3.32	56	154807	565.65	ug/L	98
12) Acetone	3.43	43	601552	502.29	ug/L	97
13) 1,1-Dichloroethene	3.57	96	337390	99.05	ug/L	94
14) Methyl iodide	4.01	142	501692	105.25	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	1327934	94.04	ug/L	99
16) Methylene Chloride	4.33	84	362658	99.70	ug/L	97
17) Carbon Disulfide	4.29	76	1084153	103.15	ug/L	100
18) Acrylonitrile	4.55	53	131178	109.32	ug/L	99
19) Methyl-tert-butyl ether (M	4.63	73	955100	100.40	ug/L #	84
20) trans-1,2-Dichloroethene	4.81	96	365868	98.65	ug/L	89
21) 1,1-Dichloroethane	5.50	63	601603	93.04	ug/L	99
22) Vinyl acetate	5.56	86	60121	113.64	ug/L	94
23) Methyl ethyl ketone	6.24	72	254117	556.97	ug/L	99
24) Ethyl t-butyl ether (ETBE)	6.06	59	1461605	102.68	ug/L	96
25) 2,2-Dichloropropane	6.40	77	552237	93.42	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	524825	101.72	ug/L	92
27) t-Amyl methyl ether (TAME)	7.84	73	1311658	104.85	ug/L	95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17276SI.D Vial: 7
Acq On : 18 Aug 2003 8:28 pm Operator:
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.72	83	861770	99.33	ug/L		97
30)	Bromochloromethane	6.97	128	249235	99.93	ug/L		97
31)	Tetrahydrofuran	7.07	71	47319	99.92	ug/L		87
32)	1,1,1-Trichloroethane	7.34	97	686730	102.49	ug/L		94
34)	1,1-Dichloropropene	7.60	75	655235	100.70	ug/L		98
35)	Carbon Tetrachloride	7.73	119	522147	105.08	ug/L		95
37)	1,2-Dichloroethane	7.98	62	682004	99.74	ug/L		100
38)	Benzene	7.99	78	1845180	94.70	ug/L		99
40)	Trichloroethene	8.96	95	516326	99.45	ug/L		87
41)	1,2-Dichloropropane	9.23	63	456564	99.30	ug/L		99
42)	Methylmethacrylate	9.37	69	355175	112.65	ug/L		94
45)	Bromodichloromethane	9.58	83	666728	106.10	ug/L		97
46)	Dibromomethane	9.65	93	383861	106.76	ug/L		98
50)	2-Chloroethylvinyl ether	10.16	63	3496	109.27	ug/L	#	1
51)	2-Hexanone	11.50	58	922901	525.19	ug/L		90
52)	Methyl isobutyl ketone	10.16	58	910808	536.90	ug/L	#	83
53)	cis-1,3-Dichloropropene	10.44	75	809656	107.81	ug/L		100
55)	Toluene	10.93	92	1241053	100.35	ug/L		98
56)	trans-1,3-Dichloropropene	11.23	75	729489	109.24	ug/L		99
58)	1,1,2-Trichloroethane	11.45	83	403242	98.51	ug/L		95
59)	1,3-Dichloropropane	11.85	76	841458	99.58	ug/L		99
60)	Tetrachloroethene	11.95	166	486939	97.55	ug/L		95
61)	Dibromochloromethane	12.24	129	499204	105.39	ug/L		98
62)	1,2-Dibromoethane	12.55	107	544349	103.14	ug/L		95
64)	Chlorobenzene	13.22	112	1367661	96.36	ug/L		98
65)	1,1,1,2-Tetrachloroethane	13.30	131	430572	100.10	ug/L		97
66)	Ethylbenzene	13.32	91	2357418	97.03	ug/L		99
67)	m,p-Xylene	13.44	106	1720762	194.32	ug/L		98
68)	o-Xylene	14.12	106	861115	101.43	ug/L		95
69)	Styrene	14.18	104	1550478	101.91	ug/L		99
70)	Bromoform	14.70	173	361818	106.78	ug/L		96
71)	Isopropylbenzene	14.70	105	2127340	100.76	ug/L		96
72)	1,1,2,2-Tetrachloroethane	14.97	83	662106	99.47	ug/L		96
74)	1,2,3-Trichloropropane	15.20	75	479126	94.00	ug/L		98
75)	trans-1,4-Dichloro-2-buten	15.32	53	203119	102.40	ug/L		87
76)	n-Propylbenzene	15.35	91	2705056	99.49	ug/L		98
77)	Bromobenzene	15.40	156	550181	96.36	ug/L		97
78)	1,3,5-Trimethylbenzene	15.60	105	1672441	101.20	ug/L		96
79)	2-Chlorotoluene	15.61	91	1848491	98.86	ug/L		92
80)	4-Chlorotoluene	15.70	91	1668122	97.10	ug/L		96
81)	tert-butylbenzene	16.18	119	1343091	101.55	ug/L		93

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081803-B\B17276SI.D Vial: 7
Acq On : 18 Aug 2003 8:28 pm Operator:
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.RES


Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:26:36 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
82)	1,2,4-Trimethylbenzene	16.23	105	1770566	99.31	ug/L	96
84)	sec-butylbenzene	16.51	105	2020424	98.59	ug/L	94
85)	p-isopropyltoluene	16.74	119	1605587	99.24	ug/L	97
86)	1,3-Dichlorobenzene	16.87	146	977654	97.43	ug/L	96
88)	1,4-Dichlorobenzene	17.05	146	1026936	95.86	ug/L	97
89)	n-butylbenzene	17.41	91	1594553	101.44	ug/L	95
90)	1,2-Dichlorobenzene	17.65	146	957443	98.60	ug/L	97
92)	1,2-Dibromo-3-chloropropan	18.93	75	113357	113.91	ug/L	87
94)	1,2,4-Trichlorobenzene	20.37	180	605486	103.81	ug/L	98
95)	Hexachlorobutadiene	20.62	225	169204	96.87	ug/L	96
96)	Naphthalene	20.80	128	1678263	105.36	ug/L	100
97)	1,2,3-Trichlorobenzene	21.24	180	552520	102.16	ug/L	99
98)	1,3,5-Trichlorobenzene	19.33	180	632334	102.88	ug/L	100

(#) = qualifier out of range (m) = manual integration

Data File : C:\HPCHEM\1\DATA\081803-B\B17276SI.D Vial: 7
Acq On : 18 Aug 2003 8:28 pm Operator:
Sample : 100 PPB Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 19 7:27 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

8.19.03
VMT 8/19/03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	103	0.00
2	TM	Dichlorodifluoromethane	0.709	0.729	-2.8	109	0.00
3	TMP	Chloromethane	0.578	0.564	2.4	107	0.00
4	TMC	Vinyl Chloride	0.369	0.347	6.0	108	0.00
5	TM	Bromomethane	0.266	0.233	12.4	101	0.00
6	TM	Chloroethane	0.253	0.263	-4.0	108	0.00
7	TM	t-Butyl alcohol (TBA)	0.025	0.031#	-24.0#	130	0.00
8	TM	Trichlorofluoromethane	0.582	0.580	0.3	102	0.00
9	TM	Diethyl ether	0.187	0.204	-9.1	110	0.00
10	TM	1,1,2-Trichlorotrifluoroeth	0.355	0.386	-8.7	106	0.00
11	TM	Acrolein	0.027	0.032#	-18.5	118	0.00
12	TM	Acetone	0.119	0.127	-6.7	117	0.00
13	TMC	1,1-Dichloroethene	0.339	0.349	-2.9	106	0.00
14	TM	Methyl iodide	0.475	0.529	-11.4	109	0.00
15	TM	Di-isopropyl ether (DIPE)	1.407	1.478	-5.0	110	0.00
16	TM	Methylene Chloride	0.485	0.407 linear	16.1	106	0.00
17	TM	Carbon Disulfide	1.047	1.128	-7.7	108	0.00
18	TM	Acrylonitrile	0.120	0.133	-10.8	112	0.00
19	TM	Methyl-tert-butyl ether (MT	0.948	1.027	-8.3	111	0.00
20	TM	trans-1,2-Dichloroethene	0.370	0.394	-6.5	107	0.00
21	TMP	1,1-Dichloroethane	0.644	0.667	-3.6	107	0.00
22	TM	Vinyl acetate	0.053	0.064# NT	-20.8#	113	0.00
23	TM	Methyl ethyl ketone	0.045	0.054# ok	-20.0#	120	0.00
24	TM	Ethyl t-butyl ether (ETBE)	1.419	1.534	-8.1	109	0.00
25	TM	2,2-Dichloropropane	0.589	0.654	-11.0	108	0.00
26	TM	cis-1,2-Dichloroethene	0.514	0.542	-5.4	108	0.00
27	TM	t-Amyl methyl ether (TAME)	1.247	1.377	-10.4	112	0.00
28	S	Dibromofluoromethane	0.572	0.582	-1.7	101	0.00
29	TMC	Chloroform	0.865	0.889	-2.8	107	0.00
30	TM	Bromochloromethane	0.249	0.257	-3.2	106	0.00
31	TM	Tetrahydrofuran	0.037	0.050# linear	-35.1#	121	0.00
32	TM	1,1,1-Trichloroethane	0.668	0.700	-4.8	106	0.00
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.648	0.696	-7.4	109	0.00
35	TM	Carbon Tetrachloride	0.495	0.530	-7.1	107	0.00
36	S	d4-1,2-Dichloroethane	0.619	0.620	-0.2	99	0.00
37	TM	1,2-Dichloroethane	0.681	0.704	-3.4	105	0.00
38	TM	Benzene	1.942	2.006	-3.3	108	0.00
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
40	TM	Trichloroethene	0.291	0.302	-3.8	108	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.258	0.274	6.2	110	0.00
42	TM	Methylmethacrylate	0.177	0.212	-19.8	119	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.352	0.371	-5.4	106	0.00
46	TM	Dibromomethane	0.201	0.219	-9.0	109	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	121	0.00
51	TM	2-Hexanone	0.098	0.115	-17.3	116	0.00
52	TM	Methyl isobutyl ketone	0.095	0.112	-17.9	119	0.00
53	TM	cis-1,3-Dichloropropene	0.421	0.477	-13.3	111	0.00
54	S	d8-Toluene	1.131	1.148	-1.5	102	0.00
55	TMC	Toluene	0.693	0.724	4.5	109	0.00
56	TM	trans-1,3-Dichloropropene	0.374	0.429	-14.7	112	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.229	0.247	-7.9	110	0.00
59	TM	1,3-Dichloropropane	0.473	0.504	-6.6	109	0.00
60	TM	Tetrachloroethene	0.280	0.289	-3.2	108	0.00
61	TM	Dibromochloromethane	0.265	0.280	-5.7	106	0.00
62	TM	1,2-Dibromoethane	0.296	0.318	-7.4	110	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	99	0.00
64	TMP	Chlorobenzene	0.881	0.913	-3.6	106	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.267	0.287	-7.5	106	0.00
66	TMC	Ethylbenzene	1.509	1.590	5.4	106	0.00
67	TM	m,p-Xylene	0.550	0.580	-5.5	107	0.00
68	TM	o-Xylene	0.527	0.564	-7.0	107	0.00
69	TM	Styrene	0.945	1.024	-8.4	108	0.00
70	TMP	Bromoform	0.210	0.235	-11.9	109	0.00
71	TM	Isopropylbenzene	1.311	1.409	-7.5	107	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.413	0.454	-9.9	112	0.00
73	S	Bromofluorobenzene	0.532	0.543	-2.1	100	0.00
74	TM	1,2,3-Trichloropropane	0.317	0.339	-6.9	112	0.00
75	TM	trans-1,4-Dichloro-2-butene	0.123	0.141	-14.6	109	0.00
76	TM	n-Propylbenzene	1.689	1.801	-6.6	108	0.00
77	TM	Bromobenzene	0.355	0.364	-2.5	104	0.00
78	TM	1,3,5-Trimethylbenzene	1.026	1.089	-6.1	106	0.00
79	TM	2-Chlorotoluene	1.161	1.226	-5.6	108	0.00
80	TM	4-Chlorotoluene	1.067	1.107	-3.7	105	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.821	0.856	-4.3	102	0.00
82	TM	1,2,4-Trimethylbenzene	1.107	1.156	-4.4	106	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.273	1.289	-1.3	106	0.00
85	TM	p-isopropyltoluene	1.005	1.027	-2.2	105	0.00
86	TM	1,3-Dichlorobenzene	0.623	0.638	-2.4	105	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
88	TM	1,4-Dichlorobenzene	1.295	1.335	-3.1	105	0.00
89	TM	n-butylbenzene	1.900	2.045	-7.6	107	0.00
90	TM	1,2-Dichlorobenzene	1.174	1.249	-6.4	107	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.120	0.142	-18.3	112	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.705	0.752	-6.7	107	0.00
95	TM	Hexachlorobutadiene	0.211	0.219	-3.8	111	0.00
96	TM	Naphthalene	1.925	2.091	-8.6	109	0.00
97	TM	1,2,3-Trichlorobenzene	0.654	0.678	-3.7	106	0.00
98	TM	1,3,5-Trichlorobenzene	0.743	0.790	-6.3	106	0.00

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17294SC.D Vial: 3
Acq On : 19 Aug 2003 9:17 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 19 9:36 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8-14-03
VMT 8/14/03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	202958	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	363522	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	319153	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	159181	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	118059	20.33	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.65%			
36) d4-1,2-Dichloroethane	7.84	65	125895	20.05	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 100.25%			
54) d8-Toluene	10.81	98	417423	20.31	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.55%			
73) Bromofluorobenzene	15.09	95	173332	20.42	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.10%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.59	85	147916	20.55	ug/L	98
3) Chloromethane	1.83	50	114442	19.50	ug/L	98
4) Vinyl Chloride	1.93	62	70380	18.82	ug/L	99
5) Bromomethane	2.39	94	47294	17.52	ug/L	98
6) Chloroethane	2.48	64	53445	20.83	ug/L	97
7) t-Butyl alcohol (TBA)	3.76	59	31856	123.92	ug/L	98
8) Trichlorofluoromethane	2.78	101	117798	19.93	ug/L	97
9) Diethyl ether	3.16	74	41406	21.84	ug/L	96
10) 1,1,2-Trichlorotrifluoroet	3.36	101	78285	21.75	ug/L	90
11) Acrolein	3.32	56	31979	115.54	ug/L	100
12) Acetone	3.42	43	128476	106.08	ug/L	97
13) 1,1-Dichloroethene	3.58	96	70929	20.59	ug/L	90
14) Methyl iodide	4.03	142	107373	22.27	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	299875	21.00	ug/L	99
16) Methylene Chloride 107%	4.33	84	82561	21.30	ug/L	97
17) Carbon Disulfide	4.30	76	229035	21.55	ug/L	100
18) Acrylonitrile	4.56	53	27007	22.25	ug/L	99
19) Methyl-tert-butyl ether (M	4.63	73	208433	21.67	ug/L #	85
20) trans-1,2-Dichloroethene	4.82	96	80008	21.33	ug/L	92
21) 1,1-Dichloroethane	5.51	63	135276	20.69	ug/L	99
22) Vinyl acetate	5.56	86	12986	24.27	ug/L	97
23) Methyl ethyl ketone	6.23	72	54896	118.98	ug/L	98
24) Ethyl t-butyl ether (ETBE)	6.07	59	311425	21.63	ug/L	97
25) 2,2-Dichloropropane	6.41	77	132793	22.21	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	109909	21.06	ug/L	94
27) t-Amyl methyl ether (TAME)	7.84	73	279561	22.10	ug/L	96

(#) = qualifier out of range (m) = manual integration

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

8.20.03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	95	0.00
2	TM	Dichlorodifluoromethane	0.709	0.679	4.2	94	0.00
3	TMP	Chloromethane	0.578	0.523	9.5	92	0.00
4	TMC	Vinyl Chloride	0.369	0.344	6.8	100	0.00
5	TM	Bromomethane	0.266	0.236	11.3	95	0.00
6	TM	Chloroethane	0.253	0.253	0.0	97	0.00
7	TM	t-Butyl alcohol (TBA)	0.025	0.034#	-36.0#	130	0.00
8	TM	Trichlorofluoromethane	0.582	0.577	0.9	95	0.00
9	TM	Diethyl ether	0.187	0.204	-9.1	102	0.00
10	TM	1,1,2-Trichlorotrifluoroeth	0.355	0.381	-7.3	98	0.00
11	TM	Acrolein	0.027	0.031#	-14.8	107	0.00
12	TM	Acetone	0.119	0.133	-11.8	115	0.00
13	TMC	1,1-Dichloroethene	0.339	0.350	3.2	98	0.00
14	TM	Methyl iodide	0.475	0.524	-10.3	100	0.00
15	TM	Di-isopropyl ether (DIPE)	1.407	1.437	-2.1	100	0.00
16	TM	Methylene Chloride	0.485	0.406 linear	~~16.3~~	99	0.00
17	TM	Carbon Disulfide	1.047	1.128	-7.7	100	0.00
18	TM	Acrylonitrile	0.120	0.142	-18.3	111	0.00
19	TM	Methyl-tert-butyl ether (MT	0.948	1.031	-8.8	103	0.00
20	TM	trans-1,2-Dichloroethene	0.370	0.391	-5.7	99	0.00
21	TMP	1,1-Dichloroethane	0.644	0.666	-3.4	99	0.00
22	TM	Vinyl acetate	0.053	0.057#	-7.5	94	0.00
23	TM	Methyl ethyl ketone	0.045	0.049#	-8.9	101	0.00
24	TM	Ethyl t-butyl ether (ETBE)	1.419	1.234	13.0	82	0.00
25	TM	2,2-Dichloropropane	0.589	0.540	8.3	83	0.00
26	TM	cis-1,2-Dichloroethene	0.514	0.525	-2.1	97	0.00
27	TM	t-Amyl methyl ether (TAME)	1.247	1.322	-6.0	100	0.00
28	S	Dibromofluoromethane	0.572	0.592	-3.5	95	0.00
29	TMC	Chloroform	0.865	0.873	0.9	97	0.00
30	TM	Bromochloromethane	0.249	0.252	-1.2	97	0.00
31	TM	Tetrahydrofuran	0.037	0.050# linear	~~35.1#~~	112	0.00
32	TM	1,1,1-Trichloroethane	0.668	0.676	-1.2	95	0.00
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.648	0.666	-2.8	97	0.00
35	TM	Carbon Tetrachloride	0.495	0.510	-3.0	96	0.00
36	S	d4-1,2-Dichloroethane	0.619	0.642	-3.7	95	0.00
37	TM	1,2-Dichloroethane	0.681	0.695	-2.1	97	0.00
38	TM	Benzene	1.942	1.945	-0.2	97	0.00
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	94	0.00
40	TM	Trichloroethene	0.291	0.292	-0.3	97	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.258	0.263	-1.9	99	0.00
42	TM	Methylmethacrylate	0.177	0.206	-16.4	108	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.352	0.359	-2.0	96	0.00
46	TM	Dibromomethane	0.201	0.216	-7.5	100	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	135	0.00
51	TM	2-Hexanone	0.098	0.116	-18.4	110	0.00
52	TM	Methyl isobutyl ketone	0.095	0.114	-20.0#	113	0.00
53	TM	cis-1,3-Dichloropropene	0.421	0.443	-5.2	96	0.00
54	S	d8-Toluene	1.131	1.153	-1.9	96	0.00
55	TMC	Toluene	0.693	0.702	-1.3	99	0.00
56	TM	trans-1,3-Dichloropropene	0.374	0.398	-6.4	97	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.229	0.241	-5.2	100	0.00
59	TM	1,3-Dichloropropane	0.473	0.491	-3.8	99	0.00
60	TM	Tetrachloroethene	0.280	0.280	0.0	98	0.00
61	TM	Dibromochloromethane	0.265	0.267	-0.8	95	0.00
62	TM	1,2-Dibromoethane	0.296	0.303	-2.4	98	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	93	0.00
64	TMP	Chlorobenzene	0.881	0.864	1.9	95	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.267	0.270	-1.1	94	0.00
66	TMC	Ethylbenzene	1.509	1.512	-0.2	96	0.00
67	TM	m,p-Xylene	0.550	0.549	0.2	96	0.00
68	TM	o-Xylene	0.527	0.530	-0.6	95	0.00
69	TM	Styrene	0.945	0.966	-2.2	96	0.00
70	TMP	Bromoform	0.210	0.222	-5.7	98	0.00
71	TM	Isopropylbenzene	1.311	1.334	-1.8	96	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.413	0.443	-7.3	103	0.00
73	S	Bromofluorobenzene	0.532	0.529	0.6	92	0.00
74	TM	1,2,3-Trichloropropane	0.317	0.326	-2.8	102	0.00
75	TM	trans-1,4-Dichloro-2-butene	0.123	0.132	-7.3	97	0.00
76	TM	n-Propylbenzene	1.689	1.704	-0.9	96	0.00
77	TM	Bromobenzene	0.355	0.347	2.3	94	0.00
78	TM	1,3,5-Trimethylbenzene	1.026	1.027	-0.1	95	0.00
79	TM	2-Chlorotoluene	1.161	1.158	0.3	96	0.00
80	TM	4-Chlorotoluene	1.067	1.059	0.7	95	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.821	0.835	-1.7	94	0.00
82	TM	1,2,4-Trimethylbenzene	1.107	1.083	2.2	94	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.273	1.220	4.2	95	0.00
85	TM	p-isopropyltoluene	1.005	0.959	4.6	93	0.00
86	TM	1,3-Dichlorobenzene	0.623	0.603	3.2	94	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
88	TM	1,4-Dichlorobenzene	1.295	1.255	3.1	93	0.00
89	TM	n-butylbenzene	1.900	1.919	-1.0	94	0.00
90	TM	1,2-Dichlorobenzene	1.174	1.161	1.1	93	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.120	0.141	-17.5	104	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.705	0.691	2.0	92	0.00
95	TM	Hexachlorobutadiene	0.211	0.193	8.5	92	0.00
96	TM	Naphthalene	1.925	1.997	-3.7	97	0.00
97	TM	1,2,3-Trichlorobenzene	0.654	0.640	2.1	94	0.00
98	TM	1,3,5-Trichlorobenzene	0.743	0.729	1.9	92	0.00

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 7:12 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.20.03

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	188501	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	339495	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	301716	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	149594	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	111546	20.68	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.40%			
36) d4-1,2-Dichloroethane	7.84	65	121033	20.75	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.75%			
54) d8-Toluene	10.81	98	391459	20.39	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 101.95%			
73) Bromofluorobenzene	15.09	95	159615	19.89	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.45%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	128083	19.16	ug/L	99
3) Chloromethane	1.83	50	98569	18.08	ug/L	99
4) Vinyl Chloride	1.93	62	64826	18.66	ug/L	100
5) Bromomethane	2.39	94	44571	17.78	ug/L	97
6) Chloroethane	2.48	64	47722	20.03	ug/L	99
7) t-Butyl alcohol (TBA)	3.76	59	31979	133.94	ug/L	97
8) Trichlorofluoromethane	2.78	101	108764	19.81	ug/L	98
9) Diethyl ether	3.16	74	38386	21.80	ug/L	94
10) 1,1,2-Trichlorotrifluoroet	3.36	101	71862	21.50	ug/L	89
11) Acrolein	3.32	56	29115	113.26	ug/L	98
12) Acetone	3.42	43	125460	111.53	ug/L	97
13) 1,1-Dichloroethene	3.58	96	66064	20.65	ug/L	95
14) Methyl iodide	4.03	142	98764	22.06	ug/L	96
15) Di-isopropyl ether (DIPE)	5.42	45	270927	20.43	ug/L	98
16) Methylene Chloride 106%	4.33	84	76492	21.24	ug/L	97
17) Carbon Disulfide	4.30	76	212651	21.54	ug/L	100
18) Acrylonitrile	4.56	53	26674	23.67	ug/L	99
19) Methyl-tert-butyl ether (M	4.64	73	194321	21.75	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	73695	21.16	ug/L	93
21) 1,1-Dichloroethane	5.50	63	125516	20.67	ug/L	98
22) Vinyl acetate	5.56	86	10823	21.78	ug/L	94
23) Methyl ethyl ketone	6.23	72	46300	108.04	ug/L	97
24) Ethyl t-butyl ether (ETBE)	6.07	59	232658	17.40	ug/L	97
25) 2,2-Dichloropropane	6.41	77	101793	18.33	ug/L	99
26) cis-1,2-Dichloroethene	6.48	96	98886	20.40	ug/L	92
27) t-Amyl methyl ether (TAME)	7.84	73	249167	21.21	ug/L	97

(#) = qualifier out of range (m) = manual integration
B17318SC.D V808183B.M Wed Aug 20 07:13:16 2003 Page 1

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 7:12 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

VOA 8260

	Compound	R.T.	QIon	Response	Conc Unit		Qvalue
29)	Chloroform	6.73	83	164511	20.19 ug/L		96
30)	Bromochloromethane	6.97	128	47469	20.26 ug/L		96
31)	Tetrahydrofuran 1174.	7.06	71	9484	22.54 ug/L		86
32)	1,1,1-Trichloroethane	7.35	97	127465	20.25 ug/L		97
34)	1,1-Dichloropropene	7.60	75	125570	20.55 ug/L		97
35)	Carbon Tetrachloride	7.73	119	96124	20.59 ug/L		98
37)	1,2-Dichloroethane	7.99	62	131080	20.41 ug/L		98
38)	Benzene	8.00	78	366569	20.03 ug/L		100
40)	Trichloroethene	8.96	95	99219	20.10 ug/L		85
41)	1,2-Dichloropropane	9.23	63	89394	20.45 ug/L		99
42)	Methylmethacrylate	9.38	69	70058	23.37 ug/L		96
45)	Bromodichloromethane	9.59	83	122024	20.42 ug/L		99
46)	Dibromomethane	9.65	93	73312	21.44 ug/L		99
50)	2-Chloroethylvinyl ether	10.16	63	794	26.10 ug/L	#	1
51)	2-Hexanone	11.50	58	196420	117.55 ug/L		89
52)	Methyl isobutyl ketone	10.16	58	192729	119.47 ug/L	#	86
53)	cis-1,3-Dichloropropene	10.44	75	150534	21.08 ug/L		98
55)	Toluene	10.93	92	238415	20.27 ug/L		97
56)	trans-1,3-Dichloropropene	11.22	75	135135	21.28 ug/L		97
58)	1,1,2-Trichloroethane	11.46	83	81716	20.99 ug/L		95
59)	1,3-Dichloropropane	11.85	76	166783	20.76 ug/L		99
60)	Tetrachloroethene	11.94	166	95071	20.03 ug/L		97
61)	Dibromochloromethane	12.24	129	90610	20.12 ug/L		98
62)	1,2-Dibromoethane	12.55	107	102912	20.51 ug/L		97
64)	Chlorobenzene	13.22	112	260600	19.60 ug/L		98
65)	1,1,1,2-Tetrachloroethane	13.29	131	81396	20.20 ug/L		96
66)	Ethylbenzene	13.31	91	456152	20.04 ug/L		98
67)	m,p-Xylene	13.44	106	331406	39.95 ug/L		96
68)	o-Xylene	14.12	106	159997	20.12 ug/L		92
69)	Styrene	14.18	104	291424	20.44 ug/L		100
70)	Bromoform	14.69	173	66912	21.08 ug/L		98
71)	Isopropylbenzene	14.70	105	402555	20.35 ug/L		95
72)	1,1,2,2-Tetrachloroethane	14.97	83	133592	21.42 ug/L		96
74)	1,2,3-Trichloropropane	15.19	75	98327	20.59 ug/L		98
75)	trans-1,4-Dichloro-2-buten	15.31	53	39925	21.48 ug/L		91
76)	n-Propylbenzene	15.34	91	514194	20.19 ug/L		96
77)	Bromobenzene	15.39	156	104802	19.59 ug/L		91
78)	1,3,5-Trimethylbenzene	15.60	105	309886	20.01 ug/L		96
79)	2-Chlorotoluene	15.62	91	349328	19.94 ug/L		93
80)	4-Chlorotoluene	15.70	91	319503	19.85 ug/L		94
81)	tert-butylbenzene	16.17	119	252004	20.34 ug/L		90

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
RTE Integration Params: rteint.p
Quant Time: Aug 20 7:12 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
82) 1,2,4-Trimethylbenzene	16.23	105	326651	19.55	ug/L		96
84) sec-butylbenzene	16.52	105	368156	19.17	ug/L		94
85) p-isopropyltoluene	16.74	119	289237	19.08	ug/L		96
86) 1,3-Dichlorobenzene	16.88	146	181959	19.36	ug/L		95
88) 1,4-Dichlorobenzene	17.05	146	187781	19.39	ug/L		96
89) n-butylbenzene	17.40	91	287086	20.20	ug/L		93
90) 1,2-Dichlorobenzene	17.65	146	173730	19.79	ug/L		97
92) 1,2-Dibromo-3-chloropropan	18.92	75	21062	23.41	ug/L	#	80
94) 1,2,4-Trichlorobenzene	20.38	180	103401	19.61	ug/L		99
95) Hexachlorobutadiene	20.62	225	28863	18.28	ug/L		100
96) Naphthalene	20.79	128	298772	20.75	ug/L		100
97) 1,2,3-Trichlorobenzene	21.25	180	95758	19.58	ug/L		99
98) 1,3,5-Trichlorobenzene	19.32	180	109127	19.64	ug/L		95

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\081903-B\B17318SC.D Vial: 27
Acq On : 19 Aug 2003 9:36 pm Operator:
Sample : 20 PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 7:12 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Tue Aug 19 07:29:19 2003
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	88	0.00
2	TM	Dichlorodifluoromethane	0.709	0.712	-0.4	91	0.00
3	TMP	Chloromethane	0.578	0.541	6.4	88	0.00
4	TMC	Vinyl Chloride	0.369	0.358	3.0	96	0.00
5	TM	Bromomethane	0.266	0.254	4.5	94	0.00
6	TM	Chloroethane	0.253	0.256	-1.2	90	0.00
7	TM	t-Butyl alcohol (TBA)	0.025	0.032#	-28.0#	112	0.01
8	TM	Trichlorofluoromethane	0.582	0.603	-3.6	91	0.00
9	TM	Diethyl ether	0.187	0.205	-9.6	95	0.00
10	TM	1,1,2-Trichlorotrifluoroeth	0.355	0.397	-11.8	94	-0.02
11	T	Acrolein	0.027	0.031#	-14.8	99	0.00
12	TM	Acetone	0.119	0.129	-8.4	103	0.00
13	TMC	1,1-Dichloroethene	0.339	0.353	4.1	92	0.00
14	TM	Methyl iodide	0.475	0.525	-10.5	93	0.00
15	TM	Di-isopropyl ether (DIPE)	1.407	1.468	-4.3	94	0.00
16	TM	Methylene Chloride	0.485	0.431 Linear	~~-11.1~~	97	0.00
17	TM	Carbon Disulfide	1.047	1.159	-10.7	95	0.00
18	TM	Acrylonitrile	0.120	0.140	-16.7	102	0.00
19	TM	Methyl-tert-butyl ether (MT	0.948	1.033	-9.0	95	0.00
20	TM	trans-1,2-Dichloroethene	0.370	0.396	-7.0	92	0.00
21	TMP	1,1-Dichloroethane	0.644	0.688	-6.8	95	0.00
22	TM	Vinyl acetate	0.053	0.063#	-18.9	95	0.00
23	TM	Methyl ethyl ketone	0.045	0.052#	-15.6	100	0.00
24	TM	Ethyl t-butyl ether (ETBE)	1.419	1.248	12.1	76	0.00
25	TM	2,2-Dichloropropane	0.589	0.658	-11.7	93	0.00
26	TM	cis-1,2-Dichloroethene	0.514	0.532	-3.5	91	0.00
27	TM	t-Amyl methyl ether (TAME)	1.247	1.317	-5.6	92	0.00
28	S	Dibromofluoromethane	0.572	0.604	-5.6	90	0.00
29	TMC	Chloroform	0.865	0.912	5.4	94	0.00
30	TM	Bromochloromethane	0.249	0.260	-4.4	93	0.00
31	TM	Tetrahydrofuran	0.037	0.048# Linear	~~-29.7#~~	98	0.00
32	TM	1,1,1-Trichloroethane	0.668	0.707	-5.8	92	0.00
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.648	0.675	-4.2	91	0.00
35	TM	Carbon Tetrachloride	0.495	0.539	-8.9	94	0.00
36	S	d4-1,2-Dichloroethane	0.619	0.650	-5.0	89	0.00
37	TM	1,2-Dichloroethane	0.681	0.717	-5.3	92	0.00
38	TM	Benzene	1.942	1.982	-2.1	91	0.00
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	86	0.00
40	TM	Trichloroethene	0.291	0.318	-9.3	97	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.258	0.264	2.3	91	0.00
42	TM	Methylmethacrylate	0.177	0.199	-12.4	96	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.352	0.373	-6.0	92	0.00
46	TM	Dibromomethane	0.201	0.220	-9.5	94	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.002#	0.0	131	0.00
51	TM	2-Hexanone	0.098	0.112	-14.3	98	0.00
52	TM	Methyl isobutyl ketone	0.095	0.110	-15.8	100	0.00
53	TM	cis-1,3-Dichloropropene	0.421	0.464	-10.2	93	0.00
54	S	d8-Toluene	1.131	1.169	-3.4	90	0.00
55	TMC	Toluene	0.693	0.721	4.0	93	0.00
56	TM	trans-1,3-Dichloropropene	0.374	0.422	-12.8	94	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.229	0.249	-8.7	96	0.00
59	TM	1,3-Dichloropropane	0.473	0.500	-5.7	93	0.00
60	TM	Tetrachloroethene	0.280	0.297	-6.1	95	0.00
61	TM	Dibromochloromethane	0.265	0.281	-6.0	92	0.00
62	TM	1,2-Dibromoethane	0.296	0.312	-5.4	93	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	88	0.00
64	TMP	Chlorobenzene	0.881	0.896	-1.7	92	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.267	0.281	-5.2	92	0.00
66	TMC	Ethylbenzene	1.509	1.549	2.7	92	0.00
67	TM	m,p-Xylene	0.550	0.570	-3.6	93	0.00
68	TM	o-Xylene	0.527	0.547	-3.8	92	0.00
69	TM	Styrene	0.945	1.000	-5.8	93	0.00
70	TMP	Bromoform	0.210	0.230	-9.5	95	0.00
71	TM	Isopropylbenzene	1.311	1.376	-5.0	92	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.413	0.446	-8.0	97	0.00
73	S	Bromofluorobenzene	0.532	0.544	-2.3	89	0.00
74	TM	1,2,3-Trichloropropane	0.317	0.329	-3.8	97	0.00
75	TM	trans-1,4-Dichloro-2-butene	0.123	0.140	-13.8	96	0.00
76	TM	n-Propylbenzene	1.689	1.758	-4.1	93	0.00
77	TM	Bromobenzene	0.355	0.361	-1.7	91	0.00
78	TM	1,3,5-Trimethylbenzene	1.026	1.067	-4.0	92	0.00
79	TM	2-Chlorotoluene	1.161	1.214	-4.6	95	0.00
80	TM	4-Chlorotoluene	1.067	1.069	-0.2	89	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.821	0.847	-3.2	89	0.00
82	TM	1,2,4-Trimethylbenzene	1.107	1.133	-2.3	92	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.273	1.263	0.8	92	0.00
85	TM	p-isopropyltoluene	1.005	1.007	-0.2	91	0.00
86	TM	1,3-Dichlorobenzene	0.623	0.632	-1.4	93	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
88	TM	1,4-Dichlorobenzene	1.295	1.320	-1.9	93	0.00
89	TM	n-butylbenzene	1.900	1.996	-5.1	93	0.00
90	TM	1,2-Dichlorobenzene	1.174	1.213	-3.3	93	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.120	0.140	-16.7	98	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.705	0.717	-1.7	91	0.00
95	TM	Hexachlorobutadiene	0.211	0.211	0.0	95	0.00
96	TM	Naphthalene	1.925	2.022	-5.0	94	0.00
97	TM	1,2,3-Trichlorobenzene	0.654	0.663	-1.4	93	0.00
98	TM	1,3,5-Trichlorobenzene	0.743	0.762	-2.6	92	0.00

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 9:54 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.96	168	174125	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	312914	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	282690	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	142302	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	105253	21.12	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 105.60%			
36) d4-1,2-Dichloroethane	7.84	65	113107	20.99	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 104.95%			
54) d8-Toluene	10.81	98	365725	20.67	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.35%			
73) Bromofluorobenzene	15.09	95	153921	20.47	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.35%			
arget Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	124027	20.08	ug/L	99
3) Chloromethane	1.83	50	94221	18.71	ug/L	98
4) Vinyl Chloride	1.93	62	62302	19.41	ug/L	100
5) Bromomethane	2.39	94	44163	19.07	ug/L	97
6) Chloroethane	2.48	64	44555	20.24	ug/L	97
7) t-Butyl alcohol (TBA)	3.77	59	27560	124.97	ug/L	98
8) Trichlorofluoromethane	2.78	101	105007	20.71	ug/L	98
9) Diethyl ether	3.16	74	35725	21.97	ug/L	95
10) 1,1,2-Trichlorotrifluoroet	3.34	101	69179	22.41	ug/L	89
11) Acrolein	3.32	56	26801	112.87	ug/L	98
12) Acetone	3.43	43	112392	108.16	ug/L	97
13) 1,1-Dichloroethene	3.58	96	61518	20.82	ug/L	98
14) Methyl iodide	4.03	142	91447	22.11	ug/L	96
15) Di-isopropyl ether (DIPE)	5.41	45	255647	20.87	ug/L	99
16) Methylene Chloride 117%	4.34	84	75066	22.66	ug/L	95
17) Carbon Disulfide	4.31	76	201845	22.13	ug/L	100
18) Acrylonitrile	4.55	53	24404	23.44	ug/L	98
19) Methyl-tert-butyl ether (M	4.63	73	179813	21.79	ug/L #	86
20) trans-1,2-Dichloroethene	4.82	96	69031	21.45	ug/L	91
21) 1,1-Dichloroethane	5.51	63	119870	21.37	ug/L	98
22) Vinyl acetate	5.56	86	10912	23.77	ug/L	95
23) Methyl ethyl ketone	6.24	72	45642	115.30	ug/L	93
24) Ethyl t-butyl ether (ETBE)	6.07	59	217311	17.60	ug/L	97
25) 2,2-Dichloropropane	6.41	77	114644	22.35	ug/L	99
26) cis-1,2-Dichloroethene	6.47	96	92578	20.68	ug/L	94
27) t-Amyl methyl ether (TAME)	7.83	73	229245	21.12	ug/L	98

(#) = qualifier out of range (m) = manual integration
B17340SC.D V808183B.M Wed Aug 20 09:54:58 2003 Page 1

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 9:54 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29)	Chloroform	6.73	83	158885	21.11	ug/L		97
30)	Bromochloromethane	6.97	128	45331	20.95	ug/L		96
31)	Tetrahydrofuran 107%	7.08	71	8304	21.42	ug/L		89
32)	1,1,1-Trichloroethane	7.35	97	123132	21.18	ug/L		94
34)	1,1-Dichloropropene	7.60	75	117507	20.81	ug/L		97
35)	Carbon Tetrachloride	7.74	119	93929	21.79	ug/L		93
37)	1,2-Dichloroethane	7.99	62	124799	21.04	ug/L		100
38)	Benzene	8.00	78	345037	20.41	ug/L		99
40)	Trichloroethene	8.96	95	99376	21.84	ug/L		86
41)	1,2-Dichloropropane	9.23	63	82506	20.47	ug/L		98
42)	Methylmethacrylate	9.37	69	62386	22.58	ug/L		93
45)	Bromodichloromethane	9.59	83	116569	21.16	ug/L		97
46)	Dibromomethane	9.65	93	68782	21.83	ug/L		95
50)	2-Chloroethylvinyl ether	10.15	63	765	27.28	ug/L	#	1
51)	2-Hexanone	11.50	58	175498	113.95	ug/L		90
52)	Methyl isobutyl ketone	10.16	58	171973	115.66	ug/L	#	83
53)	cis-1,3-Dichloropropene	10.44	75	145049	22.04	ug/L		99
55)	Toluene	10.93	92	225543	20.81	ug/L		99
56)	trans-1,3-Dichloropropene	11.23	75	132039	22.56	ug/L		99
58)	1,1,2-Trichloroethane	11.45	83	77871	21.70	ug/L		96
59)	1,3-Dichloropropane	11.85	76	156515	21.13	ug/L		99
60)	Tetrachloroethene	11.95	166	92918	21.24	ug/L		95
61)	Dibromochloromethane	12.24	129	87924	21.18	ug/L		95
62)	1,2-Dibromoethane	12.56	107	97565	21.09	ug/L		95
64)	Chlorobenzene	13.22	112	253315	20.33	ug/L		99
65)	1,1,1,2-Tetrachloroethane	13.30	131	79331	21.01	ug/L		96
66)	Ethylbenzene	13.32	91	437928	20.53	ug/L		98
67)	m,p-Xylene	13.43	106	322240	41.46	ug/L		96
68)	o-Xylene	14.12	106	154590	20.74	ug/L		96
69)	Styrene	14.18	104	282795	21.17	ug/L		98
70)	Bromoform	14.70	173	65119	21.89	ug/L		98
71)	Isopropylbenzene	14.70	105	389022	20.99	ug/L		95
72)	1,1,2,2-Tetrachloroethane	14.97	83	126096	21.58	ug/L		97
74)	1,2,3-Trichloropropane	15.20	75	92985	20.78	ug/L		98
75)	trans-1,4-Dichloro-2-buten	15.32	53	39634	22.76	ug/L		90
76)	n-Propylbenzene	15.35	91	496948	20.82	ug/L		98
77)	Bromobenzene	15.40	156	102079	20.37	ug/L		94
78)	1,3,5-Trimethylbenzene	15.60	105	301591	20.79	ug/L		96
79)	2-Chlorotoluene	15.61	91	343211	20.91	ug/L		94
80)	4-Chlorotoluene	15.69	91	302279	20.04	ug/L		93
81)	tert-butylbenzene	16.17	119	239352	20.62	ug/L		95

(#) = qualifier out of range (m) = manual integration

Quantitation Report (Not Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 20 9:54 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


	Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
82)	1,2,4-Trimethylbenzene	16.23	105	320321	20.47	ug/L		96
84)	sec-butylbenzene	16.52	105	356958	19.84	ug/L		96
85)	p-isopropyltoluene	16.74	119	284628	20.04	ug/L		97
86)	1,3-Dichlorobenzene	16.88	146	178734	20.29	ug/L		98
88)	1,4-Dichlorobenzene	17.05	146	187861	20.39	ug/L		98
89)	n-butylbenzene	17.41	91	284067	21.01	ug/L		95
90)	1,2-Dichlorobenzene	17.65	146	172616	20.67	ug/L		96
92)	1,2-Dibromo-3-chloropropan	18.92	75	19905	23.26	ug/L	#	83
94)	1,2,4-Trichlorobenzene	20.37	180	102061	20.34	ug/L		97
95)	Hexachlorobutadiene	20.62	225	30044	20.00	ug/L		95
96)	Naphthalene	20.80	128	287747	21.00	ug/L		100
97)	1,2,3-Trichlorobenzene	21.24	180	94351	20.28	ug/L		98
98)	1,3,5-Trichlorobenzene	19.33	180	108416	20.51	ug/L		99

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17340SC.D Vial: 2
Acq On : 20 Aug 2003 9:41 am Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 20 9:54 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration



Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17363SC.D Vial: 25
Acq On : 20 Aug 2003 10:14 pm Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

8.21.03

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	Pentafluorobenzene	1.000	1.000	0.0	81	0.00
2	TM	Dichlorodifluoromethane	0.709	0.697	1.7	82	0.00
3	TMP	Chloromethane	0.578	0.596	-3.1	89	0.00
4	TMC	Vinyl Chloride	0.369	0.365	1.1	90	0.00
5	TM	Bromomethane	0.266	0.253	4.9	86	0.00
6	TM	Chloroethane	0.253	0.275	-8.7	89	0.00
7	TM	t-Butyl alcohol (TBA)	0.025	0.032#	-28.0#	105	0.00
8	TM	Trichlorofluoromethane	0.582	0.610	-4.8	84	0.00
9	TM	Diethyl ether	0.187	0.197	-5.3	83	0.00
10	TM	1,1,2-Trichlorotrifluoroeth	0.355	0.373	-5.1	81	0.00
11	T	Acrolein	0.027	0.028#	-3.7	83	0.00
12	TM	Acetone	0.119	0.129	-8.4	94	0.00
13	TMC	1,1-Dichloroethene	0.339	0.372	9.7	88	0.00
14	TM	Methyl iodide	0.475	0.519	-9.3	84	0.00
15	TM	Di-isopropyl ether (DIPE)	1.407	1.535	-9.1	90	0.00
16	TM	Methylene Chloride	0.485	0.423 Linear	~~12.8~~	87	0.00
17	TM	Carbon Disulfide	1.047	1.155	-10.3	87	0.00
18	TM	Acrylonitrile	0.120	0.141	-17.5	94	0.00
19	TM	Methyl-tert-butyl ether (MT	0.948	1.020	-7.6	86	0.00
20	TM	trans-1,2-Dichloroethene	0.370	0.394	-6.5	84	0.00
21	TMP	1,1-Dichloroethane	0.644	0.708	-9.9	89	0.00
22	TM	Vinyl acetate	0.053	0.055#	-3.8	76	0.00
23	TM	Methyl ethyl ketone	0.045	0.053#	-17.8	93	0.00
24	TM	Ethyl t-butyl ether (ETBE)	1.419	1.455	-2.5	81	0.00
25	TM	2,2-Dichloropropane	0.589	0.505	14.3	65	0.00
26	TM	cis-1,2-Dichloroethene	0.514	0.535	-4.1	84	0.00
27	TM	t-Amyl methyl ether (TAME)	1.247	1.358	-8.9	87	0.00
28	S	Dibromofluoromethane	0.572	0.595	-4.0	81	0.00
29	TMC	Chloroform	0.865	0.899	3.9	85	0.00
30	TM	Bromochloromethane	0.249	0.261	-4.8	85	0.00
31	TM	Tetrahydrofuran	0.037	0.048# Linear	~~29.7#~~	91	0.00
32	TM	1,1,1-Trichloroethane	0.668	0.705	-5.5	84	0.00
33	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
34	TM	1,1-Dichloropropene	0.648	0.698	-7.7	86	0.00
35	TM	Carbon Tetrachloride	0.495	0.537	-8.5	85	0.00
36	S	d4-1,2-Dichloroethane	0.619	0.635	-2.6	79	0.00
37	TM	1,2-Dichloroethane	0.681	0.715	-5.0	84	0.00
38	TM	Benzene	1.942	2.116	-9.0	89	0.00
39	I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
4	TM	Trichloroethene	0.291	0.298	-2.4	88	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17363SC.D
Acq On : 20 Aug 2003 10:14 pm
Sample : 20PPB STD
Misc : 5000
MS Integration Params: rteint.p

Vial: 25
Operator:
Inst : Instrumen
Multiplr: 1.00

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
41	TMC	1,2-Dichloropropane	0.258	0.261	1.2	87	0.00
42	TM	Methylmethacrylate	0.177	0.200	-13.0	93	0.00
43	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
44	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
45	TM	Bromodichloromethane	0.352	0.359	-2.0	85	0.00
46	TM	Dibromomethane	0.201	0.211	-5.0	87	0.00
47	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
48	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
49	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
50	T	2-Chloroethylvinyl ether	0.002	0.001#	50.0#	67	0.00
51	TM	2-Hexanone	0.098	0.114	-16.3	96	0.00
52	TM	Methyl isobutyl ketone	0.095	0.105	-10.5	93	0.00
53	TM	cis-1,3-Dichloropropene	0.421	0.446	-5.9	86	0.00
54	S	d8-Toluene	1.131	1.121	0.9	83	0.00
55	TMC	Toluene	0.693	0.699	-0.9	87	0.00
56	TM	trans-1,3-Dichloropropene	0.374	0.402	-7.5	87	0.00
57	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
58	TM	1,1,2-Trichloroethane	0.229	0.245	-7.0	91	0.00
59	TM	1,3-Dichloropropane	0.473	0.498	-5.3	89	0.00
60	TM	Tetrachloroethene	0.280	0.284	-1.4	88	0.00
61	TM	Dibromochloromethane	0.265	0.279	-5.3	88	0.00
62	TM	1,2-Dibromoethane	0.296	0.313	-5.7	90	0.00
63	I	*d5-Chlorobenzene	1.000	1.000	0.0	83	0.00
64	TMP	Chlorobenzene	0.881	0.893	-1.4	88	0.00
65	TM	1,1,1,2-Tetrachloroethane	0.267	0.280	-4.9	87	0.00
66	TMC	Ethylbenzene	1.509	1.578	-4.6	89	0.00
67	TM	m,p-Xylene	0.550	0.579	-5.3	90	0.00
68	TM	o-Xylene	0.527	0.562	-6.6	90	0.00
69	TM	Styrene	0.945	1.014	-7.3	90	0.00
70	TMP	Bromoform	0.210	0.236	-12.4	93	0.00
71	TM	Isopropylbenzene	1.311	1.409	-7.5	90	0.00
72	TMP	1,1,2,2-Tetrachloroethane	0.413	0.461	-11.6	96	0.00
73	S	Bromofluorobenzene	0.532	0.549	-3.2	85	0.00
74	TM	1,2,3-Trichloropropane	0.317	0.334	-5.4	93	0.00
75	TM	trans-1,4-Dichloro-2-butene	0.123	0.133	-8.1	87	0.00
76	TM	n-Propylbenzene	1.689	1.767	-4.6	89	0.00
77	TM	Bromobenzene	0.355	0.370	-4.2	89	0.00
78	TM	1,3,5-Trimethylbenzene	1.026	1.075	-4.8	88	0.00
79	TM	2-Chlorotoluene	1.161	1.208	-4.0	90	0.00
80	TM	4-Chlorotoluene	1.067	1.106	-3.7	88	0.00

(#) = Out of Range

Evaluate Continuing Calibration Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17363SC.D Vial: 25
Acq On : 20 Aug 2003 10:14 pm Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Multiple Level Calibration

Min. RRF : 0.100 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 200%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
81	TM	tert-butylbenzene	0.821	0.881	-7.3	88	0.00
82	TM	1,2,4-Trimethylbenzene	1.107	1.151	-4.0	89	0.00
83	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
84	TM	sec-butylbenzene	1.273	1.278	-0.4	88	0.00
85	TM	p-isopropyltoluene	1.005	0.996	0.9	86	0.00
86	TM	1,3-Dichlorobenzene	0.623	0.631	-1.3	88	0.00
87	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	85	0.00
88	TM	1,4-Dichlorobenzene	1.295	1.274	1.6	87	0.00
89	TM	n-butylbenzene	1.900	1.914	-0.7	87	0.00
90	TM	1,2-Dichlorobenzene	1.174	1.201	-2.3	89	0.00
91	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
92	TM	1,2-Dibromo-3-chloropropane	0.120	0.143	-19.2	97	0.00
93	T	NO COMPOUND	0.000	0.000#	0.0	0#	-0.24
94	TM	1,2,4-Trichlorobenzene	0.705	0.714	-1.3	88	0.00
95	TM	Hexachlorobutadiene	0.211	0.197	6.6	86	0.00
96	TM	Naphthalene	1.925	2.046	-6.3	92	0.00
97	TM	1,2,3-Trichlorobenzene	0.654	0.658	-0.6	89	0.00
98	TM	1,3,5-Trichlorobenzene	0.743	0.736	0.9	86	0.00

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17363SC.D Vial: 25
Acq On : 20 Aug 2003 10:14 pm Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 21 7:41 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

8.21.03 MB8183

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.95	168	159242	20.00	ug/L	0.00
39) 1,4-Difluorobenzene	8.48	114	301519	20.00	ug/L	0.00
63) *d5-Chlorobenzene	13.16	117	268700	20.00	ug/L	0.00
87) 1,4-Dichlorobenzene-d4	17.00	152	137842	20.00	ug/L	0.00
System Monitoring Compounds						
28) Dibromofluoromethane	7.07	111	94700	20.78	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.90%			
36) d4-1,2-Dichloroethane	7.84	65	101128	20.52	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 102.60%			
54) d8-Toluene	10.81	98	338078	19.83	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 99.15%			
73) Bromofluorobenzene	15.09	95	147619	20.66	ug/L	0.00
Spiked Amount 20.000	Range 70 - 130		Recovery = 103.30%			
Target Compounds						Qvalue
2) Dichlorodifluoromethane	1.60	85	111053	19.66	ug/L	99
3) Chloromethane	1.83	50	94979	20.62	ug/L	99
4) Vinyl Chloride	1.93	62	58185	19.83	ug/L	100
5) Bromomethane	2.39	94	40330	19.05	ug/L	98
6) Chloroethane	2.48	64	43816	21.77	ug/L	94
7) t-Butyl alcohol (TBA)	3.75	59	25798	127.91	ug/L	95
8) Trichlorofluoromethane	2.78	101	97177	20.95	ug/L	97
9) Diethyl ether	3.16	74	31409	21.12	ug/L	95
10) 1,1,2-Trichlorotrifluoroet	3.36	101	59475	21.06	ug/L	90
11) Acrolein	3.33	56	22461	103.43	ug/L	94
12) Acetone	3.42	43	102912	108.30	ug/L	97
13) 1,1-Dichloroethene	3.58	96	59296	21.94	ug/L	91
14) Methyl iodide	4.03	142	82593	21.84	ug/L	95
15) Di-isopropyl ether (DIPE)	5.41	45	244494	21.82	ug/L	98
16) Methylene Chloride 111%	4.34	84	67283	22.18	ug/L	96
17) Carbon Disulfide	4.30	76	183991	22.06	ug/L	100
18) Acrylonitrile	4.56	53	22515	23.65	ug/L	96
19) Methyl-tert-butyl ether (M	4.64	73	162405	21.52	ug/L #	86
20) trans-1,2-Dichloroethene	4.81	96	62769	21.33	ug/L	89
21) 1,1-Dichloroethane	5.50	63	112687	21.96	ug/L	99
22) Vinyl acetate	5.56	86	8733	20.80	ug/L	92
23) Methyl ethyl ketone	6.23	72	42442	117.24	ug/L	94
24) Ethyl t-butyl ether (ETBE)	6.07	59	231620	20.51	ug/L	97
25) 2,2-Dichloropropane	6.41	77	80414	17.14	ug/L	100
26) cis-1,2-Dichloroethene	6.48	96	85237	20.82	ug/L	93
27) t-Amyl methyl ether (TAME)	7.84	73	216289	21.79	ug/L	97

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17363SC.D Vial: 25
Acq On : 20 Aug 2003 10:14 pm Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
Integration Params: rteint.p
Quant Time: Aug 21 7:41 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B

Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
29) Chloroform	6.73	83	143217	20.80	ug/L		94
30) Bromochloromethane	6.97	128	41568	21.01	ug/L		96
31) Tetrahydrofuran 1087.	7.07	71	7686	21.67	ug/L		87
32) 1,1,1-Trichloroethane	7.35	97	112198	21.10	ug/L		95
34) 1,1-Dichloropropene	7.60	75	111131	21.52	ug/L		98
35) Carbon Tetrachloride	7.74	119	85459	21.67	ug/L		94
37) 1,2-Dichloroethane	7.99	62	113827	20.98	ug/L		100
38) Benzene	8.00	78	336920	21.79	ug/L		99
40) Trichloroethene	8.96	95	89794	20.48	ug/L		85
41) 1,2-Dichloropropane	9.23	63	78625	20.25	ug/L		100
42) Methylmethacrylate	9.38	69	60276	22.64	ug/L		97
45) Bromodichloromethane	9.59	83	108250	20.40	ug/L		99
46) Dibromomethane	9.65	93	63502	20.91	ug/L		97
50) 2-Chloroethylvinyl ether	10.16	63	392	14.51	ug/L	#	1
51) 2-Hexanone	11.50	58	171634	115.65	ug/L		91
52) Methyl isobutyl ketone	10.16	58	158696	110.77	ug/L	#	85
53) cis-1,3-Dichloropropene	10.44	75	134548	21.21	ug/L		99
55) Toluene	10.93	92	210668	20.17	ug/L		97
56) trans-1,3-Dichloropropene	11.22	75	121295	21.51	ug/L		98
58) 1,1,2-Trichloroethane	11.46	83	73906	21.38	ug/L		92
59) 1,3-Dichloropropane	11.85	76	150189	21.05	ug/L		100
60) Tetrachloroethene	11.94	166	85653	20.32	ug/L		97
61) Dibromochloromethane	12.24	129	84061	21.01	ug/L		96
62) 1,2-Dibromoethane	12.55	107	94279	21.15	ug/L		96
64) Chlorobenzene	13.22	112	239998	20.27	ug/L		100
65) 1,1,1,2-Tetrachloroethane	13.29	131	75299	20.98	ug/L		96
66) Ethylbenzene	13.31	91	424010	20.92	ug/L		98
67) m,p-Xylene	13.44	106	311141	42.11	ug/L		97
68) o-Xylene	14.12	106	150912	21.31	ug/L		96
69) Styrene	14.18	104	272364	21.46	ug/L		100
70) Bromoform	14.69	173	63509	22.46	ug/L		98
71) Isopropylbenzene	14.70	105	378519	21.49	ug/L		96
72) 1,1,2,2-Tetrachloroethane	14.97	83	123813	22.29	ug/L		97
74) 1,2,3-Trichloropropane	15.19	75	89718	21.10	ug/L		100
75) trans-1,4-Dichloro-2-buten	15.31	53	35763	21.61	ug/L		91
76) n-Propylbenzene	15.34	91	474879	20.93	ug/L		97
77) Bromobenzene	15.39	156	99294	20.84	ug/L		92
78) 1,3,5-Trimethylbenzene	15.60	105	288979	20.96	ug/L		94
79) 2-Chlorotoluene	15.62	91	324548	20.80	ug/L		95
80) 4-Chlorotoluene	15.70	91	297310	20.74	ug/L		94
81) tert-butylbenzene	16.17	119	236662	21.45	ug/L		91

(#) = qualifier out of range (m) = manual integration

Quantitation Report (QT Reviewed)

Data File : C:\HPCHEM\1\DATA\082003-B\B17363SC.D Vial: 25
Acq On : 20 Aug 2003 10:14 pm Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
IS Integration Params: rteint.p
Quant Time: Aug 21 7:41 2003 Quant Results File: V808183B.RES

Quant Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration
DataAcq Meth : V808183B


Compound	R.T.	QIon	Response	Conc	Unit		Qvalue
82) 1,2,4-Trimethylbenzene	16.23	105	309358	20.80	ug/L		95
84) sec-butylbenzene	16.52	105	343418	20.08	ug/L		95
85) p-isopropyltoluene	16.74	119	267748	19.83	ug/L		97
86) 1,3-Dichlorobenzene	16.88	146	169652	20.26	ug/L		96
88) 1,4-Dichlorobenzene	17.05	146	175673	19.68	ug/L		95
89) n-butylbenzene	17.40	91	263842	20.15	ug/L		94
90) 1,2-Dichlorobenzene	17.65	146	165577	20.47	ug/L		98
92) 1,2-Dibromo-3-chloropropan	18.92	75	19712	23.78	ug/L	#	80
94) 1,2,4-Trichlorobenzene	20.38	180	98367	20.24	ug/L		97
95) Hexachlorobutadiene	20.62	225	27158	18.66	ug/L		97
96) Naphthalene	20.79	128	282043	21.25	ug/L		100
97) 1,2,3-Trichlorobenzene	21.25	180	90681	20.13	ug/L		99
98) 1,3,5-Trichlorobenzene	19.34	180	101470	19.82	ug/L		97

(#) = qualifier out of range (m) = manual integration

Quantitation Report

Data File : C:\HPCHEM\1\DATA\082003-B\B17363SC.D Vial: 25
Acq On : 20 Aug 2003 10:14 pm Operator:
Sample : 20PPB STD Inst : Instrumen
Misc : 5000 Multiplr: 1.00
MS Integration Params: rteint.p
Quant Time: Aug 21 7:41 2003 Quant Results File: V808183B.R

Method : C:\HPCHEM\1\METHODS\V808183B.M (RTE Integrator)
Title : 8260 Purgable Organics
Last Update : Wed Aug 20 08:51:31 2003
Response via : Initial Calibration



analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17270T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/18/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 1732

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	197698	6.95	361866	8.48	323047	13.16	161610	17.00
	UPPER LIMIT	395396	7.37	723732	8.99	646094	13.95	323220	18.02
	LOWER LIMIT	98849	6.53	180933	7.97	161524	12.37	80805	15.98
	SAMPLE NO.								
01	1 PPB	194884	6.95	352942	8.48	310446	13.16	157731	17.00
02	2 PPB	187228	6.96	339004	8.48	311635	13.17	158277	17.00
03	5 PPB	193601	6.95	352182	8.48	315401	13.16	158971	17.00
04	20 PPB	197698	6.95	361866	8.48	323047	13.16	161610	17.00
05	50 PPB	199392	6.95	356595	8.48	320837	13.16	165503	17.00
06	100 PPB	200689	6.95	357021	8.48	322036	13.16	165458	17.00
07	ZZZZZ	197897	6.95	360991	8.48	325667	13.16	162066	17.00
08	ZZZZZ	199226	6.95	365678	8.48	323499	13.16	163685	17.00
09	ZZZZZ	205618	6.95	370683	8.48	329320	13.16	165492	17.00
10	ZZZZZ	195650	6.95	362747	8.48	324301	13.16	163278	17.00
11	ZZZZZ	191995	6.95	356658	8.48	317499	13.16	162537	17.00
12	ZZZZZ	187502	6.96	348470	8.48	314789	13.16	158678	17.00
13	ZZZZZ	194803	6.95	354673	8.48	316582	13.16	159429	17.00
14	ZZZZZ	202441	6.95	359801	8.48	322091	13.16	157769	17.00
15	ZZZZZ	203687	6.95	361234	8.48	320827	13.16	156863	17.00
16	ZZZZZ	201401	6.96	359940	8.48	320620	13.16	154821	17.00
17	ZZZZZ	198213	6.95	354824	8.48	316800	13.16	156467	17.00
18	ZZZZZ	204212	6.95	359094	8.48	322486	13.16	157190	17.00
19	ZZZZZ	201415	6.96	354445	8.48	319055	13.16	155339	17.00
20	ZZZZZ	203936	6.96	361852	8.48	326249	13.16	159856	17.00
21	ZZZZZ	209500	6.95	366130	8.48	330762	13.16	160018	17.00
22									
23									
24									

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17293T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0838

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	202958		6.95		363522		8.48		319153		13.16		159181		17.00	
	UPPER LIMIT	405916		7.37		727044		8.99		638306		13.95		318362		18.02	
	LOWER LIMIT	101479		6.53		181761		7.97		159577		12.37		79591		15.98	
	SAMPLE NO.																
01	20PPB STD	202958		6.95		363522		8.48		319153		13.16		159181		17.00	
02	L808193B	200665		6.95		361525		8.48		320402		13.16		159243		17.00	
03	L808193B2	202086		6.95		359194		8.48		318072		13.16		160185		17.00	
04	ZZZZZ	200264		6.95		358659		8.48		318502		13.16		157063		17.00	
05	B808193B	195185		6.96		351323		8.47		313817		13.16		154350		17.00	
06	ZZZZZ	189184		6.95		344210		8.48		308630		13.16		152881		17.00	
07	ZZZZZ	195765		6.95		357194		8.48		315993		13.16		153809		17.00	
08	ZZZZZ	194224		6.96		351678		8.48		311670		13.16		152393		17.00	
09	ZZZZZ	193222		6.95		352292		8.48		311567		13.16		150623		17.00	
10	ZZZZZ	192985		6.95		347362		8.48		307394		13.16		150240		17.00	
11	50269-2,MS	190568		6.95		344499		8.48		307028		13.16		153508		17.00	
12	50269-2,MSD	190025		6.95		343393		8.48		307317		13.16		154822		17.00	
13	ZZZZZ	196106		6.95		351596		8.48		318425		13.16		154406		17.00	
14	ZZZZZ	200137		6.95		358634		8.48		321809		13.16		155068		17.00	
15	ZZZZZ	197545		6.95		353403		8.48		313075		13.16		153693		17.00	
16	ZZZZZ	193644		6.95		349229		8.48		310432		13.16		150864		17.00	
17	ZZZZZ	192154		6.96		343776		8.47		306550		13.16		149831		17.00	
18	ZZZZZ	192749		6.95		344157		8.48		306840		13.16		148088		17.00	
19	ZZZZZ	188968		6.96		340945		8.48		304353		13.16		147846		17.00	
20	ZZZZZ	186913		6.95		339528		8.48		302806		13.16		147822		17.00	
21	ZZZZZ	188068		6.96		337771		8.48		303435		13.17		146215		17.00	
22	ZZZZZ	190780		6.95		342062		8.48		305740		13.16		147525		17.00	
23	ZZZZZ	187267		6.96		333756		8.47		300339		13.16		145080		17.00	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17317T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/19/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2053

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	188501		6.95		339495		8.48		301716		13.16		149594		17.00	
	UPPER LIMIT	377002		7.37		678990		8.99		603432		13.95		299188		18.02	
	LOWER LIMIT	94251		6.53		169748		7.97		150858		12.37		74797		15.98	
	SAMPLE NO.																
01	20 PPB STD	188501		6.95		339495		8.48		301716		13.16		149594		17.00	
02	L808193B3	189504		6.95		333165		8.48		302351		13.16		150801		17.00	
03	L808193B4	183434		6.95		335585		8.48		300928		13.16		151148		17.00	
04	B808193B2	187824		6.95		337820		8.48		298482		13.16		147095		17.00	
05	ZZZZZ	185701		6.95		334770		8.48		297687		13.16		145259		17.00	
06	ZZZZZ	182544		6.95		327806		8.48		294607		13.16		145698		17.00	
07	ZZZZZ	182730		6.95		326884		8.48		292724		13.16		143526		17.00	
08	ZZZZZ	182269		6.96		326387		8.48		293011		13.16		142036		17.00	
09	ZZZZZ	182445		6.96		325095		8.48		292940		13.16		141328		17.00	
10	ZZZZZ	181422		6.95		325220		8.48		288306		13.16		142056		16.99	
11	50273-1	177543		6.95		320784		8.48		291233		13.16		139502		17.00	
12	50273-2	178838		6.96		322210		8.48		287454		13.16		140547		17.00	
13	50273-3	178680		6.95		319159		8.48		285338		13.16		138827		17.00	
14	50273-4	177917		6.95		318729		8.48		286274		13.16		139863		17.00	
15	50273-5	174339		6.95		316923		8.48		282869		13.16		139360		17.00	
16	50273-6	173026		6.95		314377		8.48		279861		13.16		136843		17.00	
17	50273-7	172856		6.96		316137		8.48		282270		13.16		137151		17.00	
18	50273-8	174649		6.96		314299		8.49		278691		13.16		137959		17.00	
19	50273-9	173004		6.95		309419		8.48		277830		13.16		137309		17.00	
20	50273-10	170064		6.95		309918		8.48		276591		13.16		135518		17.00	
21		169316		6.96		306595		8.48		274077		13.17		135068		17.00	
22																	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17339T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 0910

Heated Purge: (Y/N) N

		IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #	IS4 AREA #	RT #
	12 HOUR STD	174125	6.96	312914	8.48	282690	13.16	142302	17.00
	UPPER LIMIT	348250	7.38	625828	8.99	565380	13.95	284604	18.02
	LOWER LIMIT	87063	6.54	156457	7.97	141345	12.37	71151	15.98
	SAMPLE NO.								
01	20PPB STD	174125	6.96	312914	8.48	282690	13.16	142302	17.00
02	L808203B	175842	6.95	315853	8.48	282788	13.16	145080	17.00
03	L808203B2	174557	6.95	318567	8.47	284716	13.16	145875	17.00
04	ZZZZZ	172363	6.95	316590	8.48	281915	13.16	141140	17.00
05	B808203B	171337	6.95	313651	8.48	282160	13.16	139694	17.00
06	ZZZZZ	168149	6.95	310354	8.48	275986	13.16	137600	17.00
07	ZZZZZ	169138	6.95	306382	8.48	275577	13.16	135409	17.00
08	ZZZZZ	162501	6.95	300529	8.48	269565	13.16	134035	17.00
09	ZZZZZ	163021	6.95	300195	8.48	267834	13.16	134671	17.00
10	ZZZZZ	163872	6.96	302089	8.47	270922	13.16	134906	17.00
11	ZZZZZ	163083	6.95	297174	8.48	267773	13.16	133154	17.00
12	50273-1,DL	161379	6.95	298155	8.48	268785	13.16	134176	17.00
13	50273-2,DL	159084	6.95	294487	8.48	264762	13.16	133261	17.00
14	50273-3,DL	152950	6.95	281263	8.48	256110	13.16	132982	17.00
15	50273-4,DL	153690	6.95	286726	8.48	261088	13.16	131689	17.00
16	50273-5,DL	155820	6.95	288480	8.48	260354	13.16	131502	17.00
17	ZZZZZ	160610	6.95	292772	8.48	261386	13.16	131431	17.00
18	ZZZZZ	152888	6.95	286669	8.48	257552	13.16	129932	17.00
19	ZZZZZ	160172	6.95	293311	8.48	263224	13.16	130452	17.00
20	ZZZZZ	148730	6.95	280495	8.48	255829	13.16	130575	17.00
21	ZZZZZ	164754	6.96	306731	8.47	274599	13.16	135683	17.00
22	ZZZZZ	167315	6.95	307208	8.48	276043	13.16	136847	17.00
23									
24									

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

analytics environmental laboratory LLC

VOLATILE ORGANIC
INTERNAL STANDARD AREA AND RT SUMMARY

Project #: 10971.217.002 Quote #: SDG#: 50273

BFB File ID: B17362T Site ID: Bucks Harbor Location: Maine

Instrument ID: B BFB Injection Date: 8/20/03

GC Column: RTX-502.2 ID: 0.25(mm) BFB Injection Time: 2145

Heated Purge: (Y/N) N

		IS1 AREA	#	RT	#	IS2 AREA	#	RT	#	IS3 AREA	#	RT	#	IS4 AREA	#	RT	#
	12 HOUR STD	159242		6.95		301519		8.48		268700		13.16		137842		17.00	
	UPPER LIMIT	318484		7.37		603038		8.99		537400		13.95		275684		18.02	
	LOWER LIMIT	79621		6.53		150760		7.97		134350		12.37		68921		15.98	
	SAMPLE NO.																
01	20PPB STD	159242		6.95		301519		8.48		268700		13.16		137842		17.00	
02	L808203B3	166975		6.95		312369		8.48		278465		13.16		142425		17.00	
03	L808203B4	173893		6.96		317318		8.47		282912		13.16		141041		17.00	
04	B808203B2	169228		6.95		310954		8.48		278584		13.16		139425		17.00	
05	50273-7,DL	159416		6.96		298972		8.48		270513		13.16		136104		17.00	
06	50273-8,DL	151472		6.95		281980		8.48		262170		13.16		134354		17.00	
07	50273-9,DL	159164		6.95		294451		8.48		269249		13.17		134996		17.00	
08	50273-10,DL	153756		6.95		275209		8.48		264353		13.16		132504		17.00	
09	ZZZZZ	148460		6.95		280081		8.48		254859		13.16		132762		17.00	
10	ZZZZZ	145191		6.95		273975		8.48		254626		13.16		132519		17.00	
11	ZZZZZ	151293		6.95		278466		8.48		257990		13.16		130358		17.00	
12	ZZZZZ	159537		6.95		293128		8.48		263097		13.16		131573		17.00	
13	ZZZZZ	163982		6.95		296516		8.48		268088		13.16		130333		17.00	
14	ZZZZZ	161134		6.95		293587		8.48		264497		13.16		129545		17.00	
15	ZZZZZ	164383		6.95		300398		8.48		269433		13.16		133693		17.00	
16	ZZZZZ	165063		6.95		297410		8.48		268209		13.16		132215		17.00	
17	ZZZZZ	162446		6.95		291552		8.48		266591		13.16		132219		17.00	
18	ZZZZZ	168656		6.95		308687		8.48		276910		13.16		140757		17.00	
19	ZZZZZ	169789		6.95		307005		8.48		276659		13.16		140757		17.00	
20																	
21																	
22																	
23																	
24																	

IS1=Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5
IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.06 minutes of internal standard RRT
RT LOWER LIMIT = -0.06 minutes of internal standard RRT

Column used to flag values outside QC limits with an asterisk
* Values outside of QC limits.

Chain Of Custody Form

analytics environmental laboratory LLC
195 Commerce Way Suite E
Portsmouth, NH 03801
Phone (603) 436-5111
Fax (603) 430-2151

For Analytics Use Only Rev 10/02

Samples were:
1) Shipped or ~~hand-delivered~~
2) Temp blank °C 4.6
3) Received in good condition (Y) or N
4) pH checked by: n/a
5) Labels checked by: JB 8/18/03

Project#: 10971.217.002 Project: Bucks Harbor Pacher Tests
Company: Weston Solutions
Contact: Jim Richer
Address: 1 Wall Street
Manchester, NH 03101-1501
Phone: 603-656-5487 PO# Quote #
Sampler (Signature): Andrew Herms

Matrix Key: WW=Wastewater, SW=Surfacewater, GW=Groundwater, DW=Drinkingwater, S=Soil/Sludge, O=Oil, E=Extract, X=Other

Container Key: P=plastic G=glass

Preservation

Station Identification	Sample Date	Sample Time	Analysis	Unpres	4° C	HNO3	H2SO4	HCL	Methanol	Other	Matrix	Container number/type		pH	Analytics Sample #
~~MW7-015-PP~~															
MW7-015-PP	8/15/03	1345	VOC 8260B		X			X			GW	3	V		50273-1
MW7-044-PP	8/15/03	1415	VOC 8260B		X			X			GW	3	V		2
MW7-075-PP	8/15/03	1445	VOC 8260B		X			X			GW	3	V		3
MW7-115-PP	8/15/03	1520	VOC 8260B		X			X			GW	3	V		4
MW7-115-PP-E	8/15/03	1520	VOC 8260B		X			X			GW	3	V		5
TB-081503-01	8/15/03		VOC 8260B		X			X			W	2	V		6
MW10-130-PP	8/16/03	0850	VOC 8260B		X			X			GW	3	V		7
MW10-150-PP	8/16/03	0925	VOC 8260B		X			X			GW	3	V		8
MW10-150-PP-E	8/16/03	0925	VOC 8260B		X			X			GW	3	V		9
MW10-164-PP	8/16/03	0950	VOC 8260B		X			X			GW	3	V		10

Received By: Time: 0900
Received By: Time:
Received By: Time:
Date: 8/18/03
Date:
Date:

FAX RESULTS? (YES) NO
Fax # 603-656-5401

Turnaround Request
Standard ☐ Priority ☐
Due Date ~~Due Date~~

Comments / Instructions:
Pacher Samples Bucks Harbor
via VOC 8260B
(*) Results due by Aug. 22nd (data results w/QC report to follow later)

Client Code: WESTONM

Page 1 of 1

Relinquished By Sampler:
Relinquished By:
Relinquished By:

Analytics\AEL Documents\AEL COC

139/140

ANALYTICS SAMPLE RECEIPT CHECKLIST

analytics environmental laboratory LLC

AEL LAB#: 50273 — COOLER NUMBER: n/a

CLIENT: Weston Solutions — NUMBER OF COOLERS: 1

PROJECT: Bucks Harbor Packer Tests — DATE RECEIVED: 8.18.03

A: PRELIMINARY EXAMINATION: — DATE COOLER OPENED: 8.18.03

1. Cooler received by(initials) JB — Date Received: 8.18.03
2. Did cooler come with a shipping slip? — Y (N)

If YES, enter carrier name and airbill number here: n/a

3. Were custody seals on the outside of cooler? — Y N/a
How many & where: _____ Seal Date: _____ Seal Name: _____

4. Did the custody seals arrive unbroken and intact upon arrival? — Y N/a

5. COC#: n/a

6. Were Custody papers filled out properly (ink,signed, etc)?	(Y)	N
7. Were custody papers sealed in a plastic bag?	(Y)	N
8. Did you sign the COC in the appropriate place?	(Y)	N
9. Was the project identifiable from the COC papers?	(Y)	N

10. Was enough ice used to chill the cooler? (Y) N — Temp. of cooler: 4.5

B. Log-In: Date samples were logged in: 8.18.03 — By: amb

11. Type of packing in cooler (bubble wrap, popcorn)	(Y)	N
12. Were all bottles sealed in separate plastic bags?	(Y)	N
13. Did all bottles arrive unbroken and were labels in good condition?	(Y)	N
14. Were all bottle labels complete(ID,Date,time,etc.)	(Y)	N
15. Did all bottle labels agree with custody papers?	(Y)	N
16. Were the correct containers used for the tests indicated:	(Y)	N
17. Were samples received at the correct pH?	Y	N/a
18. Was sufficient amount of sample sent for the tests indicated?	(Y)	N
19. Were bubbles absent in VOA samples?	Y	(N)

If NO, List sample #'s: TB-081503-01 (50273-6-A and -B)

20. Laboratory labeling verified by (initials): JB — Date: 8/18/03

APPENDIX E

RISK ASSESSMENT DOCUMENTATION (TABLES 6-1 THROUGH 6-161)

TABLE 6-1

RAGS Part D TABLE 1

SELECTION OF EXPOSURE PATHWAYS

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe	Medium	Exposure Medium	Exposure Point	Receptor Population	Receptor Age	Exposure Route	On-Site/ Off-Site	Type of Analysis	Rationale for Selection or Exclusion of Exposure Pathway
Current	Groundwater	Groundwater	Contaminants are in groundwater[a] and exposure to groundwater is evaluated.	Inmate	Adult	Ingestion	On-Site	Quantitative	Inmate incidentally ingests groundwater
						Inhalation	On-Site	Quantitative	Inmate inhales vapor while showering
				Resident	Adult	Ingestion	Off-Site	Quantitative	Resident incidentally ingests groundwater
						Inhalation	Off-Site	Quantitative	Resident inhales vapor while showering
					Child	Ingestion	Off-Site	Quantitative	Resident incidentally ingests groundwater
						Dermal	Off-Site	Qualitative	Resident contacts VOCS while bathing.
Future	Groundwater	Groundwater	Contaminants are in groundwater[b] and exposure to groundwater is evaluated.	Resident	Adult	Ingestion	On-Site	Quantitative	Resident incidentally ingests groundwater
						Inhalation	On-Site	Quantitative	Resident inhales vapor while showering
					Child	Ingestion	On-Site	Quantitative	Resident incidentally ingests groundwater
						Dermal	On-Site	Qualitative	Resident contacts VOCS while bathing.

[a] Inmate was exposed to well WY3. Current resident was exposed to drinking water wells (each well was evaluated separately).

[b] Future residents were exposed to monitoring wells at Howard Mountain and Miller Mountain.

TABLE 6-29

RAGS Part D TABLE 3.1 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW1)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Trichloroethene	µg/L	0.72	0.80 (N)	0.89	0.80	µg/L	95% UCL-N	W-Test (3)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-30

RAGS Part D TABLE 3.2 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW2)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Tetrachloroethene	µg/L	0.39	0.47 (N)	0.62	0.47	µg/L	95% UCL-N	W-Test (3)
	Trichloroethene	µg/L	12.5	14.3 (N)	18.0	14.3	µg/L	95% UCL-N	W-Test (3)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-31

RAGS Part D TABLE 3.3 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW3)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Trichloroethene	µg/L	4.05	4.99 (N)	8.20	4.99	µg/L	95% UCL-N	W-Test (3)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-32

RAGS Part D TABLE 3.4 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW4)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.25	0.26 (T)	0.29 J	0.26	µg/L	95% UCL-T	W-Test (1)
	Tetrachloroethene	µg/L	0.72	0.79 (N)	1.00	0.79	µg/L	95% UCL-N	W-Test (3)
	Trichloroethene	µg/L	65.4	70.4 (T)	90.5	70.4	µg/L	95% UCL-T	W-Test (4)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: J = Estimated Value
N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-33

RAGS Part D TABLE 3.5 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW9)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Trichloroethene	µg/L	0.62	0.74 (T)	0.75	0.74	µg/L	95% UCL-T	W-Test (1)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-34

RAGS Part D TABLE 3.6 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW12)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Trichloroethene	µg/L	2.83	4.33 (T)	9.00	4.33	µg/L	95% UCL-T	W-Test (4)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-35

RAGS Part D TABLE 3.7 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW15)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	MTBE	µg/L	28.0	431 (T)	95.0	95.0	µg/L	Maximum	W-Test (2)
	t-Amyl Methyl Ether	µg/L	0.48	2.17 (T)	1.40	1.40	µg/L	Maximum	W-Test (2)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-36

RAGS Part D TABLE 3.8 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW17)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.28	0.35 (T)	0.39 J	0.35	µg/L	95% UCL-T	W-Test (1)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: J = Estimated Value
N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-37

RAGS Part D TABLE 3.9 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW20)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.26	0.30 (T)	0.32 J	0.30	µg/L	95% UCL-T	W-Test (1)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: J = Estimated Value
N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-38

RAGS Part D TABLE 3.10 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW21)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Benzene	µg/L	0.44	1.13 (T)	0.78	0.78	µg/L	Maximum	W-Test (2)
	MTBE	µg/L	26.0	35.0 (N)	36.0	35.0	µg/L	95% UCL-N	W-Test (3)
	t-Amyl Methyl Ether	µg/L	0.31	0.49 (T)	0.55	0.49	µg/L	95% UCL-T	W-Test (1)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-39

RAGS Part D TABLE 3.11 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW23)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	1,2-Dichloroethane	µg/L	0.26	0.27 (T)	0.35 J	0.27	µg/L	95% UCL-T	W-Test (1)
	Trichloroethene	µg/L	1.81	3.75 (T)	2.90	2.90	µg/L	Maximum	W-Test (2)
	cis-1,2-Dichloroethene	µg/L	4.52	17.4 (T)	7.40	7.40	µg/L	Maximum	W-Test (2)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: J = Estimated Value
N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-40

RAGS Part D TABLE 3.12 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW25)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.43	0.59 (N)	0.59	0.59	µg/L	Maximum	W-Test (2)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-41

RAGS Part D TABLE 3.13 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW28)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.44	39.5 (T)	0.83	0.83	µg/L	Maximum	W-Test (2)

TABLE 6-42

RAGS Part D TABLE 3.14 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW29)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.26	0.30 (T)	0.30 J	0.30	µg/L	Maximum	W-Test (2)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: J = Estimated Value
N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-43

RAGS Part D TABLE 3.15 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW30)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.99	1.46 (N)	1.60	1.46	µg/L	95% UCL-N	W-Test (3)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-44

RAGS Part D TABLE 3.16 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW31)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Trichloroethene	µg/L	1.09	1.16 (N)	1.30	1.16	µg/L	95% UCL-N	W-Test (3)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-45

RAGS Part D TABLE 3.17 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW33)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.32	0.47 (T)	0.46 J	0.46	µg/L	Maximum	W-Test (2)
	Trichloroethene	µg/L	0.58	0.63 (N)	0.64	0.63	µg/L	95% UCL-N	W-Test (3)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: J = Estimated Value
N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-46

RAGS Part D TABLE 3.18 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater (Well - DW40)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Chloroform	µg/L	0.56	0.66 (N)	0.63	0.63	µg/L	Maximum	W-Test (2)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-47

RAGS Part D TABLE 3.19 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current/Future
Medium: Groundwater
Exposure Medium: Groundwater (Well - WY3)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration (Qualifier)	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	Dibromochloromethane	µg/L	0.33	0.43 (T)	0.82	0.43	µg/L	95% UCL-T	W-Test (1)
	Trichloroethene	µg/L	0.613	0.65 (N)	0.70	0.65	µg/L	95% UCL-N	W-Test (3)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) Shapiro-Wilk W Test indicates data are neither normally nor lognormally distributed. They were assumed to be lognormally distributed.
(2) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.
(3) Shapiro-Wilk W Test indicates data are normally distributed.
(4) Shapiro-Wilk W Test indicates data are lognormally distributed.

TABLE 6-48

RAGS Part D TABLE 3.20 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Medium: Groundwater
Exposure Medium: Groundwater (Howard Mountain)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	1,3-Dichlorobenzene	µg/L	0.98	1.06 N	2.00	1.06	µg/L	95% UCL-N	W-Test (3)
	1,4-Dichlorobenzene	µg/L	1.02	1.14 N	3.00	1.14	µg/L	95% UCL-N	W-Test (3)
	Tetrachloroethene	µg/L	1.55	3.25 NP	12.0	3.25	µg/L	95% UCL-NP	W-Test (1)
	Trichloroethene	µg/L	85.8	660 NP	1,820	660	µg/L	99% UCL-NP	W-Test (2)
	Cis-1,2-Dichloroethene	µg/L	2.98	9.67 NP	49.0	9.67	µg/L	95% UCL-NP	W-Test (1)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
N/A = Not Applicable
T = Transformed

(1) ProUCL indicates data are nonparametric. The 95% Chebyshev (Mean, Sd) UCL was the ProUCL recommendation.
(2) ProUCL indicates data are nonparametric. The 99% Chebyshev (Mean, Sd) UCL was the ProUCL recommendation.
(3) ProUCL indicates data are normal. The Student's-t UCL was the ProUCL recommendation.

TABLE 6-49

RAGS Part D TABLE 3.21 RME

EXPOSURE POINT CONCENTRATION SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Medium: Groundwater
Exposure Medium: Groundwater (Miller Mountain)

Exposure Point	Chemical of Potential Concern	Units	Arithmetic Mean (1)	95% UCL (1) (Distribution)	Maximum Concentration	Exposure Point Concentration			
						Value	Units	Statistic	Rationale
Tap Water	1,2,4-Trichlorobenzene	µg/L	2.00	NC	4.00	4.00	µg/L	Maximum	W-Test (1)
	Trichloroethene	µg/L	21.0	NC	61.0	61.0	µg/L	Maximum	W-Test (1)
	Cis-1,2-Dichloroethene	µg/L	8.33	NC	23.0	23.0	µg/L	Maximum	W-Test (1)

Statistics: Maximum Detected Value (Maximum); 95% UCL of Normal Data (95% UCL-N); 95% UCL of Transformed Data (95% UCL-T).
Nondetects were included at half the sample quantitation limit.
The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

Definitions: N = Normal
NC = Not calculated due to insufficient sample size.
N/A = Not Applicable
T = Transformed

(1) 95% UCL exceeds maximum detected concentration. Therefore, maximum concentration used for EPC.

TABLE 6-50

RAGS Part D Table 4.1

VALUES USED FOR DAILY INTAKE CALCULATIONS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current\Future
Medium: Groundwater
Exposure Medium: Groundwater

Exposure Route	Receptor Population	Receptor Age	Exposure Point	Parameter Code	Parameter Definition	Value	Units	Rationale/ Reference	Intake Equation/ Model Name
Ingestion	Resident	Adult	Tap Water	EPC	Exposure point concentration	Chem-Specific	µg/L	[1]	Chronic daily intake (CDI)(mg/kg-day) =
				IRGW	Ingestion rate of groundwater	2	L/day	EPA, 1997 [2]	
				EF	Exposure frequency	350	days/year	EPA, 1989	EPC x IRGW x CF x EF x ED
				ED	Exposure duration	30	years	EPA, 1991	x 1/BW x 1/AT
				CF	Conversion factor	1.00E-03	mg/µg	-----	
				BW	Body weight	70	kg	EPA, 1989	
				AT_c	Averaging time - cancer	25,550	days	EPA, 1989	
				AT_n	Averaging time - noncancer	10,950	days	EPA, 1989	

[1] The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

[2] p.3-1

EPA 1989a: *Risk Assessment Guidance for Superfund.* Volume 1: *Human Health Evaluation Manual, Part A* . OERR EPA/540/1-89/002.

EPA, 1997: *Exposure Factors Handbook* , Volume 1: *General Factors* . EPA/600/P-95/002Fa.

NA = Not applicable

TABLE 6-51

RAGS Part D Table 4.2

VALUES USED FOR DAILY INTAKE CALCULATIONS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current\Future
Medium: Groundwater
Exposure Medium: Groundwater

Exposure Route	Receptor Population	Receptor Age	Exposure Point	Parameter Code	Parameter Definition	Value	Units	Rationale/ Reference	Intake Equation/ Model Name
Inhalation	Resident	Adult	Air	CA	Chemical concentration in air	Chem-Specific	µg/m^3	[1]	Chronic daily intake (CDI)(mg/kg-day) =
				CF	Conversion factor	1.00E-03	mg/µg	-----	
				IR	Adult inhalation rate	0.5	m^3/hour	EPA, 1997 [2]	
				ET	Exposure time	0.25	hours/day		[CA x CF x IR x ET x EF x ED]
				EF	Exposure frequency	350	days/year	EPA, 1991	x 1/BW x 1/AT
				ED	Exposure duration	30	years	EPA, 1991	
				BW	Body weight	70	kg	EPA, 1989	
				AT_c	Averaging time - cancer	25,550	days	EPA, 1989	
				AT_n	Averaging time - noncancer	10,950	days	EPA, 1989	
				EPC	Exposure point concentration	Chem-Specific	µg/L	[3]	Concentration in air (CA)(µg/m^3) =
				FV	Fraction volatilized	1	unitless		
				FL	Flow rate	30	L/minute		[EPC x FV x FR x SD x 1/BV]
				SD	Shower duration	15	minutes		
				BV	Bathroom volume	12	m^3		

[1] Foster-Chrostowski (1987) Model.

[2] Derived from Table 5-23 (EPA, 1997). Short-term mean exposures based on sedentary activities for adults.

[3] The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

NA = Not applicable

TABLE 6-52

RAGS Part D Table 4.3

VALUES USED FOR DAILY INTAKE CALCULATIONS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current\Future
Medium: Groundwater
Exposure Medium: Groundwater

Exposure Route	Receptor Population	Receptor Age	Exposure Point	Parameter Code	Parameter Definition	Value	Units	Rationale/ Reference	Intake Equation/ Model Name
Ingestion	Resident	Child (1-6 yrs)	Tap Water	EPC	Exposure point concentration	Chem-Specific	µg/L	[1]	Chronic daily intake (CDI)(mg/kg-day) =
				IRGW	Ingestion rate of groundwater	1	L/day	EPA, 1997 [2]	
				EF	Exposure frequency	350	days/year	EPA, 1989	EPC x IRGW x CF x EF x ED
				ED	Exposure duration	6	years	EPA, 1991	x 1/BW x 1/AT
				CF	Conversion factor	1.00E-03	mg/µg	-----	
				BW	Body weight	15	kg	EPA, 1989	
				AT_c	Averaging time - cancer	25,550	days	EPA, 1989	
				AT_n	Averaging time - noncancer	2,190	days	EPA, 1989	

[1] The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

[2] p.3-1

EPA 1989a: *Risk Assessment Guidance for Superfund.* Volume 1: *Human Health Evaluation Manual, Part A* . OERR EPA/540/1-89/002.

EPA, 1997: *Exposure Factors Handbook* , Volume 1: *General Factors* . EPA/600/P-95/002Fa.

NA = Not applicable

TABLE 6-53

RAGS Part D Table 4.4

VALUES USED FOR DAILY INTAKE CALCULATIONS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater

Exposure Route	Receptor Population	Receptor Age	Exposure Point	Parameter Code	Parameter Definition	Value	Units	Rationale/ Reference	Intake Equation/ Model Name
Ingestion	Prison Inmate	Adult	Tap Water	EPC	Exposure point concentration	Chem-Specific	µg/L	[1]	Chronic daily intake (CDI)(mg/kg-day) =
				IRGW	Ingestion rate of groundwater	2	L/day	EPA, 1997 [2]	
				EF	Exposure frequency	365	days/year	EPA, 1989	EPC x IRGW x CF x EF x ED
				ED	Exposure duration	30	years	EPA, 1991	x 1/BW x 1/AT
				CF	Conversion factor	1.00E-03	mg/µg	-----	
				BW	Body weight	70	kg	EPA, 1989	
				AT_c	Averaging time - cancer	25,550	days	EPA, 1989	
				AT_n	Averaging time - noncancer	10,950	days	EPA, 1989	

[1] The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

[2] p.3-1

EPA 1989a: *Risk Assessment Guidance for Superfund.* Volume 1: *Human Health Evaluation Manual, Part A* . OERR EPA/540/1-89/002.

EPA, 1997: *Exposure Factors Handbook* , Volume 1: *General Factors* . EPA/600/P-95/002Fa.

NA = Not applicable

TABLE 6-54

RAGS Part D Table 4.5

VALUES USED FOR DAILY INTAKE CALCULATIONS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Medium: Groundwater
Exposure Medium: Groundwater

Exposure Route	Receptor Population	Receptor Age	Exposure Point	Parameter Code	Parameter Definition	Value	Units	Rationale/ Reference	Intake Equation/ Model Name
Inhalation	Prison Inmate	Adult	Air	CA	Chemical concentration in air	Chem-Specific	µg/m^3	[1]	Chronic daily intake (CDI)(mg/kg-day) =
				CF	Conversion factor	1.00E-03	mg/µg	-----	
				IR	Adult inhalation rate	0.5	m^3/hour	EPA, 1997 [2]	
				ET	Exposure time	0.25	hours/day		[CA x CF x IR x ET x EF x ED]
				EF	Exposure frequency	365	days/year	EPA, 1991	x 1/BW x 1/AT
				ED	Exposure duration	30	years	EPA, 1991	
				BW	Body weight	70	kg	EPA, 1989	
				AT_c	Averaging time - cancer	25,550	days	EPA, 1989	
				AT_n	Averaging time - noncancer	10,950	days	EPA, 1989	
				EPC	Exposure point concentration	Chem-Specific	µg/L	[3]	Concentration in air (CA)(µg/m^3) =
				FV	Fraction volatilized	1	unitless		
				FL	Flow rate	30	L/minute		[EPC x FV x FR x SD x 1/BV]
				SD	Shower duration	15	minutes		
				BV	Bathroom volume	12	m^3		

[1] Foster-Chrostowski (1987) Model.

[2] Derived from Table 5-23 (EPA, 1997). Short-term mean exposures based on sedentary activities for adults.

[3] The EPC is based on the lower of the 95% UCL and the maximum detected concentration.

NA = Not applicable

Table 6-55

RAGS Part D TABLE 7.1.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Trichloroethene	0.80	µg/L	9.39E-06	mg/kg/day	1.3E-02	1/mg/kg/day	1.22E-07	2.19E-05	mg/kg/day	6.00E-03	mg/kg/day	0.004
		from Well - DW1	Exp. Route Total								1.22E-07					0.004
		Exposure Point Total									1.22E-07					0.004
	Exposure Medium Total										1.22E-07					0.004
	Air	Air	Inhalation	Trichloroethene	30.0	µg/L	2.20E-05	mg/kg/day	7.0E-03	1/mg/kg/day	1.54E-07	5.14E-05	mg/kg/day	1.70E-01	mg/kg/day	0.0003
			Exp. Route Total								1.54E-07					0.0003
		Exposure Point Total									1.54E-07					0.0003
	Exposure Medium Total										1.54E-07					0.0003
Groundwater Total											2.76E-07					0.004
											Total of Receptor Risks Across All Media	2.76E-07				Total of Receptor Hazards Across All Media	0.0040

Table 6-56

RAGS Part D TABLE 7.2.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW2	Ingestion	Tetrachloroethene	0.47	µg/L	5.52E-06	mg/kg/day	5.4E-01	1/mg/kg/day	2.98E-06	1.29E-05	mg/kg/day	1.00E-02	mg/kg/day	0.0013
				Trichloroethene	14.3	µg/L	1.68E-04	mg/kg/day	1.3E-02	1/mg/kg/day	2.18E-06	3.92E-04	mg/kg/day	6.00E-03	mg/kg/day	0.07
			Exp. Route Total								5.16E-06					0.07
		Exposure Point Total									5.16E-06					0.07
	Exposure Medium Total										5.16E-06					0.07
	Air	Air	Inhalation	Tetrachloroethene	17.6	µg/L	1.29E-05	mg/kg/day	2.0E-02	1/mg/kg/day	2.59E-07	3.02E-05	mg/kg/day	1.40E-01	mg/kg/day	0.00022
				Trichloroethene	536	µg/L	3.94E-04	mg/kg/day	7.0E-03	1/mg/kg/day	2.75E-06	9.18E-04	mg/kg/day	1.70E-01	mg/kg/day	0.005
			Exp. Route Total								3.01E-06					0.006
		Exposure Point Total									3.01E-06					0.006
	Exposure Medium Total										3.01E-06					0.006
Groundwater Total											8.18E-06					0.07
										Total of Receptor Risks Across All Media	8.18E-06				Total of Receptor Hazards Across All Media	0.07

Table 6-57

RAGS Part D TABLE 7.3.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Trichloroethene	4.99	µg/L	5.86E-05	mg/kg/day	1.3E-02	1/mg/kg/day	7.62E-07	1.37E-04	mg/kg/day	6.00E-03	mg/kg/day	0.02
		from Well - DW3	Exp. Route Total								7.62E-07					0.02
		Exposure Point Total									7.62E-07					0.02
	Exposure Medium Total										7.62E-07					0.02
	Air	Air	Inhalation	Trichloroethene	187	µg/L	1.37E-04	mg/kg/day	7.0E-03	1/mg/kg/day	9.61E-07	3.20E-04	mg/kg/day	1.70E-01	mg/kg/day	0.002
			Exp. Route Total								9.61E-07					0.002
		Exposure Point Total									9.61E-07					0.002
	Exposure Medium Total										9.61E-07					0.002
Groundwater Total											1.72E-06					0.02
											Total of Receptor Risks Across All Media 1.72E-06					Total of Receptor Hazards Across All Media 0.02

Table 6-58

RAGS Part D TABLE 7.4.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW4	Ingestion	Chloroform	0.26	µg/L	3.05E-06	mg/kg/day	NA	NA	---	7.12E-06	mg/kg/day	1.00E-02	mg/kg/day	0.00071
				Tetrachloroethene	0.79	µg/L	9.28E-06	mg/kg/day	5.4E-01	1/mg/kg/day	5.01E-06	2.16E-05	mg/kg/day	1.00E-02	mg/kg/day	0.0022
				Trichloroethene	70.4	µg/L	8.27E-04	mg/kg/day	1.3E-02	1/mg/kg/day	1.07E-05	1.93E-03	mg/kg/day	6.00E-03	mg/kg/day	0.32
			Exp. Route Total								1.58E-05					0.32
		Exposure Point Total									1.58E-05					0.32
	Exposure Medium Total										1.58E-05					0.32
	Air	Air	Inhalation	Chloroform	9.75	µg/L	7.16E-06	mg/kg/day	8.1E-02	1/mg/kg/day	5.80E-07	1.67E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0012
				Tetrachloroethene	29.6	µg/L	2.17E-05	mg/kg/day	2.0E-02	1/mg/kg/day	4.35E-07	5.07E-05	mg/kg/day	1.40E-01	mg/kg/day	0.00036
				Trichloroethene	2,640	µg/L	1.94E-03	mg/kg/day	7.0E-03	1/mg/kg/day	1.36E-05	4.52E-03	mg/kg/day	1.70E-01	mg/kg/day	0.03
			Exp. Route Total								1.46E-05					0.03
		Exposure Point Total									1.46E-05					0.03
	Exposure Medium Total										1.46E-05					0.03
Groundwater Total											3.03E-05					0.35
											Total of Receptor Risks Across All Media	3.03E-05		Total of Receptor Hazards Across All Media		0.35

Table 6-59

RAGS Part D TABLE 7.5.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Trichloroethene	0.74	µg/L	8.69E-06	mg/kg/day	1.3E-02	1/mg/kg/day	1.13E-07	2.03E-05	mg/kg/day	6.00E-03	mg/kg/day	0.003
		from Well - DW9	Exp. Route Total								1.13E-07					0.003
		Exposure Point Total									1.13E-07					0.003
	Exposure Medium Total										1.13E-07					0.003
	Air	Air	Inhalation	Trichloroethene	27.8	µg/L	2.04E-05	mg/kg/day	7.0E-03	1/mg/kg/day	1.43E-07	4.75E-05	mg/kg/day	1.70E-01	mg/kg/day	0.0003
			Exp. Route Total								1.43E-07					0.0003
		Exposure Point Total									1.43E-07					0.0003
	Exposure Medium Total										1.43E-07					0.0003
Groundwater Total											2.56E-07					0.004
											Total of Receptor Risks Across All Media 2.56E-07					Total of Receptor Hazards Across All Media 0.004

Table 6-60

RAGS Part D TABLE 7.6.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Trichloroethene	4.33	µg/L	5.08E-05	mg/kg/day	1.3E-02	1/mg/kg/day	6.61E-07	1.19E-04	mg/kg/day	6.00E-03	mg/kg/day	0.02
		from Well - DW12	Exp. Route Total								2.25E-06					0.02
		Exposure Point Total									2.25E-06					0.02
	Exposure Medium Total										2.25E-06					0.02
	Air	Air	Inhalation	Trichloroethene	162	µg/L	1.19E-04	mg/kg/day	7.0E-03	1/mg/kg/day	8.34E-07	2.78E-04	mg/kg/day	1.70E-01	mg/kg/day	0.002
			Exp. Route Total								9.72E-07					0.002
		Exposure Point Total									9.72E-07					0.002
	Exposure Medium Total										9.72E-07					0.002
Groundwater Total											3.22E-06					0.02
											Total of Receptor Risks Across All Media 3.22E-06					Total of Receptor Hazards Across All Media 0.02

Table 6-61

RAGS Part D TABLE 7.7.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tapwater	Ingestion	MTBE	95.0	µg/L	1.12E-03	mg/kg/day	4.0E-03	1/mg/kg/day	4.46E-06	2.60E-03	mg/kg/day	NA	NA	---
		from Well - DW15		t-Amyl Methyl Ether	1.40	µg/L	1.64E-05	mg/kg/day	NA	NA	---	3.84E-05	mg/kg/day	NA	NA	---
			Exp. Route Total								4.46E-06					---
		Exposure Point Total									4.46E-06					---
	Exposure Medium Total										4.46E-06					---
	Air	Air	Inhalation	MTBE	3,563	µg/L	2.61E-03	mg/kg/day	NA	NA	---	6.10E-03	mg/kg/day	8.57E-01	mg/kg/day	0.0071
				t-Amyl Methyl Ether	52.5	µg/L	3.85E-05	mg/kg/day	NA	NA	---	8.99E-05	mg/kg/day	NA	NA	---
			Exp. Route Total								---					0.0071
		Exposure Point Total									---					0.0071
	Exposure Medium Total										---					0.0071
Groundwater Total											4.46E-06					0.0071
Total of Receptor Risks Across All Media											4.46E-06	Total of Receptor Hazards Across All Media				0.0071

Table 6-62

RAGS Part D TABLE 7.8.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Chloroform	0.35	µg/L	4.11E-06	mg/kg/day	NA	NA	---	9.59E-06	mg/kg/day	1.00E-02	mg/kg/day	0.0010
		from Well - DW17	Exp. Route Total								---					0.0010
		Exposure Point Total									---					0.0010
	Exposure Medium Total										---					0.0010
	Air	Air	Inhalation	Chloroform	13.1	µg/L	9.63E-06	mg/kg/day	8.1E-02	1/mg/kg/day	7.80E-07	2.25E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0016
			Exp. Route Total								7.80E-07					0.0016
		Exposure Point Total									7.80E-07					0.0016
	Exposure Medium Total										7.80E-07					0.0016
Groundwater Total											7.80E-07					0.0026
											Total of Receptor Risks Across All Media	7.80E-07				Total of Receptor Hazards Across All Media	0.0026

Table 6-63

RAGS Part D TABLE 7.9.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Chloroform	0.30	µg/L	3.52E-06	mg/kg/day	NA	NA	---	8.22E-06	mg/kg/day	1.00E-02	mg/kg/day	0.00082
		from Well - DW20	Exp. Route Total								---					0.00082
		Exposure Point Total									---					0.00082
	Exposure Medium Total										---					0.00082
	Air	Air	Inhalation	Chloroform	11.3	µg/L	8.26E-06	mg/kg/day	8.1E-02	1/mg/kg/day	6.69E-07	1.93E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0014
			Exp. Route Total								6.69E-07					0.0014
		Exposure Point Total									6.69E-07					0.0014
	Exposure Medium Total										6.69E-07					0.0014
Groundwater Total											6.69E-07					0.0022
											Total of Receptor Risks Across All Media					Total of Receptor Hazards Across All Media
											6.69E-07					0.0022

Table 6-64

RAGS Part D TABLE 7.10.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tapwater from Well - DW21	Ingestion	Benzene	0.78	µg/L	9.16E-06	mg/kg/day	5.5E-02	1/mg/kg/day	5.04E-07	2.14E-05	mg/kg/day	4.00E-03	mg/kg/day	0.0053
				MTBE	35.0	µg/L	4.11E-04	mg/kg/day	4.0E-03	1/mg/kg/day	1.64E-06	9.59E-04	mg/kg/day	NA	NA	---
				t-Amyl Methyl Ether	0.49	µg/L	5.75E-06	mg/kg/day	NA	NA	---	1.34E-05	mg/kg/day	NA	NA	---
			Exp. Route Total								2.15E-06					0.0053
		Exposure Point Total									2.15E-06					0.0053
	Exposure Medium Total										2.15E-06					0.0053
	Air	Air	Inhalation	Benzene	29.3	µg/L	2.15E-05	mg/kg/day	2.7E-02	1/mg/kg/day	5.80E-07	5.01E-05	mg/kg/day	8.60E-03	mg/kg/day	0.0058
				MTBE	1,313	µg/L	9.63E-04	mg/kg/day	NA	NA	---	2.25E-03	mg/kg/day	8.57E-01	mg/kg/day	0.0026
				t-Amyl Methyl Ether	18.4	µg/L	1.35E-05	mg/kg/day	NA	NA	---	3.15E-05	mg/kg/day	NA	NA	---
			Exp. Route Total								5.80E-07					0.0084
		Exposure Point Total									5.80E-07					0.0084
	Exposure Medium Total										5.80E-07					0.0084
Groundwater Total											2.73E-06					0.014
											Total of Receptor Risks Across All Media 2.73E-06					Total of Receptor Hazards Across All Media 0.014

Table 6-65

RAGS Part D TABLE 7.11.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW23	Ingestion	1,2-Dichloroethane	0.27	µg/L	3.17E-06	mg/kg/day	9.1E-02	1/mg/kg/day	2.88E-07	7.40E-06	mg/kg/day	2.00E-02	mg/kg/day	0.00037
				cis-1,2-Dichloroethene	7.40	µg/L	8.69E-05	mg/kg/day	NA	NA	---	2.03E-04	mg/kg/day	1.00E-02	mg/kg/day	0.020
				Trichloroethene	2.90	µg/L	3.41E-05	mg/kg/day	1.3E-02	1/mg/kg/day	4.43E-07	7.95E-05	mg/kg/day	6.00E-03	mg/kg/day	0.01
			Exp. Route Total								7.31E-07					0.03
		Exposure Point Total									7.31E-07					0.03
	Exposure Medium Total										7.31E-07					0.03
	Air	Air	Inhalation	1,2-Dichloroethane	10.1	µg/L	7.43E-06	mg/kg/day	9.1E-02	1/mg/kg/day	6.76E-07	1.73E-05	mg/kg/day	1.40E-03	mg/kg/day	0.012
				cis-1,2-Dichloroethene	278	µg/L	2.04E-04	mg/kg/day	NA	NA	---	4.75E-04	mg/kg/day	NA	NA	---
				Trichloroethene	109	µg/L	7.98E-05	mg/kg/day	7.0E-03	1/mg/kg/day	5.59E-07	1.86E-04	mg/kg/day	1.70E-01	mg/kg/day	0.001
			Exp. Route Total								1.23E-06					0.013
		Exposure Point Total									1.23E-06					0.013
	Exposure Medium Total										1.23E-06					0.013
Groundwater Total											1.97E-06					0.05
										Total of Receptor Risks Across All Media	1.97E-06				Total of Receptor Hazards Across All Media	0.05

Table 6-66

RAGS Part D TABLE 7.12.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Chloroform	0.59	µg/L	6.93E-06	mg/kg/day	NA	NA	---	1.62E-05	mg/kg/day	1.00E-02	mg/kg/day	0.0016
		from Well - DW25	Exp. Route Total								---					0.0016
		Exposure Point Total									---					0.0016
	Exposure Medium Total										---					0.0016
	Air	Air	Inhalation	Chloroform	22.1	µg/L	1.62E-05	mg/kg/day	8.1E-02	1/mg/kg/day	1.32E-06	3.79E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0027
			Exp. Route Total								1.32E-06					0.0027
		Exposure Point Total									1.32E-06					0.0027
	Exposure Medium Total										1.32E-06					0.0027
Groundwater Total											1.32E-06					0.0043
											Total of Receptor Risks Across All Media	1.32E-06				Total of Receptor Hazards Across All Media	0.0043

Table 6-67

RAGS Part D TABLE 7.13.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Chloroform	0.83	µg/L	9.75E-06	mg/kg/day	NA	NA	---	2.27E-05	mg/kg/day	1.00E-02	mg/kg/day	0.0023
		from Well - DW28	Exp. Route Total								---					0.0023
		Exposure Point Total									---					0.0023
	Exposure Medium Total										---					0.0023
	Air	Air	Inhalation	Chloroform	31.1	µg/L	2.28E-05	mg/kg/day	8.1E-02	1/mg/kg/day	1.85E-06	5.33E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0038
			Exp. Route Total								1.85E-06					0.0038
		Exposure Point Total									1.85E-06					0.0038
	Exposure Medium Total										1.85E-06					0.0038
Groundwater Total											1.85E-06					0.0061
											Total of Receptor Risks Across All Media					Total of Receptor Hazards Across All Media
											1.85E-06					0.0061

Table 6-68

RAGS Part D TABLE 7.14.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Chloroform	0.30	µg/L	3.52E-06	mg/kg/day	NA	NA	---	8.22E-06	mg/kg/day	1.00E-02	mg/kg/day	0.00082
		from Well - DW29	Exp. Route Total								---					0.00082
		Exposure Point Total									---					0.00082
	Exposure Medium Total										---					0.00082
	Air	Air	Inhalation	Chloroform	11.3	µg/L	8.26E-06	mg/kg/day	8.1E-02	1/mg/kg/day	6.69E-07	1.93E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0014
			Exp. Route Total								6.69E-07					0.0014
		Exposure Point Total									6.69E-07					0.0014
	Exposure Medium Total										6.69E-07					0.0014
Groundwater Total											6.69E-07					0.0022
											Total of Receptor Risks Across All Media					Total of Receptor Hazards Across All Media
											6.69E-07					0.0022

Table 6-69

RAGS Part D TABLE 7.15.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Chloroform	1.46	µg/L	1.71E-05	mg/kg/day	NA	NA	---	4.00E-05	mg/kg/day	1.00E-02	mg/kg/day	0.0040
		from Well - DW30	Exp. Route Total								---					0.0040
		Exposure Point Total									---					0.0040
	Exposure Medium Total										---					0.0040
	Air	Air	Inhalation	Chloroform	54.8	µg/L	4.02E-05	mg/kg/day	8.1E-02	1/mg/kg/day	3.25E-06	9.38E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0067
			Exp. Route Total								3.25E-06					0.0067
		Exposure Point Total									3.25E-06					0.0067
	Exposure Medium Total										3.25E-06					0.0067
Groundwater Total											3.25E-06					0.011
Total of Receptor Risks Across All Media											3.25E-06	Total of Receptor Hazards Across All Media				0.011

Table 6-70

RAGS Part D TABLE 7.16.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Trichloroethene	1.16	µg/L	1.36E-05	mg/kg/day	1.3E-02	1/mg/kg/day	1.77E-07	3.18E-05	mg/kg/day	6.00E-03	mg/kg/day	0.01
		from Well - DW31	Exp. Route Total								1.77E-07					0.01
		Exposure Point Total									1.77E-07					0.01
	Exposure Medium Total										1.77E-07					0.01
	Air	Air	Inhalation	Trichloroethene	43.5	µg/L	3.19E-05	mg/kg/day	7.0E-03	1/mg/kg/day	2.23E-07	7.45E-05	mg/kg/day	1.70E-01	mg/kg/day	0.0004
			Exp. Route Total								2.23E-07					0.0004
		Exposure Point Total									2.23E-07					0.0004
	Exposure Medium Total										2.23E-07					0.0004
Groundwater Total											4.01E-07					0.01
											Total of Receptor Risks Across All Media	4.01E-07				Total of Receptor Hazards Across All Media	0.01

Table 6-71

RAGS Part D TABLE 7.17.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW33	Ingestion	Chloroform	0.46	µg/L	5.40E-06	mg/kg/day	NA	NA	---	1.26E-05	mg/kg/day	1.00E-02	mg/kg/day	0.0013
				Trichloroethene	0.63	µg/L	7.40E-06	mg/kg/day	1.3E-02	1/mg/kg/day	9.62E-08	1.73E-05	mg/kg/day	6.00E-03	mg/kg/day	0.003
			Exp. Route Total								9.62E-08					0.004
		Exposure Point Total									9.62E-08					0.004
	Exposure Medium Total										9.62E-08					0.004
	Air	Air	Inhalation	Chloroform	17.3	µg/L	1.27E-05	mg/kg/day	8.1E-02	1/mg/kg/day	1.03E-06	2.95E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0021
				Trichloroethene	23.6	µg/L	1.73E-05	mg/kg/day	7.0E-03	1/mg/kg/day	1.21E-07	4.05E-05	mg/kg/day	1.70E-01	mg/kg/day	0.0002
			Exp. Route Total								1.15E-06					0.0023
		Exposure Point Total									1.15E-06					0.0023
	Exposure Medium Total										1.15E-06					0.0023
Groundwater Total											1.24E-06					0.006
Total of Receptor Risks Across All Media											1.24E-06	Total of Receptor Hazards Across All Media				0.006

Table 6-72

RAGS Part D TABLE 7.18.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water	Ingestion	Chloroform	0.63	µg/L	7.40E-06	mg/kg/day	NA	NA	---	1.73E-05	mg/kg/day	1.00E-02	mg/kg/day	0.0017
		from Well - DW40	Exp. Route Total								---					0.0017
		Exposure Point Total									---					0.0017
	Exposure Medium Total										---					0.0017
	Air	Air	Inhalation	Chloroform	23.6	µg/L	1.73E-05	mg/kg/day	8.1E-02	1/mg/kg/day	1.40E-06	4.05E-05	mg/kg/day	1.40E-02	mg/kg/day	0.0029
			Exp. Route Total								1.40E-06					0.0029
		Exposure Point Total									1.40E-06					0.0029
	Exposure Medium Total										1.40E-06					0.0029
Groundwater Total											1.40E-06					0.0046
											Total of Receptor Risks Across All Media	1.40E-06				Total of Receptor Hazards Across All Media	0.0046

Table 6-73

RAGS Part D TABLE 7.19.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW1	Ingestion	Trichloroethene	0.80	µg/L	4.38E-06	mg/kg/day	1.3E-02	1/mg/kg/day	5.70E-08
			Exp. Route Total								5.70E-08
		Exposure Point Total									5.70E-08
	Exposure Medium Total										5.70E-08
Groundwater Total											5.70E-08
										Total of Receptor Risks Across All Media	5.70E-08

Table 6-74

RAGS Part D TABLE 7.20.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW2	Ingestion	Tetrachloroethene	0.47	µg/L	2.58E-06	mg/kg/day	5.4E-01	1/mg/kg/day	1.39E-06
				Trichloroethene	14.3	µg/L	7.84E-05	mg/kg/day	1.3E-02	1/mg/kg/day	1.02E-06
			Exp. Route Total								2.41E-06
		Exposure Point Total									2.41E-06
	Exposure Medium Total										2.41E-06
Groundwater Total											2.41E-06
										Total of Receptor Risks Across All Media	2.41E-06

Table 6-75

RAGS Part D TABLE 7.21.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW3	Ingestion	Trichloroethene	4.99	µg/L	2.73E-05	mg/kg/day	1.3E-02	1/mg/kg/day	3.55E-07
			Exp. Route Total								3.55E-07
		Exposure Point Total									3.55E-07
	Exposure Medium Total										3.55E-07
Groundwater Total											3.55E-07
Total of Receptor Risks Across All Media											3.55E-07

Table 6-76

RAGS Part D TABLE 7.22.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW4	Ingestion	Chloroform	0.26	µg/L	1.42E-06	mg/kg/day	NA	NA	---
				Tetrachloroethene	0.79	µg/L	4.33E-06	mg/kg/day	5.4E-01	1/mg/kg/day	2.34E-06
				Trichloroethene	70.4	µg/L	3.86E-04	mg/kg/day	1.3E-02	1/mg/kg/day	5.01E-06
			Exp. Route Total								7.35E-06
		Exposure Point Total									7.35E-06
	Exposure Medium Total										7.35E-06
Groundwater Total											7.35E-06
Total of Receptor Risks Across All Media											7.35E-06

Table 6-77

RAGS Part D TABLE 7.23.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW9	Ingestion	Trichloroethene	0.74	µg/L	4.05E-06	mg/kg/day	1.3E-02	1/mg/kg/day	5.27E-08
			Exp. Route Total								5.27E-08
		Exposure Point Total									5.27E-08
	Exposure Medium Total										5.27E-08
Groundwater Total											5.27E-08
Total of Receptor Risks Across All Media											5.27E-08

Table 6-78

RAGS Part D TABLE 7.24.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW12	Ingestion	Trichloroethene	4.33	µg/L	2.37E-05	mg/kg/day	1.3E-02	1/mg/kg/day	3.08E-07
			Exp. Route Total								1.05E-06
		Exposure Point Total									1.05E-06
	Exposure Medium Total										1.05E-06
Groundwater Total											1.05E-06
Total of Receptor Risks Across All Media											1.05E-06

Table 6-79

RAGS Part D TABLE 7.25.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tapwater from Well - DW15	Ingestion	MTBE	95.0	µg/L	5.21E-04	mg/kg/day	4.0E-03	1/mg/kg/day	2.08E-06
				t-Amyl Methyl Ether	1.40	µg/L	7.67E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								2.08E-06
		Exposure Point Total									2.08E-06
	Exposure Medium Total										2.08E-06
Groundwater Total											2.08E-06
										Total of Receptor Risks Across All Media	2.08E-06

Table 6-80

RAGS Part D TABLE 7.26.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW17	Ingestion	Chloroform	0.35	µg/L	4.11E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								---
		Exposure Point Total									---
	Exposure Medium Total										---
Groundwater Total											---
Total of Receptor Risks Across All Media											---

Table 6-81

RAGS Part D TABLE 7.27.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW20	Ingestion	Chloroform	0.30	µg/L	1.64E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								---
		Exposure Point Total									---
	Exposure Medium Total										---
Groundwater Total											---
Total of Receptor Risks Across All Media											---

Table 6-82

RAGS Part D TABLE 7.28.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machisport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tapwater from Well - DW21	Ingestion	Benzene	0.78	µg/L	4.27E-06	mg/kg/day	5.5E-02	1/mg/kg/day	2.35E-07
				MTBE	35.0	µg/L	1.92E-04	mg/kg/day	4.0E-03	1/mg/kg/day	7.67E-07
				t-Amyl Methyl Ether	0.49	µg/L	2.68E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								1.00E-06
		Exposure Point Total									1.00E-06
	Exposure Medium Total										1.00E-06
Groundwater Total											1.00E-06
										Total of Receptor Risks Across All Media	1.00E-06

Table 6-83

RAGS Part D TABLE 7.29.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machisport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW23	Ingestion	1,2-Dichloroethane	0.27	µg/L	1.48E-06	mg/kg/day	9.1E-02	1/mg/kg/day	1.35E-07
				cis-1,2-Dichloroethene	7.40	µg/L	4.05E-05	mg/kg/day	NA	NA	---
				Trichloroethene	2.90	µg/L	1.59E-05	mg/kg/day	1.3E-02	1/mg/kg/day	2.07E-07
			Exp. Route Total								3.41E-07
		Exposure Point Total									3.41E-07
	Exposure Medium Total										3.41E-07
Groundwater Total											3.41E-07
Total of Receptor Risks Across All Media											3.41E-07

Table 6-84

RAGS Part D TABLE 7.30.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machisport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW25	Ingestion	Chloroform	0.59	µg/L	3.23E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								---
		Exposure Point Total									---
	Exposure Medium Total										---
Groundwater Total											---
Total of Receptor Risks Across All Media											---

Table 6-85

RAGS Part D TABLE 7.31.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machisport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW28	Ingestion	Chloroform	0.83	µg/L	4.55E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								---
		Exposure Point Total									---
	Exposure Medium Total										---
Groundwater Total											---
Total of Receptor Risks Across All Media											---

Table 6-86

RAGS Part D TABLE 7.32.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machisport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW29	Ingestion	Chloroform	0.30	µg/L	1.64E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								---
		Exposure Point Total									---
	Exposure Medium Total										---
Groundwater Total											---
Total of Receptor Risks Across All Media											---

Table 6-87

RAGS Part D TABLE 7.33.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW30	Ingestion	Chloroform	1.46	µg/L	8.00E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								---
		Exposure Point Total									---
	Exposure Medium Total										---
Groundwater Total											---
Total of Receptor Risks Across All Media											---

Table 6-88

RAGS Part D TABLE 7.34.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW31	Ingestion	Trichloroethene	1.16	µg/L	6.36E-06	mg/kg/day	1.3E-02	1/mg/kg/day	8.26E-08
			Exp. Route Total								8.26E-08
		Exposure Point Total									8.26E-08
	Exposure Medium Total										8.26E-08
Groundwater Total											8.26E-08
Total of Receptor Risks Across All Media											8.26E-08

Table 6-89

RAGS Part D TABLE 7.35.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW33	Ingestion	Chloroform	0.46	µg/L	2.52E-06	mg/kg/day	NA	NA	---
				Trichloroethene	0.63	µg/L	3.45E-06	mg/kg/day	1.3E-02	1/mg/kg/day	4.49E-08
			Exp. Route Total								4.49E-08
		Exposure Point Total									4.49E-08
	Exposure Medium Total										4.49E-08
Groundwater Total											4.49E-08
Total of Receptor Risks Across All Media											4.49E-08

Table 6-90

RAGS Part D TABLE 7.36.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk
							Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - DW40	Ingestion	Chloroform	0.63	µg/L	3.45E-06	mg/kg/day	NA	NA	---
			Exp. Route Total								---
		Exposure Point Total									---
	Exposure Medium Total										---
Groundwater Total											---
Total of Receptor Risks Across All Media											---

Table 6-91

RAGS Part D TABLE 7.37.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: On-Site Prison Inmate
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tap Water from Well - WY3	Ingestion	Dibromochloromethane	0.43	µg/L	5.27E-06	mg/kg/day	8.4E-02	1/mg/kg/day	4.42E-07	1.23E-05	mg/kg/day	2.00E-02	mg/kg/day	0.00061
				Trichloroethene	0.65	µg/L	7.96E-06	mg/kg/day	1.3E-02	1/mg/kg/day	1.03E-07	1.86E-05	mg/kg/day	6.00E-03	mg/kg/day	0.003
			Exp. Route Total								5.46E-07					0.004
		Exposure Point Total									5.46E-07					0.004
	Exposure Medium Total										5.46E-07					0.004
	Air	Air	Inhalation	Dibromochloromethane	16.1	µg/L	1.23E-05	mg/kg/day	NA	NA	---	2.88E-05	mg/kg/day	NA	NA	---
				Trichloroethene	24.4	µg/L	1.87E-05	mg/kg/day	7.0E-03	1/mg/kg/day	1.31E-07	4.35E-05	mg/kg/day	1.70E-01	mg/kg/day	0.0003
			Exp. Route Total								1.31E-07					0.0003
		Exposure Point Total									1.31E-07					0.0003
	Exposure Medium Total										1.31E-07					0.0003
Groundwater Total											6.76E-07					0.004
Total of Receptor Risks Across All Media											6.76E-07	Total of Receptor Hazards Across All Media				0.004

Table 6-92

RAGS Part D TABLE 7.38.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tapwater from Howard Mountain	Ingestion	1,3-Dichlorobenzene	1.06	µg/L	1.24E-05	mg/kg/day	NA	NA	---	2.90E-05	mg/kg/day	3.00E-03	mg/kg/day	0.010
				1,4-Dichlorobenzene	1.14	µg/L	1.34E-05	mg/kg/day	2.4E-02	1/mg/kg/day	3.21E-07	3.12E-05	mg/kg/day	3.00E-02	mg/kg/day	0.0010
				Tetrachloroethene	3.25	µg/L	3.82E-05	mg/kg/day	5.4E-01	1/mg/kg/day	2.06E-05	8.90E-05	mg/kg/day	1.00E-02	mg/kg/day	0.0089
				Trichloroethene	660	µg/L	7.75E-03	mg/kg/day	1.3E-02	1/mg/kg/day	1.01E-04	1.81E-02	mg/kg/day	6.00E-03	mg/kg/day	3.01
				Cis-1,2-Dichloroethene	9.67	µg/L	1.14E-04	mg/kg/day	NA	NA	---	2.65E-04	mg/kg/day	1.00E-02	mg/kg/day	0.026
			Exp. Route Total								1.22E-04					3.06
		Exposure Point Total									1.22E-04					3.06
	Exposure Medium Total										1.22E-04					3.06
	Air	Air	Inhalation	1,3-Dichlorobenzene	39.8	µg/L	2.92E-05	mg/kg/day	NA	NA	---	6.81E-05	mg/kg/day	NA	NA	---
				1,4-Dichlorobenzene	42.8	µg/L	3.14E-05	mg/kg/day	2.2E-02	1/mg/kg/day	6.90E-07	7.32E-05	mg/kg/day	2.29E-01	mg/kg/day	0.00032
				Tetrachloroethene	121.9	µg/L	8.94E-05	mg/kg/day	2.0E-02	1/mg/kg/day	1.79E-06	2.09E-04	mg/kg/day	1.40E-01	mg/kg/day	0.0015
				Trichloroethene	24,750	µg/L	1.82E-02	mg/kg/day	7.0E-03	1/mg/kg/day	1.27E-04	4.24E-02	mg/kg/day	1.70E-01	mg/kg/day	0.25
				Cis-1,2-Dichloroethene	363	µg/L	2.66E-04	mg/kg/day	NA	NA	---	6.21E-04	mg/kg/day	NA	NA	---
			Exp. Route Total								1.30E-04					0.25
		Exposure Point Total									1.30E-04					0.25
	Exposure Medium Total										1.30E-04					0.25
Groundwater Total											2.51E-04					3.31
											Total of Receptor Risks Across All Media 2.51E-04					Total of Receptor Hazards Across All Media 3.31

Table 6-93

RAGS Part D TABLE 7.39.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tapwater from Howard Mountain	Ingestion	1,3-Dichlorobenzene	1.06	µg/L	5.81E-06	mg/kg/day	NA	NA	---	6.78E-05	mg/kg/day	3.00E-03	mg/kg/day	0.023
				1,4-Dichlorobenzene	1.14	µg/L	6.25E-06	mg/kg/day	2.4E-02	1/mg/kg/day	1.50E-07	7.29E-05	mg/kg/day	3.00E-02	mg/kg/day	0.0024
				Tetrachloroethene	3.25	µg/L	1.78E-05	mg/kg/day	5.4E-01	1/mg/kg/day	9.62E-06	2.08E-04	mg/kg/day	1.00E-02	mg/kg/day	0.021
				Trichloroethene	660	µg/L	3.62E-03	mg/kg/day	1.3E-02	1/mg/kg/day	4.70E-05	4.22E-02	mg/kg/day	6.00E-03	mg/kg/day	7.03
				Cis-1,2-Dichloroethene	9.67	µg/L	5.30E-05	mg/kg/day	NA	NA	---	6.18E-04	mg/kg/day	1.00E-02	mg/kg/day	0.062
			Exp. Route Total								5.68E-05					7.14
		Exposure Point Total									5.68E-05					7.14
	Exposure Medium Total										5.68E-05					7.14
Groundwater Total											5.68E-05					7.14
Total of Receptor Risks Across All Media											5.68E-05	Total of Receptor Hazards Across All Media				7.14

Table 6-94

RAGS Part D TABLE 7.40.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tapwater from Miller Mountain	Ingestion	1,2,4-Trichlorobenzene	4.0	µg/L	4.70E-05	mg/kg/day	NA	NA	---	1.10E-04	mg/kg/day	1.00E-02	mg/kg/day	0.011
				Trichloroethene	61.0	µg/L	7.16E-04	mg/kg/day	1.3E-02	1/mg/kg/day	9.31E-06	1.67E-03	mg/kg/day	6.00E-03	mg/kg/day	0.28
				Cis-1,2-Dichloroethene	23.0	µg/L	2.70E-04	mg/kg/day	NA	NA	---	6.30E-04	mg/kg/day	1.00E-02	mg/kg/day	0.063
			Exp. Route Total								9.31E-06					0.35
		Exposure Point Total									9.31E-06					0.35
	Exposure Medium Total										9.31E-06					0.35
	Air	Air	Inhalation	1,2,4-Trichlorobenzene	150	µg/L	1.10E-04	mg/kg/day	NA	NA	---	2.57E-04	mg/kg/day	1.00E-03	mg/kg/day	0.26
			Inhalation	Trichloroethene	2,288	µg/L	1.68E-03	mg/kg/day	7.0E-03	1/mg/kg/day	1.18E-05	3.92E-03	mg/kg/day	1.70E-01	mg/kg/day	0.023
				Cis-1,2-Dichloroethene	863	µg/L	6.33E-04	mg/kg/day	NA	NA	---	1.48E-03	mg/kg/day	NA	NA	---
			Exp. Route Total								1.18E-05					0.28
		Exposure Point Total									1.18E-05					0.28
	Exposure Medium Total										1.18E-05					0.28
Groundwater Total											2.11E-05					0.63
										Total of Receptor Risks Across All Media	2.11E-05				Total of Receptor Hazards Across All Media	0.63

Table 6-95

RAGS Part D TABLE 7.41.RME

CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future

Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake/Exposure Concentration		CSF/Unit Risk		Cancer Risk	Intake/Exposure Concentration		RfD/RfC		Hazard Quotient
							Value	Units	Value	Units		Value	Units	Value	Units	
Groundwater	Groundwater	Tapwater from Miller Mountain	Ingestion	1,2,4-Trichlorobenzene	4.00	µg/L	2.19E-05	mg/kg/day	NA	NA	---	2.56E-04	mg/kg/day	1.00E-02	mg/kg/day	0.026
				Trichloroethene	61.0	µg/L	3.34E-04	mg/kg/day	1.3E-02	1/mg/kg/day	4.35E-06	3.90E-03	mg/kg/day	6.00E-03	mg/kg/day	0.65
				Cis-1,2-Dichloroethene	23.0	µg/L	1.26E-04	mg/kg/day	NA	NA	---	1.47E-03	mg/kg/day	1.00E-02	mg/kg/day	0.15
			Exp. Route Total								4.35E-06					0.82
		Exposure Point Total									4.35E-06					0.82
	Exposure Medium Total										4.35E-06					0.82
Groundwater Total											4.35E-06					0.82
											Total of Receptor Risks Across All Media	4.35E-06		Total of Receptor Hazards Across All Media		0.82

Table 6-100

TABLE 9.1.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW1	Trichloroethene	1.22E-07	---	---	---	1.22E-07	NA	0.0037	---	---	0.0037
			Chemical Total	1.22E-07	---	---	---	1.22E-07		0.0037	---	---	0.0037
			Radionuclide Total										
		Exposure Point Total						1.22E-07					0.0037
	Exposure Medium Total							1.22E-07					0.0037
	Air	Water Vapors from Showerhead from Well - DW1	Trichloroethene	---	1.54E-07	---	---	1.54E-07	NA	---	0.00030	---	0.00030
			Chemical Total	---	1.54E-07	---	---	1.54E-07		---	0.00030	---	0.00030
			Radionuclide Total										
		Exposure Point Total						1.54E-07					0.000302
	Exposure Medium Total							1.54E-07					0.000302
Groundwater Water Total								2.76E-07					0.0040
Receptor Total								2.76E-07					0.0040

Total Risk Across All Media: 2.76E-07

Total Hazard Across All Media: 0.0040

Table 6-101

TABLE 9.2.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW2	Tetrachloroethene	2.98E-06	---	---	---	2.98E-06	Liver	0.0013	---	---	0.0013
			Trichloroethene	2.18E-06	---	---	---	2.18E-06	NA	0.065	---	---	0.065
			Chemical Total	5.16E-06	---	---	---	5.16E-06		0.067	---	---	0.067
			Radionuclide Total										
		Exposure Point Total						5.16E-06					0.067
	Exposure Medium Total							5.16E-06					0.067
	Air	Water Vapors from Showerhead from Well - DW2	Tetrachloroethene	---	2.59E-07	---	---	2.59E-07	NA	---	0.00022	---	0.00022
			Trichloroethene	---	2.75E-06	---	---	2.75E-06	NA	---	0.005	---	0.005
			Chemical Total	---	3.01E-06	---	---	3.01E-06		---	0.00562	---	0.00562
			Radionuclide Total										
		Exposure Point Total						3.01E-06					0.00562
	Exposure Medium Total							3.01E-06					0.00562
Groundwater Water Total								8.18E-06					0.072
Receptor Total								8.18E-06					0.072

Total Risk Across All Media: 8.18E-06

Total Hazard Across All Media: 0.072

Total Liver HI Across All Media: 0.0013

Table 6-102

TABLE 9.3.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW3	Trichloroethene	7.62E-07	---	---	---	7.62E-07	NA	0.023	---	---	0.023
			Chemical Total	7.62E-07	---	---	---	7.62E-07		0.023	---	---	0.023
			Radionuclide Total										
		Exposure Point Total						7.62E-07					0.023
	Exposure Medium Total							7.62E-07					0.023
	Air	Water Vapors from Showerhead from Well - DW3	Trichloroethene	---	9.61E-07	---	---	9.61E-07	NA	---	0.002	---	0.002
			Chemical Total	---	9.61E-07	---	---	9.61E-07		---	0.002	---	0.002
			Radionuclide Total										
		Exposure Point Total						9.61E-07					0.002
	Exposure Medium Total							9.61E-07					0.002
Groundwater Water Total								1.72E-06					0.025
Receptor Total								1.72E-06					0.025

Total Risk Across All Media: 1.72E-06

Total Hazard Across All Media: 0.025

Table 6-103

TABLE 9.4.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW4	Chloroform	---	---	---	---	---	Liver	0.00071	---	---	0.00071
			Tetrachloroethene	5.01E-06	---	---	---	5.01E-06	Liver	0.0022	---	---	0.0022
			Trichloroethene	1.07E-05	---	---	---	1.07E-05	NA	0.32	---	---	0.32
			Chemical Total	1.58E-05	---	---	---	1.58E-05		0.32	---	---	0.32
			Radionuclide Total										
		Exposure Point Total						1.58E-05					0.32
	Exposure Medium Total							1.58E-05					0.32
	Air	Water Vapors from Showerhead from Well - DW4	Chloroform	---	5.80E-07	---	---	5.80E-07	NA	---	0.0012	---	0.0012
			Tetrachloroethene	---	4.35E-07	---	---	4.35E-07	NA	---	0.00036	---	0.00036
			Trichloroethene	---	1.36E-05	---	---	1.36E-05	NA	---	0.03	---	0.03
			Chemical Total	---	1.46E-05	---	---	1.46E-05		---	0.0281	---	0.0281
			Radionuclide Total										
		Exposure Point Total						1.46E-05					0.0281
	Exposure Medium Total							1.46E-05					0.0281
Groundwater Water Total								3.03E-05					0.35
Receptor Total								3.03E-05					0.35

Total Risk Across All Media: 3.03E-05

Total Hazard Across All Media: 0.35

Total Liver HI Across All Media: 0.0029

Table 6-104

TABLE 9.5.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW9	Trichloroethene	1.13E-07	---	---	---	1.13E-07	NA	0.0034	---	---	0.0034
			Chemical Total	1.13E-07	---	---	---	1.13E-07		0.0034	---	---	0.0034
			Radionuclide Total										
		Exposure Point Total						1.13E-07					0.0034
	Exposure Medium Total							1.13E-07					0.0034
	Air	Water Vapors from Showerhead from Well - DW9	Trichloroethene	---	1.43E-07	---	---	1.43E-07	NA	---	0.0003	---	0.0003
			Chemical Total	---	1.43E-07	---	---	1.43E-07		---	0.0003	---	0.0003
			Radionuclide Total										
		Exposure Point Total						1.43E-07					0.0003
	Exposure Medium Total							1.43E-07					0.0003
Groundwater Water Total								2.56E-07					0.0037
Receptor Total								2.56E-07					0.0037

Total Risk Across All Media: 2.56E-07

Total Hazard Across All Media: 0.0037

Table 6-105

TABLE 9.6.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW12	Tetrachloroethene	1.59E-06	---	---	---	1.59E-06	Liver	0.00068	---	---	0.00068
			Trichloroethene	6.61E-07	---	---	---	6.61E-07	NA	0.020	---	---	0.020
			Chemical Total	2.25E-06	---	---	---	2.25E-06		0.020	---	---	0.020
			Radionuclide Total										
		Exposure Point Total						2.25E-06					0.020
	Exposure Medium Total							2.25E-06					0.020
	Air	Water Vapors from Showerhead from Well - DW12	Tetrachloroethene	---	1.38E-07	---	---	1.38E-07	NA	---	0.00011	---	0.00011
			Trichloroethene	---	8.34E-07	---	---	8.34E-07	NA	---	0.0016	---	0.0016
			Chemical Total	---	9.72E-07	---	---	9.72E-07		---	0.0018	---	0.0018
			Radionuclide Total										
		Exposure Point Total						9.72E-07					0.0018
	Exposure Medium Total							9.72E-07					0.0018
Groundwater Water Total								3.22E-06					0.022
Receptor Total								3.22E-06					0.022

Total Risk Across All Media: 3.22E-06

Total Hazard Across All Media: 0.022

Table 6-106

TABLE 9.7.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW15	MTBE	4.46E-06	---	---	---	4.46E-06	NA	---	---	---	---
			t-Amyl Methyl Ether	---	---	---	---	---	NA	---	---	---	---
			Chemical Total	4.46E-06	---	---	---	4.46E-06		---	---	---	---
			Radionuclide Total										
		Exposure Point Total						4.46E-06					---
	Exposure Medium Total							4.46E-06					---
	Air	Water Vapors from Showerhead from Well - DW15	MTBE	---	---	---	---	---	Liver/Kidney	---	0.0071	---	0.0071
			t-Amyl Methyl Ether	---	---	---	---	---	NA	---	---	---	---
			Chemical Total	---	---	---	---	---		---	0.0071	---	0.0071
			Radionuclide Total										
		Exposure Point Total						---					0.0071
	Exposure Medium Total							---					0.0071
Groundwater Water Total								4.46E-06					0.0071
Receptor Total								4.46E-06					0.0071

Total Risk Across All Media: 4.46E-06

Total Hazard Across All Media: 0.0071

Total Liver HI Across All Media: 0.0071

Total Kidney HI Across All Media: 0.0071

Table 6-107

TABLE 9.8.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW17	Chloroform	---	---	---	---	---	Liver	0.0010	---	---	0.0010
			Chemical Total	---	---	---	---	---		0.0010	---	---	0.0010
			Radionuclide Total										
		Exposure Point Total						---					0.0010
	Exposure Medium Total							---					0.0010
	Air	Water Vapors from Showerhead from Well - DW17	Chloroform	---	7.80E-07	---	---	7.80E-07	NA	---	0.0016	---	0.0016
			Chemical Total	---	7.80E-07	---	---	7.80E-07		---	0.0016	---	0.0016
			Radionuclide Total										
		Exposure Point Total						7.80E-07					0.0016
	Exposure Medium Total							7.80E-07					0.0016
Groundwater Water Total								7.80E-07					0.0026
Receptor Total								7.80E-07					0.0026

Total Risk Across All Media: 7.80E-07

Total Hazard Across All Media: 0.0026

Total Liver HI Across All Media: 0.0010

Table 6-108

TABLE 9.9.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW20	Chloroform	---	---	---	---	---	Liver	0.00082	---	---	0.00082
			Chemical Total	---	---	---	---	---		0.00082	---	---	0.00082
			Radionuclide Total										
		Exposure Point Total						---					0.00082
	Exposure Medium Total							---					0.00082
	Air	Water Vapors from Showerhead from Well - DW20	Chloroform	---	6.69E-07	---	---	6.69E-07	NA	---	0.0014	---	0.0014
			Chemical Total	---	6.69E-07	---	---	6.69E-07		---	0.0014	---	0.0014
			Radionuclide Total										
		Exposure Point Total						6.69E-07					0.0014
	Exposure Medium Total							6.69E-07					0.0014
Groundwater Water Total								6.69E-07					0.0022
Receptor Total								6.69E-07					0.0022

Total Risk Across All Media: 6.69E-07

Total Hazard Across All Media: 0.0022

Total Liver HI Across All Media: 0.00082

Table 6-109

TABLE 9.10.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW21	Benzene	5.04E-07	---	---	---	5.04E-07	NA	0.0053	---	---	0.0053
			MTBE	1.64E-06	---	---	---	1.64E-06	NA	---	---	---	---
			t-Amyl Methyl Ether	---	---	---	---	---	NA	---	---	---	---
			Chemical Total	2.15E-06	---	---	---	2.15E-06		0.0053	---	---	0.0053
			Radionuclide Total										
		Exposure Point Total						2.15E-06					0.0053
	Exposure Medium Total							2.15E-06					0.0053
	Air	Water Vapors from Showerhead from Well - DW21	Benzene	---	5.80E-07	---	---	5.80E-07	NA	---	0.0058	---	0.0058
			MTBE	---	---	---	---	---	Liver/Kidney	---	0.0026	---	0.0026
			t-Amyl Methyl Ether	---	---	---	---	---	NA	---	---	---	---
			Chemical Total	---	5.80E-07	---	---	5.80E-07		---	0.0026	---	0.0026
			Radionuclide Total										
		Exposure Point Total						5.80E-07					0.0026
	Exposure Medium Total							5.80E-07					0.0026
Groundwater Water Total								2.73E-06					0.0080
Receptor Total								2.73E-06					0.0080

Total Risk Across All Media: 2.73E-06

Total Hazard Across All Media: 0.0080

Total Liver HI Across All Media: 0.0026

Total Kidney HI Across All Media: 0.0026

Table 6-110

TABLE 9.11.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW23	1,2-Dichloroethane	2.88E-07	---	---	---	2.88E-07	Circulatory system	0.00037	---	---	0.00037
			Trichloroethene	4.43E-07	---	---	---	4.43E-07	NA	0.013	---	---	0.013
			Chemical Total	7.31E-07	---	---	---	7.31E-07		0.014	---	---	0.014
			Radionuclide Total										
		Exposure Point Total						7.31E-07					0.014
	Exposure Medium Total							7.31E-07					0.014
	Air	Water Vapors from Showerhead from Well - DW23	1,2-Dichloroethane	---	6.76E-07	---	---	6.76E-07	NA	---	0.012	---	0.012
			Trichloroethene	---	5.59E-07	---	---	5.59E-07	NA	---	0.0011	---	0.0011
			Chemical Total	---	1.23E-06	---	---	1.23E-06		---	0.0135	---	0.0135
			Radionuclide Total										
		Exposure Point Total						1.23E-06					0.0135
	Exposure Medium Total							1.23E-06					0.0135
Groundwater Water Total								1.97E-06					0.027
Receptor Total								1.97E-06					0.027

Total Risk Across All Media: 1.97E-06

Total Hazard Across All Media: 0.027

Total Circulatory System HI Across All Media: 0.00037

Table 6-111

TABLE 9.12.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW25	Chloroform	---	---	---	---	---	Liver	0.0016	---	---	0.0016
			Chemical Total	---	---	---	---	---		0.0016	---	---	0.0016
			Radionuclide Total										
		Exposure Point Total						---					0.0016
	Exposure Medium Total							---					0.0016
	Air	Water Vapors from Showerhead from Well - DW25	Chloroform	---	1.32E-06	---	---	1.32E-06	NA	---	0.0027	---	0.0027
			Chemical Total	---	1.32E-06	---	---	1.32E-06		---	0.0027	---	0.0027
			Radionuclide Total										
		Exposure Point Total						1.32E-06					0.0027
	Exposure Medium Total							1.32E-06					0.0027
Groundwater Water Total								1.32E-06					0.0043
Receptor Total								1.32E-06					0.0043

Total Risk Across All Media: 1.32E-06

Total Hazard Across All Media: 0.0043

Total Liver HI Across All Media: 0.0016

Table 6-112

TABLE 9.13.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW28	Chloroform	---	---	---	---	---	Liver	0.0023	---	---	0.0023
			Chemical Total	---	---	---	---	---		0.0023	---	---	0.0023
			Radionuclide Total										
		Exposure Point Total						---					0.0023
	Exposure Medium Total							---					0.0023
	Air	Water Vapors from Showerhead from Well - DW28	Chloroform	---	1.85E-06	---	---	1.85E-06	NA	---	0.0038	---	0.0038
			Chemical Total	---	1.85E-06	---	---	1.85E-06		---	0.0038	---	0.0038
			Radionuclide Total										
		Exposure Point Total						1.85E-06					0.0038
	Exposure Medium Total							1.85E-06					0.0038
Groundwater Water Total								1.85E-06					0.0061
Receptor Total								1.85E-06					0.0061

Total Risk Across All Media: 1.85E-06

Total Hazard Across All Media: 0.0061

Total Liver HI Across All Media: 0.0023

Table 6-113

TABLE 9.14.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW29	Chloroform	---	---	---	---	---	Liver	0.00082	---	---	0.00082
			Chemical Total	---	---	---	---	---		0.00082	---	---	0.00082
			Radionuclide Total										
		Exposure Point Total						---					0.00082
	Exposure Medium Total							---					0.00082
	Air	Water Vapors from Showerhead from Well - DW29	Chloroform	---	6.69E-07	---	---	6.69E-07	NA	---	0.0014	---	0.00138
			Chemical Total	---	6.69E-07	---	---	6.69E-07		---	0.0014	---	0.0014
			Radionuclide Total										
		Exposure Point Total						6.69E-07					0.0014
	Exposure Medium Total							6.69E-07					0.0014
Groundwater Water Total								6.69E-07					0.002
Receptor Total								6.69E-07					0.002

Total Risk Across All Media: 6.69E-07

Total Hazard Across All Media: 0.0022

Total Liver HI Across All Media: 0.00082

Table 6-114

TABLE 9.15.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW30	Chloroform	---	---	---	---	---	Liver	0.0040	---	---	0.0040
			Chemical Total	---	---	---	---	---		0.0040	---	---	0.0040
			Radionuclide Total										
		Exposure Point Total						---					0.0040
	Exposure Medium Total							---					0.0040
	Air	Water Vapors from Showerhead from Well - DW30	Chloroform	---	3.25E-06	---	---	3.25E-06	NA	---	0.0067	---	0.0067
			Chemical Total	---	3.25E-06	---	---	3.25E-06		---	0.0067	---	0.0067
			Radionuclide Total										
		Exposure Point Total						3.25E-06					0.0067
	Exposure Medium Total							3.25E-06					0.0067
Groundwater Water Total								3.25E-06					0.011
Receptor Total								3.25E-06					0.011

Total Risk Across All Media: 3.25E-06

Total Hazard Across All Media: 0.011

Total Liver HI Across All Media: 0.0040

Table 6-115

TABLE 9.16.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW31	Trichloroethene	1.77E-07	---	---	---	1.77E-07	NA	0.0053	---	---	0.0053
			Chemical Total	1.77E-07	---	---	---	1.77E-07		0.0053	---	---	0.0053
			Radionuclide Total										
		Exposure Point Total						1.77E-07					0.0053
	Exposure Medium Total							1.77E-07					0.0053
	Air	Water Vapors from Showerhead from Well - DW31	Trichloroethene	---	2.23E-07	---	---	2.23E-07	NA	---	0.0004	---	0.0004
			Chemical Total	---	2.23E-07	---	---	2.23E-07		---	0.0004	---	0.0004
			Radionuclide Total										
		Exposure Point Total						2.23E-07					0.0004
	Exposure Medium Total							2.23E-07					0.0004
Groundwater Water Total								4.01E-07					0.0057
Receptor Total								4.01E-07					0.0057

Total Risk Across All Media: 4.01E-07

Total Hazard Across All Media: 0.0057

Table 6-116

TABLE 9.17.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW33	Chloroform	---	---	---	---	---	Liver	0.0013	---	---	0.0013
			Trichloroethene	9.62E-08	---	---	---	9.62E-08	NA	0.0029	---	---	0.0029
			Chemical Total	9.62E-08	---	---	---	9.62E-08		0.0041	---	---	0.0041
			Radionuclide Total										
		Exposure Point Total						9.62E-08					0.0041
	Exposure Medium Total							9.62E-08					0.0041
	Air	Water Vapors from Showerhead from Well - DW33	Chloroform	---	1.03E-06	---	---	1.03E-06	NA	---	0.0021	---	0.0021
			Trichloroethene	---	1.21E-07	---	---	1.21E-07	NA	---	0.0002	---	0.0002
			Chemical Total	---	1.15E-06	---	---	1.15E-06		---	0.0023	---	0.0023
			Radionuclide Total										
		Exposure Point Total						1.15E-06					0.0023
	Exposure Medium Total							1.15E-06					0.0023
Groundwater Water Total								1.24E-06					0.006
Receptor Total								1.24E-06					0.006

Total Risk Across All Media: 1.24E-06

Total Hazard Across All Media: 0.006

Total Liver HI Across All Media: 0.0013

Table 6-117

TABLE 9.18.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW40	Chloroform	---	---	---	---	---	Liver	0.0017	---	---	0.0017
			Chemical Total	---	---	---	---	---		0.0017	---	---	0.0017
			Radionuclide Total										
		Exposure Point Total						---					0.0017
	Exposure Medium Total							---					0.0017
	Air	Water Vapors from Showerhead from Well - DW40	Chloroform	---	1.40E-06	---	---	1.40E-06	NA	---	0.0029	---	0.0029
			Chemical Total	---	1.40E-06	---	---	1.40E-06		---	0.0029	---	0.0029
			Radionuclide Total										
		Exposure Point Total						1.40E-06					0.0029
	Exposure Medium Total							1.40E-06					0.0029
Groundwater Water Total								1.40E-06					0.0046
Receptor Total								1.40E-06					0.0046

Total Risk Across All Media: 1.40E-06

Total Hazard Across All Media: 0.0046

Total Liver HI Across All Media: 0.0017

Table 6-118

TABLE 9.19.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW1	Trichloroethene	5.70E-08	---	---	---	5.70E-08	NA	0.0085	---	---	0.0085
			Chemical Total	5.70E-08	---	---	---	5.70E-08		0.0085	---	---	0.0085
			Radionuclide Total										
		Exposure Point Total						5.70E-08					0.0085
	Exposure Medium Total							5.70E-08					0.0085
Groundwater Water Total								5.70E-08					0.0085
Receptor Total								5.70E-08					0.0085

Total Risk Across All Media 5.70E-08

Total Hazard Across All Media 0.0085

Table 6-119

TABLE 9.20.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW2	Tetrachloroethene	1.39E-06	---	---	---	1.39E-06	Liver	0.0030	---	---	0.0030
			Trichloroethene	1.02E-06	---	---	---	1.02E-06	NA	0.15	---	---	0.15
			Chemical Total	2.41E-06	---	---	---	2.41E-06		0.16	---	---	0.16
			Radionuclide Total										
		Exposure Point Total						2.41E-06					0.16
	Exposure Medium Total							2.41E-06					0.16
Groundwater Water Total								2.41E-06					0.16
Receptor Total								2.41E-06					0.16

Total Risk Across All Media: 2.41E-06

Total Hazard Across All Media: 0.16

Total Liver HI Across All Media: 0.0030

Table 6-120

TABLE 9.21.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW3	Trichloroethene	3.55E-07	---	---	---	3.55E-07	NA	0.053	---	---	0.053
			Chemical Total	3.55E-07	---	---	---	3.55E-07		0.053	---	---	0.053
			Radionuclide Total										
		Exposure Point Total						3.55E-07					0.053
	Exposure Medium Total							3.55E-07					0.053
Groundwater Water Total								3.55E-07					0.053
Receptor Total								3.55E-07					0.053

Total Risk Across All Media 3.55E-07

Total Hazard Across All Media 0.053

Table 6-121

TABLE 9.22.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW4	Chloroform	---	---	---	---	---	Liver	0.0017	---	---	0.0017
			Tetrachloroethene	2.34E-06	---	---	---	2.34E-06	Liver	0.0051	---	---	0.0051
			Trichloroethene	5.01E-06	---	---	---	5.01E-06	NA	0.75	---	---	0.75
			Chemical Total	7.35E-06	---	---	---	7.35E-06		0.76	---	---	0.76
			Radionuclide Total										
		Exposure Point Total						7.35E-06					0.76
	Exposure Medium Total							7.35E-06					0.76
Groundwater Water Total								7.35E-06					0.76
Receptor Total								7.35E-06					0.76

Total Risk Across All Media: 7.35E-06

Total Hazard Across All Media: 0.76

Total Liver HI Across All Media: 0.0067

Table 6-122

TABLE 9.23.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW9	Trichloroethene	5.27E-08	---	---	---	5.27E-08	NA	0.0079	---	---	0.0079
			Chemical Total	5.27E-08	---	---	---	5.27E-08		0.0079	---	---	0.0079
			Radionuclide Total										
		Exposure Point Total						5.27E-08					0.0079
	Exposure Medium Total							5.27E-08					0.0079
Groundwater Water Total								5.27E-08					0.0079
Receptor Total								5.27E-08					0.0079

Total Risk Across All Media 5.27E-08

Total Hazard Across All Media 0.0079

Table 6-123

TABLE 9.24.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW12	Tetrachloroethene	7.40E-07	---	---	---	7.40E-07	Liver	0.0016	---	---	0.0016
			Trichloroethene	3.08E-07	---	---	---	3.08E-07	NA	0.046	---	---	0.046
			Chemical Total	1.05E-06	---	---	---	1.05E-06		0.048	---	---	0.048
			Radionuclide Total										
		Exposure Point Total						1.05E-06					0.048
	Exposure Medium Total							1.05E-06					0.048
Groundwater Water Total								1.05E-06					0.048
Receptor Total								1.05E-06					0.048

Total Risk Across All Media 1.05E-06

Total Hazard Across All Media 0.048

Table 6-124

TABLE 9.25.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW15	MTBE	2.08E-06	---	---	---	2.08E-06	NA	---	---	---	---
			t-Amyl Methyl Ether	---	---	---	---	---	NA	---	---	---	---
			Chemical Total	2.08E-06	---	---	---	2.08E-06		---	---	---	---
			Radionuclide Total										
		Exposure Point Total						2.08E-06					---
	Exposure Medium Total							2.08E-06					---
Groundwater Water Total								2.08E-06					---
Receptor Total								2.08E-06					---

Total Risk Across All Media 2.08E-06

Total Hazard Across All Media ---

Table 6-125

TABLE 9.26.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW17	Chloroform	---	---	---	---	---	Liver	0.0010	---	---	0.0010
			Chemical Total	---	---	---	---	---		0.0010	---	---	0.0010
			Radionuclide Total										
		Exposure Point Total						---					0.0010
	Exposure Medium Total							---					0.0010
Groundwater Water Total								---					0.0010
Receptor Total								---					0.0010

Total Risk Across All Media: ---

Total Hazard Across All Media: 0.0010

Total Liver HI Across All Media: 0.0010

Table 6-126

TABLE 9.27.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW20	Chloroform	---	---	---	---	---	Liver	0.0019	---	---	0.0019
			Chemical Total	---	---	---	---	---		0.0019	---	---	0.0019
			Radionuclide Total										
		Exposure Point Total						---					0.0019
	Exposure Medium Total							---					0.0019
Groundwater Water Total								---					0.0019
Receptor Total								---					0.0019

Total Risk Across All Media: ---

Total Hazard Across All Media: 0.0019

Total Liver HI Across All Media: 0.0019

Table 6-127

TABLE 9.28.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW21	Benzene	2.35E-07	---	---	---	2.35E-07	NA	0.012	---	---	0.012
			MTBE	7.67E-07	---	---	---	7.67E-07	NA	---	---	---	---
			t-Amyl Methyl Ether	---	---	---	---	---	NA	---	---	---	---
			Chemical Total	1.00E-06	---	---	---	1.00E-06		0.012	---	---	0.012
			Radionuclide Total										
		Exposure Point Total						1.00E-06					0.012
	Exposure Medium Total							1.00E-06					0.012
Groundwater Water Total								1.00E-06					0.012
Receptor Total								1.00E-06					0.012

Total Risk Across All Media 1.00E-06

Total Hazard Across All Media 0.012

Table 6-128

TABLE 9.29.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW23	1,2-Dichloroethane	1.35E-07	---	---	---	1.35E-07	Circulatory system	0.00086	---	---	0.00086
			Trichloroethene	2.07E-07	---	---	---	2.07E-07	NA	0.031	---	---	0.031
			Chemical Total	3.41E-07	---	---	---	3.41E-07		0.032	---	---	0.032
			Radionuclide Total										
		Exposure Point Total						3.41E-07					0.032
	Exposure Medium Total							3.41E-07					0.032
Groundwater Water Total								3.41E-07					0.032
Receptor Total								3.41E-07					0.032

Total Risk Across All Media: 3.41E-07

Total Hazard Across All Media: 0.032

Total Circulatory System HI Across All Media: 0.00086

Table 6-129

TABLE 9.30.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW25	Chloroform	---	---	---	---	---	Liver	0.0038	---	---	0.0038
			Chemical Total	---	---	---	---	---		0.0038	---	---	0.0038
			Radionuclide Total										
		Exposure Point Total						---					0.0038
	Exposure Medium Total							---					0.0038
Groundwater Water Total								---					0.0038
Receptor Total								---					0.0038

Total Risk Across All Media: ---

Total Hazard Across All Media: 0.0038

Total Liver HI Across All Media: 0.0038

Table 6-130

TABLE 9.31.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW28	Chloroform	---	---	---	---	---	Liver	0.0053	---	---	0.0053
			Chemical Total	---	---	---	---	---		0.0053	---	---	0.0053
			Radionuclide Total										
		Exposure Point Total						---					0.0053
	Exposure Medium Total							---					0.0053
Groundwater Water Total								---					0.0053
Receptor Total								---					0.0053

Total Risk Across All Media: ---

Total Hazard Across All Media: 0.0053

Total Liver HI Across All Media: 0.0053

Table 6-131

TABLE 9.32.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW29	Chloroform	---	---	---	---	---	Liver	0.0019	---	---	0.0019
			Chemical Total	---	---	---	---	---		0.0019	---	---	0.0019
			Radionuclide Total										
		Exposure Point Total						---					0.0019
	Exposure Medium Total							---					0.0019
Groundwater Water Total								---					0.0019
Receptor Total								---					0.0019

Total Risk Across All Media: ---

Total Hazard Across All Media: 0.0019

Total Liver HI Across All Media: 0.0019

Table 6-132

TABLE 9.33.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW30	Chloroform	---	---	---	---	---	Liver	0.0093	---	---	0.0093
			Chemical Total	---	---	---	---	---		0.0093	---	---	0.0093
			Radionuclide Total										
		Exposure Point Total						---					0.0093
	Exposure Medium Total							---					0.0093
Groundwater Water Total								---					0.0093
Receptor Total								---					0.0093

Total Risk Across All Media: ---

Total Hazard Across All Media: 0.0093

Total Liver HI Across All Media: 0.0093

Table 6-133

TABLE 9.34.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW31	Trichloroethene	8.26E-08	---	---	---	8.26E-08	NA	0.012	---	---	0.012
			Chemical Total	8.26E-08	---	---	---	8.26E-08		0.012	---	---	0.012
			Radionuclide Total										
		Exposure Point Total						8.26E-08					0.012
	Exposure Medium Total							8.26E-08					0.012
Groundwater Water Total								8.26E-08					0.012
Receptor Total								8.26E-08					0.012

Total Risk Across All Media 8.26E-08

Total Hazard Across All Media 0.012

Table 6-134

TABLE 9.35.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW33	Chloroform	---	---	---	---	---	Liver	0.0029	---	---	0.0029
			Trichloroethene	4.49E-08	---	---	---	4.49E-08	NA	0.007	---	---	0.007
			Chemical Total	4.49E-08	---	---	---	4.49E-08		0.010	---	---	0.010
			Radionuclide Total										
		Exposure Point Total						4.49E-08					0.010
	Exposure Medium Total							4.49E-08					0.010
Groundwater Water Total								4.49E-08					0.010
Receptor Total								4.49E-08					0.010

Total Risk Across All Media: 4.49E-08

Total Hazard Across All Media: 0.010

Total Liver HI Across All Media: 0.0029

Table 6-135

TABLE 9.36.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - DW40	Chloroform	---	---	---	---	---	Liver	0.0040	---	---	0.0040
			Chemical Total	---	---	---	---	---		0.0040	---	---	0.0040
			Radionuclide Total										
		Exposure Point Total						---					0.0040
	Exposure Medium Total							---					0.0040
Groundwater Water Total								---					0.0040
Receptor Total								---					0.0040

Total Risk Across All Media: ---

Total Hazard Across All Media: 0.0040

Total Liver HI Across All Media: 0.0040

Table 6-136

TABLE 9.37.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: On-Site Prison Inmate
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Well - WY3	Dibromochloromethane	4.42E-07	---	---	---	4.42E-07	Liver	0.0006	---	---	0.0006
			Trichloroethene	1.03E-07	---	---	---	1.03E-07	NA	0.0031	---	---	0.0031
			Chemical Total	5.46E-07	---	---	---	5.46E-07		0.0037	---	---	0.0037
			Radionuclide Total										
		Exposure Point Total						5.46E-07					0.0037
	Exposure Medium Total							5.46E-07					0.0037
	Air	Water Vapors from Showerhead from Well - WY3	Dibromochloromethane	---	---	---	---	---	NA	---	---	---	---
			Trichloroethene	---	1.31E-07	---	---	1.31E-07	NA	---	0.0003	---	0.0003
			Chemical Total	---	1.31E-07	---	---	1.31E-07		---	0.0003	---	0.0003
			Radionuclide Total										
		Exposure Point Total						1.31E-07					0.0003
	Exposure Medium Total							1.31E-07					0.0003
Groundwater Water Total								6.76E-07					0.0040
Receptor Total								6.76E-07					0.0040

Total Risk Across All Media: 6.76E-07

Total Hazard Across All Media: 0.0040

Total Liver HI Across All Media: 0.00061

Table 6-137

TABLE 9.38.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Howard Mountain	1,3-Dichlorobenzene	---	---	---	---	---	NA	0.0097	---	---	0.0097
			1,4-Dichlorobenzene	3.21E-07	---	---	---	3.21E-07	Liver	0.0010	---	---	0.0010
			Tetrachloroethene	2.06E-05	---	---	---	2.06E-05	Liver	0.0089	---	---	0.0089
			Trichloroethene	1.01E-04	---	---	---	1.01E-04	NA	3.01	---	---	3.01
			Cis-1,2-Dichloroethene	---	---	---	---	---	NA	0.026	---	---	0.026
			Chemical Total	1.22E-04	---	---	---	1.22E-04		3.06	---	---	3.06
			Radionuclide Total										
		Exposure Point Total						1.22E-04					3.06
	Exposure Medium Total							1.22E-04					3.06
	Air	Water Vapors from Showerhead from Howard Mountain	1,3-Dichlorobenzene	---	---	---	---	---	NA	---	---	---	---
			1,4-Dichlorobenzene	---	6.90E-07	---	---	6.90E-07	Liver	---	0.00032	---	0.00032
			Tetrachloroethene	---	1.79E-06	---	---	1.79E-06	NA	---	0.0015	---	0.0015
			Trichloroethene	---	1.27E-04	---	---	1.27E-04	NA	---	0.25	---	0.25
			Cis-1,2-Dichloroethene	---	---	---	---	---	NA	---	---	---	---
			Chemical Total	---	1.30E-04	---	---	1.30E-04		---	0.25	---	0.25
			Radionuclide Total										
		Exposure Point Total						1.30E-04					0.25
	Exposure Medium Total							1.30E-04					0.25
Groundwater Water Total								2.51E-04					3.31
Receptor Total								2.51E-04					3.31

Total Risk Across All Media: 2.51E-04

Total Hazard Across All Media: 3.31

Total Liver HI Across All Media: 0.010

Table 6-138

TABLE 9.39.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Howard Mountain	1,3-Dichlorobenzene	---	---	---	---	---	NA	0.023	---	---	0.023
			1,4-Dichlorobenzene	1.50E-07	---	---	---	1.50E-07	Liver	0.0024	---	---	0.0024
			Tetrachloroethene	9.62E-06	---	---	---	9.62E-06	Liver	0.021	---	---	0.021
			Trichloroethene	4.70E-05	---	---	---	4.70E-05	NA	7.03	---	---	7.03
			Cis-1,2-Dichloroethene	---	---	---	---	---	NA	0.062	---	---	0.062
			Chemical Total	5.68E-05	---	---	---	5.68E-05		7.14	---	---	7.14
			Radionuclide Total										
		Exposure Point Total						5.68E-05					7.14
	Exposure Medium Total							5.68E-05					7.14
Groundwater Water Total								5.68E-05					7.14
Receptor Total								5.68E-05					7.14

Total Risk Across All Media: 5.68E-05

Total Hazard Across All Media: 7.14

Total Liver HI Across All Media: 0.023

Table 6-139

TABLE 9.40.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Miller Mountain	1,2,4-Trichlorobenzene	---	---	---	---	---	Adrenal	0.011	---	---	0.011
			Trichloroethene	9.31E-06	---	---	---	9.31E-06	NA	0.28	---	---	0.28
			Cis-1,2-Dichloroethene	---	---	---	---	---	NA	0.063	---	---	0.063
			Chemical Total	9.31E-06	---	---	---	9.31E-06		0.35	---	---	0.35
			Radionuclide Total										
		Exposure Point Total						9.31E-06					0.35
	Exposure Medium Total							9.31E-06					0.35
	Air	Water Vapors from Showerhead from Miller Mountain	1,2,4-Trichlorobenzene	---	---	---	---	---	Liver	---	0.26	---	0.26
			Trichloroethene	---	1.18E-05	---	---	1.18E-05	NA	---	0.023	---	0.023
			Cis-1,2-Dichloroethene	---	---	---	---	---	NA	---	---	---	---
			Chemical Total	---	1.18E-05	---	---	1.18E-05		---	0.28	---	0.28
			Radionuclide Total										
		Exposure Point Total						1.18E-05					0.28
	Exposure Medium Total							1.18E-05					0.28
Groundwater Water Total								2.11E-05					0.63
Receptor Total								2.11E-05					0.63

Total Risk Across All Media: 2.11E-05

Total Hazard Across All Media: 0.63

Total Adrenal HI Across All Media: 0.011

Total Liver HI Across All Media: 0.26

Table 6-140

TABLE 9.41.RME

SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical of Potential Concern	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tap Water from Miller Mountain	1,2,4-Trichlorobenzene	---	---	---	---	---	Adrenal	0.026	---	---	0.026
			Trichloroethene	4.35E-06	---	---	---	4.35E-06	NA	0.65	---	---	0.65
			Cis-1,2-Dichloroethene	---	---	---	---	---	NA	0.15	---	---	0.15
			Chemical Total	4.35E-06	---	---	---	4.35E-06		0.82	---	---	0.82
			Radionuclide Total										
		Exposure Point Total						4.35E-06					0.82
	Exposure Medium Total							4.35E-06					0.82
Groundwater Water Total								4.35E-06					0.82
Receptor Total								4.35E-06					0.82

Total Risk Across All Media: 4.35E-06

Total Hazard Across All Media: 0.82

Total Adrenal HI Across All Media: 0.026

Table 6-141

TABLE 10.1.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW2	Tetrachloroethene	2.98E-06	---	---	---	2.98E-06	Liver	0.0013	---	---	0.0013
			Trichloroethene	2.18E-06	---	---	---	2.18E-06	NA	0.065	---	---	0.065
			Chemical Total	5.16E-06	---	---	---	5.16E-06		0.067	---	---	0.067
		Exposure Point Total						5.16E-06					0.067
	Exposure Medium Total							5.16E-06					0.067
	Groundwater	Water Vapors from Showerhead	Tetrachloroethene	---	2.59E-07	---	---	2.59E-07	NA	---	0.00022	---	0.00022
			Trichloroethene	---	2.75E-06	---	---	2.75E-06	NA	---	0.0054	---	0.0054
			Chemical Total	---	3.01E-06	---	---	3.01E-06		---	0.0056	---	0.0056
		Exposure Point Total						3.01E-06					0.0056
	Exposure Medium Total							3.01E-06			---		0.0056
Groundwater Total								8.18E-06					0.072
Receptor Total								8.18E-06					0.072
							Total Risk Across All Media	8.18E-06	Total Hazard Across All Media				0.072

Total Liver HI Across All Media 0.0013

Table 6-142

TABLE 10.2.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW4	Tetrachloroethene	5.01E-06	---	---	---	5.01E-06	Liver	0.0022	---	---	0.0022
			Trichloroethene	1.07E-05	---	---	---	1.07E-05	NA	0.32	---	---	0.32
			Chemical Total	1.58E-05	---	---	---	1.58E-05		0.32	---	---	0.32
		Exposure Point Total						1.58E-05					0.32
	Exposure Medium Total							1.58E-05					0.32
	Groundwater	Water Vapors from Showerhead	Tetrachloroethene	---	4.35E-07	---	---	4.35E-07	NA	---	0.00036	---	0.00036
			Trichloroethene	---	1.36E-05	---	---	1.36E-05	NA	---	0.027	---	0.027
			Chemical Total	---	1.40E-05	---	---	1.40E-05		---	0.027	---	0.027
		Exposure Point Total						1.40E-05					0.027
	Exposure Medium Total							1.40E-05			---		0.027
Groundwater Total								2.98E-05					0.35
Receptor Total								2.98E-05					0.35
							Total Risk Across All Media	2.98E-05				Total Hazard Across All Media	0.35

Table 6-143

TABLE 10.3.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW12	Tetrachloroethene	1.59E-06	---	---	---	1.59E-06	Liver	0.00068	---	---	0.00068
			Chemical Total	1.59E-06	---	---	---	1.59E-06		0.00068	---	---	0.00068
		Exposure Point Total						1.59E-06					0.00068
	Exposure Medium Total							1.59E-06					0.00068
	Groundwater	Water Vapors from Showerhead	Tetrachloroethene	---	1.38E-07	---	---	1.38E-07	NA	---	0.00011	---	0.00011
			Chemical Total	---	1.38E-07	---	---	1.38E-07		---	0.00011	---	0.00011
		Exposure Point Total						1.38E-07					0.00011
	Exposure Medium Total							1.38E-07			---		0.00011
Groundwater Total								1.72E-06					0.00080
Receptor Total								1.72E-06					0.00080
							Total Risk Across All Media	1.72E-06				Total Hazard Across All Media	0.00080

Table 6-144

TABLE 10.4.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW15	MTBE	4.46E-06	---	---	---	4.46E-06	NA	---	---	---	---
			Chemical Total	4.46E-06	---	---	---	4.46E-06		---	---	---	---
		Exposure Point Total						4.46E-06					---
	Exposure Medium Total							4.46E-06					---
	Groundwater	Water Vapors from Well - DW15	MTBE	---	---	---	---	---	Liver/Kidney	---	0.0071	---	0.0071
			Chemical Total	---	---	---	---	---		---	0.0071	---	0.0071
		Exposure Point Total						---					0.0071
	Exposure Medium Total							---					0.0071
Groundwater Total								4.46E-06					0.0071
Receptor Total								4.46E-06					0.0071
							Total Risk Across All Media	4.46E-06				Total Hazard Across All Media	0.0071

Total Kidney HI Across All Media	0.0071
Total Liver HI Across All Media	0.0071

Table 6-145

TABLE 10.5.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW21	MTBE	1.64E-06	---	---	---	1.64E-06	NA	---	---	---	---
			Chemical Total	1.64E-06	---	---	---	1.64E-06		---	---	---	---
		Exposure Point Total						1.64E-06					---
	Exposure Medium Total							1.64E-06					---
	Groundwater	Water Vapors from Showerhead	MTBE	---	---	---	---	---	Liver/Kidney	---	0.0026	---	0.0026
			Chemical Total	---	---	---	---	---		---	0.0026	---	0.0026
		Exposure Point Total						---					0.0026
	Exposure Medium Total							---					0.0026
Groundwater Total								1.64E-06					0.0026
Receptor Total								1.64E-06					0.0026
							Total Risk Across All Media	1.64E-06				Total Hazard Across All Media	0.0026

Total Liver HI Across All Media	0.0026
Total Kidney HI Across All Media	0.0026

Table 6-146

TABLE 10.6.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater	Chloroform	---	---	---	---	---	Liver	0.0016	---	---	0.0016
		from Well - DW25	Chemical Total	---	---	---	---	---		0.0016	---	---	0.0016
		Exposure Point Total						---					0.0016
	Exposure Medium Total							---					0.0016
	Groundwater	Water Vapors from	Chloroform	---	1.32E-06	---	---	1.32E-06	NA	---	0.0027	---	0.0027
		Showerhead	Chemical Total	---	1.32E-06	---	---	1.32E-06		---	0.0027	---	0.0027
		Exposure Point Total						1.32E-06					0.0027
	Exposure Medium Total							1.32E-06					0.0027
Groundwater Total								1.32E-06					0.0043
Receptor Total								1.32E-06					0.0043
							Total Risk Across All Media	1.32E-06				Total Hazard Across All Media	0.0043

Total Liver HI Across All Media 0.0016

Table 6-147

TABLE 10.7.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW28	Chloroform	---	---	---	---	---	Liver	0.0023	---	---	0.0023
			Chemical Total	---	---	---	---	---		0.0023	---	---	0.0023
		Exposure Point Total						---					0.0023
	Exposure Medium Total							---					0.0023
	Groundwater	Water Vapors from Showerhead	Chloroform	---	1.85E-06	---	---	1.85E-06	NA	---	0.0038	---	0.0038
			Chemical Total	---	1.85E-06	---	---	1.85E-06		---	0.0038	---	0.0038
		Exposure Point Total						1.85E-06					0.0038
	Exposure Medium Total							1.85E-06					0.0038
Groundwater Total								1.85E-06					0.0061
Receptor Total								1.85E-06					0.0061
							Total Risk Across All Media	1.85E-06				Total Hazard Across All Media	0.0061

Total Liver HI Across All Media 0.0023

Table 6-148

TABLE 10.8.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater	Chloroform	---	---	---	---	---	Liver	0.0040	---	---	0.0040
		from Well - DW30	Chemical Total	---	---	---	---	---		0.0040	---	---	0.0040
		Exposure Point Total						---					0.0040
	Exposure Medium Total							---					0.0040
	Groundwater	Water Vapors from	Chloroform	---	3.25E-06	---	---	3.25E-06	NA	---	0.0067	---	0.0067
		Showerhead	Chemical Total	---	3.25E-06	---	---	3.25E-06		---	0.0067	---	0.0067
		Exposure Point Total						3.25E-06					0.0067
	Exposure Medium Total							3.25E-06					0.0067
Groundwater Total								3.25E-06					0.011
Receptor Total								3.25E-06					0.011
							Total Risk Across All Media	3.25E-06				Total Hazard Across All Media	0.011

Total Liver HI Across All Media 0.0040

Table 6-149

TABLE 10.9.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW33	Chloroform	---	---	---	---	---	Liver	0.0013	---	---	0.0013
			Chemical Total	---	---	---	---	---		0.0013	---	---	0.0013
		Exposure Point Total						---					0.0013
	Exposure Medium Total							---					0.0013
	Groundwater	Water Vapors from Showerhead	Chloroform	---	1.03E-06	---	---	1.03E-06	NA	---	0.0021	---	0.0021
			Chemical Total	---	1.03E-06	---	---	1.03E-06		---	0.0021	---	0.0021
		Exposure Point Total						1.03E-06					0.0021
	Exposure Medium Total							1.03E-06					0.0021
Groundwater Total								1.03E-06					0.0034
Receptor Total								1.03E-06					0.0034
							Total Risk Across All Media	1.03E-06	Total Hazard Across All Media				0.0034

Total Liver HI Across All Media 0.0013

Table 6-150

TABLE 10.10.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW40	Chloroform	---	---	---	---	---	Liver	0.0017	---	---	0.0017
			Chemical Total	---	---	---	---	---		0.0017	---	---	0.0017
		Exposure Point Total						---					0.0017
	Exposure Medium Total							---					0.0017
	Groundwater	Water Vapors from Showerhead	Chloroform	---	1.40E-06	---	---	1.40E-06	NA	---	0.0029	---	0.0029
			Chemical Total	---	1.40E-06	---	---	1.40E-06		---	0.0029	---	0.0029
		Exposure Point Total						1.40E-06					0.0029
	Exposure Medium Total							1.40E-06					0.0029
Groundwater Total								1.40E-06					0.0046
Receptor Total								1.40E-06					0.0046
							Total Risk Across All Media	1.40E-06				Total Hazard Across All Media	0.0046

Total Liver HI Across All Media 0.0017

Table 6-151

TABLE 10.11.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW2	Tetrachloroethene	1.39E-06	---	---	---	1.39E-06	Liver	0.0030	---	---	0.0030
			Trichloroethene	1.02E-06	---	---	---	1.02E-06	NA	0.15	---	---	0.15
			Chemical Total	2.41E-06	---	---	---	2.41E-06		0.16	---	---	0.16
		Exposure Point Total						2.41E-06					0.16
	Exposure Medium Total							2.41E-06					0.16
Groundwater Total								2.41E-06					0.16
Receptor Total								2.41E-06					0.16
							Total Risk Across All Media	2.41E-06				Total Hazard Across All Media	0.16

Table 6-152

TABLE 10.12.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Well - DW4	Tetrachloroethene	2.34E-06	---	---	---	2.34E-06	Liver	0.0051	---	---	0.0051
			Trichloroethene	5.01E-06	---	---	---	5.01E-06	NA	0.75	---	---	0.75
			Chemical Total	7.35E-06	---	---	---	7.35E-06		0.76	---	---	0.76
		Exposure Point Total						7.35E-06					0.76
	Exposure Medium Total							7.35E-06					0.76
Groundwater Total								7.35E-06					0.76
Receptor Total								7.35E-06					0.76
							Total Risk Across All Media	7.35E-06				Total Hazard Across All Media	0.76

Table 6-153

TABLE 10.13.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Current
Receptor Population: Resident
Receptor Age: Young Child (1-6 yrs)

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater	MTBE	2.08E-06	---	---	---	2.08E-06	NA	---	---	---	---
			Chemical Total	2.08E-06	---	---	---	2.08E-06		---	---	---	---
		Exposure Point Total						2.08E-06					---
	Exposure Medium Total							2.08E-06					---
Groundwater Total								2.08E-06					---
Receptor Total								2.08E-06					---
							Total Risk Across All Media	2.08E-06				Total Hazard Across All Media	---

Table 6-154

TABLE 10.14.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater	Tetrachloroethene	2.06E-05	---	---	---	2.06E-05	Liver	0.0089	---	---	0.0089
		from Howard	Trichloroethene	1.01E-04	---	---	---	1.01E-04	NA	3.01	---	---	3.01
		Mountain	Chemical Total	1.21E-04	---	---	---	1.21E-04		3.02	---	---	3.02
		Exposure Point Total						1.21E-04					3.02
	Exposure Medium Total							1.21E-04					3.02
	Groundwater	Water Vapors from	Tetrachloroethene	---	1.79E-06	---	---	1.79E-06	NA	---	0.0015	---	0.0015
		Showerhead from	Trichloroethene	---	1.27E-04	---	---	1.27E-04	NA	---	0.25	---	0.25
		Howard Mountain	Chemical Total	---	1.29E-04	---	---	1.29E-04		---	0.25	---	0.25
		Exposure Point Total						1.29E-04					0.25
	Exposure Medium Total							1.29E-04			---		0.25
Groundwater Total								2.50E-04					3.27
Receptor Total								2.50E-04					3.27
							Total Risk Across All Media	2.50E-04				Total Hazard Across All Media	3.27

Total Liver HI Across All Media 0.0089

Table 6-155

TABLE 10.15.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Howard Mountain	Tetrachloroethene	9.62E-06	---	---	---	9.62E-06	Liver	0.021	---	---	0.021
			Trichloroethene	4.70E-05	---	---	---	4.70E-05	NA	7.03	---	---	7.03
			Chemical Total	5.66E-05	---	---	---	5.66E-05		7.05	---	---	7.05
		Exposure Point Total						5.66E-05					7.05
	Exposure Medium Total							5.66E-05					7.05
Groundwater Total								5.66E-05					7.05
Receptor Total								5.66E-05					7.05
							Total Risk Across All Media	5.66E-05				Total Hazard Across All Media	7.05

Total Liver HI Across All Media: 0.021

Table 6-156

TABLE 10.16.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Miller Mountain	Trichloroethene	9.31E-06	---	---	---	9.31E-06	NA	---	---	---	---
			Chemical Total	9.31E-06	---	---	---	9.31E-06		---	---	---	---
		Exposure Point Total						9.31E-06					---
	Exposure Medium Total							9.31E-06					---
	Groundwater	Water Vapors from Showerhead	Trichloroethene	---	1.18E-05	---	---	1.18E-05	NA	---	0.023	---	0.023
			Chemical Total	---	1.18E-05	---	---	1.18E-05		---	0.023	---	0.023
		Exposure Point Total						1.18E-05					0.023
	Exposure Medium Total							1.18E-05			---		0.023
Groundwater Total								2.11E-05					0.023
Receptor Total								2.11E-05					0.023
							Total Risk Across All Media	2.11E-05				Total Hazard Across All Media	0.023

Table 6-157

TABLE 10.17.RME

RISK SUMMARY

REASONABLE MAXIMUM EXPOSURE

Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Scenario Timeframe: Future
Receptor Population: Resident
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk					Non-Carcinogenic Hazard Quotient				
				Ingestion	Inhalation	Dermal	External (Radiation)	Exposure Routes Total	Primary Target Organ(s)	Ingestion	Inhalation	Dermal	Exposure Routes Total
Groundwater	Groundwater	Tapwater from Miller Mountain	Trichloroethene	4.35E-06	---	---	---	4.35E-06	NA	---	---	---	---
			Chemical Total	4.35E-06	---	---	---	4.35E-06		---	---	---	---
		Exposure Point Total						4.35E-06					---
	Exposure Medium Total							4.35E-06					---
Groundwater Total								4.35E-06					---
Receptor Total								4.35E-06					---
							Total Risk Across All Media	4.35E-06	Total Hazard Across All Media				---

Table 6-158

Vapor Intrusion Screening Analysis of Maximum Detection Concentrations for COPCs at Bucks Harbor Air Force Radar Tracking Station, Machiasport, Maine

Chemical of Potential Concern	Maximum[a] Concentration (µg/L)	Well Location of Maximum Concentration	Target Groundwater[b] Concentration (µg/L)	
1,2,4-Trichlorobenzene	4.00	Miller	3,400	NC
1,2-Dichloroethane	0.35	DW23	5.0 [c]	C
1,3-Dichlorobenzene	2.00	Howard	830	NC
1,4-Dichlorobenzene	3.00	Howard	8,200	NC
Benzene	0.78	DW21	5.0 [c]	C
Chloroform	1.60	DW30	80.0 [c]	C
Cis-1,2-Dichloroethene	49.0	Howard	210	NC
Dibromochloromethane	0.82	WY3	3.20	C
MTBE	95.0	DW15	120,000	NC
t-Amyl Methyl Ether	1.40	DW15	NA	
Tetrachloroethene	12.0	Howard	5.0 [c]	C
Trichloroethene	1,820	Howard	5.0 [c]	C

Note: Shading indicates the maximum concentration exceeds the target groundwater concentration.

[a] The maximum detected concentration was from all the drinking water, monitoring, and WY3 wells.

[b] Table 2c from *The Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater* (EPA, 2004).

[c] The target groundwater concentration is the MCL. (The MCL for chloroform is the total Trihalomethanes).

C= Cancer effects at a target risk of 1.0E-06.

NA = Not available.

NC = Noncancer effects, at a target hazard quotient of 1.0.

APPENDIX F

TOXICOLOGY PROFILES

ATSDR
AGENCY FOR TOXIC SUBSTANCES AND DISEASE REGISTRY

CONTENTS

1.1 What is benzene?
1.2 How might I be exposed to benzene?
1.3 How can benzene enter and leave my body?
1.4 How can benzene affect my health?
1.5 What levels of exposure have resulted in harmful health effects?
1.6 Is there a medical test to determine whether I have been exposed to benzene?
1.7 What recommendations has the federal government made to protect human health?
1.8 Where can I get more information?
References

RELATED RESOURCES

ToxFAQ™ 47k
ToxFAQ™ en Español 91k
Public Health Statement 175k
Toxicological Profile 9.9MB
MMG 58k

A-Z INDEX

A B C
D E
F G H I

September 1997

Public Health Statement for Benzene

CAS# 71-43-2

This Public Health Statement is the summary chapter from the Toxicological Profile for benzene. It is one in a series of Public Health Statements about hazardous substances and their health effects. A shorter version, the ToxFAQs™, is also available. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present. For more information, call the ATSDR Information Center at 1-888-422-8737.

This public health statement tells you about benzene and the effects of exposure.

The Environmental Protection Agency (EPA) identifies the most serious hazardous waste sites in the nation. These sites make up the National Priorities List (NPL) and are the sites targeted for long-term federal cleanup. Benzene has been found in at least 816 of the 1,428 current or former NPL sites. However, it's unknown how many NPL sites have been evaluated for this substance. As more sites are evaluated, the sites with benzene may increase. This information is important because exposure to this substance may harm you and because these sites may be sources of exposure.

When a substance is released from a large area, such as an industrial plant, or from a container, such as a drum or bottle, it enters the environment. This release does not always lead to exposure. You are exposed to a substance only when you come in contact with it. You may be exposed by breathing, eating, or drinking the substance or by skin contact.

If you are exposed to benzene, many factors determine whether you'll be harmed. These factors include the dose (how much), the duration (how long), and how you come in contact with it. You must also consider the other chemicals you're exposed to and your age, sex, diet, family traits, lifestyle, and state of health.

J K
L M N O P
Q R S
T U
V W X Y Z

ATSDR RESOURCES

ToxFAQs™

ToxFAQs™ en Español

Public Health Statements

Toxicological Profiles

Minimum Risk Levels

MMGs

MHMIs

Interaction Profiles

Priority List of Hazardous Substances

Division of Toxicology

1.1 What is benzene?

Benzene, also known as benzol, is a colorless liquid with a sweet odor. Benzene evaporates into air very quickly and dissolves slightly in water. Benzene is highly flammable. Most people can begin to smell benzene in air at 1.5–4.7 parts of benzene per million parts of air (ppm) and smell benzene in water at 2 ppm. Most people can begin to taste benzene in water at 0.5–4.5 ppm. Benzene is found in air, water, and soil.

Benzene found in the environment is from both human activities and natural processes. Benzene was first discovered and isolated from coal tar in the 1800s. Today, benzene is made mostly from petroleum sources. Because of its wide use, benzene ranks in the top 20 in production volume for chemicals produced in the United States. Various industries use benzene to make other chemicals, such as styrene (for Styrofoam® and other plastics), cumene (for various resins), and cyclohexane (for nylon and synthetic fibers). Benzene is also used for the manufacturing of some types of rubbers, lubricants, dyes, detergents, drugs, and pesticides. Natural sources of benzene, which include volcanoes and forest fires, also contribute to the presence of benzene in the environment. Benzene is also a natural part of crude oil and gasoline and cigarette smoke.

back to top

1.2 How might I be exposed to benzene?

Benzene is commonly found in the environment. Industrial processes are the main sources of benzene in the environment. Benzene levels in the air can increase from emissions from burning coal and oil, benzene waste and storage operations, motor vehicle exhaust, and evaporation from gasoline service stations. Since tobacco contains high levels of benzene, tobacco smoke is another source of benzene in air. Industrial discharge, disposal of products containing benzene, and gasoline leaks from underground storage tanks can release benzene into water and soil.

Benzene can pass into air from water and soil surfaces. Once in the air, benzene reacts with other chemicals and breaks down within a few days. Benzene in the air can attach to rain or snow and be carried back down to the ground.

Benzene in water and soil breaks down more slowly. Benzene is slightly soluble in water and can pass through the soil into underground water. Benzene in the environment does not build up in plants or animals.

back to top

1.3 How can benzene enter and leave my body?

Most people are exposed to a small amount of benzene on a daily basis. You can be exposed to benzene in the outdoor environment, in the workplace, and in the home. Exposure of the general population to benzene is mainly through breathing air that contains benzene. The major sources of benzene exposure are tobacco smoke, automobile service stations, exhaust from motor vehicles, and industrial emissions. Vapors (or gases) from products that contain benzene, such as glues, paints, furniture wax, and detergents can also be a source of exposure. Auto exhaust and industrial emissions account for about 20% of the total nationwide exposure to benzene. About 50% of the entire nationwide exposure to benzene results from smoking tobacco or from exposure to tobacco smoke. The average smoker (32 cigarettes per day) takes in about 1.8 milligrams (mg) of benzene per day. This is about 10 times the average daily intake of nonsmokers.

Measured levels of benzene in outdoor air have ranged from 0.02 to 34 parts of benzene per billion parts of air (ppb) (1 ppb is 1,000 times less than 1 ppm). People living in cities or industrial areas are generally exposed to higher levels of benzene in air than those living in rural areas. Benzene levels in the home are usually higher than outdoor levels. People living around hazardous waste sites, petroleum refining operations, petrochemical manufacturing sites, or gas stations may be exposed to higher levels of benzene in air.

For most people, the level of exposure to benzene through food, beverages, or drinking water is not as high as through air. Typical drinking water contains less than 0.1 ppb benzene. Benzene has been detected in some bottled water, liquor, and food. Leakage from underground gasoline storage tanks or from landfills and hazardous waste sites containing benzene can result in benzene contamination of well water. People with benzene-contaminated tap water can be exposed from drinking the water or eating foods prepared with the water. In addition, exposure can result from breathing in benzene while showering, bathing, or cooking with contaminated water.

Individuals employed in industries that make or use benzene may be exposed to the highest levels of benzene. As many as 238,000 people may be occupationally exposed to benzene in the United States. These industries include benzene production (petrochemicals, petroleum refining, and coke and coal chemical manufacturing), rubber tire manufacturing, and storage or transport of benzene and petroleum products containing benzene. Other workers who may be exposed to benzene because of their occupations include steel workers, printers, rubber workers, shoe makers, laboratory technicians, firefighters, and gas station employees.

back to top

1.4 How can benzene affect my health?

Benzene can enter your body through your lungs when you breathe contaminated air. It can also enter through your stomach and intestines when you eat food or drink water that contains benzene. Benzene can enter your body through skin contact with benzene-containing products such as gasoline.

When you are exposed to high levels of benzene in air, about half of the benzene you breathe in leaves your body when you breathe out. The other half passes through the lining of your lungs and enters your bloodstream. Animal studies show that benzene taken in by eating or drinking contaminated foods behaves similarly in the body to benzene that enters through the lungs. A small amount will enter your body by passing through your skin and into your bloodstream during skin contact with benzene or benzene-containing products. Once in the bloodstream, benzene travels throughout your body and can be temporarily stored in the bone marrow and fat. Benzene is converted to products, called metabolites, in the liver and bone marrow. Some of the harmful effects of benzene exposure are believed to be caused by these metabolites. Most of the metabolites of benzene leave the body in the urine within 48 hours after exposure.

back to top

1.5 What levels of exposure have resulted in harmful health effects?

To protect the public from the harmful effects of toxic chemicals and to find ways to treat people who have been harmed, scientists use many tests.

One way to see if a chemical will hurt people is to learn how the chemical is absorbed, used, and released by the body; for some chemicals, animal testing may be necessary. Animal testing may also be used to identify health effects such as cancer or birth defects. Without laboratory animals, scientists would lose a basic method to get information needed to make wise decisions to protect public health. Scientists have the responsibility to treat research animals with care and compassion. Laws today protect the welfare of research animals, and scientists must comply with strict animal care guidelines.

After exposure to benzene, several factors determine whether harmful health effects will occur and if they do, what the type and severity of these health effects might be. These factors include the amount of benzene to which you are exposed and the length of time of the exposure. Most data involving effects of long-term exposure to benzene are from studies of workers employed in industries that make or use benzene. These workers were exposed

to levels of benzene in air far greater than the levels normally encountered by the general population. Current levels of benzene in workplace air are much lower than in the past. Because of this reduction, and the availability of protective equipment such as respirators, fewer workers have symptoms of benzene poisoning.

Brief exposure (5–10 minutes) to very high levels of benzene in air (10,000–20,000 ppm) can result in death. Lower levels (700–3,000 ppm) can cause drowsiness, dizziness, rapid heart rate, headaches, tremors, confusion, and unconsciousness. In most cases, people will stop feeling these effects when they stop being exposed and begin to breathe fresh air.

Eating foods or drinking liquids containing high levels of benzene can cause vomiting, irritation of the stomach, dizziness, sleepiness, convulsions, rapid heart rate, coma, and death. The health effects that may result from eating foods or drinking liquids containing lower levels of benzene are not known. If you spill benzene on your skin, it may cause redness and sores. Benzene in your eyes may cause general irritation and damage to your cornea.

Benzene causes problems in the blood. People who breathe benzene for long periods may experience harmful effects in the tissues that form blood cells, especially the bone marrow. These effects can disrupt normal blood production and cause a decrease in important blood components. A decrease in red blood cells can lead to anemia. Reduction in other components in the blood can cause excessive bleeding. Blood production may return to normal after exposure to benzene stops. Excessive exposure to benzene can be harmful to the immune system, increasing the chance for infection and perhaps lowering the body's defense against cancer.

Benzene can cause cancer of the blood-forming organs. The Department of Health and Human Services (DHHS) has determined that benzene is a known carcinogen. The International Agency for Cancer Research (IARC) has determined that benzene is carcinogenic to humans, and the EPA has determined that benzene is a human carcinogen. Long-term exposure to relatively high levels of benzene in the air can cause cancer of the blood-forming organs. This condition is called leukemia. Exposure to benzene has been associated with development of a particular type of leukemia called acute myeloid leukemia (AML).

Exposure to benzene may be harmful to the reproductive organs. Some women workers who breathed high levels of benzene for many months had irregular menstrual periods. When examined, these women showed a decrease in the size of their ovaries. However, exact exposure levels were unknown, and the studies of these women did not prove that benzene caused these effects. It is

not known what effects exposure to benzene might have on the developing fetus in pregnant women or on fertility in men. Studies with pregnant animals show that breathing benzene has harmful effects on the developing fetus. These effects include low birth weight, delayed bone formation, and bone marrow damage.

The health effects that might occur in humans following long-term exposure to food and water contaminated with benzene are not known. In animals, exposure to food or water contaminated with benzene can damage the blood and the immune system and can even cause cancer.

back to top

1.6 Is there a medical test to determine whether I have been exposed to benzene?

Several tests can show if you have been exposed to benzene. Some of these tests may be available at your doctor's office. All of these tests are limited in what they can tell you. The test for measuring benzene in your breath must be done shortly after exposure. This test is not very helpful for detecting very low levels of benzene in your body. Benzene can be measured in your blood. However, since benzene disappears rapidly from the blood, measurements may be accurate only for recent exposures. In the body, benzene is converted to products called metabolites. Certain metabolites of benzene, such as phenol, muconic acid, and S-phenyl-N-acetyl cysteine (PhAC) can be measured in the urine. The amount of phenol in urine has been used to check for benzene exposure in workers. The test is useful only when you are exposed to benzene in air at levels of 10 ppm or greater. However, this test must also be done shortly after exposure, and it is not a reliable indicator of how much benzene you have been exposed to, since phenol is present in the urine from other sources (diet, environment). Measurement of muconic acid or PhAC in the urine is a more sensitive and reliable indicator of benzene exposure. The measurement of benzene in blood or of metabolites in urine cannot be used for making predictions about whether you will experience any harmful health effects. Measurement of all parts of the blood and measurement of bone marrow are used to find benzene exposure and its health effects.

For people exposed to relatively high levels of benzene, complete blood analyses can be used to monitor possible changes related to exposure. However, blood analyses are not useful when exposure levels are low.

back to top

1.7 What recommendations has the federal government made to protect human health?

The federal government develops regulations and recommendations to protect public health. Regulations can be enforced by law. Federal agencies that develop regulations for toxic substances include the Environmental Protection Agency (EPA), the Occupational Safety and Health Administration (OSHA), and the Food and Drug Administration (FDA). Recommendations provide valuable guidelines to protect public health but cannot be enforced by law. Federal organizations that develop recommendations for toxic substances include the Agency for Toxic Substances and Disease Registry (ATSDR) and the National Institute for Occupational Safety and Health (NIOSH).

Regulations and recommendations can be expressed in not-to-exceed levels in air, water, soil, or food that are usually based on levels that affect animals, then they are adjusted to help protect people. Sometimes these not-to-exceed levels differ among federal organizations because of different exposure times (an 8-hour workday or a 24-hour day), the use of different animal studies, or other factors.

Recommendations and regulations are also periodically updated as more information becomes available. For the most current information, check with the federal agency or organization that provides it. Some regulations and recommendations for benzene include the following:

EPA has set the maximum permissible level of benzene in drinking water at 5 parts per billion (ppb). Because benzene can cause leukemia, EPA has set a goal of 0 ppb for benzene in drinking water and in water such as rivers and lakes. EPA estimates that 10 ppb benzene in drinking water that is consumed regularly or exposure to 0.4 ppb benzene in air over a lifetime could cause a risk of one additional cancer case for every 100,000 exposed persons. EPA recommends a maximum permissible level of benzene in water of 200 ppb for short-term exposures (10 days) for children.

EPA requires that the National Response Center be notified following a discharge or spill into the environment of 10 pounds or more of benzene.

The Occupational Safety and Health Administration (OSHA) regulates levels of benzene in the workplace. The maximum allowable amount of benzene in workroom air during an 8-hour workday, 40-hour workweek is 1 part per million (ppm). Since benzene can cause cancer, the National Institute for Occupational Safety and Health (NIOSH) recommends that all workers likely to be exposed to benzene wear special breathing equipment.

back to top

1.8 Where can I get more information?
If you have any more questions or concerns, please contact your community or state health or environmental quality department or:

Agency for Toxic Substances and Disease Registry
Division of Toxicology
1600 Clifton Road NE, Mailstop F-32
Atlanta, GA 30333

Information line and technical assistance:

Phone: 888-422-8737
FAX: (770)-488-4178

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

To order toxicological profiles, contact:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

back to top

References

Agency for Toxic Substances and Disease Registry (ATSDR). 1997. Toxicological profile for benzene. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

back to top

ATSDR Information Center / ATSDRIC@cdc.gov / 1-888-422-8737

This page was updated on November 22, 2004

ATSDR
AGENCY FOR TOXIC SUBSTANCES AND DISEASE REGISTRY

CONTENTS

1.1 What is trichloroethylene?
1.2 What happens to trichloroethylene when it enters the environment?
1.3 How might I be exposed to trichloroethylene?
1.4 How can trichloroethylene enter and leave my body?
1.5 How can trichloroethylene affect my health?
1.6 Is there a medical test to determine whether I have been exposed to trichloroethylene?
1.7 What recommendations has the federal government made to protect human health?
1.8 Where can I get more information?
References

RELATED RESOURCES

ToxFAQ™ 45k
ToxFAQ™ en Español 28k
Public Health Statement 148k
Toxicological Profile 5MB
MMG 67k

A-Z INDEX

DATE

Public Health Statement for Trichloroethylene

CAS# 79-01-6

This Public Health Statement is the summary chapter from the Toxicological Profile for trichloroethylene. It is one in a series of Public Health Statements about hazardous substances and their health effects. A shorter version, the ToxFAQs™, is also available. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present. For more information, call the ATSDR Information Center at 1-888-422-8737.

This public health statement tells you about trichloroethylene and the effects of exposure.

The Environmental Protection Agency (EPA) has identified 1,428 hazardous waste sites as the most serious in the nation. These sites make up the National Priorities List (NPL) and are targeted for long-term federal clean-up. Trichloroethylene has been found in at least 861 NPL sites. However, it's unknown how many NPL sites have been evaluated for this substance. As EPA looks at more sites, the sites with trichloroethylene may increase. This is important because exposure to this substance may harm you and because these sites may be sources of exposure.

When a substance is released from a large area, such as an industrial plant, or from a container, such as a drum or bottle, it enters the environment. This release does not always lead to exposure. You are exposed to a substance only when you come in contact with it by breathing, eating, touching, or drinking.

If you are exposed to trichloroethylene, many factors will determine whether you'll be harmed. These factors include the dose (how much), the duration (how long), and how you come in contact with it. You must also consider the other chemicals you're exposed to and your age, sex, diet, family traits, lifestyle, and state of health.

A B C
D E
F G H I
J K
L M N O P
Q R S
T U
V W X Y Z

ATSDR RESOURCES

ToxFAQs™
ToxFAQs™ en Español
Public Health Statements
Toxicological Profiles
Minimum Risk Levels
MMGs
MHMIs
Interaction Profiles
Priority List of Hazardous Substances
Division of Toxicology

1.1 What is trichloroethylene?

Trichloroethylene is also known as Triclene and Vitran and by other trade names in industry. It is a nonflammable, colorless liquid at room temperature with a somewhat sweet odor and a sweet, burning taste. Trichloroethylene is now mainly used as a solvent to remove grease from metal parts. It is also used as a solvent in other ways and is used to make other chemicals. Trichloroethylene can also be found in some household products, including typewriter correction fluid, paint removers, adhesives, and spot removers. Most people can begin to smell trichloroethylene in air when there are around 100 parts of trichloroethylene per million parts of air (ppm).

back to top

1.2 What happens to trichloroethylene when it enters the environment?

By far, the biggest source of trichloroethylene in the environment is evaporation from factories that use it to remove grease from metals. It can also enter the air and water when it is disposed of at chemical waste sites. It evaporates easily but can stay in the soil and in groundwater. Once it is in the air, about half will be broken down within a week. When trichloroethylene is broken down in the air, phosgene, a lung irritant, can be formed. Trichloroethylene can break down under high heat and alkaline conditions to form dichloroacetylene and phosgene. In the body, trichloroethylene may break down into dichloroacetic acid (DCA), trichloroacetic acid (TCA), chloral hydrate, and 2-chloroacetaldehyde. These products have been shown to be toxic to animals and are probably toxic to humans. Once trichloroethylene is in water, much will evaporate into the air; again, about half will break down within a week. It will take days to weeks to break down in surface water. In groundwater the breakdown is much slower because of the much slower evaporation rate. Very little trichloroethylene breaks down in the soil, and it can pass through the soil into underground water. It is found in some foods. The trichloroethylene found in foods is believed to come from contamination of the water used in food processing, or from food processing equipment cleaned with trichloroethylene. It does not build up in fish, but low levels have been found in them.

back to top

1.3 How might I be exposed to trichloroethylene?

Trichloroethylene is found in the outdoor air at levels far less than 1 ppm. When measured several years ago, some of the water supplies in the United States were found to have trichloroethylene. The most recent monitoring study found average levels in surface water ranging from 0.0001 to 0.001 ppm of water and an average

level of 0.007 ppm in groundwater. About 400,000 workers are routinely exposed to trichloroethylene in the United States. The chemical can also get into the air or water in many ways, for example, at waste treatment facilities; by evaporation from paints, glues, and other products; or by release from factories where it is made. Another way you may be exposed is by breathing the air around factories that use the chemical. People living near hazardous waste sites may be exposed to it in the air or in their drinking water, or in the water used for bathing or cooking. Products that may contain trichloroethylene are some types of typewriter correction fluids, paints and paint removers, glues, spot removers, rug cleaning fluids, and metal cleaners.

back to top

1.4 How can trichloroethylene enter and leave my body?

Trichloroethylene enters your body when you breathe air or drink water containing it. It can also enter your body if you get it on your skin. You could be exposed to contaminated water or air if you live near or work in a factory that uses trichloroethylene or if you live near a waste disposal site that contains trichloroethylene. If you breathe the chemical, about half the amount you breathe in will get into your bloodstream and organs. You will exhale the rest. If you drink trichloroethylene, most of it will be absorbed into your blood. If trichloroethylene comes in contact with your skin, some of it can enter your body, although not as easily as when you breathe or swallow it.

Once in your blood, your liver changes much of the trichloroethylene into other chemicals. The majority of these breakdown products leave your body in the urine within a day. You will also quickly breathe out much of the trichloroethylene that is in your bloodstream. Some of the trichloroethylene or its breakdown products can be stored in body fat for a brief period, and thus may build up in your body if exposure continues.

back to top

1.5 How can trichloroethylene affect my health?

To protect the public from the harmful effects of toxic chemicals and to find ways to treat people who have been harmed, scientists use many tests.

One way to see if a chemical will hurt people is to learn how the chemical is absorbed, used, and released by the body; for some chemicals, animal testing may be necessary. Animal testing may also be used to identify health effects such as cancer or birth defects. Without laboratory animals, scientists would lose a basic method to get information needed to make wise decisions to protect public health. Scientists have the responsibility to treat research animals with care and compassion. Laws today protect the

welfare of research animals, and scientists must comply with strict animal care guidelines.

Trichloroethylene was once used as an anesthetic for surgery. People who are exposed to large amounts of trichloroethylene can become dizzy or sleepy and may become unconscious at very high levels. Death may occur from inhalation of large amounts. Many people have jobs where they work with trichloroethylene and can breathe it or get it on their skin. Some people who get concentrated solutions of trichloroethylene on their skin develop rashes. People who breathe moderate levels of trichloroethylene may have headaches or dizziness. It is possible that some people who breathe high levels of trichloroethylene may develop damage to some of the nerves in the face. People have reported health effects when exposed to the level of trichloroethylene at which its odor is noticeable. Effects have also occurred at much higher levels. The effects reported at high levels include liver and kidney damage and changes in heart beat. The levels at which these effects occur in humans are not well characterized. Animals that were exposed to moderate levels of trichloroethylene had enlarged livers, and high-level exposure caused liver and kidney damage.

It is uncertain whether people who breathe air or drink water containing trichloroethylene are at higher risk of cancer, or of having reproductive effects. More and more studies suggest that more birth defects may occur when mothers drink water containing trichloroethylene. People who used water for several years from two wells that had high levels of trichloroethylene may have had a higher incidence of childhood leukemia than other people, but these findings are not conclusive. In another study of trichloroethylene exposure from well water, increased numbers of children were reported to be born with heart defects, which is supported by data from some animal studies showing developmental effects of trichloroethylene on the heart. However, other chemicals were also in the water from this well and may have contributed to these effects.One study reported a higher number of children with a rare defect in the respiratory system and eye defects. Another study reported that the risk for neural tube defects and oral cleft palates were higher among mothers with trichloroethylene in their water during pregnancy. Children listed in the National Exposure Subregistry of persons exposed to trichloroethylene were reported to have higher rates of hearing and speech impairment. There are many questions regarding these reports. There were small numbers of children with defects and trichloroethylene levels at which the effects occurred were not defined well. Thus, it is not possible to make firm conclusions about the exact effects of trichloroethylene from these studies, and more studies need to be done.

We do not have any clear evidence that trichloroethylene alone in drinking water can cause leukemia or any other type of cancer in humans. As part of the National Exposure Subregistry, the Agency for Toxic Substances and Disease Registry (ATSDR) compiled data on 4,280 residents of three states (Michigan, Illinois, and Indiana) who had environmental exposure to trichloroethylene. It found no definitive evidence for an excess of cancers from trichloroethylene exposure. An increase of respiratory cancer was noted in older men, but this effect was thought to result from smoking rather than trichloroethylene exposure. A study in New Jersey found an association between leukemia in women and exposure to trichloroethylene in the drinking water. A study in Massachusetts found that exposure was associated with leukemia in children.In studies with people, there are many factors that are not fully understood. More studies need to be done to establish the relationship between exposure to trichloroethylene and cancer.

In studies using high doses of trichloroethylene in rats and mice, tumors in the lungs, liver, and testes were found, providing some evidence that high doses of trichloroethylene can cause cancer in experimental animals. Based on the limited data in humans regarding trichloroethylene exposure and cancer, and evidence that high doses of trichloroethylene can cause cancer in animals, the International Agency for Research on Cancer (IARC) has determined that trichloroethylene is probably carcinogenic to humans. Trichloroethylene has been nominated for listing in the National Toxicology Program (NTP) 9th Report on Carcinogens. Evaluation of this substance by the NTP review committee is ongoing.

back to top

1.6 Is there a medical test to determine whether I have been exposed to trichloroethylene?

There are some tests that can show if you have been recently exposed to trichloroethylene since this chemical can be measured in your breath. Also, a doctor can have trichloroethylene or a number of breakdown products of trichloroethylene measured in your urine or blood. None of these tests, however, is routinely available at your doctor's office. If the measurements are done soon after the exposure, the breath levels can indicate whether you have been exposed to a large amount of trichloroethylene or only a small amount. Urine and blood tests can also show if you have been exposed to large amounts of this chemical. Because one of the breakdown products leaves your body very slowly, it can be measured in the urine for up to about 1 week after trichloroethylene exposure. However, exposure to other similar chemicals can produce the same breakdown products in your urine and blood. Therefore, these methods cannot determine for sure

whether you have been exposed to trichloroethylene.

back to top

1.7 What recommendations has the federal government made to protect human health?

The federal government develops regulations and recommendations to protect public health. Regulations can be enforced by law. Federal agencies that develop regulations for toxic substances include the Environmental Protection Agency (EPA), the Occupational Safety and Health Administration (OSHA), and the Food and Drug Administration (FDA). Recommendations provide valuable guidelines to protect public health but cannot be enforced by law. Federal organizations that develop recommendations for toxic substances include the Agency for Toxic Substances and Disease Registry (ATSDR) and the National Institute for Occupational Safety and Health (NIOSH).

Regulations and recommendations can be expressed in not-to-exceed levels in air, water, soil, or food that are usually based on levels that affect animals, then they are adjusted to help protect people. Sometimes these not-to-exceed levels differ among federal organizations because of different exposure times (an 8-hour workday or a 24-hour day), the use of different animal studies, or other factors.

Recommendations and regulations are also periodically updated as more information becomes available. For the most current information, check with the federal agency or organization that provides it. Some regulations and recommendations for trichloroethylene include the following.

EPA has set a drinking water standard of 5 parts of trichloroethylene per one billion parts of water (ppb). One ppb is 1,000 times less than 1 ppm. This standard became effective on January 9, 1989, and applies to community water systems and those that serve the same 25 or more persons for at least 6 months. EPA requires industries to report spills of 1,000 pounds or more of trichloroethylene. It has been proposed that this level be reduced to 100 pounds.

Trichloroethylene levels in the workplace are regulated by the Occupational Safety and Health Administration (OSHA). The occupational exposure limit for an 8-hour workday, 40-hour workweek, is an average concentration of 100 ppm in air. The 15-minute average exposure in air that should not be exceeded at any time during a workday is 300 ppm. The OSHA standards are based on preventing central nervous system effects after trichloroethylene exposure.

back to top

1.8 Where can I get more information?

If you have any more questions or concerns, please contact your community or state health or environmental quality department or:

Agency for Toxic Substances and Disease Registry
Division of Toxicology
1600 Clifton Road NE, Mailstop F-32
Atlanta, GA 30333

Information line and technical assistance:

Phone: 888-422-8737
FAX: (770)-488-4178

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

To order toxicological profiles, contact:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

back to top

References

Agency for Toxic Substances and Disease Registry (ATSDR). 1997. Toxicological profile for trichloroethylene. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

back to top

ATSDR Information Center / ATSDRIC@cdc.gov / 1-888-422-8737

This page was updated on November 22, 2004

CONTENTS

1.1 What is tetrachloroethylene?

1.2 What happens to tetrachloroethylene when it enters the environment?

1.3 How might I be exposed to tetrachloroethylene?

1.4 How can tetrachloroethylene enter and leave my body?

1.5 How can tetrachloroethylene affect my health?

1.6 Is there a medical test to determine whether I have been exposed to tetrachloroethylene?

1.7 What recommendations has the federal government made to protect human health?

1.8 Where can I get more information?

References

RELATED RESOURCES

ToxFAQ™ 42k

ToxFAQ™ en Español 26k

Public Health Statement 66k

Toxicological Profile 4.2MB

MMG 58k

A-Z INDEX

September 1997

Public Health Statement for Tetrachloroethylene

CAS# 127-18-4

This Public Health Statement is the summary chapter from the Toxicological Profile for tetrachloroethylene. It is one in a series of Public Health Statements about hazardous substances and their health effects. A shorter version, the ToxFAQs™, is also available. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present. For more information, call the ATSDR Information Center at 1-888-422-8737.

This public health statement tells you about tetrachloroethylene and the effects of exposure.

The Environmental Protection Agency (EPA) identifies the most serious hazardous waste sites in the nation. These sites make up the National Priorities List (NPL) and are the sites targeted for long-term federal cleanup. Tetrachloroethylene has been found in at least 771 of the 1,430 current or former NPL sites. However, it's unknown how many NPL sites have been evaluated for this substance. As more sites are evaluated, the sites with tetrachloroethylene may increase. This is important because exposure to this substance may harm you and because these sites may be sources of exposure.

When a substance is released from a large area, such as an industrial plant, or from a container, such as a drum or bottle, it enters the environment. This release does not always lead to exposure. You are exposed to a substance only when you come in contact with it. You may be exposed by breathing, eating, or drinking the substance or by skin contact.

If you are exposed to tetrachloroethylene, many factors determine whether you'll be harmed. These factors include the dose (how much), the duration (how long), and how you come in contact with it. You must also consider the other chemicals you're exposed to

A B C
D E
F G H I
J K
L M N O P
Q R S
T U
V W X Y Z

ATSDR RESOURCES

ToxFAQs™
ToxFAQs™ en Español
Public Health Statements
Toxicological Profiles
Minimum Risk Levels
MMGs
MHMIs
Interaction Profiles
Priority List of Hazardous Substances
Division of Toxicology

and your age, sex, diet, family traits, lifestyle, and state of health.

1.1 What is tetrachloroethylene?

Tetrachloroethylene is a synthetic chemical that is widely used for dry cleaning of fabrics and for metal-degreasing operations. It is also used as a starting material (building block) for making other chemicals and is used in some consumer products. Other names for tetrachloroethylene include perchloroethylene, PCE, perc, tetrachloroethene, perclene, and perchlor. It is a nonflammable liquid at room temperature. It evaporates easily into the air and has a sharp, sweet odor. Most people can smell tetrachloroethylene when it is present in the air at a level of 1 part in 1 million parts of air (ppm) or more. In an experiment, some people could smell tetrachloroethylene in water at a level of 0.3 ppm.

back to top

1.2 What happens to tetrachloroethylene when it enters the environment?

Tetrachloroethylene enters the environment mostly by evaporating into the air during use. It can also get into water supplies and the soil during disposal of sewage sludge and factory waste and when leaking from underground storage tanks. Tetrachloroethylene may also get into the air, soil, or water by leaking or evaporating from storage and waste sites. It can stay in the air for several months before it is broken down into other chemicals or is brought back down to the soil and water by rain.

Much of the tetrachloroethylene that gets into water and soil will evaporate into the air. However, because tetrachloroethylene can travel through soils quite easily, it can get into underground drinking water supplies. If it gets into underground water, it may stay there for many months without being broken down. If conditions are right, bacteria will break down some of it and some of the chemicals formed may also be harmful. Under some conditions, tetrachloroethylene may stick to the soil and stay there. It does not seem to build up in animals that live in water, such as fish, clams, and oysters. We do not know if it builds up in plants grown on land.

back to top

1.3 How might I be exposed to tetrachloroethylene?

People can be exposed to tetrachloroethylene from environmental and occupational sources and from consumer products. Common environmental levels of tetrachloroethylene (called background levels) are several thousand times lower than levels found in some workplaces. Background levels are found in the air we breathe, in the water we drink, and in the food we eat. The chemical is found

most frequently in air and, less often, in water. Tetrachloroethylene gets into air by evaporation from industrial or dry cleaning operations. It is also released from areas where chemical wastes containing it are stored. It is frequently found in water. For example, tetrachloroethylene was found in 38% of 9,232 surface water sampling sites throughout the United States. There is no similar information on how often the chemical is found in air samples, but we know it is widespread. We do not know how often it is found in soil, but in one study, it was found in 5% of 359 sediment samples.

In general, tetrachloroethylene levels in air are higher in cities or industrial areas where it is in use more than in more rural or remote areas. You can smell it at levels of 1 ppm in air. However, the background level of tetrachloroethylene in air is usually less than 1 part in 1 billion parts of air (ppb). The air close to dry cleaning shops and chemical waste sites has levels of tetrachloroethylene higher than background levels. These levels are usually less than 1 ppm, the level at which you can smell it. Water, both above and below ground, may contain tetrachloroethylene. Levels in water are also usually less than 1 ppb. Levels in contaminated water near disposal sites are higher than levels in water f[illegible]vay from those sites. Water polluted with this chemical may have levels greater than 1 ppm. In soil, background levels are probably 100–1,000 times lower than 1 ppm.

You can also be exposed to tetrachloroethylene by using certain consumer products. Products that may contain it include water repellents, silicone lubricants, fabric finishers, spot removers, adhesives, and wood cleaners. Although uncommon, small amounts of tetrachloroethylene have been found in food, especially food prepared near a dry cleaning shop. When you bring clothes home from the dry cleaners, the clothes may release small amounts of tetrachloroethylene into the air. The full significance to human health of these exposures to small amounts of tetrachloroethylene is unknown, but to date, they appear to be relatively harmless. Tetrachloroethylene can also be found in the breast milk of mothers who have been exposed to the chemical.

The people with the greatest chance of exposure to tetrachloroethylene are those who work with it. According to estimates from a survey conducted by the National Institute for Occupational Safety and Health (NIOSH), more than 650,000 U.S. workers may be exposed.

For the general population, the estimated amount that a person might breathe per day ranges from 0.08 to 0.2 milligrams. The estimated amount that most people might drink in water ranges

from 0.0001 to 0.002 milligrams per day. These are very small amounts.

back to top

1.4 How can tetrachloroethylene enter and leave my body?

Tetrachloroethylene can enter your body when you breathe air containing it. How much enters your body in this way depends on how much of the chemical is in the air, how fast and deeply you are breathing, and how long you are exposed to it. Tetrachloroethylene may also enter your body when you drink water or eat food containing the chemical. How much enters your body in this way depends on how much of the chemical you drink or eat. These two exposure routes are the most likely ways people will take in tetrachloroethylene. These are also the most likely ways that people living near areas polluted with the chemical, such as hazardous waste sites, might be exposed to it. If tetrachloroethylene is trapped against your skin, a small amount of it can pass through into your body. Very little tetrachloroethylene in the air can pass through your skin into your body.

Most tetrachloroethylene leaves your body from your lungs when you breathe out. This is true whether you take in the chemical by breathing, drinking, eating, or touching it. A small amount of the tetrachloroethylene is changed by your body (especially your liver) into other chemicals that are removed from your body in urine. Most of the changed tetrachloroethylene leaves your body in a few days. Some of it that you take in is found in your blood and other tissues, especially body fat. Part of the tetrachloroethylene that is stored in fat may stay in your body for several days or weeks before it is eliminated.

back to top

1.5 How can tetrachloroethylene affect my health?

To protect the public from the harmful effects of toxic chemicals and to find ways to treat people who have been harmed, scientists use many tests.

One way to see if a chemical will hurt people is to learn how the chemical is absorbed, used, and released by the body; for some chemicals, animal testing may be necessary. Animal testing may also be used to identify health effects such as cancer or birth defects. Without laboratory animals, scientists would lose a basic method to get information needed to make wise decisions to protect public health. Scientists have the responsibility to treat research animals with care and compassion. Laws today protect the welfare of research animals, and scientists must comply with strict animal care guidelines.

Tetrachloroethylene has been used safely as a general anesthetic agent, so at high concentrations, it is known to produce loss of consciousness. When concentrations in air are high—particularly in closed, poorly ventilated areas—single exposures can cause dizziness, headache, sleepiness, confusion, nausea, difficulty in speaking and walking, unconsciousness, and death. Irritation may result from repeated or extended skin contact with the chemical. As you might expect, these symptoms occur almost entirely in work (or hobby) environments when individuals have been accidentally exposed to high concentrations or have intentionally abused tetrachloroethylene to get a "high." In industry, most workers are exposed to levels lower than those causing dizziness, sleepiness, and other nervous system effects. The health effects of breathing in air or drinking water with low levels of tetrachloroethylene are not definitely known. However, at levels found in the ambient air or drinking water, risk of adverse health effects is minimal. The effects of exposing babies to tetrachloroethylene through breast milk are unknown. Results from some studies suggest that women who work in dry cleaning industries where exposures to tetrachloroethylene can be quite high may have more menstrual problems and spontaneous abortions than women who are not exposed. However, it is not known for sure if tetrachloroethylene was responsible for these problems because other possible causes were not considered.

Results of animal studies, conducted with amounts much higher than those that most people are exposed to, show that tetrachloroethylene can cause liver and kidney damage and liver and kidney cancers even though the relevance to people is unclear. Although it has not been shown to cause cancer in people, the U.S. Department of Health and Human Services has determined that tetrachloroethylene may reasonably be anticipated to be a human carcinogen. The International Agency for Research on Cancer (IARC) has determined that tetrachloroethylene is probably carcinogenic to humans. Exposure to very high levels of tetrachloroethylene can be toxic to the unborn pups of pregnant rats and mice. Changes in behavior were observed in the offspring of rats that breathed high levels of the chemical while they were pregnant. Rats that were given oral doses of tetrachloroethylene when they were very young, when their brains were still developing, were hyperactive when they became adults. How tetrachloroethylene may affect the developing brain in human babies is not known.

back to top

1.6 Is there a medical test to determine whether I have been exposed to tetrachloroethylene?

One way of testing for tetrachloroethylene exposure is to measure the amount of the chemical in the breath, much the same way breath alcohol measurements are used to determine the amount of alcohol in the blood. This test has been used to measure levels of the chemical in people living in areas where the air is contaminated with tetrachloroethylene or those exposed to the chemical through their work. Because it is stored in the body's fat and is slowly released into the bloodstream, it can be detected in the breath for weeks following a heavy exposure. Tetrachloroethylene can be detected in the blood. Also, breakdown products of the chemical can be detected in the blood and urine of people exposed to tetrachloroethylene. Trichloroacetic acid (TCA), a breakdown product of tetrachloroethylene can be detected for several days after exposure. These tests are relatively simple to perform. The breath, blood, or urine must be collected in special containers and then sent to a laboratory for testing. Because exposure to other chemicals can produce the same breakdown products in the urine and blood, the tests for breakdown products cannot determine if you have been exposed only to tetrachloroethylene.

back to top

1.7 What recommendations has the federal government made to protect human health?

The federal government develops regulations and recommendations to protect public health. Regulations can be enforced by law. Federal agencies that develop regulations for toxic substances include the EPA, the Occupational Safety and Health Administration (OSHA), and the Food and Drug Administration (FDA). Recommendations provide valuable guidelines to protect public health but cannot be enforced by law. Federal organizations that develop recommendations for toxic substances include the Agency for Toxic Substances and Disease Registry (ATSDR) and NIOSH.

Regulations and recommendations can be expressed in not-to-exceed levels in air, water, soil, or food that are usually based on levels that affect animals; then they are adjusted to help protect people. Sometimes these not-to-exceed levels differ among federal organizations because of different exposure times (an 8-hour workday or a 24-hour day), the use of different animal studies, or other factors.

Recommendations and regulations are also periodically updated as more information becomes available. For the most current information, check with the federal agency or organization that provides it. Some regulations and recommendations for tetrachloroethylene include the following:

The EPA maximum contaminant level for the amount of tetrachloroethylene that can be in drinking water is 0.005 milligrams tetrachloroethylene per liter of water (mg/L) (0.005 ppm).

EPA has established regulations and procedures for dealing with tetrachloroethylene, which it considers a hazardous waste. Many regulations govern its disposal. If amounts greater than 100 pounds are released to the environment, the National Response Center of the federal government must be told immediately.

OSHA limits the amount of tetrachloroethylene that can be present in workroom air. This amount is limited to 100 ppm for an 8-hour workday over a 40-hour workweek. NIOSH recommends that tetrachloroethylene be handled as a chemical that might potentially cause cancer and states that levels of the chemical in workplace air should be as low as possible.

back to top

1.8 Where can I get more information?

If you have any more questions or concerns, please contact your community or state health or environmental quality department or:

Agency for Toxic Substances and Disease Registry
Division of Toxicology
1600 Clifton Road NE, Mailstop F-32
Atlanta, GA 30333

Information line and technical assistance:

Phone: 888-422-8737
FAX: (770)-488-4178

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

To order toxicological profiles, contact:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

back to top

References

Agency for Toxic Substances and Disease Registry (ATSDR). 1997. Toxicological profile for tetrachloroethylene. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

back to top

ATSDR Information Center / ATSDRIC@cdc.gov / 1-888-422-8737

This page was updated on November 22, 2004



ATSDR
AGENCY FOR TOXIC SUBSTANCES AND DISEASE REGISTRY

CONTENTS

1.1 What is 1,2-dichloroethene?
1.2 What happens to 1,2-dichloroethene when it enters the environment?
1.3 How might I be exposed to 1,2-dichloroethene?
1.4 How can 1,2-dichloroethene enter and leave my body?
1.5 How can 1,2-dichloroethene affect my health?
1.6 Is there a medical test to determine whether I have been exposed to 1,2-dichloroethene?
1.7 What recommendations has the federal government made to protect human health?
1.8 Where can I get more information?
References

RELATED RESOURCES

ToxFAQ™ 128k
ToxFAQ™ en Español 26k
Public Health Statement 56k
Toxicological Profile 4.7MB

A-Z INDEX

August 1996

Public Health Statement for 1,2-Dichloroethene

CAS# 540-59-0

This Public Health Statement is the summary chapter from the Toxicological Profile for 1,2-dichloroethene. It is one in a series of Public Health Statements about hazardous substances and their health effects. A shorter version, the ToxFAQs™, is also available. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present. For more information, call the ATSDR Information Center at 1-888-422-8737.

This public health statement tells you about 1,2-dichloroethene and the effects of exposure.

The Environmental Protection Agency (EPA) identifies the most serious hazardous waste sites in the nation. These sites make up the National Priorities List (NPL) and are the sites targeted for long-term federal cleanup activities. Cis-1,2-dichloroethene has been found in at least 146 of the 1,430 current or former NPL sites. Trans-1,2-dichloroethene has been found in at least 563 of the 1,430 current or former NPL sites. In 336 of the NPL sites, 1,2-dichloroethene was found but the isomer was not specified. However, it's unknown how many NPL sites have been evaluated for this substance. As more sites are evaluated, the sites with 1,2-dichloroethene may increase. This information is important because exposure to this substance may harm you and because these sites may be sources of exposure.

When a substance is released from a large area, such as an industrial plant, or from a container, such as a drum or bottle, it enters the environment. This release does not always lead to exposure. You are exposed to a substance only when you come in contact with it. You may be exposed by breathing, eating, or drinking the substance or by skin contact.

If you are exposed to 1,2-dichloroethene, many factors determine

A B C
D E
F G H I
J K
L M N O P
Q R S
T U
V W X Y Z

ATSDR RESOURCES

ToxFAQs™
ToxFAQs™ en Español
Public Health Statements
Toxicological Profiles
Minimum Risk Levels
MMGs
MHMIs
Interaction Profiles
Priority List of Hazardous Substances
Division of Toxicology

whether you'll be harmed. These factors include the dose (how much), the duration (how long), and how you come in contact with it. You must also consider the other chemicals you're exposed to and your age, sex, diet, family traits, lifestyle, and state of health.

1.1 What is 1,2-dichloroethene?

1,2-Dichloroethene is also called 1,2-dichloroethylene. It is a highly flammable, colorless liquid with a sharp, harsh odor. You can smell very small amounts of 1,2-dichloroethene in air (beginning at a level of about 17 parts per million or ppm). There are two forms of 1,2-dichloroethene; one form is called cis-1,2-dichloroethene and the other is called trans-1,2-dichloroethene. Sometimes both forms are present as a mixture. 1,2-Dichloroethene is used most often to produce solvents and in chemical mixtures.

1,2-Dichloroethene enters the environment through industrial activity of people. This chemical has been found in air, water, and soil. 1,2-Dichloroethene is released to the environment from chemical factories that make or use this chemical, from landfills and hazardous waste sites containing this chemical, from chemical spills, from burning of objects made of vinyl, and from breakdown of other chlorinated chemicals.

back to top

1.2 What happens to 1,2-dichloroethene when it enters the environment?

1,2-Dichloroethene evaporates rapidly. When released to moist soil surfaces or to lakes, rivers, and other bodies of water, most of it evaporates into the air. Once in the air, it usually takes about 5-12 days for half of any amount of it to break down (half-life in air). 1,2-Dichloroethene that is below soil surfaces in landfills or hazardous waste sites may dissolve in water, seep deeper into the soil, and possibly contaminate groundwater. Some 1,2-dichloroethene may escape as a vapor. Once in groundwater, it takes about 13-48 weeks for half of a given amount to break down (half-life in water). There is a slight chance that small amounts of the 1,2-dichloroethene found in landfills will eventually break down into vinyl chloride, which is believed to be a more hazardous chemical.

back to top

1.3 How might I be exposed to 1,2-dichloroethene?

You might be exposed to 1,2-dichloroethene by breathing contaminated air or by drinking contaminated tap water. If the tap water in your home is contaminated, you could also be breathing 1,2-dichloroethene vapors while cooking, bathing, or washing dishes. There are no known products you can buy that contain

1,2-dichloroethene. People who are most likely to be exposed live near landfills and hazardous waste sites that contain this chemical, work at factories where this chemical is made or used, work at 1,2-dichloroethene contaminated landfills, or work as firefighters. Job-related exposure results from breathing in 1,2-dichloroethene from workplace air or from touching contaminated chemicals or materials. According to a survey conducted between 1981 and 1983 by the National Institute for Occupational Safety and Health (NIOSH), an estimated 215 people in the United States may have been exposed to 1,2-dichloroethene while working.

People who live in cities or suburbs are more likely to be exposed than people living in rural areas. Most people who are exposed to 1,2-dichloroethene through air or water are exposed to very low levels, in the range of parts per million (ppm) to parts per billion (ppb).

back to top

1.4 How can 1,2-dichloroethene enter and leave my body?

1,2-Dichloroethene can enter the body through your lungs when you breathe air contaminated with it, through your stomach and intestines when you eat food or drink water contaminated with it, or through your skin upon contact with the chemical.

When 1,2-dichloroethene enters the body, the blood and other tissues absorb it. It is broken down to other compounds in the liver. Animal studies have looked at how quickly the compound enters and leaves the body and what may happen to it in the body. These animal studies describe effects at levels far greater than those levels at which most people would be exposed. No studies show specifically how 1,2-dichloroethene enters a person's body and how it is changed or removed by the body.

back to top

1.5 How can 1,2-dichloroethene affect my health?

Breathing high levels of trans-1,2-dichloroethene can make you feel nauseous, drowsy, and tired. Breathing very high levels of its vapor can kill you. When animals breathed high levels of trans-1,2-dichloroethene for short or longer periods of time, their livers and lungs were damaged. The effects were more severe with longer exposure times. Animals that breathed very high levels of trans-1,2-dichloroethene had damaged hearts. Animals given extremely high doses of cis- or trans-1,2-dichloroethene by mouth died. Lower oral doses of cis-1,2-dichloroethene caused effects on the blood, such as decreased numbers of red blood cells, and effects on the liver.

The long-term human health effects after exposure to low concentrations of 1,2-dichloroethene are not known. Results of a

recent animal study suggest that an exposed fetus may not grow as quickly as one that is not exposed. No studies have been done to see whether cancer in people or animals is caused by exposure to 1,2-dichloroethene; exposure has not been shown to affect fertility in people or animals

back to top

1.6 Is there a medical test to determine whether I have been exposed to 1,2-dichloroethene?

Methods are available to measure concentrations of 1,2-dichloroethene in blood, urine, and tissues. However, these methods are not routinely used to determine whether a person has been exposed to this compound, because the expected breakdown products resulting from exposure to 1,2-dichloroethene may also result from exposure to other chemicals.

back to top

1.7 What recommendations has the federal government made to protect human health?

The federal government has developed regulatory standards and guidelines to protect people from possible health effects of 1,2-dichloroethene in water and air. The EPA has established water quality guidelines to protect both aquatic life and people who eat fish and shellfish. The EPA Office of Drinking Water has set a drinking water regulation that states that water delivered to any user of a public water system shall not exceed 0.07 milligrams per liter (mg/L) for cis-1,2-dichloroethene and 0.1 mg/L for trans-1,2-dichloroethene. For very short-term exposures (1 day) for children, EPA advises that concentrations in drinking water should not be more than 4 mg/L for cis-1,2-dichloroethene or 20 mg/L for trans-1,2-dichloroethene. For 10-day exposures for children, EPA advises that drinking water concentrations should not be more than 3 mg/L for cis-1,2-dichloroethene or 2 mg/L for trans-1,2-dichloroethene. For industrial or waste disposal sites, any release of 1,000 pounds or more must be reported to the EPA.

The National Institute for Occupational Safety and Health (NIOSH) and the American Conference of Governmental Industrial Hygienists (ACGIH) have established guidelines for occupational exposure to cis- or trans-1,2-dichloroethene. Average concentrations should not exceed 200 ppm in the air

back to top

1.8 Where can I get more information?

If you have any more questions or concerns, please contact your community or state health or environmental quality department or:

Agency for Toxic Substances and Disease Registry

Division of Toxicology
1600 Clifton Road NE, Mailstop F-32
Atlanta, GA 30333

Information line and technical assistance:

Phone: 888-422-8737
FAX: (770)-488-4178

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

To order toxicological profiles, contact:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

back to top

References

Agency for Toxic Substances and Disease Registry (ATSDR). 1996. Toxicological profile for 1,2-dichloroethene. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

back to top

ATSDR Information Center / ATSDRIC@cdc.gov / 1-888-422-8737

This page was updated on November 22, 2004

ATSDR
AGENCY FOR TOXIC SUBSTANCES AND DISEASE REGISTRY

CONTENTS

1.1 What is 1,2-dichoroethane?
1.2 What happens to 1,2-dichoroethane when it enters the environment?
1.3 How might I be exposed to 1,2-dichoroethane?
1.4 How can 1,2-Dichloroethane enter and leave my body?
1.5 How can 1,2-dichoroethane affect my health?
1.6 How can 1,2-dichloroethane affect children?
1.7 How can families reduce the risk of exposure to 1,2-dichloroethane?
1.8 Is there a medical test to determine whether I have been exposed to 1,2-dichoroethane?
1.9 What recommendations has the federal government made to protect human health?
1.10 Where can I get more information?
References

RELATED RESOURCES

ToxFAQ™ 41k

September 2001

Public Health Statement for 1,2-Dichloroethane

(1,2-Dicloroetano)

CAS# 107-06-2

This Public Health Statement is the summary chapter from the Toxicological Profile for 1,2-dichloroethane. It is one in a series of Public Health Statements about hazardous substances and their health effects. A shorter version, the ToxFAQs™, is also available. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present. For more information, call the ATSDR Information Center at 1-888-422-8737.

This public health statement tells you about 1,2-dichloroethane and the effects of exposure. The Environmental Protection Agency (EPA) identifies the most serious hazardous waste sites in the nation. These sites make up the National Priorities List (NPL) and are the sites targeted for long-term federal cleanup activities. 1,2-Dichloroethane has been found in at least 570 of the 1,585 current or former NPL sites. However, the total number of NPL sites evaluated for 1,2-dichloroethane is not known. As more sites are evaluated, the sites at which 1,2-dichloroethane is found may increase. This information is important because exposure to 1,2-dichloroethane may harm you and because these sites may be sources of exposure. When a substance is released from a large area, such as an industrial plant, or from a container, such as a drum or bottle, it enters the environment. This release does not always lead to exposure. You are exposed to a substance only when you come in contact with it. You may be exposured by breathing, eating, or drinking the substance, or by skin contact. If you are exposed to 1,2-dichloroethane, many factors determine whether you will be harmed. These factors include the dose (how much), the duration (how long), and how you come in contact with it. You must also consider the other chemicals you are exposed to and your age, sex, diet, family traits, lifestyle, and state of health.

ToxFAQ™ en Español 90k
Public Health Statement 114k
Public Health Statement en Español 193k
Toxicological Profile 1.6MB

A-Z INDEX

A B C
D E
F G H I
J K
L M N O P
Q R S
T U
V W X Y Z

ATSDR RESOURCES

ToxFAQs™
ToxFAQs™ en Español
Public Health Statements
Toxicological Profiles
Minimum Risk Levels
MMGs
MHMIs
Interaction Profiles
Priority List of Hazardous Substances
Division of Toxicology

1.1 What is 1,2-dichoroethane?

1,2-Dichloroethane is a clear, manufactured liquid that is not found naturally in the environment. It evaporates quickly at room temperature and has a pleasant smell and a sweet taste. 1,2-Dichloroethane burns with a smoky flame. At this time, the most common use of 1,2-dichloroethane is to make vinyl chloride, which is used to make a variety of plastic and vinyl products including polyvinyl chloride (PVC) pipes and other important construction materials, packaging materials, furniture and automobile upholstery, wall coverings, housewares, and automobile parts. 1,2-Dichloroethane is also used as a solvent and is added to leaded gasoline to remove lead. In the past, it was also found in small amounts in products that industries used to clean cloth, remove grease from metal, and break down oils, fats, waxes, resins, and rubber. In the household, 1,2-dichloroethane was formerly a component of some cleaning solutions and pesticides; some adhesives, such as those used to glue wallpaper or carpeting; and some paint, varnish, and finish removers. Although large amounts of 1,2-dichloroethane are produced today, most is used to make other chemical products. Small amounts of 1,2-dichloroethane that were released into water or soil evaporate into the air. 1,2-Dichloroethane that remains in soil from a spill or improper disposal can travel through the ground into water. The chemical may remain in water or soil for more than 40 days.

Chapter 4 of the toxicological profile contains more chemical and physical information about 1,2-dichloroethane. Chapter 5 has more information on its uses, and Chapter 6 tells about its presence in the environment.

back to top

1.2 What happens to 1,2-dichoroethane when it enters the environment?

1,2-Dichloroethane can enter the environment when it is made, packaged, shipped, or used. Most 1,2-dichloroethane is released to the air, although some is released to rivers or lakes. 1,2-Dichloroethane could also enter soil, water, or air in large amounts in an accidental spill. 1,2-Dichloroethane evaporates into the air very fast from soil and water. In the air, it breaks down by reacting with other compounds formed by the sunlight. 1,2-Dichloroethane will stay in the air for more than 5 months before it is broken down. It may also be removed from air in rain or snow. Since it stays in the air for a while, the wind may carry it over large distances. In water, 1,2-dichloroethane breaks down very slowly and most of it will evaporate to the air. Only very small amounts are taken up by plants and fish. We do not know exactly how long 1,2-dichloroethane remains in water, but we do know that it remains longer in lakes than in rivers. In soil,

1,2-dichloroethane either evaporates into the air or travels down through soil and enters underground water. Small organisms living in soil and groundwater may transform it into other less harmful compounds, although this happens slowly. If a large amount of 1,2-dichloroethane enters soil from an accident, hazardous waste site, or landfill, it may travel a long way underground and contaminate drinking water wells.

More information on what happens to 1,2-dichloroethane in the environment can be found in Chapters 5 and 6 of the toxicological profile.

back to top

1.3 How might I be exposed to 1,2-dichoroethane?

Humans are exposed to 1,2-dichloroethane mainly by breathing air or drinking water that contains 1,2-dichloroethane. Human exposure usually happens where the chemical has been improperly disposed of, or spilled onto the ground. However, low levels of 1,2-dichloroethane have also been found in the air near industries where it is made or used in manufacturing. Humans can be exposed to low levels of 1,2-dichloroethane through the skin or air by contact with old products made with 1,2-dichloroethane, such as cleaning agents, pesticides, and adhesives used to glue wallpaper and carpets. Such exposure is probably not enough to cause harmful health effects. 1,2-Dichloroethane has been found in U.S. drinking water at levels ranging from 0.05 to 64 parts of 1,2-dichloroethane per billion (ppb) parts of water. An average amount of 175 ppb has been found in 12% of the surface water and groundwater samples taken at 2,783 hazardous wastes sites. 1,2-Dichloroethane has also been found in the air near urban areas at levels of 0.10–1.50 ppb and near hazardous waste sites at levels of 0.01–0.003 ppb. Small amounts of 1,2-dichloroethane have also been found in foods. Humans may also be exposed to 1,2-dichloroethane through its use as a gasoline additive to reduce lead content, but these small levels are not expected to affect human health. This is probably not an important way that people are exposed to 1,2-dichloroethane in the United States, since leaded gasolines are rarely used today.

Additional information on levels in the environment and potential for human exposure are presented in Chapter 6 of the toxicological profile.

back to top

1.4 How can 1,2-Dichloroethane enter and leave my body?

1,2-Dichloroethane can enter the body when people breathe air or drink water that contains 1,2-dichloroethane. Studies in animals also show that 1,2-dichloroethane can enter the body through the skin. Humans are most likely to be exposed at work and outside

the workplace by drinking water that contains 1,2-dichloroethane, or by breathing 1,2-dichloroethane that has escaped from contaminated water or soil into the air. Experiments in animals show that 1,2-dichloroethane that is breathed in or swallowed goes to many organs of the body, but usually leaves in the breath within 1 or 2 days. The breakdown products of 1,2-dichloroethane in the body leave quickly in the urine. Soil near hazardous waste sites probably does not have high amounts of 1,2-dichloroethane because it evaporates quickly into the air. This suggests that exposure near a hazardous waste site would most likely occur by breathing contaminated air rather than by touching contaminated soil.

Further information on how 1,2-dichloroethane can enter and leave the body is presented in Chapter 3 of the toxicological profile.

back to top

1.5 How can 1,2-dichoroethane affect my health?

To protect the public from the harmful effects of toxic chemicals and to find ways to treat people who have been harmed, scientists use many tests. One way to see if a chemical will hurt people is to learn how the chemical is absorbed, used, and released by the body; for some chemicals, animal testing may be necessary. Animal testing may also be used to identify health effects such as cancer or birth defects. Without laboratory animals, scientists would lose a basic method to get information needed to make wise decisions to protect public health. Scientists have the responsibility to treat research animals with care and compassion. Laws today protect the welfare of research animals, and scientists must comply with strict animal care guidelines. People who were accidentally exposed to large amounts of 1,2-dichloroethane in the air or who swallowed 1,2-dichloroethane by accident, or on purpose, often developed nervous system disorders and liver and kidney disease. Lung effects were also seen after a large amount of 1,2-dichloroethane was inhaled. People often died from heart failure. We do not know what levels of 1,2-dichloroethane caused these effects, but they are probably high. Studies in laboratory animals also found that breathing or swallowing large amounts of 1,2-dichloroethane produced nervous system disorders, kidney disease, or lung effects. Reduced ability to fight infection was also seen in laboratory animals who breathed or swallowed 1,2-dichloroethane, but we do not know if this also occurs in humans. Longer-term exposure to lower doses also caused kidney disease in animals. So far, exposure to 1,2-dichloroethane has not been associated with cancer in humans. One study showed a relationship between increased cancer and exposure to pollutants in groundwater, including 1,2-dichloroethane, but the people were probably exposed to many other chemicals at the same time. Cancer was found in laboratory animals who were fed large doses

of 1,2-dichloroethane. When 1,2-dichloroethane was put on the skin of laboratory animals, they developed lung tumors. We are not sure whether breathing 1,2-dichloroethane causes cancer in animals. Because of the cancer findings in animals, the possibility of cancer in humans cannot be ruled out. The Department of Health and Human Services (DHHS) has determined that 1,2-dichloroethane may reasonably be expected to cause cancer. The International Agency for Research on Cancer (IARC) has determined that 1,2-dichloroethane can possibly cause cancer in humans. EPA has determined that 1,2-dichloroethane is a probable human carcinogen.

Additional information regarding the health effects of 1,2-dichloroethane can be found in Chapter 3 of the toxicological profile.

back to top

1.6 How can 1,2-dichloroethane affect children?

This section discusses potential health effects from exposures during the period from conception to maturity at 18 years of age in humans. Children can be exposed to 1,2-dichloroethane by breathing contaminated air, and possibly by drinking contaminated water. In the past, 1,2-dichloroethane had been used in certain household items, such as cleaning products and adhesives, but is no longer used in these products. There is a possibility that using of one of these older household products containing 1,2-dichloroethane to clean floors or glue carpets could result in exposure, since children often crawl on floors and play on carpets. Such exposures would probably last a few days or less, since 1,2-dichloroethane evaporates very quickly. Children are not likely to be exposed to 1,2-dichloroethane from parents' clothing or other items removed from the workplace. Because 1,2-dichloroethane has been detected in human milk, it is possible that young children could be exposed to 1,2-dichloroethane from breast-feeding mothers who had been exposed to sources of 1,2-dichloroethane. There have been no studies of health effects in children exposed to 1,2-dichloroethane, and we have no reliable information on whether 1,2-dichloroethane causes birth defects in children. One study broadly suggests that heart problems could occur in the human fetus from mothers being exposed to 1,2-dichloroethane along with some other chemicals, but the information is not reliable enough for us to be sure whether 1,2-dichloroethane is responsible for the defects. Studies of pregnant laboratory animals indicate that it probably does not produce birth defects or affect reproduction. We do know, however, that when the pregnant animal is exposed to 1,2-dichloroethane, the fetus is probably also exposed. It is likely that children exposed to 1,2-dichloroethane after birth would show the same health effects that are expected to occur in adults, especially liver and kidney disease. There is no

information to determine whether children differ from adults in their sensitivity to the health effects of 1,2-dichloroethane.

More information regarding children's health and 1,2-dichloroethane can be found in Section 3.7 of the toxicological profile.

back to top

1.7 How can families reduce the risk of exposure to 1,2-dichloroethane?

If your doctor finds that you have been exposed to significant amounts of 1,2-dichloroethane, ask whether your children might also be exposed. Your doctor might need to ask your state health department to investigate. In the past, 1,2-dichloroethane was used in small amounts in household products such as cleaning agents, pesticides, and wallpaper and carpet glue. It is possible that you may have old containers of such products in your home. Risk of exposure from this source could be eliminated if these older products were immediately discarded. Otherwise, household chemicals should be stored out of reach of young children to prevent accidental poisonings. Always store household chemicals in their original labeled containers. Never store household chemicals in containers that children would find attractive to eat or drink from, such as old soda bottles. Keep your Poison Control Center's number next to the phone. Sometimes older children sniff household chemicals in an attempt to get high. Your children may be exposed to 1,2-dichloroethane by inhaling products containing it. Talk with your children about the dangers of sniffing chemicals. The exposure of your family to 1,2-dichloroethane can be reduced by throwing away any household products that contain it. You may wish to contact your county health department for appropriate disposal methods. 1,2-Dichloroethane has been found in drinking water in the United States. Most of the time, 1,2-dichloroethane has been found in small amounts that do not pose a major health risk. You may want to contact your water supplier or local health department to get information about the levels of 1,2-dichloroethane in the drinking water.

back to top

1.8 Is there a medical test to determine whether I have been exposed to 1,2-dichoroethane?

1,2-Dichloroethane has been found in the breath, blood, breast milk, and urine of exposed people. Because breath samples are easily collected, testing breathed-out or exhaled air is now a possible way to find out whether someone has recently been exposed to 1,2-dichloroethane. However, tests that measure small amounts in human breath, tissues, and fluids may not be available at your doctor's office because they require special equipment. Your physician can refer you to a facility where these tests are

done. Although these tests can show that you have been exposed to 1,2-dichloroethane, it is not possible to tell if you will experience any harmful health effects. Because 1,2-dichloroethane leaves the body fairly quickly, these methods are best for finding exposures that occurred within the last several days. Exposure to 1,2-dichloroethane at hazardous waste sites will probably include exposure to other organic compounds at the same time. Therefore, levels of 1,2-dichloroethane measured in the body by these methods may not show exposure to 1,2-dichloroethane only. Medical tests available at a doctor's office include lung-, liver-, and kidney-function tests, but these tests look for damage that has already occurred from general chemical exposure and do not determine the cause of damage. Damage could also be the result of lifestyle (e.g., drinking alcohol, smoking) or general exposure to environmental agents. Other methods to measure the effects of exposure to 1,2-dichloroethane (such as abnormal enzyme levels) do not measure the effects of exposure to 1,2-dichloroethane only, but measure effects of other chemicals as well.

back to top

1.9 What recommendations has the federal government made to protect human health?

The federal government develops regulations and recommendations to protect public health. Regulations can be enforced by law. Federal agencies that develop regulations for toxic substances include the Environmental Protection Agency (EPA), the Occupational Safety and Health Administration (OSHA), and the Food and Drug Administration (FDA). Recommendations provide valuable guidelines to protect public health but cannot be enforced by law. Federal organizations that develop recommendations for toxic substances include the Agency for Toxic Substances and Disease Registry (ATSDR) and the National Institute for Occupational Safety and Health (NIOSH). Regulations and recommendations can be expressed in not-to-exceed levels in air, water, soil, or food that are usually based on levels that affect animals; then they are adjusted to help protect people. Sometimes these not-to-exceed levels differ among federal organizations because of different exposure times (an 8-hour workday or a 24-hour day), the use of different animal studies, or other factors. Recommendations and regulations are also periodically updated as more information becomes available. For the most current information, check with the federal agency or organization that provides it. Some regulations and recommendations for 1,2-dichloroethane include the following: The federal government has developed regulatory standards and guidelines to protect people from the possible health effects of 1,2-dichloroethane in air. OSHA has set a limit of 50 parts of 1,2-dichloroethane per million parts of air (ppm, 1 ppm is 1,000

times more than 1 ppb) in the workplace for an 8-hour day, 40-hour week. NIOSH recommends that a person not be exposed daily in the workplace to more than 1 ppm 1,2-dichloroethane for a 10-hour day, 40-hour week. NIOSH calls 1,2-dichloroethane a possible occupational carcinogen. EPA also calls the compound a probable human cancer-causing agent, based on experiments in animals. The federal government has also set regulatory standards and guidelines to protect people from the possible health effects of 1,2-dichloroethane in drinking water. EPA has set a limit in water of 0.005 milligrams of 1,2-dichloroethane per liter (5 ppb).

back to top

1.10 Where can I get more information?

If you have any more questions or concerns, please contact your community or state health or environmental quality department or:

Agency for Toxic Substances and Disease Registry
Division of Toxicology
1600 Clifton Road NE, Mailstop F-32
Atlanta, GA 30333

Information line and technical assistance:

Phone: 888-422-8737
FAX: (770)-488-4178

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

To order toxicological profiles, contact:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

back to top

References

Agency for Toxic Substances and Disease Registry (ATSDR). 2001. Toxicological profile for 1,2-dichoroethane. *Update*. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

back to top

ATSDR Information Center / ATSDRIC@cdc.gov / 1-888-422-8737

This page was updated on November 22, 2004

ATSDR Home | Search | Index | Glossary | Contact Us
About ATSDR | News Archive | ToxFAQs | HazDat | Public Health Assessments
Privacy Policy | External Links Disclaimer | Accessibility
U.S. Department of Health and Human Services

ATSDR
AGENCY FOR TOXIC SUBSTANCES AND DISEASE REGISTRY

CONTENTS

1.1 What are dichlorobenzenes?
1.2 What happens to dichlorobenzenes when they enter the environment?
1.3 How might I be exposed to dichlorobenzenes?
1.4 How can dichlorobenzenes enter and leave my body?
1.5 How can dichlorobenzenes affect my health?
1.6 How can dichlorobenzenes affect children?
1.7 How can families reduce the risk of exposure to dichlorobenzenes?
1.8 Is there a medical test to determine whether I have been exposed to dichlorobenzenes?
1.9 What recommendations has the federal government made to protect human health?
1.10 Where can I get more information?
References

RELATED RESOURCES

ToxFAQ™ 38k

September 2004

Public Health Statement for Dichlorobenzenes

Draft for Public Comment

CAS# 1,2-Dichlorobenzene CAS# 95-50-1
1,3-Dichlorobenzene CAS# 541-73-1
1,4-Dichlorobenzene CAS# 106-46-7

This Public Health Statement is the summary chapter from the Toxicological Profile for dichlorobenzenes. It is one in a series of Public Health Statements about hazardous substances and their health effects. A shorter version, the ToxFAQs™, is also available. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present. For more information, call the ATSDR Information Center at 1-888-422-8737.

This public health statement tells you about dichlorobenzenes (DCBs) and the effects of exposure to them.

The Environmental Protection Agency (EPA) identifies the most serious hazardous waste sites in the nation. EPA then places these sites are on the National Priorities List (NPL) and targets them for federal long-term cleanup activities. 1,2-DCB, 1,3-DCB, and 1,4-DCB have been identified in at least 280, 176, and 331, respectively, of the 1,647 current or former NPL sites. Although the total number of NPL sites evaluated for these substances is not known, the number of sites at which DCBs are found could increase as more sites are evaluated. This information is important because these sites may be sources of exposure, and exposure to these substances might harm you.

When a substance is released either from a large area, such as an industrial plant, or from a container, such as a drum or bottle, it enters the environment. Such a release does not always lead to exposure. You can be exposed to a substance only when you contact it-by breathing, eating, or drinking the substance or by skin contact.

Many factors will determine whether exposure to DCBs will harm

ToxFAQ™ en Español 31k
Public Health Statement 45k
Public Health Statement en Español 140k
Toxicological Profile 2.6MB
A-Z INDEX
A B C
D E
F G H I
J K
L M N O P
Q R S
T U
V W X Y Z
ATSDR RESOURCES
ToxFAQs™
ToxFAQs™ en Español
Public Health Statements
Toxicological Profiles
Minimum Risk Levels
MMGs
MHMIs
Interaction Profiles
Priority List of Hazardous Substances
Division of Toxicology

you. These factors include the dose (how much), the duration (how long), and the way you contact them. You also must consider any other chemicals to which you are exposed and your age, sex, diet, family traits, lifestyle, and state of health.

1.1 What are dichlorobenzenes?

Each of the three types of DCBs (i.e., 1,2-DCB, 1,3-DCB, and 1,4-DCB) contains two chlorine atoms connected to one benzene molecule. 1,2-DCB is a colorless to pale yellow liquid used to make herbicides. 1,3-DCB is a colorless liquid used to make herbicides, insecticides, medicine, and dyes. 1,4-DCB, the most important of the three chemicals, is a colorless to white solid. It smells like mothballs and it is one of two chemicals commonly used to make mothballs. 1,4-DCB also is used to make deodorant blocks used in garbage cans and restrooms, and to help control odors in animal-holding facilities. 1,4-DCB has been used as an insecticide on fruit and as an agent to control mold and mildew growth on tobacco seeds, leather, and some fabrics. Recently, using 1,4-DCB to make resins has become very important.

When a package of 1,4-DCB is opened, it 'sublimates', that is, it slowly changes from a solid into a vapor, and enters the atmosphere. The vapor acts as a deodorizer and insect killer. Most of the 1,2-, 1,3-, and 1,4-DCB released into the environment is present as a vapor. DCBs can burn, but they do not burn easily. Most people begin to smell 1,4-DCB when it is in the air at a concentration of 0.18 parts per million (ppm) and 0.011 ppm in water.

DCBs do not occur naturally; chemical companies produce them to make products for home use and other chemicals such as herbicides and plastics.

back to top

1.2 What happens to dichlorobenzenes when they enter the environment?

Most of the 1,4-DCB enters the environment when it is used in mothballs and in toilet-deodorizer blocks. Some 1,4-DCB is released to the air by factories that make or use it, and only a little is released to soil and water. Very little 1,4-DCB enters the environment from hazardous waste sites. Some 1,2 and 1,3-DCBs are released into the environment when used to make herbicides and when people use products that contain these chemicals. Companies that make 1,4-DCB also make unwanted amounts of 1,2-DCB during the process. 1,2-DCB is released to the environment when companies dispose of these unwanted supplies.

Because DCBs do not dissolve easily in water, the small amounts that enter water quickly evaporate into the air. If they are released

to groundwater, they may be transported through the ground to surface water. Sometimes, DCBs bind to soil and sediment. DCBs in soil usually are not easily broken down by soil organisms. Evidence suggests that plants and fish absorb DCBs. 1,4-DCB has been detected at concentrations of up to 470 parts per billion (ppb) in fish.

back to top

1.3 How might I be exposed to dichlorobenzenes?

Humans are exposed to 1,4-DCB mainly by breathing vapors from 1,4-DCB products used in the home, such as mothballs and toilet-deodorizer blocks. Reported levels of 1,4-DCB in some homes and public restrooms have ranged from 0.291 to 272 parts of 1,4-DCB per billion parts (ppb) of air. 1,2- and 1,3-DCB are not found frequently in the air of homes and buildings because, unlike 1,4-DCB, these chemicals are not used in household products. Outdoor levels of 1,4-DCB range from 0.01 to 1 ppb and are much lower than levels in homes and buildings. Levels in the air around hazardous waste sites are low and range from 0.01 to 4.2 ppb. Outdoor air levels generally range from 0.01 to 0.1 ppb for 1,2-DCB and from 0.001 to 0.1 ppb for 1,3-DCB.

DCBs have been found in samples of drinking water from surface water sources. 1,4-DCB was found in 13% of surface water samples collected during a national survey. These samples contained about 0.008-154 ppb of 1,4-DCB. DCBs also have been found in drinking water from wells but at low concentrations. DCBs are found only infrequently in soil, but they have been detected in soil around hazardous waste sites in the United States.

DCBs have been detected in beef, pork, chicken, eggs, baked goods, soft drinks, butter, peanut butter, fruits, vegetables, and fish. However, the levels of DCBs in foods are generally low.

The average daily adult exposure of 1,4-DCB is about 35 micrograms (μg), which comes mainly from breathing 1,4-DCB vapors of released from products in homes and businesses. The average daily adult respiratory exposure of the other DCBs is about 1.8 μg for 1,2-DCB and about 0.8 μg for 1,3-DCB.

Individuals can be occupationally exposed to DCBs in workplace air at much higher levels than the general public is exposed. Levels measured in the air of factories that make or process 1,4-DCB products have ranged from 5.6 to 748 ppm of air. In addition, people who live or work near industrial facilities or hazardous waste sites that have high DCBs levels may have greater exposure to these compounds due to emissions from the facilities and waste sites. People who work or live in buildings where air fresheners, toilet block deodorants, or moth balls containing 1,4-DCB are used

also are expected to have a higher exposure to this compound, which could occur from skin contact as well as by breathing.

back to top

1.4 How can dichlorobenzenes enter and leave my body?

The main way DCBs enter your body is through the lungs when you breathe in DCB vapors released in the workplace or in the home from use of products that contain it. When you breathe in these chemicals for a few hours, it is likely that some of the DCBs that have entered your body will get into your bloodstream.

DCBs also can get into your body if you drink water or eat certain foods that contain them, such as meat, chicken, eggs, or fish. Most of the DCBs that enter your body from food and water will get into your bloodstream. It is not likely that DBCs will enter your body through the skin if you touch products that contain them.

1,4-DCB used in the home could be accidentally swallowed, especially by young children. This possibility exists because household products that contain 1,4-DCB, particularly some kinds of mothballs and deodorant blocks, might be freely available in closets or bathrooms.

Most of the DCB that enters your body (perhaps more than 95%) leaves through the urine in less than a week. Small amounts (perhaps 1-2%) leave your body in the feces and in the air you breathe out. Tiny amounts remain in your fat and might stay there for a long time.

Most of the DCBs that enter your body are changed into other chemicals, mainly dichlorophenols. It is not known if these breakdown products are more or less harmful than the DCBs themselves.

back to top

1.5 How can dichlorobenzenes affect my health?

Scientists use many tests to protect the public from harmful effects of toxic chemicals and to find ways for treating persons who have been harmed.

One way to learn whether a chemical will harm people is to determine how the body absorbs, uses, and releases the chemical. For some chemicals, animal testing may be necessary. Animal testing can help identify health problems such as cancer or birth defects. Without laboratory animals, scientists would lose a basic method for getting information needed to make wise decisions that protect public health. Scientists have the responsibility to treat research animals with care and compassion. Scientists must comply with strict animal-care guidelines because laws today

protect the welfare of research animals.

Most of the information on health effects of DCBs is from studies of 1,2- and 1,4-DCB. Very little is known about the health effects of 1,3-DCB, especially in humans, but they are likely to be similar to those of the other DCBs.

Inhaling the vapor or dusts of 1,2-DCB and 1,4-DCB at very high concentrations could be very irritating to your eyes and nose and cause burning and tearing of the eyes, coughing, difficult breathing, and an upset stomach. These concentrations could occur in workplaces, but are much higher than you would be exposed to in the home. 1,4-DCB is the only DCB that is commonly used in household products (mainly mothballs and toilet-deodorizer blocks). Scientists have no evidence that the moderate use of common household products containing 1,4-DCB will cause any problems to your health. Some people reported health problems, such as dizziness, headaches, and liver problems, from very high levels of 1,4-DCB in the home. However, these people used very high amounts of 1,4-DCB products and continued to use the products for months or even years, even though they felt ill. People who ate 1,4-DCB products regularly for long periods (months to years) because of its sweet taste developed skin blotches and problems with red blood cells, such as anemia (iron-poor blood). Little information is available about the effects of skin contact with DCBs. 1,4-DCB might cause a burning feeling in your skin if you hold mothballs or toilet-deodorizer blocks against your skin for a long time.

Breathing or eating any of the DCBs caused harmful effects in the liver of laboratory animals. Animal studies also found that 1,2-DCB and 1,4-DCB caused effects in the kidneys and blood, and that 1,3-DCB caused thyroid and pituitary effects. There is no clear evidence that 1,2-DCB and 1,4-DCB impair reproduction or fetal development in animals at levels below those that also cause serious health effects in the mother, although there is an indication that 1,4-DCB can affect development of the nervous system after birth.

Lifetime exposure to 1,4-DCB by breathing or eating induced liver cancer in mice. 1,2-DCB was not carcinogenic in laboratory animals, and 1,3-DCB has not been tested for its potential to cause cancer. The animal studies suggest that 1,4-DCB could play a role in the development of cancer in humans, but we do not definitely know this. The U.S. Department of Health and Human Services (DHHS) has determined that 1,4-DCB might be a human carcinogen. The International Agency for Research on Cancer (IARC) determined that 1,4-DCB is possibly carcinogenic to humans. Both IARC and the EPA concluded that 1,2-DCB and

1,3-DCB are not classifiable as to human carcinogenicity.

back to top

1.6 How can dichlorobenzenes affect children?

This section discusses potential health problems in people from exposures during conception to maturity (18 years of age).

Children are exposed to DCBs in many of the same ways adults are. It is possibile that mothballs and toilet bowl deodorant blocks containing 1,4-DCB could be played with or accidentally swallowed, especially by young children. Because children tend to be curious about unknown powders and liquids, and because these products might be easily accessible in cabinets, closets, or bathrooms, children could be at a higher risk of exposure to 1,4-DCB than adults.

Children who are exposed to DCBs are likely to exhibit the same effects as adults, although this is not known for certain. Thus, all health problems of DCBs observed in adults are of potential concern in children.

Children can also be exposed to DCBs prenatally, because all three isomers have been detected in placenta samples, as well as through breast feeding. There is no reliable evidence suggesting that DCBs cause birth defects, although animal data raise concern for effects of 1,4-DCB on postnatal development of the nervous system.

back to top

1.7 How can families reduce the risk of exposure to dichlorobenzenes?

If your doctor finds that you (or a family member) have been exposed to substantial amounts of DCBs, ask whether your children also might have been exposed. Your doctor might need to ask your state health department to investigate.

You and your children could be exposed to 1,4-DCB in your home if you use consumer products that contain 1,4-DCB, such as some toilet bowl cleaners and mothballs. Exposure of children to 1,4-DCB can be minimized by discouraging them from playing with, swallowing, or having skin contact with treated products. These items should be stored out of reach of young children and kept in their original containers to prevent accidental poisonings. Keep your Poison Control Center's number by the phone.

back to top

1.8 Is there a medical test to determine whether I have been exposed to dichlorobenzenes?

Several tests can be used to show if you have been exposed to DCBs. The most commonly used tests measure their dichlorophenol breakdown products in urine and blood. These tests require special equipment that is not routinely available in a doctor's office, but they can be performed in a special laboratory.

The presence of the dichlorophenol breakdown products in the urine indicates a person has been exposed to DCBs within the previous day or two. For example, detection of 2,5 dichlorophenol in urine is commonly used to determine worker exposure to 1,4-DCB in industrial settings. Another test measures levels of DCBs in your blood, but this is used less often. Neither of these tests can be used to show how high the level of DCB exposure was or to predict whether harmful health effects will follow.

back to top

1.9 What recommendations has the federal government made to protect human health?

The federal government develops regulations and recommendations to protect public health. Regulations can be enforced by law. EPA, the Occupational Safety and Health Administration (OSHA), and the Food and Drug Administration (FDA) are some federal agencies that develop regulations for toxic substances. Recommendations provide valuable guidelines to protect public health but cannot be enforced by law. The Agency for Toxic Substances and Disease Registry (ATSDR) and the National Institute for Occupational Safety and Health (NIOSH) of the Centers for Disease Control and Prevention (CDC) are two federal agencies that develop recommendations for toxic substances.

Regulations and recommendations can be expressed as "not-to-exceed" levels-in other words, levels of a toxic substance in air, water, soil, or food that do not exceed a critical value that is usually based on levels that affect animals; they are then adjusted to levels that will help protect people. Sometimes these not-to-exceed levels differ among federal agencies because the agencies use different exposure times (for example, an 8-hour workday or a 24-hour day), different animal studies, or other factors.

Recommendations and regulations are periodically updated as more information becomes available. For the most current information, check with the federal agency that provides it.

The federal government has taken a number of steps to protect people from excessive exposure to 1,4-DCB. EPA has listed 1,4-DCB as a hazardous waste and has subjected it to hazardous waste regulations. EPA has set a maximum level of 75 micrograms

(μg) of 1,4-DCB per liter of drinking water. In addition, 1,4-DCB is a pesticide registered with EPA, and its manufacturers must provide certain kinds of information to EPA for it to be registered for use as a pesticide. OSHA has set a maximum level of 75 ppm for 1,4-DCB in workplace air for an 8-hour day, 40 hour workweek.

back to top

1.10 Where can I get more information?

If you have any more questions or concerns, please contact your community or state health or environmental quality department or:

Agency for Toxic Substances and Disease Registry
Division of Toxicology
1600 Clifton Road NE, Mailstop F-32
Atlanta, GA 30333

Information line and technical assistance:

Phone: 888-422-8737
FAX: (770)-488-4178

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

To order toxicological profiles, contact:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

back to top

References

Agency for Toxic Substances and Disease Registry (ATSDR). 2004. Toxicological profile for dichlorobenzenes. (*Draft for Public Comment*). Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

back to top

ATSDR Home | Search | Index | Glossary | Contact Us
About ATSDR | News Archive | ToxFAQs | HazDat | Public Health Assessments
Privacy Policy | External Links Disclaimer | Accessibility
U.S. Department of Health and Human Services

ATSDR
AGENCY FOR TOXIC SUBSTANCES AND DISEASE REGISTRY

CONTENTS

1.1 What is chloroform?
1.2 What happens to chloroform when it enters the environment?
1.3 How might I be exposed to chloroform?
1.4 How can chloroform enter and leave my body?
1.5 How can chloroform affect my health?
1.6 Is there a medical test to determine whether I have been exposed to chloroform?
1.7 What recommendations has the federal government made to protect human health?
1.8 Where can I get more information?
References

RELATED RESOURCES

ToxFAQ™ 106k
ToxFAQ™ en Español 27k
Public Health Statement 118k
Toxicological Profile 7MB

A-Z INDEX

September 1997

Public Health Statement for Chloroform

CAS# 67-66-3

This Public Health Statement is the summary chapter from the Toxicological Profile for chloroform. It is one in a series of Public Health Statements about hazardous substances and their health effects. A shorter version, the ToxFAQs™, is also available. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present. For more information, call the ATSDR Information Center at 1-888-422-8737.

This public health statement tells you about chloroform and the effects of exposure.

The Environmental Protection Agency (EPA) identifies the most serious hazardous waste sites in the nation. These sites make up the National Priorities List (NPL) and the sites are targeted for long-term federal cleanup. Chloroform has been found in at least 717 of the 1,430 current or former NPL sites, including 6 in Puerto Rico and 1 in the Virgin Islands. However, it's unknown how many NPL sites have been evaluated for this substance. As more sites are evaluated, the sites with chloroform may increase. This is important because exposure to this substance may harm you and because these sites may be sources of exposure.

When a substance is released from a large area, such as an industrial plant, or from a container, such as a drum or bottle, it enters the environment. This release does not always lead to exposure. You are exposed to a substance only when you come in contact with it. You may be exposed by breathing, eating, or drinking the substance, or by skin contact.

If you are exposed to chloroform, many factors determine whether you'll be harmed. These factors include the dose (how much), the duration (how long), and how you come in contact with it. You must also consider the other chemicals you're exposed to and your

A B C
D E
F G H I
J K
L M N O P
Q R S
T U
V W X Y Z

ATSDR RESOURCES

ToxFAQs™
ToxFAQs™ en Español
Public Health Statements
Toxicological Profiles
Minimum Risk Levels
MMGs
MHMIs
Interaction Profiles
Priority List of Hazardous Substances
Division of Toxicology

age, sex, diet, family traits, lifestyle, and state of health.

1.1 What is chloroform?

Chloroform is also known as trichloromethane or methyltrichloride. It is a colorless liquid with a pleasant, nonirritating odor and a slightly sweet taste. Most of the chloroform found in the environment comes from industry. It will only burn when it reaches very high temperatures. Chloroform was one of the first inhaled anesthetics to be used during surgery, but it is not used for anesthesia today. Nearly all the chloroform made in the United States today is used to make other chemicals, but some is sold or traded to other countries. We also import chloroform.

Chloroform enters the environment from chemical companies and paper mills. It is also found in waste water from sewage treatment plants and drinking water to which chlorine has been added. Chlorine is added to most drinking water and many waste waters to destroy bacteria. Small amounts of chloroform are formed as an unwanted product during the process of adding chlorine to water. Chloroform can enter the air directly from factories that make or use it and by evaporating from water and soil that contain it. It can enter water and soil when waste water that contains chlorine is released into water or soil. It may enter water and soil from spills and by leaks from storage and waste sites. There are many ways for chloroform to enter the environment, so small amounts of it are likely to be found almost everywhere.

back to top

1.2 What happens to chloroform when it enters the environment?

Chloroform evaporates very quickly when exposed to air. Chloroform also dissolves easily in water, but does not stick to the soil very well. This means that it can travel down through soil to groundwater where it can enter a water supply. Chloroform lasts for a long time in both the air and in groundwater. Most chloroform in the air eventually breaks down, but this process is slow. The breakdown products in air include phosgene, which is more toxic than chloroform, and hydrogen chloride, which is also toxic. Some chloroform may break down in soil. Chloroform does not appear to build up in great amounts in plants and animals, but we may find some small amounts of chloroform in foods.

back to top

1.3 How might I be exposed to chloroform?

You are probably exposed to small amounts of chloroform in your drinking water and in beverages (such as soft drinks) made using water that contains chloroform. You can also get chloroform in

your body by eating food, by breathing air, and by skin contact with water that contains it. You are most likely to be exposed to chloroform by drinking water and breathing indoor or outdoor air containing it. The amount of chloroform normally expected to be in the air ranges from 0.02 to 0.05 parts of chloroform per billion parts (ppb) of air and from 2 to 44 ppb in treated drinking water. However, in some places, chloroform concentrations may be higher than 44 ppb. It is estimated that the concentration of chloroform in surface water is 0.1 ppb, the concentration in untreated groundwater is 0.1 ppb, and the amount in soil is 0.1 ppb. As much as 610 ppb was found in air at a municipal landfill and up to 88 ppb was found in treated municipal drinking water. Drinking water derived from well water near a hazardous waste site contained 1,900 ppb, and groundwater taken near a hazardous waste site also contained 1,900 ppb. Surface water containing 394 ppb has also been found near a hazardous waste site; however, no more than 0.13 ppb has been found in soil at hazardous waste sites. Chloroform has been found in the air from all areas of the United States and in nearly all of the public drinking water supplies. We do not know how many areas have surface water, groundwater, or soil that contains chloroform.

The average amount of chloroform that you might be exposed to on a typical day by breathing air in various places ranges from 2 to 5 micrograms per day (μg/day) in rural areas, 6 to 200 μg/day in cities, and 80 to 2,200 μg/day in areas near major sources of the chemical. The estimated amount of chloroform you probably are exposed to in drinking water ranges from 4 to 88 μg/day. We cannot estimate the amounts that you may be exposed to by eating food and by coming into contact with water that has chloroform in it. People who swim in swimming pools absorbed chloroform through their skin. People who work at or near chemical plants and factories that make or use chloroform can be exposed to higher-than-normal amounts of chloroform. Higher exposures might occur in workers at drinking-water treatment plants, waste water treatment plants, and paper and pulp mills. People who operate waste-burning equipment may also be exposed to higher than normal levels. The National Institute for Occupational Safety and Health (NIOSH) estimated that 95,778 persons in the United States have occupational exposure to chloroform.

back to top

1.4 How can chloroform enter and leave my body?

Chloroform can enter your body if you breathe air, eat food, or drink water that contains chloroform. Chloroform easily enters your body through the skin. Therefore, chloroform may also enter your body if you take a bath or shower in water containing chloroform. In addition, you can breathe in chloroform if the shower water is hot enough for chloroform to evaporate. Studies

in people and in animals show that after you breathe air or eat food that has chloroform in it, the chloroform can quickly enter your bloodstream from your lungs or intestines. Inside your body, chloroform is carried by the blood to all parts of your body, such as the fat, liver, and kidneys. Chloroform usually collects in body fat; however, its volatility ensures that it will eventually be removed once the exposure has been removed. Some of the chloroform that enters your body leaves unchanged in the air that you breathe out, and some chloroform in your body is broken down into other chemicals. These chemicals are known as breakdown products or metabolites, and some of them can attach to other chemicals inside the cells of your body and may cause harmful effects if they collect in high enough amounts in your body. Some of the metabolites also leave the body in the air you breathe out. Only a small amount of the breakdown products leaves the body in the urine and stool.

back to top

1.5 How can chloroform affect my health?

To protect the public from the harmful effects of toxic chemicals and to find ways to treat people who have been harmed, scientists use many tests.

One way to see if a chemical will hurt people is to learn how the chemical is absorbed, used, and released by the body; for some chemicals, animal testing may be necessary. Animal testing may also be used to identify health effects such as cancer or birth defects. Without laboratory animals, scientists would lose a basic method to get information needed to make wise decisions to protect public health. Scientists have the responsibility to treat research animals with care and compassion. Laws today protect the welfare of research animals, and scientists must comply with strict animal care guidelines.

In humans, chloroform affects the central nervous system (brain), liver, and kidneys after a person breathes air or drinks liquids that contain large amounts of chloroform. Chloroform was used as an anesthetic during surgery for many years before its harmful effects on the liver and kidneys were recognized. Breathing about 900 parts of chloroform in a million parts of air (900 ppm or 900,000 ppb) for a short time causes fatigue, dizziness, and headache. If you breathe air, eat food, or drink water containing elevated levels of chloroform, over a long period, the chloroform may damage your liver and kidneys. Large amounts of chloroform can cause sores when the chloroform touches your skin.

We do not know whether chloroform causes harmful reproductive effects or birth defects in people. Miscarriages occurred in rats and mice that breathed air containing elevated levels (30 to 300

ppm) of chloroform during pregnancy and in rats that ate chloroform during pregnancy. Abnormal sperm were found in mice that breathed air containing elevated levels (400 ppm) of chloroform for a few days. Offspring of rats and mice that breathed chloroform during pregnancy had birth defects.

Results of studies of people who drank chlorinated water showed a possible link between the chloroform in chlorinated water and the occurrence of cancer of the colon and urinary bladder. Cancer of the liver and kidneys developed in rats and mice that ate food or drank water that had large amounts of chloroform in it for a long time. We do not know whether liver and kidney cancer would develop in people after long-term exposure to chloroform in drinking water. Based on animal studies, the Department of Health and Human Services (DHHS) has determined that chloroform may reasonably be anticipated to be a carcinogen (a substance that causes cancer). The International Agency for Research on Cancer (IARC) has determined that chloroform is possibly carcinogenic to humans (2B). The EPA has determined that chloroform is a probable human carcinogen.

back to top

1.6 Is there a medical test to determine whether I have been exposed to chloroform?

Although we can measure the amount of chloroform in the air that you breathe out, and in blood, urine, and body tissues, we have no reliable test to determine how much chloroform you have been exposed to or whether you will experience any harmful health effects. The measurement of chloroform in body fluids and tissues may help to determine if you have come into contact with large amounts of chloroform. However, these tests are useful only a short time after you are exposed to chloroform because it leaves the body quickly. Because it is a breakdown product of other chemicals (chlorinated hydrocarbons), chloroform in your body might also indicate that you have come into contact with those other chemicals. Therefore, small amounts of chloroform in the body may indicate exposure to these other chemicals and may not indicate low chloroform levels in the environment. From blood tests to determine the amount of liver enzymes, we can tell whether the liver has been damaged, but we cannot tell whether the liver damage was caused by chloroform.

back to top

1.7 What recommendations has the federal government made to protect human health?

The federal government develops regulations and recommendations to protect public health. Regulations can be enforced by law. Federal agencies that develop regulations for toxic substances include EPA, the Occupational Safety and Health

Administration (OSHA), and the Food and Drug Administration (FDA). Recommendations provide valuable guidelines to protect public health but cannot be enforced by law. Federal organizations that develop recommendations for toxic substances include the Agency for Toxic Substances and Disease Registry (ATSDR) and the National Institute for Occupational Safety and Health (NIOSH).

Regulations and recommendations can be expressed in not-to-exceed levels in air, water, soil, or food that are usually based on levels that affect animals; then they are adjusted to help protect people. Sometimes these not-to-exceed levels differ among federal organizations because of different exposure times (an 8-hour workday or a 24-hour day), the use of different animal studies, or other factors.

Recommendations and regulations are also periodically updated as more information becomes available. For the most current information, check with the federal agency or organization that provides it. Some regulations and recommendations for chloroform include the following:

The EPA sets rules for the amount of chloroform allowed in water. The EPA limit for total trihalomethanes, a class of chemicals that includes chloroform, in drinking water is 100 micrograms per liter (μg/L, 1 μg/L = 1 ppb in water). Furthermore, EPA requires that spills of 10 pounds or more of chloroform into the environment be reported to the National Response Center.

OSHA sets the levels of chloroform allowed in workplace air in the United States. A permissible occupational exposure limit is 50 ppm or 240 mg/m^3 (ceiling value) in air during an 8-hour workday, 40-hour workweek.

back to top

1.8 Where can I get more information?

If you have any more questions or concerns, please contact your community or state health or environmental quality department or:

Agency for Toxic Substances and Disease Registry
Division of Toxicology
1600 Clifton Road NE, Mailstop F-32
Atlanta, GA 30333

Information line and technical assistance:

Phone: 888-422-8737

FAX: (770)-488-4178

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

To order toxicological profiles, contact:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

back to top

References

Agency for Toxic Substances and Disease Registry (ATSDR). 1997. Toxicological profile for chloroform. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

back to top

ATSDR Information Center / ATSDRIC@cdc.gov / 1-888-422-8737

This page was updated on November 22, 2004

ATSDR
AGENCY FOR TOXIC SUBSTANCES AND DISEASE REGISTRY

CONTENTS

1.1 What are bromoform and dibromochloromethane?
1.2 What happens to bromoform and dibromochloromethane when they enter the environment?
1.3 How might I be exposed to bromoform and dibromochloro methane?
1.4 How can bromoform and dibromochloromethane enter and leave my body?
1.5 How can bromoform and dibromochloromethane affect my health?
1.6 How can bromoform and dibromochloromethane affect children?
1.7 How can families reduce the risk of exposure to bromoform and dibromochloromethane?
1.8 Is there a medical test to determine whether i have been exposed to bromoform and dibromochloromethane?
1.9 What recommendations has the federal government made to protect human health?

September 2003

Public Health Statement for Bromoform and Chlorodibromomethane

Draft for Public Comment

(Bromoformo y Dibromoclorometano)

CAS# Chlorodibromomethane 124-48-1
Bromoform 75-25-2

This Public Health Statement is the summary chapter from the Toxicological Profile for chlorodibromomethane and bromoform. It is one in a series of Public Health Statements about hazardous substances and their health effects. A shorter version, the ToxFAQs™, is also available. This information is important because this substance may harm you. The effects of exposure to any hazardous substance depend on the dose, the duration, how you are exposed, personal traits and habits, and whether other chemicals are present. For more information, call the ATSDR Information Center at 1-888-422-8737.

This public health statement tells you about bromoform and dibromochloromethane and the effects of exposure.

The Environmental Protection Agency (EPA) identifies the most serious hazardous waste sites in the nation. These sites make up the National Priorities List (NPL) and are the sites targeted for long-term federal cleanup activities. Bromoform and dibromochloromethane have been found in at least 141 and 172 of the 1,636 current or former NPL sites, respectively. However, the total number of NPL sites evaluated for this substance is not known. As more sites are evaluated, the sites at which bromoform and dibromochloromethane are found may increase. This information is important because exposure to this substance may harm you and because these sites may be sources of exposure.

When a substance is released from a large area, such as an industrial plant, or from a container, such as a drum or bottle, it enters the environment. This release does not always lead to exposure. You are exposed to a substance only when you come in contact with it. You may be exposed by breathing, eating, or drinking the substance, or by skin contact.

1.10 Where can I get more information?
References

RELATED RESOURCES
ToxFAQ™ 42k
ToxFAQ™ en Español 92k
Public Health Statement 224k
Public Health Statement en Español 195k
Toxicological Profile 2.1MB

A-Z INDEX
A B C
D E
F G H I
J K
L M N O P
Q R S
T U
V W X Y Z

ATSDR RESOURCES
ToxFAQs™
ToxFAQs™ en Español
Public Health Statements
Toxicological Profiles
Minimum Risk Levels
MMGs
MHMIs
Interaction Profiles
Priority List of Hazardous Substances
Division of Toxicology

If you are exposed to bromoform or dichlorobromomethane, many factors determine whether you'll be harmed. These factors include the dose (how much), the duration (how long), and how you come in contact with it. You must also consider the other chemicals you're exposed to and your age, sex, diet, family traits, lifestyle, and state of health.

1.1 What are bromoform and dibromochloromethane?

Bromoform (also known as tribromomethane) and dibromochloromethane are colorless to yellow, heavy, nonburnable liquids with a sweetish odor. These chemicals are possible contaminants of drinking water that has been chlorinated to kill bacteria and viruses that could cause serious waterborne infectious diseases. Bromoform and dibromochloromethane may form when chlorine reacts with other naturally occurring substances in water, such as decomposing plant material. Plants in the ocean also produce small amounts of these chemicals.

These chemicals are found mainly in water that originally came from surface sources, such as rivers and lakes. Springs and deep drilled wells usually contain very little of the substances that react with chlorine to form these chemicals; therefore, well and spring water is less likely a source of bromoform and dibromochloromethane than water from a reservoir (artificial lake). The amount of bromoform and dibromochloromethane in drinking water can change considerably from day to day, depending on the source, temperature, amount of plant material in the water, amount of chlorine added, and a variety of other factors.

In the past, bromoform was used by industry to dissolve dirt and grease and to make other chemicals, and it was also used in the early part of this century as a medicine to help children with whooping cough get to sleep. Currently, bromoform is only produced in small amounts for use in laboratories and in geological and electronics testing. Dibromochloromethane was used in the past to make other chemicals such as fire extinguisher fluids, spray can propellants, refrigerator fluid, and pesticides. It is now only used on a small scale in laboratories.

In the environment, bromoform and dibromochloromethane are not found as pure liquids, but instead, they are found either dissolved in water or evaporated into air as a gas. Both bromoform and dibromochloromethane are relatively stable in the air, but reactions with other chemicals in the air cause them to break down slowly (about 50% in 1 or 2 months). Any bromoform and dibromochloromethane in water or soil may also be broken down by bacteria, but the speed of this process is not known.

Further information on the properties, uses, and chemical identity of bromoform and dibromochloromethane in the environment may be found in Chapters 4, 5, and 6.

back to top

1.2 What happens to bromoform and dibromochloromethane when they enter the environment?

Bromoform and dibromochloromethane enter the environment through the disposal of water that has been disinfected with chlorine or as vapors emitted from chlorinated water. These chemicals are also made naturally by plant-like organisms called algae in the oceans. Some part of bromoform and dibromochloromethane that enters the air is taken out of the air in rain. What is left in the air takes about 1-2 months for half of it to degrade. In water, bromoform and dibromochloromethane are slowly broken down at the water surface where oxygen is available, but break down much faster in deep water and in water that is underground where there is a lot less oxygen. Bromoform and dibromochloromethane are mobile in soils and may seep into groundwater. Bromoform and dibromochloromethane do not appear to concentrate in fish.

back to top

1.3 How might I be exposed to bromoform and dibromochloromethane?

You are most likely to be exposed to bromoform and dibromochloromethane by drinking water that has been treated with chlorine. Usually, the levels in chlorinated drinking water are between 1 and 10 parts of bromoform and dibromochloromethane per billion parts of water (ppb). These are levels that are known to be without health effects. Bromoform and dibromochloromethane have also been detected in chlorinated swimming pools. When you are at a pool, you could be exposed by breathing some bromoform or dibromochloromethane that has evaporated into the air, or by uptake from the water through the skin. Neither dibromochloromethane nor bromoform are likely to be found in food.

If you live near a factory or laboratory that makes or uses dibromochloromethane or bromoform, you might be exposed to dibromochloromethane or bromoform in the air. Currently, bromoform is only used for geological and electronics testing. Dibromochloromethane is used on a small-scale in laboratories. Since neither dibromochloromethane nor bromoform have widespread use in this country, they are usually present in outside air only at very low levels (less than 0.01 ppb). Therefore, exposure to bromoform in the air is a minor route. Another place

where you might be exposed is near a chemical waste site where dibromochloromethane or bromoform has been allowed to leak into water or soil. In this case, you could be exposed if you drank the water or, to a lesser extent, got the soil on your skin. Further information on how you might be exposed to these chemicals is given in Chapter 6.

back to top

1.4 How can bromoform and dibromochloromethane enter and leave my body?

Studies in animals or humans indicate that both bromoform and dibromochloromethane can easily enter your body after you drink them in water or breathe them in air. They can also enter your body after you get them on your skin (for example, by washing or showering in water containing these chemicals). After bromoform and dibromochloromethane enter your body, they are broken down to other compounds. These compounds, as well as bromoform and dibromochloromethane, are removed from the body by being breathed out through the lungs. These chemicals leave the body fairly rapidly and completely. Of the amount that enters the body, 50-90% leaves the body in 8 hours, so bromoform and dibromochloromethane do not tend to build up in the body. Further information on how bromoform and dibromochloromethane enter and leave your body is given in Chapter 3.

back to top

1.5 Howcan bromoform and dibromochloromethane affect my health?

To protect the public from the harmful effects of toxic chemicals and to find ways to treat people who have been harmed, scientists use many tests.

One way to see if a chemical will hurt people is to learn how the chemical is absorbed, used, and released by the body; for some chemicals, animal testing may be necessary. Animal testing may also be used to identify health effects such as cancer or birth defects. Without laboratory animals, scientists would lose a basic method to get information needed to make wise decisions to protect public health. Scientists have the responsibility to treat research animals with care and compassion. Laws today protect the welfare of research animals, and scientists must comply with strict animal care guidelines.

The effects of bromoform and dibromochloromethane on your health depend on how much you take into your body. In general, the more you take in, the greater the chance that an effect will occur. Studies in animals or humans indicate that the main effect

of eating or breathing large amounts of these chemicals (for example, swallowing 1-4 drops of liquid bromoform, which is a much greater amount than that usually found in a glass of drinking water) is a slowing down of normal brain activities. The amount of dibromochloromethane taken by mouth that would affect humans is not known, but is probably about the same as for bromoform. Sleepiness or sedation occurs quickly after the chemicals enter your body. In humans, the usual result is only sleepiness, which tends to go away within a day. At higher amounts, or in extreme cases, a person may become unconsciousness or die.

Studies in animals indicate that exposure to high doses of bromoform or dibromochloromethane may also lead to injury to the liver and the kidneys within a short period of time. Exposure to low levels of bromoform or dibromochloromethane do not appear to seriously affect the brain, liver, or kidneys, but studies in animals indicate that long-term intake of either bromoform or dibromochloromethane can cause cancer. Although no cases of cancer in humans can be definitely attributed to these chemicals, this is an effect of special concern, since many people are exposed to low levels of bromoform and dibromochloromethane in chlorinated drinking water.

Studies in animals also suggest that neither bromoform nor dibromochloromethane has a high risk of affecting the chance of becoming pregnant or harming an unborn baby.

Further information on how bromoform and dibromochloromethane can affect the health of humans and animals is presented in Chapter 3.

back to top

1.6 How can bromoform and dibromochloromethane affect children?

This section discusses potential health effects from exposures during the period from conception to maturity at 18 years of age in humans.

In the early 1900s, bromoform was given to children suffering from whooping cough, and several deaths resulted when children accidentally took overdoses. Children appeared drowsy, then lifeless, just before dying.

There are no studies in humans or laboratory animals that have examined whether the effects of bromoform dibromochloromethane change with age. Based on current knowledge of how the body functions, and what is known about what happens to these chemicals in the bodies of animals, there is no indication that children will be affected to a greater degree than

adults.

back to top

1.7 How can families reduce the risk of exposure to bromoform and dibromochloromethane?

If your doctor finds that you have been exposed to significant amounts of bromoform and/or dibromochloromethane, ask whether your children might also be exposed. Your doctor might need to ask your state health department to investigate.

The risk of consuming bromoform or dibromochloromethane in chlorinated public drinking water varies with season, water temperature, water chemistry, disinfection method, and other factors. However, the health risks, associated with drinking non-disinfected water when there is evidence of pathogenic contamination (i.e., bacteria, viruses, etc.), are much greater than the risk of exposure to bromoform or dibromochloromethane.

There are water treatment methods that people can use in their homes (point-of-use filtration) to reduce exposure to bromoform and dibromochloromethane from chlorinated tap water. These include potential do-it-yourself methods such as connecting solid carbon block filters to your faucet and shower taps. Homeowners may discuss other home water treatment methods, including filtering, aeration or boiling, distillation, and/or activated charcoal, with a professional plumber or water well contractor. While bromoform is no longer used as a medicine, keeping children away from or supervising children with chemicals brought into the home, will reduce the potential for accidental exposures. The risk of exposure to bromoform and dibromochloromethane may be reduced by minimizing contact with water expected to have a higher levels of these chemicals, such as swimming pool water. When taking a bath or showering in water in which dibromochloromethane and/or bromoform is present, greater amounts of these chemicals evaporate into the air at hotter temperatures and during longer time periods. Opening the windows in bathrooms, and taking quick baths or showers may reduce the amount of chemical vapor that is inhaled or absorbed through the skin.

back to top

1.8 Is there a medical test to determine whether i have been exposed to bromoform and dibromochloromethane?

If you are exposed to bromoform or dibromochloromethane, measurable levels of the chemicals can sometimes be detected in samples of your blood, breath, or fat. However, there is not enough information at present to use the results of such tests to estimate the level of exposure or to predict the nature or the severity of any health effects that might result. Since special equipment is needed,

these tests are not routinely performed in doctors' offices. Because bromoform and dibromochloromethane are eliminated from the body fairly quickly, these special laboratory tests are only effective in detecting recent exposures (within 1 or 2 days). Further information on how bromoform and dibromochloromethane can be measured in exposed humans is presented in Chapters 3 and 7.

back to top

1.9 What recommendations has the federal government made to protect human health?

The federal government develops regulations and recommendations to protect public health. Regulations can be enforced by law. Federal agencies that develop regulations for toxic substances include the Environmental Protection Agency (EPA), the Occupational Safety and Health Administration (OSHA), and the Food and Drug Administration (FDA). Recommendations provide valuable guidelines to protect public health but cannot be enforced by law. Federal organizations that develop recommendations for toxic substances include the Agency for Toxic Substances and Disease Registry (ATSDR) and the National Institute for Occupational Safety and Health (NIOSH).

Regulations and recommendations can be expressed in not-to-exceed levels in air, water, soil, or food that are usually based on levels that affect animals; then they are adjusted to help protect people. Sometimes these not-to-exceed levels differ among federal organizations because of different exposure times (an 8-hour workday or a 24-hour day), the use of different animal studies, or other factors.

Recommendations and regulations are also periodically updated as more information becomes available. For the most current information, check with the federal agency or organization that provides it. Some regulations and recommendations for bromoform include the following:

OSHA has set a legally enforceable limit of 0.5 ppm for bromoform in workroom air to protect workers during an 8-hour shift over a 40-hour work week.

EPA recommends that drinking water levels for bromoform should not be more than 0.7 parts per million (ppm) for bromoform and 0.7 ppm for dibromochloromethane.

back to top

1.10 Where can I get more information?

If you have any more questions or concerns, please contact your community or state health or environmental quality

department or:

Agency for Toxic Substances and Disease Registry
Division of Toxicology
1600 Clifton Road NE, Mailstop F-32
Atlanta, GA 30333

Information line and technical assistance:

Phone: 888-422-8737
FAX: (770)-488-4178

ATSDR can also tell you the location of occupational and environmental health clinics. These clinics specialize in recognizing, evaluating, and treating illnesses resulting from exposure to hazardous substances.

To order toxicological profiles, contact:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Phone: 800-553-6847 or 703-605-6000

back to top

References

Agency for Toxic Substances and Disease Registry (ATSDR). 2003. Toxicological profile for chlorodibromomethane and bromoform. *Draft for Public Comment*. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service.

back to top