AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE			PAGE OF PAGES		
AMENDMENT OF SOLICITA	ATION/MODIF	ICATION OF CONTRACT					1 4		
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.		1	5. PROJI	ECTN	O.(Ifapplicable)		
0002	21-Nov-2024								
6. ISSUED BY CODE	W912WJ	7. ADMINISTERED BY (Ifother than item 6)		COI	DE				
U S ARMY ENGR DISTRICT, NEW ENGLAND 696 VIRGINIA RD CONCORD MA 01742-2751		See Item 6							
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			Х	X 9A. AMENDMENT OF SOLICITATION NO.					
		• /		W912WJ25Q0		/(1 1 \)			
			Х	X 9B. DATED (SEE ITEM 11) 07-Nov-2024					
				10A. MOD. OF CONTRACT/ORDER NO.					
CODE	CODE FACILITY CODE					10B. DATED (SEE ITEM 13)			
		PPLIES TO AMENDMENTS OF SOLI	CIT	AT IONS					
X The above numbered solicitation is amended as set fort	h in Item14. The hour and	date specified for receipt of Offer		is extended,	X is not	extend	ed.		
Offer must acknowledge receipt of this amendment prices (a) By completing Items 8 and 15, and returning 1 or (c) By separate letter or telegram which includes a received ATTHE PLACE DESIGNATED FOR TREJECTION OF YOUR OFFER. If by virtue of this are provided each telegram or letter makes reference to the	copies of the amendment eference to the solicitation IE RECEIPT OF OFFERS mendment you desire to cha	nt; (b) By acknowledging receipt of this amendmand amendment numbers. FAILURE OF YOUR APRIOR TO THE HOUR AND DATE SPECIFIED UNDER AND DATE SPECIFIED UNDER AND SECONDER AND SE	ent o ACK D M/ be m	n each copy of the of NOWLEDGMENT AY RESULT IN ade by telegramor le	ТО ВЕ	ed;			
12. ACCOUNTING AND APPROPRIATION DA	ATA (If required)								
		TO MODIFICATIONS OF CONTRACT CT/ORDER NO. AS DESCRIBED IN IT							
A. THIS CHANGE ORDER IS ISSUED PURSU CONTRACT ORDER NO. IN ITEM 10A.					MADE IN	NTHI	<u> </u>		
B. THE ABOVE NUMBERED CONTRACT/O office, appropriation date, etc.) SET FORT					as chang	es in p	paying		
C. THIS SUPPLEMENTAL AGREEMENT IS	SENTERED INTO PU	JRSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and	authority)								
E. IMPORT ANT: Contractor is not,	is required to sig	n this document and return	co	pies to the issuin	g office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION where feasible.)	ICATION (Organized	by UCF section headings, including solic	citat	ion/contract subj	ect matt	er			
Amendment is necessary to provide response	es to questions from i	ndustry and revise the Supply Require	mer	nt.					
Solicitation closing remains December 2, 2024	at 2:00 PM Eastern.								
All other terms and conditions remain unchang	ged.								
Except as provided herein, all terms and conditions of the d	ocument referenced in Item	9A or 10A, as heretofore changed, remains uncha	nged	and in full force and	effect.				
15A. NAME AND TITLE OF SIGNER (Type or	16A. NAME AND TITLE OF CO	CONTRACTING OFFICER (Type or print)				print)			
		TEL:		EMAIL:					
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNE	D 16B. UNITED STATES OF AME	RIC	A		16C.	DATE SIGNED		
	.	BY				21-	-Nov-2024		
(Signature of person authorized to sign)		(Signature of Contracting Of	fice	r)		l			

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

REQUEST FOR INFORMATION

QUESTION 1: Can you please provide information on the incumbent contractor and amount, if applicable?

RESPONSE 1: The previous contract was awarded to Michael J. Tasha Trucking, Inc. for a contract total of \$6,785.

QUESTION 2: Can you tell me what the new period of performance for this contract will be?

RESPONSE 2: Please see revised section I.4. *Schedule* of the Supply Requirement for an updated Period of Performance.

SECTION SF 1449 - CONTINUATION SHEET

The following have been modified:

SUPPLY REQUIREMENT

DYED ULTRA-LOW SULFUR DIESEL ASTM-D975 SPEC
U.S. ARMY CORPS OF ENGINEERS
CAPE COD CANAL FIELD OFFICE
BUZZARDS BAY, MASSACHUSETTS
SUPPLY REQUIREMENT
REVISED

I. General

1. Scope

Contractor shall provide up to 2,300 gallons of Red-Dyed Ultra-low Sulfur Diesel Fuel Oil ASTM D-975 Spec to tanks located at the Cape Cod Canal Field Office in Buzzards Bay, Massachusetts. All applicable fees, taxes, and delivery charges shall be included in the price per gallon rate. All work will be completed to the satisfaction of the Technical Point of Contact (TPOC).

All deliveries shall conform to Federal, State, and local laws and regulations.

2. Location

Cape Cod Canal Field Office, 40 Academy Drive, Buzzards Bay, MA 02532

3. Site Visit

To arrange a site visit, contact the TPOC, Marine Operations Officer, James Deal at 978-318-8539 or <u>James.P.Deal@usace.army.mil</u>.

4. Schedule

Deliveries will be made once during the period of performance. Deliveries will not be accepted before 7:00 am or after 3:30 pm, unless approved in advance by the TPOC. No deliveries will be accepted on Saturdays, Sundays, and holidays unless approved in advance by the TPOC. The period of performance will be from contract award through 29 November 2024 December 31, 2024.

5. <u>Safety</u>

All work shall be conducted in accordance with the U.S. Army Corps of Engineers (USACE) Safety and Occupational Health Requirements (EM 385-1-1, most recent edition), and all applicable Occupational Safety and Health Administration (OSHA), Federal, State, and local safety and health requirements. A copy of EM 385-1-1 can be accessed electronically at the following link:

https://www.publications.usace.army.mil/Portals/76/EM%20385-1-1%20_EFFECTIVE%2015March2024.pdf

Project staff reserve the right to cease work at any time should the safety of employees, Contractors, and/or the public become jeopardized.

6. Accident Reporting

All accidents and near misses shall be investigated by the Contractor and reported to the Technical Point of Contact in accordance with EM 385-1-1, Table 2-1.

The mandatory ENG Form 3394 shall be completed and submitted to the Technical Point of Contact within seven (7) days of an incident:

https://www.publications.usace.army.mil/Portals/76/Publications/EngineerForms/Eng_Form_339_4_2021Aug.pdf

7. Security

The Contractor will comply with all established security policies at the Cape Cod Canal Field Office. Due to periods of heightened security that may affect the access to the areas covered under this contract, the Government reserves the right to close any property or portion of property and reschedule and/or cancel any subsequent service. The Contractor shall be given at least 24-hour notice of any such closure.

8. Environmental Protection

The Contractor shall prevent pollution or damage to the environment resulting from work performed during this contract. The Contractor will receive no additional payment for environmental protection work. Prevention of pollution and environmental damage is a Contractor obligation under current State and Federal Laws and regulations. Assurance of

compliance with this section by subcontractors shall be the responsibility of the Contractor. All spills/damage shall be immediately reported to the TPOC

9. Payment

The Contractor will furnish the TPOC with one invoice after each delivery, stating the quantities delivered to each location and the amount to be paid. Payment shall be made for the actual quantity delivered at the applicable contract unit price. The invoice shall include the invoice date, contract number, dates of service, description of work, quantities, and total amount due per line item. The invoice must also include the company letterhead, and this must match the data that is registered in the System for Award Management (SAM) registry.

All invoices may be mailed to:

U.S. Army Corps of Engineers Cape Cod Canal Field Office 40 Academy Drive Buzzards Bay MA, 02532

Or emailed to: James.P.Deal@usace.army.mil

II. Technical Requirements

The Contractor shall provide up to **2,300 gallons** of Red-Dyed Ultra-Low Sulfur Diesel Fuel Oil ASTM D-975 Spec to the Cape Cod Canal Field Office tanks identified below. The quantities identified correspond to the maximum storage capacity at each tank and will be filled at the special request of the TPOC. **All applicable fees, taxes, and delivery charges shall be included in the price per gallon rate.** The delivery schedule must be coordinated with the TPOC to allow access to each building.

- 1. Cape Cod Canal Field Office 40 Academy Drive, Buzzards Bay MA, 02532
 - a. Canal Field Office Convault Tank 1 (Tank Capacity 2300 gallons)
 - b. Canal Field Office Convault Tank 2 (Tank Capacity –2300 gallons)
 Note: Normally only one tank is filled during each delivery. Actual capacity per tank is 3,000 gallons. Tank capacities listed above account for 10% expansion.

(End of Summary of Changes)