

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES
2. AMENDMENT/MODIFICATION NO. 0003	3. EFFECTIVE DATE 18-Nov-2021	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable) 1 14
6. ISSUED BY U S ARMY ENGR DISTRICT, NEW ENGLAND 696 VIRGINIA RD CONCORD MA 01742-2751	CODE W912WJ	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. W912WJ22Q0011	
		X	9B. DATED (SEE ITEM 11) 27-Oct-2021	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACT ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) Amendment 0003 is to extend the response date to 29 November 2021 at 2:00 PM, revise the Performance Work Statement, and post the solicitation on SAM.gov. All other terms and conditions remain unchanged.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL:	EMAIL:	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		18-Nov-2021

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 1449 - CONTINUATION SHEET

SOLICITATION/CONTRACT FORM

The required response date/time has changed from 19-Nov-2021 02:00 PM to 29-Nov-2021 02:00 PM.

The following have been added by full text:

REVISED PERFORMANCE WORK STATE

SNOW REMOVAL AND SANDING SERVICES

U.S. ARMY CORPS OF ENGINEERS

EDWARD MACDOWELL LAKE

PETERBOROUGH, NH

Performance Work Statement

I. General:

1. **Scope** – Provide all equipment, materials, labor, and transportation necessary to perform snow removal, sanding services, ~~as well as end of season clean up services~~ at the Edward MacDowell Lake Project Area as described in this Performance Work Statement.
2. **Location** – Edward MacDowell Lake is located at 75 Wilder St, Peterborough, New Hampshire.
3. **Site Visit** – Contact the Technical Point of Contact (TPOC) to arrange a site visit. The Technical Point of Contact for the project is Park Ranger Caleb Blakeslee (978-318-8473) or caleb.j.blakeslee@usace.army.mil
4. **Schedule** – The Contract Period of Performance for the base year will be from **Contract Award to 30 May 2022**. ~~In addition, the Government may exercise two optional years with the same scope of services. Option year one will have a contract period of performance of 31 May 2022 to 30 May 2023.~~

Tasks are to be performed during the Service Schedule depicted in the table below. The Service Schedule is the time period when services are expected to be performed.

Service Schedule:

Service Year	Start Date	End Date
Base	Contract Award	May 30 2022
Option Year #1	May 31 2022	May 30 2023

The following table identifies the task number, description and quantity. The actual quantity required will be determined by the number and nature of snowstorms. The following table identifies the maximum number of services that could be required at the Service Location during one year.

Task #	Description	Qty
1	Snow Plowing	15
2	Sanding Operation	9
3	End of Season Clean-up	1

5. **Safety Requirements** – All work shall be conducted in accordance with the U.S. Army Corps of Engineers Safety and Health Requirements Manual (EM 385-1-1, most recent edition), and all applicable Occupational Safety and Health Administration (OSHA), federal, state, and local safety and health requirements. A copy of EM 385-1-1 can be accessed at the project office or electronically at Headquarters USACE website under publications using the following link:
http://www.publications.usace.army.mil/Portals/76/Publications/EngineerManuals/EM_385-1-1.pdf

Project staff reserve the right to cease work at any time should the safety of employees, contractors, and/or the public become jeopardized.

a. **Abbreviated Accident Prevention Plan:**

The Contractor shall prepare an Abbreviated Accident Prevention Plan (AAPP) specific to the activities being performed. It shall include Activity Hazard Analyses (AHAs) as described below. A non-mandatory, fillable Abbreviated APP template is available upon request. However, the Contractor is permitted to submit their own plan, at a minimum it must meet the requirements of EM 385-1-1, Appendix A, Section K.

A preparatory meeting shall be conducted by the Prime Contractor to discuss the Abbreviated APP contents with all effected onsite employees. The Prime Contractor is responsible for informing their subcontractors of the safety provisions under the terms of the contract, the penalties for noncompliance, and inspecting subcontractor operations to ensure that accident prevention responsibilities are being carried out.

b. **Activity Hazard Analysis (AHA):**

An AHA shall be submitted for each major phase of work. A major phase of work is defined as an operation involving a type of work presenting hazards not experienced in previous operations or where a new subcontractor or work crew is to perform the work. The analysis shall define all activities to be performed, identify the sequence of work, the specific hazards anticipated, and the control measures to be implemented to eliminate or reduce each hazard to an acceptable level. The AHA shall be continuously reviewed and revised to address changing site conditions as appropriate.

COVID-19 NOTE: As part of the AAPP and AHA's, include site specific COVID-19 monitoring procedures which address, at a minimum, the following elements:

- Procedures for periodic sanitation inspections.
- Procedures for disinfecting project sites in accordance with Centers for Disease Control and Prevention (CDC) guidelines.
- Site specific measures to practice social distancing while working on the project.
- Employee training on the signs, symptoms, and protection measures in accordance with CDC guidelines.
- A list of Personal Protective Equipment (PPE) to be used in accordance with CDC and state guidelines.

c. Emergency Response:

Emergency procedures shall be documented in the Abbreviated Accident Prevention Plan and will include a map with directions to the nearest hospital, emergency contact numbers, and onsite First Aid/CPR responders.

d. Required Personnel:

The Contractor shall designate one employee as the site's Competent Person (CP) who is responsible for ensuring a safe environment for all employees. The CP shall be present at the project site and report to the Contractor's upper management. The CP is required to have related construction and/or service experience.

When emergency medical services are not accessible within five (5) minutes of the work location and there are two (2) or more workers onsite, at least two (2) employees shall be trained in First Aid and CPR. Minimum qualifications are listed in EM 385-1-1, Section 03.A.02.c.

e. Accident Reporting:

All accidents and near misses shall be investigated by the Contractor. All work-related recordable injuries, illnesses and property damage accidents (excluding on-the-road vehicle accidents), in which the property damage exceeds \$5,000.00, shall be verbally reported to the TPOC within four (4) hours of the incident. Serious accidents as described in EM 385-1-1 Section 01.D shall be immediately reported to the TPOC. ENG Form 3394 shall be completed and submitted to the TPOC within five (5) working days of the incident.

The Contractor shall compile employee work hours (including subcontractors) and forward the total hours to the TPOC no later than close of business on the 10th calendar day of the following month. The method of transmission by the prime Contractor to the TPOC shall be electronically.

- 6. Pre-Work Conference** – Prior to the start of any work, the Technical Point of Contact will schedule and conduct a “Pre-Work Conference”. The Contractor’s Project Manager and Quality Control Personnel will attend this meeting. This conference will be held at the time and location agreeable to the Government and Contractor. No work may be performed under this contract prior to this conference. The purpose of the conference is to enable the Technical Point of Contact to outline the procedures that will be followed by the Government in its administration of the contract, and to discuss the performance that will be expected from the Contractor. This conference will allow the Contractor an opportunity to ask questions about the Government’s administration and inspection of contract work or obtain other pertinent information that might be required. At the Pre-Work Conference the Contractor shall provide the name of the project superintendent with a telephone number for project coordination.

The following is a general list of items for discussion during this Pre-Work Conference:

- i.** Authority of the Technical Point of Contact and Quality Assurance Inspectors.
 - ii.** Contractor’s Safety Program (including sub-contractors).
 - iii.** Abbreviated Accident Prevention Plan and Activity Hazard Analysis
(Submitted & accepted prior to start of work on site)
 - iv.** Safety Meetings (Documented on NED Form 251)
 - v.** Accident Reporting (ENG Form 3394)
 - vi.** Safety Data Sheet (SDS) requirements
 - vii.** Contractor’s Equipment
 - viii.** Correspondence, Communication, Security and Administrative Procedures.
 - ix.** Invoice and payment.
- 7. Permits** – The Contractor shall, without additional expense to the Government, be responsible for obtaining any necessary licenses, permits, and letters of certification. The Contractor shall comply with any applicable Federal, State, County, and Municipal laws, codes, and regulations in connection with the performance of the work specified under this contract.
- 8. Security** – The Contractor will comply with all established security policies at the Edward MacDowell Lake. Due to periods of heightened security that may affect the access to the areas covered under this contract, the Government reserves the right to close any property or portion of property and reschedule and/or cancel any subsequent service. The Contractor shall be given at least 24-hour notice of any such closure.
- 9. Payment** – The Contractor shall furnish the Technical Point of Contact with one invoice per month. The invoice shall include the invoice date, contract number, dates of service, description of work, quantities, labor hours, and total amount due per line item. The invoice must also include the company letterhead and this must match the data that is registered in the System for Award Management (SAM) registry. Payment shall be made monthly for the actual services performed at the applicable contract unit price.

All invoices may be mailed to
Edward MacDowell Lake Project Office
75 Wilder St.
Peterborough NH, 03458

Or Emailed to:

caleb.j.blakeslee@usace.army.mil

II. Technical Requirements:

Part 1 General:

1. **Summary** – Furnish all equipment, materials, labor, and transportation necessary to perform snow removal, sanding services, ~~as well as end of season clean up services~~. Contractor's work and responsibility shall include, but not be limited to, all job planning, programming, scheduling, administration, inspection, personnel, equipment, vehicles, fuel, materials, supplies, supervision, and quality control necessary to perform the various services required herein.
2. **Submittals** – Although the Government reviews submissions for technical data/information required by this Performance Work Statement, it is emphasized that the Contractor's work must be completed using proper internal controls and review procedures. The documents identified below must be prepared in accordance with the applicable standards, submitted to the Technical Point of Contact for review and must be accepted by the Government prior to the commencement of any field activities.
 - Abbreviated Accident Prevention Plan (APP) – Prior to the start of field work
 - Activity Hazard Analysis – Prior to the start of field work
3. **References** – All work shall be in conformance with:
 - a. U.S Army Corps of Engineers (USACE)
 - i. EM-385-1-1 Safety and Health Requirements Manual, U.S. Army Engineering Manual.
 - b. Code of Federal Regulations (CFR)
 - i. Title 36 – Parks, Forests, and Public Property; Chapter III – Corps of Engineers, Department of the Army.
 - c. Other appropriate Federal, State, and Local codes for such an installation.
4. **Other Contracts** – The Government may undertake or award other contracts for additional work not related to this contract, and the Contractor shall fully cooperate with other contractors and Government employees. The Contractor shall not commit or permit any act which will interfere with the performance of work by another contractor or by Government employees.
5. **Clean Up and Waste Disposal** – The Contractor shall practice good housekeeping to maintain a safe job site. The Contractor shall keep the work area, including any designated storage areas free from accumulation of waste materials. Upon completing work in an area the Contractor shall remove any tools, equipment, and materials that

are not the property of the Government. Any and all disturbed areas resulting from Contractor activities shall be restored by the Contractor to the satisfaction of the Technical Point of Contact. All waste material will be disposed of offsite in accordance with all Federal, State, and Local regulations.

- 6. Environmental Protection** – Containers for excess and/ or waste materials, rubbish, etc. shall be provided by the Contractor at the site, and the site will be inspected/ cleaned on a daily basis when working onsite. Water, air and land resources shall not be adversely impacted during the course of the work. The Contractor will take necessary steps to ensure all Federal, State, and Local environmental regulatory requirements are met at no additional cost to the Government. Assurance of compliance with this section by subcontractors shall be the responsibility of the Contractor.
- 7. Personal Protective Equipment** - It is the Contractor's responsibility to furnish and supply personnel with the proper personal protective equipment necessary for performing the work.
- 8. Government Resources** – The Contractor shall supply his own means of communication (telephone). There is not a restroom available at the contract site, and there is no access to potable water at the contract site. The Contractor would have to provide these resources or have an acceptable alternative plan for these resources.
- 9. Damage to Government and Private Property** – The Contractor shall be responsible for restoring all Government facilities or structures damaged as a result of the Contractor's operation. The Contractor shall also be responsible for any damage to private property or injury to any person as a result of the Contractor's operation. The Contractor shall notify the Technical Point of Contact immediately of damage to Government and private property and injury to any person resulting from the Contractor's operation. Also, the Contractor shall notify the Technical Point of Contact of damage to Government facilities due to vandalism or other causes on the day such damage is first noticed. Trucks and/or trailers will be driven on existing roads only and not across or through park areas to facilities. The Contractor shall also restore landscape features (shrubs, flowers, grasses, etc.), which are damaged or destroyed by the Contractor's operation. Damaged or destroyed grass areas shall be replanted as directed by the Technical Point of Contact, and shrubs and flowers which are damaged or destroyed shall be replaced from nursery stock of like size and kind.
- 10. Contractor's Personnel** –

 - a. Minimum Personnel Requirements** - The Contractor shall provide an adequate number of fully qualified personnel to perform the specified service properly and efficiently within the time limits specified. The Contractor shall provide a list of the names and contact phone numbers for all employees prior to them working on Government Property.

Note: At least one of the Contractor employees on site shall be able to communicate effectively and efficiently with project staff.

- b. Employee Conduct** - The Contractor shall be responsible for seeing that the Contractor's employees strictly comply with Code of Federal Regulations (CFR) Title 36, Chapter III, Part 327 and all Federal, State, and Municipal laws. Any personnel activity, which, in the opinion of the Government, is deemed detrimental to the performance of the contract may result in the removal of Contractor employee/employees.

Examples of unbecoming actions or conduct include but are not limited to the following:

- i.** Cursing, harassment, or discrimination of and/or unwarranted physical contact with visitors, Corps personnel, or other contractors
 - ii.** Recurring written and/or verbal complaints from visitors, Corps personnel, or other contractors.
 - iii.** Unsafe operation of vehicles while on US Army Corps of Engineers property.
- c. Removal of Contractor's Employees** - The Technical Point of Contact may require the Contractor to immediately remove from the work site any employee of the Contractor or subcontractor, who, in the opinion of the Technical Point of Contact, who endangers persons or property, or whose physical or mental condition is such that it would impair the employee's ability to satisfactorily perform assigned work. Notification to the Contractor shall be promptly made in writing if time and circumstances permit. Otherwise, notification shall be verbal or by telephone, and shall be confirmed in writing as soon as possible. No such removal, however, will reduce the Contractor's obligation to perform all work required under this contract, and immediate replacement will be made as required. This requirement shall not be made the basis of any claim for compensation or damages against the United States or any of its officers or agents.

11. Quality Assurance – The Contractor is responsible for the quality control of the contract work. The Contractor shall establish and maintain a quality control system to assure compliance with the contract requirements. The government has the right to inspect and test all items called for by the contract, to the extent practicable at all times and at all places during the term of the contract.

12. Inspections-

- a. Contractor Quality Control** - The Contractor is responsible for establishing and maintaining an adequate quality control system to satisfactorily inspect and ensure that all work performed by the Contractor's organization in each separate service is in full compliance with this contract and the instructions, provisions, specifications, drawings, and maps herein

- b. General Inspection** - Upon the completion of each service requirement, the Contractor will perform an inspection of all areas under this contract to ensure compliance with the Performance Work Statement. The Contractor or their representative must be able to commit personnel, equipment, and resources to correct deficiencies. The Services Inspection Form (form to be provided to the Contractor at the pre-work conference) will be submitted to the Technical Point of Contact to allow verification of results for payment. A Government representative may accompany the Contractor on an inspection of completed work and will identify any contract deficiencies. Any deficiencies noted will be corrected within original contract time frames or appropriate deductions in payment will be made.
 - c. Equipment/Supplies Inspections** - The Technical Point of Contact may inspect required equipment and, supplies at any time when in use on Government property. Any equipment found deficient shall be removed from service immediately until faulty conditions have been corrected and passed by the Technical Point of Contact. No such removal will reduce the Contractor's obligation to perform all work required within the time scheduled under this contract. This requirement shall not be made the basis of any claim for compensation or damages against the United States or any of its officers or agents.
 - d. Government Inspections** - The Government will monitor the Contractor's service performance and make deductions accordingly.
- 13. Receiving and Storing Materials** – The Contractor is responsible for protecting any stored material until it is placed in service. The Contractor is responsible for receiving and unloading of delivered goods. Government employees will not receive materials or supplies for the Contractor and will not be responsible for damage to the Contractor's equipment or materials.
- 14. Omissions** – This contract may not cover all specified activities, steps, and procedures required to supply the contract product. In case of omission, the normal industry, state, or federal standards, practices, specifications, and/or guides shall prevail. In no instance shall an omission be reason to produce less than an acceptable product.

Part 2 Equipment:

- 1. Condition of Equipment**– All equipment used to perform work under this contract must be in good operating and mechanical condition and comply with EM 385-1-1, Army Corps of Engineers Safety and Health Requirements. A regular schedule of preventive maintenance must be followed on all equipment. All vehicles utilized under this contract will be presentable, serviceable, and shall comply with safety standards.
- 2. Type of Equipment-**

- a. The Contractor shall have equipment sufficient to plow snow and to spread sand. Hand sanding is not acceptable at Edward MacDowell Lake. The plow equipment shall be able to handle typical New England snow loads including snow drifts and be able to push back snowbanks beyond the road and parking lot edges.
 - b. The minimum equipment shall include:
 - i. A $\frac{3}{4}$ ton four wheel drive truck equipped with a functioning 8-foot wide angle-controlled plow.
 - ii. A powered sander with a minimum one yard capacity. Hand Sanding is not acceptable.
3. **Equipment Storage** – The Government may provide an outdoor paved space (equipment size depending) to store snow removal equipment (Figure 2). The Contractor's equipment may be stored temporarily during the service schedule period of the contract to help facilitate with snow removal requirements. The Contractor shall assume all risk to the equipment being stored on location. The Government shall not be held liable for fire, theft, vandalism or damage to the Contractor's equipment.

Part 3 Materials and Supplies:

1. Provided by Government: No equipment or supply will be given by the Government.
2. Provided by Contractor:
 - a. Equipment, materials, labor, and transportation necessary to provide snow removal and sanding services.
 - b. Sand - **SPECIAL NOTE:** Salt shall **NOT** be used in the sand that is spread at any of the service location areas. Sand shall be road grade sand.

Part 4 Service Requirements:

1. **General:** Provide all equipment, materials, labor, and transportation necessary to provide snow removal and sanding services. The services under this contract include four separate tasks: Snow Plowing, Sanding, Special Snow Removal and End of Season Clean-up. The services shall be performed at project areas shown on the attached map: See Figure 1.
2. **Service Definition:**
 - a. One service is defined as a single completion of all requirements for each task as described in section 4, Service Tasks below. For example, one snow plowing service would include snow removal at all six service locations as listed in Part 5, Service Locations.

- b. Snowstorms over 1” in total may require the number of services as indicated below. Snowfall is measured by project staff on site and is documented daily. The general guidelines are as follows:
 - i. 1” to 6” storm = up to 2 services
 - ii. 7” to 12” storm = up to 2 services
 - iii. 13” to 24” storm = up to 3 services
 - iv. 24” and greater storms = up to 4 services
 - c. The table above lists the maximum number of services the Government will pay for based on the storm total. Additional snow removal services performed by the Contractor at their own discretion will not be reimbursed by the Government.
 - d. Storm totals will be determined by measurement at the Project Office, with the amounts rounded to the nearest whole inch.
 - e. If the Government Technical Point of Contact requests additional plowing, that work shall be considered a separate service and invoiced as such.
 - f. The Contractor shall only be paid for work fully completed. If a partial service is rendered, payment will be adjusted according to percent of area completed. Partial service is defined as completing anything other than all designated locations as identified in Part 5, Service Locations.
- 3. Service Schedule:**
- a. The service priority shall be to plow snow to provide access to all areas indicated in Figure 1 by 7:00 a.m. on normal business days. Generally, all services shall be completed within 8 hours after completion of a snowstorm, unless otherwise directed by the Technical Point of Contact.
 - b. The Contractor’s schedule shall be coordinated with the Technical Point of Contact depending on the timing and size of snowstorms. The Contractor shall be capable of rendering service 24/7 throughout the contract service schedule period.
 - c. The Contractor shall coordinate timing of each service with the Technical Point of Contact.
- 4. Service Tasks:**
- a. **Snow Plowing:**
 - i. The Contractor shall plow snow from all paved surfaces shown in Figure 1.
 - ii. Snow shall be pushed beyond the edge of pavement.
 - iii. Upon completion of plowing all pavement shall be neatly scraped clean, leaving no measurable snow.
 - iv. Snow shall not be pushed against garage doors, entrance doors, fenced gates, or culverts including the gate at the entrance of the gatehouse bridge on the dam crest roadway.
 - v. The dam crest road and flag-pole turnaround (See Informational Map Figure 1) has been constructed with a stone (6” minus crushed rock) drainage swale on the upstream (North) side. The pavement portion of the roadway is 16 feet wide and the swale is 5 feet wide. The pavement will be cleared during normal snow removal service.

- vi. The drainage swale portion of the roadway will be maintained and plowed during each service. The plow may need to be lifted 3 inches to avoid removal of any material (Rocks). Snow removal must meet the satisfaction of the Technical Point of Contact.
- vii. All snow along the dam crest shall be plowed or winged back to the guardrail of both sides of the dam. Technical Point of Contact may request that all snow be directed to one specific side (up/down stream side of the dam) if ice buildup or other issues become a problem.

b. Sanding:

- i. The Contractor shall sand the following plowed surfaces: Main Access Road, Administrative Area, and Recreation Area Parking (as shown in Figure 1) as needed or as directed by the Technical Point of Contact.
- ii. Sanding is not required for each snow plowing service unless unsafe icy conditions exist.
- iii. When needed, sand shall be spread adequately to provide traction for driving and walking.
- iv. **NO** sand shall be applied to the dam crest road or flag-pole turnaround.

~~**c. End of Season Clean-up:**~~

- ~~i. The Contractor shall remove all sand on all plowed roadways. All removed sand must be removed from the property for Contractor's disposal.~~
- ~~ii. The Contractor shall remove all sand on all adjacent lawn areas no less than three feet from the edge of all sanded roadways. All removed sand must be removed from the property for the Contractor's disposal.~~
- ~~iii. Any removed material from the stone swale will be moved back into place and / or replaced at the end of the snow removal season.~~

Part 5 Service Locations:

1. **Edward MacDowell Lake** consists of the Administrative Area, Public Roadway and Parking Areas (see **Figure 1**) and must be accessible no later than 7:00 am during normal business days. Edward MacDowell Lake is located at 75 Wilder St., Peterborough, NH and includes the following details:

a. Snow Plowing:

- i. Main Access Road
- ii. Administrative Area
- iii. Dam Crest Road and Flagpole Area
- iv. Recreation Area Parking

b. Sanding: (Does not include Dam Crest Road and Flagpole Area)

- i. Main Access Road
- ii. Administrative Area
- iii. Recreation Area Parking

- ~~e. End of Season Clean-up:~~
- ~~i. Main Access Road~~
 - ~~ii. Administrative Area~~
 - ~~iii. Dam Crest Road and Flagpole Area~~
 - ~~iv. Recreation Area Parking~~
 - ~~v. Lawn adjacent to all sanded roadways~~

The following have been modified:

BID SCHEDULE

**SNOW REMOVAL AND SANDING SERVICES
U.S. ARMY CORPS OF ENGINEERS
EDWARD MACDOWELL LAKE
PETERBOROUGH, NH
Performance Work Statement
October 2021**

Bid Schedule – Base Year

TASK / ITEM NUMBER	UNIT	QTY	UNIT PRICE	TOTAL
1. Snow Plowing	Each	15		
2. Sanding Operation	Each	9		
			Total	

The following have been deleted:

52.217-5	Evaluation Of Options	JUL 1990
52.217-9	Option To Extend The Term Of The Contract	MAR 2000

(End of Summary of Changes)