772,000 771,000 770,000

1,029,000

1,028,000

PORTLAND

15-FOOT CHANNEL
PORTLAND BAR

150'

1730+00

LIGHT 94
(FL R 4S)

1725+00

1720+00

1715+00

1710+00

1705+00

CONNECTICUT RIVER

FLOOD

EBB

WOOD ISLAND
PARK



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

N E S W

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Ibution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval date, location, time and environmental conditions represented by the survey. Reuse of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that it bears no responsibility for any representations or warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information. Neither the United States nor any of its employees or agents shall be under any circumstances liable for any direct or indirect damages resulting from the use of the data furnished. The United States shall be held harmless from any liability arising from any misrepresentation made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data in any way, and not to transfer or license these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: M&V
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
SIZE: ANSI D
MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL
File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to
Sheet 4 of 40

Revison Number: 4.1-20191105

774,000 773,000 772,000

1,029,000

PORTLAND

CONNECTICUT RIVER

CROMWELL

15-FOOT CHANNEL
PORTLAND BAR

1750+00 1745+00 1740+00 1735+00 1730+00

1758+83

150'

FLOOD

EBB



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
100 0 100 200
1" = 100' Feet

N E S W

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Distribution Liability: The data represents the results of data collected and processed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and purpose for which it was prepared and published. The U.S. Army Corps of Engineers assumes no liability for the misuse or misinterpretation of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that recipient understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any individual or any party for any claim made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government. Distribution of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 5 of 40

Revison Number: 4.1-20191105

777,000 776,000 775,000

1,030,000

PORTLAND

CONNECTICUT RIVER

CROMWELL

15-FOOT CHANNEL
CROMWELL BAR

FLOOD

EBB

1785+00 1780+00 1775+00 1770+00 1765+00 1760+00

150'

12.4 13.0 10.9



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
100 0 100 200
1" = 100' Feet

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Illusion Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the intended use, content, time and conditions for which it was collected. The Government assumes no liability for any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication/data and related products without warranty, expressed or implied concerning the accuracy, completeness, reliability, or suitability for navigation, or any other purpose. By receiving the information and the data furnished, The United States shall be held harmless from and against any damages, injuries, claims, or causes of action that may arise from the use of this data. The recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not transfer the data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to
Sheet 6 of 40

Revison Number: 4.1-20191105

1,030,000 1,031,000 1,032,000

779,000 778,000

CROMWELL

PORTLAND

GILDERSLEEVE

15-FOOT CHANNEL
CROMWELL BAR

CONNECTICUT RIVER

FLOOD
EBB

LIGHT 95
(FL G 4S)

1815+00 1800+00 1795+00 1790+00

150'



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
1" = 100'
100 0 100 200 Feet

N W E S

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Illusion Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and conditions for which it was originally gathered. Use of this data as a basis of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data contained therein with the expressed understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or group for any claim made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government and to indemnify the Government if these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
SIZE: ANSI D
MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 7 of 40

Revison Number: 4.1-20191105

1,032,000 1,033,000 1,034,000

780,000 779,000

CONNECTICUT RIVER

CROMWELL

PORTLAND

GILDERSLEEVE

FLOOD

EBB

15-FOOT CHANNEL
GILDERSLEEVE ISLAND SHOAL

150'

LIGHT 98
(FL R 2.5S)

1815-00 1830-00 1845-00 1900-00 1915-00

1,032,000 1,033,000 1,034,000

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

N W E S

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes this data/information and expects the receiving party to fully understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information. It is strongly recommended these data/information and the data furnished. The United States shall be held harmless from any liability resulting from improper or incorrect use of the data/information. Due to the dynamic nature of this data, it may be superseded by new information at any time. It is the responsibility of the recipient to determine the suitability of this information for his intended uses. The recipient fully agrees not to represent these data to anyone as other than data received from the Government. Therefore the recipient shall not release or make these data to others without also transferring this Disclaimer.

Data Illusion Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and application for which it was intended. The Government has no liability of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to
Sheet 8 of 40

Revison Number: 4.1-20191105

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
1" = 100'
100 0 100 200 Feet

N W E S

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Illusion Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the intended use, content, time and conditions stated in the metadata and should not be used outside of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty, express or implied. The recipient agrees to understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or group entity for any claim or damage based upon the use of this data that may be made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data in any verbal, written or media release. Do not redistribute these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
SIZE: ANSI D
MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL
File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to
Sheet 9 of 40

Revison Number: 4.1-20191105

783,000 782,000 781,000

1,038,000 1,037,000

1890+00 1885+00 1880+00 1875+00 1870+00 1865+00

150' 150'

REAR RANGE LIGHT

15-FOOT CHANNEL
PISTOL POINT BAR

15-FOOT CHANNEL
GILDERSLEEVE ISLAND SHOAL

PORTLAND
GILDERSLEEVE

CONNECTICUT RIVER

FLOOD
EBB

GILDERSLEEVE ISLAND

11.8
9.0

VICINITY MAP
Hartford, East Hartford, Manchester, West Hartford, Farmington, Wethersfield, Glastonbury, Newington, Plainville, New Britain, Bradley Mountain, Cromwell, Portland, East Hampton, Middletown, Colchester
0 3 6 9 Miles

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
100 0 100 200
1" = 100' Feet

N E S W

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Basis on Liability: The data represents the results of data collection and processing performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and application for which it was originally intended. The U.S. Government assumes no liability for the use of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this data and related materials on an "as is" basis and the recipient understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this data and related materials or the information and the data furnished. The United States shall be under no liability whatsoever to any individual or any other entity for any loss or damage caused by any error or omission in the data furnished or made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient agrees to pass a copy of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
MAP DOCUMENT: CT_08_CRB_20201220_CS_070
SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL
File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to
Sheet 10 of 40

Revison Number: 4.1-20191105

1,037,000 785,000 1,038,000 784,000

1,036,000 785,000 783,000 1,038,000

PORTLAND

CONNECTICUT RIVER

FLOOD

EBB

15-FOOT CHANNEL
PISTOL POINT BAR

150'

1920+00 1915+00 1910+00 1905+00 1900+00 1895+00

FRONT RANGE LIGHT 102 (FL R 2.5S)

REAR RANGE LIGHT

7.9 7.2 6.6

784,000 1,036,000 1,037,000 783,000

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecitcut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that it bears no liability to the user and makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any purpose. The user must understand the limitations of the data furnished. The United States shall be under no liability for any deficiencies, inaccuracies, or errors contained in these data. Portions of these data may be based on information furnished by the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not release these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection activities conducted by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the intended use, content, time and accuracy as described in the metadata. The Government bears no liability of any of the application of this data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

MAP DOCUMENT: CT_08_CRB_20201220_CS_070
SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 11 of 40

Revison Number: 4.1-20191105



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100'

100 0 100 200 Feet

N W E S

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Distribution Liability: The data represents the results of data collection and processing performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval (date, time) and location for which it was collected. The Government bears no liability of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this data and map without warranty, express or implied. The user understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, or suitability of this information. The user agrees to hold the information and the data furnished. The United States shall be under no liability whatsoever to any individual or any party for any loss, damage, claim or cause whatsoever beginning from the use of the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient shall not transfer the data to others these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to

Sheet 12 of 40

Revison Number: 4.1-20191105


789,000
1,034,000
788,000
787,000
1,033,000
789,000
1,034,000
1,032,000
788,000
787,000
1,033,000
786,000
786,000
1,032,000
PORTLAND
CONNECTICUT RIVER
FLOOD
EBB
15-FOOT CHANNEL
BROWNSTONE BAR
15-FOOT CHANNEL
BROWNSTONE BAR
15-FOOT CHANNEL
PISTOL POINT BAR
CROMWELL
NORTH CROMWELL
LIGHT 105
(FL G 4S)
980+00
960+00
940+00
920+00
900+00
880+00
860+00
840+00
820+00
800+00
780+00
760+00
740+00
720+00
700+00
680+00
660+00
640+00
620+00
600+00
580+00
560+00
540+00
520+00
500+00
480+00
460+00
440+00
420+00
400+00
380+00
360+00
340+00
320+00
300+00
280+00
260+00
240+00
220+00
200+00
180+00
160+00
140+00
120+00
100+00
80+00
60+00
40+00
20+00
0+00
150'
150'
150'



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100'

100 0 100 200 Feet

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Distribution Liability: The data represents the results of data collected by the US Government for the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval (date, time) and location of the survey and is not to be used as a basis of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this data and information without warranty, express or implied. The user agrees to the foregoing limitations and understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, usability, performance, or merchantability of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data unless authorized in writing to do so. These data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 14 of 40

Revison Number: 4.1-20191105

794,000 793,000 792,000

1,033,000

PORTLAND

CONNECTICUT RIVER

FLOOD

EBB

2025+00 2020+00 2015+00 2010+00 2005+00 2000+00

150'

15-FOOT CHANNEL
BROWNSTONE BAR

CROMWELL

BELAMOSE

794,000 793,000 792,000

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

N E S W

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Illusion Liability: The data represents the results of data collection and processing performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval date, location, time and purpose of the survey. The Government assumes no liability for the use of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that it bears no liability to the user. The user is responsible for the proper use of the data and information. The United States Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information. The data and information and the data furnished. The United States shall be held harmless from any liability resulting from improper use of the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient shall not release or resell these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 15 of 40

Revison Number: 4.1-20191105





LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
100 0 100 200
1" = 100' Feet

E N S W

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Distribution Liability: The data represents the results of data collected and processed by the US Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and application for which it was intended. The Government assumes no liability of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind, either expressed or implied. By accepting this data, you agree that you understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this data for any purpose. Any use of this information and the data furnished. The United States shall be held harmless from any liability resulting from improper or incorrect use of the data. Due to the dynamic nature of this data, it may be superseded at any time by the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than the most current data. The recipient agrees to notify subsequent users of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
MAP DOCUMENT: CT_08_CRB_20201220_CS_070
SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 16 of 40

Revison Number: 4.1-20191105

799,000 798,000 797,000

1,035,000 1,034,000

SEABORD MARINA

PORTLAND

CROMWELL

BELAMOSE

CONNECTICUT RIVER

15-FOOT CHANNEL
DIVIDENED BAR

150'

150'

2065+00

2070+00

2075+00

2080+00

2085+00

2060+00

9.0

8.1

8.1

FLOOD

EBB



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

N E S W

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Illusion Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, collection, time and location for which it was intended. The Government assumes no liability of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and geospatial data and related products without warranty, expressed or implied concerning the accuracy, completeness, understanding that the US Government makes no warranties, reliability, or suitability of this information and the data furnished. The United States shall be held harmless from any liability resulting from the use of this data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not transfer these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to

Sheet 17 of 40

Revison Number: 4.1-20191105

802,000 801,000 800,000

1,034,000 1,033,000

SOUTH GLASTONBURY

GLASTONBURY

CONNECTICUT RIVER

FLOOD

EBB

15-FOOT CHANNEL
DIVIDED BAR

150'

2100+00 2095+00 2090+00

2110+00 2105+00 2115+00

ROCKY HILL

BELAMOSE

CROMWELL

802,000 801,000 800,000



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100'

100 0 100 200 Feet

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval (date, time) and purpose for which it was collected. The Government assumes no liability for the reuse of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication/data and believes that it to be accurate but makes no express or implied warranty regarding the accuracy, completeness, understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data unless the same is plainly and conspicuously

805,000 804,000 803,000

1,034,000 1,033,000

SOUTH GLASTONBURY

GLASTONBURY

ROCKY HILL

2140+00 2135+00 2130+00 2125+00 2120+00

CONNECTICUT RIVER

FLOOD

EBB

LIGHT 113
(FL R 4S)

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
1" = 100'
100 0 100 200 Feet

N E S W

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that they are not to be used, in any manner whatsoever, as a substitute for, nor as supplement to, any other representation of the same subject matter, whether such representation be written or oral. In particular, neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the information and data furnished. The United States shall be under no liability whatsoever to any individual or group entity with respect to any claim by reason of the publication or use of these data or information. By making these data available, the Government does not relinquish its control over these data or the information contained therein. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not release these data to others without also transferring this Disclaimer.

Data Illusion Liability: The data represents the results of data collection activities conducted by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval date, location, time and conditions under which it was collected. The Government assumes no liability of any of the application of this data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

MAP DOCUMENT: CT_08_CRB_20201220_CS_070
SIZE: ANSI D

US Army Corps of Engineers
District: CENAE

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 19 of 40

Revison Number: 4.1-20191105

1,034,000 1,035,000 1,036,000

805,000

ROCKY HILL

CONNECTICUT RIVER

15-FOOT CHANNEL
GLASTONBURY TWO PIERS BAR

FLOOD
EBB

2145+00 2150+00 2155+00 2160+00 2165+00

150' 150'

GLASTONBURY

805,000

1,034,000 1,035,000 1,036,000



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
100 0 100 200
1" = 100' Feet

N W E S

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty. Persons using this data must have a full understanding that the US Government makes no warranties.

Use Constraints: The United States Government disclaims any express or implied condoning the accuracy, completeness, timeliness, or rights to use, or fitness of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient also agrees to assume this statement shall be included in any partial or complete copies of these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the intended use, content, time and conditions of the survey. The Government assumes no liability for any of any of the application of this data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 20 of 40

Revison Number: 4.1-20191105

1,037,000 1,038,000 1,039,000

806,000

ROCKY HILL

CONNECTICUT RIVER

FLOOD

EBB

15-FOOT CHANNEL
GLASTONBURY TWO PIERS BAR

LIGHT 116
(FL R 4S)

2196+00

150'

2190+00

2185+00

GLASTONBURY

2180+00

2175+00

2170+00

150'

806,000

1,037,000 1,038,000 1,039,000

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

N W E S

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Ibution Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval date, location, time and specific purpose for which it was collected. The Government assumes no liability of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this data/information and makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information. By accepting this information and the data furnished. The United States shall be held harmless from any liability resulting from improper use of the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not release or resell these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 21 of 40

Revison Number: 4.1-20191105

809,000 808,000 807,000

1,039,000

GLASTONBURY

15-FOOT CHANNEL
GLASTONBURY UPPER BAR

15-FOOT CHANNEL
GLASTONBURY TWO PIERS BAR

2225+00 2220+00 2215+00 2210+00 2205+00 2200+00

150' 150' 150'

CONNECTICUT RIVER

FLOOD

EBB

ROCKY HILL

1,038,000

809,000 808,000 807,000

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

N W E S

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that they are not to make any representation or warranty expressed or implied concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or group entity with respect to any claim by reason of the use of the data furnished, or to any damage that may result from the incorrect use of the data furnished. The recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collected and processed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval (date, time) and purpose for which it was collected. The U.S. Government assumes no liability for any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 22 of 40

Revison Number: 4.1-20191105

812,000 1,038,000 811,000 1,039,000

812,000 / 1,037,000 / 811,000 / 810,000 / 1,039,000 / 809,000

GLASTONBURY

CONNECTICUT RIVER

ROCKY HILL

FLOOD

EBB

2245+00

2240+00

2235+00

2230+00

2225+00

2220+00

150'

LIGHT 120
(FL R 4S)

15-FOOT CHANNEL
GLASTONBURY UPPER BAR

15-FOOT CHANNEL
GLASTONBURY TWO PIERS BAR

1,037,000 810,000 1,038,000 809,000

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes this data and information with the understanding that it is understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or any party for any loss, damage, claim or demand whatsoever arising out of or in connection with the use of these data or information. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data received from the Government. The recipient shall not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and application for which it was prepared. The Government bears no liability of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 23 of 40

Revison Number: 4.1-20191105





LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
100 0 100 200
1" = 100' Feet

N
W E
S

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information without warranty with the express understanding that the US Government makes no warranties.
Use Constraints: The user warrants that he will not misrepresent the data represented or implied concerning the accuracy, completeness, timeliness, and usability of the data and information and the data furnished. The United States shall be released from liability resulting from the deficiencies in accuracy of the information and the data furnished. The United States shall be released from liability resulting from any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient shall not resell or transfer these data to others without also transferring this Disclaimer.

Data Illusion Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, collection time and accuracy of the data. The Government assumes no liability for misuse of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 24 of 40

Revison Number: 4.1-20191105

1,032,000 1,033,000 1,034,000

812,000

GLASTONBURY

WETHERSFIELD

CONNECTICUT RIVER

2300+00 2295+00 2290+00 2285+00 2280+00 2275+00

FLOOD

EBB

15-FOOT CHANNEL
GLASTONBURY UPPER BAR

150'



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

N W E S

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes this data without warranty of any kind, either expressed or implied. By accepting this data, you agree to the following understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this data for any purpose. The data and related information and the data furnished. The United States shall be held harmless from any liability resulting from the use of this data. Any risk associated with the use of this data will be assumed by the user. The user will make no claim against the United States or any of its employees for any deficiencies in the accuracy or utility of this data, or limitations thereof, regardless of the cause. The user will not misrepresent these data to anyone as other than U.S. Army Corps of Engineers data and will not transfer these data to others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and application for which it was originally prepared. The U.S. Government is not liable for misuse or misinterpretation of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to

Sheet 25 of 40

Revison Number: 4.1-20191105

814,000 813,000 812,000

1,031,000

GLASTONBURY

WETHERSFIELD

CONNECTICUT RIVER

2325+00 2320+00 2315+00 2310+00 2305+00

FLOOD

EBB

LIGHT 125
(FL R 4S)

814,000 813,000 812,000

1,031,000



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

N E S W

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data/Issue Liability: The data represents the results of data collection and processing performed by the New England District Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval (date, time) and conditions of the survey. The Government assumes no liability for misuse of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that recipient understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any individual or group entity for any claim made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not release or make these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 26 of 40

Revison Number: 4.1-20191105





LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data contained therein to assist your agency in understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, or suitability of this information. It is understood that the information and the data furnished. The United States shall be under no liability whatsoever to any individual or any agency for any direct or indirect damage because of the use of this map or the data contained therein. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient also agrees to assume any liability arising from the misuse of these data by others without also transferring this Disclaimer.

Data Illusion Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and application for which it was originally intended. The U.S. Army Corps of Engineers assumes no liability for the misuse, misinterpretation or unauthorized application of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

MAP DOCUMENT: CT_08_CRB_20201220_CS_070
SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to

Sheet 27 of 40

Revison Number: 4.1-20191105

1,033,000 817,000 1,034,000 1,035,000

WETHERSFIELD

CONNECTICUT RIVER

GLASTONBURY

15-FOOT CHANNEL
PRESS BARN BAR

FLOOD
EBB

1,033,000 816,000 1,034,000 817,000 1,035,000 1,036,000

2850+00 2875+00 2900+00 2925+00 2950+00 2975+00 3000+00 3025+00 3050+00 3075+00 3100+00 3125+00 3150+00 3175+00 3200+00 3225+00 3250+00 3275+00 3300+00 3325+00 3350+00 3375+00 3400+00 3425+00 3450+00 3475+00 3500+00 3525+00 3550+00 3575+00 3600+00 3625+00 3650+00 3675+00 3700+00 3725+00 3750+00 3775+00 3800+00 3825+00

819,000 818,000 817,000

1,037,000 1,036,000

GLASTONBURY

CONNECTICUT RIVER

CABLE AREA

CABLE AREA

FLOOD

EBB

CROW POINT

CROW POINT COVE

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

N E S W

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes this map/chart/publication and data contained therein to assist the user in understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information for any purpose. The data and information and the data furnished. The United States shall be held harmless from any liability arising from any improper or incorrect use of the data/information contained or depicted herein and from any claim made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. The recipient also agrees to forward this limitation to these data to others without also transferring this Disclaimer.

Data Reuse Liability: The data represents the results of data collected and processed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, collection, time and purpose for which it was originally intended. The U.S. Government assumes no liability for reuse or the results of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 29 of 40

Revison Number: 4.1-20191105

1,034,000 1,035,000 1,036,000

821,000 820,000

GLASTONBURY

KEENEY COVE

15-FOOT CHANNEL
NAUBUC BAR

2430+00 2435+00 2440+00 2445+00 2450+00 2425+00

150'

4.4 7.2

CONNECTICUT RIVER

FLOOD
EBB

CABLE AREA

WETHERSFIELD



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
1" = 100'
100 0 100 200 Feet

N W E S

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecitcut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes these data without warranty of any kind, either expressed or implied. By accepting these data, you agree that you understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of these data for any purpose. The data and related information and the data furnished. The United States shall be held harmless from any liability resulting from the use of these data. Any user who redistributes these data to others shall impose the same restrictions and disclaimers on others. Any user who modifies these data shall not represent to others that the modifications made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than government data. Please read the Privacy Policy and Terms of Use for these data to others without also transferring this Disclaimer.

Data Illusion Liability: The data represents the results of data collection efforts conducted by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and application for which it was intended. The U.S. Army Corps of Engineers assumes no liability for the misuse, misinterpretation, or misrepresentation of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
ISSUE DATE: 2/3/2021
SIZE: ANSI D
MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to
Sheet 30 of 40

Revison Number: 4.1-20191105





LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
1" = 100'
100 0 100 200 Feet

N W E S

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information without warranty and with the express understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of these data and information for any purpose. The information and the data furnished. The United States shall be under no liability whatsoever to any individual or any party for any loss or damage resulting from the use of these data or information furnished or made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data in any way, shall not copyright these data or authorize others without also transferring this Disclaimer.

Distribution Liability: The data represents the results of data collected and processed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the intended use, content, time and purpose for which it was originally collected. The USACE assumes no liability of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
SIZE: ANSI D
MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to
Sheet 31 of 40

Revison Number: 4.1-20191105





LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100'

100 0 100 200 Feet

N E S W

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information with the understanding that it bears no responsibility for any representation or warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information. It is strongly recommended that these data and information be reviewed and the conclusions drawn from such information be independently verified by any user, prior to any decision based on this information or action taken based on this information. In no event will the United States Government be liable for any damages, including lost profits, lost business or lost data resulting from the use of or reliance upon the data and/or information provided herein. The act of distribution shall not constitute any such warranty, and no responsibility is assumed for any incorrect or incomplete data or information provided herein or for any omissions from the data or information. The user specifically agrees not to misrepresent these data, nor to imply that changes made by him/her/them were made by the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data produced for and by the Government, nor to state or imply that these data have been subjected to Federal Quality Control Standards. The recipient shall not transfer to the Government any restrictive or proprietary claims or liability which applies to these data or derivatives of these data. By the act of transferring these data to others without also transferring this Disclaimer, the recipient specifically agrees to indemnify and hold harmless the Government from any such claims. The recipient agrees to flow down these same requirements to any subsequent user. The recipient agrees to notify any subsequent users of any inaccuracies in the data of which he/she/they become aware.

Data Illusion Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval date, location, time and purpose of the survey as described in the publication. The U.S. Government assumes no liability for the misinterpretation or misuse of any of the application of this data for other than its intended purpose.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/2/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
SIZE: ANSI D
MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to

Sheet 32 of 40

Revison Number: 4.1-20191105

CORPS OF ENGINEERS

U.S. ARMY

1,028,000 824,000 1,029,000 823,000 1,030,000

1,030,000

824,000

1,027,000

822,000

1,027,000 1,028,000 822,000 1,029,000

GLASTONBURY

WETHERSFIELD

CONNECTICUT RIVER

FLOOD

EBB

2530+00

2525+00

2520+00

2515+00

2510+00

2505+00

15-FOOT CHANNEL
CYS HALLOW BAR

150'



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100'

100 0 100 200 Feet

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Illusion Liability: The data represents the results of data collection and interpretation performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval (date, time) and accuracy of the data collected and is not necessarily suitable for any of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this digital data and cartographic products with the express understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, or suitability of the information portrayed or of any of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or any agency for any direct or consequential damages flowing from the use of any data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data unless the Government concurs, and not to sell these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to

Sheet 33 of 40

Revison Number: 4.1-20191105

827,000 826,000 825,000 824,000

1,028,000 1,027,000

CONNECTICUT RIVER

GLASTONBURY

WETHERSFIELD

FLOOD

EBB

2555+00 2550+00 2545+00 2540+00 2535+00 2530+00

150' 150'

15-FOOT CHANNEL
WETHERSFIELD SHOAL

PIPELINE AREA

WETHERSFIELD COVE
6-FOOT CHANNEL
(REFER TO CT 12 CRB)

LIGHT 135
(FL G 2.5S)

10.2 12.2 10.9



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE
100 0 100 200
1" = 100' Feet

N E S W

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Illusion Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, collection time and location for which it was intended. The Government assumes no liability for the misuse or misinterpretation of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes these data and information without warranty and with the express understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information. Neither the US Government nor the data furnished. The United States shall be held harmless from any liability resulting from improper or incorrect use of the data. Users shall not misrepresent these data to anyone as other than Government products. Users shall not make copies of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to

Sheet 34 of 40

Revison Number: 4.1-20191105

CORPS OF ENGINEERS U.S. ARMY

828,000 1,030,000 827,000 826,000 1,029,000

1,030,000 829,000 826,000 1,028,000

EAST HARTFORD

15-FOOT CHANNEL
CLAY BANKS BAR

15-FOOT CHANNEL
WETHERSFIELD SHOAL

LIGHT 140
(FL R 4S)

LIGHT 138
(FL R 4S)

150'

2580+00 2575+00 2570+00 2565+00 2560+00

10.1 8.0 8.4

CONNECTICUT RIVER

FLOOD
EBB

HARTFORD

HARTFORD - BRAINARD
AIRPORT

1,029,000 829,000 828,000 1,028,000 827,000

LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Ibution Liability: The data represents the results of data collection and processing performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval date, content, time and conditions of the survey. The Government assumes no liability for use of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the digital data contained herein to the recipient with understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information for any purpose. Any use of this information and the data furnished. The United States shall be under no liability for any deficiency, or for any injury, loss or damage that may arise therefrom. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data produced by the Government. The recipient shall not furnish these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to
Sheet 35 of 40

Revison Number: 4.1-20191105

CORPS OF ENGINEERS

U.S. ARMY

831,000

830,000

829,000

1,030,000

1,029,000

EAST HARTFORD

15-FOOT CHANNEL
CLAY BANKS BAR

2610+00

2605+00

2600+00

2595+00

2590+00

2585+00

150'

LIGHT 140
(FL R 4S)

10.1

8.0

8.4

CONNECTICUT RIVER

FLOOD

EBB

HARTFORD

HARTFORD - BRAINARD
AIRPORT



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100'

100 0 100 200 Feet

N E S W

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Ibution Liability: The data represents the results of data collection and processing performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, content, time and application for which it was intended. The Government assumes no liability for any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and geospatial data and related products without any express or implied warranties and with the understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, currency or suitability of any information in this map and geospatial data and related products. The user is responsible for verification of the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient agrees to hold the United States harmless from any claim arising from the use of these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021

SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey

SIZE: ANSI D

MAP DOCUMENT:
CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to

Sheet 36 of 40

Revison Number: 4.1-20191105



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

Notes:
Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes
The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks
Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information
Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

Data Ibution Liability: The data represents the results of data collection and analysis performed by the Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the intended use, content, time and accuracy for which it was prepared. The Government assumes no liability of any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this data and information with the understanding that it is NOT a guarantee or warranty, expressed or implied concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the information and the data furnished. The United States shall be under no liability whatsoever to any individual or any party for any loss, damage, claim or demand whatsoever resulting from any use of the data made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not release or resell these data to others without also transferring this Disclaimer.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
MAP DOCUMENT: CT_08_CRB_20201220_CS_070
SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD MIDDLETOWN TO HARTFORD, CONNECTICUT CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to

Sheet 37 of 40

Revison Number: 4.1-20191105



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

100 0 100 200

1" = 100' Feet

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecticut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

Distribution Liability: The data represents the results of data collection and processing performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, conditions, time and purpose for which it was intended. The Government disclaims liability for any of the application of this data for other than its intended purpose.

DISCLAIMER
Access Constraints: The United States Government furnishes this map and the data contained therein with the expressed understanding that the US Government makes no warranties, expressed or implied concerning the accuracy, completeness, reliability, or suitability of this information. It is strongly recommended that these data be verified through an independent source before any decisions are made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than data furnished by the Government and to indemnify the Government for these data to others without also transferring this Disclaimer.

US Army Corps of Engineers
District: CENAE

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
SIZE: ANSI D
MAP DOCUMENT: CT_08_CRB_20201220_CS_070

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River
Middletown to
Sheet 38 of 40

Revison Number: 4.1-20191105



LEGEND

- Federal Navigation Channel
- Cable or Pipeline area
- Channel Center Line
- Marine Infrastructure*
- Contour Line
- Fixed Navigation Aids
- Obstruction Point
- Red Navigation Buoy
- Green Navigation Buoy
- Shoaling Area
- Shoalest Sounding**

** Shoalest Sounding per Quarter per Reach
* Present at Time of Hydrographic Survey

GRAPHIC SCALE

1" = 100' 100 0 100 200 Feet

Notes:

Horizontal Datum: Connecticut, CT-0600 NAD 83
Distance Units: U.S. Survey Feet
Vertical Datum: MLLW
Depth Units: U.S. Survey Feet
Vessel Name: CELESTIAL
Sonar System: R2 Sonic 2024 (Multibeam Sonar)
Sounding Frequency: 300 kHz
Survey Method: RTK GPS Tides
GPS_System: Trimble SPS 855 (RTK)
RTK Base Station: MTS Smartnet Imax
Software Used: Hypack
Sounding Sort Distance: 20'
Field Books: R&H 4088
Survey No.: CT_08_CRB_20201220_CS_070
Reference NOAA Chart No.: 12378

The information depicted on these charts represents the results of surveys made on the dates indicated, and can only be considered as indicating the conditions existing at that time.

General Notes

The sounding information shown on this map represents the SHOALEST soundings of those obtained from hydrographic surveys conducted during December 2020. The sounding information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the conditions existing at that time. The positions of aids to navigation were located during survey operations, are provided for information only and should not be used for navigation. Orthoimagery is from a variety of sources and dates and is intended to portray general characteristics of the shoreline and other features. Temporal changes may have occurred since this dataset was collected and some parts may no longer be an accurate representation of the conditions. The information depicted on this map should NOT be used to determine volumes as volumes are determined from more sounding information than shown.

Project Remarks

Federal navigation project not surveyed in its entirety, survey covers Portland Bar to Hartford Bar.

Water Level Information

Tides were recorded using RTK GPS. Tides were recorded using RTK GPS. A Hypack KTD file was created from MLLW to NAVD88; corrections established or published in the vicinity of NOAA Bench Marks along Connecitcut River, from Middletown to Hartford, Connecticut. These include stations at South Hartford (Station ID: 8464418, 02/05/2004), Middletown (Station ID: 8464336, 06/23/2003), and Rocky Hill (Station ID: 8464255, 05/16/2003). The corrections are 0.02 foot for South Hartford, 0.61 feet for Middletown, and 0.14 feet for Rocky Hill. The corrections for this specific survey dataset range from 0.02 feet to 0.57 feet. No tide gauges were used on this project.

US Army Corps of Engineers
District: CENAE

DISCLAIMER
Data Access Constraints: The United States Government furnishes this data without warranty and disclaims any implied warranties. By understanding that the US Government makes no warranties, represented or implied concerning the accuracy, completeness, reliability, or suitability of this data for any purpose. The user agrees that the information and the data furnished. The United States shall be under no liability whatsoever to any person by reason of any use made thereof. These data belong to the Government. Therefore the recipient fully agrees not to represent these data to anyone as other than Government data. The recipient shall not release or make these data to others without also transferring this Disclaimer.

Data Illusion Liability: The data represents the results of data collection and analysis performed by the U.S. Army Corps of Engineers activity and indicates the general existing conditions. As such, it is only valid for the interval use, collection time and accuracy of the data. The user assumes all responsibility for the misuse of any of the application of this data for other than its intended purpose.

U.S. ARMY CORPS OF ENGINEERS
NEW ENGLAND DISTRICT

SURVEYED BY: MJV
CHECKED BY: ZSM
ISSUE DATE: 2/3/2021
SUBMITTED BY: Zachary McAvoy
APPROVED BY: NAE Survey
MAP DOCUMENT: CT_08_CRB_20201220_CS_070
SIZE: ANSI D

CONNECTICUT RIVER, BELOW HARTFORD
MIDDLETOWN TO HARTFORD,
CONNECTICUT
CONDITION SURVEY

15-FOOT CHANNEL

File Name: CT_08_CRB_20201220_CS_070

SHEET IDENTIFICATION
Connecticut River Middletown to

Sheet 39 of 40

Revison Number: 4.1-20191105