



Resource Conservation and Recovery Act Closure Report for Explosive Ordnance Demolition Open Burn/Open Detonation Area Fort Devens, Massachusetts

September 1994 Contract No. DAAA15-90-D-0012 Delivery Order No. 0003 ELIN A009

Prepared for:
Commander
U.S. Army Environmental Center
Aberdeen Proving Ground, Maryland 21010-5401

Prepared by:

ecology and environment, inc. 1700 North Moore Street Arlington, Virginia 22209

Printed on Recycled Paper



2&7RI1.PM4

RESOURCE CONSERVATION AND RECOVERY ACT CLOSURE REPORT FOR EXPLOSIVE ORDNANCE DEMOLITION OPEN BURN/OPEN DETONATION AREA FORT DEVENS, MASSACHUSETTS

Contract No. DAAA15-90-D-0012 Delivery Order No. 0003 ELIN A009

September 1994

Prepared for:

UNITED STATES ARMY ENVIRONMENTAL CENTER Aberdeen Proving Ground, Maryland 21010-5401

Prepared by:

Ecology and Environment, Inc. Arlington, Virginia 22209

Lewis A. Welzel

E & E Program Manager

Robert J. King

E & E Project Manager

EOD OB/OD Area
Table of Contents

Revision No.:

Date:

0

September 1994

TABLE OF CONTENTS

| Section | | Page |
|-----------------|--|---------------------------------|
| 1 | INTRODUCTION | 1-1 |
| 2 | CLOSURE PERFORMANCE STANDARDS | 2-1 |
| 3 | GENERAL CLOSURE REQUIREMENTS 3.1 GENERAL CLOSURE PROCEDURES 3.2 INVENTORY/HANDLING OF HAZARDOUS WASTES 3.3 OPERATIONAL PERIOD REMAINING 3.4 MAXIMUM EXTENT OF OPERATIONS | 3-1 3-1 3-1 3-1 3-1 |
| 4 | CLOSURE PERFORMANCE MONITORING | 4-1 |
| 5 | CLOSURE SCHEDULE | 5-1 |
| 6 | WASTE MANAGEMENT | 6-1 |
| 7 | CONTINGENT CLOSURE PLAN AND POST-CLOSURE MONITORING PLAN | 7-1 |
| 8 | REGULATORY COMPLETENESS CHECKLIST | 8-1 |
| 9 | REFERENCES | 9-1 |
| <u>Appendix</u> | | |
| A | RCRA CLOSURE RESEARCH FILES OBTAINED FROM MDEP FILE SEARCH ON 8/13/93 | A-1 |

EOD OB/OD Area List of Tables

Revision No.:

Date:

August 1994

LIST OF TABLES

| <u>Table</u> | | Page |
|--------------|---|------|
| 3-1 | UNSERVICEABLE AMMUNITION DESTROYED BY 14TH EOD DETACHMENT AT THE SOUTH POST OF FORT DEVENS, MASSACHUSETTS, 1979 TO 1987 | 3-2 |
| 8-1 | REGULATORY COMPLETENESS CHECKLIST FOR HAZARDOUS WASTE STORAGE, TREATMENT, AND DISPOSAL FACILITIES | 8-2 |

EOD OB/OD Area

Section No.:

1

Date:

August 1994

1. INTRODUCTION

This closure report has been prepared for the Open Burn/Open Detonation (OB/OD) Area of the Explosive Ordnance Demolition (EOD) Range at the Fort Devens Army Installation in Massachusetts. This closure report is a supplement to the extensive environmental investigations that have been conducted at the EOD Range under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) as directed under the Federal Facility Agreement between the United States Army and the United States Environmental Protection Agency (EPA). The CERCLA investigations are reported in the Final Remedial Investigation Report, Functional Area I, Fort Devens, Massachusetts, prepared by Ecology and Environment, Inc. (E & E) in August 1994. This report (hereafter referred to as the Functional Area I RI Report) consists of five volumes as follows: Volume I, General Information; Volume II, AOC-25 EOD Range; Volume III, AOC-26 Zulu Range; Volume IV, AOC-27 Hotel Range; and, Volume V, Appendices A-T. Under Public Law 101-510, the Defense Base Closure and Realignment Act of 1990, Fort Devens has been selected for cessation of operations and closure by the end of 1995. The Department of the Army will retain 4,800 acres and those facilities essential to support the Reserve Component training requirement (Defense Base Closure and Realignment Commission, Report to the President, 1991). The retained area includes the section of the base known as South Post (Functional Area I), on which the EOD OB/OD area is located. This closure report has been prepared by E & E for the United States Army Environmental Center (USAEC), under Contract No. DAAA15-90-D-0012, Delivery Order No. 0003.

The purpose of this closure report is to demonstrate that the EOD OB/OD area has met closure requirements of the Resource Conservation and Recovery Act (RCRA), 40 CFR 264.111 Subpart G and 40 CFR 264.600 Subpart X. This report has been prepared to satisfy the requirements of the EPA under RCRA and the Massachusetts Department of Environmental Protection (MDEP) under RCRA/21C. Section 1.3 of the Functional Area I RI Report Volume I states which sites require RCRA closure. A background discussion of the history and the regulatory requirements of RCRA is presented in Appendix T, Regulatory Issues at Fort Devens. The substantive requirements of RCRA have been met in the CERCLA environmental investigation process. Fort Devens is a federally funded facility and is exempt from RCRA financial requirements, therefore closure cost estimates and financial assurance documents are not discussed.

Following EPA approval of this report, the Army will submit a certification of closure signed by an independent, registered professional engineer to the EPA Region I, certifying the closure of the EOD OB/OD area under RCRA. It has been concluded from the RI investigations that at the EOD OB/OD area no contamination exists which poses unacceptable risks to human health or the environment, and no further investigation or remediation is recommended under CERCLA or RCRA. Because EOD is within the South Post Impact Area, which is currently secured and slated for continued use for military training

EOD OB/OD Area

Closure Report: Section No.: 1 Revision No.: 0

August 1994 Date:

involving explosives; no revegetation, grading, erosion controls, or institutional controls are proposed.

EOD OB/OD Area

Section No.:

2

Date:

September 1994

2. CLOSURE PERFORMANCE STANDARDS

The closure performance standards for the EOD OB/OD area have been met according to the applicable criteria set forth for closure of RCRA units under 40 CFR Part 264.111 (Closure and Post-Closure general requirements-Subpart G) and 40 CFR Part 264.601 (Miscellaneous Units Environmental Performance Standards-Subpart X). The closure performance standards for the EOD OB/OD area are based on applicable regulations, background information, results of sampling and environmental investigations, and a site-specific human health and ecological risk assessment, all detailed in the Functional Area I RI Report. The closure performance standards and environmental performance standards are to ensure that no contaminants exist that pose a threat to human health and the environment.

Surface soils, subsurface soils, groundwater, surface water, and sediment were sampled to determine areas where contaminants may be present. Analytical results from this sampling were compared to background values and screening values developed from applicable or relevant and appropriate requirements (ARARs) to determine if contamination exists at the EOD OB/OD area. The chemical-specific screening values used are below the levels established for maximum concentrations of contaminants for the RCRA Toxicity Characteristic in 40 CFR 261.24. For metals, soils exceeded background concentrations in beryllium, cobalt, copper, iron, manganese, mercury, nickel, selenium, and zinc. For organic contaminants, nitrocellulose, nitroglycerine, and TPHC were found in surface soils and TPHC and tetrachloroethene in subsurface soils. Manganese was detected in the groundwater above the maximum contaminant level (MCL), but was attributed to natural levels, and Cyclonite (RDX) exceeded the Safe Drinking Water Act Health Advisory in one groundwater well.

A human health and ecological risk assessment was conducted to assess the impacts of analytes detected on potential receptors. The human health risk assessment did not estimate risk for groundwater exposure because the groundwater will not be available for human consumption while the Army retains the South Post Impact Area. The groundwater model (Appendix F of the Functional Area I RI Report) and hydrogeologic investigations conclude that groundwater discharges from the South Post directly into the adjacent Nashua River, where it is diluted and dispersed to a point where no explosive compounds could be detected in the sampling. Maximum exposures for other exposure pathways resulted in risks to human health below those deemed of concern by the EPA. The Functional Area I RI Report concludes that no site-derived contamination exists at the site which threatens human health, and as long as the Army retains the EOD OB/OD area within the active impact range of the South Post Impact Area, no further environmental investigations or remedial action is warranted at the EOD OB/OD area.

The ecological risk assessment concluded that there are potential risks to small mammals and plants in the OB/OD area under maximum, but not under average, exposures.

EOD OB/OD Area

Section No.:
Revision No.:

2

Date:

September 1994

Maximum detected concentrations of mercury, nitroglycerin, and zinc may present the potential for adverse toxicological effects to small mammals or plants at the site, but based on the marginal exceedances of toxicity reference values, these potential effects were considered to be minimal. The EOD OB/OD area is sparsely vegetated and physically stressed from the detonation of explosives and from training activities. The site can support only a few individuals and potential impacts to plant or animal populations as a whole are minimal. The ecosystems in the general vicinity of the site are not affected by EOD operations. The analytes detected in the environmental investigations are not ecologically significant due to the limited detections and disturbed nature of the habitat. The ecological risk assessment concluded that no further action is necessary at the EOD OB/OD area to investigate or mitigate ecological risks of soil or other media contamination at the site.

The general requirements of the closure and post-closure performance standards set forth in 40 CFR 264.111 and subsequent environmental performance standards set forth in 40 CFR 264.601 require the prevention of any releases that may have an adverse effect on human health or the environment due to migration of hazardous waste constituents in the groundwater, subsurface soil, surface water, wetland, surface soil, or air. These environmental performance standards must consider the following factors:

- The volume of and physical and chemical characteristics of the waste in the unit, including its potential for migration through soil, liners, or other containing structures, or emission and dispersal of gases, aerosols, and particulates;
- The hydrologic, meteorologic, and geologic characteristics of the unit and the surrounding area;
- The existing quality of groundwater, surface water, soils, and air, including other sources of contamination and their cumulative impact on each media;
- The quantity, quality, and direction of groundwater flow;
- The proximity to and withdrawal rates of current and potential groundwater and surface water users;
- The patterns of land use in the region;
- The potential for deposition or migration of waste constituents into subsurface physical structures, and into the root zone of food-chain crops and other vegetation;
- The potential for heath risks caused by human exposure to waste constituents;

EOD OB/OD Area

Section No.:

0

Date:

September 1994

- The potential for damage to domestic animals, wildlife, crops, vegetation, and physical structures caused by exposure to waste constituents;
- The effectiveness and reliability of containing, confining, and collecting systems and structures in preventing migration to soil, groundwater, or surface water or emissions of hazardous constituents to the air; and
- The operating characteristics of the unit.

The factors listed above have been considered in the human health and ecological risk assessments, the nature and extent of contamination and fate and transport of contamination discussions, and the conclusions of the Functional Area I RI Report as summarized below.

Explosive waste is consumed during the treatment process at the EOD OB/OD area, and any scrap metal generated is transported to the Defense Reutilization and Marketing Office (DRMO) in accordance with EOD standard operating procedures, therefore there is no volume of waste remaining in the area. Results from soil and groundwater investigations confirm that there are no contaminated media which could be characterized at the EOD OB/OD area as posing a threat to human health. The hydrologic, meteorologic, and geologic characteristics of the unit are assessed in the Functional Area I RI Report, Volume I, Section 3. The existing quality of soil, surface water, groundwater, and air is assessed in Sections 1 and 5 of Volume II. The quantity and direction of groundwater flow also is addressed in Section 3, and supported by a groundwater flow model presented in Appendix F of Volume V. The closest current and potential groundwater and surface water users are discussed in Section 5 and Section 8.5 of Volume I.

Land use surrounding and including the region of the EOD OB/OD area is the active South Post Impact Area as described in Section 1 of Volumes I and II. This land use introduces low levels of explosive contamination at EOD and throughout the South Post to all environmental media. The potential for deposition or migration of contaminants detected at the EOD OB/OD area into the root zone of food chain crops or subsurface physical structures is non-existent because neither of these targets exist at or in the vicinity of EOD. The potential for damage to animals, wildlife, and vegetation is addressed in the ecological risk assessment in Section 9 of Volume I, which concludes that metals, explosives, and other organic chemicals detected do not present risks to plants or wildlife at the EOD OB/OD area. The potential for human health risks caused by human exposure to constituents is addressed in Section 8 of Volume II, which concludes that there are no unacceptable risks to human health.

The operating characteristics of the EOD OB/OD area are described in Section 1 of Volume II, and are reiterated below. From 1979 until November 1992, a maximum of 1,200 pounds per year of explosives and ammunition were destroyed at this range by open burning or open detonation. Open burning involved the placement of ordnance, including small arms ammunition, smoke grenades, cartridge activated devices, and pyrotechnics, in pits or

EOD OB/OD Area

Section No.: Revision No.:

0

Date:

September 1994

trenches within the 2-acre area in the southeast corner of the range. Items were covered with packing material, soaked with diesel fuel, oil, and non-serviceable flammable liquids, and ignited with smokeless charges. Open detonation was performed on munitions and ordnance that contained explosive filters with an explosive counter charge such as C-4 or trinitrotoluene (TNT) in open pits or on a flat surface tied to railroad ties. The item was destroyed through detonation, with scrap metals and shrapnel brought to the DRMO for recycling.

The Functional Area I RI Report concludes that operations at the EOD OB/OD area have not contaminated any media in levels that pose unacceptable risks to human health, as described in Section 8 of Volume II. The isolated detection of Cyclonite (RDX) at one monitoring well is indicative of low levels of explosive residue found throughout the South Post Impact Area from the training activities, which will continue into the future. It is concluded from the environmental investigations that operations to date have not introduced hazardous constituents into the soil, groundwater, and air in quantities that threaten human health or the environment. Closure performance standards for the EOD OB/OD area as required in 40 CFR 264.601 have been met.

EOD OB/OD Area

Section No.:

0

Date:

September 1994

3. GENERAL CLOSURE REQUIREMENTS

Closure requirements are developed to meet closure performance standards discussed in the previous section. Due to the fact that no unacceptable risks from contamination exist from EOD operations, the closure performance standards for the EOD OB/OD area have been met, and therefore no procedures will be set forth for remediation or monitoring of the EOD OB/OD area. This clean closure meets all requirements set forth in 40 CFR 264.111 through 264.115 and 264 Subpart X. The EOD unit will not undergo partial closure.

3.1 GENERAL CLOSURE PROCEDURES

Due to the fact that the environmental performance standards of mitigating impacts to human health and the environment have been met and the EOD OB/OD area is in a clean-closed state, no substantive steps are necessary outside the current Army protocol for maintaining the security and infrastructure of the South Post Impact Area.

3.2 INVENTORY/HANDLING OF HAZARDOUS WASTES

The handling of the explosive compounds is described in the previous section, with a maximum of 1,200 pounds per year of explosives treated. Records on the specific explosives treated are incomplete and exist only for several years from 1979 through 1987. These records are provided in Table 3-1 to aid in characterizing the waste stream. Based on a beginning date of 1 October 1979 and an ending date of 8 November 1992, the EOD OB/OD area operated in its present location as a RCRA regulated unit for 13 years.

3.3 OPERATIONAL PERIOD REMAINING

The EOD OB/OD area has been operating at its present location since 1979 and is presently awaiting EPA approval of clean closure. The operational period as a RCRA-regulated unit ceased as of 8 November 1992. Detonations and impacts will continue as part of the prescribed future use of the South Post Impact Area. Since the EOD OB/OD area is within the South Post Impact Area, it will continue to be affected by non-RCRA-regulated troop training activities involving detonations of explosive materials.

3.4 MAXIMUM EXTENT OF OPERATIONS

The maximum extent of operations during the life of the EOD OB/OD area is described in Volume II of the Functional Area I RI Report and consists of numerous detonation craters, which have been graded and regraded over time. These craters are located within a 300 foot by 450 foot detonation area in the southeastern corner of the EOD Range.

Table 3-1

Page 1 of 1

UNSERVICEABLE AMMUNITION DESTROYED BY 14TH EOD DETACHMENT AT THE SOUTH POST OF FORT DEVENS, MASSACHUSETTS 1979 TO 1987

| Period From To | Small Arms | Artillery/ Mortar | Grenades | Rockets/ Jatos | Pyro- technics | Propellants | Bulk Explosives (lbs) | Haz. Expl. Materials (lbs) |
|-------------------|------------|----------------------|----------|-------------------|-------------------|-------------|-----------------------------|----------------------------------|
| 10/1/79 9/31/80 | | | | | | | | |
| No Delineation | 2,916 | 77 | 165 | 6 | 1,591,515 | 2 | 480 | 2,860 |
| 10/1/80 9/31/81 | | | | | | | | |
| No Delineation | 30,373 | 67 | 43 | 8 | 84 | 12 | 95 | 25 |
| 10/1/81 9/31/82 | | | | | | | | |
| Incident Reports | 26,253 | 68 | 67 | 38 | 877 | 8 | 204 | 681 |
| Range Reports | | | 140 | | 6 | | | |
| 10/1/83 9/31/84 | | | | | | | | |
| Incident Reports | 7,148 | 350 | 89 | 48 | 138 | | 21 | 179 |
| Activity Reports | 4,280 | | | - | | | | 2,767 |
| 6/30/85 9/30/85 | | | | | | | | |
| Incident Reports | 8,557 | 91 | 22 | 1 | 67 | 870 | 20 | 6,050 |
| 3/31/87 6/30/87 | | | | | | | | |
| Incident Reports | 196 | 6 | 5 | 3 | | | ~~ | 3 |
| Range Reports | | 23 | • | | •• | *** | *** | |

Note: Total munitions destroyed on the SPIA by the 14th EOD are reported; no delineation of which ranges the detonations occurred at was available.

Data gaps exist in the 14th EOD files.

Source: Ecology and Environment, Inc., 1993.

EOD OB/OD Area

Section No.: Revision No.:

4 0

Date:

September 1994

4. CLOSURE PERFORMANCE MONITORING

The objective of closure performance monitoring is to confirm that surface soils, subsurface soils, surface water, sediments, groundwater, and ambient air contain no contamination from EOD-related activities, and that no contamination has travelled through these media to surrounding environments. It was concluded in the Functional Area I RI Report (Volume II) that no discernable levels of contamination posing a threat to human health or the environment exist at the EOD OB/OD area or in the surrounding environment, therefore no further monitoring or environmental investigations will occur. The greatest risk remaining throughout the South Post is not the toxicological risk from contaminated media, but the physical risk of unexploded ordnance, and this risk will continue as long as the South Post is used for troop training. Explosive ordnance clearance will continue throughout the South Post Impact Area, including EOD, when access to these areas is required by troops in training.

EOD OB/OD Area

Section No.:
Revision No.:

5

Date:

September 1994

5. CLOSURE SCHEDULE

The EOD OB/OD area has met all substantive requirements for clean closure, only the administrative requirements remain. The Army is submitting this Closure Report to the EPA for approval. Upon receipt of approval from the EPA, the Army will submit by registered mail, a closure certification signed by the Fort Devens Installation Commander and a registered engineer in the Commonwealth of Massachusetts, which will certify that the EOD OB/OD area at Fort Devens is clean closed under RCRA. A survey plat of the EOD OB/OD area has been submitted to EPA as Plate 1 in the Functional Area I RI Report, Volume II.

EOD OB/OD Area

Revision No.:

Date:

September 1994

6. WASTE MANAGEMENT

There will be no closure derived waste because no closure activities will occur. Scrap metals retrieved from training activities throughout the South Post Impact Area are turned over to the DRMO at Fort Devens for recycling.

EOD OB/OD Area

Section No.: Revision No.:

0

Date:

August 1994

7. CONTINGENT CLOSURE PLAN AND POST-CLOSURE MONITORING PLAN

A contingent closure plan and post-closure monitoring plan is required if the concentrations of closure performance monitoring compounds exceed remedial goals. Volume II of the Functional Area I RI Report established that no contamination exists at the EOD OB/OD area which threatens human health and no further action is recommended to mitigate environmental risks. Therefore clean closure has been achieved and there is no contingent closure plan, nor will any post-closure monitoring occur.

EOD OB/OD Area

Section No.: Revision No.: 8

Revision Date:

September 1994

8. REGULATORY COMPLETENESS CHECKLIST

A regulatory completeness checklist for hazardous waste treatment, storage, and disposal facilities is provided in Table 8-1.

TABLE 8-1

REGULATORY COMPLETENESS CHECKLIST FOR HAZARDOUS WASTE STORAGE, TREATMENT, AND DISPOSAL FACILITIES

| Facility Name Fort Devens EOD OB/OD Area | EPA I.D. Number MA 7210025154 |
|--|-------------------------------|
| Address Fort Devens, Massachusetts 01433-5100 AFZD-DEQ | Permit Review Team |
| Contact Name Commander, Headquarters, Fort Devens, Massachusetts Contact Phone Number (508) 796-3114 | Date Application Received |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | | |
|---|--|---|-----------------------------|----------|--|--|
| Subject Re | equirement | 40 CFR Section Nos. | Location in Application* | Comments | | |
| PART I - CLOSURE PLAN PLANS, AND FINANCIAL | | 270.14(b)(13) [12/10/87], 270.14(b)(15) [5/02/86], 270.14(b)(16) [5/02/86], 270.14(b)(17), 270.14(b)(18), 264.110-264.151, 264.178, 264.197, 264.228, 264.258, 264.280, 264.310, 264.351 | 3,4,7 | | | |
| I-1 Closure Plans A copy of the written closure and consistent with Items I-1a | | 270.14(b)(13) 264.112 [5/02/86] | 3,4,7 | | | |
| I-1a Closure Performance S A description of how closure | | 264.111 (264.112 requires consistency with 264.111) [5/02/86] | 2 | | | |
| o Minimizes the need for | further maintenance | | 2 | | | |
| leachate, contaminated | iste, hazardous constituents, runoff, or hazardous waste is to the ground or surface | | 2 | | | |

| | _ | |
|-----|---|---|
| (| χ | _ |
| | ţ | |
| - 1 | ^ | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | |
|---|--|-----------------------------|----------|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | |
| I-la continued | | 2 | | | |
| o Complies with the closure requirements of Subpart G and unit-specific closure requirements. | | | | | |
| I-1b Partial Closure and Final Closure Activities Fully describe time and all activities required for: | 264.112(b) (264.112(b)(1) through 264.112(b)(7) outline minimum acceptable plan elements [5/02/86] | 3,4,7 | | | |
| o Partial closure, if applicable. | | N/A | | | |
| o Final closure. | | 3,4,7 | | | |
| o Maximum extent of operation which will be active during life of facility. | | 3.4 | | | |
| Description must identify how requirements of 264.111, 264.113, 264.114, 264.115, and applicable requirements of 264.178, 264.197, 264.228, 264.258, 264.280, 264.310, and 264.351 will be met. | | 3,4,7 | | | |
| I-1c Maximum Waste Inventory A description of the maximum inventory of wastes that could be in storage, treatment, and disposal at any time during the life of the facility. | 264.112(b)(3) [5/02/86] | 3.2 | | | |
| Methods for removing, transporting, treating, storing, or disposing of all hazardous wastes. Identification of the type(s) of off-site hazardous waste management units to be used. | | 3.2,6 | | | |
| I-1d Schedule for Closure A schedule for final closure including: | 264.112(b)(6) [5/02/86] | 5 | | | |
| o Each HWMU and final closure of the facility. | | 5 | | | |
| o Closure schedule with total time to close, time for intervening closure activities, and inspection schedule during closure. | | 5 | | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | | | |
|-----------------------|---|---|-----------------------------|----------|--|--|--|
| | Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | | |
| | I-1d continued | | N/A | · | | | |
| 0 | Estimated expected year of closure for facilities that use trust funds to establish financial assurance and that are expected to close prior to the expiration of the permit. | | | | | | |
| | d(1) Time Allowed for Closure e time schedule for closure must show: | 264.112(b)(2), 264.113(a) and (b) [5/02/86] | 5 | | | | |
| 0 | All hazardous wastes will be treated, removed off site, or disposed of on site within 90 days from receipt of final volume of waste at the unit or facility. | | 5 | | | | |
| 0 | All closure activities will be completed within 180 days from receipt of final volume of waste at the unite or facility. | | 5 | | | | |
| A sch tre da | petition made to the Regional Administrator for a needule for closure which exceeds the 90 days for atment, removal, or disposal of wastes and/or the 180 ys of completion of closure activities made to the gional Administrator. One of the following must be monstrated: | 264.113(a), 264.113(b) [5/02/86] | N/A | | | | |
| 0 | Closure activities require longer than 90 or 180 days, | | N/A | | | | |
| 0 | Unit or facility has capacity to receive additional wastes, | | N/A | | | | |
| 0 | There is a reasonable likelihood that another person other than owner or operator will recommence operation of the site within one year, and | | N/A | | | | |
| 0 | Closure would be incompatible with continued operation. | | N/A | | | | |
| pre | monstrate that all steps have and will be taken to event threats to human health and environment from closed but inactive facility. | | N/A | | | | |

| ∞ | |
|----------|--|
| ŧ | |
| σ | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | | |
|--|--|-----------------------------|----------|--|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | | |
| I-1e Closure Procedures | 264.112, 264.114 [5/02/86] | 3,4,7 | | | | |
| I-1e(1) Inventory Removal, Disposal, or Decontamination of Equipment | 264.114 [5/02/86] | 7 | · | | | |
| A description of how all facility equipment and structures will be decontaminated or disposed of when closure is completed. The following should be included: | 264.112(b)(4) [5/02/86] | | | | | |
| o Decontamination procedures. | | N/A | | | | |
| o Criteria for determining decontamination. | | N/A | · | | | |
| o List of equipment, structures, and soils. | | N/A | | | | |
| o Disposal of contaminated soil and residues. | | N/A | | | | |
| o Decontamination of cleanup materials and equipment. | | N/A | , | | | |
| o Demonstrate decontamination has been effective | | N/A | | | | |
| A demonstration that any hazardous constituents left will not impact environmental media in excess of agency established exposure levels, and direct contact will not pose a threat to human health and the environment. | 264.111(b) [5/02/86] Guidance (Preamble 51 FR 16444, May 2, 1986) | 2 | | | | |
| I-1e(2) Closure of Disposal Units Closure plans for all piles, landfills, surface impoundments, and miscellaneous disposal units in which wastes or contaminated materials are to remain at closure must describe how the unit will be closed, including a description of the final cover to be established and its expected performance. Contingent closure plans for tanks, surface impoundments, and waste piles also must provide these descriptions. | 270.14(b)(13), 270.17(f), 270.18(h), 270.21(e), 264.228(a)(2), 264.228(c)(1)(i), 264.258(c), 264.310(a), 264.601 | 3,4,7 | | | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | | |
|---|--|-----------------------------|----------|--|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | | |
| I-1e(3) Closure of Containers | 264.178 | N/A | | | | |
| A description of how at closure, all hazardous waste residues will be removed from the containment system, and how remaining containers, bases, and soil containing or contaminated with hazardous waste or hazardous waste residues will be decontaminated or removed. | | | | | | |
| The description should address the following: | | | | | | |
| o Hazardous waste removal and disposal | Guidance | N/A | | | | |
| o Container decontamination and disposal | Guidance | N/A | | | | |
| o Site decontamination and disposal including linings, soil, and washers | Guidance | N/A | · | | | |
| o Verification of decontamination | Guidance | N/A | | | | |
| o Maximum inventory | 264.112(b)(3) | N/A | | | | |
| I-1e(4) Closure of Tanks | 264.197(a) | N/A | | | | |
| A description of how at closure, all hazardous waste residues will be removed from tanks, discharge control equipment, and secondary containment structures, and the facility will be decontaminated. The description should address the following: | | | | | | |
| o Waste removal from tanks and equipment | Guidance | N/A | | | | |
| o Decontamination of all components | Guidance | N/A | | | | |
| o Verification of decontamination | Guidance | N/A | | | | |
| o Disposal of wastes and residues | Guidance | N/A | | | | |
| o Maximum inventory | 264.112(b)(3) | N/A | | | | |
| If not all contaminated soils can be removed or decontaminated at closure, a closure and post-closure plan for a landfill must be included. If the tank systems do not have secondary containment or are not exempt, then a contingent closure and post-closure plan for a landfill must be provided. | 264.197(b) [5/02/86] 264.197(c) | N/A | | | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | | |
|--|--|-----------------------------|----------|--|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | | |
| I-Ie(5) Closure of Waste Piles The application must describe how all hazardous waste residues, contaminated containment system components (liners, etc.), contaminated subsoils, and structure and equipment contaminated with waste and leachate will be removed or decontaminated at closure and managed as hazardous waste. If any wastes, waste residues or contaminated materials or soils will remain after closure, provide plans for closing the pile as a landfill [I-1f(6)] and provide post-closure plan [I-2]. Piles without lines or with liners that do not meet the requirement of D-3e must also provide contingent plans for closing the facility as a landfill [I-1d(6)] and a contingent post-closure [I-2], except for dry, enclose piles meeting the requirements of D-3b or piles for which a liner exemption is sought in accordance with D-3c. | 270.18(h) 264.258 264.112(b)(4) | N/A | | | | |
| The description should address the following: | | | | | | |
| o Procedures and criteria for determining whether or not decontamination has been successful | Guidance | N/A | | | | |
| o Sampling and analytical techniques | Guidance | N/A | | | | |
| o Continuance of treatment during closure (if appropriate). | Guidance | N/A | | | | |
| If any wastes, waste residues, or contaminated materials or soils will remain after closure, provide plans for closing the surface impoundments in place and provide post-closure plans [I-2]. Plans for closing a surface impoundment in place must address the following: | | N/A | | | | |
| o Elimination of liquids by removal or solidification | | N/A | | | | |
| o Stabilization of wastes to sufficient bearing capacity | | N/A | | | | |

| Closure/Post-Closure and Financial Requirements - Module I | | | | |
|---|---|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| o Final cover designed and constructed to provide long-term minimization of migration of liquids through the closed impoundment, function with minimal maintenance, promote drainage and minimize erosion of final cover, accommodate settling and subsidence, and have a permeability less than or equal to that of the bottom liner system or natural subsoils present. | | N/A | | |
| Surface impoundments without liners or with liners that do not meet requirement of D-4c must also provide contingent plans for closure in place and a contingent post-closure plan [I-2], except for impoundments requesting a liner exemption in accordance with D-4b. | | N/A | · | |
| I-1e(7) Closure of Incinerators | 264.351 | N/A | | |
| Description of how at closure all hazardous waste and hazardous waste residues including ash, scrubber waters, and scrubber sludges will be removed from the incinerator, associated duct work, piping, air pollution control equipment, sumps, and any other structures or operating equipment such as pumps, valves, etc., that have come into contact with the hazardous waste. Alternatively, a description of how the incinerator and associated units and equipment will be dismantled and disposed of as a hazardous waste will suffice. | | | | |
| I-1e(8) Closure of Landfills Provide detailed plans and an engineering report which describes the final cover components in detail. cover installation and construction quality assurance procedures should be thoroughly described. These detailed plans and engineering report must describe how the final cover will: | 270.21(e), 264.310(a), 264.280(b) | N/A | | |
| o Provide long-term minimization of migration of liquids through closed landfill | | N/A | | |
| o Function with minimum maintenance | | N/A | | |
| o Promote drainage and minimize erosion/abrasion | | | | |
| o Settle/subside without losing integrity | | N/A | | |

| ∞ |
|----------|
| ī |
| |
| \neg |

| Closure/Post-Closure and Financial Requirements - Module I | | | | |
|--|--------------------------|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| o Be less permeable than bottom liners or subsoils | | N/A | | |
| o Withstand freeze/thaw cycles. | | N/A | | |
| I-1e(9) Closure of Land Treatment During discussion of land treatment facilities the owner or operator must comply with the following: | 270.20(f), 264.280(a) | N/A | | |
| o Continue all operations (including pH control) necessary to maximize degradation, transformation, or immobilization of hazardous constituents within the treatment zone as required, except to the extent such measures are inconsistent with 264.280(a)(8) | | N/A | | |
| o Continue all operations in the treatment zone to minimize runoff of hazardous constituents | | N/A | | |
| o Maintain the run-on control system | | N/A | | |
| o Maintain the runoff management system | | N/A | | |
| o Control wind dispersal of hazardous waste if required | | N/A | | |
| o Continue to comply with any prohibitions or conditions concerning growth of food-chain crops | | N/A | | |
| o Continue unsaturated zone monitoring except that soil-pore liquid monitoring may be terminated 90 days after the last application of waste to the treatment zone. | | N/A | | |
| o Establish a vegetative cover on the portion of the facility being closed at such time that the cover will not substantially impede degradation, transformation, or immobilization of hazardous constituents in the treatment zone. The vegetative cover must be capable of maintaining growth without extensive maintenance. | | N/A | | |
| When closure is complete the owner-operator may submit to the Regional Administrator certification by an independent qualified soil scientist, in lieu in an independent registered professional engineer, that the facility has been closed in accordance with the specifications in the approved closure plan. | | N/A | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | |
|--|--|--------------------------|----------|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | |
| I-1e(10) Closure of Miscellaneous Units: Show that at closure, all hazardous waste and hazardous waste residues will be removed from the treatment process or equipment, discharge control equipment, and discharge confinement structures, and that the facility will be decontaminated. Description of the sampling/test procedures or other means used to ensure that no contamination remains on, in, or around the units and associated equipment and structures. If any wastes, waste residues, or contaminated materials or soils will remain after closure, provide plans for closing the miscellaneous unit as a disposal unit [I-1e(2)] and provide post-closure plans [I-2]. | 264.601, 270.23(a)(2) [12/10/87] | 3,4,7 | | | |
| I-2 Post-Closure Plan An owner/operator of a disposal facility must have a written post-closure plan, or, if applicable, a contingent post-closure plan. A copy of the approved plan and all revisions to the plan must be kept at the facility until the post-closure care begins. Landfill, surface impoundment, waste pile, and tank post-closure plans should address items I-2a, b, c, f, g, h; land treatment unit post-closure plan, items I-2d, f, g, and h; miscellaneous units should address items I-2a, b, c, e, f, g, and h. | 270.14(b)(13), 270.17(f), 270.18(h), 270.20(f), 270.21(e), 270.23(a)(3), 264.118 [5/02/86], 264.197(b), 264.197(c)(2), 264.228(b), 264.228(c)(l)(ii), 264.258(b), 264.258(c)(l)(ii), 264.280(c), 264.310(b), 264.603 | 7 | | | |
| I-2a Inspection Plan A description of the inspections to be conducted during the post-closure care period, their frequency, the inspection procedure, and the logs to be kept. The following items, as applicable, should be included in the inspection plan: | 264.118(a), [5/02/86] 264.197(b), 264.197(c)(2), 264.228(b), 264.228(c)(1)(ii), 264.258(b), 264.258(c)(1)(ii), 264.310(b) | 7 | | | |
| o Security control devices | | 3.1 | | | |
| o Erosion damage | | N/A | | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | |
|--|---|-----------------------------|----------|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | |
| o Cover settlement, subsidence, and displacement | | N/A | | | |
| o Vegetative cover condition | | N/A | | | |
| o Integrity of run-on and run-off control measures | | N/A | | | |
| o Cover drainage system function | | N/A | | | |
| o Leachate collection/detection and removal system maintenance | | N/A | | | |
| o Gas venting system | | N/A | | | |
| o Well condition | | N/A | | | |
| o Benchment integrity | | N/A | | | |
| The rationale to be used to determine the need for corrective maintenance activities. | | 7 | | | |
| I-2b Monitoring Plan A description of the monitoring to be conducted during the post-closure care period, including, as applicable, the procedures for conducting the following operations and evaluating the data gathered should include: | 264.118(b)(l) [5/02/86] 264.228(b), 264.197(b), 264.197(c)(2), 264.228(c)(l)(ii), 264.258(b), 264.258(c)(l)(ii), 264.310(b) | 7 | , | | |
| o Groundwater monitoring | | N/A | | | |
| o Leachate collection/detection and removal | | N/A | | | |
| I-2c Maintenance Plan A description of preventative and corrective maintenance procedures, equipment procedures, equipment requirements, and material needs. Include the following items in the maintenance plan, as applicable: | 264.118(b)(2), [5/02/86] 264.197(b), 264.197(c)(2), 264.228(b), 264.228(c)(l)(ii), 264.258(b) 264.258(c)(l)(ii) 264.310(b) | 3.1 | | | |
| o Repair of security control devices | | 3.1 | | | |
| o Erosion damage repair | | N/A | | | |

| Closure/Post-Closure and Financial Requirements - Module I | | | | |
|---|---------------------------------------|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| o Correction of settlement, subsidence, and displacement | | N/A | | |
| o Mowing, fertilization, and other vegetative cover maintenance | | N/A | | |
| o Repair of runon and runoff control structures | | N/A | | |
| o Leachate collection/detection system maintenance | | N/A | | |
| o Well replacement | | N/A | | |
| o The rationale to be used to determine the need for corrective maintenance activities. | | 7 | | |
| I-2d Land Treatment A description of the operation, inspection, and maintenance programs to be used at the closed facility. Include descriptions of the procedures for conducting the following activities and identify frequencies at which they are to be conducted: | 264.280(c) | N/A | · | |
| o Continuance of land treatment | | N/A | | |
| o Vegetative cover maintenance | | N/A | | |
| o Maintenance of runon control systems and runoff management systems | | N/A | | |
| o Wind dispersal control | | N/A | | |
| o Control of food chain crops | | N/A | | |
| o Unsaturated zone monitoring | | | | |
| I-2e Post Closure Care for Miscellaneous Units A detailed description of the plans to ensure protection of human health and the environment. Include the prevention of any releases to groundwater or subsurface environment; surface water or wetlands or on the soil surface; or to air. This will include providing related information from [D-8]. | 20.23(a)(3), 264.603 [12/10/87] | 7 | | |

| Closure/Post-Closure and Financial Requirements - Module I | | | | |
|--|------------------------------------|-----------------------------|----------------------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| I-2f Post-Closure Security Indicate which security provisions will continue during closure when hazardous waste will remain exposed after completion of partial or final closure or access by the public or domestic livestock may pose a hazard to human health. | 264.117(b) [5/02/86] | 3.1 | | |
| I-2g Post-Closure Contact Provide the name, address, and phone number of the person or office to contact about the hazardous waste disposal unit or facility during the post-closure care period. | 264.118(b)(3) [5/02/86] | 5 | | |
| I-3 Notices Required for Disposal Facilities I-3a Certification of Closure A statement by the applicant which indicates that within 60 days of completion of closure of each hazardous waste surface impoundment, waste pile, land treatment, and landfill unit, and within 60 days of the completion of final closure, closure certification will be submitted to the Regional Administrator. The certification must certify that the hazardous waste management unit or facility, as applicable, has been closed in accordance with the specifications of the approved closure plan. The certification must be signed by the owner/operator and by a independent registered professional engineer (or by an independent qualified soil scientist in the case of a land treatment closure). | 264.115 [5/02/86] 264.280(b) | | Pending EPA Approval | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | | |
|---|--|-----------------------------|----------|--|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | | |
| I-3b Survey Plat A statement by the applicant which indicates that no later than the submission of certification of closure of each hazardous waste disposal unit, a survey plat indicating the location and dimensions of landfill cells or other disposal units with respect to permanently surveyed benchmarks, will be submitted to the local zoning authority (or authority with jurisdiction over local land use) and to the Regional Administrator. The plat must be prepared and certified by a professional land surveyor and must contain a note, prominently displayed, which states the owner/operator's obligation to restrict disturbance of the disposal unit in accordance with applicable 40 CFR 264 Subpart G regulations. | 264.116 [5/02/86] | 5 | | | | |
| I-3c Notice to Local and Authority Documentation by applicant that within 60 days after closure a record of the type, location, and quantity of hazardous waste within each cell or disposal area will be submitted to the appropriate local land use authority and to the Regional Administrator. | 264.119 [5/02/86] | 5 | | | | |
| I-3d Post-Closure Certification Provide a statement which indicates that within 60 days of completion of the post-closure care period for each hazardous waste disposal unit, certification will be submitted to the Regional Administrator. The certification must certify that the post-closure care period for the hazardous waste disposal unit was performed in accordance with the specifications of the approved post-closure plan. The certification must be signed by the owner/operator and by an independent registered professional engineer. | 264.120 [5/02/86] | 5 | | | | |
| I-3e Notice in Deed to Property Documentation by applicant that he has or will record a notation on the facility deed, or other instrument examined during a title search, that notifies any potential purchase of the property that: | 270.14(b)(14), 264.119 [5/02/86] | N/A | | | | |
| o The property has been used to manage hazardous wastes | | N/A | | | | |

| Closure/Post-Closure and Financial Requirements - Module I | | | | |
|--|--|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| o Use of the land is restricted to activities that will not disturb integrity of final cover system, or monitoring system during post-closure care period | | N/A | | |
| o Requirements stated under I-3a above have been complied with. | | N/A | | |
| I-4 Closure Cost Estimate A copy of the most recent closure or contingent closure cost estimate, prepared in accordance with 264.142. | 270.14(b)(15) [5/02/86] | N/A | | |
| o Cost estimate based on third party costs | 264.142(a)(2) | N/A | | |
| o Fully loaded (most costly) | Guidance | N/A | | |
| o No salvage credits | 264.142(a)(3),(4) | N/A | | |
| o Current year costs | 264.142(a) | N/A | | |
| o Cost adjusted annually from anniversary date of first cost estimate | 264.142(b) | N/A | | |
| o Based on point in operating life when extent and manner of operation would make closure most expensive. | 264.142(a) [5/02/86] | N/A | | |
| I-5 Financial Assurance Mechanism for Closure A copy of the established financial assurance mechanism for facility closure adopted in compliance with 264.143. The mechanism must be one of the following [I-5(a) through I-5(f)] and include due dates and use standard wording. | 270.14(b)(15) 264.143 264.151 [5/02/86] | N/A | | |
| I-5a Closure Trust Fund A copy of the closure trust fund agreement with the wording required in 264.151(a)(1) and a formal certification of acknowledgement. | 264.143(a) 264.151(a)(1) | N/A | | |
| o Bank of approval institution | | N/A | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | |
|--|--|-----------------------------|----------|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | |
| o Mechanics: | | N/A | | | |
| - pay-in period; life of permit or remaining life of facility, whichever is shorter, | | N/A | | | |
| Annual payment; unfunded liability divided by years left in pay-in period. | | N/A | | | |
| I-5b Surety Bond A surety bond from a federally acceptable surety company meeting one of following requirements: | 264.143(b) and (c), 264.151(b) and (c) [5/02/86] | N/A | | | |
| o Surety bond guaranteeing payment into a closure trust fund. A copy of the surety bond with the wording required in 264.151(b), a copy of the standby trust fund agreement | 264.143(b), 264.151(b) [5/02/86] | N/A | | | |
| o Surety bond guaranteeing performance of closure. A copy of the surety bond with the wording required in Part 264.151(c), guaranteeing that the owner/operator will perform closure according to the closure plan and the requirements of Subpart G. | 264.143(c), 264.151(c) | N/A | | | |
| I-5c Closure Letter of Credit A copy of the closure letter of credit with the working required in 264.151(d): | 264.143(d), 264.151(d) | N/A | | | |
| o Irrevocable letter of credit | | N/A | | | |
| o At least one year period, automatic renewal | | N/A | | | |
| o Standby trust fund | | N/A | | | |
| o Amount reflects current cost estimate. | | N/A | | | |
| I-5d Closure Insurance To demonstrate that the owner/operator has closure insurance, he or she must submit to the Regional Administrator 60 days before hazardous waste is received a certificate of insurance worded as specified in 264.151(e). | 264.143(e) 264.151(e) | N/A | | | |
| o Non-cancelable policy, automatic renewal | | N/A | | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | | |
|---|--|-----------------------------|----------|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | |
| o Insurer licensed or eligible surplus lines carrier | | N/A | | | |
| o Certificate of insurance | | N/A | | | |
| o Funds available whenever final closure occurs. | | N/A | · | | |
| I-5e Financial Test and Corporate Guarantee for Closure To demonstrate that this test is met, an owner/operator must submit a letter signed by the company's chief financial officer that is worded as specified in 264.151(f) and meets the following criteria: | 264.143(f), 264.151(f), 264.151(h) [5/02/86] | N/A | | | |
| o Tangible net work \$10 million | | N/A | | | |
| o Tangible net worth 6 x all closure and post-closure costs | | N/A | | | |
| o U.S. assets at least 90 percent of total assets or at least six times all closure and post-closure costs | | N/A | | | |
| o Bond rating requirement or alternative financial ratio tests | | N/A | · | | |
| o Application must include: | | N/A | | | |
| - copy of a report from the owner's/ operator's independent CPA to the owner/operator stating that he or she has examined the data in the letter from the chief financial officer and that it is consistent with the amounts in the independently-audited year-end financial statements for the latest fiscal year and that no matters came to attention to cause him or her to believe that the data should be adjusted. | | N/A | | | |
| In lieu of the above items, the owner/operator may submit a corporate guarantee worded as required by 264.151(h). This guarantee provides that the guarantor, which must be the parent company of the owner/operator. A copy of these items should be submitted with the Part B for review by the permit writer. | 264.143(f)(10) | N/A | | | |

| Closure/Post-Closure and Financial Requirements - Module I | | | | |
|--|--|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| I-5f Combinations | | N/A | | |
| I-5f(1) <u>Use of Multiple Financial</u> <u>Mechanisms</u> | 264.143(g) | | | |
| A copy of a combination of trust fund agreements, surety bond guaranteeing payment into a closure trust fund, letter of credit, or insurance, and state assumption of responsibility, which provide financial assurance for the amount of closure. Combined financial assurance must be at least equal to the adjusted closure cost estimate. Financial assurance instruments must meet requirements 264.143(a), (b), (d), or (e) which include closure trust fund, surety bond guaranteeing payment into a closure trust fund, closure letter of credit, and closure insurance, respectively. | | | · | |
| I-5f(2) <u>Use of Financial Mechanism for</u> <u>Multiple Facilities</u> | 264.143(h) | N/A | | |
| A copy of the financial assurance mechanism for more than one facility showing for each facility, the EPA ID number, name, address, and amount of closure funds assured by the mechanism. | | | | |
| Total funding must be no less than the sum required for each facility considered separately. Documents must be submitted to each region here facilities are located. Financial test applies to sum of closure and post-closure costs for all facilities. | 264.143(h) | | | |
| I-6 Post-Closure Cost Estimate If landfill, land treatment, surface impoundments, or waste piles are utilized, the application must include a post-closure or a contingent post-closure cost estimate prepared in accordance with 264.144: | 270.14(b)(16), 264.144 [5/02/86] | N/A | | |
| o Fully loaded labor rate (third party) | Guidance | N/A | | |
| o No salvage values | Guidance | N/A | | |
| o No operation credits (gas, crops, livestock) | Guidance | N/A | | |
| o Current year | Guidance | N/A | | |

| Closure/Post-Closure and Financial Requirements - Module I | | | | |
|---|--|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| o Based on the extent of operation most likely to make post-closure most expensive | Guidance | N/A | | |
| o Inspection costs | Guidance | N/A | | |
| o Administration | Guidance | N/A | | |
| o Transportation | Guidance | N/A | | |
| I-7 Financial Assurance Mechanism for Post-Closure A copy of the established financial assurance mechanism for post-closure care adopted in compliance with 264.145. The mechanism must be one of the following: [I-7(a) through I-7(f)] and include due dates and use standard wording. | 270.14(b)(16) 264.145 264.151 [5/02/86] | N/A | · | |
| I-7a Post-Closure Trust Fund A copy of the post-closure trust fund agreement with the wording required in 264.151(a)(1) and a formal certification of acknowledgement: | 264.145(a), 264.151(a)(1) | N/A | | |
| o Bank or approval institution | | N/A | | |
| o Mechanics | | N/A | | |
| - pay-in period; life of permit or remaining life of facility, whichever is shorter | | N/A | | |
| - annual payment; unfunded liability divided by years left in pay-in period. | Service Control of the Control of th | N/A | | |
| I-7b Surety Bond A surety bond from a federally acceptable surety company meeting one of the following requirements: | 264.145(b) and (c), 264.151(b) and (c) [5/02/86] | N/A | | |
| o Surety bond guaranteeing payment into a post- closure trust fund. A copy of the surety bond with the working required in 264.151(b), a copy of the standby trust fund agreement. | 264.145(b), 264.151(b) [5/02/86] | N/A | | |

| Closure/Post-Closure and Financial Requirements - Module I | | | | | |
|---|--|-----------------------------|----------|--|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | | |
| o Surety bond guaranteeing performance of post- closure activities. A copy of the surety bond with the wording required in Part 264.151(c), guaranteeing that the owner-operator will perform post-closure plan and the requirements of Subpart H. | 264.145(c), 264.151(c) | N/A | | | |
| I-7c Post-Closure Letter of Credit A copy of post-closure letter of credit with the wording required in 264.151(d): | 264.145(d), 264.151(d) | N/A | | | |
| o Irrevocable letter of credit | | N/A | | | |
| o At least one year period, automatic renewal | | N/A | | | |
| o Standby trust fund | | N/A | | | |
| o Amount reflects current cost estimate | | N/A | | | |
| I-7d Post-Closure Insurance To demonstrate that the owner/operator has post-closure insurance, he or she must submit to the Regional Administrator 60 days before hazardous waste is received a certificate of insurance worded as specified in 264.151(e): | 264.145(e), 264.151(e) | N/A | | | |
| o Noncancellable policy, automatic renewal | | N/A | | | |
| o Insurer licensed or eligible surplus lines carrier | | N/A | | | |
| o Certificate of insurance | | N/A | | | |
| o Funds available whenever final post-closure occurs | | N/A | | | |
| I-7e Financial Test and Corporate Guarantee for Post-Closure To demonstrate that this test is met, an owner/ operator must submit a letter signed by the company's chief financial officer that is worded as specified in 264.151(f) and meets the following criteria: | 264.145(f) [5/02/86], 264.151(f) 264.151(h) [11/18/87] | N/A | | | |
| o Tangible net worth \$10 million | | N/A | | | |

| (| Э | ٥ |
|---|---|---|
| | t | |
| 1 | ٦ | ٥ |
| 1 | ٦ | - |

| | Closure/Post-Closure and Financial Requirements - Module I | | | |
|---|--|--------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| o Tangible net work 6 x all closure and post-closure costs | | N/A | | |
| o U.S. assets at least 90 percent of total assets or at least six times all closure and post-closure costs | | N/A | | |
| o Bond rating requirements or alternatives | | N/A | | |
| o Application must include: | | N/A | | |
| copy of a report on the company's financial statements drafted by an independent certified public accountant (CPA) | | N/A | | |
| - copy of a report from the owner's/ operator's independent CPA to the owner/operator stating that he or she has examined the data in the letter from the chief financial officer and that it is consistent with the amounts in the independently-audited year-end financial statements for the latest fiscal year and that no matters came to attention to cause him to believe that the data should be adjusted. | | N/A | | |
| In lieu of the above items, the owner/operator may submit a corporate guarantee worded as required by 264.151(h). This guarantee provides that the guarantor, which must be the parent company of the owner/operator, will perform post-closure activities in accordance with the post-closure plan if the owner/operator fails to do so or will establish a post-closure trust fund for the owner/operator. A copy of these items should be submitted with the Part B for review by the permit writer. | | N/A | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | |
|--|--|--|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| I-7f Combinations | 264.145(g) | N/A | | |
| I-7f(1) Use of Multiple Financial Mechanisms | | winds and we would have a second and we will have a second and we would hav | | |
| A copy of a combination of trust fund agreements, surety bond guaranteeing payment into a post-closure trust fund or letters of credit, insurance, and state assumption of responsibility, which provide financial assurance for the amount of post-closure. Combined financial assurance must be at least equal to the adjusted post-closure cost estimate. Financial assurance instruments must meet requirements of 264.143(a), (b), (d), or (e) which include post-closure trust fund, surety bond guaranteeing payment into a post-closure trust fund, post-closure letter of credit, and post-closure insurance, respectively. | | | | |
| I-7f(2) Use of Financial Mechanism for Multiple Facilities | 264.145(h) | N/A | | |
| A copy of a financial assurance mechanism for more than one facility showing for each facility, the EPA ID number, name, address, and amount of closure funds assured by the mechanism. Total funding must be no less than the sum required for each facility considered separately. Documents must be submitted to each region where facilities are located. Financial test applies to the sum of closure and post-closure costs for all facilities. | | | | |
| I-8 Liability Requirements Where applicable, a copy of the insurance policy or other documentation which comprise compliance with the requirements of 264.147. (Coverage is for all facilities owned and operated and applies until certification for closure and post-closure is completed. For facilities in Phase I authorized states, originally signed duplicates of executed instruments or certificates of insurance are not required until the time of permit issuance, except as required by state law.) | 270.14(b)(17), 264.147(a) and (b) | N/A | | |

| Closure/Post-Closure and Financial Requirements - Module I | | | |
|--|---|-----------------------------|----------|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments |
| I-8a Sudden Insurance Hazardous waste treatment, storage, or disposal facilities must demonstrate financial responsibility for bodily injury and property damage to third parties caused by sudden accidental occurrences. | 264.147(a), 264.147(g), 264.151(g, i, j) [5/02/86] | N/A | |
| o Amount of at least \$1 million per occurrence | | N/A | |
| o An annual total of at least \$2 million, exclusive of legal costs | | N/A | |
| o A signed duplicate original of the Hazardous Waste Facility Liability Endorsement worded as specified in | | N/A | |
| o A Certificate of Liability Insurance worded as specified in 264.151(j), or | | N/A | |
| o Financial test | | N/A | , |
| - letter from CFO | | N/A | |
| - auditor report | | N/A | |
| - auditor opinion | | N/A | |
| - other information requested by R.A. | | N/A | |
| - acceptable ratios | | N/A | |
| notification to EPA by Attorneys General or insurance commissioner of guarantor's state and facility state that corporate guarantee is legally valid and enforceable. | | N/A | |
| o A combination of endorsement or certification and financial test or a combination of endorsement or certification and corporate guarantee. Amounts of coverage must total at least the minimum amounts required by 264.147(a). | | N/A | |
| I-8b Nonsudden Insurance This applies to high risk storage facilities (designated by Regional Administrator), surface impoundments, land disposal, and land treatment. | 264.147(b) and (d). 264.151(i) and (j), 264.147(f) | N/A | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | |
|---|--|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| o At least \$3 million per occurrence | | N/A | | |
| o An annual total of at least \$6 million is required, exclusive of legal costs | | N/A | | |
| o Same endorsement or certification requirements as for sudden insurance coverage or | | N/A | | |
| o Financial test | | N/A | | |
| - letter for CRD (264.151(g)) | | N/A | | |
| - auditor's report | | N/A | | |
| - auditor's opinion | | N/A | | |
| - other information requested by R.A. | | N/A | | |
| o Corporate guarantee | 264.147(b)(2) | N/A | | |
| - guarantor must be parent corporation | 264.147(g)(2)(i), | N/A | | |
| - certified copy of corporate guarantee with wording as specified in 264.151(h)(2) | 264.151(h)(2) | N/A | | |
| - financial test for guarantor | [11/18/87] | N/A | | |
| I-8c Variance Procedures and R.A. Adjustments Evaluation of degree and duration of risk sufficient to allow R.A. to make a judgment on reduction of required liability. The financial responsibility levels specified above for liability insurance for sudden accidental occurrences may be adjusted downward if the owner/operator can prove to the Regional Administrator that these levels are not consistent with the degree and duration of risk at the owner's/operator's facility. Conversely, the Regional Administrator may adjust the levels of financial responsibility up or down, based on the Administrator's assessment of the degree and duration of | 264.147(c) and (d) | N/A | | |
| risk associated with the facility. I-9 State Financial Mechanism Where appropriate, proof of coverage by a state financial mechanism in compliance with 264,149 or 264,150. | 270.14(b)(18) | N/A | | |

| | Closure/Post-Closure and Financial Requirements - Module I | | | |
|---|--|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| I-9a Use of State-Required Mechanisms | 264.149(a) | N/A | | |
| Where a state has hazardous waste regulations with equivalent or greater liability requirements for financial assurance for closure and post-closure care, evidence of establishment of the state-required financial mechanisms, including the facility EPA ID number, name, address, required mechanism does not satisfy amount of funds required, funds may be made available through the state-required mechanisms or by using additional mechanisms specified in 264.143. | 264.149(b) | | | |
| I-9b State Assumption of Responsibility If the state assume legal responsibility for compliance with closure, post-closure, or liability requirements or the state assures that state funds are available to cover those requirements, then facility is in compliance and must include a copy of a letter from the state describing the state assumption of responsibility and a letter from the owner/ operator requesting that the state's assumption of responsibility be considered acceptable in meeting the financial coverage requirements, and including the facility EPA ID number, name, address, and amounts of liability coverage or funds for closure or post-closure care that are assured by the state. | 264.150 | N/A | | |

Key:

* Numbers identified in column entitled "Location in Application" refer to section numbers of this Report.

N/A = Not applicable.

Source: Ecology and Environment, Inc. 1994.

REGULATORY COMPLETENESS CHECKLIST FOR HAZARDOUS WASTE STORAGE, TREATMENT, AND DISPOSAL FACILITIES

| Facility Name Fort Devens EOD OB/OD Area Address Fort Devens, Massachusetts 01433-5100 AFZD-DEQ | EPA I.D. Number MA 7210025154 Permit Review Team |
|--|--|
| Contact Name Commander, Headquarters, Fort Devens, Massachusetts Contact Phone Number (508) 796-3114 | Date Application Received Date Review Completed |

| Other Federal Laws - Module J | | | |
|--|------------------------|-----------------------------|----------|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments |
| PART J - OTHER FEDERAL LAWS Demonstration of compliance with the requirements of other applicable federal laws such as the Wild and Scenic Rivers Act. National Historic Preservation Act of 1966, Endangered Species Act, Coastal Zone Management Act, Fish and Wildlife Coordination Act. | 270.14(b)(20) 270.3 | 1,2 | |

Key:

* Numbers identified in column entitled "Location in Application" refer to section numbers of this Report.

N/A = Not applicable.

Source: Ecology and Environment, Inc. 1994.

3-28

REGULATORY COMPLETENESS CHECKLIST FOR HAZARDOUS WASTE STORAGE, TREATMENT, AND DISPOSAL FACILITIES

| Facility Name Fort Devens EOD OB/OD Area | EPA I.D. Number <u>MA 7210025154</u> |
|--|--------------------------------------|
| Address Fort Devens, Massachusetts | Permit Review Team |
| 01433-5100 AFZD-DEQ | |
| | |
| Contact Name Commander, Headquarters, Fort Devens, Massachusetts | Date Application Received |
| Contact Phone Number (508) 796-3114 | Date Review Completed |

| | Corrective Action - Module L | | | |
|---|------------------------------|-----------------------------|----------|--|
| Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments | |
| PART L - INFORMATION REQUIREMENTS FOR SOLID WASTE MANAGEMENT UNITS | 270.14(d)(1) [12/1/87] | N/A | | |
| L-1 Description of Solid Waste Management Units: | ! | | | |
| A description of each solid waste management unit at the facility including: | | | | |
| o Location of the unit on the topographic map required under 270.14(b)(19) | | N/A | | |
| o Type of unit | | N/A | | |
| o General dimensions and structural description (provide drawings if available) | | N/A | | |
| o Dates of operation of the unit | | N/A | | |
| o Description of all wastes that have been managed at the unit. | | N/A | | |
| L-2 Information Pertaining to Releases: | 270.14(d)(2) | N/A | | |
| The applicant must provide all available information pertaining to releases of hazardous wastes or hazardous constituents from solid waste management units at the facility. | [12/1/87] | | | |
| L-3 Sampling and Analysis: The applicant must provide the results of sampling and analysis of groundwater, land surface and subsurface strata, surface water, and air which has been | 270.14(d)(3) [12/1/87] | N/A | | |
| conducted (voluntary, or) at the request of the Agency to complete a RCRA Facility Assessment. | | | | |

Key: * Numbers identified in column entitled "Location in Application" refer to section numbers of this Report. N/A = Not applicable. Source: Ecology and Environment, Inc. 1994.

REGULATORY COMPLETENESS CHECKLIST FOR HAZARDOUS WASTE STORAGE, TREATMENT, AND DISPOSAL FACILITIES

| Facility Name Fort Devens EOD OB/OD Area Address Fort Devens, Massachusetts | EPA I.D. Number <u>MA 7210025154</u> Permit Review Team |
|---|--|
| 04133-5100 AFZD-DEQ | |
| Contact Name Commander, Headquarters, Fort Devens, Massachusetts Contact Phone Number (508)796-3114 | Date Application Received |

| | Closure Equivalency Determination - Module M | | | |
|-------------------|--|---|-----------------------------|----------|
| | Subject Requirement | 40 CFR Section Nos. | Location in Application* | Comments |
| | - CLOSURE EQUIVALENCY INATION | 270.1(c) [12/1/87] | | |
| land treatm | erators of surface impoundments, landfills, ment units, and waste piles that received er July 26, 1982 or certified closure according 5 after January 26, 1983 must do one of the | | | |
| 0 | Obtain post-closure permits for those units. | | N/A | |
| o | Demonstrate closure by removal in accordance with 270.1(c)(5) and (6). | | 1,2,3,4,5,6,7 | |
| M-1 Basic info | Closure by Removal rmation requirements: | 270.1(c)(5) [12/1/87] 270.1(c)(5) | N/A | |
| 0 | List of contaminants managed in the closed unit | | N/A | |
| 0 | List of cleanup levels for each contaminant | | N/A | |
| 0 | List of 40 CFR Part 264 acceptable cleanup levels for each contaminant. | | N/A | |
| M-1a | Requirment for Closure Equivalency Determination: | | 1,2,3,4,5,6,7 | |
| closure by | ate that the closure met the standards for removal or decontamination in 264.228, or 264.280(a): | | | |

REGULATORY COMPLETENESS CHECKLIST FOR HAZARDOUS WASTE STORAGE, TREATMENT, AND DISPOSAL FACILITIES

| Facility Name Fort Devens EOD OB/OD Area | EPA I.D. Number MA 7210025154 |
|--|-------------------------------|
| Address Fort Devens, Massachusetts | Permit Review Team |
| 01433-5100 AFZD-DEQ | |
| | |
| Contact Name Commander, Headquarters, Fort Devens, Massachusetts | Date Application Received |
| Contact Phone Number (508) 796-3114 | Date Review Completed |

| State Actions - Module N | | | |
|--|-----------------|--------------------------|----------|
| Subject Requirement | MHWMR No. | Location in Application* | Comments |
| PART N - STATE SPECIFIC REGULATIONS | | N/A | |
| N-1 Buffer Zones | ` | | |
| o Commercial Landfill Location | 264.18(c) | N/A | |
| o Hazardous Waste Facilities | 264.18(c) | N/A | |
| o Commercial Landfill Notification | 264.18(c) | N/A | |
| N-2 Location Standard | , | N/A | |
| o Commercial Landfill | 264.18(d) | N/A | |
| N-3 Perpetual Care | | N/A | |
| o Perpetual Use Plan | 270.20(e)(1) | N/A | |
| o Submit Property Deed | 270.20(e)(2) | N/A | |
| N-4 Financial Capability and Compliance Record | | N/A | |
| o Organizational Structure | 270.20(f)(1) | N/A | |
| o Listing of Environmental Laws or Regs. | 270.2(f)(2) | N/A | |
| o Financial Statement | 270.20(f)(3)(4) | N/A | |
| N-5 Obtain Aerial Photos on all New Commercial Facilities | | N/A | |

Key: * Numbers identified in column entitled "Location in Application" refer to section numbers of this Report. N/A = Not applicable. Source: Ecology and Environment, Inc. 1994.

EOD OB/OD Area

Section No.: Revision No.:

9

Date:

August 1994

9. REFERENCES

- 310 Code of Massachusetts Regulations (CMR) 30.
- 42 United States Code (USC) 6924, Standards Applicable to Owners and Operators of Hazardous Waste Treatment Storage and Disposal Facilities, Section 3004(y).
- 478 Federal Supplement, Carlos Zenan et al., vs. Harold Brown.
- 52 Federal Register (FR) 46946-46985, December 10, 1987.
- Army Military Command (AMC) Regulations (Regs) 755-8, 30 October 1986, Authorizing, Accomplishing and Reporting Demilitarization of Class V Material.
- AMC Regs 700-107 29 October 1986, Preparation of Standard Operating Procedures (SOPs) for Ammunition Operations.
- AMC Regs 350-4, 30 October 1986, Training and Certification Program for Personnel Working on Ammunition Operations.
- AMC, 1985, Environmental Management of Hazardous Waste Burning Grounds, Letter, Headquarters (HQ), AMCCOM, AMSMC-IS, 6 May 1985.
- Andrulis Research Corporation, 1992, Development of Methodology and Technology for Identifying and Quantifying Emissions Products from OB/OD Thermal Treatment Methods, Bangbox Test Series, Volume 1, Test Summary and Field Test Series A, B, and C, United States Army Armament, Munitions, and Chemical Command Headquarters, Maintenance Management Division, Demilitarization and Technology Branch.
- Arthur D. Little, Inc. (ADL), 1987, Testing to Determine Relationship Between Explosive Contaminated Sludge Components and Reactivity, Cambridge, Massachusetts.
- Baroody, E.F., and I.L. Tominack, 1987, Computer Predictions at Pollution Products from OB/OD of Navy Explosives and Propellants, Ordnance Environmental Support Office, Naval Ordnance Station, Indian Head, Maryland.
- Bongiovanni, R., Cpt, L.D. Clark, and C.E. Podolak, "High Performance Liquid Chromatographic Analysis of Explosives in Soil," *USAEHA Methods*, Aberdeen Proving Ground, Maryland.

EOD OB/OD Area

Section No.: Revision No.:

9

Date:

- CDM Federal Programs Corporation, 1992, RCRA Subpart X Part B Permit Application Review for Avon Park Air Force (AF) Range, Avon Park, Florida, Atlanta, Georgia.
- EA Engineering, Science, and Technology, Inc. (EA), 1994, Risk Assessment Considerations for OB/OD of Ammunitions, Presentation to 20th Environmental Symposium, San Antonio, Texas.
- EA, 1993, Application for RCRA Part B Subpart X Permit OB/OD at Eglin AFB, Florida for United States Air Force (USAF) Armstrong Laboratories, San Antonio, Texas.
- Ebasco, Inc., 1988, Part B Permit Application for OB/OD at Pueblo Army Ammunition Depot, Pueblo, Colorado, prepared for United States Army Corps of Engineers (ACE), Huntsville, Alabama.
- Ecology and Environment, Inc., (E & E) 1994, Final Remedial Investigations Report, Functional Area I, Fort Devens, Massachusetts, Contract No. DAAA15-90-D-0012, August 1994, Arlington, Virginia.
- E & E, 1992, Closure/Post Closure Plan for EOD Open Detonation Unit at Camp Shelby Training Site, Mississippi, Contract No. DACA01-90-D-0021, Fort Lauderdale, Florida.
- Environmental Resources Management-South, Inc, 1993, RCRA Construction and Operating Permit Application, Martin Electronics, Inc., June 1992, revised March 1993, Perry, Florida.
- Federal Facilities Compliance Act 1992, Section 107, Munitions.
- Final Rule, Hazardous Waste Miscellaneous Units, Standards Applicable to Owners and Operators, Vol. 52, No. 237, pp. 46946-46965.
- Friedman, David, 1988, *Definition of Reactive Waste-Explosives*, United States Environmental Protection Agency, Office of Solid Waste and Emergency Response (OSWER), Methods Section, Memorandum, September 8, 1988.
- Gould, Kenneth and K. Tempo, 1981, High Explosive Field Tests: Explosion Phenomena and Environmental Impacts, Final Report for Period 1 October 1980 to 1 October 1981, Prepared for Defense Nuclear Agency, Washington, DC.
- Hay, J.E., R.W. Watson, and R.J. Marnrero, 1983, Procedures for Classification of Explosive Substances, United States Bureau of Mines, Department of the Interior, Pittsburgh, Pennsylvania.
- Hoock, D.W. et al., 1987, Combined Combustion Model for Battlefield-Induced Contaminants, AR 530-1, United States Army Laboratory Command, Atmospheric Laboratory, White Sands Missile Range, New Mexico.

EOD OB/OD Area

Section No.:
Revision No.:

9

Date:

- The Institute of Makers of Explosives (IME), 1989, RCRA Guidance Manual for Permitting Commercial Explosives Industry OB/OD Units, Washington, DC.
- Johnson, Brent, 1994, "Bullets, Bombs, and RCRA," Federal Facilities Env. Journal, Spring 1994.
- Johnson, Brent, 1994a, Bullets, Rags, and RCRA, HQ Air Combat Command, Environmental Media, USAF ACC.
- Joint Explanatory Statement of the Committee of Conference Sect 113 On Senate Bill adding subsection 1006 to Solid Waste Disposal Act.
- Layton et al., 1987, Conventional Weapons Demilitarization: A Health and Environmental Effects Data Base Assessment, Explosives and Their Co-Contaminants Final Report, Phase II, Environmental Science Division, Lawrence Livermore National Laboratory, University of California, Livermore, California, UCRL-21109.
- Lee Wan and Associates, 1990, Ellsworth AFB RCRA Permit Application for OB/OD Activities, 812 SSW/DEEV, Ellsworth Air Force Base, South Dakota.
- Metcalf & Eddy, 1993, Review of RI Work Plan at Fort Devens to Assess Whether it meets

 Needs of RCRA and Massachusetts General Law (MGL) 21C, Memorandum from

 Mary Doyle, Project Environmental Health Scientist, to Molly Elder, MDEP Central

 Region Office, 27 January 1993.
- Midwest Research Institute, 1992, OB/OD Emissions for Luke AFB, Final, United States Air Force, Occupational and Armstrong Laboratory.
- Naval Sea Systems Command Ordnance Publication 5, Technical Manual, 1 June 1986,
 "Ammunition and Explosives Ashore: Safety Regulations for Handling, Storing,
 Production, Renovation, and Shipping."
- NUS Corporation, 1991, Draft RCRA Subpart X Notice of Deficiency (NOD) Position Paper, United States Army Toxic and Hazardous Materials Agency (USATHAMA).
- Office of the Surgeon General, 1983, Environmental Criteria for Explosives in Drinking Water, Letter, DAS6-PSP-E, 17 February 1983.
- Pater, L.L., 1976, Noise Abatement Program for Explosive Operations at NSWC/DL, Scientific Paper presented at the 17th Safety Seminar of the DOD Explosives Safety Board, Denver, Colorado.
- Proceedings on 19th Environmental Symposium and Exhibition, 1993, "Federal Agency Env. Vision 2000 DOD/DOE/EPA/USCG: Can Current Technology Get Us There.

EOD OB/OD Area

Section No.: Revision No.:

0

Date:

- Ryan, M.G., B.C. Pal, S.S. Talmage, and R.H. Ross, 1984, Database Assessment of the Health and Environmental Effects of Munition Production Waste Products, Effects Information Center, Oak Ridge, Tennessee, Oak Ridge National Laboratories 6018.
- Skinner, John, 1984, Classification of Small Arms Ammunition with Respect to Reactivity, EPA, Office of Solid Waste, Memorandum, November 30, 1984.
- Spanggord, R.J., T. Mill, T.W. Chou, W.R. Mabey, and S. Lee, 1980, Environmental Fate Studies on Certain Munition Wastewater Constituents Phase II, Laboratory Studies Final Report, AD-A099256, SRI International, Menlo Park, California.
- Subpart X Permitting Meeting with EPA, Attendance List and Permit Outline.
- TM-9-1300-200, Ammunition: General, 4 March 1977.
- United States Air Force, (USAF), 1988, Manual Calculation Methods for Air Pollution Inventories, OEHL Report 88-0-70-EQ0111 EEB.
- United States Army Environmental Center (USAEC), 1993, Decision Document, No Further Action Under CERCLA, SA 24 (EOD Bunker 187), Fort Devens, Massachusetts.
- United States Army Environmental Hygiene Agency (USAEHA), RCRA Part B Permit Writers Guidance Manual for DOD OB/OD Units, Aberdeen, Maryland.
- USAEHA, 1986, Phase 5 Hazardous Waste Study No. 37-26-0593-86, Summary of AMC OB/OD Grounds Evaluations March 1981 March 1985, HSHB-ES-H, Aberdeen, Maryland.
- USAEHA, 1985, Groundwater Monitoring Study No. 38-26-0457-85, AMC OB/OD Facilities February 1984-March 1985, HSHB-ES-G Aberdeen Proving Ground, Maryland.
- USAEHA, 1985a, Comments on Hazardous Waste Part B Special Permit, Memo from Will Gales, Waste Disposal Engineering Division, 10 December 1985.
- USAEHA, 1984, Phase 3 Hazardous Waste Study No. 37-26-0147-84 Summary of AMC OB/OD Ground Evaluations November 1981-September 1983, HSHB-ES-H/WP, Aberdeen Proving Ground, Maryland.
- USAEHA, 1984a, Suggested Procedures for Sampling Explosive Residues at OB/OD Sites for Reactivity Testing, Internal Letter, HSHB-ES-H, 1 February 1984.
- United States Army Toxic and Hazardous Material Agency (USATHAMA), 1991, U.S. Army Response to EPA Notice of Deficiency for RCRA Part B Subpart X Permit Application Submitted in Region IV, Aberdeen Proving Ground, Maryland.

EOD OB/OD Area

Section No.: Revision No.:

9

Date:

August 1994

United States Court of Appeals 2nd Circuit, No. 92-7191L, 7193XAP Connecticut Coastal Fisherman's Association vs. Remington Arms Co. Brief for the US as Amicus Curie - whether lead shot from shooting is "discarded material" in 42 USC 6903(2[7]) constituting "solid waste" under RCRA, August 28, 1992.

- United States Department of the Army HQ Fort Devens, Request for Information Pursuant to Section 3007 of RCRA 42 USC Section 6927 and 104 of CERCLA 1980 42 USC Section 9604, Memo from Will Nicholls, Chief, Environmental Management, Department of Engineering and Housing (DEH), to Gwen Ruta, EPA Waste Management.
- United States Department of the Army, Office of Assistant Secretary, Memorandum from Lewis Walker to Donald Gurnyard, Acting Director, Waste Management Division, EPA Region IV.
- United States Department of the Army, 1993, Application of RCRA Hazardous Waste Management Regarding Conventional Explosive Ordnance Operations, Memorandum from Lewis Walker, Deputy Assistant Secretary of the Army, Environmental Safety and Occupational Health, to Deputy Under Secretary of Defense Environmental Security, 19 November 1993.
- United States Department of the Army, 1991, Final Report Chamber Test of the OB/OD Study, Volume 1 Executive Summary and Volume 10 Appendices P-Z, Draft Final, United States Armament Munitions and Chemical Command, Rock Island, Illinois.
- United States Department of the Army, 1991a, Memorandum from Lewis Walker, Deputy Secretary of the Army to Donald Guinyard, EPA Region IV, RE: OB/OD treatment is the best demonstrated technology for EOD treatment.
- United States Department of the Army, 1990, Reg. 200-1, Environmental Quality, Environmental Protection and Enhancement, HQ, Washington, DC, 23 April 1990.
- United States Department of the Army, 1990a, Technical Description of Proposed OB/OD Dispersion Model, United States Army Dugway Proving Ground, Dugway, Utah.
- United States Department of the Army, 1990b, Volume II, Demilitarization Alternatives to OB/OD Detonation, Technology Compilations, United States Army Armament Munitions and Chemical Command, Savana, Illinois.
- United States Department of the Army, 1986, Phase 5, Hazardous Waste Study No. 37-26-0593-86, Summary of AMC OB/OD Grounds Evaluations, March 1981-March 1985, United States Army Environmental Hygiene Agency (AEHA), Aberdeen, Maryland.
- United States Department of the Army, 1986a, "Disposal of Supplies and Equipment Authorizing, Accomplishing, and Reporting Demilitarization of Class IV Material," U.S. Army Material Command Regulation No. 755-8, Alexandria, Virginia.

EOD OB/OD Area

Section No.:

9

Date:

- United States Department of the Army, 1985, Comments on Draft Permit Under HSWA 1984, DEH, Fort Devens, Massachusetts to EPA Region I, Gwen Ruta, Waste Management Division, 27 December 1985.
- United States Department of the Army, 1985a, Pat Foster, Acting Commander, 14th EOD, Fort Devens, Massachusetts, to Conrad Leszkiewicz, Fort Devens, 18 December 1985.
- United States Department of the Army, 1985b, Solid Waste Management Unit (SWMU) Report, 1985, Fort Devens, Massachusetts.
- United States Department of the Army, 1985c, Disposition Form to DEH, AFZD FEQ Fran Range Control, Fort Devens, Massachusetts, 23 October 1985.
- United States Department of the Army, 1984, United States Army Military Explosives (TM 9-1300-214), HQ, Washington, DC.
- United States Department of Transportation (USDOT), 1986, Title 49 CFR Part 173, Shippers General Requirements for Shipments and Packagings, Subpart C, Explosives and Blasting Agents; Definitions and Preparation.
- United States Environmental Protection Agency (USEPA), HQ, OSWER, Memorandum from Marcia Williams, Director OSWER to M.J. Carricato, Acting Director, Environmental Policy, Office of Assistant Secretary of Defense, DOD, Washington, DC.
- USEPA, HQ, Memorandum from Sylvia Lowrance, Director, OSWER, to Edmund Kelso, Chief, FBI Bomb Data Center, Quantico, Virginia.
- USEPA, 1993, Title 40 Code of Federal Regulations, Parts 136-271.
- USEPA, 1992, Memorandum from Sylvia Lowrance, Director, OSWER, to Mark Hansen, Corporate Officer, Environmental Products and Services, Inc., Syracuse, New York, 3 November 1992.
- USEPA, 1991, Memorandum from Lyndell Harrington, Region VII, Chief, RCRA Permits, to Lt. Co. Uyeswgi, Kansas Army Ammunition Plant, RE: modification of Part B permit and noting material cannot be treated by OB/OD if it does not have potential to detonate.
- USEPA, 1990, Applicability to Military Members, Memorandum from James Reidy, Caribbean Facilities Section, to Chet Ozman, OSWER.
- USEPA, 1990a, RCRA Applicability to Military Munition, Memorandum from Sonya Sasseville, Alternative Technology and Support Section to James Reidy, Caribbean Facilities Section, 21 August 1990.

EOD OB/OD Area

Section No.:

9

Revision No.: Date:

- USEPA, 1990b, Final Rule, Thursday, March 29, 1990, Volume 55, No. 61, pg. 11798-11877.
- USEPA, 1990c, Part B Permit Application for Treatment Under Subpart X, Pellam Range, Fort McClellan, Alabama, issued by USEPA Region IV, Atlanta, Georgia.
- USEPA, 1990d, Corrective Action for Solid Waste Management Units at Hazardous Waste Management Facilities; Proposed Rule, July 27, 1990, 55FR 30798.
- USEPA, 1989, Hazardous Waste Treatment Storage Disposal Facility (TSDF) Fugitive Particulate Matter Air Emission Guidance Document, EPA 450/3-89-019.
- USEPA, OSWER, 1989a, "RCRA ARARs: Focus on Closure Requirements," CERCLA Compliance with Other Laws Manual, Directive 9234.2-04FS.
- USEPA 1988, OSWER memo: Hazardous Waste Explosives, Detonation and Open Burning (OB), S. Lawrence to P. McGuire, 11 August 1988.
- USEPA, 1988a, Questions, Answers, and Scenarios Regarding the Handling of Explosives and Commercial Fuel, Memorandum from Joseph Carra, OSWER, Permits and State Programs Division, to Hazardous Waste Branch Chief, Washington, DC.
- USEPA, 1988b, Memorandum from Sylvia Lowrance, Director OSWER to Phillip McGuire, Associate Director Law Enforcement, Department of the Treasury, Bureau of Alcohol, Tobacco, and Firearms, 11 August 1988.
- USEPA, 1988c, Memorandum from Sylvia Lowrance, Director OSWER to Fred Smith, Institute of Makers of Explosives, Washington, DC, 30 November, 1988.
- USEPA, 1986, Region I Memo from G. Merrill Hohman, Director Waste Management Division, to Will Nicholls, EMO Fort Devens, re: Req. Information per § 3007 of RCRA, 42 USC § 6927 and § 104 of CERCLA 42 USC § 9604, 24 February 1986.
- USEPA OSWER, 1985, Memorandum from Jack McGraw to Carl Schafer, Jr., Environmental Policy Director, Acquisition and Logistics, Office of the Secretary of Defense, Washington, DC, 2 October 1985.
- USEPA, 1985a, Permit Issues Related to US Army Aberdeen Proving Ground, Memorandum from Bruce Weddle, Permits and State Programs Division, to Robert Allen, Chief Waste Management Branch, 8 May 1985.
- USEPA, 1984, Memorandum from John Skinner, Director Office of Solid Waste to David Wagner, Director, Air and Waste Management Division Region VIII, 30 November 1984.

EOD OB/OD Area

Section No.: Revision No.:

9

Date:

August 1994

USEPA, 1983, Permit Applicants Guidance Manual for the General Facility Standards of 40 CFR 264, Office of Solid Waste, Washington, DC.

USEPA, 1983a, Title 49 CFR Part § 173.51, § 173.53, § 173.88.

- USEPA, 1982, Evaluation of Health Risks of Ordnance Disposal Waste in Drinking Water, Criteria and Procedures, QA, EPA-570/9-82-002, Office of Drinking Water.
- Walsh, Marianne, 1990, Env. Transformation Products of Nitroaromatics and Nitraminos, Literature Review and Recommendations for Analytical Method Development, United States Army Corps of Engineers, Cold Regions Research and Engineering Laboratory.
- Walter, Richard, Ecology and Environment, Inc., 1993, file search at Fort Monmount, New Jersey and personal communications with Capt. Antonio Aragon and Sgt. Henry Iriziary of 54th EOD, 13 August 1993.

Closure Report: Section No.:

EOD OB/OD Area

Appendix A

Revision No.:

0

Date:

September 1994

APPENDIX A

RCRA CLOSURE RESEARCH FILES OBTAINED FROM MDEP FILE SEARCH ON AUGUST 13, 1993

APPENDIX A

RCRA CLOSURE RESEARCH FILES OBTAINED FROM MDEP E & E Reference: FILE SEARCH ON AUGUST 13, 1993 File No.: 161 Type: License Title: Hazardous Waste License #3B Ft. Devens To: US Army Ft Devens From: MDEP Date: Undated Source: MDEP Worcester 8/13/93 File No.: 162 Type: Note Title: Identification of Hazardous Waste Activity (EPA Part "A" submission) at DEH, DRMO, EOD Christine Williams EMO To: From: Steve Hopkins EMO Date: Undated Source: MDEP Worcester 8/13/93 File No.: 163 Report (White Unmarked Binder) Type: Title: Untitled technical information and maps on EOD and Ft. Devens To: From: Date: Undated Source: MDEP Worcester 8/13/93 File No.: 164 Type: Letter and Permits 3 EPA Forms 3510-1, 3 Forms 3510-3 (Haz Waste Title: Permit Part A Application under consolidated permits program, MA7210025154, EOD Bunker & Range) EPA Permits, Boston To: Rich Kattar, Ft. Devens From: Date: 11/14/80 Source: MDEP Worcester 8/13/93, Ft. Monmouth 54th EOD 7/29/93 File No.: 165 Type: Report (2 White Binders) Ft Devens Haz Waste Management Operational Title: Plan: Chapter 13: Closure Plan prior to MDEP 1/82 regs To: MDEP Ft. Devens From:

Source: MDEP Worcester 8/13/93

Date:

File No.: 166 Type: Letter EOD is exempt from RCRA under 310 CMR Title: 30.104(15) Will Nichols EMO To: Steve Dreeszen MDEP Bost, cc: Delmar Corbin From: Ft. Devens; John Kronopolis MDEP; Steve Yee, Jacob Edwards EPA. Date: 03/24/84 Source: MDEP Worcester 8/13/93 File No.: 167 Type: Letter Title: Comments on Ft. Devens Part A and B Haz Waste Application to Store Hazardous Waste To: Delmar Corbin, Comm, Ft Devens cc: Sen. Atkins, Rep. McGovern William Cass MDEP Bost, cc: John Kronopolus From: MDEP cc: Gwen Ruta EPA 9/25/84 Date: Source: MDEP Worcester 8/13/93 File No.: 168 Type: Report Solid Waste Management Unit Report 1985, Ft. Title: Devens To: From: Ft. Devens Date: 85 Source: USAEC 8/30/93 File No.: 169 Type: Report Title: Ft Devens PA, SI, and Decisions To: MDEP From: EPA Date: 10/08/85 Source: MDEP Worcester 8/13/93 File No.: 170 Type: Report Title: Ft. Devens Facility Management Plan To: MDEP EPA From: 11/04/85 Date: Source: MDEP Worcester 8/13/93 File No.: 171 License Type: Title: Letter updating Draft '84 Haz Waste License #3B Ft. Devens w. SWMUs Steve Dreeszen MDEP To: From: Joe Pierce EMO

Source: MDEP Worcester 8/13/93

8/24/87

Date:

File No.: 172 Type: Questionnaire ASIDES MDEP RCRA tracking on MA7210025154 & Title: MA214020270: RCRA 3010 Notification/Part A Applic. 11/14/80, Part B Applic./Interim Status 6/3/84. SWMU:40 no thermal treat/interim listed. Excellent Bibliography To: Carolyn MDEP From: 3/23/88 Date: Source: MDEP Worcester 8/13/93 Memo File No.: 173 Type: Status of RCRA Part B for EOD Title: To: Commander, 542 EOD, Ft. Dix, NJ Joe Pierce EMO From: 9/20/88 Date: Source: MDEP Worcester 8/13/93, Ft.Monmouth, 54th EOD 7/29/93 File No.: 174 Type: Inventory 1988 Inventory of Federal Haz Waste Title: Activities To: Joe Pierce EMO From: 11/16/88 Date: Source: MDEP Worcester 8/13/93 File No.: 175 Type: Memo RCRA/1984 HSWA Subpart X effects on EOD units Title: and permit status Ft. Devens & various installations nationwide To: John Sobke, Stan Mitchell From: 3/11/88 Date: Source: MDEP Worcester 8/13/93, Ft.Monmouth, NJ, 54th EOD 7/29/93 File No.: 176 Type: Memo Title: Draft Agreement w. MDEP and EPA on RCRA, State unauthorized for '84 HSWA Regs To: MDEP From: Chris Ayers EPA 8/29/89 Date: Source: MDEP Worcester 8/13/93 File No.: 177 Type: Report Exerpt: EPA Handbook on RCRA Corrective Title: Action Technologies To: From: EPA 90 Date:

Source: MDEP Worcester 8/13/93

| File No.: | 178 | Type: Title: To: From: Date: Source: | Memo Tank Closure Steve De Gabriel, Steve Dreeszen, John Carrigan, Becky Cutting MDEP Bost, Mike Maher, Jim Moody, Neil Olegry, Ed Benoit, Joe Ellis, Lynne Chappell MDEP John Kronopolus MDEP 1/30/92 MDEP Worcester 8/13/93 |
|-----------|-----|---|--|
| File No.: | 179 | Date: | Report (Holt Science Blue Binder) Defense Reutilization Marketing Service (DRMS) "Environmental Compliance for DRMS Haz Prop Prog" Chap IV, Sect L:Closure DRMS, Battle Creek, MI 4/92 MDEP Worcester 8/13/93 |
| File No.: | 180 | | Article "Army Retreat Leaves Land Up For Grabs" David Vaughn, Boston Business Journal 4/20/92 MDEP Worcester 8/13/93 |
| File No.: | 181 | | Minutes New England Environmental Expo, HSWA Interim Status Corrective Action John Smalatore EPA 4/30/92 MDEP Worcester 8/13/93 |
| File No.: | 182 | Date: | Report (7 White Binders) w. Cover Memo EPA Haz Waste Part B Permit, Subpart X Application by Halliburton, NUS, w. request for Army signature Ft. Devens Commander Carrol Howard EMO 6/3/92 MDEP Worcester 8/13/93, Ft.Monmouth 54th EOD 7/29/93, EMO 4/16/93 |
| File No.: | 183 | Type: Title: To: From: Date: Source: | Letter (Certified) EMO Part A Expiration on 11/08/92, request for Part B Steve Hopkins EMO Gerald Levy MDEP cc: John Kronopolus, Jeff Chamann, Steve Dreeszen MDEP, James Gaffey, Gary Gosbee EPA 6/08/92 MDEP Worcester 8/13/93 |

File No.: 184 Type: Memo

Title: EOD operations exempt from RCRA: disposal in direct support of training(blowing duds), emergency actions approved on case-by-case

basis, Closure meeting to be held 9/3/92

To: Ft. Devens

From: Carrol Howard EMO

Date: 7/28/92

Source: MDEP Worcester 8/13/93, Ft.Monmouth 54th EOD

7/29/93

File No.: 185 Type: Memo

Title: Fact Sheet, Subpart X Emergency Procedures,

simplified for EOD

To: Ft. Devens

From: Steve Hopkins Ft. Devens

Date: 9/14/92

Source: MDEP Worcester 8/13/93,

Ft.Monmouth, NJ, 54th EOD 7/29/93

File No.: 186 Type: Letter

Title: Upon termination of EOD permit, if emergency service falls under 40 CFR 270.61, EPA Regional Response in Lexington is contact

with reporting EMO

To: Brian Olsen EPA From: Carrol Howard EMO

Date: 9/14/92

Source: MDEP Worcester 8/13/93, Ft.Monmouth 54th EOD

7/29/93

File No.: 187 Type: Telecon

Title: Bryan Olson, Merrill Hollman (EPA, CFR

270.61) deferred emergency permit

authority to Steve Dreeszen (MDEP, 310 CMR 30.860) and Worcester Central Emergency

Response Center

To: Ft. Devens

From: Christine Williams EMO

Date: 11/4/92

Source: MDEP Worcester 8/13/93, Ft.Monmouth 54th EOD

7/29/93

File No.: 188 Type: Letter

Title: Identical to EPA letter, emergency under 310

CMR 30.861

To: Steve Dreeszen MDEP Boston

From: Carrol Howard EMO

Date: 11/5/92

Source: MDEP Worcester 8/13/93, Ft.Monmouth 54th EOD

7/29/93

File No.: 189 Type: Letter Title: (Certified) EPA defers all EOD emergency permit authority to MDEP, but non-emergency permit applications still under EPA, 40 CFR 270. To: Carrol Howard Ft. Devens Gary Gosbee EPA cc: John Kronopolus, Steve From: Dreeszen MDEP Date: 11/9/92 Source: MDEP Worcester 8/13/93, Ft.Monmouth 54th EOD 7/29/93 Letter File No.: 190 Type: Title: Review of E&E WP Suppl. RI/FS Group 1B for Compliance w. 21C/RCRA Molly Elder MDEP, cc: L. Chappell MDEP, J. To: Leung, D. Watton From: Mary Doyle M&E, cc: S. McCarron M&E 1/27/93 Date: Source: USAEC 4/12/93 File No.: 191 Type: Memo MDEP Emergency License Guidance and Title: Application for EOD Ft. Devens To: MDEP From: Date: 1/29/93 Source: MDEP Worcester 8/13/93 File No.: 192 Type: Report Title: Ft. Devens Closure Procedures For Haz Waste Accumulation Areas (HWAA) & HW Sources (EOD not IDed) Ft. Devens EMO DEH To: Rich Dotchin EMO From: 2/2/93 Date: Source: MDEP Worcester 8/13/93 File No.: 193 Type: Title: Closure of OB/OD Unit at EOD Rich Dotchin, Army Env Officer To: Gary Gosbeen USEPA From: 2/11/93 Date:

Source: MDEP Worcester 8/13/93

File No.: 194 Type: Minutes

Title: EOD Meeting w. MDEP, EMO, DOL 2/5/93 54th takes over emerg permit regmts from 14th

EOD

To: Deputy Commander, Army

From: Donald W. Lane, Ft. Devens Plans, Training &

Security Ft. Devens

Date: 2/11/93

Source: MDEP Worcester 8/13/93

File No.: 195 Type: Letter

Title: (Certified) Approval of EOD closure plan submitted to EPA 11/3/92 deferred to MDEP-Steve Dreeszen, closure must

coordinate w. CERCLA. EPA, MDEP, and Army will meet to coordinate RCRA and CERCLA.

To: Rich Dotchin EMO

From: Gary Gosbee EPA cc: Rob DiBiccaro, Jim Byrne

EPA, John Kronopolus, Steve Dreeszen,

Lynne Chappel MDEP

Date: 2/11/93

Source: MDEP Worcester 8/13/93

File No.: 196 Type: Letter

Title: Summary of Closure approach at EOD

To: John Kronopolus MDEP, CC: Lynne Chappell,

Steve Dreeszen MDEP

From: Rich Dotchum, Lt Col, US Army

Date: 2/22/93

Source: MDEP Worcester 8/13/93

File No.: 197 Type: Memo

Title: 21c/RCRA Closure on EOD not required -

covered by 21E/CERCLA, Closure not read.

for Hotel, Zulu, TA 14

To: Lynne Chappell, Molly Elder, John Regan, John

Kronopolus, Jim Moody MDEP, Becky Cutting

MDEP Bost

From: Joe Ellis MDEP

Date: 3/10/93

Source: MDEP Worcester 8/13/93

File No.: 198 Type: Letter

Title: EPA Comments:5/93 SI Groups 2,7(Closure may

be reqd at SA 28)

To: Rich Dotchin, Bill Mullen EMO cc:Darrell

Deleppo USACOE, Gary Pease AEC

From: Jim Byrne EPA, cc: Lynne Chappell MDEP, Mike

Kulbersh CDM-FCP

Date: 3/9/93 Source: E&E '93 File No.: 199 Type: Outline EOD Closure Requirements 310 CMR 30.099, Title: 30.580 John Carrigan MDEP To: Jim Byrne EPA From: 3/16/93 Date: Source: MDEP Worcester 8/13/93, EMO 4/16/93 File No.: 200 Type: Minutes Title: Meeting MDEP & EPA on integrating EOD Closure w. CERCLA Steve Dreeszen, Jeff Chormann, Becky Cutting To: MDEP Bost, John Kronopolus, Lynne Chappell MDEP, Jim Byrne EPA-CERCLA, Bryan Olson EPA-RCRA John Corrigan MDEP Bost From: Date: 3/18/93 Source: MDEP Worcester 8/13/93 File No.: 201 Type: Letter MDEP Comments: 1/93 SI Groups 2,7(Potential Title: for RCRA Closure) Rich Dotchin EMO cc:Bill Mullen EMO, K. To: Kingery AEC, Jim Byrne EPA Lynne Chappell MDEP, cc:Debra Darby MDEP From: Boston, Mary Doyle M&E 3/23/93 Date: Source: E&E '93 File No.: 202 Memo Type: Field Effort AOC 27, 43A and SPIA Title: Env Task Force To: From: 4/8/93 Date: Source: MDEP Worcester 8/13/93 Article File No.: 203 Type: Major Victory for States (Colorado) Seeking Title:

to Regulate the Cleanup of Federal

National Association of Attorney Generals

d)

RC399 8 2-Sep-1994

Facilities
All Attorneys General

Source: MDEP Worcester 8/13/93

4/08/93

To: From:

Date:

File No.: 204 Type: Article

Title: Corrective Action Mngmt Unit (CAMU) Rule Finalized-allows on site treatment of

remediation wastes

To: MDEP

From: Groundwater Technology

Date: 4/16/93

Source: MDEP Worcester 8/13/93

File No.: 205 Type: Article

Title: Denver ruling at Rocky MT. Arsenal on 4/6/93:

State RCRA cleanups can superceed

CERCLA-this overturns prior Supreme Court ruling, but Not Applicabble where IAG has

been signed

To:

From: Engineering News Record

Date: 4/19/93 Source: E&E '93

File No.: 206 Type: Letter

Title: Requesting 21C RCRA Closure and Future CERCLA

investigation for SA 24 (EOD Bunker 187)

To: Richard Dotchin EMO cc: Ed Nuttall Ft.

Devens, Kristine Kingery AEC

From: Lynne Chappell MDEP cc: Jim Byrne EPA

Date: 4/20/93

Source: MDEP Worcester 8/13/93

File No.: 207 Type: Fax

Title: Outline on RCRA Closure under 310 CMR

To: David Bailey E&E From: Tim Rezendes EMO

Date: 5/6/93 Source: E&E '93

File No.: 208 Type: Letter

Title: Request for any 21C/RCRA permit or

application info AOC 25,26,27,28 per

telephone conversation w. Mike Maher MDEP

same day

To: Pat Regan MDEP From: David Bailey E&E

Date: 5/11/93 Source: E&E '93 File No.: 209 Type: Letter
Title: MDEP Comments:5/93 E&E RI/FS

To: Rich Dotchin EMO, cc:Jim Chambers Ft. Dev,

Kristine Kingery AEC

From: Lynne Chappell MDEP, cc:Debra Darby MDEP
Bost, Mary Doyle M&E, Jim Byrne EPA

Date: 6/24/93 Source: E&E '93

File No.: 210 Type: Letter

Title: Suppliment to MDEP Comments:5/93 E&E RI/FS

RCRA: AOC 25,26,27,28

To: Ron Ostrowski EMO cc: Jim Chambers Ft.Dev, Kristina Kingery AEC, David Bailey E&E

From: Lynne Chappell MDEP, cc: John Kronopolus

MDEP, Mary Doyle M&E, Becky Cutting MDEP

1

Bost, Jim Byrne EPA

Date: 7/29/93 Source: E&E '93

File No.: 211 Type: Memo

Title: Emergency License continuation for 54th EOD
To: Steve De Gabriel, Steve Dreeszen, Becky
Cutting MDEP Bost, Lynne Chappell, Mike
Maher, Jim Moody, Neil Oleary MDEP

From: John Kronopolus MDEP

Date: 2/08/93

Source: MDEP Worcester 8/13/93

File No.: 212 Type: Memo

Title: Review of E&E 5/93 RI and Appx A for 21C/RCRA

Closure under 310 CMR 30.580

To: Molly Elder MDEP

From: Mary Dole, Betsy Shreve-Gibb, Sandra McCarron

M&E

Date: 6/28/93

Source: MDEP Worcester 8/13/93

File No.: 213 Type: Letter

Title: MDEP Response to E&E Response to MDEP Comment

Response Suppliment on 5/93 E&E RI/FS

(RCRA Closure on AOC 25,26,27,28)

To: Ron Ostrowski, EMO cc:Jim Chambers Ft.Dev,

Kristine Kingery AEC

From: Lynne Chappell MDEP cc: Mary Doyle M&E, Debra

Darby MDEP Bost Jim Byrne EPA

Date: 8/17/93 Source: E&E '93