

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

KOMAN, PFAS RI, Soil Boring Samples-Area 1

AOC 75, Former Building T-1445 Warehouse Fire

	Locations: 75SB-19-01	75SB-19-01	75SB-19-01	75SB-19-01	75SB-19-01
Field Sample ID:	75SB-19-01-0.5-3	75SB-19-01-0-0.5	75SB-19-01-14-16	75SB-19-01-3-7	75SB-19-01-7-14
Sample Begin Depth:	0.50	0.00	14.00	3.00	7.00
Sample End Depth:	3.00	0.50	16.00	7.00	14.00
Sample Date:	01/08/2019	01/08/2019	01/08/2019	01/08/2019	01/08/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.20 U	2.10 U	2.00 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.00 U	1.10 U	1.10 U	1.00 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.00 U	1.10 U	1.10 U	1.00 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.00 U	1.10 U	1.10 U	1.00 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.200 U	0.190 U	0.180 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U
Perfluorohexanoic acid (PFHxA)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U
Perfluorononanoic acid (PFNA)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	0.380 J	0.350 J	0.530 U	0.510 U	0.530 U
Perfluorooctanoic acid (PFOA)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U
Perfluorotetradecanoic acid (PFTA)	0.310 U	0.330 U	0.320 U	0.300 U	0.320 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.220 U	0.210 U	0.200 U	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-02	75SB-19-02	75SB-19-02	75SB-19-02	75SB-19-02
Field Sample ID:	75SB-19-02-0.5-3	75SB-19-02-0-0.5	75SB-19-02-14-16	75SB-19-02-3-7	75SB-19-02-7-14
Sample Begin Depth:	0.50	0.00	14.00	3.00	7.00
Sample End Depth:	3.00	0.50	16.00	7.00	14.00
Sample Date:	01/07/2019	01/07/2019	01/07/2019	01/07/2019	01/07/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.30 U	2.10 U	2.10 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.10 U	1.10 U	1.10 U	1.00 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.10 U	1.10 U	1.10 U	1.00 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.10 U	1.10 U	1.10 U	1.00 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.200 U	0.190 U	0.190 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.230 U	0.210 U	0.210 U	0.210 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.230 U	0.210 U	0.210 U	0.210 U
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.230 U	0.210 U	0.210 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	0.210 U	0.230 U	0.210 U	0.210 U	0.210 U
Perfluorohexanoic acid (PFHxA)	0.210 U	0.230 U	0.210 U	0.210 U	0.210 U
Perfluorononanoic acid (PFNA)	0.210 U	0.230 U	0.210 U	0.210 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	0.530 U	0.550 J	0.530 U	0.530 U	0.520 U
Perfluorooctanoic acid (PFOA)	0.210 U	0.130 J	0.210 U	0.210 U	0.210 U
Perfluorotetradecanoic acid (PFTA)	0.320 U	0.340 U	0.320 U	0.320 U	0.310 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.230 U	0.210 U	0.210 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.230 U	0.210 U	0.210 U	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-03	75SB-19-03	75SB-19-03	75SB-19-03	75SB-19-03
Field Sample ID:	75SB-19-03-0.5-3	75SB-19-03-0-0.5	75SB-19-03-15-17	75SB-19-03-3-7	75SB-19-03-7-15
Sample Begin Depth:	0.50	0.00	15.00	3.00	7.00
Sample End Depth:	3.00	0.50	17.00	7.00	15.00
Sample Date:	01/04/2019	01/04/2019	01/04/2019	01/04/2019	01/04/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.30 U	2.20 U	2.10 U	2.20 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.20 U	1.10 U	1.00 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.20 U	1.10 U	1.00 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.20 U	1.10 U	1.00 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.210 U	0.200 U	0.190 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.180 J	0.220 U	0.210 U	0.220 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.230 U	0.220 U	0.210 U	0.220 U
Perfluoroheptanoic acid (PFHpA)	0.160 J	0.230 U	0.220 U	0.210 U	0.220 U
Perfluorohexanesulfonic acid (PFHxS)	0.120 J	0.230 U	0.220 U	0.100 J	0.220 U
Perfluorohexanoic acid (PFHxA)	0.210 U	0.230 U	0.220 U	0.0830 J	0.220 U
Perfluorononanoic acid (PFNA)	0.210 U	0.110 J	0.220 U	0.210 U	0.220 U
Perfluorooctanesulfonic acid (PFOS)	0.540 U	1.20	0.550 U	0.520 U	0.540 U
Perfluorooctanoic acid (PFOA)	0.700	0.230 U	0.220 U	0.210 U	0.220 U
Perfluorotetradecanoic acid (PFTA)	0.320 U	0.350 U	0.330 U	0.310 U	0.320 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.230 U	0.220 U	0.210 U	0.220 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.120 J	0.220 U	0.210 U	0.220 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-04	75SB-19-04	75SB-19-04	75SB-19-04	75SB-19-04
Field Sample ID:	75SB-19-04-0.5-3	75SB-19-04-0-0.5	75SB-19-04-13-15	75SB-19-04-3-7	75SB-19-04-7-13
Sample Begin Depth:	0.50	0.00	13.00	3.00	7.00
Sample End Depth:	3.00	0.50	15.00	7.00	13.00
Sample Date:	01/07/2019	01/07/2019	01/07/2019	01/07/2019	01/07/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.20 UJ	2.20 U	2.10 U	2.10 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 UJ	1.10 U	1.00 U	1.10 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.10 U	1.00 U	1.10 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.10 U	1.00 U	1.10 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.200 U	0.190 U	0.190 U	0.190 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.220 U	0.200 J	0.210 U	0.210 U	0.210 U
Perfluorododecanoic acid (PFDoA)	0.220 U	0.220 U	0.210 U	0.210 U	0.210 U
Perfluoroheptanoic acid (PFHpA)	0.200 J	0.220 U	0.210 U	0.210 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	0.330 U	0.220 U	0.210 U	0.320 U	0.210 U
Perfluorohexanoic acid (PFHxA)	0.230 J	0.220 U	0.210 U	0.210 U	0.210 U
Perfluorononanoic acid (PFNA)	0.110 J	0.220 U	0.210 U	0.210 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	1.30	1.80	0.520 U	0.530 U	0.530 U
Perfluorooctanoic acid (PFOA)	0.670	0.220 U	0.210 U	0.210 U	0.210 U
Perfluorotetradecanoic acid (PFTA)	0.330 U	0.320 U	0.310 U	0.320 U	0.320 U
Perfluorotridecanoic acid (PFTrDA)	0.220 U	0.220 U	0.210 U	0.210 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.220 U	0.220 U	0.210 U	0.210 U	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-05	75SB-19-05	75SB-19-05	75SB-19-05	75SB-19-05
Field Sample ID:	75SB-19-05-0.5-3	75SB-19-05-0-0.5	75SB-19-05-16-18	75SB-19-05-3-7	75SB-19-05-7-15
Sample Begin Depth:	0.50	0.00	16.00	3.00	7.00
Sample End Depth:	3.00	0.50	18.00	7.00	15.00
Sample Date:	01/07/2019	01/07/2019	01/07/2019	01/07/2019	01/07/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.30 U	2.30 U	2.10 U	2.20 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.10 U	1.00 U	1.10 U	1.00 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.10 U	1.00 U	1.10 U	1.00 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.10 U	1.00 U	1.10 U	1.00 U
Perfluorobutanesulfonic acid (PFBS)	0.200 U	0.200 U	0.190 U	0.190 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.230 U	0.230 U	0.210 U	0.220 U	0.210 U
Perfluorododecanoic acid (PFDoA)	0.230 U	0.230 U	0.210 U	0.220 U	0.210 U
Perfluoroheptanoic acid (PFHpA)	0.230 U	0.230 U	0.210 U	0.220 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	0.230 U	0.230 U	0.210 U	0.220 U	0.210 U
Perfluorohexanoic acid (PFHxA)	0.230 U	0.230 U	0.210 U	0.220 U	0.210 U
Perfluorononanoic acid (PFNA)	0.230 U	0.230 U	0.210 U	0.220 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	0.350 J	0.720 J	0.520 U	0.540 U	0.520 U
Perfluorooctanoic acid (PFOA)	0.230 U	0.120 J	0.210 U	0.190 J	0.210 U
Perfluorotetradecanoic acid (PFTA)	0.340 U	0.340 U	0.310 U	0.320 U	0.310 U
Perfluorotridecanoic acid (PFTrDA)	0.230 U	0.230 U	0.210 U	0.220 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.230 U	0.230 U	0.210 U	0.220 U	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-05 (FD)	75SB-19-06	75SB-19-06	75SB-19-06	75SB-19-06
Field Sample ID:	75SB-DUP-19-03	75SB-19-06-0.5-3	75SB-19-06-0-0.5	75SB-19-06-3-7	75SB-19-06-7-8
Sample Begin Depth:	7.00	0.50	0.00	3.00	7.00
Sample End Depth:	15.00	3.00	0.50	7.00	8.00
Sample Date:	01/07/2019	01/07/2019	01/07/2019	01/07/2019	01/07/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.20 U	2.60 U	2.20 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.10 U	1.30 U	1.10 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.10 U	1.30 U	1.10 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.10 U	1.30 U	1.10 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.200 U	0.230 U	0.190 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.220 U	0.140 J	0.220 U	0.210 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.220 U	0.260 U	0.220 U	0.210 U
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.220 U	0.260 U	0.220 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	0.210 U	0.220 U	0.260 U	0.220 U	0.210 U
Perfluorohexanoic acid (PFHxA)	0.210 U	0.220 U	0.260 U	0.220 U	0.210 U
Perfluorononanoic acid (PFNA)	0.210 U	0.220 U	0.140 J	0.220 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	0.530 U	0.540 U	0.760 J	0.540 U	0.530 U
Perfluorooctanoic acid (PFOA)	0.210 U	0.220 U	0.170 J	0.220 U	0.210 U
Perfluorotetradecanoic acid (PFTA)	0.320 U	0.330 U	0.380 U	0.320 U	0.320 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.220 U	0.260 U	0.220 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.220 U	0.260 U	0.220 U	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-06	75SB-19-07	75SB-19-07	75SB-19-07	75SB-19-07
Field Sample ID:	75SB-19-06-8-10	75SB-19-07-0.5-3	75SB-19-07-0-0.5	75SB-19-07-3-7	75SB-19-07-7-8
Sample Begin Depth:	8.00	0.50	0.00	3.00	7.00
Sample End Depth:	10.00	3.00	0.50	7.00	8.00
Sample Date:	01/07/2019	01/07/2019	01/07/2019	01/07/2019	01/07/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.30 U	2.40 U	2.20 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.20 U	1.20 U	1.10 U	1.00 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.20 U	1.20 U	1.10 U	1.00 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.20 U	1.20 U	1.10 U	1.00 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.210 U	0.220 U	0.200 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.230 U	0.240 U	0.220 U	0.210 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.230 U	0.240 U	0.220 U	0.210 U
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.230 U	0.240 U	0.220 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	0.210 U	0.230 U	0.240 U	0.220 U	0.210 U
Perfluorohexanoic acid (PFHxA)	0.210 U	0.230 U	0.240 U	0.110 J	0.210 U
Perfluorononanoic acid (PFNA)	0.210 U	0.140 J	0.240 U	0.220 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	0.530 U	0.580 U	0.600 U	0.560 U	0.520 U
Perfluorooctanoic acid (PFOA)	0.210 U	0.150 J	0.240 U	0.330	0.210 U
Perfluorotetradecanoic acid (PFTA)	0.320 U	0.350 U	0.360 U	0.330 U	0.310 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.230 U	0.240 U	0.220 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.230 U	0.240 U	0.220 U	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-07	75SB-19-07 (FD)	75SB-19-08	75SB-19-08	75SB-19-08
Field Sample ID:	75SB-19-07-8-10	75SB-DUP-19-02	75SB-19-08-0.5-3.0	75SB-19-08-0-0.5	75SB-19-08-14-16
Sample Begin Depth:	8.00	3.00	0.50	0.00	14.00
Sample End Depth:	10.00	7.00	3.00	0.50	16.00
Sample Date:	01/07/2019	01/07/2019	05/13/2019	05/13/2019	05/13/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.20 U	2.10 U	2.70 U	2.30 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.10 U	1.10 U	1.40 U	1.20 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.10 U	1.10 U	1.40 U	1.20 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.10 U	1.10 U	1.40 U	1.20 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.200 U	0.190 U	0.240 U	0.210 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.220 U	0.210 U	0.120 J	0.230 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.220 U	0.210 U	0.270 U	0.230 U
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.220 U	0.210 U	0.270 U	0.230 U
Perfluorohexanesulfonic acid (PFHxS)	0.210 U	0.220 U	0.210 U	0.270 U	0.230 U
Perfluorohexanoic acid (PFHxA)	0.210 U	0.0830 J	0.210 U	0.270 U	0.230 U
Perfluorononanoic acid (PFNA)	0.210 U	0.220 U	0.210 U	0.270 U	0.230 U
Perfluorooctanesulfonic acid (PFOS)	0.530 U	0.540 U	0.320 J	0.550 J	0.580 U
Perfluorooctanoic acid (PFOA)	0.210 U	0.250 J	0.190 J	0.270 U	0.230 U
Perfluorotetradecanoic acid (PFTA)	0.320 U	0.330 U	0.320 U	0.410 U	0.350 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.220 U	0.210 U	0.270 U	0.230 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.220 U	0.210 U	0.270 U	0.230 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-08	75SB-19-08	75SB-19-08 (FD)	75SB-19-09	75SB-19-09
Field Sample ID:	75SB-19-08-3-7	75SB-19-08-7-14	A1-SB-DUP-01-051319	75SB-19-09-0.5-3.0	75SB-19-09-0-0.5
Sample Begin Depth:	3.00	7.00	3.00	0.50	0.00
Sample End Depth:	7.00	14.00	7.00	3.00	0.50
Sample Date:	05/13/2019	05/13/2019	05/13/2019	05/13/2019	05/13/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.00 U	2.50 U	2.10 U	2.10 U	3.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.00 U	1.20 U	1.00 U	1.00 U	1.60 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.00 U	1.20 U	1.00 U	1.00 U	1.60 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.00 U	1.20 U	1.00 U	1.00 U	1.60 U
Perfluorobutanesulfonic acid (PFBS)	0.180 U	0.220 U	0.190 U	0.190 U	0.280 U
Perfluorodecanoic acid (PFDA)	0.200 U	0.250 U	0.210 U	0.210 U	0.560
Perfluorododecanoic acid (PFDoA)	0.200 U	0.250 U	0.210 U	0.210 U	0.230 J
Perfluoroheptanoic acid (PFHpA)	0.200 U	0.250 U	0.210 U	0.210 U	0.310 U
Perfluorohexanesulfonic acid (PFHxS)	0.200 U	0.250 U	0.210 U	0.210 U	0.110 J
Perfluorohexanoic acid (PFHxA)	0.200 U	0.250 U	0.210 U	0.0900 J	0.310 U
Perfluorononanoic acid (PFNA)	0.200 U	0.250 U	0.210 U	0.210 U	0.420 J
Perfluorooctanesulfonic acid (PFOS)	0.510 U	0.610 U	0.520 U	0.520 U	2.00
Perfluorooctanoic acid (PFOA)	0.200 U	0.250 U	0.210 U	0.290 J	1.20
Perfluorotetradecanoic acid (PFTA)	0.300 U	0.370 U	0.310 U	0.310 U	0.470 U
Perfluorotridecanoic acid (PFTrDA)	0.200 U	0.250 U	0.210 U	0.210 U	0.310 U
Perfluoroundecanoic acid (PFUnA)	0.200 U	0.250 U	0.210 U	0.210 U	0.300 J

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 75SB-19-09	75SB-19-09	75SB-19-10	75SB-19-10	75SB-19-10
Field Sample ID:	75SB-19-09-3.0-6.0	75SB-19-09-6.0-8.0	75SB-19-10-0.0-0.5	75SB-19-10-0.5-3.0	75SB-19-10-3.0-5.0
Sample Begin Depth:	3.00	6.00	0.00	0.50	3.00
Sample End Depth:	6.00	8.00	0.50	3.00	5.00
Sample Date:	05/13/2019	05/13/2019	05/13/2019	05/13/2019	05/13/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.60 U	2.60 U	2.30 U	2.30 U	2.20 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.30 U	1.30 U	1.20 U	1.20 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.30 U	1.30 U	1.20 U	1.20 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.30 U	1.30 U	1.20 U	1.20 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.230 U	0.240 U	0.210 U	0.210 U	0.200 U
Perfluorodecanoic acid (PFDA)	0.260 U	0.260 U	0.170 J	0.230 U	0.220 U
Perfluorododecanoic acid (PFDoA)	0.260 U	0.260 U	0.230 U	0.230 U	0.220 U
Perfluoroheptanoic acid (PFHpA)	0.260 U	0.260 U	0.230 U	0.230 U	0.220 U
Perfluorohexanesulfonic acid (PFHxS)	0.260 U	0.260 U	0.230 U	0.110 J	0.170 J
Perfluorohexanoic acid (PFHxA)	0.260 U	0.260 U	0.230 U	0.230 U	0.220 U
Perfluorononanoic acid (PFNA)	0.260 U	0.260 U	0.160 J	0.140 J	0.110 J
Perfluorooctanesulfonic acid (PFOS)	0.650 U	0.650 U	0.630 J	1.40	0.960 J
Perfluorooctanoic acid (PFOA)	0.170 J	0.260 U	0.300 J	0.530	0.460
Perfluorotetradecanoic acid (PFTA)	0.390 U	0.390 U	0.350 U	0.350 U	0.330 U
Perfluorotridecanoic acid (PFTrDA)	0.260 U	0.260 U	0.230 U	0.230 U	0.220 U
Perfluoroundecanoic acid (PFUnA)	0.260 U	0.260 U	0.130 J	0.230 U	0.220 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

Locations: 75SB-19-10
 Field Sample ID: 75SB-19-10-5.0-7.0
 Sample Begin Depth: 5.00
 Sample End Depth: 7.00
 Sample Date: 05/13/2019

PFAS (ug/kg)	
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.20 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U
Perfluorodecanoic acid (PFDA)	0.220 U
Perfluorododecanoic acid (PFDoA)	0.220 U
Perfluoroheptanoic acid (PFHpA)	0.220 U
Perfluorohexanesulfonic acid (PFHxS)	0.0970 J
Perfluorohexanoic acid (PFHxA)	0.220 U
Perfluorononanoic acid (PFNA)	0.220 U
Perfluorooctanesulfonic acid (PFOS)	0.540 U
Perfluorooctanoic acid (PFOA)	0.140 J
Perfluorotetradecanoic acid (PFTA)	0.320 U
Perfluorotridecanoic acid (PFTrDA)	0.220 U
Perfluoroundecanoic acid (PFUnA)	0.220 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

KOMAN, PFAS RI, Soil TOC Samples-Area 1

AOC 75, Former Building T-1445 Warehouse Fire

Locations:	75MW-19-02	75MW-19-02	75MW-19-02	75MW-19-02	75MW-19-02
Field Sample ID:	75MW-19-02-240-248.5	75MW-19-02-39-49	75MW-19-02-70-80	75MW-19-02C-150-160	75MW-19-02C-170-180
Sample Begin Depth:	240.00	39.00	70.00	150.00	170.00
Sample End Depth:	248.50	49.00	80.00	160.00	180.00
Sample Date:	01/10/2020	01/21/2020	01/21/2020	02/11/2020	02/11/2020
Gen. Chemistry (mg/kg)					
Total Organic Carbon	14000	200 U	200 U	1100 J	2000 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

Locations:	75MW-19-02	75MW-19-04	75MW-19-04	75MW-19-04	75MW-19-04 (FD)
Field Sample ID:	75MW-19-02C-210-220	75MW-19-04-20-30	75MW-19-04-50-60	75MW-19-04-86-95	A1-VP-DUP-121619
Sample Begin Depth:	210.00	20.00	50.00	86.00	20.00
Sample End Depth:	220.00	30.00	60.00	95.00	30.00
Sample Date:	02/12/2020	12/16/2019	12/16/2019	12/16/2019	12/16/2019
Gen. Chemistry (mg/kg)					
Total Organic Carbon	2000 U	200 U	410 J	3400	200 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

Detects are displayed in bold font

Data Qualifier Definitions

J: The analyte was positively identified, but the associated numerical value is estimated and represents the approximate concentration of the analyte in the sample.
U: The analyte was not detected above the reported sample quantitation limit.
UJ: The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate.

Units

MG/KG = milligrams per kilogram
NG/L = nanograms per liter
PERCENT = percent
PPT = parts per thousand
UG/KG = microgram per kilogram
UG/L = microgram per liter