

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

KOMAN, PFAS RI, Soil Boring Samples-Area 2

AOX 43G, Army Air Force Exchange Service (AAFES) Gas Station and Historical Gas Station G

	Locations: 43GSB-19-01	43GSB-19-01	43GSB-19-01	43GSB-19-01	43GSB-19-01
Field Sample ID:	43GSB-19-01-0.5-3	43GSB-19-01-0-0.5	43GSB-19-01-23-25	43GSB-19-01-3-7	43GSB-19-01-7-15
Sample Begin Depth:	0.50	0.00	23.00	3.00	7.00
Sample End Depth:	3.00	0.50	25.00	7.00	15.00
Sample Date:	11/05/2019	11/05/2019	11/05/2019	11/05/2019	11/05/2019
<b>PFAS (ug/kg)</b>					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.10 U	2.40 U	2.20 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.00 U	1.10 U	1.20 U	1.10 U	1.00 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.00 U	1.10 U	1.20 U	1.10 U	1.00 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.00 U	1.10 U	1.20 U	1.10 U	1.00 U
Perfluorobutanesulfonic acid (PFBS)	0.180 U	0.190 U	0.210 U	0.200 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.210 U	0.240 U	0.220 U	0.210 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.210 U	0.240 U	0.220 U	0.210 U
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.210 U	0.240 U	0.220 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	0.210 U	0.210 U	<b>0.870</b>	0.220 U	<b>0.150 J</b>
Perfluorohexanoic acid (PFHxA)	0.210 U	0.210 U	<b>0.0850 J</b>	0.220 U	0.210 U
Perfluorononanoic acid (PFNA)	0.210 U	0.210 U	0.240 U	0.220 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	<b>0.450 J</b>	<b>0.500 J</b>	<b>0.300 J</b>	<b>0.740 J</b>	<b>0.390 J</b>
Perfluorooctanoic acid (PFOA)	0.210 U	0.210 U	<b>0.990</b>	0.220 U	<b>0.180 J</b>
Perfluorotetradecanoic acid (PFTA)	0.310 U	0.320 U	0.360 U	0.330 U	0.310 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.210 U	0.240 U	0.220 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.210 U	0.240 U	0.220 U	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 43GSB-19-02	43GSB-19-02	43GSB-19-02	43GSB-19-02	43GSB-19-02
Field Sample ID:	43GSB-19-02-0.5-3	43GSB-19-02-0-0.5	43GSB-19-02-23-25	43GSB-19-02-3-7	43GSB-19-02-7-15
Sample Begin Depth:	0.50	0.00	23.00	3.00	7.00
Sample End Depth:	3.00	0.50	25.00	7.00	15.00
Sample Date:	11/04/2019	11/04/2019	11/05/2019	11/04/2019	11/04/2019
<b>PFAS (ug/kg)</b>					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.20 U	2.20 U	2.10 U	2.00 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.00 U	1.10 U	1.10 U	1.00 U	1.00 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.00 U	1.10 U	1.10 U	1.00 U	1.00 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.00 U	1.10 U	1.10 U	1.00 U	1.00 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.200 U	0.190 U	0.190 U	0.180 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.220 U	0.220 U	0.210 U	<b>0.130 J</b>
Perfluorododecanoic acid (PFDoA)	0.210 U	0.220 U	0.220 U	0.210 U	0.200 U
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.220 U	0.220 U	0.210 U	0.200 U
Perfluorohexanesulfonic acid (PFHxS)	<b>0.570</b>	<b>1.00</b>	0.220 U	<b>0.490</b>	<b>0.270 J</b>
Perfluorohexanoic acid (PFHxA)	0.210 U	0.220 U	0.220 U	0.210 U	0.200 U
Perfluorononanoic acid (PFNA)	0.210 U	0.220 U	0.220 U	0.210 U	0.200 U
Perfluorooctanesulfonic acid (PFOS)	<b>18.0</b>	<b>8.40</b>	0.540 U	<b>6.50 J</b>	<b>9.70</b>
Perfluorooctanoic acid (PFOA)	<b>0.940</b>	<b>0.340</b>	0.220 U	<b>0.460</b>	<b>0.200 J</b>
Perfluorotetradecanoic acid (PFTA)	0.310 U	0.330 U	0.320 U	0.310 U	0.300 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.220 U	0.220 U	0.210 U	0.200 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.220 U	0.220 U	0.210 U	0.200 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 43GSB-19-02 (FD)	43GSB-19-03	43GSB-19-03	43GSB-19-03	43GSB-19-03
Field Sample ID:	A2-SB-DUP01-110419	43GSB-19-03-0.5-3	43GSB-19-03-0-0.5	43GSB-19-03-23-25	43GSB-19-03-3-7
Sample Begin Depth:	3.00	0.50	0.00	23.00	3.00
Sample End Depth:	7.00	3.00	0.50	25.00	7.00
Sample Date:	11/04/2019	11/05/2019	11/05/2019	11/05/2019	11/05/2019
<b>PFAS (ug/kg)</b>					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.50 U	2.20 U	2.40 U	2.10 U	2.30 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.20 U	1.10 U	1.20 U	1.10 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.20 U	1.10 U	1.20 U	1.10 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.20 U	1.10 U	1.20 U	1.10 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.220 U	0.190 U	0.210 U	0.190 U	0.200 U
Perfluorodecanoic acid (PFDA)	0.250 U	0.220 U	0.240 U	0.210 U	0.230 U
Perfluorododecanoic acid (PFDoA)	0.250 U	0.220 U	0.240 U	0.210 U	0.230 U
Perfluoroheptanoic acid (PFHpA)	0.250 U	0.220 U	0.240 U	0.210 U	0.230 U
Perfluorohexanesulfonic acid (PFHxS)	<b>0.830</b>	<b>0.450</b>	<b>0.260 J</b>	<b>0.190 J</b>	<b>0.490</b>
Perfluorohexanoic acid (PFHxA)	0.250 U	<b>0.180 J</b>	0.240 U	0.210 U	<b>0.120 J</b>
Perfluorononanoic acid (PFNA)	0.250 U	0.220 U	0.240 U	0.210 U	0.230 U
Perfluorooctanesulfonic acid (PFOS)	<b>9.60 J</b>	<b>13.0</b>	<b>2.70</b>	<b>0.540 J</b>	<b>5.30</b>
Perfluorooctanoic acid (PFOA)	<b>0.770</b>	<b>0.520</b>	<b>0.120 J</b>	0.210 U	<b>0.870</b>
Perfluorotetradecanoic acid (PFTA)	0.370 U	0.320 U	0.360 U	0.320 U	0.340 U
Perfluorotridecanoic acid (PFTrDA)	0.250 U	0.220 U	0.240 U	0.210 U	0.230 U
Perfluoroundecanoic acid (PFUnA)	0.250 U	0.220 U	0.240 U	0.210 U	0.230 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 43GSB-19-03	43GSB-19-03 (FD)	43GSB-19-04	43GSB-19-04	43GSB-19-04
Field Sample ID:	43GSB-19-03-7-15	A2-SB-DUP01-110519	43GSB-19-04-0.5-3	43GSB-19-04-0-0.5	43GSB-19-04-15-19
Sample Begin Depth:	7.00	7.00	0.50	0.00	15.00
Sample End Depth:	15.00	15.00	3.00	0.50	19.00
Sample Date:	11/05/2019	11/05/2019	11/01/2019	11/01/2019	11/01/2019
<b>PFAS (ug/kg)</b>					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.10 U	2.00 U	2.20 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.00 U	0.980 U	1.10 U	1.00 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.00 U	0.980 U	<b>0.430 J</b>	1.00 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.00 U	0.980 U	1.10 U	1.00 U
Perfluorobutanesulfonic acid (PFBS)	<b>0.100 J</b>	<b>0.110 J</b>	0.180 U	0.200 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.210 U	0.200 U	<b>0.160 J</b>	0.210 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.210 U	0.200 U	<b>0.370</b>	0.210 UJ
Perfluoroheptanoic acid (PFHpA)	<b>0.210 J</b>	<b>0.210 J</b>	0.200 U	0.220 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	<b>14.0</b>	<b>17.0</b>	<b>0.0700 J</b>	<b>0.650</b>	0.210 U
Perfluorohexanoic acid (PFHxA)	<b>0.840</b>	<b>0.890</b>	0.200 U	0.220 U	0.210 U
Perfluorononanoic acid (PFNA)	0.210 U	0.210 U	0.200 U	0.220 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	<b>3.40</b>	<b>4.00</b>	<b>0.560 J</b>	<b>2.50</b>	<b>0.750 J</b>
Perfluorooctanoic acid (PFOA)	<b>19.0</b>	<b>22.0</b>	0.200 U	<b>0.170 J</b>	0.210 U
Perfluorotetradecanoic acid (PFTA)	0.320 U	0.310 U	0.290 U	<b>0.250 J</b>	0.310 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.210 U	0.200 U	<b>0.210 J</b>	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.210 U	0.200 U	<b>0.170 J</b>	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 43GSB-19-04	43GSB-19-04	43GSB-19-04 (FD)	43GSB-19-05	43GSB-19-05
Field Sample ID:	43GSB-19-04-3-7	43GSB-19-04-7-15	A2-SB-DUP2-110119	43GSB-19-05-0.5-3	43GSB-19-05-0-0.5
Sample Begin Depth:	3.00	7.00	0.50	0.50	0.00
Sample End Depth:	7.00	15.00	3.00	3.00	0.50
Sample Date:	11/01/2019	11/01/2019	11/01/2019	11/04/2019	11/04/2019
<b>PFAS (ug/kg)</b>					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.10 U	2.40 U	2.80 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.00 U	1.00 U	1.20 U	1.40 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.00 U	1.00 U	1.20 U	1.40 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.00 U	1.00 U	1.20 U	1.40 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.190 U	0.220 U	<b>0.360 J</b>	<b>0.820</b>
Perfluorodecanoic acid (PFDA)	0.210 U	0.210 U	0.240 U	0.280 U	<b>0.920</b>
Perfluorododecanoic acid (PFDoA)	0.210 U	0.210 U	0.240 U	0.280 U	<b>0.250 J</b>
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.210 U	0.240 U	0.280 U	<b>0.180 J</b>
Perfluorohexanesulfonic acid (PFHxS)	<b>0.0890 J</b>	0.210 U	<b>0.110 J</b>	<b>0.810</b>	<b>1.90</b>
Perfluorohexanoic acid (PFHxA)	0.210 U	0.210 U	0.240 U	<b>0.140 J</b>	<b>0.310 J</b>
Perfluorononanoic acid (PFNA)	0.210 U	0.210 U	0.240 U	0.280 U	<b>0.250 J</b>
Perfluorooctanesulfonic acid (PFOS)	<b>0.670 J</b>	<b>0.590 J</b>	<b>0.460 J</b>	0.710 U	<b>0.870 J</b>
Perfluorooctanoic acid (PFOA)	0.210 U	0.210 U	0.240 U	<b>0.160 J</b>	<b>0.670</b>
Perfluorotetradecanoic acid (PFTA)	0.310 U	0.310 U	0.370 U	0.430 U	0.320 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.210 U	0.240 U	0.280 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.210 U	0.240 U	0.280 U	<b>0.210 J</b>

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 43GSB-19-05	43GSB-19-05	43GSB-19-06	43GSB-19-06	43GSB-19-06
Field Sample ID:	43GSB-19-05-3-7	43GSB-19-05-7-15	43GSB-19-06-0.5-3	43GSB-19-06-0-0.5	43GSB-19-06-3-7
Sample Begin Depth:	3.00	7.00	0.50	0.00	3.00
Sample End Depth:	7.00	15.00	3.00	0.50	7.00
Sample Date:	11/04/2019	11/04/2019	11/04/2019	11/04/2019	11/04/2019
<b>PFAS (ug/kg)</b>					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.20 U	2.10 U	2.30 U	2.10 U	2.20 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.00 U	1.20 U	1.00 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.00 U	1.20 U	1.00 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.00 U	1.20 U	1.00 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.200 U	0.190 U	0.210 U	0.180 U	0.200 U
Perfluorodecanoic acid (PFDA)	0.220 U	0.210 U	0.230 U	0.210 U	0.220 U
Perfluorododecanoic acid (PFDoA)	0.220 U	0.210 U	0.230 U	0.210 U	0.220 U
Perfluoroheptanoic acid (PFHpA)	0.220 U	0.210 U	0.230 U	0.210 U	0.220 U
Perfluorohexanesulfonic acid (PFHxS)	<b>0.190 J</b>	0.210 U	0.230 U	0.210 U	0.220 U
Perfluorohexanoic acid (PFHxA)	0.220 U	0.210 U	0.230 U	0.210 U	0.220 U
Perfluorononanoic acid (PFNA)	0.220 U	0.210 U	0.230 U	0.210 U	0.220 U
Perfluorooctanesulfonic acid (PFOS)	0.550 U	0.520 U	0.580 U	<b>0.350 J</b>	0.550 U
Perfluorooctanoic acid (PFOA)	0.220 U	0.210 U	0.230 U	0.210 U	0.220 U
Perfluorotetradecanoic acid (PFTA)	0.330 U	0.310 U	0.350 U	0.310 U	0.330 U
Perfluorotridecanoic acid (PFTrDA)	0.220 U	0.210 U	0.230 U	0.210 U	0.220 U
Perfluoroundecanoic acid (PFUnA)	0.220 U	0.210 U	0.230 U	0.210 U	0.220 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 43GSB-19-06	43GSB-19-07	43GSB-19-07	43GSB-19-07	43GSB-19-07
Field Sample ID:	43GSB-19-06-7-15	43GSB-19-07-0.5-3	43GSB-19-07-0-0.5	43GSB-19-07-3-7	43GSB-19-07-7-15
Sample Begin Depth:	7.00	0.50	0.00	3.00	7.00
Sample End Depth:	15.00	3.00	0.50	7.00	15.00
Sample Date:	11/04/2019	11/01/2019	11/01/2019	11/01/2019	11/01/2019
<b>PFAS (ug/kg)</b>					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.20 U	2.00 U	2.30 U	2.00 U	2.10 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.10 U	1.00 U	1.10 U	1.00 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.10 U	1.00 U	1.10 U	1.00 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.10 U	1.00 U	1.10 U	1.00 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.200 U	0.180 U	0.210 U	0.180 U	0.190 U
Perfluorodecanoic acid (PFDA)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U
Perfluorododecanoic acid (PFDoA)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U
Perfluoroheptanoic acid (PFHpA)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U
Perfluorohexanesulfonic acid (PFHxS)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U
Perfluorohexanoic acid (PFHxA)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U
Perfluorononanoic acid (PFNA)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U
Perfluorooctanesulfonic acid (PFOS)	0.550 U	<b>0.420 J</b>	<b>0.350 J</b>	<b>0.380 J</b>	<b>0.930 J</b>
Perfluorooctanoic acid (PFOA)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U
Perfluorotetradecanoic acid (PFTA)	0.330 U	0.300 U	0.340 U	0.300 U	0.320 U
Perfluorotridecanoic acid (PFTrDA)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U
Perfluoroundecanoic acid (PFUnA)	0.220 U	0.200 U	0.230 U	0.200 U	0.210 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 43GSB-19-07 (FD)	43GSB-19-08	43GSB-19-08	43GSB-19-08	43GSB-19-08
Field Sample ID:	A2-SB-DUP01-110119	43GSB-19-08-0.5-3	43GSB-19-08-0-0.5	43GSB-19-08-3-7	43GSB-19-08-7-15
Sample Begin Depth:	7.00	0.50	0.00	3.00	7.00
Sample End Depth:	15.00	3.00	0.50	7.00	15.00
Sample Date:	11/01/2019	11/01/2019	11/01/2019	11/01/2019	11/01/2019
<b>PFAS (ug/kg)</b>					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.10 U	2.20 U	2.10 U	2.40 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.00 U	1.10 U	1.10 U	1.10 U	1.20 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.00 U	1.10 U	1.10 U	1.10 U	1.20 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.00 U	1.10 U	1.10 U	1.10 U	1.20 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.190 U	0.190 U	0.190 U	0.210 U
Perfluorodecanoic acid (PFDA)	0.210 U	<b>0.160 J</b>	<b>0.170 J</b>	0.210 U	0.240 U
Perfluorododecanoic acid (PFDoA)	0.210 U	0.210 U	<b>0.180 J</b>	0.210 U	0.240 U
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.210 U	0.220 U	0.210 U	0.240 U
Perfluorohexanesulfonic acid (PFHxS)	0.210 U	<b>0.0790 J</b>	<b>0.280 J</b>	0.210 U	0.240 U
Perfluorohexanoic acid (PFHxA)	0.210 U	0.210 U	0.220 U	0.210 U	0.240 U
Perfluorononanoic acid (PFNA)	0.210 U	0.210 U	0.220 U	0.210 U	0.240 U
Perfluorooctanesulfonic acid (PFOS)	<b>0.550 J</b>	<b>0.430 J</b>	<b>1.50</b>	<b>0.330 J</b>	0.590 U
Perfluorooctanoic acid (PFOA)	0.210 U	0.210 U	<b>0.140 J</b>	0.210 U	0.240 U
Perfluorotetradecanoic acid (PFTA)	0.310 U	0.320 U	0.320 U	0.320 U	0.350 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.210 U	0.220 U	0.210 U	0.240 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.210 U	<b>0.300 J</b>	0.210 U	0.240 U



Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

---

Locations: 43GSB-19-08 (FD)

Field Sample ID: A2-SB-DUP03-110119

Sample Begin Depth: 7.00

Sample End Depth: 15.00

Sample Date: 11/01/2019

---

**PFAS (ug/kg)**

---

6:2 Fluorotelomer sulfonate (6:2 FTS)	2.60 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.30 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.30 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.30 U
Perfluorobutanesulfonic acid (PFBS)	0.230 U
Perfluorodecanoic acid (PFDA)	0.260 U
Perfluorododecanoic acid (PFDoA)	0.260 U
Perfluoroheptanoic acid (PFHpA)	0.260 U
Perfluorohexanesulfonic acid (PFHxS)	0.260 U
Perfluorohexanoic acid (PFHxA)	0.260 U
Perfluorononanoic acid (PFNA)	0.260 U
Perfluorooctanesulfonic acid (PFOS)	0.640 U
Perfluorooctanoic acid (PFOA)	0.260 U
Perfluorotetradecanoic acid (PFTA)	0.390 U
Perfluorotridecanoic acid (PFTrDA)	0.260 U
Perfluoroundecanoic acid (PFUnA)	0.260 U

---

## Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

Detects are displayed in bold font

---

### Data Qualifier Definitions

---

J: The analyte was positively identified, but the associated numerical value is estimated and represents the approximate concentration of the analyte in the sample.  
U: The analyte was not detected above the reported sample quantitation limit.  
UJ: The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate.

### Units

---

MG/KG = milligrams per kilogram  
NG/L = nanograms per liter  
PERCENT = percent  
PPT = parts per thousand  
UG/KG = microgram per kilogram  
UG/L = microgram per liter