

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

KOMAN, PFAS RI, Soil Boring Samples-Area 2

AOX 76, Devens Fire Station

	Locations: 76SB-19-01	76SB-19-02	76SB-19-02	76SB-19-02	76SB-19-03
Field Sample ID:	76SB-19-01-0-2	76SB-19-02-0-1	76SB-19-02-18-20	76SB-19-02-3-7	76SB-19-03-0-1
Sample Begin Depth:	0.00	0.00	18.00	3.00	0.00
Sample End Depth:	2.00	1.00	20.00	7.00	1.00
Sample Date:	06/19/2019	06/18/2019	06/18/2019	06/18/2019	06/19/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.70 U	2.10 U	2.40 U	2.60 U	2.70 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.20 J	3.10	1.20 U	0.700 J	1.30 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NETFOSAA)	1.30 U	1.00 U	1.20 U	1.30 U	1.30 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.30 U	1.00 U	1.20 U	1.30 U	1.30 U
Perfluorobutanesulfonic acid (PFBS)	0.240 U	0.190 U	0.210 U	0.240 U	0.240 U
Perfluorodecanoic acid (PFDA)	0.770	2.90	0.240 U	0.430	0.270 J
Perfluorododecanoic acid (PFDoA)	1.40	1.00	0.240 U	0.260 U	0.270 U
Perfluoroheptanoic acid (PFHpA)	0.150 J	0.130 J	0.240 U	0.260 U	0.270 U
Perfluorohexanesulfonic acid (PFHxS)	0.140 J	0.0740 J	0.240 U	0.260 U	0.270 U
Perfluorohexanoic acid (PFHxA)	0.270 U	0.110 J	0.240 U	0.260 U	0.270 U
Perfluorononanoic acid (PFNA)	0.250 J	0.500	0.240 U	0.140 J	0.320 J
Perfluorooctanesulfonic acid (PFOS)	0.400 J	0.960 J	0.590 U	0.360 J	2.10
Perfluorooctanoic acid (PFOA)	0.380 J	0.230 J	0.240 U	0.260 U	0.170 J
Perfluorotetradecanoic acid (PFTA)	0.610	0.380 J	0.350 U	0.390 U	0.400 U
Perfluorotridecanoic acid (PFTrDA)	0.630	0.230 J	0.240 U	0.260 U	0.270 U
Perfluoroundecanoic acid (PFUnA)	1.60	1.50	0.240 U	0.260 U	0.250 J

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 76SB-19-03	76SB-19-03	76SB-19-04	76SB-19-04	76SB-19-04
Field Sample ID:	76SB-19-03-12-14	76SB-19-03-3-7	76SB-19-04-0-1	76SB-19-04-10-12	76SB-19-04-3-7
Sample Begin Depth:	12.00	3.00	0.00	10.00	3.00
Sample End Depth:	14.00	7.00	1.00	12.00	7.00
Sample Date:	06/19/2019	06/19/2019	06/19/2019	06/19/2019	06/19/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.40 U	2.10 U	2.40 U	2.60 U	2.50 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.20 U	1.10 U	1.20 U	1.30 U	1.30 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.20 U	1.10 U	1.20 U	1.30 U	1.30 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.20 U	1.10 U	1.20 U	1.30 U	1.30 U
Perfluorobutanesulfonic acid (PFBS)	0.210 U	0.190 U	0.220 U	0.230 U	0.230 U
Perfluorodecanoic acid (PFDA)	0.240 U	0.210 U	0.140 J	0.260 U	0.250 U
Perfluorododecanoic acid (PFDoA)	0.240 U	0.210 U	0.240 U	0.260 U	0.250 U
Perfluoroheptanoic acid (PFHpA)	0.240 U	0.210 U	0.240 U	0.260 U	0.250 U
Perfluorohexanesulfonic acid (PFHxS)	0.240 U	0.210 U	0.240 U	0.260 U	0.250 U
Perfluorohexanoic acid (PFHxA)	0.240 U	0.210 U	0.240 U	0.260 U	0.250 U
Perfluorononanoic acid (PFNA)	0.240 U	0.210 U	0.110 J	0.260 U	0.250 U
Perfluorooctanesulfonic acid (PFOS)	0.590 U	0.540 U	0.930 J	0.640 U	0.630 U
Perfluorooctanoic acid (PFOA)	0.240 U	0.210 U	0.240 U	0.260 U	0.250 U
Perfluorotetradecanoic acid (PFTA)	0.350 U	0.320 U	0.370 U	0.390 U	0.380 U
Perfluorotridecanoic acid (PFTrDA)	0.240 U	0.210 U	0.240 U	0.260 U	0.250 U
Perfluoroundecanoic acid (PFUnA)	0.240 U	0.210 U	0.140 J	0.260 U	0.250 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 76SB-19-04 (FD)	76SB-19-05	76SB-19-05	76SB-19-05	76SB-19-05 (FD)
Field Sample ID:	A2-SB-DUP-061919	76SB-19-05-0-1	76SB-19-05-17-19	76SB-19-05-3-7	A2-SB-DUP02-061819
Sample Begin Depth:	3.00	0.00	17.00	3.00	3.00
Sample End Depth:	7.00	1.00	19.00	7.00	7.00
Sample Date:	06/19/2019	06/18/2019	06/18/2019	06/18/2019	06/18/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.40 U	2.50 U	2.50 U	1.50 J	1.40 J
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.20 U	3.30	1.30 U	0.330 J	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.20 U	1.30 J	1.30 U	0.990 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.20 U	1.20 U	1.30 U	0.990 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.210 U	0.220 U	0.230 U	0.180 U	0.200 U
Perfluorodecanoic acid (PFDA)	0.240 U	3.20	0.250 U	0.250 J	0.220 J
Perfluorododecanoic acid (PFDoA)	0.240 U	0.680	0.250 U	0.200 U	0.220 U
Perfluoroheptanoic acid (PFHpA)	0.240 U	0.240 J	0.250 U	0.140 J	0.180 J
Perfluorohexanesulfonic acid (PFHxS)	0.240 U	0.480	0.0920 J	0.430	0.460
Perfluorohexanoic acid (PFHxA)	0.240 U	0.270 J	0.250 U	0.0710 J	0.0950 J
Perfluorononanoic acid (PFNA)	0.240 U	1.10	0.250 U	0.990	0.960
Perfluorooctanesulfonic acid (PFOS)	0.600 U	8.40	4.20	130	130
Perfluorooctanoic acid (PFOA)	0.240 U	0.430	0.130 J	0.640	0.710
Perfluorotetradecanoic acid (PFTA)	0.360 U	0.140 J	0.380 U	0.300 U	0.330 U
Perfluorotridecanoic acid (PFTrDA)	0.240 U	0.190 J	0.250 U	0.200 U	0.220 U
Perfluoroundecanoic acid (PFUnA)	0.240 U	2.60	0.250 U	0.200 U	0.220 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 76SB-19-06	76SB-19-06	76SB-19-06	76SB-19-06 (FD)	76SB-19-07
Field Sample ID:	76SB-19-06-0-1	76SB-19-06-3-7	76SB-19-06-9-11	A2-SB-DUP-061719	76SB-19-07-0-1
Sample Begin Depth:	0.00	3.00	9.00	3.00	0.00
Sample End Depth:	1.00	7.00	11.00	7.00	1.00
Sample Date:	06/17/2019	06/17/2019	06/17/2019	06/17/2019	06/17/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.40 U	2.50 J	1.90 J	3.60 J	2.30 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	0.890 J	7.30	2.10 J	8.70	2.10 J
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.20 U	0.980 U	1.20 U	1.10 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.20 U	0.980 U	1.20 U	1.10 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.220 U	0.180 U	0.210 U	0.200 U	0.210 U
Perfluorodecanoic acid (PFDA)	0.850	3.40	0.850	4.00	0.350
Perfluorododecanoic acid (PFDoA)	1.10	0.180 J	0.230 U	0.170 J	2.70
Perfluoroheptanoic acid (PFHpA)	0.140 J	0.330	0.400	0.310 J	0.150 J
Perfluorohexanesulfonic acid (PFHxS)	0.0950 J	0.210 J	0.180 J	0.230 J	0.190 J
Perfluorohexanoic acid (PFHxA)	0.110 J	0.0890 J	0.140 J	0.0940 J	0.140 J
Perfluorononanoic acid (PFNA)	0.300 J	1.90	1.00	2.20	0.110 J
Perfluorooctanesulfonic acid (PFOS)	0.890 J	15.0	4.30	17.0	0.490 J
Perfluorooctanoic acid (PFOA)	0.200 J	1.40	0.980	1.50	0.210 J
Perfluorotetradecanoic acid (PFTA)	0.430 J	0.290 U	0.350 U	0.330 U	0.760
Perfluorotridecanoic acid (PFTrDA)	0.310 J	0.200 U	0.230 U	0.220 U	0.630
Perfluoroundecanoic acid (PFUnA)	0.920	0.390	0.170 J	0.470	2.10

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 76SB-19-07	76SB-19-07	76SB-19-08	76SB-19-08	76SB-19-09
Field Sample ID:	76SB-19-07-3-7	76SB-19-07-8-10	76SB-19-08-0-1	76SB-19-08-1-2.5	76SB-19-09-0-1
Sample Begin Depth:	3.00	8.00	0.00	1.00	0.00
Sample End Depth:	7.00	10.00	1.00	2.50	1.00
Sample Date:	06/17/2019	06/17/2019	06/19/2019	06/19/2019	06/17/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	1.10 J	1.20 J	2.90 U	2.70 U	2.00 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.20 U	1.30 U	1.50 U	1.40 U	1.00 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.20 U	1.30 U	1.50 U	1.40 U	1.00 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.20 U	1.30 U	1.50 U	1.40 U	1.00 U
Perfluorobutanesulfonic acid (PFBS)	0.220 U	0.230 U	0.260 U	0.240 U	0.180 U
Perfluorodecanoic acid (PFDA)	0.140 J	0.250 U	0.420 J	0.350 J	0.520
Perfluorododecanoic acid (PFDoA)	0.250 U	0.250 U	0.400 J	0.270 U	0.150 J
Perfluoroheptanoic acid (PFHpA)	0.280 J	0.410	0.290 U	0.270 U	0.160 J
Perfluorohexanesulfonic acid (PFHxS)	0.0890 J	0.0960 J	0.290 U	0.270 U	0.160 J
Perfluorohexanoic acid (PFHxA)	0.0990 J	0.0970 J	0.290 U	0.270 U	0.140 J
Perfluorononanoic acid (PFNA)	1.30	0.250 U	0.190 J	0.120 J	0.630
Perfluorooctanesulfonic acid (PFOS)	1.10 J	0.630 U	0.420 J	0.630 J	1.20
Perfluorooctanoic acid (PFOA)	0.690	0.880	0.290 U	0.270 U	0.360
Perfluorotetradecanoic acid (PFTA)	0.370 U	0.380 U	0.190 J	0.410 U	0.300 U
Perfluorotridecanoic acid (PFTrDA)	0.250 U	0.250 U	0.190 J	0.270 U	0.200 U
Perfluoroundecanoic acid (PFUnA)	0.250 U	0.250 U	0.880	0.270 U	0.650

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 76SB-19-09	76SB-19-09	76SB-19-10	76SB-19-10	76SB-19-10
Field Sample ID:	76SB-19-09-3-7	76SB-19-09-7-9	76SB-19-10-0-1	76SB-19-10-21-23	76SB-19-10-3-7
Sample Begin Depth:	3.00	7.00	0.00	21.00	3.00
Sample End Depth:	7.00	9.00	1.00	23.00	7.00
Sample Date:	06/17/2019	06/17/2019	06/19/2019	06/19/2019	06/19/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.40 U	2.30 U	2.40 U	2.20 U	3.40 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.20 U	1.20 U	1.20 U	1.10 U	1.70 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.20 U	1.20 U	1.20 U	1.10 U	1.70 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.20 U	1.20 U	1.20 U	1.10 U	1.70 U
Perfluorobutanesulfonic acid (PFBS)	0.220 U	0.210 U	0.210 U	0.200 U	0.310 U
Perfluorodecanoic acid (PFDA)	0.240 U	0.230 U	0.240 U	0.220 U	0.340 U
Perfluorododecanoic acid (PFDoA)	0.240 U	0.230 U	0.240 U	0.220 U	0.340 U
Perfluoroheptanoic acid (PFHpA)	0.0930 J	0.230 U	0.180 J	0.220 U	0.340 U
Perfluorohexanesulfonic acid (PFHxS)	0.0850 J	0.340 J	0.280 J	0.220 U	0.320 J
Perfluorohexanoic acid (PFHxA)	0.240 U	0.110 J	0.250 J	0.220 U	0.340 U
Perfluorononanoic acid (PFNA)	0.240 U	0.230 U	0.250 J	0.220 U	0.340 U
Perfluorooctanesulfonic acid (PFOS)	5.00 J	3.50	3.70	0.540 U	0.860 U
Perfluorooctanoic acid (PFOA)	0.180 J	0.130 J	0.540	0.220 U	0.390 J
Perfluorotetradecanoic acid (PFTA)	0.360 U	0.350 U	0.360 U	0.330 U	0.510 U
Perfluorotridecanoic acid (PFTrDA)	0.240 U	0.230 U	0.240 U	0.220 U	0.340 U
Perfluoroundecanoic acid (PFUnA)	0.240 U	0.230 U	0.240 U	0.220 U	0.340 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 76SB-19-11	76SB-19-11	76SB-19-11	76SB-19-12	76SB-19-12
Field Sample ID:	76SB-19-11-0-1	76SB-19-11-3-7	76SB-19-11-7-9	76SB-19-12-0-1	76SB-19-12-10-12
Sample Begin Depth:	0.00	3.00	7.00	0.00	10.00
Sample End Depth:	1.00	7.00	9.00	1.00	12.00
Sample Date:	06/17/2019	06/17/2019	06/17/2019	06/18/2019	06/18/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	0.800 J	2.10 U	2.30 U	2.70 U	2.20 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	2.20 J	1.00 U	1.10 U	1.30 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.20 U	1.00 U	1.10 U	1.30 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.20 U	1.00 U	1.10 U	1.30 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.220 U	0.190 U	0.200 U	0.240 U	0.200 U
Perfluorodecanoic acid (PFDA)	0.830	0.210 U	0.230 U	0.240 J	0.220 U
Perfluorododecanoic acid (PFDoA)	0.360	0.210 U	0.230 U	0.270 U	0.220 U
Perfluoroheptanoic acid (PFHpA)	0.260 J	0.140 J	0.130 J	0.170 J	0.220 U
Perfluorohexanesulfonic acid (PFHxS)	0.240 J	0.0750 J	0.100 J	0.360 J	0.190 J
Perfluorohexanoic acid (PFHxA)	0.250 J	0.210 U	0.0860 J	0.330 J	0.220 U
Perfluorononanoic acid (PFNA)	0.550	0.210 U	0.230 U	0.250 J	0.220 U
Perfluorooctanesulfonic acid (PFOS)	2.20	0.370 J	0.570 U	19.0	1.10
Perfluorooctanoic acid (PFOA)	0.290 J	0.450	0.230 U	0.830	0.200 J
Perfluorotetradecanoic acid (PFTA)	0.360 U	0.310 U	0.340 U	0.400 U	0.330 U
Perfluorotridecanoic acid (PFTrDA)	0.240 U	0.210 U	0.230 U	0.270 U	0.220 U
Perfluoroundecanoic acid (PFUnA)	0.400	0.210 U	0.230 U	0.270 U	0.220 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 76SB-19-12	76SB-19-13	76SB-19-13	76SB-19-13	76SB-19-14
Field Sample ID:	76SB-19-12-3-7	76SB-19-13-0-1	76SB-19-13-10-12	76SB-19-13-3-7	76SB-19-14-0-1
Sample Begin Depth:	3.00	0.00	10.00	3.00	0.00
Sample End Depth:	7.00	1.00	12.00	7.00	1.00
Sample Date:	06/18/2019	06/17/2019	06/17/2019	06/17/2019	06/18/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.10 U	2.20 U	2.30 U	2.60 U	2.20 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	1.00 U	1.10 U	1.20 U	1.30 U	1.10 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	1.00 U	1.10 U	1.20 U	1.30 U	1.10 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	1.00 U	1.10 U	1.20 U	1.30 U	1.10 U
Perfluorobutanesulfonic acid (PFBS)	0.190 U	0.200 J	0.210 U	0.230 U	0.200 U
Perfluorodecanoic acid (PFDA)	0.210 U	0.220 U	0.230 U	0.260 U	0.840
Perfluorododecanoic acid (PFDoA)	0.210 U	0.220 U	0.230 U	0.260 U	0.130 J
Perfluoroheptanoic acid (PFHpA)	0.210 U	0.310 J	0.220 J	1.50	0.390
Perfluorohexanesulfonic acid (PFHxS)	0.180 J	4.40	2.00	26.0	0.0780 J
Perfluorohexanoic acid (PFHxA)	0.130 J	0.430	0.230 J	0.940	0.260 J
Perfluorononanoic acid (PFNA)	0.210 U	0.150 J	0.230 U	0.130 J	1.50
Perfluorooctanesulfonic acid (PFOS)	0.650 J	26.0	2.70	11.0	0.990 J
Perfluorooctanoic acid (PFOA)	0.280 J	0.480	0.130 J	0.640	0.800
Perfluorotetradecanoic acid (PFTA)	0.310 U	0.340 U	0.350 U	0.390 U	0.340 U
Perfluorotridecanoic acid (PFTrDA)	0.210 U	0.220 U	0.230 U	0.260 U	0.220 U
Perfluoroundecanoic acid (PFUnA)	0.210 U	0.220 U	0.230 U	0.260 U	0.540

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

	Locations: 76SB-19-14	76SB-19-14	76SB-19-15	76SB-19-15	76SB-19-15 (FD)
Field Sample ID:	76SB-19-14-3-7	76SB-19-14-7-9	76SB-19-15-0-1	76SB-19-15-1.5-3.5	A2-SB-DUP-061819
Sample Begin Depth:	3.00	7.00	0.00	1.50	1.50
Sample End Depth:	7.00	9.00	1.00	3.50	3.50
Sample Date:	06/18/2019	06/18/2019	06/18/2019	06/18/2019	06/18/2019
PFAS (ug/kg)					
6:2 Fluorotelomer sulfonate (6:2 FTS)	2.00 U	2.10 U	2.50 U	2.30 U	2.40 U
8:2 Fluorotelomer sulfonate (8:2 FTS)	0.990 U	1.10 U	1.30 U	1.20 U	1.20 U
N-Ethyl perfluorooctanesulfonamidoacetic acid (NEtFOSAA)	0.990 U	1.10 U	1.30 U	1.20 U	1.20 U
N-Methyl perfluorooctanesulfonamidoacetic acid (NMeFOSAA)	0.990 U	1.10 U	1.30 U	1.20 U	1.20 U
Perfluorobutanesulfonic acid (PFBS)	0.180 U	0.190 U	0.230 U	0.210 U	0.210 U
Perfluorodecanoic acid (PFDA)	0.200 U	0.210 U	0.880	0.230 U	0.130 J
Perfluorododecanoic acid (PFDoA)	0.200 U	0.210 U	0.150 J	0.230 U	0.240 U
Perfluoroheptanoic acid (PFHpA)	0.370	0.160 J	0.600	0.310 J	0.350
Perfluorohexanesulfonic acid (PFHxS)	0.350	0.0840 J	3.10	1.00	1.20
Perfluorohexanoic acid (PFHxA)	0.230 J	0.130 J	1.10	0.410	0.480
Perfluorononanoic acid (PFNA)	0.210 J	0.210 U	1.80	0.310 J	0.350
Perfluorooctanesulfonic acid (PFOS)	0.670 J	0.340 J	13.0	2.80	3.60
Perfluorooctanoic acid (PFOA)	0.630	0.220 J	1.50	0.630	0.690
Perfluorotetradecanoic acid (PFTA)	0.300 U	0.320 U	0.380 U	0.350 U	0.350 U
Perfluorotridecanoic acid (PFTrDA)	0.200 U	0.210 U	0.250 U	0.230 U	0.240 U
Perfluoroundecanoic acid (PFUnA)	0.200 U	0.210 U	0.560	0.230 U	0.240 U

Former Fort Devens, Stage 2B Validation - Electronic and Manual Data Approved Between 9/24/2018 and 5/31/2020

Detects are displayed in bold font

Data Qualifier Definitions

J: The analyte was positively identified, but the associated numerical value is estimated and represents the approximate concentration of the analyte in the sample.
U: The analyte was not detected above the reported sample quantitation limit.
UJ: The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate.

Units

MG/KG = milligrams per kilogram
NG/L = nanograms per liter
PERCENT = percent
PPT = parts per thousand
UG/KG = microgram per kilogram
UG/L = microgram per liter