

The following information is intended to aid in determining what may/may not require a permit from the U.S. Army Corps of Engineers (USACE) following the recent storm damage in Maine. We strongly advise the public to contact us with any questions regarding permitting:

- Shawn Mahaney at shawn.b.mahaney@usace.army.mil, (207) 233-3243 (cell), or (978) 318-8492 and (207) 623-8367, x4 (office)
- Heather Stukas at heather.s.stukas@usace.army.mil, (207) 272-5219 (cell), or (978) 318-8678 and (207) 623-8367, x8 (office)
- General email box: cenae-r-me@usace.army.mil

At this time, we do not have special permit processing procedures applicable to this event, however we do have long standing emergency procedures outlined at 33 CFR 325.2(e)(4) and under the Maine General Permits (GPs). The GPs are available at <https://www.nae.usace.army.mil/Missions/Regulatory/State-General-Permits/Maine-General-Permit/>

The following apply for work in waters of the U.S. (WOTUS), which include, but are not limited to, lakes/ponds, rivers, streams, intermittent streams, natural drainage courses, ocean, and wetlands:

- Permits are required for work or structures in or over navigable waters pursuant to Section 10 of the Rivers and Harbors Act of 1899. Navigable waters are defined as those waters that are subject to the ebb and flow of the tide and/or are presently used or have been used in the past or may be susceptible for use to transport interstate or foreign commerce (33 CFR 329.4). The following waters have been determined to be Navigable Waters of the United States in New Hampshire: 1) all waters that are subject to the ebb and flow of the tide, 2) the Kennebec River to Moosehead Lake), 3) the Penobscot River to the confluence of the East and West Branch at Medway and 4) Lake Umbagog, within the State of Maine. **However, work limited to in-kind repair/replacement may be authorized as a maintenance activity under Maine General Permit #1.**
- The discharge of fill material into waters of the U.S. requires a permit under Section 404 of the Clean Water Act (CWA), unless otherwise exempt. Many activities to remediate storm damage may be exempt from permitting under the CWA if they involve returning sites to pre-disaster conditions (for example, replacing rip rap within areas that were previously stabilized with rip rap). In accordance with 33 CFR 323.4(a)(2), any discharge of dredged or fill material that may result from any of the following activities is **not prohibited by or otherwise subject to regulation under Section 404 of the CWA**: “Maintenance, including emergency reconstruction of recently damaged parts, of currently serviceable

U.S. ARMY CORPS OF ENGINEERS – NEW ENGLAND DISTRICT – MAINE PROJECT OFFICE

442 Civic Center Drive, Suite 350, Augusta, ME 04330

www.nae.usace.army.mil/regulatory

structures such as dikes, dams, levees, groins, riprap, breakwaters, causeways, bridge abutments or approaches, and transportation structures. Maintenance does not include any modification that changes the character, scope, or size of the original fill design. Emergency reconstruction must occur within a reasonable period of time after damage has occurred in order to qualify for this exemption.” This exemption does not apply to activities located in the navigable WOTUS listed above, which may require authorization pursuant to Section 10 of the Rivers and Harbors Act.

- Sediment and debris removal to restore sites to pre-flood conditions may not require a permit if there is **no** associated discharge of fill material and the work **does not occur within Section 10 waters**.
- For anything other than replacement in-kind and/or restoring pre-existing fills to pre-flood conditions, a permit will likely be required. In these cases, we advise the public to call or email USACE (contacts above) to determine whether an application is required.
- In cases where proposed work does not qualify for the exemption or a general permit, and the situation would result in an unacceptable hazard to life, a significant loss of property, or an immediate, unforeseen, and significant economic hardship if corrective action is not undertaken within a time period less than the normal time needed to process a permit application under standard procedures, the District can process an application for a permit under emergency procedures, as stated in 33 CFR 325.2(e)(4). The public should contact us if they feel the work qualifies for the emergency procedures.

The Maine Permits Section team remains poised to assist you with your permitting needs or questions. Please do not hesitate to contact us.

U.S. ARMY CORPS OF ENGINEERS – NEW ENGLAND DISTRICT – MAINE PROJECT OFFICE

442 Civic Center Drive, Suite 350, Augusta, ME 04330

www.nae.usace.army.mil/regulatory